

22500149531











# SEVENTIETH ANNUAL REPORT

OF THE

## REGISTRAR-GENERAL

OF

### BIRTHS, DEATHS, AND MARRIAGES

### IN ENGLAND AND WALES.

(1907.)


---

---

Presented to both Houses of Parliament by Command of His Majesty.

---

---



LONDON:  
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,  
By DARLING & SON, LTD., 34-40, BACON STREET, E.

And to be purchased, either directly or through any Bookseller, from  
WYMAN AND SONS, LTD., FETTER LANE, E.C., and  
32, ABINGDON STREET, WESTMINSTER, S.W.; or  
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or  
E. PONSONBY, 116, GRAFTON STREET, DUBLIN.

1908.

[Cd. 4464.] Price 3s. 3d.



WELLCOME INSTITUTE LIBRARY	
Coll.	weIMOmec
Call	
No.	



# CONTENTS

OF THE

## REGISTRAR-GENERAL'S ANNUAL REPORT FOR 1907.

REPORT :—	PAGES
POPULATION. Census Population and Estimated Population ...	v
MARRIAGES. Number; Methods of measuring the marriage rate; Rates, in proportion to total population and to number of marriageable persons; Marriage-rates in Counties; First Marriages and re-marriages; Divorced persons; Ages at Marriage; Unstated ages; Marriages of Minors; Mean age at marriage; Signatures in Marriage Register; Buildings in which Marriages may be Solemnized; Manner of Solemnization ... ..	vi-xxii
BIRTHS. Number; Methods of measuring the birth-rate; Rates in proportion to total population and among Women of Conceptive Ages; Birth-rates in Counties and in Urban and Rural Areas; Sex; Illegitimate Births:—Number; Rates in Counties... ..	xxii-xxxiii
NATURAL INCREASE ... ..	xxxiii
DEATHS. Number; General death-rate; Sex; Ages; Corrected death-rate; County death-rates; Infantile Mortality; Centenarians; Urban and Rural Mortality; Certification of Causes of Death; Inquests; Uncertified Deaths:—Reported to Coroners; Assigned Causes of; Deaths in Public Institutions ... ..	xxxiv-li
OFFENCES AGAINST THE REGISTRATION ACTS ... ..	li
PROGRESS OF REGISTRATION. Aggregate Number of NAMES on the REGISTERS; NUMBER of SEARCHES in the Registers and of CERTIFICATES granted at the CENTRAL OFFICE; FEES received ... ..	li-lii
UNITED KINGDOM. Population; Marriages; Births; Deaths...	lii-liv
ARMY AND NAVY. STRENGTH and MORTALITY of the ARMY at HOME and ABROAD; STRENGTH and MORTALITY of the NAVY ... ..	liv
BIRTHS AND DEATHS AT SEA. MARINE REGISTER BOOK; MORTALITY of MERCANTILE MARINE ... ..	liv-lv
INTERNATIONAL VITAL STATISTICS ... ..	lv-lxix
FINAL REMARKS ... ..	lxx
Dr. TATHAM'S LETTER TO THE REGISTRAR-GENERAL ON THE CAUSES OF DEATH ... ..	lxxiv-cxxxix
METHOD OF ESTIMATING POPULATIONS ... ..	cxxxii-cxxxiv
METEOROLOGY; Remarks by Dr. Shaw, Director of the Meteorological Office ... ..	cxxxv-cxl
TABLES; Population; Ratios of Marriages, Births and Deaths, International Tables ... ..	1-143
ABSTRACTS :—	
BIRTHS (distinguishing Legitimate and Illegitimate), DEATHS and MARRIAGES Registered in England and Wales, and in the several Registration Divisions, Counties, and Districts; and BIRTHS and DEATHS in sub-districts ... ..	145-207
1250 Wt L 1716 & 2245 12/08 D & S 3 32741	a 2



ABSTRACTS—*continued*.

	PAGES
MARRIAGES, Analysis of, in Registration Divisions and Counties ; showing, (a) mode of Solemnization, (b) number in each quarter of the year, (c) Previous Civil Condition of Persons married, (d) Marriages of Persons not of Full Age, and (e) Signatures by mark in Marriage Register ... ..	208-211
AGES of Persons married in England and Wales and in London, distinguishing ages of Bachelors, Spinsters, Widowers, Widows ... ..	212-226
DEATHS of Males and Females in PUBLIC INSTITUTIONS ...	227-278
DEATHS of Males and Females at different AGE-PERIODS, in REGISTRATION DIVISIONS and COUNTIES ... ..	279-291
CAUSES of DEATH of Males and Females at different Periods of Life in ENGLAND and WALES ... ..	293-309
DEATHS of Males and Females at different Periods of Life in ENGLAND and WALES, certified as from INFECTIVE PROCESSES ... ..	310-311
CAUSES of DEATH of Males and Females at different Periods of Life in LONDON ... ..	312-327
DEATHS of Males and Females at different Periods of Life in LONDON, certified as from INFECTIVE PROCESSES ... ..	328-329
CAUSES of DEATH of Males and Females in each REGISTRATION COUNTY ... ..	330-385
DEATHS from SEVERAL CAUSES, and INQUEST CASES, in REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS ... ..	386-422
DEATHS from ACCIDENT and NEGLIGENCE in ENGLAND and WALES, distinguishing AGE, and CAUSE or NATURE of ACCIDENT ; MALES and FEMALES ... ..	423-437
DEATHS from SUICIDE in ENGLAND and WALES, distinguishing AGE and METHOD ; MALES and FEMALES ... ..	438-439
DEATHS from MURDER in ENGLAND and WALES, distinguishing AGE and METHOD ; MALES and FEMALES ... ..	440-441
DEATHS from MANSLAUGHTER in ENGLAND and WALES, distinguishing AGE and METHOD ; MALES and FEMALES...	442-443

INDEXES of REGISTRATION DISTRICTS, of SUB-DISTRICTS, and of URBAN DISTRICTS, referring to Numbers used in the several TABLES of ABSTRACTS ... ..	444-469
CHANGES in the CONSTITUTION of REGISTRATION DISTRICTS and SUB-DISTRICTS ... ..	470-475
ALPHABETICAL INDEX to REPORT, TABLES, and ABSTRACTS ...	476-499

## DIAGRAMS :—

I. MARRIAGE RATES, 1876-1907 ... ..	Facing page	viii
II. BIRTH RATES, 1876-1907 ... ..		
III. LEGITIMATE and ILLEGITIMATE BIRTH RATES, 1876-1907 ... ..	} " "	xxvi
IV. CORRECTED DEATH RATES from ALL CAUSES, 1858-1907 ... ..	" "	xxxiv
V. INFANTILE MORTALITY, 1858-1907 ... ..	" "	xxxix
VI. INFANTILE MORTALITY in COUNTIES, 1907 ... ..	" "	xlili
VII. DEATHS from PRINCIPAL CAUSES, 1907 ... ..	" "	lxxvii
VIII. TUBERCULOSIS (ALL FORMS), PHTHISIS ; CORRECTED DEATH RATES, 1858-1907 ... ..	" "	c
IX. CANCER : CORRECTED DEATH RATES, 1858-1907 ... ..	" "	cxvi



# REPORT

TO

THE RIGHT HONOURABLE JOHN BURNS, M.P.,

*President of the Local Government Board, &c., &c.*

---

(1907.)

SIR,

I HAVE the honour to submit to you the following Report on the estimated population, and on the marriages, births, and deaths registered in England and Wales during the year 1907.

The provisional numbers of marriages, births, and deaths in England and Wales and in each registration county for the year 1907 have already been published in the "General Abstract," and in somewhat greater detail as regards causes of death for the counties of England and Wales, and for London and the other large towns, in the "Annual Summary," which publication was issued in May, 1908. The figures given in the Summary were tabulated from returns furnished by the local registrars acting in the 2,029 registration sub-districts of England and Wales.

The statistics which I now lay before you also relate to the year 1907, but they have been tabulated from the individual entries in the registers of births, deaths, and marriages deposited in this office; and they have been analysed in much greater detail than was possible in the Annual Summary.

The issue of the Annual Reports is expedited as far as possible, but it should be borne in mind that they are of a permanent character, and that technical knowledge as well as the expenditure of considerable time is required for a detailed and accurate analysis of the vital statistics concerning a population of thirty-five millions.

## POPULATION.

The population of England and Wales, enumerated at the end of March, 1901, consisted of 32,527,843 persons. From that date until the middle of 1907 the number of births exceeded the number of deaths by 2,520,944. Had neither emigration nor immigration occurred this surplus would have raised the population in the middle of the year to 35,048,787. In the absence of precise information with reference to migration, the populations in the Annual Reports are provisionally estimated on the assumption that the rate of increase which had prevailed in the last intercensal period has since been maintained.

Estimated in this way the population of England and Wales in the middle of the year 1907 amounted to 34,945,600 persons, of whom 16,879,509 were males and 18,066,091 were females. This population has been distributed among the counties after making due allowance for their several rates of increase in the intercensal period.

It was not practicable to bring into account the figures of the intermediate census of London which was taken in 1896, as the boundaries of London have been changed since that date. Had a census of London been taken in 1906, the results of that census would have been employed in preparing estimates of population for this Report.



## MARRIAGES.

Complete statistics of the marriages recorded in the whole of England and Wales are available only from 1st July, 1837, on which date the Births, Deaths, and Marriage Registration Acts of 1836 came into operation. The proportion to the total population of persons married during the 70 years (1838-1907) ranged between a maximum of 17·9 per 1000 living in 1853, and a minimum of 14·2 per 1000 in 1886; the mean annual rate in the whole period being 16·0 per 1000.

Several years ago it was possible to trace some correspondence between the fluctuations in the marriage rate and the fluctuations in the price of wheat. In more recent years the figures show no such correspondence; there is, however, no doubt that the alternating periods of commercial prosperity and depression have a distinct effect on the marriage rate.

The marriages in England and Wales during the year 1907 numbered 276,421, corresponding to a rate of 15·8 persons married per 1000 of the population at all ages. The rates in the preceding three years (1904-1906) had been 15·2, 15·3, and 15·6 per 1000 living.

*Methods of Measuring the Marriage Rate.*—The total population does not, however, afford the most satisfactory standard by which to measure the marriage rate, because of the variations which occur from time to time in the number and age constitution of marriageable men and of marriageable women\* in the population. How important these changes have been in recent years is shown by the statement on page vii, which gives for the last four censuses the proportions of the unmarried, married and widowed in each age group above 15 years.

These figures show that the proportion of bachelors in 1000 males aged 15 years and upwards rose from 384 in 1871 to 411 in 1901, and that among 1000 females aged 15 years and upwards the proportion of spinsters increased from 361 to 395. On the other hand, the proportion of widowed persons in the population steadily decreased throughout the period. The proportions of bachelors showed an increase in each age-group up to 55 years, while the increase in the proportion of spinsters affected every age-group.

Before drawing deductions from the several calculations in the following pages, it would be well to point out that the changes in the rate of marriage in years since the last census, must be regarded as approximate only, because the estimates of total population on which the proportions are based depend on an assumption, and estimates of sections of the population such as the numbers of persons of specified ages depend on further assumptions. It should also be noted that calculations based on the ages at marriage must be used with caution, because in earlier years a comparatively high proportion of the ages were unstated.

Table A., page viii, shows for each of the years 1876-1907, the marriage rates based on the total population, and the rates based on that section of the population in which marriages take place. It will be seen from this Table and from the accompanying Diagram that the two methods used for calculating the marriage rate lead to different conclusions.

---

\* Defined as meaning unmarried and widowed persons at ages above 15 years.



PROPORTIONS of UNMARRIED, MARRIED, and WIDOWED in 1,000 MALES and 1,000 FEMALES in EACH AGE GROUP :—

Age and Condition as to Marriage.			Census Years.			
			1871.	1881.	1891.	1901.
<i>Males.</i>						
Total aged 15 years and upwards.	{	Unmarried ...	384	392	406	411
		Married ...	559	553	540	536
		Widowed ...	57	55	54	53
15-20	{	Unmarried ...	995	995	996	997
		Married ...	5	5	4	3
		Widowed ...	0	0	0	0
20-25	{	Unmarried ...	767	777	805	826
		Married ...	230	221	193	173
		Widowed ...	3	2	2	1
25-35	{	Unmarried ...	316	317	343	359
		Married ...	668	669	645	631
		Widowed ...	16	14	12	10
35-45	{	Unmarried ...	137	138	147	158
		Married ...	826	826	818	812
		Widowed ...	37	36	35	30
45-55	{	Unmarried ...	97	96	100	110
		Married ...	832	832	827	819
		Widowed ...	71	72	73	71
55-65	{	Unmarried ...	89	83	84	89
		Married ...	771	779	771	764
		Widowed ...	140	138	145	147
65 and upwards.	{	Unmarried ...	79	76	73	74
		Married ...	579	587	590	574
		Widowed ...	342	337	337	352
<i>Females.</i>						
Total aged 15 years and upwards.	{	Unmarried ...	361	367	387	395
		Married ...	523	517	499	497
		Widowed ...	116	116	114	108
15-20	{	Unmarried ...	968	975	981	985
		Married ...	32	25	19	15
		Widowed ...	0	0	0	0
20-25	{	Unmarried ...	652	665	701	726
		Married ...	343	331	296	272
		Widowed ...	5	4	3	2
25-35	{	Unmarried ...	294	293	326	340
		Married ...	676	681	653	643
		Widowed ...	30	26	21	17
35-45	{	Unmarried ...	156	153	164	185
		Married ...	762	765	761	751
		Widowed ...	82	82	75	64
45-55	{	Unmarried ...	120	119	124	136
		Married ...	717	711	706	705
		Widowed ...	163	170	170	159
55-65	{	Unmarried ...	109	109	110	117
		Married ...	589	581	573	569
		Widowed ...	302	310	317	314
65 and upwards.	{	Unmarried ...	102	104	107	111
		Married ...	331	325	319	306
		Widowed ...	567	571	574	583



TABLE A.—ENGLAND AND WALES.—MARRIAGE RATES, 1876-1907.


Cols.			a.		b.	
Period.			Calculated on the total population at all ages.		Calculated on the total number of marriageable persons in the population.	
			Rate per 1000.	Compared with rate in 1876-80 taken as 100.	Rate per 1000.	Compared with rate in 1876-80 taken as 100.
1876-1880	...	...	15·3	100·0	51·9	100·0
1881-1885	...	...	15·2	99·3	50·6	97·5
1886-1890	...	...	14·7	96·1	47·8	92·1
1891-1895	...	...	15·1	98·7	47·9	92·3
1896-1900	...	...	16·1	105·2	49·7	95·8
1901-1905	...	...	15·6	102·0	47·6	91·7
1876	...	...	16·5	107·8	56·0	107·9
1877	...	...	15·7	102·6	53·3	102·7
1878	...	...	15·2	99·3	51·4	99·0
1879	...	...	14·4	94·1	48·5	93·4
1880	...	...	14·9	97·4	50·3	96·9
1881	...	...	15·1	98·7	51·1	98·5
1882	...	...	15·5	101·3	52·1	100·4
1883	...	...	15·5	101·3	51·7	99·6
1884	...	...	15·1	98·7	50·2	96·7
1885	...	...	14·5	94·8	47·9	92·3
1886	...	...	14·2	92·8	46·8	90·2
1887	...	...	14·4	94·1	47·0	90·6
1888	...	...	14·4	94·1	46·9	90·4
1889	...	...	15·0	98·0	48·6	93·6
1890	...	...	15·5	101·3	49·8	96·0
1891	...	...	15·6	102·0	49·8	96·0
1892	...	...	15·4	100·7	49·0	94·4
1893	...	...	14·7	96·1	46·5	89·6
1894	...	...	15·0	98·0	47·4	91·3
1895	...	...	15·0	98·0	47·0	90·6
1896	...	...	15·7	102·6	49·1	94·6
1897	...	...	16·0	104·6	49·7	95·8
1898	...	...	16·2	105·9	50·1	96·5
1899	...	...	16·5	107·8	50·7	97·7
1900	...	...	16·0	104·6	48·9	94·2
1901	...	...	15·9	103·9	48·6	93·6
1902	...	...	15·9	103·9	48·4	93·3
1903	...	...	15·6	102·0	47·8	92·1
1904	...	...	15·2	99·3	46·5	89·6
1905	...	...	15·3	100·0	46·6	89·8
1906	...	...	15·6	102·0	47·7	91·9
1907	...	...	15·8	103·3	48·3	93·1



# ENGLAND & WALES.

## MARRIAGE-RATES.

DIAGRAM I.-ANNUAL MARRIAGE-RATES, 1876-1907.



\* The Standard adopted (see left hand column) is the average rate in the five years 1876-80.

† The Rate per 1000 in the top section of the diagram is calculated upon the total population, and that in the bottom section upon the number of marriageable persons in the population. (See right hand column).







For purposes of comparison the mean rate in the period 1876-80 is taken as a standard in each case; the rates based on the total population were above the standard in 15 of the 27 years (1881-1907), whereas those based on the numbers of marriageable persons in the population were, with one exception, below the standard.

A still more precise method of calculating the marriage rate over an extended period would be to take account not only of the changes in the proportions of marriageable bachelors, widowers, spinsters, and widows in the population, but also of the changes in their ages. A difficulty arises, however, in attempting to make such a calculation owing to the comparatively high proportion of unstated ages in the marriages in earlier years.\* On the assumption, however, that a fair approximation to the number of marriages in each age group may be obtained by distributing the unrecorded ages in the same proportions as the recorded ages, a rate has been calculated for the period 1876-80 based on the age constitution and proportions of marriageable men and of marriageable women at the Census of 1901. Taking this corrected rate as a standard, the marriage rate in 1907, when compared with the rate of 1876-80, shows a fall of 10·4 per cent., which may be said to represent approximately the proportional fall in the marriage rate in the period under review.

*Marriages in Counties.*—Table B. on page x shows for the registration counties of England and Wales the marriage rates in the four past census periods, in the triennial period 1903-5, and in the years 1906 and 1907. The rates are based on the proportions of persons married to the unmarried and widowed population aged 15 years and upwards.

Among registration counties with populations exceeding 100,000 persons the highest and lowest marriage rates in the year 1907, in proportion to the marriageable section of the population, were as follows :—

a.		b.	
Registration Counties with the highest Marriage rates,	Persons married per 1000 marriageable population.	Registration Counties with the lowest Marriage rates,	Persons married per 1000 marriageable population.
England and Wales ... 48·3.			
Monmouthshire ...	60·1	Herefordshire ...	40·5
Durham ...	59·2	Kent ...	40·0
Glamorganshire ...	59·2	Hertfordshire ...	40·0
Nottinghamshire ...	57·9	Shropshire ...	39·0
Staffordshire ...	54·7	Surrey ...	38·1
Warwickshire ...	54·7	Sussex ...	36·9
Lincolnshire ...	53·9	Carnarvonshire ...	33·5
Derbyshire ...	53·6		

It should be observed that the differences between the marriage rates are not due entirely to variations in the economic conditions in the several counties, but are due in some measure to differences in the age and sex constitution of the respective marriageable populations.

\* See remarks relating to unstated ages at Marriage on page XII.



## Marriages.

TABLE B.—ANNUAL MARRIAGE RATES in each REGISTRATION COUNTY,  
1870-1907.

Registration Counties.	Persons married per 1000 of the unmarried and widowed population aged 15 years and upwards.*						Increase or Decrease per cent. in each County between the period 1870-72 and 1907.	
	Three year periods.					Years.		
	1870-72.	1880-82.	1890-92.	1900-02.	1903-05.	1906.	1907.	
England and Wales	57.2	51.5	49.8	48.7	47.0	47.7	48.3	-15.6
London .. ..	60.9	56.2	52.3	50.3	48.3	48.3	48.1	-21.0
Surrey .. ..	38.3	39.2	37.0	38.0	39.0	39.4	38.1	-0.5
Kent .. ..	46.1	46.0	42.4	43.5	40.9	39.5	40.0	-13.2
Sussex .. ..	44.5	42.3	38.4	39.0	37.5	38.2	36.9	-17.1
Hampshire ..	48.9	48.0	44.7	44.5	45.7	44.9	45.7	-6.5
Berkshire ..	47.0	43.4	43.7	43.2	43.6	43.2	43.6	-7.2
Middlesex ..	34.8	38.0	37.8	42.5	44.3	44.3	44.6	+28.2
Hertfordshire	41.0	37.2	38.0	39.3	40.7	40.0	40.0	-2.4
Buckinghamshire	47.7	45.7	44.5	47.1	44.5	44.7	45.3	-5.0
Oxfordshire ..	46.6	41.4	41.7	41.6	43.6	43.6	43.8	-6.0
Northamptonshire	58.0	53.0	53.6	49.4	46.8	44.7	47.1	-18.8
Huntingdonshire	52.1	44.8	44.7	46.0	45.5	48.6	49.2	-5.6
Bedfordshire	52.3	48.0	43.2	43.8	43.2	45.8	47.4	-9.4
Cambridgeshire	52.0	41.8	45.3	46.3	44.4	45.5	45.2	-13.1
Essex .. ..	45.9	46.2	48.4	49.3	47.8	47.3	47.5	+3.5
Suffolk .. ..	51.8	50.2	46.9	47.0	45.0	43.5	44.0	-15.1
Norfolk .. ..	52.3	50.2	45.9	45.5	45.2	45.7	44.4	-15.1
Wiltshire .. ..	47.4	44.5	44.8	45.0	46.7	47.9	46.6	-1.7
Dorsetshire ..	45.6	42.7	43.1	41.5	43.1	41.2	43.8	-3.9
Devonshire ..	50.6	46.7	45.7	43.4	44.6	44.6	43.5	-14.0
Cornwall .. ..	44.6	38.7	39.8	38.4	39.2	38.7	42.4	-4.9
Somersetshire	45.6	42.2	43.1	40.7	40.9	42.0	41.7	-8.6
Gloucestershire	58.1	50.9	49.2	47.2	45.9	44.5	45.7	-21.3
Herefordshire	38.6	35.4	38.3	38.6	36.9	37.2	40.5	+4.9
Shropshire ..	44.9	37.9	40.2	42.0	39.9	37.5	39.0	-13.1
Staffordshire	71.6	60.0	58.7	55.9	52.3	52.9	54.7	-23.6
Worcestershire	56.2	47.5	47.0	46.1	43.3	45.7	44.8	-20.3
Warwickshire	62.9	53.2	56.4	54.7	51.8	55.6	54.7	-13.0
Leicestershire	61.8	55.1	53.4	51.6	50.4	47.4	49.2	-20.4
Rutlandshire	43.1	37.0	38.3	37.2	37.8	35.2	31.9	-26.0
Lincolnshire	53.1	47.9	49.9	50.6	50.8	51.1	53.9	+1.5
Nottinghamshire	68.1	64.8	58.4	58.1	54.3	57.8	57.9	-15.0
Derbyshire ..	60.0	51.2	54.3	53.5	50.1	51.6	53.6	-10.7
Cheshire .. ..	54.7	46.8	45.5	43.8	43.2	43.9	44.9	-17.9
Lancashire ..	66.1	56.8	52.8	50.3	48.1	50.4	51.2	-22.5
West Riding ..	66.1	55.2	54.1	52.0	48.9	50.4	51.5	-22.1
East Riding ..	63.8	54.9	53.7	50.4	48.0	48.5	50.8	-20.4
North Riding ..	50.7	49.7	45.9	47.4	45.3	48.1	49.4	-2.6
Durham .. ..	70.9	62.9	57.6	58.9	54.6	57.9	59.2	-16.5
Northumberland	64.4	54.1	52.9	51.1	48.2	48.2	50.2	-22.0
Cumberland ..	47.6	45.7	42.6	43.7	42.8	42.9	44.9	-5.7
Westmorland ..	44.7	39.2	37.7	36.4	37.1	36.3	35.1	-21.5
Monmouthshire	64.4	55.6	57.5	55.6	54.6	57.2	60.1	-6.7
South Wales ..	56.8	51.2	54.9	53.5	50.5	52.1	53.4	-6.0
Glamorganshire	67.6	60.3	63.3	59.2	55.0	57.5	59.2	-12.4
Carmarthenshire	53.0	45.6	45.4	46.4	46.9	45.7	46.9	-11.5
Pembrokeshire	47.0	41.6	42.8	42.8	44.0	44.4	42.9	-8.7
Cardiganshire ..	38.1	31.7	31.3	30.9	30.6	30.9	27.8	-27.0
Brecknockshire	50.5	44.1	47.1	52.3	47.1	44.2	49.1	-2.8
Radnorshire ..	43.3	38.1	34.6	40.1	29.7	28.3	28.8	-33.5
North Wales ..	43.0	38.7	40.6	39.8	38.3	37.2	36.1	-16.0
Montgomeryshire	41.6	33.3	37.7	37.2	40.2	35.5	33.3	-20.0
Flintshire ..	38.3	36.0	42.1	37.2	34.9	37.5	38.7	+1.0
Denbighshire ..	45.7	42.0	46.8	43.9	41.4	41.4	41.1	-10.1
Merionethshire	44.8	37.6	36.1	38.6	35.4	31.4	33.9	-24.3
Carnarvonshire	44.0	41.3	39.5	39.0	37.8	37.0	33.5	-23.9
Anglesey .. ..	37.9	36.6	36.1	38.5	36.1	36.2	33.8	-10.8

\* See remarks, page vi.



*First Marriages ; Re-marriages.*—The changes in the marriage rates among bachelors, widowers, spinsters, and widows, calculated on those sections of the population aged 15 years and upwards, are shown in the following table :—

MEAN ANNUAL MARRIAGE RATE PER 1000 LIVING, AGED 15 YEARS AND UPWARDS.\*

				Bachelors.	Widowers.	Spinsters.	Widows.
1880-82	...	...		58·7	52·9	59·0	15·5
1890-92	...	...		57·1	50·7	55·7	15·2
1900-02	...	...		54·7	44·4	53·0	14·4
1903	...	...	...	54·0	40·6	52·2	13·4
1904	...	...	...	52·8	38·0	50·9	12·5
1905	...	...	...	52·9	38·3	51·0	12·6
1906	...	...	...	54·2	38·6	52·3	12·6
1907	...	...	...	54·8	39·4	53·0	12·7

\* The rates in each period are based on the age constitution, and proportions of these particular sections of the population as enumerated at the Census of 1901.

The fall in the marriage rate in the period reviewed in the table has been greater among widowers and widows than among the unmarried of either sex, but the apparent tendency among the widowed not to re-marry is not so great as it would appear to be from the above statement, because there has been a considerable decrease in the proportions of persons who have become widowed at the younger ages. The number of widows is always much greater than that of widowers, because, in the first place, men marry later in life than women, secondly, because the duration of male life is shorter than that of female life, and thirdly because the proportion of widows who re-marry is much lower than the proportion of widowers who re-marry.

The next table gives a general view of the changes in the proportions of first marriages and re-marriages since the year 1871; here again it will be observed that the proportion of widowed persons who re-married shows a continuous decrease.

PROPORTIONS OF FIRST MARRIAGES AND RE-MARRIAGES IN 1000 MARRIAGES.

Period.	Bachelors.	Widowers.	Spinsters.	Widows.	Bachelors who married.		Widowers who married.	
					Spinsters.	Widows.	Spinsters.	Widows.
1871-75	862	138	900	100	816	46	84	54
1876-80	864	136	902	98	820	44	82	54
1881-85	874	126	911	89	834	40	77	49
1886-90	881	119	917	83	844	37	73	46
1891-95	887	113	921	79	851	36	70	43
1896-1900	904	96	931	69	871	33	60	36
1901-05	911	89	933	67	877	34	56	33
1906	917	83	938	62	885	32	53	30
1907	916	84	939	61	885	31	54	30



*Divorced Persons who Re-married.*—The following table shows for the period 1871–1907 the average annual number of persons divorced, and the number of divorced persons who re-married. It will be noted from these figures that in the period under review the annual number of persons divorced has more than trebled, also that the proportion of such persons who re-married shows a steady and practically continuous increase.

The proportion of divorced persons who re-married in 1871–5 amounted to about 17 per cent. of the number divorced during that period, whereas in 1907 the proportion had risen to nearly 50 per cent. It should be pointed out, however, that in some cases persons who have been divorced abroad re-marry in this country, and also that the figures given in the table refer only to persons described in the marriage register as divorced, and possibly this description is not given in all cases in which it is applicable.

AVERAGE ANNUAL **Number** OF PERSONS DIVORCED, AND OF DIVORCED PERSONS WHO RE-MARRIED, 1871–1907.

Period.	Persons divorced.*	Divorced persons who remarried.			Divorced men and spinsters.	Divorced men and widows.	Divorced men and divorced women.	Divorced women and bachelors.	Divorced women and widows.
		Total.	Men.	Women.					
1871–75 ...	356.8	61.4	31.2	30.2	25.8	4.0	1.4	20.0	8.8
1876–80 ...	554.0	103.8	55.8	48.0	42.0	12.2	1.6	31.2	15.2
1881–85 ...	671.2	128.0	68.2	59.8	52.8	12.6	2.8	42.0	15.0
1886–90 ...	706.8	169.0	79.8	89.2	64.8	10.8	4.2	65.0	20.0
1891–95 ...	743.6	213.8	109.6	104.2	88.8	15.0	5.8	75.4	23.0
1896–1900	980.0	345.2	172.4	172.8	137.8	24.4	10.2	125.8	36.8
1901–05 ...	1126.4	509.2	261.6	247.6	204.8	37.8	19.0	181.0	47.6
1906 ...	1092	676	351	325	268	55	28	227	70
1907 ...	1288	636	309	327	259	31	19	259	49

\* These figures were compiled and furnished to the Registrar-General by the Principal Probate Registry. In addition to decrees absolute for dissolution of marriage, the figures include decrees absolute for nullity of marriage.

*Ages at Marriage.*—A precise comparison for a long series of years of the figures relating to ages at marriage cannot be made, because prior to 1896 the classification of marriage ages was limited to those cases in which both the contracting parties had given the requisite information.

In the two years ended with June, 1841, the ages of both parties were stated in only 6 per cent. of the marriages. In the year 1858 the proportion had risen to about 60 per cent., in 1870 to 70 per cent., and in 1880 to 82 per cent.; in the ten succeeding years the increase was rapid, the ages of both parties being stated in more than 96 per cent. of the marriages registered in 1890. Since that date the increase, although necessarily less marked, has been almost continuous. In the year 1896 the proportion exceeded 98 per cent., and gradually rose until in the year under review precise statements of age were made by 99.14 per cent. of the husbands, and by 99.04 per cent. of the wives.



For purposes of comparison the proportions of unstated ages for the years 1906 and 1907 are placed side by side in the following statement.

					Proportions per cent. of Ages not stated.			
					Adult Husbands.		Adult Wives.	
					1906.	1907.	1906.	1907.
In Marriages of—								
Bachelors with Spinsters	...	...	...	...	0·65	0·66	0·83	0·84
Bachelors with Widows	...	...	...	...	2·06	1·77	2·37	2·22
Widowers with Spinsters	...	...	...	...	3·21	3·03	3·30	3·21
Widowers with Widows	...	...	...	...	4·00	2·99	4·20	3·19
In all Marriages of—								
Bachelors	...	...	...	...	0·70	0·70	0·89	0·90
Widowers	...	...	...	...	3·50	3·01	3·63	3·20
Spinsters	...	...	...	...	0·80	0·80	0·99	1·00
Widows	...	...	...	...	3·01	2·37	3·26	2·70

Among the 552,842 persons who married in 1907 2,388, or 0·86 per cent., of the husbands, and 2,664, or 0·96 per cent., of the wives, failed to make definite statements of age in the marriage register. The proportions of unstated ages both among husbands and among wives are the lowest on record.

Of the 50,433 minors who married, all but three spinsters stated their ages. Among adults, 0·90 per cent. of the husbands and 1·12 per cent. of the wives were indefinitely described as of "full age." It has been noted in several previous Reports that unstated ages are more frequent in re-marriages than in first marriages, and most frequent of all in re-marriages of widowers. This is again confirmed by the figures for 1907.

*Marriages of Minors.*—The subjoined table shows the decline in the proportions of marriages under age in recent years. Among

					Minors in 1000 Marriages.	
					Husbands.	Wives.
1876-80	...	...	...	...	77·8	217·0
1881-85	...	...	...	...	73·0	215·0
1886-90	...	...	...	...	63·2	200·2
1891-95	...	...	...	...	56·2	182·6
1896-1900	...	...	...	...	51·2	168·0
1901	...	...	...	...	49·6	159·9
1902	...	...	...	...	47·0	153·7
1903	...	...	...	...	45·7	152·3
1904	...	...	...	...	45·6	152·7
1905	...	...	...	...	43·8	146·9
1906	...	...	...	...	43·0	145·7
1907	...	...	...	...	40·7	141·8



the persons who married in 1907, 40·7 per 1,000 of the husbands and 141·8 per 1,000 of the wives were minors. This is the lowest proportion of minors recorded among men, and the lowest proportion since 1848 among women.

Among registration counties with populations exceeding 100,000 persons, the highest and lowest proportions per 1,000 of husbands and of wives under age at marriage were as follows :—

Minors in 1000 Marriages.			
Registration Counties.	Highest per 1000 Marriages.	Registration Counties.	Lowest per 1000 Marriages.
<i>Husbands.</i>			
Nottinghamshire ...	66	Surrey ... ..	26
Leicestershire ... ..	61	Kent ... ..	24
Bedfordshire ... ..	59	Devonshire ... ..	24
Monmouthshire ... ..	58	Hampshire ... ..	22
Staffordshire ... ..	56	Shropshire ... ..	21
Warwickshire ... ..	52	Denbighshire ... ..	15
Durham ... ..	52	Carnarvonshire ... ..	13
Derbyshire ... ..	51	Herefordshire ... ..	10
West Riding of York- shire,	51		
<i>Wives.</i>			
Durham ... ..	223	Surrey ... ..	102
Monmouthshire ... ..	206	Hertfordshire ... ..	102
Nottinghamshire ... ..	204	Gloucestershire ... ..	102
Derbyshire ... ..	195	Somersetshire ... ..	101
Glamorganshire ... ..	193	Shropshire ... ..	94
North Riding of York- shire.	180	Denbighshire ... ..	87
West Riding of York- shire.	175	Herefordshire ... ..	82
		Carnarvonshire... ..	60

Broadly speaking, the ages of the men at marriage are, so far as concerns the growth of population, of much less importance than the ages of women at marriage. The fact that child-bearing is practically limited to the period between the ages 15 and 45 years, and that the fertility of married women is highest at the earlier age groups, makes it evident that any great alteration in the ages of women at marriage must necessarily have important effects on the birth-rate.

Men and women intermarry at all ages ; but taking the records in the ten years 1898–1907 as an example, over 40 per cent. of the bridegrooms and nearly 60 per cent. of the brides were at their first marriage under 25 years of age, while the mean age at marriage in those ten years averaged 26·9 years for all bachelors and 25·3 years for all spinsters. For the assistance of those who desire to investigate this subject, the age constitution of the bachelors, spinsters, widowers, and widows who married in England and Wales in the years 1896–1907 is shown in the following tables,



# Marriages.

XV

ENGLAND AND WALES.—AGE-CONSTITUTION of BACHELORS and SPINSTERS who MARRIED reduced to 1,000 MARRIAGES at ALL AGES, 1896-1907.

Year.	Minors.					Full Age.									Age not Stated.
	Under 18 Years.	18-	19-	20-	Total Minors.	21-	25-	30-	35-	40-	45-	50-	55 and up-wards.		
Bachelors.															
1896	0	3	15	41	59	414	342	109	38	14	6	2	2	14	
1897	0	3	15	39	57	412	345	111	39	14	6	2	2	12	
1898	0	3	15	39	57	412	346	110	38	15	6	3	2	11	
1899	0	3	14	38	55	410	350	110	39	14	6	3	2	11	
1900	0	3	14	39	56	413	343	110	40	16	7	3	2	10	
1901	0	3	14	38	55	405	349	114	41	16	7	3	2	8	
1902	0	3	14	35	52	391	358	121	42	16	7	3	2	8	
1903	0	3	13	34	50	389	362	123	40	16	7	3	2	8	
1904	0	3	13	34	50	385	364	124	41	16	7	3	2	8	
1905	0	3	12	33	48	382	366	127	42	16	7	3	2	7	
1906	0	3	12	32	47	380	368	127	43	16	7	3	2	7	
1907	0	2	11	31	44	379	368	130	44	16	7	3	2	7	
Spinsters.															
1896	6	28	61	93	188	431	248	72	26	11	5	2	1	16	
1897	6	27	60	90	183	435	251	73	26	10	5	2	1	14	
1898	5	27	59	89	180	436	253	73	26	11	5	2	1	13	
1899	5	26	58	87	176	436	256	75	26	10	5	2	1	13	
1900	5	25	58	86	174	434	259	75	28	11	5	2	1	11	
1901	5	25	57	85	172	429	264	77	28	12	5	2	1	10	
1902	5	24	54	82	165	427	271	79	28	12	5	2	1	10	
1903	5	23	53	82	163	428	274	79	27	11	5	2	1	10	
1904	5	23	53	82	163	426	274	79	28	12	5	2	1	10	
1905	5	22	51	79	157	430	274	82	28	11	6	2	1	9	
1906	5	22	51	77	155	428	278	83	28	11	6	2	1	8	
1907	5	22	48	76	151	423	281	85	29	12	6	2	2	9	



ENGLAND AND WALES.—AGE-CONSTITUTION of WIDOWERS and WIDOWS who  
MARRIED reduced to 1,000 MARRIAGES at ALL AGES, 1896-1907.

Year.	Minors.					Full Age.									Age not Stated.
	Under 18 Years.	18-	19-	20-	Total Minors.	21-	25-	30-	35-	40-	45-	50-	55 and up- wards.		
Widowers.															
1896	—	—	—	0	0	11	77	134	159	148	130	107	183	51	
1897	—	—	0	—	0	10	74	135	162	148	131	108	184	48	
1898	—	—	—	0	0	11	73	133	152	150	139	109	188	45	
1899	—	—	—	0	0	10	69	128	160	153	137	107	196	40	
1900	—	—	—	0	0	10	70	126	155	150	144	113	195	37	
1901	—	—	—	0	0	10	65	127	157	153	140	116	197	35	
1902	—	—	—	0	0	9	68	132	155	155	136	116	193	36	
1903	—	—	—	0	0	10	72	130	156	153	132	116	196	35	
1904	—	—	—	0	0	9	70	131	157	149	137	113	197	37	
1905	—	—	—	0	0	10	65	128	153	150	137	118	202	37	
1906	—	—	0	—	0	10	66	125	149	152	143	117	203	35	
1907	—	—	—	—	—	8	63	126	150	155	136	119	213	30	
Widows.															
1896	—	0	0	1	1	26	120	174	182	156	123	82	89	47	
1897	—	—	0	1	1	27	107	179	189	155	125	81	94	42	
1898	—	—	0	1	1	27	116	178	187	153	125	83	91	39	
1899	—	—	0	1	1	26	112	168	190	161	129	81	95	37	
1900	—	0	0	1	1	25	113	174	190	161	130	78	95	33	
1901	—	—	0	1	1	31	119	178	189	158	121	79	93	31	
1902	0	—	0	1	1	28	126	183	192	155	116	77	90	32	
1903	—	—	1	0	1	28	124	185	189	164	113	77	90	29	
1904	—	—	0	1	1	28	123	185	187	155	118	77	92	34	
1905	—	—	0	1	1	26	118	180	192	159	122	79	91	32	
1906	—	—	0	1	1	23	113	180	184	162	131	78	95	33	
1907	—	—	0	1	1	25	108	180	192	158	128	82	99	27	



*Mean Age at Marriage.*—In view of the great reduction that has taken place in the disturbing factor of unstated ages, it has become possible to measure with approximate accuracy for a series of recent years the mean age at marriage, based on the recorded ages.

ENGLAND AND WALES.—MEAN AGES at MARRIAGE 1896-1907 (recorded ages).  
HUSBANDS.

Year.	All Husbands.	All Bachelors.	All Widowers.	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
1896	28·43	26·59	44·49	26·30	33·93	41·38	49·60
1897	28·38	26·63	44·53	26·35	34·10	41·43	49·73
1898	28·34	26·62	44·70	26·34	33·94	41·82	49·69
1899	28·34	26·65	44·90	26·37	34·29	41·87	49·81
1900	28·41	26·68	45·02	26·39	34·35	42·19	49·75
1901	28·55	26·76	45·18	26·48	33·94	42·43	49·69
1902	28·53	26·88	44·96	26·60	33·94	42·11	49·81
1903	28·49	26·91	44·94	26·63	34·24	42·16	49·72
1904	28·46	26·93	45·03	26·66	34·06	42·25	49·98
1905	28·56	27·01	45·27	26·74	34·26	42·47	50·18
1906	28·56	27·03	45·37	26·76	34·39	42·59	50·25
1907	28·66	27·10	45·62	26·84	34·58	42·85	50·56

WIVES.

Year.	All Wives.	All Spinsters.	All Widows.	Spinsters with Bachelors.	Widows with Bachelors.	Spinsters with Widowers.	Widows with Widowers.
1896	26·21	25·08	40·58	24·54	35·69	32·43	44·81
1897	26·18	25·10	40·74	24·59	35·95	32·31	45·00
1898	26·18	25·14	40·59	24·62	35·85	32·68	45·04
1899	26·21	25·16	40·83	24·65	36·12	32·83	45·16
1900	26·29	25·23	40·74	24·71	36·19	32·97	44·95
1901	26·39	25·31	40·43	24·77	35·65	33·04	44·96
1902	26·37	25·36	40·25	24·86	35·62	32·86	44·95
1903	26·35	25·37	40·27	24·89	35·69	32·93	45·01
1904	26·32	25·37	40·35	24·90	35·82	33·03	45·22
1905	26·38	25·43	40·53	24·96	36·02	33·08	45·29
1906	26·41	25·46	40·79	24·99	36·27	33·30	45·53
1907	26·49	25·54	40·91	25·06	36·32	33·43	45·68

It will be noted from the figures in the above Tables that the mean age at marriage has steadily increased both for bachelors and for spinsters, and a similar tendency, with slight fluctuations, is noticeable in the case of widowers. In the case of widows the mean age has shown a progressive increase since 1902.

Changes in the mean age at marriage of bachelors and spinsters measure with approximate accuracy the tendency to earlier or later marriage ; but changes in the mean age of widowers and widows who re-marry are the result of more complex causes. For example, a general decrease of mortality defers the age at which married persons become widowed and tends to defer in corresponding degree the age of re-marriage. The mean age of all of each sex who marry or re-marry is involved in still greater complexity, for it depends not only on the mean ages of the bachelors and widowers and of the spinsters and widows, but on the proportion of bachelors to widowers and on the proportion of spinsters to widows, among those who marry ; and these proportions have changed very considerably in recent years.



Had the proportions been the same in 1896 as they were in 1907, the mean age of all husbands and all wives who married in the earlier year would have been 28·10 years and 26·04 years respectively instead of 28·43 years and 26·21 years, and the mean ages in 1907 would have shown increases of 0·56 and 0·45 years instead of 0·23 and 0·28 years.

The mean age at marriage varies in different parts of the country, and the following comparison for the year 1907 between London and the rest of England and Wales, may be of interest :—

In marriages of—	Husbands.		Wives.	
	England and Wales, less London.	London.	England and Wales, less London.	London.
All Bachelors ... ..	26·99	27·75	25·39	25·78
„ Widowers ... ..	45·45	46·62	37·88	37·54
„ Spinsters ... ..	27·65	28·43	25·49	25·84
„ Widows ... ..	42·46	42·23	41·07	40·05
Bachelors with spinsters ...	26·74	27·44	25·01	25·35
Bachelors with widows ...	34·40	35·47	36·33	36·24
Widowers with spinsters ...	42·56	44·53	33·39	33·70
Widowers with widows... ..	50·55	50·56	45·83	44·74
In all marriages ... ..	28·55	29·33	26·44	26·76

NOTE.—The table is to be read as follows :—The mean age of all the bachelors who married was 27·75 years in London, and 26·99 in the rest of the country ; the mean age of their wives being 25·78 and 25·39 years respectively. The mean age of all the spinsters who married was 25·84 years in London, and 25·49 in the rest of the Country : the mean age of their husbands being 28·43 and 27·65 years respectively.

It will be noted that except in the case of marriages of widows the mean age at marriage was higher in the Metropolis than in the rest of the country.

The mean age at marriage is for many purposes a convenient summary of the statements as to age ; it is nevertheless only a summary and does not necessarily reflect all the changes, nor even the most important changes, in the ages at which people marry. (See tables on pages xv and xvi.)

*Signatures in Marriage Register.*—Now that so much progress has been made in elementary education, the records of the ability or inability of persons to sign their names in the marriage register will be regarded with increased interest.

It will be seen from the next table that in the period 1841–45 approximately one in three of the men and one in two of the women who married could not write their names in the marriage register. How defective the elementary education of the country was at that time is evident from these figures. From that date the proportions of illiterate persons of each sex steadily declined, and the effect of the Education Act of 1870 which practically brought every child in the country under educational influences, is reflected in the more rapid decline of the proportions since 1885.

In the year under notice only 1·4 per cent. of the bridegrooms and 1·7 per cent. of the brides failed to sign their names in the marriage register.

Proportion per cent. of men and women who signed the marriage register with marks, 1841-1907 :—

Period.	In every 100 Marriages the Annual Proportion who Signed the Marriage Register with Marks.			Comparison with Rate in 1841-45 taken as 100.	
	Men.	Women.	Both.	Men.	Women.
1841-1845 ... ..	32·6	48·9	?	100	100
1846-1850 ... ..	31·4	46·2	?	96	94
1851-1855 ... ..	30·2	43·5	22·5	93	89
1856-1860 ... ..	27·1	38·1	18·6	83	78
1861-1865 ... ..	23·6	32·9	15·1	72	67
1866-1870 ... ..	20·5	28·3	12·3	63	58
1871-1875 ... ..	18·5	25·2	10·4	57	52
1876-1880 ... ..	14·8	20·0	7·5	45	41
1881-1885 ... ..	12·3	15·5	5·4	38	32
1886-1890 ... ..	8·4	9·8	3·0	26	20
1891-1895 ... ..	5·1	6·0	1·7	16	12
1896-1900 ... ..	3·2	3·7	1·0	10	8
1901-1905 ... ..	2·0	2·4	0·6	6	5
1906 ... ..	1·5	1·9	0·5	5	4
1907 ... ..	1·4	1·7	0·4	4	3

Among counties with populations exceeding 100,000 persons the highest proportions of illiteracy among husbands were recorded in Norfolk, in Glamorganshire, in Cambridgeshire, in Suffolk, in Denbighshire, in Herefordshire, in Cornwall, and in Monmouthshire; and among wives in London, in the North Riding of Yorkshire, in Glamorganshire, in Durham, in Warwickshire, in Monmouthshire, in Carmarthenshire, and in Carnarvonshire.

It has been frequently pointed out in these Reports that the comparatively high proportion of illiteracy in London is more apparent than real; in 1907 no less than 1·6 per cent. of the bridegrooms and 2·3 per cent. of the brides failed to sign their names in the marriage register. Illiteracy is not, however, common to all parts of London, it is practically confined to a group of four East-end Registration Districts (Bethnal Green, Whitechapel, St. George-in-the-East, and Mile End Old Town) where a large proportion of signatures by mark occur in the marriages of foreign Jews. If these districts be excluded the proportions of illiteracy in London will be reduced to 0·6 out of every 100 men, and 0·9 out of every 100 women who married.

*Buildings in which Marriages may be Solemnized.*—At the end of the year 1907 the number of churches or chapels of the Established Church and of registered buildings in which marriages could be legally solemnized were as follows :—

Established Church ... ..	15,664
All other Religious Denominations ... ..	14,986
Total ... ..	<u>30,650</u>



The increase upon the numbers at the end of the previous year was : Established Church 41, other religious denominations 317.

By the Acts 15 & 16 Vict. c. 36 and 18 & 19 Vict. c. 81 it was enacted that all places of religious worship not being churches or chapels of the Established Church should, if the congregation desired, but not otherwise, be certified to the Registrar-General : certification for public worship being a necessary preliminary to the registration of a building for the solemnization of marriages. The number of places of meeting for religious worship on the official register on 31st December, 1907, and the number of buildings registered for the solemnization of marriages appear in the following Table.

Denomination.	Buildings certified to the Registrar- General as Meeting places for Religious Worship.	Buildings registered for the Solemnization of Marriages.*
Roman Catholics ... ..	1,300	1,255
Wesleyan Methodists ... ..	7,236	3,375
Congregationalists ... ..	3,120	2,795
Baptists ... ..	2,908	2,500
Primitive Methodists ... ..	4,141	1,494
United Methodist Church†... ..	1,926	1,075
Calvinistic Methodists ... ..	1,115	820
Presbyterians... ..	433	434
Unitarians ... ..	173	190
New Jerusalem Church ... ..	50	53
Catholic Apostolic Church ... ..	68	49
Countess of Huntingdon's Connexion ... ..	40	42
Salvation Army ... ..	1,199	28
Society of Friends ... ..	357	—†
Jews ... ..	190	—‡
All others ... ..	2,487	876
	26,743	14,986

\* Of these buildings nearly 1000 were certified before 1852, as Places of Meeting for Religious Worship, to some other Authority than the Registrar-General and therefore are not included in the preceding column.

† In accordance with the provisions of the United Methodist Church Act of 1907, the Bible Christian Church, the Methodist New Connexion Church and the United Methodist Free Churches have become merged in the single denomination of the United Methodist Church.

‡ It is not necessary for buildings to be registered for the Solemnization of Quaker or Jewish Marriages. Under section 31 of the Births and Deaths Registration Act (1836) Registering Officers of the Society of Friends and Secretaries of Jewish Synagogues who have been certified to the Registrar-General record the Marriages in each case.

The Marriage Act of 1898 provided that, under specified conditions, marriages might be solemnized in registered buildings in the presence of duly authorised persons without the attendance of a Registrar of Marriages. The governing bodies of some of the registered buildings have availed themselves of this privilege, and at the end of the year 1907 the number of such buildings which had been brought under the operation of the Act, and so

remained, was 2,435 out of the total of 14,986 ; the numbers of these buildings and the denominations to which they belonged, were as follows :—

1,151	Wesleyan Methodists.
397	Congregationalists.
239	Baptists.
235	Primitive Methodists.
210	United Methodist Church.
62	Calvinistic Methodists.
141	Other Denominations, and Unsectarian.
<hr/>	
2,435	Total.
<hr/>	

These 2,435 registered buildings were distributed among 461 of the registration districts. In the remaining 173 registration districts there was no registered building under the operation of the Act.

*Manner of Solemnization.*—Of the 276,421 marriages in England and Wales during the year 1907, 172,497, or 624 per 1000, were solemnized according to the rites of the Established Church, 49,898, or 181 per 1000, were solemnized according to the rites of other religious denominations, and 54,026, or 195 per 1000, took place in the offices of superintendent registrars.

Period	Of 1000 Marriages.						
	According to the Rites of the Established Church.	Not according to the Rites of the Established Church.	In Registered Buildings.		Quakers.	Jews.	Civil Marriages in Superintendent Registrar's Office.
			Roman Catholics.	Nonconformists.			
1841-50 ...	896	104	73		0·5	1·4	29
1851-60 ...	831	169	47	66	0·4	1·7	54
1861-70 ...	778	222	45	91	0·3	1·8	84
1871-80 ...	739	261	42	107	0·3	2·3	109
1881-90 ...	706	294	43	115	0·3	3·3	132
1891-00 ...	686	314	41	121	0·3	5·4	146
1901-5 ...	650	350	41	130	0·3	7·3	171
1901 ...	666	334	41	128	0·3	7·0	158
1902 ...	661	339	41	127	0·3	7·4	163
1903 ...	651	349	41	130	0·4	7·3	170
1904 ...	642	358	41	131	0·3	7·0	179
1905 ...	636	364	41	132	0·3	7·6	183
1906 ...	631	369	42	130	0·3	8·3	188
1907 ...	624	376	42	131	0·4	7·2	195

In the period under review, the proportion of Church marriages has shown a continuous decrease, balanced by the increased proportions of civil, Nonconformist and Jewish marriages.

In the year 1907, the proportion of Church marriages was the lowest on record ; marriages in registered buildings belonging to the various Nonconformist bodies amounted to 131 per 1000



of the total marriages, against 130 per 1000 in the previous year. This proportion was made up of 96 per 1000 that were contracted in the presence of registrars (against 97 in 1906), and of 35 per 1000 that were contracted in the presence of "Authorised Persons" under the provisions of the Marriage Act of 1898 (against 33 in 1906).

The proportion of Roman Catholic marriages was 42 per 1000, and was equal to the proportion in the preceding year.

The proportion of Jewish marriages which had, with slight fluctuations, steadily increased for many years, until in the year 1906 it reached 8·3 per 1000, fell to 7·2 per 1000 in the year under notice. Of the 1997 Jewish marriages contracted in the year 1907 in England and Wales, 1474 or 74 per cent. were registered in London, 166 or 8 per cent. in the city of Manchester, and 113 or 6 per cent. in the city of Leeds. Of the Jewish marriages in London, no fewer than 1199 or 81 per cent. were registered in a group of three registration districts—London City, Whitechapel, and Mile End Old Town.

*Civil marriages*, that is to say, marriages taking place in the office of a superintendent registrar, steadily increased from an average of 29 per 1000 in the period 1841–1850 to 195 per 1000 in the year 1907.

Among registration counties with populations exceeding 100,000 persons, the highest proportions of marriages solemnized according to the rites of the Established Church, and of those contracted otherwise were as follows :—

Of 1000 Marriages.			
According to Rites of Established Church.	Roman Catholics.	Nonconformists.	Civil Marriages.
Cambridgeshire .. 759	Lancashire .. 108	Carnarvonshire 352	Glamorganshire 460
Oxfordshire .. 752	Durham .. 76	Carmarthenshire 339	Carmarthenshire 441
Berkshire .. .. 746	Northumberland 74	Denbighshire .. 332	Carnarvonshire 352
Worcestershire .. 743	Cumberland .. 68	Cornwall .. 325	Monmouthshire 305
Buckinghamshire 741	North Riding .. 64	Monmouthshire 235	Northumberland 301
Norfolk .. .. 739	Cheshire .. 54	Glamorganshire 224	Denbighshire .. 292
Herefordshire .. 738		Cheshire .. 176	Durham .. .. 275
Staffordshire .. 735			

### BIRTHS.

The births registered in the year 1907 numbered 918,042, of these 881,853 were legitimate, and 36,189 were illegitimate.

No trustworthy birth statistics existed in this country prior to the year 1837. From the commencement of civil registration in that year to the year 1874 the registration of births steadily improved, but it was not until the passing of the Births and Deaths Registration Act in 1874 that the registration of births was made compulsory ; it may be assumed, therefore, that from the beginning of

the year 1875 the numbers of births recorded in England and Wales have been for all practical purposes complete.

Looking back over the years of birth registration, it will be seen from Table 3, page 5, that the birth-rate attained the highest point in 1876, viz., 36·3 per 1000 of the population; since that year the proportion has, with slight fluctuations, steadily fallen, and in the year 1907 it reached the lowest point on record, viz., 26·3 per 1000 of the total population. This crude birth-rate was 0·8 per 1000 below that recorded in 1906, and was 2·1 per 1000 below the average in the ten years 1897–1906.

Heavy as the fall in the birth-rate has been in this country, the effects in regard to the numbers of the population have been to some extent modified by the decline in the death-rate, but clearly the death-rate cannot continue to decline indefinitely, and it will be noted from the statement on page xxxiii that the effective addition to the population, *i.e.*, the annual rate of increase by excess of births over deaths, which was 14·56 per 1000 living in the period 1876–80, had fallen to 11·27 per 1000 in the year 1907.

In connection with the subject of the fall in the birth-rate, it is essential to bear in mind that the birth-rate and the death-rate are to a certain extent interdependent, and that both exert an influence on the sex and age constitution of the population. A series of tables was given in the Appendix to the last Census Report which illustrated in considerable detail the marked changes that had taken place in the constitution of the English population. The subjoined figures, extracted from the Census Report, will show at a glance how important these changes, as regards the age constitution of the population, have been in recent years; for example, out of every million living there were 37,000 fewer children under the age of 15 years in 1901 than in 1871; or in other words, if the proportions of population at the several age groups in 1901 had been the same as the proportions in 1871, there would have been enumerated at the Census of 1901 about 11,747,000 children at ages 0–15 years instead of the 10,545,739 actually recorded.

PROPORTIONS at TWELVE GROUPS of AGES in a MILLION PERSONS at all AGES enumerated at each CENSUS 1871–1901.

Ages.	1871.	1881.	1891.	1901.
All ages ... ..	1,000,000	1,000,000	1,000,000	1,000,000
Under 5 years ... ..	135,225	135,551	122,523	114,262
5— ... ..	119,166	121,173	117,065	107,209
10— ... ..	106,737	107,811	111,148	102,735
15— ... ..	96,002	98,067	101,745	99,796
20— ... ..	88,268	89,635	91,248	95,946
25— ... ..	147,083	146,046	150,943	161,579
35— ... ..	113,205	113,217	114,776	122,849
45— ... ..	87,958	83,676	86,092	89,222
55— ... ..	59,036	59,062	57,133	59,741
65— ... ..	33,692	32,818	34,130	33,080
75— ... ..	11,968	11,476	11,689	12,090
85 years and upwards .	1,660	1,468	1,508	1,491



Among the several factors affecting the birth-rate, note must also be taken of the changes in the marriage-rate, of the changes in the proportion of women of conceptive ages in the population, and of the changes in the age constitution of the married female population. The extent of these changes is shown in the following statement relating to the four last Census periods.

## ENGLAND AND WALES.

Census Years.	Proportion per cent. of Women aged 15-45 years in the Total Population of both sexes and all ages.	Proportion per cent. of Married Women in the Female Population aged 15-45 years.	Of the Married Women aged 15-45 years, the proportion per cent. at four groups of ages.				Persons Married to 1000 Marriage- able Persons in the Population.
			Aged 15-20 years.	Aged 20-25 years.	Aged 25-35 years.	Aged 35-45 years.	
1871	23·1	49·6	1·3	13·9	45·5	39·3	56·9
1881	23·1	49·1	1·1	13·7	45·6	39·6	51·1
1891	23·8	47·1	0·9	12·8	46·0	40·3	49·8
1901	25·0	46·8	0·7	11·8	46·8	40·7	48·6

*Measuring the Birth-rate.*—The crude birth-rate, *i.e.*, the proportion of registered births to the total population at all ages, is sufficient for comparing the birth-rate in a population from year to year; while in conjunction with the death-rate it affords a ready means for gauging the natural rate of increase in a population; but the crude birth-rate is not adapted for comparisons extending over a long series of years, because it takes no account of the effect of the changing constitution of a population in regard to sex, age, and condition as to marriage; nor is it well adapted for comparing the rates in two or more communities, because of the differences in the sex and age constitution of the respective populations.

It is desirable, therefore, to make a comparison of birth-rates, based not only on the total population, but also on the number of possible mothers.

In Table C on page xxv the results are shown of calculating the birth-rate based on the following proportions:—

- (a) Of total births to the total population of both sexes and all ages;
- (b) Of total births to the female population aged 15-45 years;
- (c) Of legitimate births to the married female population aged 15-45 years; and
- (d) Of illegitimate births to the unmarried and widowed female population aged 15-45 years.

These calculations have also been illustrated in the accompanying diagrams, facing page xxvi, which afford a ready means of gauging the fall in the birth-rate during the past thirty years.

TABLE C.—ENGLAND AND WALES.—BIRTH-RATES, 1876-1907.

Period.	(a.)		(b.)		(c.)		(d.)	
	Birth-rate calculated on Total Population at All Ages.		Birth-rate calculated on the Female Population aged 15-45 years.		Legitimate Birth-rate calculated on the Married Female Population aged 15-45 years.		Illegitimate Birth-rate calculated on the Unmarried and Widowed Female Population aged 15-45 years.	
	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.
1876-1880	35'3	100'0	153'3	100'0	296'3	100'0	14'4	100'0
1881-1885	33'5	94'9	144'3	94'1	282'4	95'3	13'5	93'8
1886-1890	31'4	89'0	133'4	87'0	267'1	90'1	11'8	81'9
1891-1895	30'5	86'4	126'8	82'7	258'3	87'2	10'1	70'1
1896-1900	29'3	83'0	118'8	77'5	242'9	82'0	9'2	63'9
1901-1905	28'1	79'6	112'5	73'4	230'7	77'9	8'4	58'3
1876 ..	36'3	102'8	157'5	102'7	304'1	102'6	14'6	101'4
1877 ..	36'0	102'0	155'9	101'7	301'1	101'6	14'6	101'4
1878 ..	35'6	100'8	154'5	100'8	298'8	100'8	14'4	100'0
1879 ..	34'7	98'3	150'5	98'2	291'1	98'2	14'2	98'6
1880 ..	34'2	96'9	148'3	96'7	287'0	96'9	14'1	97'9
1881 ..	33'9	96'0	147'0	95'9	284'9	96'2	14'1	97'9
1882 ..	33'8	95'8	145'8	95'1	283'9	95'8	13'8	95'8
1883 ..	33'5	94'9	144'1	94'0	281'9	95'1	13'4	93'1
1884 ..	33'6	95'2	144'2	94'1	283'7	95'7	13'2	91'7
1885 ..	32'9	93'2	140'7	91'8	277'6	93'7	13'0	90'3
1886 ..	32'8	92'9	140'2	91'5	278'0	93'8	12'8	88'9
1887 ..	31'9	90'4	135'5	88'4	269'9	91'1	12'4	86'1
1888 ..	31'2	88'4	132'3	86'3	265'0	89'4	11'7	81'3
1889 ..	31'1	88'1	131'7	85'9	265'1	89'5	11'5	79'9
1890 ..	30'2	85'6	127'6	83'2	258'2	87'1	10'7	74'3
1891 ..	31'4	89'0	132'1	86'2	268'8	90'7	10'6	73'6
1892 ..	30'4	86'1	127'3	83'0	259'3	87'5	10'1	70'1
1893 ..	30'7	87'0	127'9	83'4	260'4	87'9	10'3	71'5
1894 ..	29'6	83'9	122'4	79'8	249'4	84'2	9'9	68'8
1895 ..	30'3	85'8	124'8	81'4	254'5	85'9	9'9	68'8
1896 ..	29'6	83'9	121'5	79'3	247'8	83'6	9'7	67'4
1897 ..	29'6	83'9	120'7	78'7	246'4	83'2	9'5	66'0
1898 ..	29'3	83'0	118'9	77'6	243'0	82'0	9'3	64'6
1899 ..	29'1	82'4	117'7	76'8	241'0	81'3	8'9	61'8
1900 ..	28'7	81'3	115'6	75'4	236'8	79'9	8'6	59'7
1901 ..	28'5	80'7	114'2	74'5	234'2	79'0	8'4	58'3
1902 ..	28'5	80'7	114'1	74'4	234'2	79'0	8'4	58'3
1903 ..	28'4	80'5	113'8	74'2	233'3	78'7	8'4	58'3
1904 ..	27'9	79'0	111'8	72'9	229'1	77'3	8'4	58'3
1905 ..	27'2	77'1	108'9	71'0	223'2	75'3	8'2	56'9
1906 ..	27'1	76'8	108'3	70'6	222'0	74'9	8'1	56'3
1907 ..	26'3	74'5	105'1	68'6	215'6	72'8	7'8	54'2

*Note.*—In the absence of precise information as to the changes in the number and constitution of the population from year to year, the estimates of total population at all ages are calculated by geometrical progression, on the assumption that the rate of increase in each intercensal period was maintained regularly throughout the period; the estimates for the several sections of the population are based on the further assumption that the proportion which each section bore to the total population changed uniformly during the intercensal period. In view of the necessity of these, or similar assumptions, the figures for intercensal years are inevitably less accurate than those for years in which censuses were taken.



As already stated, the birth-rate in England and Wales attained the highest point on record in the year 1876 ; and for the purpose of measuring the decrease that has since occurred, the mean annual rate in the quinquennial period 1876-80 has been taken as a standard. Calculated on the total population the fall in the birth-rate in the period under review amounted to over 25 per cent. Based on the proportion of births to the number of possible mothers, *i.e.*, the total number of women living at child-bearing ages, the fall in the rate amounted to over 31 per cent. in the same period ; while the fertility of married women, based on the ratio of legitimate births to wives of conceptive ages, showed a decrease amounting to over 27 per cent. Put in another way, if the fertility of married women in proportion to their numbers had been identical in 1876-80 and in 1907, then the legitimate births would have numbered over 1,212,000 in 1907 instead of the 881,853 actually recorded.

As the birth registers do not afford information respecting the ages of the mothers there are no means of ascertaining the fertility of women at the several ages comprised in the child-bearing period ; there are, however, sufficient grounds for stating that during the past 30 years approximately 14 per cent. of the decline in the birth-rate (based on the proportion of births to the female population aged 15-45 years) is due to the decrease in the proportion of married women in the female population of conceptive ages, and that over 7 per cent. is due to the decrease of illegitimacy. With regard to the remaining 79 per cent. of the decrease, although some of the reduced fertility may be ascribed to changes in the age constitution of married women, there can be little doubt that much of it is due to deliberate restriction of child-bearing.

The fact is also significant that at the last Census period, 1900-02, the fertility of English wives was lower than that recorded in any European country except France. (See page lix.)

*Birth-rates among Married Women in Counties.*—Table D, on page xxvii., shows the rates in proportion to the married women of conceptive ages in each of the registration counties into which England and Wales is divided.

Broadly speaking, the fertility rates are high in nearly all the mining counties and low in the agricultural counties. The disparities between the birth-rates in the several counties are to some extent due to differences in the age constitution of the married women in the respective populations ; for it is obvious that the counties containing a large proportion of young married women in their populations will produce a relatively larger number of children than those counties containing a small proportion of young married women.


In order to exemplify the effect of age constitution on the birth-rates in the several counties, Table E on page xxviii has been constructed, which shows the fertility rates in proportion to the married women of conceptive ages, together with the proportion per cent. of married women at three age groups in the several counties. In order to avoid errors which might arise from erroneous estimates of the number of married women of child-bearing ages for intercensal years, the calculations have been restricted to the last Census period.



# ENGLAND & WALES.

## BIRTH-RATES.

DIAGRAM II.-ANNUAL BIRTH-RATES, 1876-1907.



\* The Standard adopted (see left hand column) is the average rate in the five years 1876-80.

† The Rate per 1000 in the top section of the diagram is calculated upon the total population, and that in the bottom section upon the number of females aged 15-45 years (See right hand column).






# ENGLAND & WALES.

## BIRTH-RATES.

DIAGRAM III-ANNUAL LEGITIMATE AND ILLEGITIMATE BIRTH-RATES, 1876-1907.



\*The Standard adopted (see left hand column) is the average rate in the five years 1876-80.

†The Rate per 1000 in the top section of the diagram is calculated upon the number of married women aged 15-45 years, and that in the bottom section upon the number of unmarried and widowed women aged 15-45 years. (See right hand column).





TABLE D.—ANNUAL FERTILITY RATES OF MARRIED WOMEN in each REGISTRATION COUNTY, 1870-1907.

Registration Counties.	Legitimate Births per 1000 Married Women aged 15-45 years.*						Decrease per cent. in each County between the period 1870-72 and 1907.	
	Three-year periods.					Years.		
	1870-72.	1880-82.	1890-92.	1900-02.	1903-05.	1906.		1907.
England and Wales..	292·5	286·0	263·8	235·5	228·5	222·0	215·6	26·3
London .. ..	269·9	272·6	250·4	227·8	218·2	209·9	202·5	25·0
Surrey .. ..	285·1	284·3	244·4	208·2	215·4	215·7	211·6	25·8
Kent .. ..	288·8	287·6	255·6	221·2	214·5	204·4	197·0	31·8
Sussex .. ..	284·6	279·2	235·9	203·3	194·5	188·7	180·8	36·5
Hampshire ..	272·9	273·9	243·3	211·6	209·4	210·7	204·0	25·2
Berkshire ..	294·5	290·0	257·6	219·0	217·1	206·7	204·9	30·4
Middlesex ..	288·0	293·6	252·3	224·1	231·6	226·3	224·4	22·1
Hertfordshire ..	300·0	291·7	264·0	224·8	224·7	222·6	217·7	27·4
Buckinghamshire ..	299·5	291·9	270·4	230·4	230·8	216·3	210·6	29·7
Oxfordshire ..	295·7	294·7	271·1	228·0	223·5	221·0	212·4	28·2
Northamptonshire ..	297·5	290·6	265·8	222·0	199·2	186·1	175·3	41·1
Huntingdonshire ..	302·3	274·9	262·5	236·0	233·4	241·6	229·4	24·1
Bedfordshire ..	296·0	283·1	256·8	219·1	206·6	213·5	202·9	31·5
Cambridgeshire ..	294·3	276·6	255·0	223·9	220·4	215·1	207·1	29·6
Essex .. ..	293·7	300·4	270·0	238·5	228·6	217·2	207·7	29·3
Suffolk .. ..	290·2	293·6	269·5	236·5	231·1	223·4	215·4	25·8
Norfolk .. ..	273·1	279·3	257·2	229·5	221·1	215·9	208·5	23·7
Wiltshire .. ..	297·9	291·6	261·3	225·1	225·5	228·1	227·6	23·6
Dorsetshire ..	288·8	286·8	254·7	219·2	220·8	220·9	208·4	27·8
Devonshire ..	284·5	284·5	252·2	208·4	203·9	199·0	193·8	31·9
Cornwall .. ..	294·0	287·7	262·0	219·6	203·8	197·6	196·4	33·2
Somersetshire ..	293·0	292·0	267·6	221·0	220·0	209·2	207·2	29·3
Gloucestershire ..	285·7	281·5	259·3	224·6	220·0	213·0	198·0	30·7
Herefordshire ..	285·6	279·2	272·3	235·0	231·2	222·1	219·2	23·2
Shropshire ..	302·7	286·8	275·3	257·0	255·1	241·4	233·5	22·9
Staffordshire ..	320·2	311·1	298·7	270·1	256·6	246·7	239·5	25·2
Worcestershire ..	296·6	288·3	268·2	239·0	224·9	217·5	208·0	29·9
Warwickshire ..	291·5	287·3	264·5	243·2	234·6	231·4	226·6	22·3
Leicestershire ..	300·6	295·0	268·4	232·7	217·3	208·0	197·5	34·3
Rutlandshire ..	295·9	297·9	258·5	227·5	217·4	229·1	206·4	30·2
Lincolnshire ..	293·4	284·1	255·3	228·3	223·9	229·6	221·4	24·5
Nottinghamshire ..	285·6	287·8	260·5	242·9	240·6	232·5	229·8	19·5
Derbyshire ..	296·6	293·2	270·8	243·9	235·2	220·4	219·2	26·1
Cheshire .. ..	292·8	286·0	266·9	230·8	224·2	220·5	213·5	27·1
Lancashire ..	297·1	285·0	264·3	233·7	224·9	219·4	214·2	27·9
West Riding ..	293·0	272·7	249·3	223·0	211·9	203·5	197·9	32·5
East Riding ..	281·9	274·9	258·1	238·7	227·0	221·2	212·4	24·7
North Riding ..	313·6	304·2	274·5	260·4	257·2	259·7	253·8	19·1
Durham .. ..	324·1	307·9	299·7	282·7	272·5	269·1	261·3	19·4
Northumberland ..	313·0	300·1	290·0	266·8	261·2	250·7	245·4	21·6
Cumberland ..	311·8	309·7	288·6	256·5	254·8	245·6	233·7	25·0
Westmorland ..	305·9	300·2	267·4	218·9	212·3	210·3	191·0	37·6
Monmouthshire ..	304·1	298·7	304·6	283·5	288·7	287·5	282·7	7·0
South Wales :—	317·3	305·9	301·0	271·4	268·5	258·8	254·7	19·7
Glamorganshire ..	313·1	303·4	303·5	274·0	268·9	258·9	255·1	18·5
Cardiganshire ..	344·1	321·7	309·4	274·9	284·3	284·3	281·4	18·2
Pembrokeshire ..	319·6	320·4	291·9	253·8	259·4	246·2	246·1	23·0
Cardiganshire ..	315·2	296·4	277·3	245·4	242·8	236·0	225·6	28·4
Brecknockshire ..	310·6	296·4	292·1	272·9	276·5	267·1	249·6	19·6
Radnorshire ..	308·6	302·5	282·6	264·2	243·2	188·5	201·6	34·7
North Wales :—	300·1	283·1	261·7	245·1	242·0	232·8	218·8	27·1
Montgomeryshire ..	308·7	292·5	273·2	253·0	250·1	247·1	225·1	27·1
Flintshire .. ..	310·4	284·0	285·7	246·4	274·7	274·5	264·4	14·8
Denbighshire ..	301·2	289·6	282·8	265·3	259·6	241·5	235·5	21·8
Merionethshire ..	311·0	287·2	255·5	247·7	233·2	221·2	199·9	35·7
Carnarvonshire ..	289·9	271·8	237·2	226·7	215·3	210·2	193·4	33·3
Anglesey .. ..	277·2	275·1	240·7	224·2	229·0	218·1	203·2	26·7

\* See note to Table C, page xxv.



TABLE E.—REGISTRATION COUNTIES.—LEGITIMATE BIRTH RATES, 1900-2, AND DISTRIBUTION OF MARRIED WOMEN aged 15-45 years at three groups of ages at the date of the Census of 1901.

Registration Counties (arranged in order of their Legitimate Birth-rates).	Legitimate Birth-rates per 1000 Married Women aged 15-45 years, 1900-2.	Of the Married Women aged 15-45 years, the proportion per cent. at three groups of ages at the Census of 1901.		
		15-25 years.	25-35 years.	35-45 years.
Sussex ... ..	203·3	10·0	45·8	44·2
Surrey ... ..	208·2	9·8	46·8	43·4
Devonshire ... ..	208·4	10·3	45·5	44·2
Hampshire ... ..	211·6	11·4	46·3	42·3
Westmorland ... ..	218·9	8·3	45·0	46·7
Berkshire ... ..	219·0	9·5	45·1	45·4
Bedfordshire ... ..	219·1	10·6	44·8	44·6
Dorsetshire ... ..	219·2	9·0	45·9	45·1
Cornwall ... ..	219·6	9·7	45·2	45·1
Somersetshire ... ..	221·0	9·5	45·4	45·1
Kent ... ..	221·2	12·2	46·3	41·5
Northamptonshire ... ..	222·0	11·9	46·7	41·4
West Riding of Yorkshire ... ..	223·0	12·9	47·1	40·0
Cambridgeshire ... ..	223·9	11·0	45·5	43·5
Middlesex ... ..	224·1	11·0	48·2	40·8
Gloucestershire ... ..	224·6	11·1	46·6	42·3
Hertfordshire ... ..	224·8	10·1	45·6	44·3
Wiltshire ... ..	225·1	9·4	45·4	45·2
Rutlandshire ... ..	227·5	7·3	43·7	49·0
London ... ..	227·8	13·1	47·4	39·5
Oxfordshire ... ..	228·0	8·4	44·0	47·6
Lincolnshire... ..	228·3	12·2	45·4	42·4
Norfolk ... ..	229·5	10·9	44·2	44·9
Buckinghamshire ... ..	230·4	10·5	45·4	44·1
Cheshire ... ..	230·8	11·4	47·1	41·5
Leicestershire ... ..	232·7	12·6	47·2	40·2
Lancashire ... ..	233·7	12·5	47·4	40·1
Herefordshire ... ..	235·0	8·3	44·2	47·5
<b>England and Wales</b> ... ..	<b>235·5</b>	<b>12·5</b>	<b>46·8</b>	<b>40·7</b>
Huntingdonshire ... ..	236·0	9·9	44·5	45·6
Suffolk ... ..	236·5	10·4	44·8	44·8
Essex ... ..	238·5	12·0	47·4	40·6
East Riding of Yorkshire ... ..	238·7	13·7	46·8	39·5
Worcester ... ..	239·0	11·4	47·3	41·3
Nottinghamshire ... ..	242·9	14·3	45·9	39·8
Warwickshire ... ..	243·2	13·7	47·4	38·9
Derbyshire ... ..	243·9	13·6	46·6	39·8
North Wales ... ..	245·1	10·0	45·8	44·2
Cumberland ... ..	256·5	11·9	45·1	43·0
Shropshire ... ..	257·0	9·2	45·1	45·7
North Riding of Yorkshire ... ..	260·4	13·4	45·5	41·1
South Wales (less Glamorganshire)	263·3	10·3	44·9	44·8
Northumberland ... ..	266·8	15·1	47·3	37·6
Staffordshire ... ..	270·1	14·0	47·3	38·7
Glamorganshire ... ..	274·0	15·1	48·2	36·7
Durham... ..	282·7	16·1	46·9	37·0
Monmouthshire ... ..	283·5	14·2	47·8	38·0

An analysis of the figures in Table E presents many points of interest; the excess or deficiency of the fertility rates, above or below the mean for the whole country generally, coincides with high or low proportions of young married women in the several populations. There are, however, some exceptions; notably London and the West Riding of Yorkshire, where, notwithstanding the fact that the proportions of young wives were above the mean, the fertility rates were below it; on the other hand, in North Wales, in South Wales (less Glamorganshire) in Cumberland and in Shropshire, in spite of the low proportion of young wives and the correspondingly high proportions of elderly wives, the fertility rates were comparatively high.

*Birth-rates in Urban and Rural Districts.*—The English Birth Registers do not contain a statement of the parents' ages, of the mothers' occupation (if any), of the duration of marriage, or of the previous issue. These particulars are essential for a complete analysis of birth statistics; nevertheless, apart from the refined calculations which could be based on such information, there are sufficient grounds for stating that the fertility of wives in districts that are wholly rural is about 7 per cent. greater than that of wives in towns.\* It should be observed, however, that the continuous migration of young persons from the country has considerably reduced the normal proportion of younger married women in the rural districts; if in the town and country districts the proportions of married women at the several ages were equal, the additional fertility of the latter would be still more marked.

*Sex Proportions at Birth.*—In 1907 the births of males in England and Wales numbered 467,728 and the births of females 450,314; the male births were therefore to the female births in the proportion of 1039 to 1000; the proportions since the commencement of birth registration had ranged from 1032 to 1054 per 1000. From Table 4, page 6, it will be seen that up to the quinquennium 1896–1900 the excess in the proportions of male births showed a tendency to diminish. Since that period a slight increase is observable.

In registration counties with populations exceeding 100,000 the ratios varied considerably; in the ten years 1898–1907 the highest

\* In the 69th Annual Report, page xxviii, a calculation was made showing the legitimate birth-rates in 21 large towns and in 112 entirely rural districts at the three past Census periods: the results were as follows:—

	Legitimate Births per 1000 Married Women aged 15–45 years.		
	1881.	1891.	1901.
Aggregate of 21 large Towns .. .. .	273·3	259·0	228·9
Aggregate of 112 entirely Rural Registration Districts.	294·5	272·9	244·0



and lowest proportional numbers of males born to females born were as follows :—

Counties.	Highest proportion of Males to 1000 Females, 1898-1907.	Counties.	Lowest proportion of Males to 1000 Females, 1898-1907.
Cambridgeshire ...	1063	Carmarthenshire ...	1020
Carnarvonshire ...	1062	Herefordshire ...	1023
Cumberland ...	1057	Berkshire ...	1025
Denbighshire ...	1054	Shropshire... ..	1026
Bedfordshire ...	1055	Worcestershire ...	1030
Buckinghamshire...	1050	West Riding of	1031
Dorsetshire ...	1049	Yorkshire.	
North Riding of Yorkshire.	1049	Nottinghamshire ...	1031

*Illegitimate Births.*—The 918,042 births registered during the year 1907 included 881,853 of legitimate children and 36,189 of illegitimate children. Sixty years ago (1846-50) the proportion of illegitimate births to total births registered was 67 per 1000; thirty years later (1876-80) it had fallen to 48 per 1,000, and the diminution in the ratio has gone on until in the year under review it had reached 39 per 1000 of the total births. (See Tables 3 and 4, pages 5 and 6.)

But it must not be assumed that the relative measure of illegitimacy is fairly expressed by these ratios; a better method is to state the illegitimate rate as a proportion to the number of single and widowed women at child-bearing ages.

Reference to Table F., page xxxi, shows for a series of years the results of the two methods of calculating the ratio of illegitimacy. Comparing the proportion of illegitimate births in England and Wales in the year 1907 with that recorded in the quinquennial period 1876-80, when registration may be said for all practical purposes to have been complete, it will be seen that based on the standard of total births, the rate of illegitimacy had decreased by about 17 per cent.; but based on the number of unmarried and widowed women of conceptive ages in the population, the decrease during the same period amounted to nearly 46 per cent.; this latter figure representing with approximate accuracy the decrease in the proportion of illegitimacy in this country.

*Illegitimate Births in Counties.*—It is difficult to explain the variations in the rates of illegitimacy in the several counties. It may be stated generally that the proportion of illegitimate children cannot alone serve as a standard of morality. Broadly speaking, however, the single and widowed women in London, in the counties south of the Thames, and in the south western counties, have comparatively few illegitimate children; on the other hand, the number of illegitimate children is comparatively high in Shropshire, in Herefordshire, in Staffordshire, in Nottinghamshire, in Cumberland, in North Wales, and also in nearly all the counties on the eastern seaboard, viz., Suffolk, Norfolk, Lincolnshire, the East and North Ridings of Yorkshire, and Durham. In the Registrar-General's Report for the year 1851, it was assumed that there

TABLE F.—ENGLAND AND WALES.—ILLEGITIMATE BIRTH-RATES, 1876-1907.

Period.	Illegitimate Births.			
	In proportion to total Births.		In proportion to the Unmarried and Widowed Female population aged 15-45 years.	
	Rate per 1000.	Compared with rate in 1876-80 taken as 100.	Rate per 1000.	Compared with rate in 1876-80 taken as 100.
1876-1880 ...	47·5	100·0	14·4	100·0
1881-1885 ...	48·0	101·1	13·5	93·8
1886-1890 ...	46·3	97·5	11·8	81·9
1891-1895 ...	42·4	89·3	10·1	70·1
1896-1900 ...	41·0	86·3	9·2	63·9
1901-1905 ...	39·5	83·2	8·4	58·3
1876 ... ..	46·8	98·5	14·6	101·4
1877 ... ..	47·5	100·0	14·6	101·4
1878 ... ..	47·2	99·4	14·4	100·0
1879 ... ..	47·9	100·8	14·2	98·6
1880 ... ..	48·3	101·7	14·1	97·9
1881 ... ..	48·8	102·7	14·1	97·9
1882 ... ..	48·5	102·1	13·8	95·8
1883 ... ..	47·9	100·8	13·4	93·1
1884 ... ..	47·1	99·2	13·2	91·7
1885 ... ..	47·9	100·8	13·0	90·3
1886 ... ..	47·4	99·8	12·8	88·9
1887 ... ..	47·5	100·0	12·4	86·1
1888 ... ..	46·3	97·5	11·7	81·3
1889 ... ..	45·9	96·6	11·5	79·9
1890 ... ..	44·2	93·1	10·7	74·3
1891 ... ..	42·4	89·3	10·6	73·6
1892 ... ..	41·9	88·2	10·1	70·1
1893 ... ..	42·5	89·5	10·3	71·5
1894 ... ..	43·1	90·7	9·9	68·8
1895 ... ..	42·1	88·6	9·9	68·8
1896 ... ..	42·3	89·1	9·7	67·4
1897 ... ..	41·7	87·8	9·5	66·0
1898 ... ..	41·5	87·4	9·3	64·6
1899 ... ..	40·0	84·2	8·9	61·8
1900 ... ..	39·7	83·6	8·6	59·7
1901 ... ..	38·9	81·9	8·4	58·3
1902 ... ..	39·0	82·1	8·4	58·3
1903 ... ..	39·3	82·7	8·4	58·3
1904 ... ..	39·9	84·0	8·4	58·3
1905 ... ..	40·2	84·6	8·2	56·9
1906 ... ..	40·0	84·2	8·1	56·3
1907 ... ..	39·4	82·9	7·8	54·2



TABLE G.—ANNUAL ILLEGITIMATE BIRTH-RATES in each REGISTRATION COUNTY, 1870-1907.

Registration Counties.	Illegitimate Births to 1000 Unmarried and Widowed Females, aged 15-45 years.*						Decrease per cent, in each County between the period 1870-2 and 1907.	
	Three-year periods.					Years.		
	1870-72.	1880-82.	1890-92.	1900-02.	1903-5.	1906.	1907.	
England and Wales..	17'0	14'1	10'5	8'5	8'3	8'1	7'8	54'1
London .. ..	10'3	9'8	8'1	6'9	6'9	6'8	6'4	37'9
Surrey .. ..	9'5	8'5	6'6	5'9	5'7	5'9	5'7	40'0
Kent .. ..	14'7	12'1	9'3	7'5	7'6	7'5	7'2	51'0
Sussex .. ..	13'7	11'5	8'7	7'2	7'0	6'5	6'4	53'3
Hampshire .. ..	13'6	11'8	8'5	7'3	7'1	6'9	6'4	52'9
Berkshire .. ..	16'8	13'4	10'3	8'7	8'6	8'1	8'4	50'0
Middlesex .. ..	9'4	9'4	6'5	5'9	6'0	6'1	5'7	39'4
Hertfordshire.. ..	18'4	15'3	10'4	7'0	7'2	6'6	7'5	59'2
Buckinghamshire .. ..	19'0	16'5	12'6	9'1	8'9	7'3	8'8	53'7
Oxfordshire .. ..	19'0	15'4	10'4	9'0	9'1	9'3	9'2	51'6
Northamptonshire .. ..	18'7	15'9	11'7	9'1	8'8	9'0	7'7	58'8
Huntingdonshire .. ..	19'8	14'0	12'9	10'9	9'7	9'7	9'7	51'0
Bedfordshire .. ..	21'1	18'0	11'2	8'4	8'0	8'2	8'7	58'8
Cambridgeshire .. ..	19'3	15'6	12'4	9'6	10'1	9'7	10'4	46'1
Essex .. ..	16'2	12'7	9'1	7'3	7'1	6'7	6'4	60'5
Suffolk .. ..	22'0	17'8	14'0	12'0	11'7	12'4	12'5	43'2
Norfolk .. ..	27'3	22'6	16'7	13'4	13'4	12'5	12'8	53'1
Wiltshire .. ..	17'1	14'7	10'3	9'2	8'7	8'6	9'3	45'6
Dorsetshire .. ..	14'2	13'1	9'6	7'2	7'2	8'1	6'4	54'9
Devonshire .. ..	14'0	10'6	8'1	6'7	6'5	6'7	6'1	56'4
Cornwall .. ..	16'5	14'8	11'2	8'6	8'1	7'5	7'5	54'5
Somersetshire.. ..	13'3	11'3	7'4	6'0	6'0	5'4	5'5	58'6
Gloucestershire .. ..	12'9	11'6	8'2	6'3	6'1	6'8	5'8	55'0
Herefordshire.. ..	21'4	19'0	13'4	11'2	11'5	10'3	11'0	48'6
Shropshire .. ..	28'2	21'8	16'6	12'8	13'4	13'0	11'8	58'2
Staffordshire .. ..	24'6	19'4	14'5	11'2	11'4	10'9	10'1	58'9
Worcestershire .. ..	16'3	13'7	9'2	7'2	6'8	6'6	6'6	59'5
Warwickshire .. ..	14'9	13'2	9'7	7'6	7'5	6'6	6'8	54'4
Leicestershire .. ..	19'9	16'1	11'4	8'6	7'9	7'5	7'3	63'3
Rutlandshire .. ..	18'1	12'7	7'9	7'2	6'8	9'0	11'4	37'0
Lincolnshire .. ..	22'3	18'5	14'2	12'2	12'1	12'7	11'9	46'6
Nottinghamshire .. ..	24'5	21'7	15'4	12'7	12'6	12'0	11'9	51'4
Derbyshire .. ..	22'5	17'7	12'8	10'0	10'0	10'0	9'4	58'2
Cheshire .. ..	17'5	14'2	10'3	7'7	7'3	7'2	6'9	60'6
Lancashire .. ..	16'2	13'6	10'2	7'9	7'8	7'5	7'2	55'6
West Riding .. ..	20'4	16'1	11'4	9'4	9'2	8'8	8'1	60'3
East Riding .. ..	23'0	18'2	14'3	12'2	11'7	12'2	10'6	53'9
North Riding.. ..	27'7	20'2	15'4	12'1	11'6	11'9	10'2	63'2
Durham .. ..	24'0	18'0	13'8	11'1	11'1	10'8	11'6	51'7
Northumberland .. ..	21'1	17'9	12'4	10'2	10'0	10'4	9'3	55'9
Cumberland .. ..	29'2	23'9	18'6	12'3	12'3	12'3	11'0	62'3
Westmorland.. ..	21'9	17'9	13'1	8'6	9'1	8'5	7'8	64'4
Monmouthshire .. ..	18'6	15'9	11'3	10'2	9'1	9'6	9'3	50'0
South Wales :—	18'8	14'8	10'8	8'7	9'1	8'7	8'4	55'3
Glamorganshire .. ..	17'7	13'5	10'3	8'5	9'1	8'9	8'4	52'5
Carmarthenshire .. ..	18'2	13'9	9'4	7'7	8'2	7'7	8'9	51'1
Pembrokeshire .. ..	21'6	15'9	12'4	8'9	10'2	10'7	8'4	61'1
Cardiganshire .. ..	16'0	14'8	11'8	8'9	7'8	6'3	7'3	54'4
Brecknockshire .. ..	19'9	18'0	12'5	10'1	9'2	9'2	8'3	58'3
Radnorshire .. ..	41'8	33'2	20'1	14'4	13'4	8'3	11'3	73'0
North Wales :—	21'9	17'9	14'2	12'0	11'6	11'8	11'1	49'3
Montgomeryshire .. ..	29'5	24'3	16'7	13'1	13'4	12'6	11'7	60'3
Flintshire .. ..	18'7	18'4	13'1	9'7	11'2	11'9	11'0	41'2
Denbighshire .. ..	21'1	17'6	13'4	12'3	11'6	13'5	10'3	51'2
Merionethshire .. ..	24'4	19'5	16'4	13'5	13'4	13'2	12'7	48'0
Carnarvonshire .. ..	18'3	13'9	12'7	10'3	9'6	9'4	10'5	42'6
Anglesey .. ..	19'7	16'7	15'7	16'1	14'9	13'3	12'9	34'5

\* See note to Table C, page xxv.

was an indirect connection between female illiteracy and illegitimacy. This may have been the case in the middle of the last century, but there is no conclusive evidence that such is the case at the present day. The proportions of illegitimacy and the proportions of married women who signed the marriage register by mark are relatively high in Staffordshire, in North Wales, in Durham, and in the North Riding of Yorkshire; on the other hand, in Norfolk, in Suffolk, and in Lincolnshire there is a comparatively high proportion of illegitimacy and a low proportion of illiteracy. A study of the facts in Table G. may possibly assist those who are interested in the welfare of the people to investigate the causes of the discrepancies which appear in the several counties.

*Natural increase.*—The increase or decrease of population is governed by two factors (1) the balance between births and deaths, and (2) the balance between emigration and immigration. As regards this country the balance between births and deaths has invariably, at least in recent times resulted in an excess of births over deaths; in reference to migration, emigrants have invariably exceeded immigrants, at all events since 1851.

Dealing with the question of natural increase, *i.e.*, the excess of births over deaths, it will be observed from the following statement that the average annual rate fell from 14·56 per 1000 living in the quinquennium 1876–1880 to 11·58 per 1000 in the quinquennium 1896–1900; this was due to the birth-rate having declined more rapidly than the death-rate. In the years 1901, 1902 and 1903, the annual rate of natural increase began to rise again, due to the death-rate having declined more rapidly than the birth-rate, but in the succeeding years this tendency was not maintained, the rate of natural increase in the year 1907 having fallen to 11·27 per 1000 living.

—				Mean Annual Birth-rate per 1000 living.	Mean Annual Death-rate per 1000 living.	Mean Annual rate of increase, by excess of Births over Deaths, per 1000 living.
1876–1880	...	...		35·35	20·79	14·56
1881–1885	...	...		33·51	19·40	14·11
1886–1890	...	...		31·44	18·89	12·55
1891–1895	...	...		30·48	18·71	11·77
1896–1900	...	...		29·27	17·69	11·58
1901–1905	...	...		28·10	16·00	12·10
1901	...	...	...	28·50	16·91	11·59
1902	...	...	...	28·50	16·23	12·27
1903	...	...	...	28·41	15·42	12·99
1904	...	...	...	27·92	16·24	11·68
1905	...	...	...	27·21	15·23	11·98
1906	...	...	...	27·07	15·38	11·69
1907	...	...	...	26·27	15·00	11·27



## DEATHS.

The deaths of 524,221 persons were registered in England and Wales in the year 1907; of these, 269,259 were males and 254,962 were females.

In the year under review the deaths from all causes corresponded to a rate of 15·0 per 1000 of the population; this rate was 0·4 per 1000 below the rate in 1906, and lower than the rate in any other year on record. Compared with the average in the ten years 1897–1906, the death-rate in 1907 showed a decrease of 1·7 per 1000.

The following statement shows the changes in the death-rate from the year 1861 to the present day:—

ENGLAND AND WALES.—ANNUAL RATE\* of MORTALITY per 1000 LIVING AMONG PERSONS, MALES and FEMALES, corrected for AGE and SEX CONSTITUTION, 1861–1907.

Period.	Persons.	Males.	Females.	Deaths of Males to 1000 Deaths of Females in equal numbers living.
1861–1865 ... ..	21·4	22·3	20·6	1,083
1866–1870 ... ..	21·2	22·2	20·3	1,094
1871–1875 ... ..	20·9	22·0	19·8	1,111
1876–1880 ... ..	19·8	21·0	18·7	1,123
1881–1885 ... ..	18·7	19·7	17·8	1,107
1886–1890 ... ..	18·5	19·6	17·5	1,120
1891–1895 ... ..	18·5	19·6	17·5	1,120
1896–1900 ... ..	17·6	18·8	16·5	1,139
1901 ... ..	16·9	18·1	15·8	1,147
1902 ... ..	16·2	17·4	15·2	1,147
1903 ... ..	15·4	16·5	14·4	1,146
1904 ... ..	16·2	17·3	15·2	1,136
1905 ... ..	15·2	16·2	14·3	1,134
1906 ... ..	15·4	16·4	14·4	1,141
1907 ... ..	15·0	16·0	14·1	1,130


\* The death-rates in this table are based upon the constitution of the population as enumerated at the Census of 1901, and differ, therefore, from the crude death-rates given in Table 4, page 6.

From the foregoing figures and the accompanying diagram (No. IV.) it will be seen that in the period under review the death-rate in England and Wales showed a remarkable decrease; this satisfactory reduction in mortality has been mainly brought about by the passing of the Public Health Act in 1875, under which the country was divided into sanitary districts and a medical officer of health was appointed for each area; by the advance in medical science, and by the increased attention paid to hygienic matters by the individual, the local administrative authorities, and the State. Compared with the average rate in the period 1861–65, the death-rate in 1907 showed a decrease of 30 per cent.; the reduction being equal to 28 per cent. among males and 32 per cent. among females.



# ENGLAND & WALES. DEATH-RATES.

DIAGRAM IV.-ENGLAND & WALES 1858-1907. ANNUAL DEATH-RATES FROM ALL CAUSES PER 1000 LIVING AT ALL AGES, CORRECTED FOR VARIATIONS OF AGE CONSTITUTION,



*Note :- The death-rates throughout the entire period are based upon the age constitution of the population as enumerated in 1901.*





It is interesting to note that although the deaths of males invariably exceed those of females, the proportional excess of male over female mortality has with fluctuations increased considerably in the period under review ; for while in the quinquennium 1861-65

ENGLAND AND WALES.—ANNUAL DEATH-RATES PER 1000 LIVING AT TWELVE AGE-PERIODS, 1876-1907.

Ages.	1876-1880.	1881-1885.	1886-1890.	1891-1895.	1896-1900.	1901-1905.	1905.	1907.	Decrease per cent, in 1907 compared with 1876-80.
<i>Males.</i>									
All ages* ..	21·0	19·7	19·6	19·6	18·8	17·1	16·4	16·0	23·8
0-5 ..	67·0	61·3	61·9	62·9	62·4	53·8	49·3	44·8	33·1
5-10 ..	6·3	5·8	4·9	4·5	4·1	3·6	3·4	3·3	47·6
10-15 ..	3·4	3·2	2·8	2·6	2·3	2·1	2·0	1·9	44·1
15-20 ..	4·9	4·5	4·1	4·0	3·6	3·2	3·0	2·9	40·8
20-25 ..	6·7	6·0	5·5	5·2	4·9	4·3	3·9	3·8	43·3
25-35 ..	8·7	8·2	7·4	7·1	6·5	5·9	5·6	5·6	35·6
35-45 ..	13·4	12·8	12·0	12·0	11·1	9·9	9·5	9·5	29·1
45-55 ..	19·8	19·3	19·4	19·6	18·3	17·3	16·8	16·9	14·6
55-65 ..	34·9	34·2	35·2	35·9	34·1	32·9	33·2	33·7	3·4
65-75 ..	69·4	68·7	72·1	72·5	68·3	67·2	68·7	70·5	+ 1·6
75-85 ..	152·2	145·4	147·9	149·3	142·9	137·4	136·9	138·3	9·1
85 and upwards.	331·6	297·8	313·8	291·0	282·6	283·0	319·5	316·0	4·7
<i>Females.</i>									
All ages* ..	18·7	17·8	17·5	17·5	16·5	15·0	14·4	14·1	24·6
0-5 ..	56·8	51·9	52·0	52·8	52·7	44·9	41·2	37·0	34·9
5-10 ..	5·9	5·7	4·9	4·6	4·2	3·7	3·6	3·4	42·4
10-15 ..	3·5	3·3	2·9	2·8	2·4	2·2	2·2	2·0	42·9
15-20 ..	5·0	4·7	4·1	4·0	3·3	3·0	2·7	2·7	46·0
20-25 ..	6·2	5·9	5·2	4·8	4·1	3·6	3·3	3·2	48·4
25-35 ..	8·0	7·9	6·9	6·6	5·6	5·0	4·7	4·6	42·5
35-45 ..	11·2	11·0	10·3	10·2	9·1	8·2	7·8	7·8	30·4
45-55 ..	15·4	15·2	15·0	15·2	14·3	13·3	13·0	13·1	14·9
55-65 ..	28·6	28·1	28·8	29·5	27·4	25·7	25·3	26·0	9·1
65-75 ..	60·8	59·0	61·7	63·1	58·4	56·4	56·1	59·7	1·8
75-85 ..	135·5	128·9	132·3	134·4	126·8	121·5	123·2	127·0	6·3
85 and upwards.	299·0	265·4	276·2	264·2	258·5	261·3	287·4	293·4	1·9

\* The death-rates at all ages are based on the age constitution of the population prevailing at the Census of 1901.



there were, out of equal numbers living, 1083 deaths of males to 1000 deaths of females, in 1907 the proportion was as 1130 to 1000.

*Mortality of each Sex at various Age Groups.*—A study of the figures in the table on page xxxv shows that in the first age period, 0–5 years, female children experience lower mortality than male children, but at ages 5–10 years and 10–15 years the male sex has a slight advantage; after that period, however, female mortality is lower than male mortality at every age group.

It should be observed that the higher mortality among males is mainly caused by excess of deaths from immaturity, by the greater liability of men to deaths from violence in connection with their occupations, and to excess of mortality from tuberculosis, pneumonia and respiratory diseases; while the greater mortality from intemperance among men has considerable influence in the same direction.

On the other hand, in addition to the special risk of death by childbirth, women are also specially liable to cancer of the mammary and generative organs.

If a comparison be made of the fall in the death-rate at the several age groups, between the period 1876–80 and the year 1907, it will be seen from the figures in the last column in the table that, at every age group except 5–15 years and at ages over 75 years, the decrease in the rate of mortality among females has been greater than among males, and closer examination of the figures shows that the advantage of the decrease is particularly accentuated among females at the age periods 15–35 years.

Turning to the tables on pages 36–63, showing the several causes of death, it will be seen that a considerable decrease has taken place in recent years in the mortality among females from phthisis, and also in the mortality either caused by or associated with pregnancy or child-bearing; the saving of life in these directions mainly accounts for the greater fall in the female death-rate when compared with the male death-rate at these ages.

*Death Rates in Counties.*—In Table H, on page xxxvii the crude death rates are compared with the death rates corrected on the basis of the sex and age constitution of the population of the whole country as enumerated at the last census.\* It thus appears that correction increased the crude death rate during the year 1907 in

---

\* In recent Annual Reports attention has been drawn to the modifying effects of the steady decrease in the Birth Rate on the age constitution of the population and consequently on the rate of mortality. The crude death-rate, that is the proportion borne by deaths from all causes to each thousand of the population at all ages is a fairly trustworthy test of relative mortality when comparing the death rates year by year for the whole country, or for the same district; but when comparisons for an extended period are made, or when one district is compared with another, comparisons of crude death rates may be erroneous, and should be supplemented by rates in which the sex and age distribution of the respective populations is taken into account.

In the 67th Report a full description was given of two methods used for applying to crude death rates, the correction for difference of sex and age constitution; (1) the “direct” method (when the death rates at the several age groups are known) used in the Annual Reports (2) the “indirect” method (when the death rates at the several age groups are not known) used in the Annual Summaries.

TABLE H.—ENGLAND and WALES: COMPARISON of DEATH-RATES in REGISTRATION COUNTIES BEFORE and AFTER CORRECTION for DIFFERENCES of SEX and AGE-CONSTITUTION, 1907.

Registration County.	Before Correction.	After Correction.	Increase or Decrease of Death-rate due to Correction.
England and Wales ...	15·0	15·0	—
London ... ..	14·7	15·5	+ 0·8
Surrey ... ..	12·9	13·0	+ 0·1
Kent ... ..	12·8	12·3	— 0·5
Sussex ... ..	13·3	11·9	— 1·4
Hampshire ... ..	13·7	12·9	— 0·8
Berkshire ... ..	13·0	11·7	— 1·3
Middlesex ... ..	12·3	13·0	+ 0·7
Hertfordshire ... ..	13·6	12·1	— 1·5
Buckinghamshire ... ..	12·7	11·2	— 1·5
Oxfordshire ... ..	14·7	12·3	— 2·4
Northamptonshire ... ..	12·2	11·4	— 0·8
Huntingdonshire ... ..	14·5	11·0	— 3·5
Bedfordshire ... ..	14·4	12·9	— 1·5
Cambridgeshire ... ..	14·1	11·7	— 2·4
Essex ... ..	12·4	12·5	+ 0·1
Suffolk ... ..	14·5	12·1	— 2·4
Norfolk ... ..	14·7	12·0	— 2·7
Wiltshire ... ..	13·9	11·9	— 2·0
Dorsetshire ... ..	14·0	11·8	— 2·2
Devonshire ... ..	15·0	13·1	— 1·9
Cornwall ... ..	15·1	12·8	— 2·3
Somersetshire ... ..	13·9	11·8	— 2·1
Gloucestershire ... ..	13·8	12·8	— 1·0
Herefordshire ... ..	15·0	11·9	— 3·1
Shropshire ... ..	14·4	12·1	— 2·3
Staffordshire... ..	15·7	16·2	+ 0·5
Worcestershire ... ..	13·4	13·0	— 0·4
Warwickshire ... ..	15·4	15·6	+ 0·2
Leicestershire ... ..	13·0	12·8	— 0·2
Rutlandshire... ..	13·5	10·5	— 3·0
Lincolnshire... ..	15·3	13·4	— 1·9
Nottinghamshire ... ..	16·4	16·4	—
Derbyshire ... ..	14·3	14·6	+ 0·3
Cheshire ... ..	14·7	15·2	+ 0·5
Lancashire ... ..	17·0	18·8	+ 1·8
West Riding of Yorkshire...	15·6	16·8	+ 1·2
East Riding of Yorkshire...	15·7	15·3	— 0·4
North Riding of Yorkshire	17·8	17·2	— 0·6
Durham ... ..	17·0	17·8	+ 0·8
Northumberland ... ..	15·7	16·4	+ 0·7
Cumberland ... ..	16·7	16·3	— 0·4
Westmorland ... ..	12·7	11·2	— 1·5
Monmouthshire ... ..	16·7	16·7	—
South Wales... ..	16·2	16·4	+ 0·2
Glamorganshire ... ..	16·2	17·4	+ 1·2
Carmarthenshire... ..	16·0	15·4	— 0·6
Pembrokeshire ... ..	15·5	13·8	— 1·7
Cardiganshire ... ..	17·8	14·1	— 3·7
Brecknockshire ... ..	16·3	14·7	— 1·6
Radnorshire ... ..	11·6	9·7	— 1·9
North Wales... ..	15·6	13·9	— 1·7
Montgomeryshire ... ..	15·3	12·3	— 3·0
Flintshire ... ..	15·8	14·6	— 1·2
Denbighshire ... ..	16·0	15·1	— 0·9
Merionethshire ... ..	15·6	13·9	— 1·7
Carnarvonshire ... ..	15·2	13·7	— 1·5
Anglesey ... ..	15·9	13·0	— 2·9



thirteen counties, the increase being as much as 1·2 per 1000 in the West Riding of Yorkshire and in Glamorganshire, and 1·8 in Lancashire. On the other hand correction diminished the crude rate in forty counties; the decrease amounting to as much as 3·1 in Herefordshire, 3·5 in Huntingdonshire, and 3·7 in Cardiganshire.

Among Registration Counties the highest and lowest corrected death rates during the year were as follows :—

Registration Counties.	Highest Corrected Death Rates.	Registration Counties.	Lowest Corrected Death Rates.
Lancashire ... ..	18·8	Dorsetshire ... ..	11·8
Durham ... ..	17·8	Somersetshire ... ..	11·8
Glamorganshire ... ..	17·4	Berkshire ... ..	11·7
North Riding of Yorkshire.	17·2	Cambridgeshire ... ..	11·7
West Riding of Yorkshire.	16·8	Northamptonshire ... ..	11·4
Monmouthshire ... ..	16·7	Buckinghamshire ... ..	11·2
Nottinghamshire ... ..	16·4	Westmorland ... ..	11·2
Northumberland ... ..	16·4	Huntingdonshire ... ..	11·0
Cumberland ... ..	16·3	Rutlandshire ... ..	10·5
Staffordshire ... ..	16·2	Radnorshire ... ..	9·7

Tables 18 and 19, pages 19 and 20, give the death rates at various ages for males and females separately in each of the Registration Counties of England and Wales, and thus illustrate the variations of sex and age mortality in different parts of the country.

*Infantile Mortality.*—In the course of the 40 years ended in 1900 the corrected death rate at all ages had fallen by about 15 per cent., but no such corresponding reduction could be recorded in the proportion of deaths of children under one year of age, the average ratio to total births having been fairly constant in each decennium (Table 27, page 64). It will be seen, however, that since the beginning of this century the rate of infantile mortality has, with fluctuations, shown an appreciable decline. It is a fair assumption that this may, in part, be due to the increasing attention the subject of the waste of infant life has received from all classes of the community; but at the same time it should be pointed out that the country has recently experienced a series of seasons favourable to infant life; for example, the showery and exceedingly cool summer in the year under review checked the rise in the mortality from diarrhoeal diseases that usually occurs in the third quarter of the year in a remarkable manner.

The deaths of infants under one year of age registered in England and Wales in the year 1907 numbered 107,978, and were in the proportion of 118 per 1000 births as compared with 132 in the year immediately preceding, and 145 the average proportion in the ten years 1897–1906. The rate in 1907 was the lowest on record; but as already mentioned the summer of that year was






# ENGLAND & WALES.

## INFANTILE MORTALITY.

DIAGRAM V. — ANNUAL DEATHS OF CHILDREN UNDER ONE YEAR OF AGE PER 1000 BIRTHS, 1858-1907.



exceptionally cool and showery. If the rates in the several quarters of the year 1907 be compared with the respective decennial averages, it will at once be apparent how very largely the saving of infantile life was due to the reduced mortality experienced in the third quarter of the year; for while the mortality in the first, second, and fourth quarters was 3, 12, and 6 per 1000 below the respective decennial averages, it was no less than 88 per 1000 below the average in the third quarter.

The rate of infantile mortality in the third quarter generally exceeds the rate recorded in any other quarter of the year; and it is interesting to note that during the past 40 years there were only two exceptions to this rule, viz., in the years 1879 and 1907 when the rate of infantile mortality in the summer quarter was below that recorded in the other quarters of the year.

Year.	Deaths of Children under one year to 1,000 Births.					Observations at Greenwich—Third Quarter of each Year.	
	Com- plete Year.	First Quarter.	Second Quarter.	Third Quarter.	Fourth Quarter	Mean Tempera- ture of Earth at depth of 3 ft. 2 ins.	Amount of Rainfall.
						°	Inches.
1897... ..	156	141	124	213	145	62·2	6·3
1898... ..	160	141	123	225	153	62·0	2·5
1899... ..	163	137	116	255	145	64·0	4·3
1900... ..	154	148	131	188	151	61·3	4·6
1901... ..	151	137	118	208	142	62·0	5·1
1902... ..	133	140	120	125	149	59·6	5·7
1903... ..	132	131	110	133	154	60·2	12·3
1904... ..	145	143	113	190	136	61·4	4·8
1905... ..	128	132	106	155	120	61·6	5·8
1906... ..	132	126	102	176	126	62·0	3·8
Average in 10 years, 1897-1906.	145	138	116	187	142	61·6	5·5
1907... ..	118	135	104	99	136	59·2	3·5

If the records of infantile mortality for a long series of years are examined (*see* Table 27, page 64, and diagram V facing this page) it will be noted that the rates are subject to wide fluctuations, and there can be little doubt that these are mainly caused by variations of summer temperature and rainfall. In order to exemplify this, the tabular statement on page xl has been prepared, showing for the past thirty-eight years the rates in the third or summer quarter of each year, together with the mean temperature and amount of rainfall in that period of the year. By grouping the highest and lowest rates their relation to climatic conditions is clearly shown; the former correspond to years in which the summers were comparatively hot and dry, and the latter to years in which the earth temperature was low and the rainfall excessive.



ENGLAND and WALES.—INFANTILE MORTALITY, Temperature and Rainfall in the THIRD QUARTER of the years 1870-1907.

Year.	Deaths of Infants under one year to 1000 Births.	Observations at Greenwich.		Year.	Deaths of Infants under one year to 1000 Births.	Observations at Greenwich.	
		Mean Temperature of earth at depth of 3 feet 2 inches.	Amount of Rainfall.			Mean Temperature of earth at depth of 3 feet 2 inches.	Amount of Rainfall.
		°	Inches.			°	Inches.
1870	200	61·5	5·7	1890	160	60·4	7·7
1871	194	62·8	8·2	1891	146	60·2	7·9
1872	182	63·0	6·5	1892	150	60·6	6·6
1873	173	62·4	7·6	1893	214	63·1	5·9
1874	174	62·2	6·2	1894	134	60·7	7·5
1875	176	61·7	10·3	1895	201	62·3	6·5
1876	172	62·6	5·3	1896	178	62·2	8·7
1877	138	61·6	6·4	1897	213	62·2	6·3
1878	185	63·1	6·5	1898	225	62·0	2·5
1879	115	59·4	11·7	1899	255	64·0	4·3
1880	195	62·0	8·8	1900	188	61·3	4·6
1881	138	61·3	8·2	1901	208	62·0	5·1
1882	150	60·3	6·0	1902	125	59·6	5·7
1883	142	61·0	6·5	1903	133	60·2	12·3
1884	191	63·1	4·5	1904	190	61·4	4·8
1885	141	61·5	5·6	1905	155	61·6	5·8
1886	180	62·3	4·9	1906	176	62·0	3·8
1887	175	63·0	5·9	1907	99	59·2	3·5
1888	135	59·3	11·2				
1889	166	61·9	5·6				

SUMMARY.

Deaths of Children under one year to 1000 Births in the Third Quarter of the Year.				Observations at Greenwich.	
				Mean Temperature of Earth at depth of 3 ft. 2 ins.	Mean Rainfall.
Proportions ranging from ... ..	99 to 146 (11 years).	Average in 11 years	131	° 60·4	Inches. 7·9
Proportions ranging from ... ..	150 to 188 (16 years).	Average in 16 years	171	61·9	6·4
Proportions ranging from ... ..	190 to 255 (11 years).	Average in 11 years	208	62·4	5·7

There are many special agencies at work which are prejudicial to infantile life; among these may be mentioned ante-natal influences, maternal ignorance and neglect, food contamination by flies, impure milk, insanitary environment, overcrowding, and the industrial employment of mothers.

The statistics dealing with the causes of death among infants are dealt with in considerable detail in a later part of this Report (see Dr. Tatham's letter, page cxxv, and tables on pages 72-87). It may be of interest, however, to point out that of the total mortality under one year of age an average of about 30 per cent. takes place in the first month of life, and further that of the deaths at this early period about three-fourths are due to a group of conditions—premature birth, congenital defects, atrophy, debility, and inanition—which may be described under the heading "Immaturity." Apart from this phase of the question, much of the loss of infant life is no doubt due either to ignorance or to callous neglect on the part of the mothers. In the report of the Duke of Devonshire's Committee on Physical Deterioration this topic was fully discussed—the opinion being expressed that among the younger women of the present day there is evidence of increasing carelessness and deficient sense of responsibility which can only be disastrous to the rising generation.

In the following statement the proportions of deaths, per 1000 births, from premature birth, from congenital defects, and from debility, atrophy, and inanition are shown for the years 1881-1907.

ENGLAND and WALES.—DEATHS of CHILDREN under ONE YEAR from  
"IMMATUREITY" per 1000 BIRTHS, 1881-1907.

		Proportion of Deaths to 1000 Births of each Sex.						
		1881-1885.	1886-1890.	1891-1895.	1896-1900.	1901-1905.	1906.	1907.
Premature Birth.	{ Both Sexes...	14·2	16·1	18·4	19·6	20·2	20·4	19·8
	{ Males ...	15·7	17·8	20·3	21·7	22·4	22·6	21·8
	{ Females ...	12·7	14·4	16·4	17·5	18·1	18·1	17·8
Congenital Defects.	{ Both Sexes...	4·1	4·3	4·8	5·2	6·6	7·5	7·5
	{ Males ...	4·6	4·8	5·3	5·8	7·4	8·3	8·4
	{ Females ...	3·7	3·8	4·2	4·5	5·8	6·6	6·5
Debility, Atrophy, Inanition.	{ Both Sexes...	22·2	21·7	21·5	20·5	17·9	16·1	15·0
	{ Males ...	23·8	23·5	23·7	22·5	19·8	17·8	17·0
	{ Females ...	20·3	19·7	19·4	18·4	15·8	14·3	13·0
Total due to "Immaturity."	{ Both Sexes...	40·5	42·1	44·7	45·3	44·7	44·0	42·3
	{ Males ...	44·1	46·1	49·3	50·0	49·6	48·7	47·2
	{ Females ...	36·7	37·9	40·0	40·4	39·7	39·0	37·3

Before drawing deductions from these figures it should be observed that the certification of the causes of infantile death has



TABLE I.—INFANTILE MORTALITY RATES in each REGISTRATION COUNTY in QUINQUENNIAL PERIODS 1876-1905, and in the YEARS 1906 and 1907.


Registration Counties.	Deaths of Children under 1 year to 1000 Births.								Increase (+) or Decrease (-) per cent. in each County between the period 1876-80 and 1907.
	Quinquennial Periods,						Years,		
	1876-80.	1881-85.	1886-90.	1891-95.	1896-1900.	1901-05.	1906.	1907.	
England and Wales	145	139	145	151	156	138	132	118	-18'6
London .. ..	154	150	154	156	163	140	133	117	-24'0
Surrey .. ..	115	110	109	116	127	105	109	88	-23'5
Kent .. ..	123	114	119	123	135	118	114	96	-22'0
Sussex .. ..	114	107	111	115	121	101	96	89	-21'9
Hampshire ..	116	108	116	122	132	110	103	93	-19'8
Berkshire ..	117	102	108	110	118	101	97	83	-29'1
Middlesex ..	130	127	130	130	146	121	118	98	-24'6
Hertfordshire ..	115	108	109	109	111	92	104	80	-30'4
Buckinghamshire ..	129	115	117	113	114	98	94	84	-34'9
Oxfordshire ..	125	109	116	114	113	99	87	92	-26'4
Northamptonshire ..	141	129	134	134	132	115	106	95	-32'6
Huntingdonshire ..	121	107	106	120	116	95	99	73	-39'7
Bedfordshire ..	146	130	131	124	128	106	118	101	-30'8
Cambridgeshire ..	135	120	123	124	124	107	108	88	-34'8
Essex .. ..	125	124	128	132	150	127	123	101	-19'2
Suffolk .. ..	123	112	116	121	121	111	105	99	-19'5
Norfolk .. ..	147	131	138	141	143	128	123	106	-27'9
Wiltshire .. ..	103	101	104	103	102	91	84	77	-28'7
Dorsetshire ..	107	97	96	100	103	92	91	77	-28'0
Devonshire ..	126	116	125	128	134	118	112	103	-18'3
Cornwall .. ..	145	133	142	144	137	117	101	99	-31'7
Somersetshire ..	119	110	110	114	115	95	89	90	-24'4
Gloucestershire ..	135	123	125	132	131	114	110	96	-28'9
Herefordshire ..	117	104	114	115	108	101	100	87	-25'6
Shropshire .. ..	124	114	120	115	114	105	98	91	-26'6
Staffordshire ..	155	152	160	168	176	151	144	133	-14'2
Worcestershire ..	135	129	139	141	141	124	116	110	-18'5
Warwickshire ..	152	145	154	160	178	152	152	126	-17'1
Leicestershire ..	169	161	168	167	161	140	142	114	-32'5
Rutlandshire ..	120	110	113	113	108	97	88	89	-25'8
Lincolnshire ..	135	127	136	141	144	131	127	114	-15'6
Nottinghamshire ..	159	154	155	156	170	153	145	146	-8'2
Derbyshire ..	137	131	138	144	148	133	120	119	-13'1
Cheshire .. ..	140	137	146	155	157	138	130	113	-19'3
Lancashire ..	165	161	170	177	181	161	157	138	-16'4
West Riding ..	158	152	160	164	165	152	143	131	-17'1
East Riding (with York).	156	147	152	164	168	149	140	121	-22'4
North Riding ..	135	132	138	144	149	140	142	127	-5'9
Durham .. ..	153	150	154	166	169	158	154	135	-11'8
Northumberland ..	142	139	146	155	167	151	143	118	-16'9
Cumberland ..	131	120	125	128	132	127	124	125	-4'6
Westmorland ..	107	102	99	109	104	89	88	87	-18'7
Monmouthshire ..	133	132	148	149	154	142	129	126	-5'3
South Wales ..	129	132	147	162	163	151	141	130	+0'8
Glamorganshire ..	138	143	159	173	175	158	150	136	-1'4
Cardiganshire ..	117	115	124	141	143	142	112	113	-3'4
Pembrokeshire ..	115	111	120	124	122	116	115	102	-11'3
Cardiganshire ..	99	93	100	120	119	119	116	104	+5'1
Brecknockshire ..	128	124	137	140	134	124	96	114	-10'9
Radnorshire ..	124	115	113	125	114	105	119	74	-40'3
North Wales ..	126	117	120	130	139	127	134	109	-13'5
Montgomeryshire ..	111	104	108	106	114	103	96	97	-12'6
Flintshire .. ..	120	106	112	120	126	101	120	104	-13'3
Denbighshire ..	134	123	131	139	153	136	154	113	-15'7
Merionethshire ..	129	120	122	141	152	130	123	127	-1'6
Carnarvonshire ..	132	122	118	135	138	136	144	108	-18'2
Anglesey .. ..	114	113	120	115	128	131	132	94	-17'5





# REGISTRATION COUNTIES. INFANTILE MORTALITY.

DIAGRAM VI:-DEATHS OF CHILDREN UNDER ONE YEAR OF AGE PER 1000 BIRTHS IN EACH REGISTRATION COUNTY: 1907.



Note:- The thick vertical line marks the rate of Infantile Mortality in England and Wales as a whole during the year.

become more accurate in recent years, consequently the increase in the ratio of deaths from premature birth and from congenital defects may be more apparent than real. Probably many deaths that were ascribed to debility, &c., in the earlier years were in reality due to premature birth or congenital defects. Evidently, however, any transfer of this kind would not affect the total mortality from "Immaturity."

It should be further noted that the proportion of deaths from "Immaturity" among male infants exceeds that among female infants by from 20 to 27 per cent.

Table I on page xlii shows the relative incidence of infantile mortality in the several Registration Counties, and it will be observed from the figures in that table and from the accompanying Diagram, No. VI., that the improvement in the rate in the year under review as compared with previous years was shared by nearly all parts of the country; as already mentioned, however, the climatic conditions in the summer of 1907 were exceptionally favourable to infantile life.

Among counties with populations of more than 100,000 persons the highest and lowest proportions in the year 1907 of deaths of children under one year to 1000 births were as follows :—

Registration Counties with Highest Rates of Infantile Mortality.	Deaths of Children under 1 year per 1000 Births.	Registration Counties with Lowest Rates of Infantile Mortality.	Deaths of Children under 1 year per 1000 Births.
Nottinghamshire ... ..	146	Sussex ... ..	89
Lancashire... ..	138	Surrey ... ..	88
Glamorganshire ... ..	136	Cambridgeshire ... ..	88
Durham ... ..	135	Herefordshire ... ..	87
Staffordshire ... ..	133	Buckinghamshire... ..	84
West Riding of Yorkshire	131	Berkshire ... ..	83
North Riding of Yorkshire	127	Hertfordshire ... ..	80
Warwickshire ... ..	126	Wiltshire ... ..	77
Monmouthshire ... ..	126	Dorsetshire ... ..	77

It has been frequently pointed out that those divisions of the country that comprise the districts of the mining, textile, and pottery industries show very badly in the Tables of Infantile Mortality; not only are the rates excessive in many of the large boroughs of these districts, but they are equally so in the majority of the smaller towns.

The lists on pp. xliv-xlvi show the towns with the highest and lowest average annual rates of infantile mortality in the quinquennial period 1903-07, together with Census statistics relating to overcrowding and to the industrial employment of women.

Examination of the figures in List A. shows that there are several groups of towns in Staffordshire, Cheshire, Lancashire, and Glamorganshire, carrying on the industries alluded to above; in no fewer than eight of these towns, Bilston, Longton, Tunstall, Stalybridge, Burnley, Farnworth, Ince in Makerfield and Aberdare, an average of about one in every five children born did not survive



the first year of life. Speaking broadly, excessive waste of infant life is generally associated with a high birth rate, overcrowding, and the industrial employment of married women, and it will be noted that these conditions prevail in the majority of the towns given in the list; it should be observed, however, that there are several towns which have a comparatively low birth rate and little overcrowding but in which nevertheless the child mortality is very high. Such towns not only produce fewer children, but lose an immoderate proportion of this smaller number of children.

Turning to List B. it will be seen that the towns with low rates of infantile mortality may generally be described as superior residential towns or suburbs, the birth rates in these towns are conspicuously low, and there is no apparent evidence of overcrowding. There are three instances in this list deserving of special notice—Erith, Swindon and Burton-on-Trent: the statistics for these towns would appear to show that industrial urban life need not necessarily be inimical to infant life.

From the foregoing analysis of the figures relating to infantile mortality it will be gathered that there are several areas in this country, both urban and rural, where the rates are low and compare favourably with the lowest recorded in the several Foreign and Colonial States. On the other hand, many industrial centres have been specified where the excessive rates indicate that the conservation of infant life is much neglected. It may confidently be affirmed that, in future, any permanent reduction in the mortality of young children in England and Wales as a whole will largely depend upon a due recognition of parental responsibility on the one hand, and on the other, an improved health administration in these industrial areas, particularly in that of numerous small towns.

LIST A.—TOWNS WITH HIGH RATES OF INFANTILE MORTALITY.

	Census, 1901.			Average Rate, 1903-07.	
	Population.	Proportion per cent. of persons living more than two in a room.	Proportion per cent. of Married or Widowed Women Occupied.	Births to 1000 living.	Deaths of Children under One Year to 1000 Births.
England and Wales ...	32,527,843	8·2	13·2	27·4	131
Towns.					
Norfolk—					
Norwich* ...	113,922	3·3	18·4	26·8	160
Staffordshire—					
Bilston ...	24,034	12·5	10·7	37·5†	192†
Burslem ...	38,766	2·7	22·1	33·6	184
Fenton ...	22,742	4·6	20·9	35·6†	175†
Hanley* ...	62,226	3·8	18·1	33·7	180
Longton ...	35,815	6·6	30·5	35·9	204
Tunstall* ...	24,709	4·2	17·5	36·7†	203†

\* Boundaries altered since the Census of 1901.

† Average for four years 1904-7.

## LIST A.—continued.

	Census, 1901.			Average Rate, 1903-07.	
	Population.	Proportion per cent. of persons living more than two in a room.	Proportion per cent. of Married or Widowed Women Occupied.	Births to 1000 living.	Deaths of Children under One Year to 1000 Births.
Worcestershire—					
Dudley ... ..	48,733	17·5	10·8	33·1	167
Oldbury ... ..	25,191	12·3	8·3	36·2	176
Warwickshire—					
Birmingham ... ..	522,204	10·3	19·0	30·1	165
Lincolnshire—					
Grimsby ... ..	63,138	1·9	8·9	29·4	172
Nottinghamshire—					
Nottingham ... ..	239,743	3·7	24·1	27·2	166
Derbyshire—					
Chesterfield ... ..	27,185	5·0	8·8	30·9	166
Ilkeston ... ..	25,384	3·7	7·1	37·7	173
Cheshire—					
Hyde ... ..	32,766	5·9	29·2	23·5	180
Stalybridge ... ..	27,673	6·7	28·3	24·6	201
Stockport* ... ..	92,832	5·0	23·7	27·4	180
Lancashire—					
Ashton-under-Lyne ... ..	43,890	5·1	24·8	26·2	172
Blackburn* ... ..	129,216	3·9	37·9	24·5	161
Burnley ... ..	97,043	7·1	33·8	27·3	198
Farnworth ... ..	25,925	5·7	21·6	26·9	211
Gorton ... ..	26,564	4·6	11·5	34·2	171
Hindley ... ..	23,504	12·2	6·9	30·8†	163†
Ince in Makerfield ... ..	21,262	17·6	7·9	36·7†	196†
Leigh ... ..	40,001	3·8	10·7	30·3	184
Liverpool* ... ..	704,134	7·9	14·5	33·0	165
Manchester* ... ..	606,824	6·3	19·3	30·2	165
Preston ... ..	112,989	2·6	30·5	28·5	171
Radcliffe ... ..	25,368	6·4	22·7	23·1	166
Salford ... ..	220,957	7·5	16·6	30·8	161
Swinton & Pendlebury	27,005	7·3	11·6	29·3	165
Widnes ... ..	28,580	5·1	5·8	35·5	162
Wigan* ... ..	82,428	13·4	10·5	33·7	171
Yorkshire—					
Barnsley ... ..	41,086	9·6	9·5	35·1	166
Batley... ..	30,321	20·7	21·4	26·3	186
Dewsbury ... ..	28,060	20·9	21·0	23·4	170
Doncaster ... ..	28,932	2·9	8·0	24·2	165
Middlesbrough ... ..	91,302	10·9	6·1	35·5	171
Sheffield* ... ..	409,070	9·5	11·0	31·2	162
Monmouthshire—					
Abertillery ... ..	21,945	7·7	3·5	42·0†	169†
Glamorganshire—					
Aberdare ... ..	43,365	5·8	4·7	33·6	191
Merthyr Tydfil ... ..	69,228	12·2	5·7	37·4	173
Mountain Ash ... ..	31,093	3·1	3·5	40·0	173
Rhondda ... ..	113,735	5·0	4·0	38·6	177

\* Boundaries altered since the Census of 1901.

† Average for four years 1904-7.



LIST B.—TOWNS WITH LOW RATES OF INFANTILE MORTALITY.

	Census, 1901.			Average Rate, 1903-07.	
	Population.	Proportion per cent. of persons living more than two in a room.	Proportion per cent. of Married or Widowed Women Occupied.	Births to 1000 living.	Deaths of Children under One Year to 1000 Births.
England and Wales ...	32,527,843	8·2	13·2	27·4	131
Towns.					
Surrey—					
Guildford* ... ..	20,639	0·8	13·3	21·8†	71‡
Reigate ... ..	25,993	1·0	11·9	20·6	83
Richmond ... ..	31,672	2·6	15·4	19·8	101
Kent—					
Beckenham* ... ..	26,288	1·3	10·4	22·8	99
Bromley* ... ..	27,397	1·8	12·2	23·3	102
Dover* ... ..	42,672	1·7	12·4	24·4	107
Erith ... ..	25,296	3·5	5·3	30·4	100
Tunbridge Wells ...	33,373	1·1	14·5	18·0	81
Sussex—					
Eastbourne ... ..	43,344	2·1	16·3	19·0	98
Hastings ... ..	65,528	2·9	17·1	17·3	106
Worthing* ... ..	22,567	0·8	15·9	20·4†	104†
Hampshire—					
Aldershot ... ..	30,974	3·2	13·5	30·8	95
Bournemouth* ...	59,762	0·6	14·3	17·3	95
Gosport and Alverstoke.	28,884	1·0	10·8	28·7	106
Winchester ... ..	20,929	0·8	15·2	22·6†	86†
Middlesex—					
Hornsey ... ..	72,056	2·0	7·8	18·8	80
Wood Green ... ..	34,233	4·3	8·3	31·1	98
Hertfordshire—					
Watford* ... ..	29,414	0·8	7·9	26·8	89
Oxfordshire—					
Oxford ... ..	49,336	1·4	17·0	20·9	102
Northamptonshire—					
Peterborough ... ..	30,872	0·9	7·6	22·3	108
Essex—					
Ilford* ... ..	41,244	1·0	5·4	29·6	100
Wiltshire—					
Salisbury ... ..	20,185	1·5	11·5	21·8†	95†
Swindon ... ..	45,006	1·3	7·2	28·5	100
Devonshire—					
Torquay ... ..	33,625	2·1	17·6	15·9	107
Somersetshire—					
Bath ... ..	49,839	4·5	20·2	19·8	100
Staffordshire—					
Burton-on-Trent ...	50,386	1·7	6·9	25·2	102
Handsworth ... ..	52,921	1·5	7·9	24·0	107
Worcestershire—					
Kings Norton and Northfield.	57,122	1·5	8·9	26·4	99

\* Boundaries altered since Census of 1901.

† Average for four years 1904-7.

‡ Average for three years 1905-7.

*Centenarians.*—Among the deaths registered during the year there were 59 of reputed centenarians, 17 of whom were males and 42 females. In the preceding three years the numbers had been 59, 58, and 65 respectively.

*Urban and Rural Mortality.*—At page lxxviii. will be found a table showing the variations in the death-rates both in 1907 and in the quinquennium 1902–06 in the two groups of counties selected to represent severally the urban and rural areas of England and Wales.

After correction for differences of sex and age constitution of the respective populations, the death-rate during 1907 in the urban group was equal to 16·4 per 1000, and in the rural group to 12·8 per 1000. Compared with the average rates in 1902–06, the mortality in the urban group showed a decrease of 0·8 per 1000, and that in the rural group a decrease of 0·5 per 1000.

In the year 1907 the ratio of urban to rural mortality, based on the death-rates per million living, was as 1287 is to 1000, against a ratio of 1299 to 1000 in the five years immediately preceding.

*Certification of Causes of Death.*—Of the 524,221 deaths registered in England and Wales during the year 1907, the causes of 480,151, or 91·59 per cent., were certified by registered medical practitioners; inquests were held respecting 36,474, or 6·96 per cent.; whilst the causes of the remaining 7,596, or 1·45 per cent., were uncertified. This is the lowest proportion of uncertified deaths hitherto recorded.

Of the 7,596 uncertified deaths, 837, or 11·0 per cent., were not reported to coroners, as compared with 891, or 11·0 per cent., in the year 1906.

The subjoined table shows the changes in the proportion to total deaths of certified deaths, inquest cases, and uncertified deaths in the course of the seven years 1901–1907 :—

Year.	Proportion per 100 Deaths.				
	Certified by Registered Medical Practitioners.	Inquest Cases.	Uncertified Deaths.		
			Total.	Reported to Coroners.	Not reported to Coroners.
1901 ...	91·52	6·67	1·81	1·50	0·31
1902 ...	91·52	6·68	1·80	1·54	0·26
1903 ...	91·40	6·91	1·69	1·47	0·22
1904 ...	91·85	6·53	1·62	1·42	0·20
1905 ...	91·52	6·86	1·62	1·43	0·19
1906 ...	91·64	6·83	1·53	1·36	0·17
1907 ...	91·59	6·96	1·45	1·29	0·16

It will be observed that the decline in the proportion of uncertified deaths is shown more especially in those cases which were not reported to Coroners.



TABLE J.—CERTIFIED DEATHS, INQUEST CASES, and UNCERTIFIED DEATHS  
IN 1907, PROPORTIONS per 100 DEATHS in each REGISTRATION COUNTY.

COUNTY.	Certified by Registered Medical Prac- titioners.	Inquest Cases.	Uncertified Deaths.		
			Total.	Reported to Coroners.	Not Reported to Coroners.
England and Wales .. ..	91·59	6·96	1·45	1·29	0·16
London { North of Thames ..	88·67	11·27	0·06	0·04	0·02
{ South of Thames ..	91·43	8·37	0·20	0·17	0·03
Surrey .. ..	91·46	7·89	0·65	0·36	0·29
Kent .. ..	91·71	5·89	2·40	2·26	0·14
Sussex .. ..	93·07	6·39	0·54	0·47	0·07
Hampshire .. ..	90·83	8·01	1·16	1·09	0·07
Berkshire .. ..	91·20	5·94	2·86	2·50	0·36
Middlesex .. ..	92·18	7·25	0·57	0·50	0·07
Hertfordshire .. ..	92·65	5·37	1·98	1·95	0·03
Buckinghamshire .. ..	90·98	7·49	1·53	1·53	—
Oxfordshire .. ..	92·22	5·87	1·91	1·69	0·22
Northamptonshire .. ..	92·14	5·51	2·35	1·83	0·52
Huntingdonshire .. ..	89·42	7·21	3·37	2·76	0·61
Bedfordshire .. ..	91·83	5·42	2·75	1·68	1·07
Cambridgeshire .. ..	93·18	4·85	1·97	1·94	0·03
Essex .. ..	92·07	6·21	1·72	1·67	0·05
Suffolk .. ..	92·27	6·15	1·58	1·45	0·13
Norfolk .. ..	92·82	5·53	1·65	1·41	0·24
Wiltshire .. ..	93·62	5·79	0·59	0·48	0·11
Dorsetshire .. ..	93·59	4·90	1·51	1·48	0·03
Devonshire .. ..	91·37	7·11	1·52	1·39	0·13
Cornwall .. ..	92·02	7·07	0·91	0·58	0·33
Somersetshire .. ..	92·11	7·10	0·79	0·68	0·11
Gloucestershire .. ..	91·38	7·94	0·68	0·48	0·20
Herefordshire .. ..	92·40	4·69	2·91	2·79	0·12
Shropshire .. ..	90·80	6·63	2·57	2·49	0·08
Staffordshire .. ..	91·74	6·43	1·83	1·74	0·09
Worcestershire .. ..	92·59	5·44	1·97	1·93	0·04
Warwickshire .. ..	91·40	5·95	2·65	2·53	0·12
Leicestershire .. ..	91·94	6·95	1·11	0·82	0·29
Rutlandshire .. ..	94·48	5·15	0·37	0·37	—
Lincolnshire .. ..	92·82	5·42	1·76	1·66	0·10
Nottinghamshire .. ..	92·88	5·67	1·45	1·26	0·19
Derbyshire .. ..	90·97	6·14	2·89	2·67	0·22
Cheshire .. ..	91·61	7·47	0·92	0·74	0·18
Lancashire .. ..	91·94	6·30	1·76	1·70	0·06
West Riding of Yorkshire ..	91·77	6·94	1·29	1·18	0·11
East Riding of Yorkshire ..	90·44	8·85	0·71	0·57	0·14
North Riding of Yorkshire ..	92·49	6·63	0·88	0·45	0·43
Durham .. ..	91·49	5·20	3·31	2·88	0·43
Northumberland .. ..	91·66	6·83	1·51	1·41	0·10
Cumberland .. ..	92·78	4·61	2·61	2·61	—
Westmorland .. ..	90·08	5·58	4·34	4·34	—
Monmouthshire .. ..	91·93	6·83	1·24	1·08	0·16
South Wales :					
Glamorganshire .. ..	91·70	7·91	0·39	0·13	0·26
Carmarthenshire .. ..	92·59	5·70	1·71	1·17	0·54
Pembrokeshire .. ..	89·31	5·65	5·04	3·72	1·32
Cardiganshire .. ..	91·53	4·03	4·44	1·94	2·50
Brecknockshire .. ..	92·88	5·87	1·25	1·02	0·23
Radnorshire .. ..	92·63	4·65	2·72	1·94	0·78
North Wales :					
Montgomeryshire .. ..	91·59	5·36	3·05	2·84	0·21
Flintshire .. ..	92·17	6·00	1·83	1·63	0·20
Denbighshire .. ..	93·59	4·09	2·32	1·76	0·56
Merionethshire .. ..	94·12	3·89	1·99	1·69	0·30
Carnarvonshire .. ..	93·34	3·67	2·99	2·08	0·91
Anglesey .. ..	90·23	1·24	8·53	0·71	7·82

TABLE K.—UNCERTIFIED DEATHS REGISTERED in 1907, ARRANGED according to SEX, AGE, and ASSIGNED CAUSE of DEATH.

Assigned Cause of Death.	Total.	Whether Reported to Coroners.				AGES.								
		Reported.		Not Reported.		Under 3 months	3 months and under 1 year.	YEARS.						
		Males.	Females.	Males.	Females.			1—	5—	15—	25—	45—	65 and upwards.	
Small-pox .. ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles .. .	74	31	35	2	6	—	18	54	2	—	—	—	—	—
Scarlet Fever .. .	5	4	—	—	1	1	1	1	1	1	—	—	—	—
Whooping Cough ..	48	22	24	1	1	3	21	23	1	—	—	—	—	—
Diphtheria .. .	17	7	6	3	1	—	1	8	8	—	—	—	—	—
Enteric Fever .. .	1	—	—	1	—	—	—	—	—	—	—	1	—	—
Diarrhoea .. .	66	36	22	3	5	5	32	10	7	—	5	4	3	—
Pneumonia .. .	138	62	51	14	11	13	30	45	5	8	12	11	14	—
Tuberculous Diseases ..	164	84	51	14	15	4	8	12	12	20	59	41	8	—
Alcoholism .. .	7	2	5	—	—	—	—	—	—	—	2	4	1	—
Cancer .. .	31	7	12	2	10	—	—	—	—	—	1	13	17	—
Premature Birth and Congenital Defects.	969	419	283	156	111	958	9	—	2	—	—	—	—	—
Dentition .. .	121	65	49	6	1	—	80	41	—	—	—	—	—	—
Epilepsy .. .	116	65	46	1	4	—	—	5	13	18	39	24	17	—
Convulsions .. .	1346	667	568	69	42	702	423	210	11	—	—	—	—	—
Other Nervous Diseases	89	32	45	3	9	2	9	5	8	5	6	24	30	—
Cerebral Hæmorrhage and Apoplexy, Hemiplegia,	276	127	132	11	6	—	1	—	3	4	28	115	125	—
Other Circulatory Diseases.	1780	905	804	35	36	—	1	13	19	39	268	866	574	—
Bronchitis .. .	459	209	206	26	18	32	78	53	5	2	14	99	176	—
Other Respiratory Diseases.	85	42	40	2	1	6	3	8	4	—	9	27	28	—
Digestive Diseases ..	104	42	43	8	11	12	20	9	6	2	16	19	20	—
Childbirth .. .	22	—	19	—	3	—	—	—	—	5	17	—	—	—
Violence .. .	79	46	27	6	—	17	7	2	4	2	14	11	22	—
Atrophy, Debility, &c. ..	326	126	125	38	37	263	53	9	1	—	—	—	—	—
Old Age .. .	807	365	377	27	38	—	—	—	—	—	—	6	801	—
Other stated Causes ..	376	181	159	15	21	51	28	30	17	8	45	100	97	—
Causes not stated ..	90	52	32	—	6	19	10	5	3	—	7	18	18	—
All Causes	{	Reported to Coroners ..				3598	951	407	247	61	54	250	723	902
		{ Males				3161	704	351	255	61	50	256	602	882
		{ Females				443	248	43	17	6	4	18	33	74
		{ Not Reported to Coroners				394	185	32	24	4	6	18	22	103
Total .. .	..	..	..	..	7596	2033	833	543	132	114	542	1383	1961	—



In six English counties—Berkshire, Derbyshire, Herefordshire, Durham, Huntingdonshire, and Westmorland, and in five Welsh counties—Carnarvonshire, Montgomeryshire, Cardiganshire, Pembrokeshire, and Anglesey, the proportions of uncertified deaths were unduly high, ranging from 2·86 to 8·53 per cent. of the total deaths, compared with 1·45 per cent. in the whole of England and Wales. In several of the 76 large towns also the proportion of uncertified deaths was excessive; it reached 3·4 in Birmingham, 3·5 in St. Helens, 4·4 in Gateshead, 4·5 in Warrington, and 5·1 in South Shields.

An analysis of the uncertified deaths shows that in the English counties the average proportion of such deaths registered without previous reference to Coroners was as low as 9 per cent., whereas in the Welsh counties the proportion was as high as 40 per cent.

Table K on page xlix shows the uncertified deaths registered in 1907, arranged according to sex, age, and assigned cause of death, distinguishing the cases reported from those not reported to Coroners.

It will be noted that about one-fourth of the uncertified cases which were referred to Coroners, and about one-half of those which were not so referred were of infants under three months of age, and that premature birth, convulsions and debility were the assigned causes of most of these deaths.

*Deaths in Public Institutions.*—Of the 524,221 deaths registered during the year, no fewer than 98,276 or 18·75 per cent. occurred in Workhouses and Workhouse Infirmaries, in Hospitals, or in Asylums for the Insane, the proportion during the 10 years immediately preceding having averaged 15·62 per cent.

Thus the present figures confirm those of previous reports to the effect that the proportion of deaths occurring in public Institutions, although fluctuating slightly from time to time, has a distinct tendency to increase. The following statement shows the proportions of deaths occurring in Workhouses, in Hospitals, and in Lunatic Asylums :—

Public Institutions.	Proportion per cent. to Total Deaths.	
	Ten years, 1897-1906.	1907.
Workhouses and Workhouse Infirmaries ...	8·44	10·05
Hospitals ... ..	5·55	6·69
Lunatic and Idiot Asylums, ... ..	1·63	2·01

The 98,276 deaths in public Institutions registered during the year were equal to a rate of 2·81 per 1,000 of the estimated population of England and Wales, against an average rate in the ten preceding years of 2·59 per 1,000. Detailed tables, showing the

names and descriptions of the several institutions and the numbers of deaths occurring therein, are given on pages 227 to 278 of this Report.

#### OFFENCES AGAINST THE REGISTRATION ACTS.

In 1907, 12 persons, on prosecution by order of the Registrar-General, were convicted of different offences against the Registration Acts. The offences for which convictions were obtained were as under :—

For giving a false place of birth in order to avoid vaccination	...	...	...	...	1
For falsifying certificate of birth or death and using same as true	...	...	...	...	6
For giving false information to the registrar when registering a birth or death	...	...	...	...	3
For refusing to give a medical certificate of cause of death	...	...	...	...	1
For failing to deliver to cemetery authorities, with coffin containing two bodies, a statement with respect to each body	...	...	...	...	1

Proceedings were taken by the Public Prosecutor (at the instance of the Registrar General) for making a false declaration on a notice of marriage to the effect that a girl aged  $15\frac{3}{4}$  years was of full age, and the man who gave the notice was sentenced to one month's imprisonment.

#### PROGRESS OF REGISTRATION.

The names in the alphabetical indexes of births, deaths, and marriages recorded in the national registers of England and Wales were increased during the year 1907 by 1,995,105, this addition raising the total of names in the indexes, which at the end of 1907 embraced a period of  $70\frac{1}{2}$  years, to 114,751,322.

#### SEARCHES AND CERTIFICATES.

Besides the certified copies of the registered births, deaths, and marriages kept in England and Wales pursuant to the Registration Acts of 1836 and 1874, a large number of other registers and records are deposited in this Office under statute or other arrangement. A list of these various registers and records will be found on pages xxix.-xxxii. of the Fifty-eighth Report. Searches may be made in any of these registers, and certificates obtained on payment of the prescribed fees.

During the 52 weeks ended 28th December, 1907, the total number of searches was 69,249, and of certificates issued 53,058; the total amount received in fees was 10,194*l.* 9*s.*



The following Table affords an indication of the extent to which the records in this Office have been utilized by the public for legal evidence of births, deaths, and marriages since 1866 :—

Years.			Total Searches.	Certificates Issued.	Amount Received.		
					£	s.	d.
1866	(52 weeks)	...	12,135	10,017	1,860	15	6
1875	(52 weeks)	...	26,356	20,282	3,879	15	6
1885	(52 weeks)	...	36,450	27,682	5,317	13	6
1895	(52 weeks)	...	53,289	35,727	7,200	12	6
1896	(53 weeks)	...	57,444	37,435	7,600	0	6
1897	(52 weeks)	...	58,664	37,485	7,686	8	6
1898	(52 weeks)	...	63,825	41,143	8,450	19	6
1899	(52 weeks)	...	57,670	44,793	8,551	19	6
1900	(52 weeks)	...	57,895	45,479	8,658	9	6
1901	(52 weeks)	...	58,445	45,254	8,645	10	0
1902	(53 weeks)	...	61,437	48,262	9,177	15	0
1903	(52 weeks)	...	63,519	49,469	9,437	9	6
1904	(52 weeks)	...	62,270	48,658	9,274	12	0
1905	(52 weeks)	...	65,142	50,310	9,611	9	0
1906	(52 weeks)	...	64,340	49,429	9,458	6	0
1907	(52 weeks)	...	69,249	53,058	10,194	9	0

UNITED KINGDOM.

Population.

The first complete Census of the United Kingdom was taken in 1821, when the population numbered 20,893,584 persons; during the eighty years, 1821–1901, the population nearly doubled itself, the numbers enumerated at the end of March, 1901, amounting to 41,458,721 persons.

From that date until the middle of 1907 the number of births exceeded the number of deaths by 3,023,279; had neither emigration nor immigration occurred this surplus would have raised the population in the middle of the year 1907 to 44,482,000. In the absence of precise information as to migration, the populations of the several divisions of the Kingdom are provisionally estimated as follows :—

POPULATION ESTIMATED to the MIDDLE of the YEAR 1907.

—			Persons.	Males.	Females.
England and Wales	...	...	34,945,600	16,879,509	18,066,091
Scotland	...	...	4,776,063	2,331,907	2,444,156
Ireland	...	...	4,377,064	2,171,389	2,205,675
United Kingdom	...	...	44,098,727	21,382,805	22,715,922

Marriages.

The marriages in the United Kingdom during the year 1907 numbered 332,190, corresponding to a rate of 15·1 persons married per 1000 of the population at all ages,

This rate was 0·2 per 1000 above the corresponding rate in 1906, and was equal to the average rate in the ten years, 1897–1906.

—	Marriages, 1907.	Persons married to 1000 living.	
		Ten years, 1897–1906.	1907.
England and Wales ... ..	276,421	15·8	15·8
Scotland ... ..	33,260	14·2	13·9
Ireland ... ..	22,509	10·2	10·3
United Kingdom ...	332,190	15·1	15·1

### *Births.*

The births registered in the United Kingdom in the year 1907 numbered 1,148,573 and were in the proportion of 26·0 per 1000 of the population at all ages.

This rate was 0·8 per 1000 below the corresponding rate in 1906, and lower than the rate in any other year on record ; compared with the average in the ten years 1897–1906 the birth-rate in 1907 showed a decrease of 1·9 per 1000.

—	Births, 1907.	Births to 1000 living.	
		Ten years, 1897–1906.	1907.
England and Wales ... ..	918,042	28·4	26·3
Scotland ... ..	128,789	29·2	27·0
Ireland ... ..	101,742	23·2	23·2
United Kingdom ...	1,148,573	27·9	26·0

### *Deaths.*

The deaths registered in the United Kingdom in the year 1907 numbered 678,822, and were in the proportion of 15·4 per 1000 of the population at all ages.

—	Deaths, 1907.	Deaths to 1000 living.	
		Ten years, 1897–1906.	1907.
England and Wales ... ..	524,221	16·7	15·0
Scotland ... ..	77,267	17·4	16·2
Ireland ... ..	77,334	17·9	17·7
United Kingdom ...	678,822	16·9	15·4



This rate was 0·2 per 1000 below the corresponding rate in 1906; compared with the average in the ten years 1897–1906 the death-rate in 1907 showed a decrease of 1·5 per 1000.

In Tables 55–58, pages 110–113, the population, marriages, births, deaths and principal causes of death are given for each of the years 1881–1907 for the United Kingdom and for each of its three divisions.

#### MORTALITY IN THE ARMY.

The average regimental strength of the British Army at home and abroad during the year 1907 was 249,890, and the deaths during the year numbered 1,186 giving a death-rate of 4·7 per 1000, as compared with 6·0, 5·6, and 5·5 per 1000 respectively, in the three preceding years. The mortality in the Army abroad was 6·4 per 1000, against 8·5, 8·0, and 7·8 in the three preceding years; whilst the mortality in the Army at home was 3·1 per 1000, against 3·3, 2·9, and 3·1 (Table 46).

#### MORTALITY IN THE NAVY.

The average strength of the service afloat was 108,740. The deaths during the year numbered 365, being in the proportion of 3·35 per 1000 of the strength, against an average of 4·58 per 1000 in the six years immediately preceding. Of the 365 deaths in 1907, 246 were caused by disease and 119 by violence; the death-rate from disease was therefore 2·26 per 1000, and that from violence 1·09 per 1000. Of the deaths from violence, 100 were accidental, and 19 were suicidal; the accidental deaths included 57 cases of suffocation from submersion, and 3 from heatstroke. (Table 47.)

#### BIRTHS AND DEATHS AT SEA.

*Marine Register Book.*—In accordance with the Births and Deaths Registration Act of 1874 and the Merchant Shipping Act of 1894, Commanding Officers of Ships trading to or from British Ports are required, under penalty, to transmit returns of all births and deaths occurring on board their ships to the Registrar-General of Shipping and Seamen, who furnishes certified copies of such returns to the Registrars-General of Births and Deaths for England, Scotland, and Ireland. Similar returns are furnished by persons having charge of His Majesty's Ships directly to the Registrars-General of Births and Deaths. These returns of births and deaths at sea constitute the "Marine Register Book." During the year 1907, this register was increased by the addition of 239 entries of birth and 3086 entries of death.

*Mercantile Marine.*—A Return received from the Marine Department of the Board of Trade shows the number of, and the mortality among, masters and seamen employed in sea-going vessels (excluding fishing vessels and yachts) registered in the United Kingdom and the Isle of Man under the Merchant Shipping Act in the years 1891–1907. In the year 1906 the

number employed was 242,970, of whom 28,142 were employed in sailing vessels, being 2,062 fewer than in the preceding year, and 214,828 in steam vessels, being 7,221 more than in the preceding year.

The reported deaths from all causes in sailing or steam vessels during the year ended 30th June, 1907, numbered 2,310, of which 1,244 resulted from disease, suicide, &c., 499 from wreck or casualty to ship, and 567 from accident other than wreck or casualty to ship, showing a death-rate from all causes of 9·5 per 1000 of the strength; this rate was 0·9 per 1000 below the mean rate in the previous five years. (Table 48.)

#### INTERNATIONAL VITAL STATISTICS.

The information given in this section of the Report is based on the statistics so courteously furnished by the Registrars-General of Scotland and Ireland, and by the several Colonial and Foreign Statistical Authorities.

Since the year 1844 it has been customary to publish in these Reports a number of Tables showing for a series of years the population, marriages, births, and deaths in the principal European countries.

In recent Annual Reports the scope of these International Returns has been extended to include particulars relating to infantile mortality, to mortality from the principal epidemic diseases, from pulmonary tuberculosis, and from cancer; while those of our Colonies in which records of such particulars had been kept were asked to contribute similar returns. (See Tables 54–88, pages 108–143.)

*Marriages.*—The following Table affords the means of comparing the marriage-rates per 1000 of the population in the several countries for a series of quinquennial periods.

Some of the disparities between the rates shown in these Tables are undoubtedly due to differences in the age-constitution, and to variations in the sex proportions of the several countries. Taking as a standard the average marriage rate in England and Wales in the quinquennium 1901–1905, viz., 15·6 per 1000, it will be seen that during this period eight Continental Countries had rates above, and eight below this standard. The extent of the variation was from 4·4 per 1000 living above the English rate in Bulgaria, to 3·8 below in Sweden; the other rates were 4·1 per 1000 above the standard in Servia, 1·6 in Hungary, 0·7 in Roumania, 0·5 in Belgium and in the German Empire, 0·4 in Spain, and 0·1 in Austria; while they were 0·3 below in France, 0·6 in Switzerland, 0·7 in the Netherlands, 0·9 in Italy, 1·3 in Denmark, 2·6 in Finland, and 3·3 in Norway.

In Western Australia, in the Province of Ontario, and in New Zealand the rates were above that recorded in England and Wales; but in all the States of the Australian Commonwealth (except Western Australia) they were below the English rate; this was also the case in Scotland, while in Ireland the rate did not exceed 10·4 per 1000 of total population as compared with 15·6 per 1000 in England and Wales.



## ANNUAL MARRIAGE-RATES per 1000 persons living, 1881-1907.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods					Years.		Rate in 1901-5 com- pared with that in 1881-5 taken as 100.
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	
Bulgaria ... ..	18.0	17.4	16.5	16.7	20.0	19.2	—	111
Servia ... ..	22.1	21.6	20.2	19.9	19.7	20.4	—	89
Western Australia	14.2	14.3	14.0	19.8	18.4	17.4	16.0	130
Russia (European)	18.0	17.1	17.9	17.8	—	—	—	—
Ontario, Province of	14.2	13.5	13.2	13.9	17.5	18.0	—	123
Hungary ... ..	20.4	17.7	18.0	17.0	17.2	17.4	19.6	84
Japan ... ..	—	16.6	17.0	18.1	16.3	—	—	—
New Zealand ... ..	13.6	12.0	12.2	14.2	16.3	17.0	18.0	120
Roumania ... ..	17.9	15.1	15.8	15.2	16.3	20.6	21.3	91
Belgium ... ..	13.7	14.2	15.1	16.6	16.1	16.1	—	118
German Empire ...	15.4	15.8	15.9	16.8	16.1	16.3	—	105
Prussia ... ..	15.9	16.2	16.1	16.9	16.1	16.4	16.4	101
Spain ... ..	12.6	13.3	16.2	15.3	16.0	14.1	13.9	127
Austria ... ..	15.8	15.5	15.8	16.2	15.7	15.8	—	99
<b>England &amp; Wales</b>	<b>15.2</b>	<b>14.7</b>	<b>15.1</b>	<b>16.1</b>	<b>15.6</b>	<b>15.6</b>	<b>15.8</b>	<b>103</b>
France ... ..	15.0	14.4	15.0	15.1	15.3	15.6	16.0	102
Tasmania ... ..	16.3	13.8	11.9	13.5	15.2	15.5	15.8	93
Switzerland ... ..	13.7	14.1	14.5	15.5	15.0	15.6	—	109
The Netherlands ...	14.3	14.0	14.5	14.9	14.9	14.9	15.0	104
Italy ... ..	16.1	15.5	14.8	14.3	14.7	15.5	15.4	91
New South Wales	17.0	14.9	13.3	13.9	14.7	15.3	15.7	86
Denmark ... ..	15.4	14.0	13.9	15.0	14.3	14.9	15.3	93
Scotland ... ..	13.8	13.0	13.6	14.6	13.9	14.0	13.9	101
Victoria ... ..	14.7	16.3	12.9	13.3	13.7	14.6	15.4	93
South Australia ...	16.9	13.5	12.9	12.5	13.3	14.2	15.9	79
Finland ... ..	14.9	14.5	13.0	14.9	13.0	13.6	—	87
Norway ... ..	13.4	12.8	12.9	13.7	12.3	11.8	12.1	92
Queensland ... ..	17.3	16.3	12.6	12.7	12.2	13.5	15.2	71
Sweden ... ..	12.8	12.2	11.5	12.2	11.8	12.2	12.4	92
Ireland ... ..	8.7	8.7	9.5	9.9	10.4	10.3	10.3	120
Chili ... ..	12.6	7.4	9.2	9.3	10.3	—	—	82

In an earlier section of this Report dealing with the marriages recorded in England and Wales, it is stated that the variations which occur from time to time in the number of marriageable men and women in the population make it desirable, when comparing marriage-rates, to base the proportions upon the number of marriageable persons rather than upon the total population. This course is equally desirable when comparing rates in one country with those in another.

A limited number of countries have furnished returns of the numbers of marriageable persons in their populations at the three past census periods; from these data the table on page lvii has been constructed. Although it has not been possible to correct the figures for variations in the ages of bachelors, widowers, spinsters, and widows in the respective populations, nevertheless they give a fair approximation of the relative marriage-rates, in the several

countries, based on the numbers of the population among whom marriages can take place.

## MARRIAGE RATES.

Countries (Arranged in order of rates in 1900-2).	Persons married per 1000 of the unmarried and widowed population, aged 15 years and upwards.		
	Approximate periods.		
	1880-82.	1890-92.	1900-02.
Servia ... ..	—	118·7	119·4
Bulgaria ... ..	—	—	87·3
Hungary ... ..	80·9	73·1	73·1
Spain ... ..	—	41·1	59·3
Prussia ... ..	50·5	53·7	56·5
German Empire ... ..	48·7	51·6	55·0
Austria ... ..	46·6	44·3	49·1
Italy ... ..	48·5	—	48·8
<b>England and Wales</b> ... ..	<b>51·5</b>	<b>49·8</b>	<b>48·7</b>
France ... ..	45·4	43·9	47·7
Denmark ... ..	47·9	45·0	45·2
The Netherlands ... ..	48·6	43·7	46·2
Finland ... ..	46·6	45·5	43·3
Switzerland ... ..	38·1	39·7	42·2
Norway ... ..	46·5	40·6	41·9
Scotland ... ..	40·7	40·1	39·7
Sweden ... ..	36·6	35·6	35·3
Ireland ... ..	21·9	22·0	23·0

*Births.*—In several previous Reports attention has been drawn to the general decline in the birth-rate that has taken place in the principal European countries, and in New Zealand and the States of the Australian Commonwealth.

If the average crude birth-rates in the quinquennium 1901-05 are compared with those recorded twenty years earlier (1881-85), it will be seen from the Table on page lviii that, with few exceptions, the fall has been most marked. While the decline did not exceed 2 per cent. in Switzerland, 3 per cent. in Ireland, and 4 per cent. in Spain, it reached 14 per cent. in France and in Italy, and as much as 16 per cent. in Hungary, Servia, and in England and Wales.

Among the Australasian Colonies the decline ranged from 13 per cent. in Western Australia to 36 per cent. in South Australia.

Taking as a standard the average crude birth-rate recorded in England and Wales in the quinquennium 1901-05, viz., 28·1 per 1000, it will be seen that twelve Continental countries had rates above, and only three (Belgium, Sweden, and France) below this standard.

The extent of the variation was from 12·9 per 1000 living above the English rate in Bulgaria to 6·9 below in France; the rates were from 11 to 13 per 1000 above the standard in the Balkan



States, 9·1 in Hungary, 7·5 in Austria, 6·9 in Spain, 6·1 in the German Empire, 4·5 in Italy, 3·4 in the Netherlands, 3·2 in Finland, 0·9 in Denmark, and 0·5 in Norway. Although complete birth statistics for Russia are not available, it is of interest to note that the rate in that country in the quinquennium 1896-1900 was 20 per 1000 in excess of that recorded in England and Wales.

In Switzerland the rate was equal to that in England. In Belgium the rate was 0·4 below the standard, in Sweden 2·0, and in France as much as 6·9 per 1000 below it. In Scotland the rate was 0·8 above, while in Ireland it was 4·9 below the English standard. In the province of Ontario the rate was 6·3 below, and in the Australasian Colonies it ranged from 2·2 above in Western Australia to 3·6 below in South Australia.

ANNUAL BIRTH RATES per 1,000 persons living, 1881-1907.

Countries. (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.		Rate in 1901-5 com- pared with that in 1881-5 taken as 100.
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	
Russia (European)	49·1	48·2	48·2	49·3	—	—	—	—
Bulgaria ...	37·0	36·2	37·7	41·3	41·0	44·3	—	111
Roumania ...	41·8	40·9	41·0	40·2	39·4	40·5	41·7	94
Jamaica ...	—	36·8	38·6	38·9	39·0	38·1	35·0	—
Ceylon ...	—	30·3	31·7	37·2	38·8	35·7	32·8	—
Servia ...	46·3	43·7	43·3	40·1	38·7	41·3	—	84
Hungary ...	44·4	43·5	41·7	39·4	37·2	36·0	36·0	84
Chili ...	39·1	35·5	37·0	35·0	36·1	—	—	92
Austria ...	38·2	37·8	37·4	37·3	35·6	34·8	—	93
Spain ...	36·4	36·0	35·3	34·3	35·0	33·4	32·9	96
Prussia ...	37·4	37·3	37·0	36·5	34·8	33·7	33·0	93
German Empire ...	37·0	36·5	36·3	36·0	34·2	33·1	—	92
Italy ...	38·0	37·5	36·0	34·0	32·6	31·9	31·4	86
Japan ...	—	28·5	28·6	31·1	31·7	—	—	—
The Netherlands ...	34·8	33·6	32·9	32·1	31·5	30·4	30·0	91
Finland ...	35·5	34·5	31·8	32·6	31·3	31·4	—	88
Western Australia	34·7	36·9	30·7	28·3	30·3	30·0	29·2	87
Denmark ...	32·4	31·4	30·4	30·0	29·0	28·5	28·3	90
Tasmania ...	35·0	34·1	32·7	28·2	29·0	29·5	29·6	83
Scotland ...	33·3	31·4	30·5	30·0	28·9	27·9	27·0	87
Norway ...	31·2	30·8	30·2	30·1	28·6	26·7	26·3	92
<b>England &amp; Wales</b>	<b>33·5</b>	<b>31·4</b>	<b>30·5</b>	<b>29·3</b>	<b>28·1</b>	<b>27·1</b>	<b>26·3</b>	<b>84</b>
Switzerland ...	28·6	27·5	27·7	28·5	28·1	27·4	—	98
Belgium ...	30·7	29·3	28·9	28·9	27·7	25·7	—	90
New South Wales	37·7	36·4	32·9	28·0	26·7	27·0	27·1	71
Queensland ...	36·5	37·4	34·1	29·1	26·7	26·3	26·9	73
New Zealand ...	36·3	31·2	27·7	25·7	26·6	27·1	27·3	73
Sweden ...	29·4	28·8	27·4	26·9	26·1	25·7	25·5	89
Victoria ...	30·8	32·7	30·9	26·2	25·0	25·1	25·2	81
South Australia ...	38·5	34·7	32·0	27·0	24·5	23·7	23·9	64
Ireland ...	23·9	22·8	23·0	23·3	23·2	23·6	23·2	97
Ontario, Province of	22·4	22·0	19·9	20·1	21·8	23·3	—	97
France ...	24·7	23·1	22·3	21·9	21·2	20·6	19·7	86

*Legitimate Natality.*—While it is recognised that the results of calculating the birth-rate in proportion to total population are of considerable value, it is at the same time very desirable to ascertain the reasons for such wide discrepancies among the crude birth rates in the different countries. These discrepancies are to some extent due to variations in the civil condition and in the sex and age constitution of the several populations; for example, the birth-rate of Ireland, based on the proportion of births to total population, appears among the lowest in the list of countries given on page lviii; whereas if the rate is based on the proportion of legitimate births to the married women aged 15–45 years, it is found that in the period 1900–2, the fertility of Irish wives is only exceeded in three European countries—the Netherlands, Norway, and Prussia.

The countries possessing the requisite data were therefore asked to furnish returns of the numbers of married women aged 15–45 years in their populations, and of the numbers of legitimate births at the three past census periods; from these data the following Table has been constructed.

LEGITIMATE BIRTH-RATES.

Countries (Arranged in order of rates in 1900-02).	Proportion of Legitimate Births per 1000 Wives aged 15-45 years.			Increase (+) or Decrease (—) per cent. in Fertility during 20 years.
	Approximate periods.			
	1880-82.	1890-92.	1900-02.	
<i>European Countries.</i>				
The Netherlands ... ..	347·5	338·8	315·3	— 9·3
Norway ... ..	314·5	306·8	302·8	— 3·7
Prussia ... ..	312·6	307·6	290·4	— 7·1
Ireland ... ..	282·9	287·6	289·4	+ 2·3
German Empire ... ..	310·2	300·9	284·2	— 8·4
Austria ... ..	281·4	292·4	283·7	+ 0·8
Scotland ... ..	311·5	296·4	271·8	— 12·7
Italy ... ..	276·2	?	269·4	— 2·5
Sweden ... ..	293·0	280·0	269·0	— 8·2
Switzerland ... ..	284·1	274·0	265·9	— 6·4
Denmark ... ..	287·1	278·1	259·1	— 9·8
Spain ... ..	257·7	263·9	258·7	+ 0·4
Belgium ... ..	312·7	285·1	250·7	— 19·8
<b>England and Wales ... ..</b>	<b>286·0</b>	<b>263·8</b>	<b>235·5</b>	<b>— 17·7</b>
France ... ..	196·2	173·5	157·5	— 19·7
<i>Australian Commonwealth.</i>				
Tasmania ... ..	?	311·0	256·4	?
Queensland ... ..	329·0	320·6	252·8	— 23·2
Western Australia* ... ..	323·9	338·8	246·4	— 23·9
South Australia ... ..	326·5	307·5	235·0	— 28·0
New South Wales ... ..	337·8	298·5	234·3	— 30·6
Victoria ... ..	299·2	297·8	226·8	— 24·2
New Zealand ... ..	322·1	277·5	243·2	— 24·5

\* The legitimate births in Western Australia are not precisely known, but are estimated to be 95 per cent. of the total births.



It has not been practicable to correct these statistics for differences in the age constitution of the wives at reproductive ages; the figures nevertheless form a valuable measure of human fertility in the several countries.

In reviewing these important figures it appears that among the European countries from which it has been possible to obtain returns, there were only two—Austria and Spain—in which the fertility of wives during the 20 years (1881–1901) showed a tendency to increase, and this also applies to Ireland. In all of the remaining countries a decrease in fertility took place in the period under review, ranging from 2·5 to as much as 19·8 per cent. There were two countries, Italy and Norway, in which the fall was only 2·5 and 3·7 per cent. respectively; in five others, Switzerland, Sweden, the German Empire, the Netherlands, and Denmark, the decrease ranged from 6·4 to 9·8 per cent., in Scotland the decrease was 12·7 per cent., in England and Wales 17·7 per cent., in France 19·7 per cent., and in Belgium 19·8 per cent.

In New Zealand and in the States of the Australian Commonwealth, the decrease in legitimate natality in the period 1881–1901 ranged from 23·2 to 30·6 per cent.

It is probable that there is a common cause operating throughout these countries to account for the phenomenon of a general decline in human fertility, and apart from any decrease due to changes in the age constitution of the married women of conceptive ages, there is strong ground for the assumption that in varying degree that cause is the deliberate restriction of child-bearing on the part of the people themselves.

*Deaths.*—With few exceptions the crude death-rates in all the Countries from which returns have been received have shown a general decline in the period under review. If the average rates in the quinquennium 1901–05 are compared with those recorded 20 years earlier (1881–85) it will be seen from the table on page lxi that among Continental Countries the decrease amounted to 20 per cent. in Austria, Hungary, Italy and Denmark, to 21 per cent. in Spain, to 23 per cent. in the German Empire, and to as much as 25 per cent. in the Netherlands.

In England and Wales and in Scotland the decrease was 18 and 14 per cent. respectively, while in Ireland the decrease was only 2 per cent.

In the Australasian Colonies the fall in the crude death-rate ranged from 9 per cent. in New Zealand to 41 per cent. in Queensland.

Taking as a standard the average crude death-rate in England and Wales in the quinquennium 1901–05, viz., 16·0 per 1000, it will be seen that twelve European Countries had rates above and three below this standard. In the Netherlands the death-rate was equal to that in England and Wales.

The rates were 10·2 per 1000 above the standard in Hungary, 9·8 in Spain, 9·5 in Roumania, 8·2 in Austria, 6·7 in Bulgaria, 6·4 in Servia, 5·9 in Italy, 3·9 in the German Empire, 3·6 in France, 2·6 in Finland, 1·7 in Switzerland, and 1·0 in Belgium. In Scotland the rate was 0·9 and in Ireland 1·6 above the English standard, and in Sweden, Denmark and Norway it was 0·5, 1·2, and 1·5 per 1000 living, respectively, below it. Mortality Statistics for Russia are not available for a later date than 1902, in which year the death-rate was 31·5 per 1000 living—nearly double the rate recorded in England and Wales.

In the Province of Ontario and in the Australasian Colonies the rates ranged from 3·0 to 6·1 below the rate in England and Wales.

ANNUAL CRUDE DEATH-RATES per 1000 persons living, 1881-1907.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.		Rate in 1901-5 com- pared with that in 1881-5 taken as 100.
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	
Russia (European) .	35·4	33·2	35·8	31·9	—	—	—	—
Chili ... ..	27·8	35·2	32·6	28·8	30·0	—	—	108
Ceylon ... ..	—	25·1	28·3	27·0	26·7	34·3	30·1	—
Hungary ... ..	32·9	31·9	31·9	27·9	26·2	24·8	25·2	80
Spain ... ..	32·6	30·9	30·1	28·8	25·8	25·6	24·0	79
Roumania ... ..	26·2	28·7	31·0	27·4	25·5	24·3	26·7	97
Austria ... ..	30·1	28·9	27·9	25·6	24·2	22·5	—	80
Bulgaria ... ..	17·8	19·1	28·0	24·1	22·7	22·5	—	128
Jamaica ... ..	—	23·5	22·0	22·1	22·6	26·2	28·3	—
Servia ... ..	24·5	25·9	28·9	24·8	22·4	24·0	—	91
Italy ... ..	27·3	27·2	25·5	22·9	21·9	20·8	20·8	80
Japan ... ..	—	20·6	21·1	20·7	20·9	—	—	—
German Empire ...	25·7	24·4	23·3	21·3	19·9	18·2	—	77
France ... ..	22·2	22·0	22·3	20·7	19·6	19·9	20·2	88
Prussia ... ..	25·4	24·0	22·8	21·0	19·6	17·9	17·8	77
Finland ... ..	22·2	20·0	20·5	19·0	18·6	17·5	—	84
Switzerland ... ..	21·3	20·4	19·8	18·1	17·7	17·0	—	83
Ireland ... ..	18·0	17·9	18·5	18·1	17·6	17·0	17·7	98
Belgium ... ..	20·6	20·2	20·1	18·1	17·0	16·4	—	83
Scotland ... ..	19·6	18·8	19·0	18·0	16·9	16·0	16·2	86
<b>England &amp; Wales</b>	<b>19·4</b>	<b>18·9</b>	<b>18·7</b>	<b>17·7</b>	<b>16·0</b>	<b>15·4</b>	<b>15·0</b>	<b>82</b>
The Netherlands ...	21·4	20·5	19·6	17·2	16·0	14·8	14·6	75
Sweden ... ..	17·5	16·4	16·6	16·1	15·5	14·4	14·6	89
Denmark ... ..	18·4	18·7	18·6	16·4	14·8	13·5	14·2	80
Norway ... ..	17·2	17·0	16·8	15·6	14·5	13·6	14·2	84
Ontario, Province of	11·4	11·0	10·6	11·6	13·0	14·8	—	114
Victoria ... ..	14·7	16·1	14·0	13·7	12·7	12·4	11·7	86
Western Australia.	17·3	16·0	16·3	15·1	12·4	11·8	11·1	72
Queensland ... ..	19·2	14·9	12·4	12·0	11·4	9·6	10·3	59
New South Wales.	15·7	13·8	12·8	11·9	11·2	9·9	10·6	71
South Australia ...	14·7	12·6	12·3	12·0	10·8	10·3	9·7	73
Tasmania ... ..	16·0	14·9	13·3	12·4	10·8	11·2	11·2	68
New Zealand ... ..	10·9	9·9	10·1	9·6	9·9	9·3	10·9	91



It has been frequently pointed out in these Reports that crude death-rates, or the proportion borne by deaths from all causes to 1000 of the population at all ages are a fairly trustworthy test of mortality when comparing the death-rates year by year in a particular country, but the comparison of the crude death-rate of one country with that of another may lead to erroneous conclusions because of the differences in sex and age constitution of the respective populations. For example, the relative number of old people in the population of Ireland is considerably greater, while in the Australian Commonwealth it is considerably less than in England and Wales ; for comparative purposes, therefore, the crude death-rate over-states the mortality in Ireland and under-states it in the Australian Commonwealth.

Statistics are now in course of preparation with a view to comparing the death-rates at the several age groups in those countries that are able to furnish the requisite data ; from these particulars comparative tables will be prepared, showing the corrected death-rate in each country, based on the sex and age constitution of the population obtaining in England and Wales at the census of 1901. Owing, however, to the considerable amount of labour involved in such calculations, it has not been possible to complete the figures in time for publication in this Report. These Tables will, however, be inserted in the next issue.

*Natural Increase.*—Assuming the registration of births and deaths in the countries dealt with to be reasonably complete, the rates of natural increase of population in the several States can be compared by taking the difference between the birth and death-rates. The countries in which the highest birth-rates obtain are not invariably those in which the highest rates of natural increase prevail, the growth of population depending upon the death-rate as well as upon the birth-rate, the two factors being to some extent inter-dependent.

The average rate of natural increase shows wide variations in the several countries.

The average annual rate in England and Wales in the quinquennium 1901–1905 was 12·1 per 1000 of the total population ; taking this figure as a criterion it will be seen that in proportion to total population the natural increment was exceptionally high in several of the Australasian Colonies, in the Balkan States, in Russia, in the Netherlands, in the German Empire, in Denmark, and in Norway ; while it was about equal to the English average in Scotland and below it in Austria, Hungary, Japan, Italy, Sweden, Switzerland, Spain, Belgium, and the Province of Ontario. In Ireland the rate was exceptionally low, being only 5·6 per 1000 of population. In France the average birth-rate exceeds, but slightly, the average death-rate, and it may be of interest to note that in six of the past seventeen years the number of deaths exceeded the births.

NATURAL INCREASE.—Mean Annual rate of increase, by excess of Births over Deaths, per 1000 living, 1881-1907.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.	
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.
Bulgaria ... ..	19·2	17·1	9·7	17·2	18·3	21·8	—
Tasmania ... ..	19·0	19·2	19·4	15·8	18·2	18·3	18·4
Western Australia ... ..	17·4	20·9	14·4	13·2	17·9	18·2	18·1
Russia (European) ... ..	13·7	15·0	12·4	17·4	—	—	—
New Zealand ... ..	25·4	21·3	17·6	16·1	16·7	17·8	16·4
Jamaica ... ..	—	13·3	16·6	16·8	16·4	11·9	6·7
Servia ... ..	21·8	17·8	14·4	15·3	16·3	17·3	—
New South Wales ... ..	22·0	22·6	20·1	16·1	15·5	17·1	16·5
The Netherlands ... ..	13·4	13·1	13·3	14·9	15·5	15·6	15·4
Queensland ... ..	17·3	22·5	21·7	17·1	15·3	16·7	16·6
Prussia ... ..	12·0	13·3	14·2	15·5	15·2	15·8	15·2
German Empire ... ..	11·3	12·1	13·0	14·7	14·3	14·9	—
Denmark ... ..	14·0	12·7	11·8	13·6	14·2	15·0	14·1
Norway ... ..	14·0	13·8	13·4	14·5	14·1	13·1	12·1
Roumania ... ..	15·6	12·2	10·0	12·8	13·9	16·2	15·0
South Australia ... ..	23·8	22·1	19·7	15·0	13·7	13·4	14·2
Finland ... ..	13·3	14·5	11·3	13·6	12·7	13·9	—
Victoria ... ..	16·1	16·6	16·9	12·5	12·3	12·7	13·5
<b>England &amp; Wales</b> ... ..	<b>14·1</b>	<b>12·5</b>	<b>11·8</b>	<b>11·6</b>	<b>12·1</b>	<b>11·7</b>	<b>11·3</b>
Scotland ... ..	13·7	12·6	11·5	12·0	12·0	11·9	10·8
Austria ... ..	8·1	8·9	9·5	11·7	11·4	12·3	—
Hungary ... ..	11·5	11·6	9·8	11·5	11·0	11·2	10·8
Japan ... ..	—	7·9	7·5	10·4	10·8	—	—
Belgium ... ..	10·1	9·1	8·8	10·8	10·7	9·3	—
Italy ... ..	10·7	10·3	10·5	11·1	10·7	11·1	10·6
Sweden ... ..	11·9	12·4	10·8	10·8	10·6	11·3	10·9
Switzerland ... ..	7·3	7·1	7·9	10·4	10·4	10·4	—
Spain ... ..	3·8	5·1	5·2	5·5	9·2	7·8	8·9
Ontario, Province of ... ..	11·0	11·0	9·3	8·5	8·8	8·5	—
Chili ... ..	11·3	0·3	4·4	6·2	6·1	—	—
Ireland ... ..	5·9	4·9	4·5	5·2	5·6	6·6	5·5
France ... ..	2·5	1·1	0·0	1·2	1·6	0·7	-0·5

*Infantile Mortality.*—The accompanying Table shows the relative incidence of infantile mortality in those countries that have been able to furnish returns. With few exceptions those populations in which a high rate of infantile mortality prevails are those in which a high birth-rate obtains. Austria, Hungary, Prussia, and Spain come under this category; while France appears to be a notable exception, the birth-rate being low and the child mortality comparatively high.

In Ireland, in Norway, in New Zealand, and in all the States of the Australian Commonwealth, except Western Australia, the rates of infantile mortality are exceptionally low; and in this connection it is of interest to note that speaking generally the mortality in these countries from measles, scarlet fever, diphtheria, and whooping cough is low.



INFANTILE MORTALITY.—DEATHS of children under one year to 1000 births  
1881-1907.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.		Rate in 1901-5 com- pared with that in 1881-5 taken as 100.
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	
Chili ... ..	—	264	336	333	—	—	—	—
Russia (European)	271	264	276	261	—	—	—	—
Austria ... ..	—	—	—	226	215*	—	—	—
Hungary ... ..	—	—	250	219	212	205	208	—
Prussia ... ..	207	208	205	201	190	177	168	92
Jamaica ... ..	—	170	171	175	174	197	223	—
Spain ... ..	193	—	—	—	173	173	—	90
Ceylon ... ..	—	158	169	168	171	198	186	—
Italy ... ..	—	—	185	168	168	161	—	—
Japan ... ..	—	—	147	153	154	—	—	—
Servia ... ..	157	158	172	159	149	144	—	95
Belgium ... ..	156	163	164	158	148	153	—	95
Bulgaria ... ..	—	—	140	143	146*	—	—	—
France ... ..	167	166	171	159	139	143	—	83
<b>England &amp; Wales</b>	<b>139</b>	<b>145</b>	<b>151</b>	<b>156</b>	<b>138</b>	<b>132</b>	<b>118</b>	<b>99</b>
Ontario, Province of	—	—	—	139*	138	162	—	—
The Netherlands ...	181	175	165	151	136	127	112	75
Switzerland ... ..	171	159	155	143	134	127	—	78
Finland ... ..	162	144	145	139	131	119	—	81
Western Australia	—	123	130	160	126	110	98	—
Scotland ... ..	117	121	126	129	120	115	—	103
Denmark ... ..	134	137	139	132	119	109	—	89
Ireland ... ..	94	95	102	106	98	93	92	104
New South Wales...	124	115	111	113	97	75	89	78
Victoria ... ..	122	131	111	111	96	93	73	79
Queensland ... ..	136	119	103	104	95	75	77	70
Sweden ... ..	116	105	103	101	91	—	—	78
Tasmania ... ..	109	103	94	98	90	91	82	83
South Australia ...	—	105	99	112	87	76	66	—
Norway ... ..	99	96	98	96	81	69	—	82
New Zealand ... ..	90	84	87	80	75	62	89	83

\* 4 years.

*Mortality from certain Epidemic Diseases.*—The accompanying tables give some indication of the incidence of measles, scarlet fever, diphtheria, whooping cough, and enteric fever in the several countries.

In comparing the rates of mortality from these diseases it must be borne in mind that methods of classification vary, and that the certification of causes of death is more complete or more accurate in some States than in others: also that differences in the age constitution of the several populations affect the comparison of the figures. In the case of measles, scarlet fever, diphtheria, and whooping cough, diseases mainly confined to childhood, it will be noted from the tables that in several instances considerable fluctuations occur in the mortality rates; doubtless this is due to cycles of greater or lesser prevalence of these disorders. Generally

## MEASLES.—DEATH-RATES per 1000 persons living, 1881-1907.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.	
	1881- 1885	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.
Spain ... ..	—	—	—	—	0·66	0·45	0·35
Hungary ... ..	—	—	—	0·43*	0·40	0·49	0·42
Belgium ... ..	0·52	0·58	0·60	0·40	0·37	0·34	—
The Netherlands ... ..	0·26	0·38	0·20	0·17	0·37	0·25	0·26
Austria ... ..	0·48	0·56	0·42	0·38	0·34	—	—
<b>England &amp; Wales</b> ... ..	<b>0·41</b>	<b>0·47</b>	<b>0·41</b>	<b>0·42</b>	<b>0·33</b>	<b>02·7</b>	<b>0·36</b>
Scotland ... ..	0·36	0·41	0·51	0·43	0·32	0·30	—
Roumania ... ..	—	0·13	0·18	0·17	0·26	0·03	0·21
Prussia ... ..	0·42	0·42	0·27	0·26	0·25	0·24	0·18
Italy ... ..	—	0·61*	0·42	0·25	0·21	0·29	0·24
Switzerland ... ..	0·11	0·14	0·16	0·13	0·20	0·16	—
Ireland ... ..	0·18	0·20	0·17	0·18	0·16	0·09	0·13
South Australia ... ..	0·16	0·01	0·18	0·05	0·13	0·00	0·01
Sweden ... ..	0·21	0·18	0·13	0·11	0·08	—	—
New Zealand... ..	0·09	0·03	0·16	0·06	0·07	0·01	0·11
Western Australia ... ..	0·82	—	0·08	0·05	0·06	0·02	0·02
Ontario, Province of ... ..	0·06	0·07	?	0·04	0·04	0·06	—
New South Wales ... ..	0·05	0·06	0·15	0·11	0·03	0·01	0·06
Victoria ... ..	0·08	0·03	0·12	0·14	0·03	0·01	0·03
Queensland ... ..	0·08	0·00	0·14	0·11	0·02	0·01	0·04
Tasmania ... ..	—	0·00	0·06	0·07	0·01	0·02	0·01

\* 4 years.

## SCARLET FEVER.—DEATH-RATES per 1000 persons living, 1881-1907.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.	
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.
Servia ... ..	—	—	0·74*	0·43	0·99	1·72	—
Hungary ... ..	—	—	—	0·56*	0·66	0·43	0·57
Austria ... ..	0·62	0·56	0·54	0·56	0·45	—	—
Roumania ... ..	—	0·15	0·32	0·26	0·45	0·20	0·35
Prussia ... ..	0·58	0·30	0·23	0·27	0·30	0·21	0·22
Belgium ... ..	0·27	0·17	0·15	0·22	0·13	0·11	—
<b>England &amp; Wales</b> ... ..	<b>0·44</b>	<b>0·24</b>	<b>0·18</b>	<b>0·13</b>	<b>0·13</b>	<b>0·10</b>	<b>0·09</b>
Ontario, Province of ... ..	0·22	0·08	?	0·08	0·13	0·03	—
Scotland ... ..	0·35	0·22	0·20	0·17	0·09	0·05	—
Sweden ... ..	0·57	0·44	0·28	0·09	0·09	—	—
Spain ... ..	—	—	—	—	0·06	0·07	0·12
Tasmania ... ..	—	0·01	0·01	0·05	0·06	—	—
Italy ... ..	—	0·31*	0·20	0·11	0·05	0·08	0·09
New Zealand... ..	0·12	0·03	0·01	0·00	0·05	0·02	0·03
Switzerland ... ..	0·09	0·09	0·07	0·02	0·05	0·04	—
Ireland ... ..	0·27	0·14	0·10	0·09	0·04	0·03	0·02
The Netherlands ... ..	0·15	0·07	0·04	0·03	0·03	0·03	0·05
New South Wales ... ..	0·11	0·08	0·08	0·04	0·03	0·03	0·02
South Australia ... ..	0·10	0·02	0·03	0·03	0·02	0·03	0·01
Victoria ... ..	0·06	0·03	0·03	0·03	0·02	0·00	0·00
Queensland ... ..	0·01	0·04	0·01	0·06	0·01	0·00	0·01
Western Australia ... ..	—	—	0·00	0·01	0·01	0·01	—

\* 4 years.



## DIPHTHERIA and CROUP.—DEATH-RATES per 1000 persons living, 1881-1907.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.	
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.
Servia ... ..	—	—	—	—	0·66	0·52	—
Hungary ... ..	—	—	—	0·67*	0·47	0·35	0·35
Austria ... ..	1·46	1·34	1·22	0·80	0·43	—	—
Prussia ... ..	1·72	1·57	1·34	0·59	0·40	0·27	0·24
Sweden ... ..	0·85	0·52	0·61	0·44	0·34	—	—
Ontario, Province of ...	0·70	0·65	0·44	0·27	0·30	0·19	—
Spain ... ..	—	—	—	—	0·25	0·18	0·18
Belgium ... ..	0·78	0·66	0·49	0·27	0·21	0·16	—
Switzerland ... ..	0·64	0·34	0·46	0·29	0·21	0·15	—
<b>England &amp; Wales†</b> ...	<b>0·16</b>	<b>0·17</b>	<b>0·25</b>	<b>0·27</b>	<b>0·20</b>	<b>0·18</b>	<b>0·16</b>
Scotland† ... ..	0·21	0·22	0·22	0·16	0·15	0·17	—
Italy ... ..	—	0·74*	0·51	0·24	0·14	0·13	0·17
Roumania ... ..	—	0·19	0·20	0·29	0·13	0·07	0·06
The Netherlands† ...	0·12	0·15	0·16	0·10	0·10	0·06	0·06
Victoria† ... ..	0·15	0·41	0·20	0·15	0·10	0·04	0·07
Western Australia† ...	0·18	0·09	0·11	0·10	0·10	0·23	0·24
Japan ... ..	0·03	0·04	0·07	0·13	0·09	—	—
Ireland† ... ..	0·06	0·08	0·07	0·08	0·08	0·08	0·06
New South Wales† ...	0·24	0·26	0·29	0·09	0·08	0·07	0·09
Queensland† ... ..	0·17	0·28	0·26	0·11	0·08	0·07	0·10
South Australia ... ..	0·57	0·50	0·40	0·11	0·07	0·04	0·04
Tasmania† ... ..	—	0·26	0·27	0·08	0·05	0·02	0·04
New Zealand† ... ..	0·20	0·18	0·17	0·08	0·04	0·04	0·06

\* 4 years.

† Excluding Croup.

## WHOOPIING COUGH.—DEATH-RATES per 1000 persons living, 1881-1907.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.	
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.
Servia ... ..	—	—	2·42*	2·27	1·96	1·52	—
Scotland ... ..	0·60	0·61	0·52	0·51	0·49	0·29	—
Austria ... ..	1·10	0·97	0·71	0·53	0·44	—	—
Hungary ... ..	—	—	—	0·59*	0·42	0·40	0·43
Belgium ... ..	0·68	0·63	0·55	0·48	0·38	0·35	—
Prussia ... ..	0·52	0·51	0·45	0·42	0·36	0·31	0·23
<b>England &amp; Wales</b> ...	<b>0·46</b>	<b>0·44</b>	<b>0·40</b>	<b>0·36</b>	<b>0·30</b>	<b>0·24</b>	<b>0·29</b>
Ireland ... ..	0·30	0·28	0·26	0·27	0·24	0·21	0·18
Spain ... ..	—	—	—	—	0·23	0·24	0·17
The Netherlands ... ..	0·35	0·30	0·32	0·26	0·21	0·18	0·18
Italy ... ..	—	0·37*	0·26	0·23	0·20	0·18	0·18
Switzerland ... ..	0·24	0·22	0·19	0·17	0·20	0·19	—
Sweden ... ..	0·19	0·17	0·17	0·20	0·18	—	—
Roumania ... ..	—	0·04	0·12	0·17	0·16	0·20	0·16
Tasmania ... ..	—	0·13	0·10	0·11	0·13	0·01	0·26
New South Wales ... ..	0·15	0·19	0·19	0·14	0·12	0·01	0·38
South Australia ... ..	0·23	0·17	0·17	0·15	0·10	0·04	0·19
Queensland ... ..	0·14	0·16	0·18	0·19	0·09	0·02	0·22
Victoria ... ..	0·15	0·13	0·15	0·08	0·09	0·20	0·10
Western Australia ... ..	0·12	0·31	0·17	0·10	0·09	0·04	0·39
New Zealand... ..	0·22	0·15	0·23	0·07	0·08	0·03	0·33
Ontario, Province of ...	0·10	0·09	?	0·07	0·08	0·11	—
Japan ... ..	—	—	—	—	0·05	—	—

\* 4 years.

## ENTERIC FEVER.—DEATH-RATES per 1000 persons living, 1881-1907.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.	
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.
Finland ... ..	2.20	2.06	2.03	1.69	1.54	1.57	—
Servia ... ..	—	—	1.53	1.13	0.68	0.16	—
Western Australia ... ..	0.39	0.28	1.50	1.74	0.57	0.49	0.47
Spain ... ..	—	—	—	—	0.44	0.42	0.35
Italy ... ..	—	0.79*	0.51	0.50	0.35	0.28	0.25
Hungary ... ..	—	—	—	0.38*	0.28	0.27	0.26
Queensland ... ..	0.96	0.53	0.24	0.31	0.25	0.17	0.16
New South Wales ... ..	0.51	0.45	0.24	0.30	0.22	0.18	0.12
Ontario, Province of ... ..	0.27	0.24	?	0.21	0.20	0.40	—
Austria ... ..	0.73	0.58	0.44	0.27	0.19	—	—
Belgium ... ..	0.56	0.40	0.34	0.24	0.17	0.12	—
South Australia ... ..	0.43	0.37	0.22	0.29	0.16	0.13	0.10
Victoria ... ..	0.52	0.61	0.27	0.29	0.16	0.13	0.07
Tasmania ... ..	—	0.58	0.30	0.30	0.15	0.20	0.21
Ireland ... ..	0.16	0.17	0.17	0.21	0.13	0.09	0.08
Roumania ... ..	—	—	0.16	0.12	0.13	0.16	0.17
<b>England &amp; Wales</b> ... ..	<b>0.22</b>	<b>0.18</b>	<b>0.17</b>	<b>0.17</b>	<b>0.11</b>	<b>0.09</b>	<b>0.07</b>
Scotland ... ..	0.27	0.19	0.18	0.16	0.11	0.08	—
The Netherlands† ... ..	0.18	0.13	0.12	0.10	0.09	0.08	0.07
Prussia ... ..	0.47	0.25	0.18	0.13	0.09	0.06	0.06
Sweden‡ ... ..	0.27	0.23	0.20	0.15	0.09	—	—
New Zealand... ..	0.23	0.22	0.17	0.14	0.08	0.05	0.06
Switzerland ... ..	0.29	0.16	0.11	0.08	0.06	0.05	—

\* 4 years.

† Including Typhus.

‡ Including Brain Fever.

speaking, however, sensible reductions in the rates of mortality from these diseases have taken place in many European countries.

In regard to the death-rate from enteric fever, the figures in the above Table show that in nearly all countries a gratifying diminution in the mortality from this disease has taken place; the reduction being exceptionally marked in Austria, Prussia, and Switzerland.

While the rate is still high in Finland, Servia, Spain, Italy, and Hungary, it is comparatively low in England and Wales, Scotland, the Netherlands, Prussia, Sweden, and Switzerland. Enteric fever is permanently prevalent in nearly all countries, but it is worthy of note that, according to the reports of various sanitary authorities, the decline in the mortality has generally coincided with the introduction of pure public water supplies.

*Pulmonary Tuberculosis and Cancer.*—Disregarding possible variations in the methods of classification of the deaths, as well as in the sex and age constitution of the populations, it is possible to make a rough comparison among several countries, as regards the relative incidence of mortality from these two important diseases. Several States were unable to furnish complete returns of mortality from phthisis or from cancer. For example, no comparison can be instituted as regards France, Denmark, Sweden, Roumania, or Bulgaria, as the statistics of those countries are limited to towns only; again in Hungary and in Prussia



the returns comprise deaths from all forms of tuberculosis, while in Italy deaths from general tuberculosis are included under pulmonary tuberculosis.

*Pulmonary Tuberculosis.*—The death-rate from this disease in Austria, Hungary, Servia, and Ireland is still abnormally high, and shows little or no signs of decreasing, but in Prussia, Scotland, the Netherlands, England and Wales, and Belgium a marked diminution in the rate of mortality has taken place in recent years. In proportion to the total population the death-rate from pulmonary tuberculosis in England and Wales in the quinquennium 1901-5 was 1·22 per 1000 living. It appears from the figures in the table that this rate was exceeded in seven continental countries, while in only two others were the average rates below that recorded in this country. In Hungary and in Prussia, as already stated, the returns include deaths from all forms of tuberculosis, the death-rate in those countries, however, is in excess of that from all forms of tuberculosis in England and Wales.

PULMONARY TUBERCULOSIS.—DEATH-RATES per 1000 persons living, 1881-1907.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods:					Years.	
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.
Hungary†	—	—	—	3·64*	3·94	3·84	3·84
Austria...	3·90	3·80	3·60	3·45	3·40	—	—
Servia ...	—	—	2·51*	2·31	2·80	2·87	—
Ireland	2·08	2·12	2·14	2·13	2·15	2·04	2·02
Prussia†	3·13	2·90	2·47	2·08	1·91	1·71	1·70
Switzerland	2·09	2·13	1·99	1·90	1·89	1·84	—
Spain ...	—	—	—	—	1·46	1·44	1·38
Japan ...	—	1·01	1·36	1·45	1·46	—	—
Scotland	2·11	1·89	1·74	1·65	1·45	1·36	—
The Netherlands	—	—	1·89	1·65	1·33	1·34	1·30
Ontario, Province of	1·25	1·16	1·14	1·41	1·29	1·31	—
<b>England &amp; Wales</b>	<b>1·83</b>	<b>1·64</b>	<b>1·46</b>	<b>1·32</b>	<b>1·22</b>	<b>1·15</b>	<b>1·14</b>
Belgium	—	—	1·56	1·42	1·18	1·05	—
Italy† ...	—	1·37*	1·29	1·25	1·16	1·22	1·24
Victoria	1·41	1·45	1·33	1·19	1·12	0·99	0·96
Queensland	1·74	1·29	1·06	0·87	0·81	0·68	0·64
New South Wales	1·14	0·99	0·87	0·80	0·80	0·66	0·62
South Australia	1·06*	1·07	1·01	0·89	0·80	0·82	0·76
Western Australia	0·87	0·94	0·75	0·67	0·73	0·82	0·78
New Zealand	0·91	0·84	0·81	0·78	0·70	0·62	0·67
Tasmania	—	0·97	0·87	0·70	0·63	0·66	0·63

\* 4 years.

† All forms of Tuberculosis.

‡ Including General Tuberculosis.

*Cancer.*—In comparing the rates of mortality from cancer, it is necessary to bear in mind that the certification of causes of death is more complete or more accurate in some countries than in others, and that in most countries it has probably shown improvement in later years. Thus, in Norway only 50 per cent. of the causes of death were stated in 1881, against 85 per cent. in 1901; in the German Empire the statistics of

cancer were available for ten of the principal federated states previous to 1904, while from that year statistics for 13 other smaller states are added. For Hungary it is probable that the rates are under-stated, and in Ceylon the registration of causes of death is admittedly so imperfect that very little reliance can be placed on the returns; in France, Denmark, Sweden, Roumania, and Bulgaria, deaths from Cancer are tabulated for the towns only, and the mortality is not, therefore, fairly comparable with that in the other states; these countries are consequently not included in the following Table.

Even in those cases where the compilation of statistics may be regarded as fairly trustworthy, it must be borne in mind that cancer is a disease mainly confined to adult life, and variations in the age-constitution of the several populations may therefore considerably affect the crude rates stated in the Table.

Subject to the above important reservations, the general conclusion appears to be that this country occupies an unenviable position with respect to mortality from cancer; the rate in England and Wales being exceeded in only two European countries, viz., Switzerland and the Netherlands. Scotland occupies a slightly better position, and Ireland, notwithstanding its abnormal age constitution, a much better position. The mortality ascribed to this cause varies very considerably in the several Australasian States, ranging from 0·74 per 1000 in Victoria to 0·45 per 1000 in Western Australia in the quinquennium 1901-05.

In all the countries from which returns have been received the proportionate mortality from cancer has shown a general tendency to increase in recent years.

CANCER.—DEATH-RATES per 1000 persons living, 1881-1907.

Countries (Arranged in Order of rates in 1901-5).	Quinquennial Periods.					Years.	
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.
Switzerland ... ..	1·03	1·14	1·22	1·27	1·30	1·32	—
The Netherlands ... ..	0·60	0·70	0·81	0·92	0·97	1·01	1·02
<b>England &amp; Wales</b> ... ..	<b>0·55</b>	<b>0·63</b>	<b>0·71</b>	<b>0·80</b>	<b>0·86</b>	<b>0·92</b>	<b>0·91</b>
Scotland ... ..	0·54	0·62	0·69	0·77	0·84	0·94	—
Austria ... ..	0·44	0·50	0·59	0·69	0·74	—	—
Victoria ... ..	0·45	0·53	0·62	0·69	0·74	0·75	0·80
Ireland ... ..	0·38	0·43	0·49	0·58	0·69	0·79	0·76
New Zealand ... ..	0·30	0·42	0·52	0·59	0·67	0·70	0·73
South Australia ... ..	0·32	0·39	0·48	0·56	0·67	0·74	0·70
Prussia ... ..	0·34	0·41	0·50	0·57	0·65	0·70	0·73
New South Wales ... ..	0·27	0·36	0·43	0·54	0·64	0·68	0·70
Belgium ... ..	—	—	—	—	0·58†	0·58	—
Queensland ... ..	0·25	0·27	0·34	0·44	0·57	0·55	0·65
Tasmania ... ..	—	0·49	0·49	0·55	0·56	0·52	0·63
Italy ... ..	—	0·43*	0·44	0·51	0·55	0·62	0·61
Ontario, Province of ... ..	0·21	0·29	?	0·44*	0·52	0·64	—
Spain ... ..	—	—	—	—	0·44	0·48	0·47
Western Australia ... ..	0·33	0·41	0·31	0·31	0·45	0·59	0·50
Hungary ... ..	—	—	—	0·30*	0·39	0·40	0·42
Servia ... ..	—	—	0·06*	0·08	0·10	0·11	—

\* 4 years.

† 3 years.



## FINAL REMARKS.

By way of summarising the progress of civil registration in this country, as set forth in detail in the several annual reports which I have had the honour of presenting to your predecessor and yourself since I first entered on the duties of this Office, I would draw your attention to the following facts :—

The statistical records of the General Register Office respecting the first seven years of the current century indicate a gratifying reduction in the mortality of England and Wales. For the first three of these years the rate fell steadily—the loss of life in each successive year being less than that of its predecessor.

After a slight increase in 1904, the rate again fell in the following year, and was the lowest on record. In 1906 the fall on the unprecedentedly favourable rate of the previous year was temporarily interrupted, but it was again resumed in the year now under review. The death-rate of 1907 was only 15 in each thousand of the population—a rate that was lower than in any previous year, representing a fall of more than 11 per cent. since 1901.

And here I would direct attention to the valuable note (see page cxxxii) contributed by Mr. Alfred Waters, Chief Clerk of this Department, showing a simplification of the method previously devised by him for estimating local populations during the years of a completed intercensal period, and suggesting the feasibility of extending the method to current estimates of population.

The causes of death in the year under notice are fully discussed in Dr. Tatham's letter to me, which forms a most interesting and instructive portion of the Annual Report. See page lxxiv.

The fall in infantile mortality in the year 1907 merits special attention, more particularly as this fall was mainly due to a rate in the third or summer quarter which was so low as to be without precedent. In normal circumstances the infantile mortality is higher in the third quarter than in any other part of the year, and so recently as 1899 the deaths of infants under one year of age in the third quarter averaged 255 to every 1,000 infants born during the same period. In the third quarter of 1907, however, the deaths under one year of age were fewer than in any other quarter of the year and averaged only 99 to every 1,000 infants born.

It is commonly understood that infantile mortality is generally high during hot and dry summers, and low during cool and rainy summers. There have, however, been cooler and more rainy summers than that of 1907, but in none of them has the infantile mortality fallen so low. For example, in the third quarter of 1888 the mean earth temperature at Greenwich was 59°.3, the amount of the rainfall was 11.2 inches, the infantile mortality being 135 per 1,000 births: whereas in 1907, with a mean earth temperature of 59°.2 and a rainfall of 3.5 inches, the infantile mortality was only 99 per 1,000 births. It may, therefore, reasonably be inferred that the favourable result in 1907 is in some part due to increasing care in the feeding and general treatment of infants, and it may be hoped that this inference will before long be confirmed by a comparatively low rate of infantile mortality in a warm and dry summer.

It is a point of considerable interest to note the effect of reduced infantile mortality on the average life-time. The Life Table based on the Mortality Statistics of 1891–1900, which was pub-

lished in the Decennial Supplement, showed an average life-time of 44·13 years for every male child born. But had the mortality of male infants in those ten years been as low as the mortality of male infants was in 1907, this change alone would have raised the average life-time to 46·33 years. And, similarly, had the mortality of female infants been as low in 1891-1900 as it was in 1907, the Life Table would have shown the average female life-time to be 49·77 years instead of 47·77 years. The effect of low infant mortality in counteracting a declining birth-rate may be shown in another way by means of the figures for recent years. The birth-rate in 1907 was 26·3 per 1000, against an average of 28·4 in the ten years immediately preceding. But in those ten years only 855 out of every 1,000 infants lived to be one year of age; that is to say, the birth-rate of 28·4 corresponded to a "one year old rate" of 24·3. In the year 1907 the rate of survival to one year was 882 per 1,000, and therefore the birth-rate of 26·3 per 1,000 corresponded to a "one year old rate" of 23·2. Therefore, although the birth-rate in 1907 showed a falling off of 2·1 per 1,000 of population compared with that of 1897-1906, the "one year old rate" showed a falling off of only 1·1 per 1,000; and I would point out that further calculation shows that if the rate of survival to one year of age could have been raised to 924 per 1,000 in 1907, the "one year old rate" in 1907 would have been 24·3, or precisely the same as in 1897-1906, notwithstanding the reduction in the birth-rate. If, therefore, the rate of infantile mortality should still further fall it will have an important bearing on the effective upkeep of the population.

The Notification of Births Act received the Royal Assent on the 28th August, 1907. It only operates in areas where it has been adopted by a resolution of the local authority, subject to the sanction of the Local Government Board, or has been declared in force by that Board. The areas within which the Act now operates I am glad to note are gradually increasing in number. On 1st December, 1908, the Act had been adopted in the City of London, in 16 metropolitan boroughs, in 43 county boroughs, in 27 municipal boroughs, and in 34 urban districts, making in the aggregate 121 areas in which the Act is operative; and by the 1st January, 1909, it will also run in Wakefield, Mansfield, and Shrewbury municipal boroughs. It is too early, however, to express an opinion on the benefits likely to be derived from its provisions as regards the reduction of infantile mortality; but I trust the system may, as suggested in my Annual Report of 1904, "along with other motive forces serve as a most lasting and effective barrier with which to stem the tide of infantile mortality."

As regards the mortality at later stages of life, it appears that the decline in phthisis fatality which had obtained, with only slight intermissions, for many previous years, has continued in the year under review. In the course of his remarks on the decrease of pulmonary consumption Dr. Tatham has inserted a table showing, for the quinquennium last ended, the corrected mortality from this disease in those counties of England and Wales in which the rates exceed the average. The table shows an enormous difference in the local incidence of fatality from this scourge; and in the absence of local knowledge it is difficult to understand why the phthisis death-rate of Cardiganshire should be almost double that of several other counties in the list. Surely this is a matter that requires the earnest



consideration of the authorities responsible for the care of the public health.

It is encouraging to notice that a break has at length occurred in the sad increase of cancer fatality which has persisted for so many years, the recorded death-rate from cancer in 1907 being slightly lower than that of the preceding year. The serious nature of this increase of cancer mortality for many previous years will be appreciated on reference to the chart facing page cx.

Another satisfactory feature of the year's record is the exceptionally low mortality from enteric fever, the death-rate being the lowest on record. Among other diseases influenza, pneumonia, bronchitis, and circulatory diseases showed a somewhat greater prevalence than usual last year ; and among ordinary infectious ailments of children measles has been more fatal than the average, while scarlet fever, diphtheria, and diarrhœal diseases have been less fatal. With these exceptions the mortality in 1907 has not differed greatly from what has been normal in recent years.

I have once more to tender my best acknowledgments to the Colonial and Foreign Official Statistical Authorities, who have so courteously furnished me with the information from which the International Vital Statistics included in this Report have been compiled, under the special supervision of Mr. Archer Bellingham of the Statistical Branch of this Department. As regards these statistics, I desire to direct particular attention to the improvement which has been made in the comparative tables relating to marriages, births, deaths, infantile mortality, and natural increase, all of which have for the first time been compiled in quinquennial periods dating from 1881 to 1901.

The other fresh and important features of these returns are a set of new tables in connection with the epidemic diseases, namely, measles, scarlet fever, diphtheria and croup, whooping cough, and enteric fever ; and quinquennial tables of the death-rates in regard to pulmonary tuberculosis and cancer also appear for the first time. I trust these additions to the International Vital Statistics may be of value, as well as of interest, especially to those statisticians and others who may study them for comparative purposes, always bearing in mind the frequently changing circumstances and environment, social and industrial, of the different countries to which they relate.

To Dr. W. N. Shaw, F.R.S., I am again indebted for the admirable series of quarterly returns, and for the annual report on meteorology relating to 1907, with which he has favoured my Department.

In conclusion, I desire again to offer my thanks to the medical profession throughout the country for the willing and valuable assistance they have rendered Dr. Tatham and myself in our endeavours to improve the vital statistics of England and Wales, and I feel sure that their services in this respect will be fully appreciated by yourself.

I have the honour to be,

Sir,

Your faithful Servant,  
WILLIAM COSPATRICK DUNBAR,  
*Registrar-General.*

*General Register Office,  
Somerset House,  
December, 1908.*

---

# CONTENTS OF DR. TATHAM'S LETTER TO THE REGISTRAR-GENERAL.

	Page.
GENERAL OBSERVATIONS ... ..	lxxiv-lxxvi
MORTALITY FROM ALL CAUSES ... ..	lxxvi-lxxvii
CRUDE AND CORRECTED DEATH RATES IN SELECTED URBAN AND RURAL GROUPS OF COUNTIES ... ..	lxxvii-lxxix
GENERAL DISEASES : Small-pox, Measles, Scarlet Fever, Influenza, Whooping-cough, Diphtheria, Diphtheria and Croup, Cerebro- Spinal Fever, Enteric Fever, Diarrhoeal Diseases, Rabies, Septicæmia, Puerperal Septic Diseases, Pneumonia, Tuber- culous Diseases—including Tuberculous Phthisis, Tuberculous Meningitis, and Tuberculous Peritonitis—Alcoholism, Rheu- matic Fever, Gout, Malignant Disease, and Diabetes Mellitus ...	lxxx-cxvii
DISEASES OF PARTICULAR ORGANS OR PARTS OF THE BODY : Meningitis, Softening of the Brain, General Paralysis of the Insane, Epilepsy, Convulsions, Locomotor Ataxy, Neuritis, Brain Tumour, Diseases of Heart and Blood Vessels, Laryn- gitis, Bronchitis, Pleurisy, Diseases of Digestive System—in- cluding Gastric Ulcer, Appendicitis, Peritonitis—Liver Diseases, Acute and Chronic Nephritis, Diseases of Ovaries and Uterus, Diseases of Pregnancy and of Childbirth ... ..	cxvii-cxxv
MORTALITY AMONG INFANTS AND YOUNG CHILDREN ... ..	cxxv-cxxviii
ILL-DEFINED OR NOT SPECIFIED CAUSES ... ..	cxxix-cxxx
VIOLENT DEATHS ... ..	cxxx-cxxxi



ANALYSIS OF THE  
CAUSES OF DEATH IN ENGLAND AND WALES.

---

Letter to the REGISTRAR-GENERAL

By JOHN TATHAM, ESQ., M.A., M.D., Fellow of the Royal College  
of Physicians.

SIR,

I HAVE the honour to submit for your consideration the following remarks on English mortality in the year 1907. Amongst other details connected with registration, the incidence of general mortality, with special reference to that of the infant portion of the community, has been fully discussed by you in preceding pages of this Report. The duty which you have entrusted to me, namely, that of supplementing your statistics by an analysis of the causes that are responsible for mortality in the aggregate, has been discharged to the best of my ability in the following pages.

In the course of the accompanying remarks particulars will be found of the changes in 1907 in the fatality of the principal diseases in the official list which, since the beginning of this century, has been employed in these reports. Before going into detail I may remark that the unprecedentedly low mortality of the year under notice was largely due to favourable climatic conditions. This will be clear from the report of Dr. W. N. Shaw, F.R.S., the high value of whose continued assistance you have already suitably acknowledged.\* Much of the saving of life represented by the low death-rate of 1907 was due to the lessened fatality of diarrhoeal diseases, which in that year were responsible for only half as many deaths as usual. The mortality from tuberculous diseases was also below the normal. It is an encouraging fact that in the year under notice, for the first time in the last 15 years, the mortality from malignant disease showed a slight decline on that of the year immediately preceding, although it somewhat exceeded that of the quinquennium ended 1906. On the other hand influenza showed increased mortality, which was accompanied by increased mortality from pneumonia and bronchitis, as well as from circulatory diseases. Among familiar epidemic diseases, measles showed increased mortality, but diphtheria was less destructive than usual, whilst the mortality from scarlet fever and from enteric fever was the lowest on record. From other causes the mortality did not vary widely from the average. From what follows it will appear that not only the death-rate at all ages but the infantile death-rate also was the lowest on record. For the present report, as for its predecessor, the deaths of infants have been

---

\* See Remarks on the Conspicuous Meteorological Occurrences in the British Isles in 1907 ; by W. N. Shaw, Esq., Sc.D., F.R.S., page cxxxv.

abstracted to show the loss of life from the chief causes in each of the first four weeks, and in each month of the first year of life.

Owing to the wide differences revealed by the statistics of 1906 in the mortality of illegitimate as contrasted with that of legitimate children, tables similar to those previously published have been prepared for the present report. While an enormous excess is still apparent in the mortality of children born out of wedlock, it is satisfactory to note that these unfortunates have participated, equally with their more fortunate brothers and sisters, in the general fall of mortality.

In the series of tables and in the letterpress accompanying this report the attempt has been renewed to show the local incidence and the fatality of certain diseases that are most important from a preventive point of view. With respect to those maladies that are fatal at particular ages comparison of the local death-rates, in terms of the living at the same ages, may safely be made. But, in comparing the local prevalence of diseases that are fatal in differing degrees at all stages of life, a difficulty is encountered to which it is necessary yet again to draw attention. The census returns show that the proportion of the living at each age-group varies according as a given locality is mainly urban or mainly rural in character; and, as the mortality from most diseases also varies with the age of the patient, it follows that crude death-rates at all ages computed without allowance for these variations are untrustworthy for comparative purposes. Accordingly, for several years past the death-rates in these reports have been reduced to a common standard; and, in many of the comparative tables in the present volume there are shown the rates that would have prevailed had the age and sex constitution of the population in the several areas been similar to that of England and Wales generally. These are the "corrected" rates frequently referred to in your reports.

Table H on page xxxvii proves that the death-rates of practically all the mainly urban counties have been raised, and those of the mainly rural counties have been reduced, by correction for age and sex constitution of the population. If, for example, the mortality of the essentially urban county of Lancaster be contrasted with that of Cardigan, which is mainly rural, the death-rate of the former county will be found to have been increased by correction from 17·0 to 18·8, whilst that of the latter county has been reduced from 17·8 to 14·1 per 1000. In other words, whilst the crude rate of Lancashire is lower by 4·5 per cent. than that of Cardiganshire, the corrected rate shows an excess of 33·3 per cent. The explanation of these differences is the following, that whilst Lancashire contains an abnormally small proportion of persons at the more advanced ages when the rate of mortality is exceptionally high, Cardiganshire contains an abnormally large proportion; in the former county less than  $3\frac{1}{2}$  per cent. of the population exceeds the age of 65 years, whereas in the latter county the proportion amounts to almost 9 per cent. From this it is evident that crude death-rates cannot properly be used for comparative purposes.

I have pleasure in drawing attention to the progressive improvement that has recently taken place in the medical attestation of



cause of death, a substantial decrease being now apparent in the ill-defined causes enumerated in the official mortality tables. In the quinquennial period commencing with 1875, in which year the medical certification of cause of death was first made compulsory, the deaths of which the cause was insufficiently defined were equal to 12.0 per cent. of the total, whilst, a quarter of a century later, namely, in the quinquennial period last ended, the proportion had fallen to 9.4 per cent. From the view point of vital statistics, as well as from that of scientific medicine, it would be difficult to overrate the importance of accurate certification; for, as long as this remains imperfect it will always be doubtful whether a given change of mortality is real, or whether it depends on transference from one disease heading to another. In this connection I would ask leave to refer, yet again, to the subject of uncertified deaths. You have already stated that the proportion of these deaths has now fallen to 1.45 per cent. of the deaths registered, whilst the proportion of cases in which inquests are held is the highest since the commencement of the current century, amounting to 6.96 per cent. of the whole.

You have further stated that in the year under notice the causes of 91.59 per cent. of the deaths were returned as certified by Registered Medical Practitioners. It is certain, however, that this figure does not fully represent the proportion of cases in which medical assistance had been rendered to the sick in their *last illness*. In cases of inquest on the bodies of persons who had received medical attention during life, the cause of death is copied from the coroner's certificate, which supersedes the medical certificate entirely; but, except in cases where an autopsy has taken place, it is seldom possible to ascertain from the Coroner's certificate whether or not medical evidence has been given, or the purport thereof, if given. Having regard to the importance of securing registration of the actual cause of death, it appears to me essential that in every case where an inquest has been held, and in which medical evidence is available, there should be appended to the certificate of the finding of the jury, either (1) a medical certificate of cause of death, or (2) the substance of any medical evidence given at the inquest.\* Substantially this was the deliberate opinion of the Home Office Committee which made a strong recommendation to this effect in their Report to the Home Secretary in the year 1899.†

#### MORTALITY FROM ALL CAUSES.

As in previous Annual Reports the causes of death of males and females at specified age groups will be found in the abstracts at pages 294 to 309 of the present volume; and in the tables on pages 22 to 63 the deaths are shown at all ages, from the same causes, for a series of 20 years. In the lower part of these tables the facts have been reduced to rates per million living of the

---

\* Legislation would obviously be necessary in order to secure this change; and, in framing such legislation, the possibility of conflict of evidence in some cases would have to be borne in mind.

† Report of the Departmental Committee on the Manufacture of Water Gas, 1899, page xi. (C. 9,164).






# ENGLAND & WALES.

## CAUSES OF DEATH.

DIAGRAM VII:— DEATHS FROM THE PRINCIPAL CAUSES TO 1000 DEATHS FROM ALL CAUSES: 1907.



Note:— The total shaded portion represents the total deaths and is equal to a single column 40 inches in height. The darker portion of the column for Tuberculosis refers to Phthisis.

respective sexes. At page 21 Table 20 is continued from previous reports; it shows the average mortality from certain causes in each of seven quinquennia, beginning with the year 1871. At page 64 Table 27 is likewise continued from previous reports; this table traces back the mortality from the principal epidemic diseases during a period of fifty years.

The proportion in which the more prevalent diseases contribute to the death roll is shown by the Chart opposite this page, in which the mortality from each cause is compared with the mortality from all causes, the latter being represented by a column the total height of which is 40 inches.

In order to show the incidence of mortality in the chief centres of industry as compared with that of the rural areas, the selection from among the English and Welsh Counties, first made in 1901, has been retained since that date. The counties in each selected group are enumerated at foot.\*

The table on p. lxxviii gives the annual rates of mortality at all ages and from all causes in the year 1907, side by side with the corresponding average rates for the quinquennium 1902-06.

In this table, as well as in the table on page lxxix, the rates are shown as per thousand of the population; but if decimal points be disregarded the rates will, of course, read as per million. The rates, corrected for age differences among the living, are set out in columns parallel to the crude rates; and, for the sake of clearness, the figures in the several columns are printed in distinctive type.

In the year 1907 the deaths from all causes in England and Wales corresponded to a rate of 15·001 per 1000 living at all ages and of both sexes. This rate is the lowest on record, and is below the average rate in the five-year period ended 1906, by 4·4 per cent. Among males the rate was equal to 15·952 per 1000 living of that sex, and among females to 14·113 per 1000—these rates being below the quinquennial averages by 5 and 4 per cent. respectively. The table further shows that both in the year 1907 and in the previous quinquennium the urban rates of mortality were higher than the rural, and that in both areas the rates for males were considerably above those for females. In each sex, as

\* (i) *Urban Registration Counties.*

Glamorgan.  
Lancaster.  
London.  
Middlesex.  
Monmouth.  
Northumberland.  
Nottingham.  
Stafford.  
Warwick.  
East Riding } Yorks.  
West Riding }

(ii) *Rural Registration Counties.*

Buckingham.  
Cambridge.  
Cornwall.  
Hereford.  
Huntingdon.  
Lincoln.  
Norfolk.  
North Wales.  
Oxford.  
Rutland.  
Salop.  
Somerset.  
South Wales (less Glamorgan).  
Suffolk.  
Westmorland.  
Wilts.

Estimated population of Urban Counties, middle of 1907—18,945,946.

Estimated population of Rural Counties, middle of 1907—4,371,564.



well as in each county group, there has been a fall in the general death-rate, compared with the average in the previous five years. From this table it appears that correction for age and sex constitution of population has increased the average general death-rate in the urban group of counties by 4·4 per cent., and has reduced the average rate in the rural group by 12·2 per cent.

All Causes. Mortality at All Ages.		Crude Rates. — Average, 1902-06.	Corrected Rates.*		
			Average, 1902-06.	Year 1907.	Ratio.†
Both Sexes	England & Wales	15·694	15·694	15·001	96
	Urban Counties ...	16·489	17·214	16·429	95
	Rural Counties ...	15·096	13·256	12·768	96
Males	England & Wales	16·763	16·763	15·952	95
	Urban Counties ...	17·669	18·432	17·542	95
	Rural Counties ...	15·866	13·997	13·428	96
Females	England & Wales	14·694	14·694	14·113	96
	Urban Counties ...	15·384	16·074	15·388	96
	Rural Counties ...	14·380	12·561	12·150	97

\* These are the death-rates *at all ages* that would have resulted from the rates prevailing at the separate age-groups, if the sex and age constitution of the populations in the urban and rural areas, severally, had been identical with that of the population of England & Wales, as enumerated at the Census of 1901.

† *i.e.*, the ratio of the corrected death-rates in 1907 to those in 1902-06, the latter taken as 100.

The method of correcting rates of mortality for variation in the age and sex constitution of the living is set forth on page xxxviii of your sixty-eighth Annual Report.

The following table shows the death-rates of each sex per 1000 living at several groups of ages, the areas dealt with being those specified in the preceding table. Speaking generally the rates in 1907 show a reduction, as compared with the average, at all age groups below 55 years, the reduction being greatest among children below the fifth year; this is mainly due to the exceptionally low fatality from diarrhoeal diseases in the autumn of the year. At ages above 55 there appears to have been a slight increase in the fatality of those diseases which ordinarily show excessive prevalence in the later years of life, among which are influenza, pneumonia, bronchitis, and diseases of the circulatory system. In England and Wales as a whole and in the urban county group the changes in mortality, as compared with that of the preceding quinquennium, have been similar in both sexes, but in the rural group the changes have been somewhat irregular.

The experience of 1902-06 confirms that of previous years in showing that in both sexes the mortality in the urban area generally exceeds that in the rural, at the several stages of life. This is especially true respecting children under the age of 10 years, and adults at ages 35-65 years; the greatest difference occurring among children under five years of age. On the other hand, the rates for 1902-06 agree with those of recent

previous years in showing excessive mortality in the rural counties among young adults of both sexes—in men at ages 20–25, and in women at ages 15–25. This feature has been strongly marked in the case of young adults dying of pulmonary tuberculosis.\*

All Causes.		Average 1902–1906.			Year 1907.		
Mortality at Age Groups.		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	0—	47·558	54·067	35·001	40·886	46·583	29·919
	5—	3·576	3·935	2·937	3·366	3·618	2·840
	10—	2·101	2·236	1·905	1·969	2·046	1·869
	15—	2·958	2·998	3·003	2·782	2·825	2·917
	20—	3·785	3·706	4·228	3·488	3·388	4·060
	25—	5·335	5·443	5·308	5·068	5·116	5·188
	35—	8·830	9·645	7·367	8·626	9·338	7·491
	45—	15·025	16·924	11·663	14·916	16·793	11·714
	55—	28·921	32·722	23·412	29·610	33·581	23·376
	65—	85·452	89·938	82·248	89·483	94·718	85·084
Males	0—	51·885	58·764	38·725	44·770	50·914	33·341
	5—	3·514	3·881	2·898	3·326	3·589	2·772
	10—	2·041	2·197	1·838	1·929	2·017	1·773
	15—	3·059	3·155	2·909	2·861	2·951	2·850
	20—	4·143	4·018	4·546	3·816	3·683	4·382
	25—	5·792	5·851	5·680	5·568	5·667	5·388
	35—	9·699	10·541	7·924	9·480	10·203	8·308
	45—	17·063	19·282	12·984	16·930	19·073	13·290
	55—	32·870	37·335	26·326	33·682	38·423	26·246
	65—	90·845	96·434	86·781	94·141	100·379	88·791
Females	0—	43·250	49·404	31·280	37·024	42·287	26·503
	5—	3·637	3·989	2·976	3·405	3·647	2·907
	10—	2·162	2·275	1·974	2·009	2·074	1·967
	15—	2·858	2·849	3·100	2·704	2·705	2·987
	20—	3·466	3·428	3·946	3·195	3·126	3·776
	25—	4·926	5·072	4·985	4·619	4·615	5·014
	35—	8·018	8·795	6·858	7·829	8·518	6·746
	45—	13·138	14·703	10·481	13·052	14·645	10·306
	55—	25·461	28·688	20·872	26·047	29·348	20·876
	65—	81·295	85·131	78·618	85·896	90·530	82·119

\* For further remarks on this point see Registrar-General's 69th Annual Report, page lxxiv.



## MORTALITY FROM SPECIFIED CAUSES.

## I.—GENERAL DISEASES.

The chief morbid conditions at present included under the head of "General Diseases" are enumerated at pages 296–301: the facts of death, but not the death-rates, being given for each sex at several groups of ages. It is necessary to remember that the present list of general diseases is provisional only. Certain conditions formerly regarded as merely local are now authoritatively pronounced to be either "infections" or "intoxications"; they have accordingly been transferred to this heading, which will probably receive further accessions as the result of scientific research. In the tables numbered 21 to 26 the ages at death are not discriminated; but the deaths, as well as the death-rates at all ages from the several diseases in a series of years are given, for persons and for males and females separately.

**Small-pox.**—The deaths from small-pox numbered only 10, and were fewer than in any other year since the establishment of civil registration. The deaths from this disease in the previous five years numbered 2,464, 760, 507, 116 and 21 severally. In addition to the 10 deaths definitely referred to small-pox last year, chicken-pox is reported to have been fatal in 120 instances; but it is probable that some at least of the latter were unrecognised cases of the graver malady. And lastly, there were included in the registers 12 deaths under the head of "cow-pox and other effects of vaccination." It should be clearly understood that the 12 deaths referred to cow-pox and other effects of vaccination include not only the deaths which were stated by medical practitioners or by coroners to have been due to vaccination, but also those in which vaccination appeared from the certificates to have been in any way connected with the cause of death.

In the year 1907 the sum of the deaths either certainly or probably due to small-pox and of the deaths alleged to have been caused by means designed for its prevention was 142, corresponding to a rate of four per million of the estimated population. Of the 10 deaths definitely referred to small-pox, two were those of persons stated to have been vaccinated, and two those of persons returned as unvaccinated; whilst, concerning the vaccinal condition of the remaining six, only doubtful information appeared in the certificates. The mortality from the effects of vaccination, in proportion to children vaccinated, cannot yet be given for the year under notice; but from the Annual Report of the Medical Officer of the Local Government Board for the year 1906–07 it appears that the operation of vaccination was successfully performed on 705,040 or 75·8 per cent. of the 929,540 children whose births were returned by the vaccination officers in 1905, the latest year for which particulars are available. Deducting from the total number of births the children returned as having died unvaccinated, the report states that of the remaining 844,828 children 83·5 per cent. were registered as successfully vaccinated, showing the slight decline of 0·1 per cent. from the proportion in the preceding year.

The deaths of children in the same year from cow-pox and other effects of vaccination numbered 26, or one in every 32,493 vaccinated.

In the interest of vital statistics it is much to be desired that when certifying a death from small-pox the medical attendant should specify the patient's condition with respect to vaccination by one or other of the following phrases, according to circumstances :—

- (1) No evidence of vaccination ;
- (2) Vaccinated in infancy only—number of scars ;
- (3) Vaccinated only after infection by small-pox ;
- (4) Stated to have been vaccinated, but no scars visible.
- (5) Re-vaccinated—date of re-vaccination, if possible.

Of the 10 deaths from small-pox in the year 1907, three occurred in Glamorganshire, two in Kent, two in Hampshire, and one apiece in Gloucestershire, Lancashire, and the East Riding of Yorkshire.

**Measles.\***—In the course of the year under notice there were registered as due to measles 12,625 deaths at all ages and of both sexes. After making the requisite allowance for increase of population, these deaths exceeded by 1,267 the average number in the five years immediately preceding. Of the total deaths from measles not fewer than 11,712 or 93 per cent. were those of children under the age of five years, and of these 2,753 had not attained the first anniversary of their birth. Table 32 on page 72 shows the mortality of infants in the several weeks and months of the first year after birth, and also in each year of the first quinquennium of life. As had been the case in many previous years, so was it also in the year now under review, measles was most destructive to infants between the first and second years of life. Tables 32 to 41 (pages 72–87) show that in the year 1907 measles was somewhat more fatal than usual, the rate of mortality under five years being equal to 293 per 100,000 living at that age, as compared with 266 the average rate in the quinquennium immediately preceding. Measles was much more fatal in the town than in the country, the death-rate being equal to 362 per 100,000 children living in the urban group of counties, against 118 per 100,000 in the rural group. The urban rates were above, but the rural rates were below, the quinquennial averages. The disease was fatal to boys at the rate of 309, and to girls at the rate of 278 per 100,000 of the respective sexes ; and in both county groups boys suffered more severely than girls. Measles was most destructive to children under five years in the East Riding of Yorkshire, where it caused the deaths of 415 per 100,000 living at that age, in Glamorganshire 422, in Durham 433, in Staffordshire 465, in the North Riding of Yorkshire 534, and in Nottinghamshire 536. The rates in all these counties considerably exceeded the several averages in the preceding five years.

---

\* Unfortunately, the ambiguous term "Rubeola" is still used, in some parts of the country, to denote the familiar disease measles. This practice gives rise to much uncertainty in the classification of causes of death. "Morbili" is the only synonym for measles recognised by the Royal College of Physicians ; and it would greatly conduce to accuracy in the returns if that name were invariably used where a Latin equivalent for the English name is preferred. In any event it is desirable that the use of the term "Rubeola" should be discontinued.



Infantile mortality from measles in the several counties is shown in Table 40, where the deaths under one year appear in terms of the total births.

**Scarlet Fever.**—The distinction between scarlet fever and diphtheria was first officially recognised in the Registrar-General's Report for the year 1855; and it is probable that for some years subsequently the two diseases were frequently confused in the death certificates. The deaths referred to scarlet fever in the year 1907 numbered 3,220 at all ages and of both sexes, and corresponded to a rate of 92 per million living. This rate is lower by 27 per million than the average in the five years immediately preceding. By reference to Table 20 on page 21, which shows the average mortality from certain diseases in quinquennial groups of years, it will be seen that ever since the year 1870 there has been a steady and very large decrease in the mortality from scarlet fever—the death-rate in 1901–05 being less than one-sixth of that in 1871–75, the earliest period dealt with in the table. In several previous reports I have discussed the question whether the rapid decline of scarlet fever mortality in recent years was due to a diminished prevalence of the disease or to a milder form of that infection. In the recently issued report for 1907 of the Metropolitan Asylums Board, which mainly relates to London, there appears a table showing the case-fatality among the admissions for scarlet fever in each of the years since the opening of the first hospital in 1870. If the period of 35 years last ended be divided into quinquennia, the following data may be derived from that table :—

Scarlet Fever. (Quinquennia.)	Metropolitan Asylums Board Hospitals.			County of London.
	Admissions.	Deaths.	Ratio per cent. of deaths to admissions.	Mean Annual Mortality per 1,000 living.
1873–1877 ...	3,228	399	12	0·62
1878–1882 ...	7,424	901	12	0·62
1883–1887 ...	12,798	1,238	10	0·32
1888–1892 ...	33,818	2,573	8	0·22
1893–1897 ...	68,512	3,494	5	0·23
1898–1902 ...	64,800	2,234	3	0·11
1903–1907 ...	79,155	2,376	3	0·10

From this table, which gives particulars concerning more than a quarter of a million cases treated in the hospitals of the Metropolitan Asylums Board since the year 1873, we find (1) that within that period the fatality among the admitted cases has been reduced from 12 per cent. to 3 per cent., and that (2) within the same period the annual mortality from scarlet fever in the entire County of London has fallen to less than one-sixth part of its former

rate. It is probable that in earlier years the cases admitted were for the most part severe, with high case fatality; whereas in recent years most of the known cases, including the milder ones, have been treated in hospital.\*

In the year 1907 the local distribution of mortality from scarlet fever in England and Wales varied widely. Table 31 on page 70 shows that among the several counties the highest crude death-rates at all ages were 121 per million in Warwickshire, 128 in Essex, 132 in Lancashire, 135 in Lincolnshire, 145 in Staffordshire, and 190 in Middlesex. The above county rates have not been adjusted for deaths in public institutions, otherwise Middlesex would not have appeared as the county with the highest death-rate from scarlet fever. It has been ascertained that of the total deaths from this disease registered in Middlesex 45 per cent. were those of Londoners, occurring in the hospitals of the Metropolitan Asylums Board; when these deaths are subtracted the scarlet fever death-rate of Middlesex does not exceed 105 per million. In recent years nearly all the deaths of Londoners from this disease have occurred in public institutions. In the year 1907, of the 644 deaths registered either in London or in Metropolitan hospitals outside the county, not less than 94 per cent. took place in public institutions. By inclusion of deaths of Londoners in outlying institutions, the scarlet fever rate for London is raised from 115 to 135 per million. Of the counties specified in the above list, Warwickshire, Lancashire, and Staffordshire showed diminished mortality from this disease, as compared with the average, while Essex, Lincolnshire, and Middlesex showed increased mortality.

Of the 3,220 deaths at all ages 1,936 or 60 per cent. occurred in children under the age of five years. Table 37 on page 82 shows that scarlet fever was fatal to 48 out of every 100,000 children living at this age, which is lower by 15 than the average rate in the preceding quinquennium. Table 32 on page 72 shows that scarlet fever is ordinarily much less fatal in the first than in any other year of the first quinquennium of life; it is also less fatal in the first half than in the second half of the first year after birth. It is in populous districts that scarlet fever makes the greatest havoc among young children. From Tables 35 and 36 we learn that whilst the death-rate from this disease at the age group 0-5 years did not exceed 18 per 100,000 in the rural counties, it was as high as 63 per 100,000 in the urban. Both in the town and in the country boys continue to succumb to scarlet fever somewhat more rapidly than girls. Table 41, page 87, shows the incidence of fatal scarlet fever at this age in the several registration counties of England and Wales.

---

\* The incidence of scarlet fever in London cannot be given for periods earlier than 1889, in which year the Infectious Diseases (Notification) Act came into force; but from the last annual report of the County Medical Officer of Health it appears that the proportion of notified cases of scarlet fever in each thousand of the population was as follows:—

1891-1900	... 4·8 per 1,000 living.	1904	... 2·9 per 1,000 living.
1901	... 4·1   "   "	1905	... 4·2   "   "
1902	... 3·9   "   "	1906	... 4·3   "   "
1903	... 2·7   "   "	1907	... 5·5   "   "



**Influenza.**—Ever since 1889, towards the close of which year influenza invaded our ports from the Continent, this disease has claimed annually a considerable number of victims. Previous to that year influenza had not manifested epidemic proportions since 1855, the mortality in the quinquennium ended 1889 averaging no more than three per million of the population. But in the interval subsequently elapsed the mortality attributed to this cause has averaged 288 annually per million living. In the year under notice there were referred to influenza 9,257 deaths, corresponding to a rate of 265 per million, which is higher than that of any other year since 1900. London suffered less severely from this disease than did extra-Metropolitan England and Wales. The difference between town and country, as regards influenza fatality, was again strongly marked—the crude influenza death-rate in the rural group of counties having exceeded that in the urban group by 82 per cent. Among counties containing populations of at least 100,000 the highest rates were 493 per million in the North Riding of Yorkshire, 522 in Shropshire, 609 in Dorsetshire, 610 in Denbighshire, 619 in Carnarvonshire, and 705 in Herefordshire; while the lowest were 175 in Warwickshire, 186 in Leicestershire, 191 in Cheshire, 193 in Northumberland, 196 in London, and 200 in Derbyshire. In the year 1907 influenza was about equally fatal to each sex—the death-rate among males being 263, and among females 267, per million living of the respective sexes.

**Whooping cough.**—To this disease there were attributed 10,255 deaths at all ages, or more by 272 than the quinquennial average number corrected for increase of population. Of the total deaths 9,918, or 97 per cent. occurred in children under the age of five years. Among children of both sexes in England and Wales generally, whooping cough was responsible for a mortality of 248 per 100,000 living at ages 0–5 years, a rate which is higher by 5 per 100,000 than the average rate in the previous five years. As in recent previous years, so also in 1907, whooping cough has been exceptionally fatal to female children, the death-rate having been 219 per 100,000 for boys and 278 for girls. The experience of the year under notice confirms that of recent previous years in showing that whooping cough is more destructive to child life in large towns than in the country districts. Table 41 on page 87 shows that among counties containing more than 100,000 inhabitants at all ages, the highest death-rates from this disease in each 100,000 children under five years were 302 in Essex, 306 in Lincolnshire, 329 in Nottinghamshire and in Lancashire, 333 in London, and 359 in Bedfordshire. All these rates were above the respective quinquennial averages—the rate in Bedfordshire being more than double the average rate. Table 32 shows that this disease continues to make exceptional havoc among infants from the second to the twelfth month after birth. After the close of the second year the disease becomes far less destructive to child life.

**Diphtheria.**—The mortality attributed to diphtheria in the death certificates at the present day probably represents more accurately than in former times the actual fatality of the disease in this country. Nevertheless, it is certain that a considerable proportion of the deaths ascribed to “tonsillitis,” to “ulcerated throat,”

or to "catarrhal" or "membranous" laryngitis are really due to this infection; so that the loss of life from diphtheria is still understated in the tables. In the year under notice the deaths referred to diphtheria (exclusive of croup not definitely stated to be membranous) numbered 5,732, and were fewer by 723 than the average number in the preceding five years corrected for increase of population. In this aggregate of 5,732 deaths there are included 35 that had originally been ascribed to membranous laryngitis; but the diphtheritic nature of these cases has since been affirmed by the several medical attendants. The tables still contain 29 deaths under the head of membranous laryngitis, and it is probable that some of these also were due to diphtheria. I desire yet again to draw attention to the fact that in their latest revision of the Nomenclature of Diseases the Royal College of Physicians direct that neither "membranous laryngitis" nor "membranous croup" should be used as a synonym for laryngeal diphtheria.

*Diphtheria and Croup.*—In the two tables next following the mortality from diphtheria is taken together with that from "croup" to represent as nearly as may be the total sacrifice of life to the disease under consideration; but, in order to afford facilities for further study, the deaths from both diseases are separately shown in the tables on pages 21 to 63. It has frequently been remarked in these reports that the age-incidence of fatal diphtheria, in recent years, is nearly the same whether the deaths assigned to that disease alone, or those assigned to diphtheria and croup together are taken as the criterion. In the year under notice the deaths referred to "croup" numbered 371, or less than half the number so referred in the year 1901. These deaths, added to those certified as from diphtheria, corresponded to a rate of 175 per million living at all ages, as against 199 per million the average rate in the previous quinquennium. The rate last year was 177 per million for males, and 173 per million for females.

Diphtheria and Croup.		Crude Rates. — Average, 1902-06.	Corrected Rates.*		
Mortality per Million Living at all Ages.			Average, 1902-06.	Year 1907.	Ratio.†
Both Sexes	England and Wales	199	199	175	88
	Urban Counties ...	216	214	177	83
	Rural Counties ...	163	166	152	92
Males ...	England and Wales	201	201	177	88
	Urban Counties ...	219	217	180	83
	Rural Counties ...	167	169	151	89
Females ...	England and Wales	197	197	173	88
	Urban Counties ...	213	211	174	82
	Rural Counties ...	160	163	153	94

\* See note to table on page lxxviii.

† *i.e.*, the ratio of the corrected death-rates in 1907 to those in 1902-06, the latter taken as 100.



The following table, condensed from a more extended table in the last hospital report of the Metropolitan Asylums Board, allows of comparison of the case fatality among patients admitted to hospital for diphtheria with the general London mortality from that disease, in the four quinquennia that have elapsed since 1888, in which year diphtheria cases were first admitted to their hospitals.

Diphtheria.  (Quinquennia.)	Metropolitan Asylums Board Hospitals.			County of London.
	Admissions.	Deaths.	Ratio per cent. of deaths to admissions.	Mean Annual Mortality per 1000 living.
1888-1892 ... ..	5,084	1,617	32	0·37
1893-1897 ... ..	20,330	4,655	23	0·61
1898-1902 ... ..	37,257	4,749	13	0·35
1903-1907 ... ..	24,869	2,309	9	0·15

From this, and the corresponding table on page lxxxii, it appears that, as in the case of scarlet fever, there has been a very considerable decline in the ratio of diphtheria deaths to admissions, and also in the general London mortality from that disease—the former having declined from 32 per cent. in 1888-92 to 9 per cent. in 1903-7; and the latter having declined from 0·37 to 0·15 per 1000 of the London population.\*

As regards the local incidence of fatal diphtheria and croup, it will be seen from the table on page lxxxv, that speaking generally, the urban rate exceeds the rural, but that the excess in the year 1907 was less than in the quinquennium 1902-06: in other words, diphtheria mortality has declined faster in the town than in the country. From the table on page lxxxvii it will further appear that whilst in that quinquennium the rural rate exceeded the urban at most ages above ten years, in the year 1907 the rural rate showed an excess in the age group 5 to 10 years also. Analysis of the mortality from diphtheria and croup in the first two quinquennia of life shows that since 1901 the rates at ages 5-10 years in the urban counties have changed very

\* With respect to the antitoxin treatment of diphtheria, the 1907 report of the Statistical Committee of the Metropolitan Asylums Board contains the following passage:—"At the Brook Hospital it has been the practice to tabulate the results of the antitoxin treatment, with special reference to the day of the disease on which the treatment began. Amongst 250 cases treated during the years 1897-1907 on the first day of the disease, not a single death occurred; whereas, there died of 1,513 cases treated on the second day 4·29 per cent.; of 1,690 cases treated on the third day 11·24 per cent.; of 1,338 cases treated on the fourth day 16·89 per cent.; and of 1,765 cases treated on the fifth day and afterwards 18·58 per cent."

Diphtheria and Croup.		Average 1902-1906.			Year 1907.		
Mortality at Age Groups.		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	0—	1079	1227	759	905	997	586
	5—	563	560	544	517	464	579
	10—	90	78	119	90	70	131
	15—	18	15	27	19	13	37
	20—	11	9	17	10	8	14
	25—	8	8	10	10	9	15
	35—	8	7	10	7	7	8
	45—	6	6	10	7	7	10
	55—	7	8	6	9	9	6
	65—	8	8	8	4	4	—
Males	0—	1099	1246	800	921	1022	669
	5—	512	516	497	474	421	502
	10—	85	76	111	84	67	98
	15—	19	16	30	18	13	18
	20—	11	10	14	12	9	18
	25—	7	7	10	9	7	—
	35—	7	6	11	8	8	8
	45—	5	5	7	6	6	10
	55—	4	5	1	9	6	14
	65—	8	9	7	6	6	—
Females	0—	1059	1208	718	888	973	504
	5—	614	603	591	560	506	656
	10—	94	81	127	96	73	164
	15—	18	14	25	21	13	57
	20—	10	9	19	7	8	10
	25—	9	9	10	11	10	27
	35—	8	8	9	6	7	7
	45—	7	7	12	8	7	9
	55—	10	10	11	9	11	—
	65—	8	7	8	2	2	—

differently from those in the rural counties. In both areas the death-rate in the first five years of life has declined (with some fluctuations) until in 1907 it was only half of what it had been in 1901. The same remark applies to urban mortality in the second five years of life also ; but as regards rural areas, the mortality at this age-group has shown comparatively little decline. The



following table shows the death-rates in both areas for each group of ages in the years 1901-7 :—

DIPHTHERIA and CROUP.—DEATH-RATES per MILLION CHILDREN LIVING at AGES 0-5 and 5-10 YEARS in the selected URBAN and RURAL COUNTIES.

—		1901.	1902.	1903.	1904.	1905.	1906.	1907.
<i>Males.</i>								
Age 0-5 years.	{ Urban Counties	1973	1635	1300	1165	1032	1114	1022
	{ Rural Counties	1103	933	746	733	851	738	669
Age 5-10 years.	{ Urban Counties	793	655	509	487	427	508	421
	{ Rural Counties	587	526	402	497	594	466	502
<i>Females.</i>								
Age 0-5 years.	{ Urban Counties	1910	1589	1185	1150	1053	1076	973
	{ Rural Counties	1021	855	729	622	715	674	504
Age 5-10 years.	{ Urban Counties	940	808	594	594	475	551	506
	{ Rural Counties	669	689	504	467	598	701	656

Table L. shows that among registration counties with populations exceeding 100,000, there were in the year under notice 21 in which the rates of mortality from diphtheria and croup among children under ten years were above the average for Extra-Metropolitan England and Wales : of these, 11 had experienced in the previous five years also a mortality above the average for that period. In the year under notice the registration counties with the highest rates of mortality at this age were the North Riding of Yorkshire, where the rate was equal to 1,199 per million living, Bedfordshire 1,086, Berkshire 986, Northumberland 957, Dorsetshire 954, and Hampshire 943.

As had been the case in several preceding years, the high death-rate in the North Riding of Yorkshire last year was due to excessive fatality in the contiguous districts of Guisborough and Middlesbrough. The rate in each of these districts amounted to more than 400 per million living at all ages. The district of Middlesbrough in particular had suffered exceptionally from this disease in the previous five years also, the mean rate in that period having been equal to the high rate last mentioned.

The excessive mortality of Bedfordshire last year occurred mainly in Biggleswade and Luton. In both these districts high rates had been experienced in the year 1906 also. On the other hand the district of Bedford where the mortality in the previous year had been excessive showed considerable improvement in the year 1907.

In Berkshire the high mortality was due to continued prevalence of this disease in Reading. According to the local registrars' returns the death-rate in this Borough in 1907 amounted to 474 per million living (See page xc).

TABLE L.—ENGLAND &amp; WALES.—DIPHTHERIA and CROUP. DEATH-RATES per MILLION LIVING among CHILDREN under 10 YEARS OF AGE.

Registration Counties.	Average, 1902-6.	Year, 1907.
Brecknockshire* ... ..	1163	1552
North Riding of Yorkshire ... ..	1183	1199
Bedfordshire... ..	701	1086
Berkshire ... ..	820	986
Rutlandshire* ... ..	523	965
Northumberland ... ..	834	957
Dorsetshire ... ..	577	954
Hampshire ... ..	953	943
Huntingdonshire* ... ..	263	929
Essex ... ..	906	902
Monmouthshire ... ..	953	886
Carmarthenshire ... ..	958	881
Durham ... ..	980	852
East Riding of Yorkshire... ..	1144	830
Cheshire ... ..	809	826
Flintshire* ... ..	894	814
Derbyshire ... ..	759	806
Gloucestershire ... ..	919	777
Middlesex ... ..	904	775
London ... ..	761	760
Lancashire ... ..	1022	750
Lincolnshire ... ..	837	749
Wiltshire ... ..	617	748
Norfolk ... ..	621	746
Warwickshire ... ..	904	746
<i>England &amp; Wales, less London</i> ... ..	839	711
Surrey ... ..	654	699
Nottinghamshire ... ..	763	688
West Riding of Yorkshire... ..	843	687
Staffordshire ... ..	912	685
Glamorganshire ... ..	1220	642
Somersetshire ... ..	717	624
Merionethshire* ... ..	1151	589
Leicestershire ... ..	606	557
Shropshire ... ..	480	549
Anglesey* ... ..	726	534
Denbighshire ... ..	938	525
Oxfordshire ... ..	424	501
Buckinghamshire ... ..	897	497
Hertfordshire ... ..	446	490
Cambridgeshire ... ..	517	476
Kent ... ..	710	464
Sussex... ..	560	464
Devonshire ... ..	519	454
Cardiganshire* ... ..	780	438
Worcestershire ... ..	371	433
Cornwall ... ..	408	422
Herefordshire ... ..	700	413
Cumberland ... ..	699	387
Carnarvonshire ... ..	510	379
Pembrokeshire* ... ..	712	327
Montgomeryshire* .. ..	338	298
Suffolk ... ..	487	276
Northamptonshire ... ..	431	244
Westmorland* ... ..	288	229
Radnorshire* ... ..	1118	214

\* The Counties marked with an asterisk contained, at the last Census, populations of fewer than 100,000 at all ages.



In Northumberland there was excessive diphtheria mortality last year in most of the registration districts on the coast, and in the southern portion of the County. Although these districts form less than half of the area of Northumberland, they contain 95 per cent. of its population.

In Dorsetshire the high mortality of 1907 is accounted for by excessive prevalence of diphtheria in the Borough of Poole, where, according to the returns of the local registrars, the death-rate was equal to 630 per million (See below). It will be seen from Table L that in the quinquennium 1902-06 the average mortality from diphtheria in Dorsetshire was considerably below that of Extra-Metropolitan England and Wales. But, in consequence of excessive prevalence of the disease in the district of Weymouth, the County death-rate in the closing year of that quinquennium rose above the average; the rate has continued practically at the same level in the year 1907, viz., 954 per million.

In Hampshire, the areas of excessive diphtheria mortality were the Borough of Portsmouth, the Isle of Wight, and the registration districts of Fareham, Romsey, and Alton.

In Monmouthshire and South Wales there is an area, the exact boundary of which changes from year to year, in which the inhabitants continue to suffer severely from diphtheria. In the year 1904 this area consisted of the registration district of Bedwellty in Monmouthshire, together with the entire county of Glamorgan except the districts of Bridgend and Gower. In the year 1905 this area changed somewhat, and was divided into two parts. In the following year a further change took place, both of the areas increasing slightly in extent. The first of these areas, which in 1906 had comprised the registration districts of Monmouth, Abergavenny, Crickhowell, Bedwellty, Merthyr Tydfil, and Pontypridd, retained the same constitution in the following year, except that the district of Pontypridd no longer formed part of it. In this area, which contained an estimated population of nearly one-third of a million, the diphtheria death-rate in 1907 exceeded by 70 per cent. the rate in England and Wales outside the Metropolis. In the year 1906 the second of these areas consisted of the registration districts of Pontardawe, Llandilofawr, and Carmarthen; but, in the following year the death-rate in Llandilofawr fell below the average; nevertheless, the districts of Pontardawe and Carmarthen continued to suffer severely from diphtheria throughout 1907, their death-rates being above the mean for Extra-Metropolitan England and Wales by 42 and 140 per cent. respectively.

In the year 1907 the death-rate from diphtheria at all ages in England and Wales averaged 164 per million. But, from information supplied by the local Registrars we find that there are in this country seven towns, each containing more than 20,000 inhabitants, in which the rate exceeded 400 per million. These towns are as follows:—Poole, where, as already stated, the rate was 630 per million; Luton, 591; Chester, 483; Middleton, 477; Reading, 474; Leyton, 435; and Derby, 423. Among these towns Chester, Reading, and Derby had shown death-rates from diphtheria above 400 per million in the year 1906 likewise.

Of the 6,103 deaths at all ages from diphtheria and croup, 3,612, or 59 per cent. occurred within the first five years of life. These deaths correspond to a rate of 90 per 100,000 children living at that age, a rate which is below the average in the previous quinquennium by 18 per 100,000 (Table 37, page 82). Table 41, page 87, shows the distribution of these deaths in the several counties of England and Wales. In the year 1907, as in recent previous years, this disease was less fatal in the first year than in any other year of the first quinquennium of life. Nevertheless, the mortality steadily increased from birth to the fourth year (Table 32, page 72).

**Cerebro-Spinal Fever.**—To this disease there were ascribed in the year under notice 161 deaths, 93 of which were eventually referred to this heading as the result of medical enquiry respecting deaths originally certified as from cerebro-spinal meningitis. In the five years last ended the deaths classed to cerebro-spinal fever have averaged 102 annually.

**Enteric (Typhoid) Fever.**—In the course of the year 1907 the deaths of 2,344 persons at all ages and of both sexes were ascribed to enteric fever. The mortality, therefore, was in the proportion of 67 in each million persons living; this is by far the lowest rate on record, and is only two-thirds of the average for the quinquennium immediately preceding. Among males the death-rate was equal to 81 per million of that sex, and among females, to 54 per million.\* See table, page xcii. In order to trace the changes of enteric fever mortality for a long series of years a chart was published in the last decennial supplement showing the corrected death-rate of both sexes in each of the 37 years elapsed since the disease was first differentiated, in these reports, from other forms of continued fever. From that chart it appears that within the period named enteric fever mortality fell to less than a quarter of its former amount, namely, from a rate of 384 per million in 1869 to 89 per million in 1905.

Enteric Fever. (Quinquennia.)	Metropolitan Asylums Board Hospitals.			County of London.
	Admissions.	Deaths.	Ratio per cent. of deaths to admissions.	Mean Annual Mortality per 1,000 living.
1873-1877 ...	1,775	335	19	0·25
1878-1882 ...	2,047	407	20	0·24
1883-1887 ...	1,973	316	16	0·19
1888-1892 ...	2,423	377	16	0·14
1893-1897 ...	3,003	545	18	0·14
1898-1902 ...	6,681	1,021	15	0·15
1903-1907 ...	3,542	522	15	0·06

\* Since the year 1868 enteric fever has been distinguished from typhus, and from other indefinite forms of continued fever, the latter being now aggregated under the name "pyrexia (origin uncertain)," in the Registrar-General's tables. In the latest revision of their nomenclature of diseases the Royal College of Physicians direct that the names febricula and simple continued fever should no longer be used.



In the preceding table, which is condensed from a more extended table in the last hospital report of the Metropolitan Asylums Board, the ratio of deaths to admissions on account of enteric fever is compared with the general London mortality from that disease in the same period, 1873-1907.

From this and the two companion tables\* it will be seen that enteric fever differs from scarlet fever and from diphtheria in this important respect—that, whereas in the case of the two latter diseases the decline of mortality in the metropolis has been accompanied by a corresponding decline of case fatality in those hospitals; in the case of enteric fever, on the contrary, a decline of three-fourths in the metropolitan mortality from enteric fever has been accompanied by only a relatively slight decline in the ratio of deaths to hospital admissions.

As is the case with many other diseases, the fatality of enteric fever varies according as a given area contains a large or a small proportion of urban inhabitants. In the following table, which is continued from previous reports, the death-rates of both sexes in 1907 are compared with the respective averages in the preceding quinquennium. The changes of mortality in recent years are there shown, and the rates in the urban group of counties are distinguished from those in the rural group. Taking both sexes together urban mortality from enteric fever exceeded rural mortality by 47 per cent. Among males the excess was only 34 per cent., whilst among females it amounted to 77 per cent. In this table, which shows the mortality per million living at all ages, correction has been made for age and sex differences of the population.

Enteric Fever.		Crude Rates.  — Average 1902-6.	Corrected Rates.*		
Mortality at all Ages.			Average, 1902-6.	Year 1907.	Ratio.†
Both Sexes...	England & Wales	100	100	67	67
	Urban Counties ...	114	113	75	66
	Rural Counties ...	70	73	51	70
Males ...	England & Wales	119	119	81	68
	Urban Counties ...	138	135	90	67
	Rural Counties ...	76	79	67	85
Females ...	England & Wales	82	82	54	66
	Urban Counties ...	93	91	62	68
	Rural Counties ...	64	66	35	53

\* See note to table on page lxxviii.

† i.e., the ratio of the corrected death-rates in 1907 to those in 1902-06, the latter taken as 100.

From the last table it would appear that in the year 1907 both urban and rural areas shared almost equally in the saving of life

\* For the tables relating to scarlet fever and to diphtheria see pages lxxxii and lxxxvi.

that is represented by the very considerable fall in the death-rate. It is, however, important to note that in the rural area the sexes have not participated equally in this benefit; for, whilst among males the mortality has fallen by not more than 15 per cent., among females it has fallen by 47 per cent.

From Table 31 on page 70 it appears that among registration counties with populations exceeding 100,000, the highest crude rates\* from enteric fever were 151 in Monmouthshire, 133 in Carmarthenshire, 120 in Nottinghamshire, 110 in the North Riding of Yorkshire, 99 in Lancashire, and 93 in Glamorganshire. Although the rates in these counties greatly exceed the average for England and Wales, they show in every case an improvement upon the respective decennial averages, the proportionate reduction ranging from 4 per cent. in Monmouthshire to 49 per cent. in Lancashire.

In Monmouthshire excessive fatality from this disease was limited to the registration districts of Bedwellty, Pontypool, and Newport, which form the urban portion of the county. In this area the rate averaged about 180 per million.

In Carmarthenshire three out of the four registration districts of the county showed excessive mortality from enteric fever.

In Nottinghamshire excess of mortality was again limited to the urban part of the county, the rate in the three registration districts of Mansfield, Basford, and Nottingham averaging 144 per million.

In the North Riding of Yorkshire there was excessive mortality in the registration district of Middlesbrough, where the rate was above 200 per million. This district consists mainly of the Boroughs of Middlesbrough and Thornaby-on-Tees, and of the Urban Districts of Eston, South Bank in Normanby, and Ormesby.

In Lancashire, although the mortality from enteric fever in 1907 showed a considerable reduction as compared with previous years, nevertheless there were in the county seven towns of more than 20,000 population, in each of which the death-rate from this disease exceeded a rate of 150 per million living.

In Glamorganshire enteric fever showed exceptional fatality in the registration district of Pontypridd, the high death-rate in that district being mainly due to excessive prevalence of this disease in the urban district of Rhondda.

In the northern area of high enteric fever mortality, which is mainly situated in the county of Durham,† and of which mention has been made in several previous reports, the mean death-rate from enteric fever was 105 per million, against an average rate of 229 per million in the previous ten years. Compared with their respective averages all the districts in this group showed considerable improvement in the year under notice. Nevertheless, in the district of Middlesbrough, and also in the smaller district of Sedgefield, the rates still continued high.

\* These county rates are not corrected for differences of age constitution, but the table on page xcii shows that in the case of enteric fever, correction does not greatly modify the death-rates.

† The registration districts now comprising this area are as follows:—Middlesbrough in the North Riding of Yorkshire, Stockton, Sedgefield, Auckland, Lanchester, Durham, Easington, Houghton-le-Spring, Chester-le-Street, Sunderland, and South Shields in the county of Durham, and Tynemouth, Castle Ward, and Morpeth in Northumberland.



Although the death-rate from enteric fever in England and Wales in the year 1907 was only 67 per million and was the lowest on record, it will be seen from the following table that among towns with populations exceeding 20,000 at the last census, there were ten in which the rate exceeded 200 per million :—

1907.—ENTERIC FEVER.—DEATH-RATES per million.\*

Tipton ... ..	476	Barnsley ... ..	245
Workington ... ..	446	Gorton ... ..	236
Chatham ... ..	320	Farnworth ... ..	219
Ince-in-Makerfield... ..	265	Grimsby ... ..	213
Wigan ... ..	260	Ilkeston ... ..	206

\* These rates are derived from the returns of the local registrars, and are not corrected for age and sex differences of the living.

In the table opposite, the age incidence of fatal enteric fever in recent years is shown for England and Wales, and for the urban and rural groups of counties separately. The rates are given for persons and also for males and females separately.

From this table it appears that both in the year 1907 and in the previous quinquennium the male rates of mortality from enteric fever exceeded the female rates at all periods of life above the age of 15 years. With some exceptions in the rural group, the death-rate at each age under 65 years in 1907 shows a reduction as compared with the corresponding rate in the previous quinquennium. The figures in the present table confirm those in previous reports in showing that enteric fever attains its highest fatality at some time between the ages of 15 and 35 years.

**Diarrhœal Diseases.**—The several morbid conditions here included under this heading are as follows :—(1) Infective enteritis (*i.e.*, epidemic diarrhœa, including diarrhœa due to food); (2) dysentery and dysenteric diarrhœa; (3) Gastro-intestinal catarrh; and (4) diarrhœa not otherwise defined.

It has previously been contended, on the authority of the Royal College of Physicians, that the term “diarrhœa,” being that of a symptom merely, and not of a definite disease, should be stated as a cause of death only where the true cause of that symptom is unknown.\* Although a large proportion of these deaths are still certified in one or another of the indefinite forms (3) and (4), nevertheless Table 21 shows that this practice is gradually falling into disuse, the term infective enteritis being substituted for them in an increasing proportion of instances. To the above-named conditions in the aggregate there were referred last year 10,658 deaths at all ages, which is considerably less than half the corrected annual average number in the previous quinquennium. But in addition to the foregoing deaths there were registered last year 6,137 deaths from enteritis or gastro-enteritis, and 3,267 from gastric catarrh. It is certain that a large proportion of these deaths are infective in character, although no mention of the fact is recorded

\* See Nomenclature of Diseases by the Royal College of Physicians, 4th Edition, 1906, page 145, under the heading “Diarrhœa,”

Enteric Fever.		Average 1902-1906.			Year 1907.		
Mortality at Age-Groups.		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	0—	33	39	19	20	24	15
	5—	61	72	43	40	51	17
	10—	85	97	63	50	56	30
	15—	127	139	102	78	79	58
	20—	146	156	120	97	96	105
	25—	151	169	96	106	116	89
	35—	126	148	90	85	104	50
	45—	95	110	73	73	90	39
	55—	71	83	58	49	51	48
	65—	33	39	23	25	30	30
Males	0—	34	39	19	19	25	8
	5—	56	63	30	36	41	17
	10—	81	91	61	45	52	26
	15—	148	162	111	89	89	78
	20—	191	207	128	129	128	153
	25—	200	224	111	141	149	128
	35—	156	184	109	111	134	65
	45—	115	133	93	90	107	52
	55—	87	103	61	61	67	68
	65—	37	44	25	37	45	59
Females	0—	33	38	19	21	24	21
	5—	67	75	56	44	61	17
	10—	89	102	65	51	60	35
	15—	106	116	92	68	70	38
	20—	105	111	113	68	67	62
	25—	106	119	84	75	87	54
	35—	93	113	72	62	77	37
	45—	77	89	55	57	73	28
	55—	57	65	55	37	37	30
	65—	30	36	21	16	19	6

in the certificates; moreover, their seasonal distribution is for the most part similar to that of the diseases included in the diarrhoeal group. This is especially true respecting the deaths from enteritis, gastro-enteritis, and gastric catarrh among children under five years, whose deaths last year from these causes amounted to about 70 per cent. of the deaths at all ages. In the section



on mortality among infants and young children these deaths are included with the other forms of diarrhoeal diseases.

By reference to the tables on pages 304 and 305 it will be seen that the remaining 30 per cent. of the deaths at all ages from enteritis, gastro-enteritis, and gastric catarrh occurred at ages above five years, mainly among adults; and it is probable that some, at least, of these deaths are due to causes other than those included in the present section. If, then, the deaths of adults from enteritis, gastro-enteritis, and gastric catarrh were included in the present section, the comparability of the diarrhoeal mortality at all ages with that of previous years would be destroyed. For the foregoing, among other reasons, the mortality at all ages in the present section is limited to the deaths from causes specified under numbers (1) to (4), nevertheless the mortality from enteritis, gastro-enteritis, and gastric catarrh can readily be ascertained on reference to the tables on pages 31, 45, and 59.

Brief extracts from the meteorological reports and quarterly returns of Dr. Shaw, F.R.S., may be interesting here, as explaining in some degree the unusual freedom from diarrhoea fatality experienced in this country throughout the year under notice.

Speaking of the extremely low afternoon temperatures of the summer months, Dr. Shaw reports, that from about the middle of July "it was not until an unusually late period in the season that the thermometer again passed 80°" (Annual Report, page cxxxvii.). "With the exception of one fine warm week in July, the weather for more than two-thirds of the (September) quarter was changeable, showery, and exceedingly cool. The rainfall of the quarter was considerably below the average—a result due, in a large measure, to the prolonged drought which occurred in September" (Quarterly Return, September, 1907, pages iii. and iv.).

Table 41 on page 87 shows that in the year 1907, among registration counties containing populations above 100,000, the counties with the lowest death-rates from diarrhoeal diseases were the mainly rural ones of Buckinghamshire, Hertfordshire, Suffolk, Dorsetshire, Herefordshire and Wiltshire, where the rates under five years varied from 144 to 163 per 100,000 living, whilst the mainly urban counties of Warwickshire, the West Riding of Yorkshire, Glamorganshire, Nottinghamshire, and Lancashire experienced rates ranging from 493 in the first case to 581 in the last per 100,000 children living at the same ages.

**Rabies (*Hydrophobia*).**—Not a single death from this disease has been reported either in the year 1907 or in any of the four years immediately preceding. In the course of the last nine years only two deaths from hydrophobia have been reported in England and Wales, and these were registered in the year 1902. In the closing ten years of the nineteenth century the deaths from this disease averaged seven annually.

**Pyæmia, Septicæmia, Septic Intoxication.**—The deaths of 93 males and 69 females were referred to pyæmia, and the deaths of 273 males and 169 females to septicæmia, in the year under notice, the deaths of females from puerperal affections of this nature being excluded from the present list. The parts of the

TABLE M.—DEATHS OF WOMEN IN ENGLAND &amp; WALES, IN 1907, DEFINITELY RETURNED AS EITHER CAUSED BY OR ASSOCIATED WITH PREGNANCY OR CHILDBEARING.\*

Cause of Death.	All Ages.	Ages.				
		15—	20—	25—	35—	45 and upwards.
Total .. .. .	4672	120§	713	2241	1550	48
Measles .. .. .	3	—	1	2	—	—
Scarlet Fever .. .. .	9	1	1	6	1	—
Influenza .. .. .	63	—	6	31	25	1
Diphtheria .. .. .	2	—	1	—	1	—
Enteric Fever .. .. .	12	—	2	6	4	—
Diarrhœa .. .. .	8	—	1	4	3	—
Syphilis .. .. .	1	—	—	—	1	—
Gonorrhœa .. .. .	1	—	—	1	—	—
Puerperal Septicæmiæ† .. .. .	1056	31§	217	519	284	5
Puerperal Pyæmiæ† .. .. .	111	2	19	61	29	—
Phlegmasia Alba Dolens† .. .. .	84	1	5	49	28	1
Puerperal Fever† .. .. .	214	5	43	117	47	2
Infective Endocarditis .. .. .	4	—	1	1	2	—
Lobar Pneumonia .. .. .	62	2	9	29	20	2
Broncho-Pneumonia .. .. .	23	1	1	11	10	—
Pneumonia (not defined) .. .. .	170	3	30	73	62	2
Tuberculous Phthisis .. .. .	63	—	8	36	18	1
Phthisis (not otherwise defined) .. .. .	71	—	8	45	17	1
Tuberculous Meningitis .. .. .	4	—	—	3	1	—
Tuberculous Peritonitis .. .. .	2	—	—	1	1	—
Other Tuberculous Diseases .. .. .	16	—	3	8	5	—
Alcoholism .. .. .	1	—	—	1	—	—
Rheumatic Fever, Rheumatism of Heart .. .. .	15	—	—	8	7	—
Malignant Disease .. .. .	5	—	—	2	3	—
Hæmophilia .. .. .	2	—	—	2	—	—
Anæmia .. .. .	26	1	—	12	13	—
Diabetes Mellitus .. .. .	6	—	1	4	1	—
Meningitis, Inflammation of Brain .. .. .	4	1	1	1	1	—
Chorea .. .. .	2	1	1	—	—	—
Epilepsy .. .. .	18	1	5	6	6	—
Other Diseases of Nervous System .. .. .	8	—	2	1	5	—
Valvular Disease, Endocarditis .. .. .	85	2	7	43	31	2
Pericarditis .. .. .	1	—	—	1	—	—
Dilatation of Heart .. .. .	10	—	1	2	7	—
Fatty Degeneration of Heart .. .. .	11	—	1	1	9	—
Other Diseases of Heart .. .. .	102	2	11	45	42	2
Apoplexy, Hemiplegia .. .. .	12	—	3	4	5	—
Laryngitis .. .. .	1	—	—	—	1	—
Bronchitis .. .. .	30	1	1	10	17	1
Emphysema, Asthma .. .. .	6	—	—	3	2	1
Pleurisy .. .. .	9	—	1	2	6	—
Other Diseases of Respiratory System .. .. .	1	—	—	1	—	—
Gastric Ulcer .. .. .	14	1	1	6	6	—
Other Diseases of Stomach .. .. .	12	—	2	6	4	—
Enteritis, Gastro-Enteritis, Ulcer Intest., .. .. .	12	1	2	4	5	—
Appendicitis .. .. .	5	—	1	3	1	—
Intestinal Obstruction .. .. .	7	—	—	4	3	—
Diseases of Liver .. .. .	11	—	—	6	4	1
Diseases of Thyroid Body .. .. .	6	—	—	1	5	—
Acute Nephritis .. .. .	76	2	12	36	25	1
Chronic Bright's Disease .. .. .	108	4	16	50	36	2
Ovarian Tumour .. .. .	2	—	—	2	—	—
Uterine Tumour and other Diseases of Uterus. .. .. .	12	—	—	7	5	—
Abortion, Miscarriage† .. .. .	102	3	8	45	46	—
Puerperal Mania† .. .. .	70	2	8	39	21	—
Puerperal Convulsions† .. .. .	449	32	125	190	97	5
Placenta Prævia, Flooding† .. .. .	608	8	38	266	286	10
Other Accidents of Pregnancy and Childbirth.† .. .. .	826	11	107	414	286	8
Violence .. .. .	4	—	1	1	2	—
Other Causes .. .. .	14	1	1	9	3	—

\* These deaths are included under the several headings in the general abstracts and tables of causes of death.

† Of the 1465 deaths attributed to puerperal septic diseases, 133 were further complicated with other diseases.

‡ Of the 2055 deaths classed to accidents of pregnancy or of childbirth, a secondary cause was mentioned in 352 cases.

§ The age of deceased in one of these cases was 14 years.



body medically certified as invaded by infective processes are given in the supplementary tables on pages 310 and 311.

Before the commencement of the present century the deaths from pyæmia were included with those from septicæmia in the returns of the Registrar-General. The death-rate from these diseases does not vary greatly from year to year.

*Puerperal Pyæmia, Septicæmia, Septic Intoxication.*—Either to one or another of the conditions here specified, or else to the indefinite affection “puerperal fever” there were referred 1465 deaths in the year 1907, the deaths thus returned in the previous year having numbered 1640. The term puerperal fever has been removed from the nomenclature of the Royal College of Physicians, and the college direct that pyæmia, septicæmia, or septic intoxication occurring in puerperal women should be described as puerperal pyæmia, puerperal septicæmia, and puerperal septic intoxication respectively. The number of deaths certified as from “puerperal fever” last year was 214, and reference to Table 25 shows that the deaths thus indefinitely certified are gradually decreasing year by year. Of the deaths referred to puerperal septic affections 133 were further complicated; the complicating cause was stated to be scarlet fever in 5 cases, influenza in 6, pneumonia in 71, tuberculous disease in 5, diseases of the heart and blood vessels in 9, bronchitis in 5, pleurisy in 4, and kidney disease in 10 cases. In addition to the above, there occurred in connection with pregnancy or childbirth 2055 deaths, particulars of which are given on page 307 and also in Table M. on page xcvi. Further remarks on mortality in connection with the puerperal state will be found at page cxxiv.

**Pneumonia.**—In the year under notice the deaths returned as from one or another of the forms of pneumonia numbered 46,967, namely, 26,413 males and 20,554 females. Of these deaths 5385 were referred to lobar pneumonia, 21,317 to broncho-pneumonia, and 6 to epidemic pneumonia, whilst 20,259 were assigned to “pneumonia,” without further qualification, in the case of the deaths of 284 males and 184 females the condition was stated to be septic.

The Royal College of Physicians now class lobar pneumonia as an infective disease, and there is no doubt that all forms of pneumonia are, in their nature, infective. Since the year 1901 pneumonia has been distinguished, in these reports, from other affections of the respiratory system, and has been placed among general diseases.

In the year under notice the deaths from pneumonia of all forms were equal to a rate of 1344 per million of the population at all ages. The rate last year was equal to 1565 per million among males, and to 1137 per million among females. This will be seen by the table on page xcix, which has been continued from previous reports.

Pneumonia. Mortality at all Ages.		Crude Rates.	Corrected Rates.*		
		Average 1902-06.	Average, 1902-06.	Year 1907.	Ratio.†
Both Sexes	England & Wales	1283	1283	1344	105
	Urban Counties ...	1485	1515	1588	105
	Rural Counties ...	937	880	871	99
Males	England & Wales	1500	1500	1565	104
	Urban Counties ...	1733	1767	1854	105
	Rural Counties ...	1092	1027	1013	99
Females	England & Wales	1080	1080	1137	105
	Urban Counties ...	1252	1279	1339	105
	Rural Counties ...	793	743	737	99

\* See note to table on page lxxviii.

† *i.e.*, the ratio of the corrected death-rates in 1907 to those in 1902-06, the latter taken as 100.

Compared with the average in the quinquennium 1902-6 the mortality from pneumonia in 1907 showed an increase, although it will be seen, on reference to Table 22, that the rate was below that in the year 1902. Urban mortality showed an increase, while rural mortality showed a slight decrease.

The following table shows that the mortality from the principal types of pneumonia varies considerably according to age. From this table we see that in 1907, as in previous years, lobar or croupous pneumonia was most fatal at the later stages, and broncho-pneumonia most fatal in the first few years of life. In that year broncho-pneumonia was also very fatal towards the end of life :—

Pneumonia. Mortality at Age-groups, 1907.	Males.			Females.		
	All forms.	Lobar- Pneumonia.	Broncho- Pneumonia.	All forms.	Lobar- Pneumonia.	Broncho- Pneumonia.
All Ages ... ..	1565	198	666	1137	113	558
0-5 years ... ..	6212	216	4489	5190	172	3800
5-10 " ... ..	331	36	129	323	27	149
10-15 " ... ..	125	18	23	129	24	34
15-20 " ... ..	238	54	20	156	35	18
20-25 " ... ..	355	99	20	199	51	23
25-35 " ... ..	587	165	43	296	70	39
35-45 " ... ..	1028	279	92	552	119	79
45-55 " ... ..	1688	378	207	830	164	154
55-65 " ... ..	2718	541	502	1572	277	369
65 years and upwards	4732	631	1187	3798	441	1203



## Tuberculosis.

To tuberculous affections in the aggregate there were assigned in the year under notice 56,101 deaths, or fewer by 3,539 than the average number in the previous five years, corrected for increase of population. Tuberculosis was therefore responsible for 10·7 per cent. of the mortality from all causes, and for a death-rate of 1,605 per million living, at all ages and of both sexes.\* The accompanying chart, which is continued from the previous report, and which relates to tuberculous mortality for a long series of years, is designed to show the incidence of male and female mortality (a) from all forms of tuberculosis (indicated by the entire shaded portion) and (b) from phthisis (indicated by darker shading). The death-rates are stated in terms of a million living of each sex, and are rendered comparable by calculation on the age and sex constitution of the population at the census of 1901. The chart shows that throughout the last 40 years there has been a steady decrease in the fatality of tuberculous diseases in the aggregate, and that the decrease has been greatest in females. Among counties containing populations above 100,000 the uncorrected death-rate from tuberculosis last year was highest in Carnarvonshire, where it was equal to 2,194 per million living, in Carmarthenshire 2,156, in Northumberland 1,946, in Durham 1,881, in London 1,880, and in Lancashire 1,862.

Of the 56,101 deaths from tuberculosis at all ages, 18 per cent. were those of children under the age of five years, who died of it at the rate of 253 per 100,000 living of both sexes. Boys succumbed to this malady in the proportion of 277 per 100,000, and girls in the proportion of 230 in the same number living.

In a letter to you inserted in the 64th Annual Report, I directed particular attention to the difficulties encountered at that time and for several previous years, in our attempts to determine for a given time and place the amount of mischief caused by tubercle, because of uncertainty regarding the nature of the morbid conditions denoted by some of the names used in Medical Certificates, presumably to indicate tuberculous disease. I would again revert to this subject on the present occasion, because the difficulty experienced in the year 1901 still continues. In the absence of necropsies, which are seldom made in cases of this kind except in public hospitals, it is extremely difficult to determine, perhaps after a single inspection in an out-patient room, the exact nature of certain diseases which may nevertheless be suspected to be tuberculous. There is no reason to doubt the substantial accuracy of the returns respecting tuberculous phthisis, for this disease in its fatal form is easily recognised; but as regards the deaths from most other tuberculous affections considerable uncertainty remains. Among these is "tabes mesenterica," an affection which occurs for the most part among the imperfectly-nourished children of the poor, many of whom do not receive medical attention until the later stages of their illness. Although this term has been expunged from the Nomenclature of the Royal College of Physicians, it is

---

\* In the decennium 1851-60 the deaths from tuberculosis were in the proportion of 15·6 per cent. of the deaths from all causes, and corresponded to a rate of 3,457 per million of the mean population.




# ENGLAND & WALES.

## DEATH-RATES.

DIAGRAM VIII:-ENGLAND & WALES, 1858-1907. (a) TUBERCULOSIS (ALL FORMS), (b) PHTHISIS:-  
ANNUAL DEATH-RATES PER MILLION LIVING AT ALL AGES, CORRECTED FOR  
VARIATIONS OF AGE CONSTITUTION.

(NOTE:- THE DARKER SHADING REFERS TO PHTHISIS).



Note :- The death rates throughout the entire period are based upon the age constitution of the population as enumerated in 1901.





still employed by some medical men as a synonym for tubercle of the mesenteric glands, but its use has been entirely abandoned by the staffs of the principal London hospitals. Tuberculous peritonitis being the authorised name for this affection, it is hoped that the term *tabes mesenterica* will shortly disappear from medical certificates. The indefinite terms "strumous" and "scrofulous" still occur in medical certificates, although far less frequently than in former years. The correct adjective "tuberculous" is now substituted in a large proportion of the cases.\*

**Tuberculous phthisis** (pulmonary tuberculosis).—In the year under notice tuberculous phthisis accounted for the deaths of 19,368 persons, and "phthisis" not otherwise defined, for the deaths of 20,471 persons, at all ages and of both sexes. Together these deaths were equal to 71 per cent. of the total deaths from tuberculosis, and to a rate of 1,140 per million of the population, which is identical with the rate of the year 1905, and is below the average for the five years 1902–6 by 4 per cent.

Phthisis.		Crude Rates.	Corrected Rates.*		
Mortality at all Ages.		Average, 1902-06.	Average, 1902-06.	Year 1907.	Ratio.†
Both Sexes	{ England & Wales ...	1,192	1,192	1,140	96
	{ Urban Counties ...	1,280	1,274	1,214	95
	{ Rural Counties ...	1,090	1,124	1,092	97
Males	{ England & Wales ...	1,408	1,408	1,341	95
	{ Urban Counties ...	1,553	1,547	1,472	95
	{ Rural Counties ...	1,195	1,232	1,166	95
Females ...	{ England & Wales...	990	990	952	96
	{ Urban Counties ...	1,025	1,019	972	95
	{ Rural Counties ...	993	1,022	1,024	100

\* See note to table on page lxxviii.

† *i.e.*, the ratio of the corrected death-rates in 1907 to those in 1902–06, the latter taken as 100.

Both in 1905 and in 1907 the mortality from phthisis was the lowest on record. In proportion to the living, the victims of phthisis are now only half as numerous as they were half a century ago. Between the decennium 1851–60 and the quinquennial period last ended there has been a fall of 70 per cent. in the mortality

\* In addition to expunging "*tabes mesenterica*" from the authorised list of names of diseases, the college take occasion to impress upon medical men the desirability of discriminating among the various forms of tuberculous infection. (1) Under the head of "phthisis" there is a caution to the effect that where that condition is ascertained to be due to causes other than tuberculous this should be stated. (2) In a note to "*vomica*" it is directed that where this condition is due to tuberculous disease the fact should be stated. (3) To the conditions "*hæmoptysis*" and "*abscess of the lung*" a footnote is appended directing that when the cause is known it should be stated, the local condition also being specified. (4) Under the general heading "*tuberculosis*," there is an instruction that the terms "strumous" and "scrofulous" should no longer be used.



from this disease among persons of both sexes below the age of 25 years. From that age onward to the close of life the fall has been considerably less marked, and has been more pronounced in females than in males.

Phthisis.		Average 1902-1906.			Year 1907.		
Mortality at Age-groups.		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	0—	340	402	253	316	374	212
	5—	169	184	139	163	187	99
	10—	280	280	296	256	261	294
	15—	863	839	971	830	824	933
	20—	1,357	1,260	1,738	1,255	1,124	1,690
	25—	1,768	1,738	1,957	1,695	1,648	1,902
	35—	2,139	2,367	1,753	2,026	2,207	1,712
	45—	2,172	2,569	1,531	2,048	2,392	1,524
	55—	1,736	2,051	1,340	1,769	2,132	1,353
	65—	941	1,137	761	982	1,219	757
Males	0—	367	437	265	340	400	198
	5—	143	158	113	126	146	76
	10—	165	174	149	155	157	153
	15—	760	758	776	698	724	671
	20—	1,520	1,406	1,874	1,378	1,232	1,781
	25—	2,060	2,024	2,238	1,954	1,933	2,016
	35—	2,622	2,953	2,051	2,511	2,768	2,008
	45—	2,997	3,627	1,951	2,813	3,343	1,986
	55—	2,476	3,030	1,730	2,545	3,173	1,732
	65—	1,306	1,682	928	1,353	1,834	963
Females	0—	314	367	241	292	348	227
	5—	195	209	164	201	227	122
	10—	395	384	445	356	363	436
	15—	964	916	1,171	958	919	1,202
	20—	1,212	1,130	1,617	1,145	1,028	1,609
	25—	1,505	1,479	1,712	1,462	1,388	1,803
	35—	1,686	1,812	1,481	1,573	1,674	1,442
	45—	1,408	1,572	1,155	1,340	1,496	1,112
	55—	1,087	1,195	1,000	1,090	1,222	1,022
	65—	661	735	626	696	764	593

The two tables immediately preceding show the male and female rates of mortality from phthisis in England and Wales, at all ages

and at several groups of ages, in the year 1907 ; and, for comparison therewith, the average rates in the quinquennium 1902-06 ; they further show the distribution of phthisis mortality, at the same age-groups, in the selected urban and rural counties respectively. The rates in the first table are corrected for age and sex differences of the population.

From these tables it may be gathered that, as compared with the rural death-rate from phthisis at all ages, the urban rate was higher by 26 per cent. among males, but lower by 5 per cent. among females. When, however, examination is made of the average mortality at the several ages, it appears that phthisis is more fatal in the rural area than in the urban to young men at ages 20-35, and to young women at ages 10-35 ; whilst, at all other ages, the reverse holds true. (See Table page cii.)

This table also shows that, as compared with the average in the previous quinquennium, there has been a fall in phthisis mortality at every age-group below 55 years ; but that above this age a slight increase has taken place in the mortality of both sexes. In the county groups the fall has been somewhat irregular, probably owing to the fewness of fatal cases in a single year, at certain stages of life.

Phthisis. 1903-1907.	Corrected Death-rates per million.		
	Persons.	Males.	Females.
England and Wales ... ..	1,173	1,385	975
Cardiganshire ... ..	2,306	2,479	2,143
Merionethshire ... ..	1,670	1,680	1,661
Carnarvonshire... ..	1,611	1,707	1,522
Carmarthenshire ... ..	1,554	1,479	1,624
Pembrokeshire ... ..	1,433	1,498	1,372
London ... ..	1,431	1,863	1,026
Northumberland ... ..	1,408	1,530	1,293
Anglesey... ..	1,370	1,294	1,441
Lancashire ... ..	1,339	1,616	1,080
Cornwall ... ..	1,273	1,634	935
Hampshire ... ..	1,243	1,511	992
Durham ... ..	1,219	1,243	1,195
Montgomeryshire ... ..	1,219	1,398	1,050
Warwickshire ... ..	1,210	1,577	866

In Tables 29, 30 and 31, the crude rates of mortality from phthisis in 1907 are shown in the several registration counties of England and Wales. On examination, however, it is clear that in some counties the numbers of the living, and therefore the deaths, in a single year are insufficient to furnish reliable rates of mortality for comparative purposes. This remark is particularly in point with respect to the counties of Huntingdon, Rutland, and Westmorland in England, and to the counties of Brecknock, Radnor, and Anglesey in Wales. For the foregoing reason comparison of phthisis fatality in single years was formerly limited to counties with populations exceeding 100,000 ; but this plan leaves out of account several counties in which phthisis is exceptionally destructive. In view of the increased interest recently shown in the local



incidence of this scourge, examination has now been made of the phthisis mortality in every one of the registration counties, in the quinquennium ended 1907. In the table on page ciii a list is given of those English and Welsh counties where the mortality from phthisis is in excess of the mean for the country generally. These rates are corrected for age differences of the several populations, but not for deaths in public institutions. In all cases correction of this kind is obviously desirable, but it is occasionally found to be impracticable. Hampshire, for example, is a case in point. This county contains a considerable number of hospitals for the treatment of tuberculosis, and in one year alone (1907) as many as 38 deaths occurred in one or another of these institutions, not fewer than 33 of which deaths were those of persons who had previously resided outside the county.

From this table it appears that of the fourteen counties suffering the highest fatality from phthisis, not fewer than seven are Welsh ; and that among these Cardiganshire experienced a death-rate which is nearly double the average for England and Wales.

**Tuberculous Meningitis.**—Under this head, or else under that of acute hydrocephalus, there were returned last year 5,885 deaths at all ages—being fewer by 530 than the average number in the previous five years, after allowance for increase of population. As the deaths from simple meningitis also show a decrease, there is no reason to doubt the reality of the decrease in the mortality from meningeal tuberculosis.

A considerable proportion of the deaths originally certified as from hydrocephalus are found on inquiry to be due to tubercle ; and in all such cases the statistical records of this office are corrected accordingly. In certifying deaths from hydrocephalus it would conduce to greater accuracy of classification in these reports if, in all cases believed to be due to tuberculous infection, the term “tuberculous meningitis” were substituted for the former indefinite term.

The Tables on pages 298–299 show that tuberculous meningitis is, for the most part, a disease of early life. Of the deaths at all ages registered last year not fewer than 3,887, or 66 per cent. occurred within the first five years of life—a number corresponding to a rate of 97 per 100,000 living at that age. The deaths under one year were equal to 145 in every 100,000 infants born ; 49 of which occurred in the first six months, and 96 in the last six months of that period.

Throughout the last twenty years there has been a steady fall in the recorded mortality from tuberculous meningitis ; this will appear on reference to the following table, which gives, for each of the last four quinquennia, the average death-rates from tuberculous meningitis in each hundred thousand living at ages under five years :—

Quinquennia.	Boys.	Girls.	Both Sexes.
1888–92 ... ..	161	119	140
1893–97 ... ..	146	116	131
1898–1902 ... ..	130	108	119
1903–07 ... ..	115	99	107

In each of the last three reports the mortality from this disease has been abstracted for particular areas : and from these, as well as from a table in Part I. of the Supplement to the 65th Annual Report, p. xcvi., it appears that tuberculous meningitis is generally more destructive to young children in the town than in the country. In the selected urban counties the mortality of infants under one year was equal in 1907 to a rate of 161 per 100,000 births ; and, in the rural counties to a rate of 92 in the same number of births.

**Tuberculous Peritonitis.**—Under this head and that of tabes mesenterica together there were returned last year 4,501 deaths at all ages, or fewer by 1,042 than the corrected average number in the preceding five years. Of this total 3,532 were definitely ascribed to tuberculous peritonitis, the remaining 969 being indefinitely assigned to tabes mesenterica.\* Not less than 64 per cent. of the deaths at all ages were those of children under five years. Among 100,000 boys living at this age the deaths were 80 in number ; whilst among the same number of girls living the deaths numbered 65. The deaths of infants of both sexes at ages under one year were in the proportion of 171 per 100,000 births, and of these 96 occurred within the first six months, and 75 within the second six months after birth.†

The following table shows, for each of the last four quinquennia, the average death-rates from this disease in each 100,000 living under five years of age :—

Quinquennia.	Boys.	Girls.	Both Sexes.
1888-92 ... ..	187	150	168
1893-97 ... ..	163	131	147
1898-1902 ... ..	138	110	124
1903-07 ... ..	102	82	92

We thus see that there has been a considerable fall in the mortality from tuberculous peritonitis within the last twenty years. The majority of victims to this disease are boys, but the rate of decrease in mortality since 1888-92 has been nearly equal in children of both sexes.

From tables in the present as well as in previous reports it will be seen that tuberculous peritonitis (in common with tuberculous meningitis) is far more fatal in the town than in the country. In the period under review this disease was fatal to 185 infants under one year in each 100,000 births in the urban counties, and to 124 per 100,000 births in the rural counties.

**Other Tuberculous Diseases.**—In the year under notice the deaths at all ages returned under this head were 5,876 in number, and corresponded to a rate of 168 per million living, which is slightly below the average rate in the preceding five years (*see* Table 22). This total consists of 4,061 deaths from general tuberculosis, and of

\* In the year 1901 more than half of the deaths under this head were thus indefinitely returned.

† See pages 72-73 under "Infantile Mortality."



1815 deaths from lupus, scrofula, and tuberculous diseases of the bones, joints, and other parts of the body besides those dealt with in previous sections of this report. Of the 5,876 deaths at all ages from 'other tuberculous diseases' 2,073 were those of children under five years of age (*see* pages 298 and 299).

The diseases included in this section are more fatal to males than to females. The mortality from these diseases differs from that of the other specified forms of this infection, inasmuch as it has shown no marked tendency to decrease in recent years. From Table 21, on page 24, it may be gathered that there has been a slight increase since 1901 under the head of tuberculosis of the bones, joints, &c.; but that the deaths from general tuberculosis as well as from lupus and from scrofula have shown no tendency to increase since the commencement of the present century.

**Alcoholism.**—Under the heading "Alcoholism, delirium tremens," the deaths of 2,201 persons, 1,328 males and 873 females, were returned in the year under notice; of this total 43 had been originally certified as from hæmatemesis, hæmoptysis, peritonitis, mania, paralysis, or some other indefinite cause, the true nature of the fatal malady having been ascertained subsequently in each case by correspondence with the medical attendant. Among males the deaths at all ages were equal to a rate of 79 per million, and among females to a rate of 48 per million, both of which rates are below the average in recent previous years. In the last seven years nine-tenths of the deaths from alcoholism occurred within the main working period of life, *i.e.*, at ages from 25 to 65 years.

Mortality at ages 25 years and upwards.	Males.			Females.		
	Alco- holism.	Cirrhosis of the Liver.	Both Diseases	Alco- holism.	Cirrhosis of the Liver.	Both Diseases.
1896-1900... ..	227	331	558	137	237	374
1901 ... ..	236	317	553	163	231	394
1902 ... ..	220	304	524	132	209	341
1903 ... ..	192	287	479	127	202	329
1904 ... ..	179	285	464	111	204	315
1905 ... ..	165	276	441	105	211	316
1906 ... ..	168	268	436	107	197	304
1907 ... ..	166	259	425	98	205	303
Ratio per cent. of Mortality in 1907 to that in 1896-1900. }	73.	78	76	72	86	81

It has been frequently stated in these reports that the deaths actually assigned to alcoholism or to delirium tremens form an imperfect measure of the mortality caused by alcoholic intemperance, and that the best available indication is probably furnished by the combined mortality from alcoholism and cirrhosis of the

liver. Almost the whole of the deaths returned under these two headings occur among persons aged 25 years and upwards; accordingly, in the table on page cvi the deaths of persons above 25 years of age are given in proportion to the number living at those ages.

The mortality ascribed to alcoholism and cirrhosis of the liver, which had been increasing for many years, and especially in the years 1896-1900, reached its highest point in the last year of that quinquennium. In the year 1900 the death-rate from these causes among males at the ages specified reached 623 per million, and among females 449 per million. Since that year, however, there has been a steady decline in the mortality ascribed to these causes—the rate in 1907 being below the mean rate in 1896-1900 by 24 per cent. in the case of males, and by 19 per cent. in the case of females. As a result of medical inquiry by this office the mortality from alcoholism in the years 1900 and 1901 was materially increased by the transference of deaths that had originally been certified as from neuritis. But this addition does not fully account for the excessive mortality in the first-named year.

**Rheumatic Fever \*** (Acute and Sub-acute Rheumatism).—In the year under notice the deaths of 967 males and 1057 females were referred to this disease, these deaths corresponding to rates of 57 and 59 per million of the respective sexes. According to the experience of the last seven years, the age of maximum fatality from this disease is from 10 to 20 years in each sex. At ages under five years boys are slightly more liable than girls to succumb to it, whilst at ages from 5 to 15 years the disease is most fatal to girls. Between the ages of 15 and 25 years the mortality is about equal in both sexes, whilst at ages from 25 to 75 men die of rheumatic fever in larger proportion than do women. The average death-rates per million living at specified ages among males and females in the years 1901-7 are shown by the following table :—

Rheumatic Fever, Mortality at Age-groups.						Average, 1901-07.	
						Males.	Females.
All ages	...	...	...	...	...	62	59
0—	...	...	...	...	...	19	17
5—	...	...	...	...	...	62	70
10—	...	...	...	...	...	83	98
15—	...	...	...	...	...	79	81
20—	...	...	...	...	...	52	54
25—	...	...	...	...	...	60	49
35—	...	...	...	...	...	73	56
45—	...	...	...	...	...	70	66
55—	...	...	...	...	...	67	59
65—	...	...	...	...	...	62	55
75 and upwards	...	...	...	...	...	41	46

\* Previous to the beginning of the current century rheumatic fever had been classed together with rheumatism of the heart; consequently the present mortality from rheumatic fever alone cannot be compared with that of periods earlier than 1901.



**Gout.**—In several previous reports, and for reasons there given, doubts have been expressed whether the actual incidence of fatal gout among the English population can be regarded as accurately shown by the registered mortality from that disease. In the year now under notice the deaths of males from gout were 362 in number at all ages, and the deaths of females were 88, showing a slight decrease in both sexes on the numbers of the previous year.

In your 68th Annual Report (page xcix.) a table was given showing the mortality actually attributed to this disease in two quinquennial periods a quarter of a century apart. The figures both for 1906 and 1907 confirm the statement previously made, that in both sexes gout is now less fatal than it formerly was at most ages above 35 years—this being mainly a disease of middle, or of advanced life.

**Malignant Disease.**

The deaths ascribed to cancer or malignant disease in the year under notice numbered 31,745 at all ages, and exceeded by 1019 the annual average in the previous quinquennium, corrected for increase of population. If the deaths from malignant disease in 1907 be calculated on the aggregate population without reference to the ages of the living, the disease appears to have exacted a death toll of 781 per million among males, and of 1026 per million among females.

For comparative purposes, the chart facing page cxvi is continued from the previous report; it shows a general increase in the recorded mortality of both sexes from malignant disease in the last half century, although in comparison with the previous year there was a slightly reduced mortality in the year under notice. The enormous difference in the mortality of the two sexes from cancer of the generative organs is indicated by appropriate shading.

Cancer.		Crude Rates.	Corrected Rates.*		
Mortality per million Living at ages 35 years and upwards.		Average, 1902-06.	Average, 1902-06.	Year 1907.	Ratio.†
Both Sexes	{ England & Wales ...	2,645	2,645	2,734	103
	{ Urban Counties ...	2,604	2,760	2,848	103
	{ Rural Counties ...	2,819	2,449	2,589	106
Males	{ England & Wales ...	2,285	2,285	2,401	105
	{ Urban Counties ...	2,230	2,403	2,518	105
	{ Rural Counties ...	2,495	2,100	2,244	107
Females ...	{ England & Wales ...	2,969	2,969	3,033	102
	{ Urban Counties ...	2,942	3,080	3,143	102
	{ Rural Counties ...	3,103	2,761	2,897	105

\* See note to table on page lxxviii.  
† i.e., the ratio of the corrected death-rates in 1907 to those in 1902-6, the latter taken as 100.

Uncorrected or "crude" rates of mortality are especially misleading in the case of cancer, because of the restricted age constitution of the victims. But if, instead of computing the crude death-rate in the ordinary way, we apply the deaths at ages above 35 years to the number living at those ages, we obtain the mortality at that stage of life in which cancer is most destructive; and the result, corrected for age constitution of the population, is fairly comparable as between successive periods, or as between different localities. The preceding table has been constructed on this principle. It shows for the year under notice the death-rate from malignant disease in that portion of the population living at ages above 35 years (*a*) in England and Wales as a whole (*b*) in the selected urban counties, and (*c*) in the selected rural counties—the rates in 1907 being compared with the averages in the five years immediately preceding.\*

This table shows, as similar tables in previous reports have shown, that the recorded mortality from malignant disease still continues to increase more rapidly among males than among females. The corrected rates in the second column of figures clearly indicate that cancer is more destructive in the town than in the country, although the crude rates in the first column would seem to show the reverse.†

The table on page cxvi shows the mortality from malignant disease per million of each sex at ages from 35 years upwards, at which period of life this disease secures 96 per cent. of its victims. The table further shows that in the year under notice there has been an increase on the quinquennial average rates at every age group in men, and an increase at every age group above 55 years in women.

Tables N. and O. show, for males and females respectively, the frequency with which the various parts of the body are attacked by malignant disease. It is well known that cancer is more fatal to women than to men, but this is accounted for by the fact that the generative and mammary organs of women are much more frequently the seat of disease than are those of men. In the seven year period ending with 1907 the recorded deaths of males from malignant disease, other than that of the generative and mammary organs, were equal to a rate of 730 per million, whilst the deaths of females with the same reservation did not exceed 594 per million. In the same period there died of malignant disease in England and Wales 207,764 persons, of whom 84,800 were males and 122,964 were females. In Tables P. and Q. these numbers have been reduced proportionally to 10,000 total deaths from cancer, among males and females respectively. The numbers in these tables must not be taken as indicating the relative frequency of

---

\* For the composition of these groups see page lxxi.

† But there still remains, even in the corrected rates, an error for which adjustment is impracticable. This error results from the circumstance that in our principal towns a large portion of the beds in hospitals are occupied by patients who have migrated thither from the country. A considerable number of cancer patients die in hospital, and in some of these cases the previous residence of the patients cannot accurately be ascertained. Consequently the complete distribution of hospital deaths is not at present possible.



TABLE N.—ENGLAND and WALES.—DEATHS from MALIGNANT

## MALES.

Part of the Body Affected.*		All Ages.	Ages					
			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.
TOTAL ..		84,800	92	87	103	104	89	475
Skin of—								
Face .. .. .	1,625	1	2	—	1	2	6	
Lip .. .. .	1,346	—	1	—	—	—	1	
Nose .. .. .	154	—	—	—	—	—	—	
Scalp .. .. .	80	—	2	—	—	—	2	
Ear .. .. .	173	2	—	—	2	—	4	
Stomach .. .. .	18,294	1	—	—	—	—	1	
Intestines .. .. .	6,512	3	2	2	2	2	11	
Rectum .. .. .	8,690	—	1	—	—	—	1	
Breast .. .. .	160	—	—	—	—	—	—	
Œsophagus .. .. .	5,403	—	—	—	—	—	—	
Liver and Gall Bladder .. .. .	10,853	7	4	7	10	3	31	
Pancreas .. .. .	1,537	1	1	—	—	—	2	
Bladder and Urethra .. .. .	2,632	—	—	—	7	1	8	
Pharynx, Throat .. .. .	1,902	2	—	—	—	2	4	
Larynx and Trachea .. .. .	1,645	1	—	—	1	—	2	
Thyroid .. .. .	151	—	—	—	—	1	1	
Tongue .. .. .	4,636	—	—	—	—	—	—	
Mouth .. .. .	1,521	—	1	1	2	1	5	
Prostate .. .. .	978	—	—	—	—	—	—	
Peritoneum .. .. .	741	4	3	1	4	4	16	
Pleura .. .. .	61	—	—	—	—	—	—	
Brain .. .. .	759	3	3	5	10	13	34	
Spinal Cord .. .. .	46	1	—	1	—	—	2	
Heart and Pericardium .. .. .	9	—	—	—	—	—	—	
Globe of Eye, Orbit .. .. .	264	2	3	25	17	10	57	
Axilla .. .. .	112	—	—	1	—	1	2	
Groin .. .. .	160	—	—	—	—	—	—	
Lymphatic Glands .. .. .	190	2	—	1	—	2	5	
Shoulder .. .. .	147	—	—	—	1	1	2	
Arm, Leg .. .. .	1,182	5	6	2	2	1	16	
Hip .. .. .	66	—	—	—	—	—	—	
Skull .. .. .	113	—	3	3	4	2	12	
Rib, Sternum .. .. .	141	—	—	—	—	—	—	
Spinal Column .. .. .	202	—	2	—	1	—	3	
Jaw .. .. .	2,486	4	5	2	4	3	18	
Buttock .. .. .	21	1	—	—	—	—	1	
Pelvic Bones .. .. .	445	2	4	1	1	1	9	
Kidney and Supra-Renals .. .. .	920	21	30	31	14	23	119	
Testes and Penis .. .. .	1,242	2	—	2	2	1	7	
Parotid Gland .. .. .	257	2	—	—	1	1	4	
Lung .. .. .	1,072	1	—	3	3	1	8	
Mediastinum .. .. .	845	—	1	1	2	1	5	
Mesentery .. .. .	195	3	—	—	1	—	4	
Lymphatic Glands of Neck .. .. .	2,433	6	1	1	2	4	14	
Spleen .. .. .	178	1	3	2	—	—	6	
Abdomen .. .. .	1,126	3	6	2	7	5	23	
Thorax .. .. .	237	2	1	—	—	3	6	
Part not stated .. .. .	858	9	2	9	3	—	23	

\* The arrangement of this column has been fixed in consultation

DISEASE, 1901-1907, CLASSIFIED according to AGE, and PART AFFECTED.

## MALES.

at Death,

5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up-wards.	Part of the Body Affected.*
221	205	339	523	1,933	5,926	15,826	25,832	23,385	9,194	941	TOTAL.
1	—	6	5	19	84	204	339	453	405	103	Skin of—
—	—	—	1	4	40	116	283	416	386	99	Face.
1	3	4	2	5	6	22	33	38	32	8	Lip.
1	—	1	2	6	3	9	20	18	15	3	Nose.
1	1	1	—	3	6	17	18	43	62	17	Scalp.
—	1	4	22	287	1,266	3,413	5,836	5,505	1,849	110	Ear.
6	4	13	29	169	454	1,087	1,899	1,999	788	53	Stomach.
—	4	9	48	210	498	1,476	2,703	2,607	1,036	98	Intestines.
—	—	1	—	1	8	33	42	49	23	3	Rectum.
—	1	1	—	27	289	1,232	2,001	1,409	416	27	Breast.
18	9	15	24	163	652	1,830	3,469	3,283	1,236	123	Œsophagus.
—	1	3	10	41	163	325	487	392	108	5	Liver and Gall Bladder.
5	2	2	2	22	122	384	739	925	375	46	Pancreas.
3	11	12	9	34	125	437	665	454	141	7	Bladder and Urethra.
—	1	—	2	9	109	413	596	394	110	9	Pharynx, Throat.
1	1	1	2	—	14	33	49	38	11	—	Larynx and Trachea.
—	—	1	2	27	329	1,189	1,603	1,075	381	29	Thyroid.
—	1	3	6	11	95	303	482	438	156	21	Tongue.
1	—	2	1	2	13	69	276	419	179	16	Mouth.
4	4	7	12	46	70	137	207	166	66	6	Prostate.
—	2	—	1	6	9	9	16	12	6	—	Peritoneum.
—	—	—	—	—	—	—	—	—	—	—	Pleura.
39	33	40	49	114	145	141	112	47	4	1	Brain.
—	1	1	4	3	9	10	7	7	2	—	Spinal Cord.
—	—	—	—	2	—	4	2	1	—	—	Heart and Pericardium.
19	6	4	2	8	13	23	37	50	36	9	Globe of Eye, Orbit.
3	—	—	—	8	11	9	25	32	19	3	Axilla.
—	—	1	3	11	19	37	49	25	13	2	Groin.
3	5	2	8	11	23	34	44	38	16	1	Lymphatic Glands.
5	5	6	9	12	15	19	29	26	15	4	Shoulder.
12	24	62	62	82	89	141	225	245	188	36	Arm, Leg.
—	1	5	3	6	9	10	12	10	9	1	Hip.
9	4	2	13	7	8	15	19	16	7	1	Skull.
4	3	5	6	9	16	29	31	26	11	1	Rib, Sternum.
2	2	7	6	15	18	38	60	40	10	1	Spinal Column.
10	9	12	11	30	167	544	769	634	265	17	Jaw.
—	—	1	—	2	1	2	5	6	3	—	Buttock.
10	5	16	16	36	52	67	103	95	34	2	Pelvic Bones.
23	7	6	12	34	193	172	227	166	59	2	Kidney and Supra-Renals.
2	2	11	28	132	180	245	237	233	144	21	Testes and Penis.
2	1	—	3	8	15	50	70	69	32	3	Parotid Gland.
6	5	13	33	74	153	257	290	185	43	5	Lung.
7	8	19	16	60	110	209	220	150	39	2	Mediastinum.
4	2	2	7	6	24	42	41	45	17	1	Mesentery.
8	13	12	25	54	193	576	769	522	227	20	Lymphatic Glands of Neck.
2	1	3	1	13	17	28	55	41	11	—	Spleen.
3	5	9	12	47	92	191	309	312	114	9	Abdomen.
2	3	7	2	15	23	49	80	36	12	2	Thorax.
4	14	7	12	42	76	146	242	195	83	14	Part not stated.

with Dr. Bashford, Director of the Imperial Cancer Research Fund,



TABLE O.—ENGLAND and WALES.—DEATHS from MALIGNANT

## FEMALES.

Part of the Body Affected.*	All Ages.	Ages					
		Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.
TOTAL ..	122,964	66	73	84	82	69	374
Skin of—							
Face .. .. .	1,105	—	—	—	2	1	3
Lip .. .. .	103	1	1	—	—	—	2
Nose .. .. .	128	—	—	—	—	—	—
Scalp .. .. .	119	—	—	1	—	1	2
Ear .. .. .	58	—	—	—	—	—	—
Stomach .. .. .	17,370	—	—	—	—	1	1
Intestines .. .. .	8,929	—	—	—	—	—	—
Rectum .. .. .	7,276	—	1	—	—	—	1
Uterus .. .. .	27,555	—	4	—	—	—	4
Breast .. .. .	20,467	1	—	—	—	—	1
Esophagus .. .. .	1,816	—	—	—	—	—	—
Liver and Gall Bladder	16,578	6	4	7	7	9	33
Pancreas .. .. .	1,438	—	—	1	—	—	1
Bladder and Urethra ..	1,145	—	—	—	1	—	1
Pharynx, Throat .. ..	543	—	—	—	—	—	—
Larynx and Trachea ..	541	—	—	—	—	—	—
Thyroid .. .. .	392	1	—	1	—	—	2
Tongue .. .. .	617	1	—	—	—	—	1
Mouth .. .. .	281	—	—	—	1	1	2
Peritoneum .. .. .	1,890	2	2	1	2	2	9
Pleura .. .. .	68	—	—	1	—	—	1
Brain .. .. .	560	1	3	5	6	9	24
Spinal Cord .. .. .	40	—	1	—	—	—	1
Pericardium .. .. .	1	—	—	—	—	—	—
Globe of Eye, Orbit ..	239	6	5	11	17	8	47
Axilla .. .. .	166	—	—	—	—	—	—
Groin .. .. .	155	—	—	—	—	—	—
Lymphatic Glands .. ..	146	—	1	—	—	1	2
Shoulder .. .. .	117	—	—	—	1	1	2
Arm, Leg .. .. .	1,190	7	2	2	1	6	18
Hip .. .. .	55	—	—	—	—	—	—
Skull .. .. .	84	2	1	3	3	1	10
Rib, Sternum .. .. .	104	—	—	—	1	—	1
Spinal Column .. .. .	172	3	—	1	2	—	6
Jaw .. .. .	911	—	2	1	2	1	6
Buttock .. .. .	30	—	—	2	—	—	2
Pelvic Bones .. .. .	814	3	4	2	1	—	10
Ovary .. .. .	2,390	—	2	2	—	1	5
Kidney and Supra-Renals	941	16	34	27	23	21	121
Parotid Gland .. .. .	143	1	—	—	—	1	2
Lung .. .. .	856	1	—	—	3	1	5
Mediastinum .. .. .	522	—	—	—	—	—	—
Mesentery .. .. .	278	—	—	1	—	—	1
Lymphatic Glands of Neck..	763	6	1	2	2	—	11
Spleen .. .. .	197	—	—	1	2	—	3
Abdomen .. .. .	2,209	1	1	7	3	2	14
Thorax .. .. .	250	—	1	1	—	—	2
Part not Stated .. .. .	1,212	7	3	4	2	1	17

\* The arrangement of this column has been fixed in consultation

DISEASE in 1901-1907, CLASSIFIED according to AGE, and PART AFFECTED.

## FEMALES.

at Death,											Part of the Body Affected.*
5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
161	187	319	422	3,528	13,294	26,350	33,612	29,871	13,095	1,751	TOTAL.
I	4	I	3	11	41	100	174	301	359	107	Skin of—
—	—	—	—	—	2	8	11	34	37	9	Face.
I	—	—	3	I	I	11	22	46	35	8	Lip.
—	I	—	—	3	5	16	23	32	29	8	Nose.
—	—	—	—	3	6	15	11	11	10	2	Scalp.
—	I	2	12	273	1,172	3,059	5,177	5,342	2,130	201	Ear.
2	4	12	25	199	560	1,456	2,523	2,760	1,254	134	Stomach.
—	—	16	28	227	596	1,288	2,053	2,020	943	104	Intestines.
—	2	6	36	1,146	4,892	7,927	7,326	4,541	1,502	173	Rectum.
—	I	3	14	433	2,527	5,049	5,298	4,309	2,353	479	Uterus.
—	—	—	2	94	209	347	432	482	229	21	Breast.
10	5	12	19	183	954	2,834	5,171	5,093	2,066	198	Œsophagus.
I	2	I	3	36	104	259	480	396	142	13	Liver and Gall Bladder.
I	—	—	—	16	74	157	303	373	195	25	Pancreas.
4	5	6	6	25	83	116	136	100	59	3	Bladder and Urethra.
I	—	2	—	43	100	120	137	102	31	5	Pharynx, Throat.
—	—	2	4	17	40	71	108	101	40	7	Larynx and Trachea.
—	—	—	3	45	69	98	140	167	85	9	Thyroid.
2	2	6	I	10	27	41	70	83	31	6	Tongue.
I	4	6	5	57	161	385	561	495	190	16	Mouth.
—	—	I	I	2	6	20	18	13	5	I	Peritoneum.
—	—	—	—	—	—	—	—	—	—	—	Pleura.
23	18	26	35	73	121	107	86	37	10	—	Brain.
I	—	I	I	2	9	11	6	8	—	—	Spinal Cord.
—	—	—	—	—	—	—	—	I	—	—	Pericardium.
9	3	2	—	4	11	29	41	47	34	12	Globe of Eye, Orbit.
—	—	I	—	3	12	19	37	51	36	7	Axilla.
I	—	—	2	8	17	32	33	31	26	5	Groin.
2	5	I	4	9	17	32	31	34	8	I	Lymphatic Glands
2	5	3	3	9	14	17	29	22	10	I	Shoulder.
16	33	55	32	63	79	137	225	269	200	63	Arm, Leg.
—	2	2	8	5	5	10	10	10	3	—	Hip.
2	2	4	2	6	8	11	17	13	7	2	Skull.
I	3	I	7	11	11	21	18	19	9	2	Rib, Sternum.
—	2	5	3	10	29	30	44	29	13	I	Spinal Column.
5	9	8	12	32	74	152	235	224	137	17	Jaw.
—	—	2	2	2	2	I	6	7	6	—	Buttock.
3	10	16	24	37	119	178	184	170	55	8	Pelvic Bones.
7	7	32	31	158	434	704	601	323	81	7	Ovary.
29	8	7	9	29	78	174	227	181	71	7	Kidney and Supra-Renals.
2	I	4	2	7	13	20	30	36	22	4	Parotid Gland.
7	13	16	17	47	121	224	218	149	36	3	Lung.
2	4	6	13	35	69	108	138	108	37	2	Mediastinum.
3	I	3	4	9	24	48	72	79	30	4	Mesentery.
6	14	21	16	44	56	128	172	175	106	14	Lymphatic Glands of Neck
2	—	2	2	2	27	34	62	53	9	I	Spleen.
I	4	10	11	42	140	425	571	673	283	31	Abdomen.
5	2	2	3	10	20	51	71	56	23	9	Thorax.
8	10	13	14	47	155	270	274	265	118	21	Part not Stated.

with Dr. Bashford, Director of the Imperial Cancer Research Fund.



TABLE P.—ENGLAND and WALES.—MALES.—PROPORTION in 10,000 DEATHS from CANCER, of DEATHS at several AGES from CANCER of specified ORGANS or PARTS of the BODY.

(Based on a total of 84,800 deaths of MALES from Cancer in the seven years 1901-7.)

Part of Body Affected.	All Ages.	Ages at Death.						
		0-35.	35--	45--	55--	65--	75--	85 and upwards.
TOTAL .. ..	10,000	436	701	1866	3047	2758	1084	108
Skin of—								
Face .. ..	192	4	10	24	40	53	48	13
Lip .. ..	160	1	5	14	33	49	46	12
Nose .. ..	19	2	1	3	4	4	4	1
Scalp .. ..	8	1	0	1	2	2	2	0
Ear .. ..	20	1	1	2	2	5	7	2
Stomach .. ..	2157	37	149	402	689	649	218	13
Intestines .. ..	768	27	54	128	224	236	93	6
Rectum .. ..	1025	32	59	174	319	307	122	12
Breast .. ..	19	0	1	4	5	6	3	0
Esophagus .. ..	637	3	34	145	237	166	49	3
Liver and Gall Bladder	1281	31	77	216	409	387	146	15
Pancreas .. ..	181	7	19	38	57	46	13	1
Bladder and Urethra ..	310	5	14	45	87	110	44	5
Pharynx, Throat .. ..	226	9	15	52	78	54	17	1
Larynx and Trachea ..	194	2	13	49	70	46	13	1
Thyroid .. ..	18	1	2	4	6	4	1	—
Tongue .. ..	547	4	39	140	189	127	45	3
Mouth .. ..	179	3	11	36	57	52	18	2
Prostate .. ..	116	1	2	8	33	49	21	2
Peritoneum .. ..	87	10	8	16	24	20	8	1
Pleura .. ..	7	1	1	1	2	1	1	—
Brain .. ..	89	36	17	17	13	6	0	0
Spinal Cord .. ..	5	1	1	1	1	1	0	—
Heart and Pericardium	1	0	—	1	0	0	—	—
Globe of Eye, Orbit ..	31	11	2	3	4	6	4	1
Axilla .. ..	13	2	1	1	3	4	2	0
Groin .. ..	19	2	2	4	6	3	2	0
Lymphatic Glands .. ..	22	4	3	4	5	4	2	0
Shoulder .. ..	17	5	2	2	3	3	2	0
Arm, Leg .. ..	139	30	10	17	27	29	22	4
Hip .. ..	7	2	1	1	1	1	1	0
Skull .. ..	14	6	1	2	2	2	1	0
Rib, Sternum .. ..	16	3	2	3	4	3	1	0
Spinal Column .. ..	23	4	2	4	7	5	1	0
Jaw .. ..	294	11	20	64	91	75	31	2
Buttock .. ..	2	0	0	0	1	1	0	—
Pelvic Bones .. ..	52	11	6	8	12	11	4	0
Kidney and Supra- renals. <sup>1</sup> .. ..	109	24	11	20	27	20	7	0
Testes and Penis .. ..	146	21	21	29	29	27	17	2
Parotid Gland .. ..	30	2	2	6	8	8	4	0
Lung .. ..	126	16	18	30	34	22	5	1
Mediastinum .. ..	101	14	13	25	26	18	5	0
Mesentery .. ..	23	3	3	5	5	5	2	0
Lymphatic Glands of Neck. .. ..	288	15	23	68	91	62	27	2
Spleen .. ..	20	3	2	3	6	5	1	—
Abdomen .. ..	133	12	11	23	36	37	13	1
Thorax .. ..	27	4	3	6	9	4	1	0
Part not stated .. ..	102	12	9	17	29	23	10	2

TABLE Q.—ENGLAND and WALES.—FEMALES.—PROPORTION in 10,000 DEATHS from CANCER, of DEATHS at several AGES from CANCER of specified ORGANS or PARTS of the BODY.

(Based on a total of 122,964 deaths of FEMALES from Cancer in the seven years 1901-7.)

Part of Body Affected.	All Ages.	Ages at Death.						
		0—35.	35—	45—	55—	65—	75—	85 and upwards.
TOTAL .. ..	10,000	407	1079	2143	2733	2429	1067	142
Skin of—								
Face .. ..	89	2	3	8	14	24	29	9
Lip .. ..	9	0	0	1	1	3	3	1
Nose .. ..	11	0	0	1	2	4	3	1
Scalp .. ..	9	0	0	1	2	3	2	1
Ear .. ..	4	0	0	1	1	1	1	0
Stomach .. ..	1412	24	95	249	421	434	173	16
Intestines .. ..	726	20	46	118	205	224	102	11
Rectum .. ..	591	22	48	105	167	164	77	8
Uterus .. ..	2241	97	398	645	596	369	122	14
Breast .. ..	1665	37	206	411	431	350	191	39
Esophagus .. ..	148	8	17	28	35	39	19	2
Liver and Gall Bladder	1348	21	78	230	421	414	168	16
Pancreas .. ..	117	4	8	21	39	32	12	1
Bladder and Urethra ..	93	1	6	13	25	30	16	2
Pharynx, Throat .. ..	44	4	7	9	11	8	5	0
Larynx and Trachea ..	44	4	8	10	11	8	3	0
Thyroid .. ..	32	2	3	6	9	8	3	1
Tongue .. ..	51	4	6	8	11	14	7	1
Mouth .. ..	23	2	2	3	6	7	3	0
Peritoneum .. ..	153	7	13	31	46	40	15	1
Pleura .. ..	5	0	0	2	2	1	0	0
Brain .. ..	46	16	10	9	7	3	1	—
Spinal Cord .. ..	3	0	1	1	0	1	—	—
Pericardium .. ..	0	—	—	—	—	0	—	—
Globe of Eye, Orbit ..	19	5	1	2	3	4	3	1
Axilla .. ..	14	0	1	2	3	4	3	1
Groin .. ..	13	1	1	3	3	3	2	0
Lymphatic Glands .. ..	13	2	1	3	3	3	1	0
Shoulder .. ..	9	2	1	1	2	2	1	0
Arm, Leg .. ..	96	18	6	11	18	22	16	5
Hip .. ..	4	1	0	1	1	1	0	—
Skull .. ..	7	2	1	1	1	1	1	0
Rib, Sternum .. ..	9	2	1	2	1	2	1	0
Spinal Column .. ..	13	2	2	2	4	2	1	0
Jaw .. ..	73	6	6	12	19	18	11	1
Buttock .. ..	2	1	0	0	0	1	0	—
Pelvic Bones .. ..	66	8	10	14	15	14	4	1
Ovary .. ..	195	20	35	57	49	26	7	1
Kidney and Supra- renals.	77	17	6	14	18	15	6	1
Parotid Gland .. ..	11	1	1	2	2	3	2	0
Lung .. ..	70	9	10	18	18	12	3	0
Mediastinum .. ..	43	5	6	9	11	9	3	0
Mesentery .. ..	22	2	2	4	6	6	2	0
Lymphatic Glands of Neck.	62	9	5	10	14	14	9	1
Spleen .. ..	16	1	2	3	5	4	1	0
Abdomen .. ..	180	7	11	35	46	55	23	3
Thorax .. ..	22	2	2	4	6	5	2	1
Part not stated .. ..	100	9	13	22	22	22	10	2



Cancer. Mortality at Age-Groups.		Average 1902-06.			Year 1907.		
		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	35—	631	717	560	670	707	631
	45—	2,003	2,169	1,739	2,000	2,131	1,926
	55—	4,212	4,431	3,887	4,329	4,576	3,846
	65—	6,812	6,955	6,630	7,205	7,409	7,039
	75—	7,776	7,527	7,769	8,324	8,184	8,346
Males	35—	419	457	353	444	457	438
	45—	1,572	1,758	1,276	1,596	1,738	1,441
	55—	3,912	4,163	3,555	4,147	4,401	3,751
	65—	6,754	6,886	6,666	7,166	7,350	6,886
	75—	7,660	7,427	7,697	8,077	8,282	7,826
Females	35—	888	964	749	881	944	806
	45—	2,401	2,556	2,153	2,373	2,501	2,359
	55—	4,474	4,666	4,177	4,483	4,730	3,928
	65—	6,858	7,007	6,600	7,237	7,454	7,165
	75—	7,858	7,592	7,823	8,499	8,120	8,735


cancer of any particular organ in one sex as compared with the other sex. They nevertheless supply a ready means of determining, *for males and females separately*, the frequency with which certain parts of the body are invaded. Table P. may be read thus—according to the experience of 1901-7, of 10,000 *males* dying of cancer 2157 suffered from cancer of the stomach, of which number 37 were under 35 years of age, 149 from 35-45, &c. Table Q. may be read similarly—thus, in the seven years previously specified, of 10,000 *females* dying of cancer 2241 suffered from cancer of the uterus, of whom 97 were under 35 years old, 398 from 35 to 45, 645 from 45 to 55, &c. The deaths under 35 are so few that in this and some other tables they have been placed together in one group.

Among *males* the organ most frequently invaded is the stomach, which is the seat of disease in nearly 22 per cent. of the fatal cases; the liver and gall bladder are invaded in nearly 13 per cent. of the whole, the rectum in 10 per cent., and the intestines in 8 per cent. Taken together the parts here specified are attacked in more than half of the fatal cases. Among *females* the generative and mammary organs are affected in more than two-fifths of the total cases, while a further two-fifths are contributed by affections of the stomach, liver, intestines, and rectum taken together.

In this connection I cannot refrain from making brief reference to the important investigations respecting the nature of cancer which have been carried out since the inauguration of the Imperial Cancer Research Fund under the patronage of His Majesty the King.



DIAGRAM IX:- ENGLAND & WALES 1858-1907. CANCER:-ANNUAL DEATH-RATES PER MILLION LIVING AT ALL AGES, CORRECTED FOR VARIATIONS OF AGE CONSTITUTION.  
 (NOTE:-THE PORTION SHADED VERTICALLY REPRESENTS THE MORTALITY ASCRIBED TO CANCER OF THE GENERATIVE AND MAMMARY SYSTEMS DURING THE YEARS 1897-1907).



NOTE -The death-rates throughout the entire period are based upon the age constitution of the population as enumerated in 1901.





The third scientific report on cancer investigation has recently been issued by the Superintendent of Research, Dr. E. F. Bashford. This report is full of information of the highest possible significance, and should be carefully studied by those who are concerned in inquiries as to the nature of malignant disease.

**Diabetes Mellitus** was the certified cause of death in 3,360 instances in the year under notice—this number being in excess of the quinquennial average by 203. Of the total deaths from this disease, not less than 72 per cent. occurred at ages above 45 years. From a table published in the 68th Annual Report, it appears that in recent years there has been an increase in the loss of life from this disease, which has been greatest among women; and that in both sexes the increase has been mainly at ages beyond mid-life.

## II.—DISEASES OF PARTICULAR ORGANS.

In the year 1907 rather less than half of the deaths from all causes were referred to diseases of particular organs. Within the last vicennium there has been a remarkable decrease in the recorded mortality from acute inflammatory disorders of the brain, the lung, and the peritoneum;\* nevertheless, these disorders in the aggregate still account for about one-ninth of the mortality from definite diseases of all kinds. (Tables 21 to 26). Since the year 1888, the earliest period dealt with in these Tables, the mortality in England and Wales from meningitis, bronchitis, laryngitis, pleurisy, and peritonitis taken together has fallen by 43 per cent., and therefore considerably faster than has the total mortality from other definite diseases. The only disorders of this kind that have shown a substantially increased fatality in the last twenty years are otitis, Bright's disease, enteritis, gastro-enteritis, appendicitis and valvular disease of the heart. In the mortality from these conditions taken together there has been an increase averaging 54 per cent. in the period referred to. To some extent, these variations in fatality are apparent merely, and are the result of improved medical certification.

In the year under notice, as in several preceding years, I have addressed large numbers of letters of inquiry to medical attendants respecting deaths that had been vaguely referred, in the original certificates, to affections of one or another of the organs above specified. Within the last seven years inquiries have been issued concerning 7,000 deaths originally certified as from inflammation of the brain, the larynx, or the peritoneum. From the answers to these inquiries the following information has been derived. Of these 7,000 deaths there were referred to puerperal sepsis 324, to tuberculosis 892, to diphtheria 260, to malignant disease 114, to cerebro-spinal fever 422, and to other definite headings, 2,507. It will thus be seen that of the 7,000 deaths originally returned unsatisfactorily, 4,519 were, on the authority of the medical certifiers, transferred to appropriate headings in the tables.

---

\* There is no doubt that these diseases are for the most part infective in character. The septic nature of many of them has been affirmed in the medical Certificates of the cause of death.



**Meningitis.**—In the year 1907 there were referred to inflammation of the brain or its membranes 5,429 deaths, or fewer by 1,034 than the average number in the previous five years, corrected for increase of population. In the case of 270 of these deaths the infective nature of the malady was recognised by the medical certifiers. (See Supplementary Table, pages 310-311.) Of the total deaths from meningitis 64 per cent. occurred at ages under five years. Of 100,000 boys living at this age 94 succumbed to this disease, and of the same number of girls 80 succumbed to it.

**Softening of the Brain.**—In the year under notice there died from softening of the brain 2,279 persons, corresponding to a mortality of 65 per million living at all ages and of both sexes. Among males the rate was 69 per million of that sex, and among females 62 per million, these rates differing only slightly from the respective averages. Not less than 95 per cent. of the total deaths were those of persons beyond the age of 45 years.

**General Paralysis of the Insane.**—The deaths from this affection in the year 1907 numbered 2,332, and were equal to a rate of 67 per million living at all ages and of both sexes. The male rate was equal to 105 per million living of that sex, and the female rate to 31 per million, both of these rates being almost identical with the quinquennial averages. Few deaths from this disease take place before the age of 25 years; the statistics of the last seven years show that men die of it in much greater numbers than women. The age of maximum fatality among men is from the 35th to the 55th year, when the mortality is at the rate of from 310 to 323 per million living. Among women the most fatal period seems to be towards the end of life, but even then their mortality is considerably less than that of men of the same ages.

**Epilepsy.**—The fall in the mortality from epilepsy recorded in several recent Reports still continues. In the year under notice there were registered as due to this disease 2,800 deaths, equal to a rate of 80 per million living, as against a mean rate of 115 per million in the ten years ending with 1880. In relation to this decrease it is desirable to note that many deaths which would formerly have been assigned to convulsions, without reference to the cause of that symptom, are now certified as from epilepsy.

**Convulsions.**—Attached to this heading, in the official Nomenclature of Diseases, is the following instruction—"this term being the name of a symptom, should be used only when more precise information is wanting. When the cause is known, the return should be made under the head of that cause"\*. Notwithstanding that the Royal College of Physicians have issued similar instructions in their revisions of the last thirty years, convulsions still appears to cause the death of one in every 14 children dying under the age of five years. In the year 1907 not fewer than 11,562 deaths were referred to this symptom, 10,150 of which were those of infants under the age of one year. The details of mortality from convulsions will be found in the Tables at pages 72-83.

---

\* Nomenclature of Diseases by the Royal College of Physicians of London, third revision, page 31.

**Locomotor Ataxy.**—The mortality referred to this disease appears to be slowly but steadily increasing—the registered deaths in the year under notice numbering 584, or more by 44 than the average in the preceding quinquennium, corrected for increase of population. In the national returns this disease has been separately abstracted for the last seven years, previous to which period the fatal cases were classed to diseases of the spinal cord. Nevertheless the deaths from locomotor ataxy since 1901 are still too few to justify the publication of rates of mortality respecting them, at the usual groups of ages. The disease appears to be fatal to adults exclusively, and to be more fatal to men than to women.

**Neuritis, Peripheral, Poly-neuritis.**—In the year under notice the deaths classified under the head of neuritis numbered 475, not fewer than 335 of which were those of females. In all cases where neuritis appears in the Medical Certificate in conjunction with alcoholism as a cause of death, the entry is made under “intemperance” and not under the present heading. Neuritis has been separately classified, in the records of this office, only since the beginning of the present century; but the statistics of the last seven years would appear to indicate that this affection is considerably more fatal to women than to men, and that very few deaths are attributed to it before the age of puberty.

**Tumour of the Brain.**—According to Tables 21 and 22 the mortality returned under this head has increased slightly since 1901. The deaths referred to this cause in the year 1907 amounted to 753 at all ages, of which 383 occurred in males and 370 in females. It should again be mentioned that in all cases where brain tumour is certified to be due to a specific disease the death is referred to the specific cause, and not to the local affection. In addition to the 753 deaths referred to the present heading there were originally certified as from tumour of the brain 132 deaths, of which 72 were ascertained to be due to malignant disease,\* 41 to tuberculosis, and 14 to syphilis.

**Diseases of the Heart.**—In the year under notice diseases of the heart are reported to have caused the deaths of 50,968 persons, namely, 24,265 males and 26,703 females. Full information concerning these deaths, their age and sex distribution, together with the several conditions included in this group, will be found in the abstracts on pages 302–303. Tables 21 and 22 indicate that valvular disease, including endocarditis, has been in recent years the most frequent of all the definite forms of this malady. The fact that the mortality from valvular affections is apparently increasing from year to year must be considered in relation to the associated fact that the death-rate from indefinite forms of heart disease is decreasing. As regards the fatality of other varieties of this affection the figures do not reveal any striking differences.

In recent years valvular heart disease has been more fatal to the female than to the male sex up to the age of 55 years, whilst after

---

\* In Tables N and O, on pages cx–cxiii, the deaths from malignant disease of the brain are shown at the several age groups, for the seven year period 1901–7.



that age the reverse has been the case. From childhood until the 20th year the mortality increases gradually, and from the 35th year to the close of life, very rapidly.

**Diseases of the Blood Vessels.**—To one or another of the conditions included under this head there were referred last year 30,954 deaths, more than half of which were those of females. By far the greater part of the deaths under this heading are referred to cerebral hæmorrhage or to its symptoms apoplexy or hemiplegia. On the average of the last seven years the deaths at all ages from cerebral hæmorrhage correspond to a rate of 665 per million for males, and of 759 per million for females. The mortality from this cause is low until after the stage of puberty, but at ages above 35 years it accounts for the deaths of 2,083 in a million men, and of 2,284 in a million women. In the 20 years intervening between the 35th and the 55th year women fall victims to this disease in greater proportion than do men, whilst at ages above 55 years the highest fatality is among men. Since the year 1900 diseases of the blood vessels have been distinguished from other diseases of the circulatory system; but in previous years cerebral hæmorrhage, apoplexy, and hemiplegia were included among diseases of the nervous system. The recorded mortality from cerebral hæmorrhage has decreased substantially in recent years; but it is important to note that many deaths from this condition which are now properly attributed to Bright's disease or some equally definite cause, would in years gone by have been certified as from apoplexy or hemiplegia simply, without further remark. (Table 21, page 28.)

The time honoured name "paralysis" still frequently appears in medical certificates, without mention of the lesion causing that symptom, although the Royal College of Physicians have condemned this practice, except in cases where the cause of paralysis is unknown. In certifying deaths of this nature brain paralysis should invariably be distinguished from paraplegia, and the terms hemiplegia and apoplexy should be discontinued in favour of the authorized term cerebral hæmorrhage. In cases where the last named condition occurs in association with disease of the kidney, the heart, or other important organ, the fact should be stated in the certificate. The septic nature of a certain portion of the deaths from diseases of the blood vessels is now recognized in the medical certificates (*see* supplementary tables, pages 310-311).

**Laryngitis.**—In the year under notice 1,141 deaths at all ages were referred to laryngitis; membranous laryngitis, not stated to be diphtheritic, being responsible for 29 of these deaths\*.

Table 22 shows that in proportion to population the deaths referred to "laryngitis" are at the present time fewer than they were twenty years since. But, from this statement, it must not be inferred that laryngitis is really less fatal now than it

---

\* The Royal College of Physicians, in their recently issued nomenclature of diseases, recognize two chief forms of "simple laryngitis"; (a) catarrhal, and (b) membranous. But they attach to the form last-mentioned, the warning that cases of diphtheria should not be returned under that heading.

was formerly; because, in the year under notice the deaths originally certified as from this affection exceeded by about 3 per cent. the number eventually classified as such in the official tables. As the specific nature of most of the fatal cases of membranous laryngitis has been ascertained by correspondence with the medical attendants, these are included under the head of diphtheria. It has previously been remarked that the age distribution of laryngitis corresponds somewhat closely to that of the indefinite condition known as "croup," and this was the case in the year 1907, when about two-thirds of the deaths from laryngitis were those of children under the age of five years.

**Bronchitis.**—Among the several conditions now included under the head of "diseases of the respiratory system" bronchitis claims every year the largest number of victims,\* the deaths last year numbering 42,204, and being equal to a crude rate of 1,208 per million living, without distinction of age or of sex. The recorded death-rate from this disease has fallen considerably in the course of the last quarter of a century, the average death-rate in the last five years having been lower than in the first five years of that period, by more than 40 per cent. Relatively to the numbers living at all ages, bronchitis affects both sexes almost equally, the rates last year being 1,210 per million for males and 1,206 per million for females (Tables 24 and 26). At ages under five years boys suffer more severely than girls, the rates at that age being 380 and 301 respectively, per 100,000 living of each sex (Tables 33 and 34, pages 74-77). Except at ages 5 to 15, and above 75 years, the mortality of males from bronchitis is higher than that of females. These Tables show the incidence of this disease in infancy. It appears that the second month after birth is the most liable to fatal attacks of bronchitis, the rate of mortality in the first, third, and subsequent months of the first year being lower than in the second month, and the rates in the second, third, fourth, and fifth years being lower still.

**Pleurisy.**—Relatively to population, the recorded deaths from pleurisy, not stated to be tuberculous, have decreased considerably within the last seven years. This disease still continues to be more fatal to males than to females; the crude death rate at all ages in the last seven years having averaged 48 and 33 per million living of the respective sexes. The tuberculous nature of some fatal pleurisies is now coming to be generally recognized, and in all cases where pleurisy is authoritatively referred to this infection the death is classified accordingly.† The statistics of the last seven years show that pleurisy is more fatal at ages below five years than at any other age up to about the forty-fifth year; after which age its fatality increases rapidly in both sexes. In the year under notice there were registered 405 fatal cases of pleurisy, of which the infective nature was recognized by the medical attendants. (See supplementary tables, pages 310-311.)

---

\* According to the returns pneumonia has, in the last six years, been more fatal than bronchitis; but pneumonia, being regarded as an infection, is now included among general diseases.

† In the recently issued nomenclature of diseases, the Royal College of Physicians have inserted a special instruction that in all cases where pleurisy is known to be tuberculous, the fact should be stated in the certificates.



**Gastric Ulcer.**—The number of deaths from gastric ulcer does not vary greatly from time to time. In the year 1907 the deaths so returned amounted to 1,775, against 1,747, and 1,745 respectively, in the two years immediately preceding.

Of the 1,775 deaths, 117 that had originally been certified as from peritonitis or some other indefinite cause were transferred to this heading, after correspondence with the medical attendants. In the seven years ended 1907 the death-rate at all ages from gastric ulcer averaged 35 per million for males, and 65 per million for females. In the Sixty-Ninth Annual Report attention was drawn to the remarkable age incidence of this disease, and in the year under notice the same peculiarity is noticeable. Until the approach of puberty the disease seldom appears in the registers as a cause of death. Among women not fewer than seven out of every ten deaths at all ages occurred at ages from 15 to 45 years, whilst among men at the same ages the proportion did not exceed four out of every ten deaths. In the years 1901-7, women experienced the highest fatality from gastric ulcer at ages from 20 to 25, when it accounted for the deaths of 119 in each million living at that age, or just seven times the rate experienced by men at the same time of life. At all ages after the forty-fifth year the male death-rate exceeded the female, the fatality attaining its maximum among men at ages from 65 to 75 years.

**Appendicitis.**—In the year under notice 1,969 deaths were referred to appendicitis or to perityphlitis. To this total 108 deaths were contributed as the result of medical inquiry respecting deaths originally referred to peritonitis, but the true nature of which has been subsequently acknowledged by the several medical attendants. Since the year 1901, in which year for the first time appendicitis appeared in our tables as a separate cause of death, this disease has accounted for 12,404 deaths, and for an average annual death-rate of 64 per million among males, and of 42 per million among females. The disease appears to attack persons at all ages ; but, disregarding the ages above 75 years when the rates are of doubtful value, the period of highest fatality in both sexes appears to be from the tenth year to the twentieth. This will be seen by the following table :—

APPENDICITIS : MORTALITY PER MILLION, 1901-7.

—			Males.	Females.	—			Males.	Females.
All ages ...			64	42	25— ...	...	...	59	37
0— ...			17	13	35— ...	...	...	51	34
5— ...			68	52	45— ...	...	...	61	40
10— ...			92	58	55— ...	...	...	64	47
15— ...			101	56	65— ...	...	...	59	48
20— ...			78	43	75 and upwards			62	63

This table shows that, at all stages of life except the most advanced, appendicitis is more destructive to males than to females.

**Peritonitis.**—To this affection, without specification of cause, there were originally returned in the year under notice 1,109 deaths. As the result of inquiries addressed to medical practitioners this number has been reduced to 697, and of these the infective nature has been medically attested in 46 instances (see supplementary tables, pages 310-311). In all cases where this condition is known to depend on hernial or other obstruction, on ulceration of the stomach or intestines, on appendicitis, metritis, or other definite cause, the death is referred to that cause, and not to peritonitis. I am glad to be able to acknowledge that many practitioners now give in their certificates particulars of this kind, and by so doing materially facilitate the classification of deaths in this office.\*

The deaths ultimately referred to peritonitis in the year under notice were equal to a rate of 20 per million living, or less than a third of the rate recorded even so recently as the year 1899. It must, however, be remembered that in recent years many of the deaths which ten years ago would have been ascribed to peritonitis are now referred to appendicitis, to enteritis, to intestinal ulceration, or to some other definite disease for which a separate line is provided in the new list of causes of death. This will account for some of the reduction in the deaths now appearing in the tables under the head of peritonitis. Among males peritonitis was fatal last year in the proportion of 18 per million living, and among females in the proportion of 22 per million.

**Cirrhosis and other diseases of the liver.**—To these diseases in the aggregate there were ascribed in the year under notice 5,924 deaths, corresponding to a rate of 170 per million living at all ages and of both sexes. Tables 24 and 26 show that at the present time both men and women fall victims to liver diseases much more rarely than was the case twenty years ago. In the year 1887, for example, diseases of this organ were fatal in the proportion of 343 per million living among males, and of 313 per million among females; whereas in the year under present notice the proportions were 173 and 166 respectively.

The greater part of the mortality now ascribed to liver disease results from cirrhosis, which affection is regarded as of special import in connection with the subject of intemperance; accordingly, further remarks on cirrhosis will be found under that heading: the table there given shows that men are more liable than women to succumb to cirrhosis of the liver; the deaths in 1907 at ages above 25 years being equal, among men to a rate of 259 per million, and among women to a rate of 205 per million, both of which rates are lower than those in recent years.

Tables N and O indicate that 27,431 deaths were referred to malignant disease of the liver in the seven years 1901-7. In the

---

\* In the latest edition of their nomenclature of diseases, the Royal College of Physicians divide inflammation of the peritoneum under two heads—

(a) Acute infective inflammation—(1) general or local, (2) suppurative, (3) septic, puerperal.

(b) Chronic inflammation—(1) general or local, (2) tuberculous, (3) cancerous.

The College further insist that when the cause of peritonitis is known the return should be made under the head of such cause—the local condition being also specified.



abstracts on pages 304 and 305 the age distribution of deaths from non-malignant liver diseases is shown. According to the experience of the last seven years the mortality from cirrhosis is inconsiderable until after the twenty-fifth year of life; but from the thirty-fifth to the sixty-fifth year the rate rises rapidly in both sexes, ranging from 169 to 730 per million among men, and from 153 to 440 per million among women.

**Acute Nephritis, Chronic Nephritis or Bright's Disease.**—These conditions together account for the greater part of the mortality from diseases of the urinary system. In the year under notice not fewer than 13,877 deaths were referred to this heading—a number corresponding to a rate of 397 per million living, without distinction of age or of sex.

The age incidence of mortality from these forms of disease in the last seven years is shown by the following table :—

ACUTE AND CHRONIC NEPHRITIS—MORTALITY PER MILLION LIVING.

Ages.	Males.	Females.	Ages.	Males.	Females.
All ages ...	428	340	25— ...	166	169
0— ...	150	121	35— ...	387	362
5— ...	67	54	45— ...	870	649
10— ...	44	50	55— ...	1,812	1,171
15— ...	62	64	65— ...	2,888	1,854
20— ...	94	93	75 and upwards	3,383	2,092

From this table nephritis is seen to be more fatal to males than to females, except at certain ages between the tenth and the thirty-fifth year. The disease appears as a cause of death at all ages, but its fatality is not excessive until towards mid-life. The lowest fatality in both sexes is experienced in the interval between the tenth year and the fifteenth; but from the thirty-fifth year onwards in both sexes the fatality rapidly increases, until at the more advanced ages nephritis accounts for a mortality approaching that of valvular heart disease.

**Tumours and other Diseases of the Ovaries and Uterus.**—Among affections of the female generative organs there were returned last year 1,054 deaths from diseases of the ovaries or of the uterus. In the aggregate these deaths corresponded to a rate of 59 per million females living at all ages, or slightly less than the quinquennial average rate, which was 62 per million. In addition to these 1,054 deaths, there occurred in the same period 378 deaths from malignant affections of the ovaries, and 3,965 from malignant affections of the uterus.

**Diseases or Accidents of Pregnancy or of Childbirth.**—From page 299 it will be seen that puerperal sepsis accounted for the deaths of 1,465 women in the year under notice: in addition to which, 2,055 deaths were attributed to other diseases or accidents of pregnancy or of childbirth; particulars of the age distribution of these deaths will be found in Table M on page xcvi. Of this total,

102 deaths were assigned to abortion or miscarriage, 70 to puerperal mania, 449 to puerperal convulsions, 608 to placenta prævia or flooding, and 826 to other accidents of pregnancy or of childbirth. In 224 out of the 826 deaths last-mentioned the cause was precisely stated: this was ectopic gestation in 74 instances, ruptured uterus in 26, inversion of that organ in 7, deformed pelvis in 27, adherent placenta in 27, conditions necessitating Cæsarian section in 16, and mal-presentation in 6 instances. Of the 2,055 cases in the present category, 352 were further complicated,\* the complicating cause being embolism in 178 instances, diseases of the heart or blood-vessels in 48, kidney disease in 43, bronchitis or pleurisy in 27, and pneumonia in 6. The 2,055 deaths from other diseases of pregnancy or of childbirth added to those from the puerperal septic diseases enumerated on page 307 numbered 3,520, and were equal to a rate of 3·83 per 1000 births. In the ten years immediately preceding, the average proportion had been 4·39 per 1000. Table M on page xcvi gives particulars of the 4,672 deaths from all causes whatever, either dependent on, or associated with, the puerperal state. By calculating the mortality on this number it will be raised from 3·83 to 5·09 per 1000 births.† That Table shows that of the deaths there enumerated 4,623 occurred at ages between 15 and 45 years. If, then, the preferable method be adopted of computing these deaths on the estimated number of women living within the same limits of age the mortality will be equal to 529 per million, or 38 per million less than that in the year 1906. In this connection it is necessary to intimate that in all cases in which parturition or miscarriage is known to have occurred within one month before the death of a patient, the fact should be noted by the certifying practitioner.

### III.—MORTALITY OF INFANTS AND YOUNG CHILDREN.

The detailed tables of previous reports, showing the mortality from certain causes in the earliest stages of life are continued in the present volume. The tables relating to England and Wales as a whole will be found at pages 72–77, and those relating to the urban and rural areas respectively, at pages 78–81. Throughout these reports the term “Infantile Mortality” signifies the proportion of deaths under one year in each thousand births. The table on the following page summarises the chief results shown in detail in the tables on pages 72–85; but, in the course of what follows in the text frequent reference will be made to particular data in the series of tables now referred to.

The most noteworthy features of infantile mortality are the following:—(1) A considerable excess of male over female mortality. (2) A marked excess in the mortality of both sexes in

---

\* These complicating causes do not appear in Table M, the deaths having been classed to other diseases of pregnancy or of childbirth.

† It has previously been explained that this method of calculating these deaths in terms of birth is imperfect, because in England the data are lacking concerning the number of still births, as well as concerning the number of twin, and of multiple births.



## MORTALITY of INFANTS under ONE YEAR of AGE, 1907.

PROPORTION OF DEATHS TO 1,000 BIRTHS.								
			All Causes.	Common Infectious Diseases.	Diarrhoeal Diseases.	Wasting Diseases.	Tuberculous Diseases.	Other Causes.
BOTH SEXES.								
England and Wales	{	All Infants ..	117'62	8'67	14'06	43'18	4'54	47'17
		Legitimate ..	113'43	8'63	13'36	41'41	4'37	45'66
		Illegitimate ..	219'76	9'49	31'44	86'13	8'96	83'74
Urban Counties ..	{	All Infants ..	127'66	9'77	16'63	44'42	4'97	51'87
		Legitimate ..	123'14	9'71	15'78	42'51	4'75	50'39
		Illegitimate ..	245'49	11'55	38'64	93'87	10'52	90'91
Rural Counties ..	{	All Infants ..	98'58	6'58	9'16	39'76	3'30	39'78
		Legitimate ..	94'79	6'59	8'83	38'04	3'16	38'17
		Illegitimate ..	165'76	6'35	15'05	70'26	5'63	68'47
MALES.								
England and Wales	{	All Male Infants ..	130'26	8'52	15'64	48'19	5'01	52'90
		Legitimate ..	125'73	8'48	14'93	46'29	4'83	51'20
		Illegitimate ..	240'13	9'67	33'44	94'36	9'77	92'89
Urban Counties ..	{	All Male Infants ..	141'10	9'62	18'52	49'40	5'46	58'10
		Legitimate ..	136'20	9'54	17'64	47'36	5'23	56'43
		Illegitimate ..	267'93	11'73	41'47	102'15	11'43	101'15
Rural Counties ..	{	All Male Infants ..	110'30	6'66	10'42	44'72	3'57	44'93
		Legitimate ..	106'13	6'63	10'08	42'87	3'39	43'16
		Illegitimate ..	184'55	7'15	16'45	77'61	6'80	76'54
FEMALES.								
England and Wales	{	All Female Infants	104'49	8'80	12'42	37'94	4'08	41'25
		Legitimate ..	100'65	8'79	11'72	36'33	3'90	39'91
		Illegitimate ..	198'43	9'28	29'37	77'52	8'09	74'17
Urban Counties ..	{	All Female Infants	113'70	9'92	14'67	39'24	4'46	45'41
		Legitimate ..	109'56	9'87	13'87	37'48	4'26	44'08
		Illegitimate ..	221'94	11'36	35'68	85'17	9'56	80'17
Rural Counties ..	{	All Female Infants	86'43	6'50	7'86	34'62	3'01	34'44
		Legitimate ..	83'05	6'55	7'53	33'04	2'93	33'00
		Illegitimate ..	146'39	5'53	13'64	62'68	4'42	60'12

the urban as compared with the rural areas. (3) An enormous excess of mortality among illegitimate as compared with legitimate infants.

The infantile mortality of last year was exceptionally low, and did not exceed 118 per thousand births, being 16 below the average rate in the quinquennium 1902-6. The decline was most favourable to the female sex, amounting to 12 per cent. among boys, and to 13 per cent. among girls. In the selected urban counties the decline was greater than in the rural, which is partly attributable to the fact that the mortality from diarrhoeal diseases showed a greater proportional decline in the town than in the country. Compared with the previous year, 1907 enjoyed unusual immunity from diarrhoeal diseases, for the loss of life from these diseases was reduced by more than half.

The table on the opposite page shows the varying degrees in which infants fall victims to certain groups of disorders. From this it appears that among the infant population generally "wasting diseases" account for the greatest loss of life; next in order come "diarrhoeal diseases," "common infectious diseases" and "tuberculous diseases." \*

In the country generally, all except the common infectious diseases are more fatal to boys than to girls; and all of the groups are more destructive in the urban counties than in the rural.

In view of the terrible sacrifice of life that still besets the offspring of unmarried women, the causes thereof have been further studied with the help of recent statistics. It will be remembered that in the year 1904, at the request of my colleagues of the Duke of Devonshire's Committee on Physical Deterioration, I caused to be prepared, for a limited area, a series of tables contrasting the loss of life among illegitimate infants with that among infants born in wedlock. For the present report, as well as for its immediate predecessor, similar tables have been prepared, but these relate to the whole of England and Wales, instead of to a portion only, as did the tables of 1904. (See pages 72 to 85.)

The death-rate of infants born out of wedlock in 1907 was 220 per thousand births, or nearly double that of infants born in wedlock. The changes, from time to time, in the mortality of illegitimate and of legitimate children demand careful study. If the year 1907 be compared with its predecessor, we find that the former class of infants have experienced a greater decline than the latter class in the mortality from all causes, but a less decline in the mortality from diarrhoeal diseases and from tuberculous diseases.

Although in the year under present notice the difference was less conspicuous than in 1906, experience shows that there is a greater excess of mortality among illegitimate infants in populous places than in rural districts. The figures now for the first time available prove that, with few exceptions, the chief causes of death are everywhere more fatal to illegitimate than to legitimate infants of each sex, but that the excess is greatest in the urban counties. Boys suffer an excess of mortality from all causes equal to 97 per cent. in the urban, and to 74 per cent. in the rural areas; whilst, for girls, the corresponding percentages are 103 and 76.

---

\* For the composition of these groups see table on page 72.



As regards the manner in which deaths from diarrhoeal diseases in young children are certified by medical practitioners, great changes have taken place within the last quarter of a century. This is shown by the following table, which gives for England and Wales as a whole the proportion to 100 deaths from both causes combined—of deaths (*a*) from diarrhoea, and (*b*) from enteritis and gastro-enteritis.

Quinquennia.	Diarrhoea.		Enteritis and Gastro-Enteritis.	
	0-1 year.	1-5 years.	0-1 year.	1-5 years.
1876-80      ...      all-4	93	92	7	8
1901-05      ...      ...	77	78	23	22

From this it will be seen that, whilst in 1876-80 less than one-tenth part of the deaths attributed to diarrhoea or to enteritis were certified as due to the latter cause, in 1901-05 the proportion had reached nearly one-fourth. Of the total deaths in 1907 from diarrhoeal diseases about four-fifths occurred among children under the age of five years. In the following table the deaths from enteritis, gastro-enteritis, and gastric catarrh are included among the deaths from diarrhoeal diseases.\* The table shows the mortality from diarrhoeal diseases among children under the age of five years in each thousand estimated to be living at that age.

—		England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	{ 1907      ...	3·96	4·86	2·40
	{ 1902-06    ...	7·44	9·03	3·67
Males      ...	{ 1907      ...	4·43	5·42	2·70
	{ 1902-06    ...	8·08	9·76	4·09
Females ...	{ 1907      ...	3·52	4·31	2·09
	{ 1902-06    ...	6·80	8·31	3·25

From this table it will be seen that in the year 1907, as compared with the quinquennium 1902-6, the diarrhoeal mortality of children under five years declined by 46 per cent. in the urban area, and by 35 per cent. in the rural. In the year under notice nearly one-tenth of the total mortality at these ages was due to diarrhoeal diseases.

\* It will be noticed that in the section on diarrhoeal diseases at all ages the deaths from enteritis, gastro-enteritis, and gastric catarrh are shown separately from those from other diarrhoeal diseases. (See page xciv.)

## ILL-DEFINED OR NOT SPECIFIED CAUSES OF DEATH.

Notwithstanding the efforts made by the Royal College of Physicians in their successive publications to impress upon medical practitioners the importance of accuracy in certifying the deaths of their patients, it is still found that a large proportion of the causes are so vaguely stated as to be worthless for statistical purposes.

In the year 1907 the deaths of 48,979 persons, *i.e.*, 9·3 per cent. of the total deaths, were attributed to causes that do not admit of precise classification. Such deaths would have appeared in larger numbers than they now do, had it not been for the inquiries that are systematically addressed to medical practitioners respecting deaths certified as due to tumour, dropsy, gangrene, hæmorrhage, and many indefinite conditions. In the course of the year 4,166 answers to letters of inquiry were received at this office. The 592 inquiries relating to deaths from peritonitis resulted in the transference of 31 deaths to puerperal sepsis, 47 to tuberculous peritonitis, 15 to malignant disease, 4 to alcoholism, 20 to generative diseases, 52 to gastric ulcer, 44 to ulceration of the intestines, 108 to appendicitis, 61 to other specified diseases of the digestive organs, and 30 to other definite causes. The 697 inquiries regarding tumours of various organs led to the transference of 387 deaths to malignant disease, 16 to syphilis, 46 to tuberculous diseases, 12 to ovarian and uterine affections, and 16 to other definite causes. The 149 inquiries concerning deaths referred to septicæmia, pyæmia, and other septic diseases resulted in the transference of 26 deaths to puerperal sepsis, 4 to tuberculosis, 3 to infective endocarditis, 1 to malignant disease, and 15 to other specified causes. The 208 inquiries relating to hydrocephalus resulted in the addition of 61 deaths to tuberculous meningitis and 124 to congenital hydrocephalus. The 118 inquiries concerning paralysis led to the transference of 65 deaths to cerebral hæmorrhage, 30 to diseases of the spinal cord, 3 to alcoholism, and 13 to other definite causes. The inquiries relating to cerebro-spinal meningitis numbered 196; they resulted in the addition of 93 deaths to cerebro-spinal fever and of 42 deaths to tuberculous meningitis. The 212 inquiries regarding strictures of the œsophagus and pylorus led to the transference of 127 deaths to malignant disease and 21 to gastric ulcer. The inquiries relating to hæmoptysis numbered 191; they resulted in the addition of 93 deaths to tuberculous phthisis. The 55 inquiries concerning membranous laryngitis led to the transference of 35 deaths to diphtheria. The 70 inquiries relating to eclampsia and convulsions resulted in the addition of 48 deaths to puerperal convulsions. The inquiries regarding hæmatemesis and melæna numbered 99, and led to the addition of 15 deaths to alcoholism, 38 to gastric ulcer, 11 to cancer, and 11 to cirrhosis of liver. The deaths due either to carcinoma, sarcoma, or cancer, in which no mention was made of the organ or part affected, numbered 573; as the result of inquiries this information was supplied in 562 cases. The total additions to certain definite headings resulting from these inquiries



were as follows :—To malignant disease 587 deaths, to puerperal septic diseases 117, to venereal diseases 42, to alcoholism 43, to tuberculous diseases 504, to congenital defects 129, to cerebral hæmorrhage 77, to gastric ulcer 117, to ulceration of intestines 52, to appendicitis 113, to cerebro-spinal fever 95, and to diphtheria 41.

## VIOLENCE.

The deaths caused by different forms of accident or negligence are enumerated in the abstracts on pages 308 and 309, and also in the special Tables relating to violent deaths on pages 424 to 437. These Tables show that to this heading 15,784 deaths were referred during the year 1907, corresponding to a rate of 452 per million living. Among males the deaths numbered 10,895, and were equal to a rate of 645 per million; the deaths of females numbered 4,889, and were equal to 269 per million. Of the 10,895 deaths of males from accident, 2,197 were stated to be caused by vehicles and horses, 1,888 by drowning, 1,460 by falls, 1,103 by burns, scalds, and explosions, and 1,084 by accidents in mines, quarries and excavations. Of the deaths of females due to accident, 1,507 were caused by burns, scalds, and explosions, and 1,270 by falls. It will be seen that, as in previous years, the deaths of males exceeded those of females under every heading except that of "burns." The deaths caused by "vehicles other than railway" numbered 1,686, being 1,393 males and 293 females. The different kinds of vehicles are shown on pages 426 and 433, together with the number of deaths caused by each.

The coroners' certificates do not in all cases fully describe the vehicles, but simply state that death was caused by "tramcar," "omnibus," "wagon, &c." In the absence of definite information these deaths have been separately abstracted under the heading "others" or "not defined." The tables show that 365 deaths were caused by vehicles (other than railway) propelled by mechanical power, 631 deaths were caused by horse-drawn vehicles, and 690 were caused by vehicles not thus defined.

The deaths from violence of infants under the age of one month numbered 749, *viz.*, 407 males, and 342 females. Of the 749 deaths, the number attributed to suffocation in bed was 445, to other forms of suffocation 84, and to neglect 165. The number of infants at this age returned as "found drowned" was 25.

In the case of 15,469 out of the 15,784 deaths stated to be due to accident or negligence, coroners' inquests were held; the causes of 236 deaths were certified by medical practitioners, and in 79 cases the causes remained uncertified; 6 of these were not reported to the coroner.

The deaths at all ages of 2,632 men, and 901 women were attributed to suicide, details of which will be found on pages 438 and 439.

Of the 265 deaths by homicide, 139 were of males and 126 of females. The Tables on pages 440 to 443 show that 148 of these were returned by coroners' juries as murder, and 117 as man-

slaughter (of which 6 were returned as justifiable homicide). The 265 deaths due to homicide include 50 of infants under one month, 43 of which were described as murder and 7 as manslaughter.

There were 10 executions (9 males and 1 female) during the year, the numbers in the preceding three years having been 18, 17 and 8 respectively.

I am, Sir,

Your obedient Servant,

JOHN TATHAM.

Sir WILLIAM COSPATRICK DUNBAR, Bart., C.B.,  
*Registrar-General.*

---



## NOTE UPON ESTIMATES OF POPULATION.

By ALFRED C. WATERS, Esq., F.S.S., Chief Clerk,  
General Register Office.

In a paper which was published in the Journal of the Royal Statistical Society in June, 1901, I explained in detail a method for estimating populations of separate districts in the years of a completed intercensal period. The method was based on two suppositions, one of which was that the population of the whole country changed by geometrical progression during the period. And in a note which appears on pp. cxvii-cxxiv in Part I. of the Supplement to the Registrar-General's Sixty-fifth Annual Report I showed that the supposition of geometrical progression was not essential, but that the method would be equally applicable if any other supposition were made, or if the intermediate populations of the whole country could be ascertained without any supposition whatever, by the help of complete statistics of emigration and immigration.

The method as thus extended may be stated as follows :—

If the proportions which the population of any given district bore to the total population of the country at two successive censuses be denoted by  $a$  and  $\beta$ , let it be assumed that the proportion  $a$  passed to the proportion  $\beta$  by arithmetical progression in the intercensal period. The population of the district at an intermediate date could then be computed by first ascertaining the proportions  $a$  and  $\beta$ , by calculating the proportion at the intermediate date on the supposition of arithmetical progression, and finally by applying that proportion to the number taken as the population of the whole country at the intermediate date. The labour of performing this series of calculations for a number of intermediate dates for every district in the country would be great; but it was shown that the final results could be arrived at in a much simpler manner. Formulæ were deduced for obtaining two factors for each intermediate date; these factors depending only on the decennial rate of increase of the total population and on the estimated or ascertained total population at the date in question. The population of any district at the earlier census being multiplied by the first of these factors, and the population at the later census being multiplied by the other factor, the sum of the two products would give the same figure as would be obtained by the laborious series of calculations indicated above.

It was found, however, that in all cases the sum of the two factors slightly exceeded unity; and, as a necessary consequence, that if the two census populations of any district were equal, the intermediate estimates for that district would all be greater than the census populations. Practically the excess is too small to be of any importance. If, in a country with a decennial increase

of 10.25 per cent., there were a district with a population of 10,000 at each census, the method would show its population midway between the censuses as 10,012, and its mean population through the intercensal period as 10,008. It must, however, be admitted that a supposition which involves even such slight anomalies is not theoretically sound.

Further consideration of the point has led to modified formulæ of extreme simplicity, the results of which differ very little from those of the more elaborate formulæ previously described, and are free from the theoretical blemish noted above. Let it be assumed that the estimated population of any district at an interval measured by  $t$  after the first of two censuses may be calculated by multiplying the populations at the two censuses by two factors  $m$  and  $n$  respectively, and adding the results. As, by hypothesis, this applies to every district in the country, it applies to the sum of all the districts—that is, to the population of the whole country. Let  $P_0$  and  $P_1$  be the populations of the whole country at the two censuses, and  $P_t$  the population (estimated or ascertained) at the interval  $t$  after the first of the censuses. Then  $P_t = m P_0 + n P_1$ . But  $m$  and  $n$  are indeterminate in this equation, and one condition must be introduced in order to give them determinate values. Let the condition be that if any district had equal populations at the two censuses the formula shall give the same number as the population after the interval  $t$ ; in other words let  $m + n = 1$ . We then have

$$P_t = m P_0 + (1 - m) P_1$$

from which it follows that

$$m = \frac{P_1 - P_t}{P_1 - P_0}$$

$$= \frac{\text{Increase of total population in second portion of intercensal period}}{\text{Intercensal increase of population}}$$

$$\text{and } 1 - m = \frac{P_t - P_0}{P_1 - P_0}$$

$$= \frac{\text{Increase of population in first portion of intercensal period}}{\text{Intercensal increase of population.}}$$

By this very simple method, if the populations of a district at the two censuses be  $\pi_0$  and  $\pi_1$ , its estimated population after the interval  $t$  will be

$$\frac{P_1 - P_t}{P_1 - P_0} \pi_0 + \frac{P_t - P_0}{P_1 - P_0} \pi_1.$$

If the population of the whole country be assumed to have increased by geometrical progression, factors for estimating the mean population of the several districts during the intercensal period or any portion of it may be obtained by integration—

$$\text{Let } P_1 = rP_0 \text{ and } P_t = r^t P_0. \text{ Then } \frac{P_1 - P_t}{P_1 - P_0} \text{ becomes } \frac{r - r^t}{r - 1},$$

$$\text{and } \frac{P_t - P_0}{P_1 - P_0} \text{ becomes } \frac{r^t - 1}{r - 1};$$

$$\int_t^{t+h} \frac{r - r^t}{r - 1} dt = \frac{rh}{r - 1} - \frac{r^t (r^h - 1)}{\lambda r (r - 1)},$$



$$\text{and } \int_t^{t+h} \frac{r^t - 1}{r - 1} dt = \frac{r^t (r^h - 1)}{\lambda r (r - 1)} - \frac{h}{r - 1};$$

( $\lambda r$  being the hyperbolic logarithm of  $r$ )

and the factors for the mean population during any period are found by giving appropriate values to  $t$  and  $h$ .

For example, by making  $t = 0$  and  $h = 1$  we get the factors

$$\frac{r}{r - 1} - \frac{1}{\lambda r} \text{ and } \frac{1}{\lambda r} - \frac{1}{r - 1} \text{ for the mean population in the whole}$$

intercensal period. And, assuming the geometrical progression to have prevailed from the beginning of the earlier census year—the censuses being taken at the end of March or beginning of April—by making  $t = -\frac{1}{40}$  and  $h = 1$ , we get the

$$\text{factors } \frac{r}{r - 1} - \frac{1}{r^{\frac{1}{40}} \cdot \lambda r} \text{ and } \frac{1}{r^{\frac{1}{40}} \cdot \lambda r} - \frac{1}{r - 1} \text{ for the mean popu-}$$

lation in the ten calendar years beginning three months before the earlier census and ending three months before the later census.

The method in its most general form is applicable for the current estimates of population that are required in the years following the second of two censuses. In this case the

factor  $\frac{P_1 - P_t}{P_1 - P_0}$  is negative, and the formula for the mean popula-

tion of a district becomes  $\frac{P_t - P_0}{P_1 - P_0} \pi_1 - \frac{P_t - P_1}{P_1 - P_0} \pi_0$ .

## METEOROLOGY OF THE YEAR 1907.

---

### REMARKS ON THE CONSPICUOUS METEOROLOGICAL OCCURRENCES IN THE BRITISH ISLES IN 1907.

*(Prepared in the Meteorological Office under the direction of  
W. N. Shaw, Esq., LL.D., Sc.D., F.R.S.)*

In the preparation of the following references to the more striking meteorological events of the year 1907, the principal sources of information have been the official daily, weekly, and monthly weather returns, and the observations at numerous rainfall stations :—

1. *Gales*.—There was again during 1907 an almost entire absence of violent gales affecting any considerable portion of the British Isles, and this notwithstanding the numerous occasions when the pressure gradients were very steep. The South-Westerly to North-Westerly gale of February 19th–20th was felt practically all over the country, the force of a strong gale and upwards blowing at about half the telegraphic reporting stations, a whole gale at Scilly, and a storm at Malin Head. This gale was interesting through being associated with the deepest cyclonic system which had visited North-Western Europe for many years. At Skudesnaes the barometer dropped to the very rarely reached level of 27·65 ins. The South-Easterly to Easterly gale between December 25th and 28th was strong in force at only a few places on any one day, but it was notable more for the bitter harshness of the wind than for its violence. The anemometrical records from 24 stations disclose the following instances of wind velocities of 50 or more miles in an hour :—

January 1st–2nd, Pendennis Castle, 54 ; 22nd, 52 ; 28th, Deerness, 59 ; 29th, Fleetwood, 53.

February 19th, Pendennis Castle, 51 ; 20th, Deerness, 51, Fleetwood, 59, Southport, 53, Holyhead, 54, Scilly, 50.

March 16th, Pendennis Castle, 55, Kingstown, 51, Southport, 60, Fleetwood, 56.

October 18th, Roche's Point, 50, Pendennis Castle, 55 ; 20th, Pendennis Castle, 50.

November 13th, Fleetwood, 59 ; 26th, Pendennis Castle, 51.

December 14th, Scilly, 54, Fleetwood, 61, Southport, 53 ; 26th–28th, Pendennis Castle, 59.

At ten stations there was not a record during the year of a mean velocity exceeding 43 miles an hour. In gusts of short duration the highest equivalent velocities per hour were 79 miles at Southport, 78 at Scilly, and 75 at Holyhead on February 20th, and 81 miles at Southport, and 76 at Holyhead on March 16th.



As bearing upon the very unsettled character of the summer season it may be stated that 42 per cent. of the low pressure systems traversing our area within the year were, in the four months May to August, against 28 per cent. in the earlier, and 30 per cent. in the later months.

2. *Rainfall*.—There was considerable variation in the distribution of precipitation over the country generally. Blacksod Point had an excess of 6·4 ins., Leith and Poltalloch of 7 ins., and Rothesay of 10·3 ins., whereas Scilly had a deficiency of 6·1 ins., Roche's Point of 6·3 ins., Brighton of 7 ins., Killarney of 8·6 ins., and Folkstone of 8·8 ins. The largest aggregates for the year were 87 ins. at Glencarron, 77 ins. at Laudale, 75 ins. at Fort William, 59 ins. at Poltalloch and Rothesay, and 55 ins. at Blacksod Point; the smallest totals, 19 ins. at Folkstone and Spurn Head, 18 ins. at Shoeburyness and Southend-on-Sea, and 17 ins. at Clacton-on-Sea. The number of days on which precipitation was measured ranged from 301 at Foynes, 288 at Blacksod Point, 283 at Cahir, 282 at Stornoway, and 281 at Glencarron, to 150 at Clacton-on-Sea and Whitby, 149 at Tottenham, and 134 at Southend-on-Sea. Falls of an inch or more in a day were less general than usual. Those exceeding 2 ins. were, on January 13th, 2·2 ins. at Glencarron; July 21st, 2·7 ins. at Bath; August 29th, 2·1 ins. at Gruline; October 15th, 2·5 ins. at Glasgow, and 2·6 ins. at Leith and Thornton Hall; 16th, 3 ins. at Lincoln (3·5 ins. in the suburbs), 2·1 ins. at Worksop; November 2nd, 2·2 ins. at Falmouth; 22nd, 2·4 ins., and on the 27th, 2·3 ins. at Gruline. There were some very heavy falls in short periods—on May 9th, 1·1 in. at Southampton in 30 minutes; on June 29th, 1·4 in. at Fulbeck in 75 minutes; on July 21st, 1·8 in. at Llangammarch Wells in 2 hours 40 minutes, 2·6 ins. at Bath in 3 hours, and 1·9 in. at Rochford in 30 minutes; on July 22nd, 1·1 in. at Llangammarch Wells in 45 minutes; and on the 30th, 0·58 in. at Nottingham in 15 minutes.

3. *Snowstorms*.—The only snowfall of the year worthy of special remark occurred early in the morning of April 7th, when the south-eastern counties of England were visited by a considerable fall, the ground being covered to a depth of from an inch to 6 inches, undrifted. The other falls were generally of an insignificant character, so that at both ends of the year the country never presented a really wintry aspect. On Midsummer Day there was a slight fall of snow at Harrogate.

4. *Thunderstorms*.—In every month many parts of the kingdom experienced thunderstorms, the quietest period being from October 20th to November 26th, when hardly any were reported. Those of the first three months, although fairly numerous for the season, were of minor importance. During the four months April to July they were very frequent, and several of them severe, in some cases accompanied by heavy or violent falls of hail. The April Summary contains references to the remarkable disruptive effects of a violent discharge of lightning close to Bidston Observatory, near Birkenhead, on the 9th; the fusing of the steel wire attached to a captive balloon by a flash of lightning at Aldershot on the 11th; and the black darkness, sulphur-coloured sky and black rain water of a thunderstorm at Ridlington on the 17th. The storms of May were characterised by many very heavy falls of rain, while the equally

numerous ones of June were marked by an almost entire absence of violent downpours. As a rule the July storms also did not produce great rainfalls, but the thunderstorms of the 21st and 22nd were the most remarkable of the year. They affected the greater portion of England, Wales, Ireland, and the south of Scotland—very severe in various parts of Ireland and England. The greatest violences of the storms was concentrated within a comparatively small area—the south-eastern quarter of Wales and the neighbouring English counties—where torrential rains and destructive hailstorms occurred. In the Black Mountain neighbourhood of Breconshire roads were damaged and blocked, and the course of the river Monnow temporarily diverted by the enormous quantities of large hail that fell. The thunderstorms of the remaining months showed a considerable reduction in frequency, and presented no unusual feature.

5. *Droughts.*—There were three well-marked periods of dry weather. The first commenced about January 3rd. In some localities it was interrupted by a fall of rain on the 10th, but in various districts there were 15 or more consecutive rainless days, ranging upwards to 20 at Bray (Ireland), with one rainfall of 0·03 in. in 26 days, 24 at Reading, and 29 at Watlington (Oxon). The second covered the later portion of March and the first two days of April, a period of exceptionally fine weather over the country generally. In few places, however, did this drought last over more than 15 days. The September drought was the most decided of the series. Commencing between the 5th and the 8th over an extensive portion of England it lasted uninterruptedly to various dates between the 24th and 30th, the duration exceeding 20 days in many places, and amounting to 25 days at Portsmouth, Bath, Leeds, and Manchester.

6. *Temperature.*—The *highest* temperatures of the year were registered in three different periods. At a number of stations in the inland and eastern counties of England the thermometer rose to 80° and upwards on May 11th and 12th, to 82° at Greenwich, Camden Square, Bawtry and Fulbeck on the latter date. There were no more readings of 80° until the middle of July, when 86° was reached at Lairg (16th), 85° at Dumfries (16th and 17th), and Killarney (18th), 84° at Crieff (17th), and 83° at Balruddery (16th), Stokesay (18th), and Salisbury (20th), with numerous other records of 80° and above. It was not until an unusually late period in the season that the thermometer again passed 80°. On September 25th it exceeded this level in various parts of England, touching 84° at Epsom, and 83° at Greenwich. This is the maximum for the year at the Royal Observatory, and it is interesting to note that the Greenwich records, which now extend back over 67 years, show that in no previous year has the highest temperature in September occurred on so late a date. But while high afternoon maxima were seldom registered during the summer portion of the year, they were of common occurrence in the winter half. The most striking instances occurred in the second half of March, when the weather was in every way abnormal, calm, dry, bright and warm. At the Irish stations 65° at Killarney was the highest reading; in Scotland 66° was reached at Lairg, Leith, Marchmont, and Nairn; and in England considerably higher values, 70° to 73°, were registered



at a number of stations. The Monthly Summary for March contains a more detailed notice of this period. A feature of the summer months was the frequency of low afternoon temperatures. Both in April and May maxima below  $50^{\circ}$ , and in June, July and August below  $60^{\circ}$ , were experienced pretty generally, the highest point reached at Portland Bill throughout the month of June being only  $59^{\circ}$ , and at Scilly  $60^{\circ}$ , while on Midsummer day Malin Head had a maximum of  $51^{\circ}$ , and Darwen  $52^{\circ}$ .

The *lowest* night temperatures occurred in the early months, in many places on January 25th, when  $5^{\circ}$  was registered at Llangammarch Wells,  $9^{\circ}$  at Buxton,  $10^{\circ}$  at Hillington, Garforth, Stokesay, Raunds and Hereford, and  $12^{\circ}$  at Belvoir and Shrewsbury. On January 1st  $5^{\circ}$  was the minimum at Balmoral, and on February 1st  $11^{\circ}$  at Nairn, and  $12^{\circ}$  at Fort Augustus. No station escaped frost.

The annual range of temperature was  $74^{\circ}$  at Llangammarch Wells,  $73^{\circ}$  at Stokesay,  $72^{\circ}$  at Lairg,  $71^{\circ}$  at Balmoral and Hillington, and thence down to  $45^{\circ}$  at Sumburgh Head,  $44^{\circ}$  at Blacksod Point, and  $42^{\circ}$  at Donaghadee and Scilly.

7. *Bright Sunshine*.—There were some curious anomalies in the distribution of sunshine during the year. The relatively brightest period was in the opening months, culminating in an unprecedentedly brilliant spell in the second half of March, when there were numerous records of from 10 to 12 hours of bright sunshine in a day, the weekly totals at a large number of stations being from 80 to 90 per cent. of the possible duration. For the whole of the month many places returned from 50 to 100 hours more than the average duration, Tunbridge Wells showing an excess of 112 hours. On the other hand May and June were marked by unusual dulness, so that in many localities the totals were from 50 to 90 hours below the average, the deficiency at Scilly during June amounting to 101 hours, and at Falmouth to 106 hours. The records, therefore, show that there was considerably more bright sunshine in the month of the Spring Equinox than in the month of the Summer Solstice, the excess in favour of March ranging upwards to more than two hours per day in various districts. The largest aggregates for the year were 1,860 hours (42 per cent. of the possible duration) at Guernsey, 1,848 (42 per cent.) at Eastbourne, 1,839 (42 per cent.) at Jersey, 1,809 (41 per cent.) at Bognor, and 1,803 hours (41 per cent.) at Hastings; the smallest totals were 894 hours (20 per cent.) at Manchester, 957 (22 per cent.) at Fort Augustus, and 961 hours (22 per cent.) at Hull. The excess above the average at Eastbourne amounted to 109 hours, at Blackpool 111, and at Stonyhurst 175 hours, against a loss of 124 hours at Valencia, 203 at Falmouth, and 223 at Scilly.

8. *Fog*.—In every month there were numerous reports of fog. At the inland stations it was confined almost entirely to the early and late months, a decided increase taking place during the very quiet weather conditions which prevailed during the second half of September. These land fogs were at times very dense and dark, locomotion being considerably delayed, and in some cases railway and other accidents resulted. Along the coasts fogs were experienced in various localities in all seasons, but the frequency was greater in the summer than in the winter half of the year. Some of them were exceedingly thick, and brought about many shipping casualties,

the most notable being the loss of the large mail and passenger steamers "Suevic" and "Jebba" during a dense fog at the western end of the English Channel in the night of March 17th. An unusually bad fog enveloped the southern portion of the Irish Sea throughout the whole of November 30th, completely stopping all shipping movements in the locality of the Mersey.

9. *Barometer*.—The mean atmospheric pressure for the year was remarkably near the average, but the extreme range was appreciably greater than in 1906. Over nearly the whole country the range was more than 2 ins., exceeding 2·5 ins. at all stations in Scotland and the north-east of England. At Aberdeen it amounted to 2·9 inches. Pressure attained its maximum height at all but the English Channel stations on January 23rd during the existence of an anticyclone of unprecedented intensity over Eastern Europe, where many stations reported readings above 31·25 ins., ranging upwards to 31·49 ins. at Riga and Vindau, in the Baltic Provinces. At the home stations the barometer rose a little above 31 ins. at Donaghadee, Shields, Leith, and Aberdeen, 31·06 ins. at the last-mentioned station. Everywhere the mercury fell below 29 ins., but the lowest pressures in various districts occurred at different periods of the year. In Scotland and the extreme north of England and of Ireland readings below 28·5 ins. were recorded on February 19th or 20th, 28·13 ins. at Nairn (27·65 ins. on the neighbouring coast of Norway). Over our western districts the minimum values were not reached until October 16th–18th, 28·52 ins. at Valencia; in the Hebrides not until December 6th, 28·34 ins.; and in the east and south-east of England not until December 13th and 14th, below 28·4 ins. at Spurn Head. On January 2nd and 28th the mercury fell to 28·34 ins. at Sumburgh Head.

There were very few instances of exceptionally rapid pressure oscillations. During the passage of the great depression of February 19th the barometer at Nairn fell from 28·86 ins. at 2 p.m. to 28·13 ins. at 7 p.m., a drop of 0·73 in. in 5 hours, of which 0·24 in. occurred in the last hour. On March 16th there was a rise of 0·1 in. in 20 minutes, and of 0·31 in. in 80 minutes at Valencia. In the 4 hours, 2 p.m. to 6 p.m. of December 2nd, a fall of 0·48 in. was recorded at Blacksod Point; 0·2 in. in 2 hours at the same station on the 7th; and 0·22 in. in 2 hours at Holyhead on the 13th.

10. *High Tide*.—The only destructive tidal flood of the year occurred along the north-west coast of England on March 16th, when, coincident with the normally high equinoctial springtide, there was a deep cyclonic disturbance, the barometer descending to about 28·7 in. on the Irish Sea, accompanied by a strong South-Westerly to Westerly gale, and exceedingly heavy rains over the neighbouring land areas. Much damage was occasioned on the shores of the Solway Firth, Morecambe Bay and elsewhere by the overflowing tide.

11. *Earthquake Shocks*.—Observers reported slight earthquake shocks at Laudale on January 3rd, at Oundle on the 16th, and at Laudale and Fort William on the 17th. [On January 14th, Kingston, Jamaica, was wrecked and great loss of life caused by a very severe earthquake.] At various times during the year the newspapers reported other minor shocks in different parts of the country.



12. *Aurora Borealis*.—On several occasions in the early and late months of the year auroral displays were witnessed in various parts of the kingdom, mainly in the northern districts. With one exception, however, they were of an unimportant character. That of the evening of February 9th was seen in all parts of the country where fog did not interfere with the view, and as far south as Guernsey the reddish glow in the sky was strong enough to make outlying rocks visible. Between 2 p.m., 9th, and 3 a.m., 10th, the greatest magnetic storm since October 31st, 1903, was recorded at Kew Observatory.

In continuation of the remarks given in previous annual reports the following notes refer exclusively to the stations the results from which are included in the tables already printed in the Quarterly Returns.

The highest temperatures of the air were at Barnet,  $85^{\circ}$ ; the Royal Observatory, Greenwich, Salisbury, and Stokesay,  $83^{\circ}$ ; and at Bristol and Camden Square,  $82^{\circ}$ .

The lowest temperatures were at Llangammarch Wells,  $5^{\circ}$ ; Buxton,  $9^{\circ}$ ; and at Hillington and Stokesay,  $10^{\circ}$ .

The heaviest falls of rain at any of the stations were at Stonyhurst, 50.0 ins.; Llangammarch Wells, 48.9 ins.; and at Buxton, 46.6 ins.

The least falls of rain were at Clacton-on-Sea, 16.7 ins.; Spurn Head, 18.7 ins.; and at Westminster, 19.5 ins.

The greatest number of days of rain were at Buxton, 247; Llangammarch Wells, 236; and at Huddersfield and Norwich, 231.

The least number of days of rain were at Tottenham, 149; Clacton-on-Sea, 150; and at Westminster, 162.

The highest temperatures in the sun were at the Royal Observatory, Greenwich,  $142^{\circ}$ ; Bettws-y-Coed,  $141^{\circ}$ ; Clacton-on-Sea, Cockle Park, and Dunmow,  $140^{\circ}$ .

The lowest temperatures on the grass were at Llangammarch Wells,  $1^{\circ}$  and  $4^{\circ}$ ; and Birmingham,  $5^{\circ}$ .

The greatest number of days of temperature on the grass at  $30^{\circ}$  or below were Coventry, 144; Llangammarch Wells, 129; and Cambridge, 126.

---

---

T A B L E S.

---



TABLE 1.—United Kingdom: Population of its several portions estimated of the Islands in the British Seas, and of the portions

YEAR.	UNITED KINGDOM. AREA 77,497,227 ACRES.			ENGLAND AND WALES. AREA 37,327,479 ACRES.		
	Persons.	Males.	Females.	Persons.	Males.	Females.
1858	28,389,770	13,828,357	14,561,413	19,471,291	9,508,949	9,962,342
1859	28,590,224	13,915,802	14,674,422	19,686,701	9,606,982	10,079,719
1860	28,778,411	13,997,137	14,781,274	19,902,713	9,704,394	10,198,319
1861	28,977,133	14,086,431	14,890,702	20,119,314	9,801,152	10,318,162
1862	29,243,610	14,218,788	15,024,822	20,371,013	9,923,272	10,447,741
1863	29,470,969	14,329,606	15,141,363	20,625,855	10,046,909	10,578,946
1864	29,680,437	14,431,943	15,248,494	20,883,889	10,172,089	10,711,800
1865	29,925,177	14,552,746	15,372,431	21,145,151	10,298,826	10,846,325
1866	30,147,755	14,656,115	15,491,640	21,409,684	10,427,146	10,982,538
1867	30,409,132	14,781,924	15,627,208	21,677,525	10,557,066	11,120,459
1868	30,689,977	14,917,163	15,772,814	21,948,713	10,688,600	11,260,113
1869	30,978,278	15,056,678	15,921,600	22,223,299	10,821,775	11,401,524
1870	31,256,535	15,189,549	16,066,986	22,501,316	10,956,608	11,544,708
1871	31,555,694	15,331,177	16,224,517	22,788,594	11,092,620	11,695,974
1872	31,874,183	15,485,219	16,388,964	23,096,495	11,242,495	11,854,000
1873	32,177,550	15,630,140	16,547,410	23,408,556	11,394,394	12,014,162
1874	32,501,517	15,788,489	16,713,028	23,724,834	11,548,346	12,176,488
1875	32,838,758	15,957,608	16,881,150	24,045,385	11,704,378	12,341,007
1876	33,199,994	16,138,194	17,061,800	24,370,267	11,862,519	12,507,748
1877	33,575,941	16,325,250	17,250,691	24,699,539	12,022,796	12,676,743
1878	33,943,773	16,508,370	17,435,403	25,033,259	12,185,238	12,848,021
1879	34,302,557	16,687,367	17,615,190	25,371,489	12,349,875	13,021,614
1880	34,622,930	16,844,178	17,778,752	25,714,288	12,516,737	13,197,551
1881	34,934,476	16,995,577	17,938,899	26,046,142	12,673,435	13,372,707
1882	35,206,617	17,122,482	18,084,135	26,334,942	12,808,460	13,526,482
1883	35,449,721	17,237,225	18,212,496	26,626,949	12,944,923	13,682,026
1884	35,724,231	17,367,248	18,356,983	26,922,192	13,082,837	13,839,355
1885	36,015,601	17,505,358	18,510,243	27,220,706	13,222,216	13,998,490
1886	36,313,532	17,646,573	18,667,009	27,522,532	13,363,079	14,159,453
1887	36,599,143	17,780,591	18,818,552	27,827,706	13,505,441	14,322,265
1888	36,881,271	17,912,256	18,969,015	28,136,258	13,649,314	14,486,944
1889	37,178,929	18,052,088	19,126,841	28,448,239	13,794,721	14,653,518
1890	37,484,764	18,196,143	19,288,621	28,763,673	13,941,671	14,822,002
1891	37,802,440	18,346,840	19,455,600	29,085,819	14,092,535	14,993,284
1892	38,134,110	18,504,779	19,629,331	29,421,392	14,252,190	15,169,202
1893	38,490,333	18,674,558	19,815,775	29,760,842	14,413,657	15,347,185
1894	38,859,067	18,851,843	20,007,224	30,104,201	14,576,948	15,527,253
1895	39,221,109	19,027,140	20,193,969	30,451,528	14,742,091	15,709,437
1896	39,599,072	19,209,015	20,390,057	30,802,858	14,909,104	15,893,754
1897	39,987,294	19,396,275	20,591,019	31,158,245	15,078,010	16,080,235
1898	40,380,792	19,586,134	20,794,658	31,517,725	15,248,823	16,268,902
1899	40,774,296	19,774,970	20,999,326	31,881,365	15,421,578	16,459,787
1900	41,154,646	19,956,716	21,197,930	32,249,187	15,596,283	16,652,904
1901	41,550,773	20,147,648	21,403,125	32,621,263	15,773,062	16,848,201
1902	41,961,199	20,347,886	21,613,313	32,997,626	15,952,154	17,045,472
1903	42,371,219	20,548,000	21,823,219	33,378,338	16,133,344	17,244,994
1904	42,793,272	20,753,466	22,039,806	33,763,434	16,316,647	17,446,787
1905	43,221,145	20,960,826	22,260,319	34,152,977	16,502,094	17,650,883
1906	43,661,092	21,172,539	22,488,553	34,547,016	16,689,707	17,857,309
1907	44,098,727	21,382,805	22,715,922	34,945,600	16,879,509	18,066,091

to the **middle** of each of the **Years 1858-1907, exclusive** of the **Population** of the **Army, Navy, and Merchant Service Abroad.**

SCOTLAND.* AREA 19,459,155 ACRES.			IRELAND.* AREA 20,710,593 ACRES.			YEAR.
Persons.	Males.	Females.	Persons.	Males.	Females.	
3,027,665	1,437,414	1,590,251	5,890,814	2,881,994	3,008,820	1858
3,041,812	1,442,890	1,598,922	5,861,711	2,865,930	2,995,781	1859
3,054,738	1,447,622	1,607,116	5,820,960	2,845,121	2,975,839	1860
3,069,404	1,453,496	1,615,908	5,788,415	2,831,783	2,956,632	1861
3,097,009	1,468,180	1,628,829	5,775,588	2,827,336	2,948,252	1862
3,126,879	1,483,008	1,643,871	5,718,235	2,799,689	2,918,546	1863
3,156,021	1,497,988	1,658,033	5,640,527	2,761,866	2,878,661	1864
3,185,437	1,513,120	1,672,317	5,594,589	2,740,800	2,853,789	1865
3,215,129	1,528,404	1,686,725	5,522,942	2,700,565	2,822,377	1866
3,245,098	1,543,843	1,701,255	5,486,509	2,681,015	2,805,494	1867
3,275,350	1,559,438	1,715,912	5,465,914	2,669,125	2,796,789	1868
3,305,885	1,575,190	1,730,695	5,449,094	2,659,713	2,789,381	1869
3,336,707	1,591,101	1,745,606	5,418,512	2,641,840	2,776,672	1870
3,368,921	1,607,775	1,761,146	5,398,179	2,630,782	2,767,397	1871
3,404,798	1,626,461	1,778,337	5,372,890	2,616,263	2,756,627	1872
3,441,056	1,645,361	1,795,695	5,327,938	2,590,385	2,737,553	1873
3,477,704	1,664,480	1,813,224	5,298,979	2,575,663	2,723,316	1874
3,514,744	1,683,821	1,830,923	5,278,629	2,569,409	2,709,220	1875
3,552,183	1,703,388	1,848,795	5,277,544	2,572,287	2,705,257	1876
3,590,022	1,723,180	1,866,842	5,286,380	2,579,274	2,707,106	1877
3,628,268	1,743,204	1,885,064	5,282,246	2,579,928	2,702,318	1878
3,665,443	1,762,787	1,902,656	5,265,625	2,574,705	2,690,920	1879
3,705,994	1,783,950	1,922,044	5,202,648	2,543,491	2,659,157	1880
3,742,564	1,802,923	1,939,641	5,145,770	2,519,219	2,626,551	1881
3,770,657	1,816,785	1,953,872	5,101,018	2,497,237	2,603,781	1882
3,798,961	1,830,754	1,968,207	5,023,811	2,461,548	2,562,263	1883
3,827,478	1,844,830	1,982,648	4,974,561	2,439,581	2,534,980	1884
3,856,307	1,859,014	1,997,293	4,938,588	2,424,128	2,514,460	1885
3,885,155	1,873,308	2,011,847	4,905,895	2,410,186	2,495,709	1886
3,914,318	1,887,711	2,026,607	4,857,119	2,387,439	2,469,680	1887
3,943,701	1,902,225	2,041,476	4,801,312	2,360,717	2,440,595	1888
3,973,305	1,916,851	2,056,454	4,757,385	2,340,516	2,416,869	1889
4,003,132	1,931,589	2,071,543	4,717,959	2,322,883	2,395,076	1890
4,036,245	1,948,183	2,088,062	4,680,376	2,306,122	2,374,254	1891
4,078,910	1,970,197	2,108,713	4,632,808	2,282,392	2,351,416	1892
4,122,029	1,992,461	2,129,568	4,607,462	2,268,440	2,339,022	1893
4,165,606	2,014,976	2,150,630	4,589,260	2,259,919	2,329,341	1894
4,209,645	2,037,746	2,171,899	4,559,936	2,247,303	2,312,633	1895
4,254,153	2,060,773	2,193,380	4,542,061	2,239,138	2,302,923	1896
4,299,132	2,084,060	2,215,072	4,529,917	2,234,205	2,295,712	1897
4,344,589	2,107,610	2,236,979	4,518,478	2,229,701	2,288,777	1898
4,390,530	2,131,427	2,259,103	4,502,401	2,221,965	2,280,436	1899
4,436,958	2,155,512	2,281,446	4,468,501	2,204,921	2,263,580	1900
4,483,880	2,179,870	2,304,010	4,445,630	2,194,716	2,250,914	1901
4,531,299	2,204,503	2,326,796	4,432,274	2,191,229	2,241,045	1902
4,579,223	2,229,414	2,349,809	4,413,658	2,185,242	2,228,416	1903
4,627,656	2,254,607	2,373,049	4,402,182	2,182,212	2,219,970	1904
4,676,603	2,280,085	2,396,518	4,391,565	2,178,647	2,212,918	1905
4,726,070	2,305,850	2,420,220	4,388,006	2,176,982	2,211,024	1906
4,776,063	2,331,907	2,444,156	4,377,064	2,171,389	2,205,675	1907

\* The Estimates of Population for Scotland and Ireland have been supplied by the Registrars-General for those parts of the United Kingdom.



TABLE 2.—ENGLAND AND WALES.—Marriages, Births, and Deaths, 1858-1907.

YEAR.	MAR- RIAGES.	BIRTHS.					DEATHS.		
		Total.	Males	Females.	Le- gitimate.	Ille- gitimate.	Persons.	Males.	Females.
1858	156,070	655,481	334,989	320,492	612,176	43,305	449,656	227,220	222,436
1859	167,723	689,881	352,662	337,219	645,130	44,751	440,781	223,576	217,205
1860	170,156	684,048	349,799	334,249	640,355	43,693	422,721	215,238	207,483
1861	163,706	696,406	355,972	340,434	652,249	44,157	435,114	222,281	212,833
1862	164,030	712,684	363,534	349,150	667,462	45,222	436,566	222,622	213,944
1863	173,510	727,417	372,019	355,398	680,276	47,141	473,837	242,203	231,634
1864	180,387	740,275	377,719	362,556	692,827	47,448	495,531	253,619	241,912
1865	185,474	748,069	381,444	366,625	701,484	46,585	490,909	252,218	238,691
1866	187,776	753,870	384,955	368,915	708,369	45,501	500,689	256,402	244,287
1867	179,154	768,349	392,224	376,125	723,163	45,186	471,073	242,588	228,485
1868	176,962	786,858	400,383	386,475	740,520	46,338	480,622	247,107	233,515
1869	176,970	773,381	394,570	378,811	728,690	44,691	494,828	254,863	239,965
1870	181,655	792,787	404,305	388,482	748,050	44,737	515,329	265,586	249,743
1871	190,112	797,428	405,605	391,823	752,653	44,775	514,879	265,563	249,316
1872	201,267	825,907	421,307	404,600	781,141	44,766	492,265	255,135	237,130
1873	205,615	829,778	422,757	407,021	786,617	43,161	492,520	254,985	237,535
1874	202,010	854,956	435,179	419,777	811,853	43,103	526,632	272,178	254,454
1875	201,212	850,607	434,225	416,382	809,794	40,813	546,453	282,202	264,251
1876	201,874	887,968	452,278	435,690	846,374	41,594	510,315	265,076	245,239
1877	194,352	888,200	451,896	436,304	846,045	42,155	500,496	260,567	239,929
1878	190,054	891,906	455,048	436,858	849,806	42,100	539,872	278,772	261,100
1879	182,082	880,389	447,914	432,475	838,200	42,189	526,255	271,496	254,759
1880	191,965	881,643	448,709	432,934	839,101	42,542	528,624	273,442	255,182
1881	197,290	883,642	450,180	433,462	840,522	43,120	491,935	253,605	238,330
1882	204,405	889,014	452,752	436,262	845,859	43,155	516,654	265,767	250,887
1883	206,384	890,722	453,076	437,646	848,076	42,646	522,997	269,262	253,735
1884	204,301	906,750	462,481	444,269	864,083	42,667	530,828	273,522	257,306
1885	197,745	894,270	455,809	432,461	851,477	42,793	522,750	268,305	254,445
1886	196,071	903,760	460,368	443,392	860,922	42,838	537,276	275,874	261,402
1887	200,518	886,331	451,603	434,728	844,197	42,134	530,758	272,137	258,621
1888	203,821	879,868	447,172	432,696	839,138	40,730	510,971	263,294	247,677
1889	213,865	885,944	451,218	434,726	845,317	40,627	518,353	266,102	252,251
1890	223,028	869,937	442,070	427,867	831,525	38,412	562,248	290,448	271,800
1891	226,526	914,157	465,660	448,497	875,376	38,781	587,925	302,494	285,431
1892	227,135	897,957	456,622	441,335	860,376	37,581	559,684	286,062	273,622
1893	218,689	914,572	465,711	448,861	875,714	38,858	569,958	291,889	278,069
1894	226,449	890,289	453,016	437,273	851,946	38,343	498,827	256,015	242,812
1895	228,204	922,291	468,886	453,405	883,455	38,836	568,997	290,704	278,293
1896	242,764	915,331	465,660	449,671	876,602	38,729	526,727	270,575	256,152
1897	249,145	921,683	469,180	452,503	883,274	38,409	541,487	280,211	261,276
1898	255,379	923,165	468,920	454,245	884,832	38,333	552,141	283,981	268,160
1899	262,334	928,646	473,172	455,474	891,522	37,124	581,799	299,472	282,327
1900	257,480	927,062	471,044	456,018	890,248	36,814	587,830	303,823	284,007
1901	259,400	929,807	473,944	455,863	893,608	36,199	551,585	285,618	265,967
1902	261,750	940,509	479,144	461,365	903,835	36,674	535,538	277,216	258,322
1903	261,103	948,271	482,229	466,042	910,969	37,302	514,628	266,290	248,338
1904	257,856	945,389	481,322	464,067	907,715	37,674	549,784	283,206	266,578
1905	260,742	929,293	472,886	456,407	891,978	37,315	520,031	267,601	252,430
1906	270,036	935,081	476,939	458,142	897,691	37,390	531,281	274,233	257,048
1907	276,421	918,042	467,728	450,314	881,853	36,189	524,221	269,259	254,962

TABLE 3.—ENGLAND AND WALES.—Annual Marriage-, Birth-, and Crude Death-rates, and Infantile Mortality, 1858-1907.

YEAR.	MAR- RIAGES.	BIRTHS.					DEATHS.				
	Persons Married to 1000 Living.	Births to 1000 living.			Illegi- timate Births in 1000 Births.	Births of Males to 1000 Births of Females.	Deaths to 1000 living.			Deaths of Males to 1000 Deaths of Females, in equal Numbers Living.*	Deaths of Child- ren under one year to 1000 Births.
		Total.	Legi- timate.	Illegi- timate.			Persons.	Males.	Females.		
1858	16'0	33'7	31'5	2'2	66	1045	23'1	23'9	22'3	1070	158
1859	17'0	35'0	32'7	2'3	65	1046	22'4	23'3	21'5	1080	153
1860	17'1	34'3	32'1	2'2	64	1047	21'2	22'1	20'3	1090	148
1861	16'3	34'6	32'4	2'2	63	1046	21'6	22'7	20'6	1099	153
1862	16'1	35'0	32'8	2'2	63	1041	21'4	22'4	20'5	1095	142
1863	16'8	35'3	33'0	2'3	65	1047	23'0	24'1	21'9	1101	149
1864	17'2	35'4	33'1	2'3	64	1042	23'7	24'9	22'5	1107	153
1865	17'5	35'4	33'2	2'2	62	1040	23'2	24'5	22'0	1113	160
1866	17'5	35'2	33'1	2'1	60	1043	23'4	24'6	22'2	1106	160
1867	16'5	35'4	33'3	2'1	59	1043	21'7	23'0	20'5	1118	153
1868	16'1	35'8	33'7	2'1	59	1036	21'8	23'1	20'7	1115	155
1869	15'9	34'8	32'8	2'0	58	1042	22'3	23'6	21'0	1119	156
1870	16'1	35'2	33'2	2'0	56	1041	22'9	24'2	21'6	1121	160
1871	16'7	35'0	33'0	2'0	56	1035	22'6	23'9	21'3	1123	158
1872	17'4	35'6	33'7	1'9	54	1041	21'3	22'6	19'9	1134	150
1873	17'6	35'4	33'6	1'8	52	1039	21'0	22'4	19'8	1132	149
1874	17'0	36'0	34'2	1'8	50	1037	22'2	23'6	20'9	1128	151
1875	16'7	35'4	33'7	1'7	48	1043	22'7	24'1	21'4	1126	158
1876	16'5	36'3	34'6	1'7	47	1038	20'9	22'3	19'6	1140	146
1877	15'7	36'0	34'3	1'7	47	1036	20'3	21'7	18'9	1145	136
1878	15'2	35'6	33'9	1'7	47	1042	21'6	22'9	20'3	1126	152
1879	14'4	34'7	33'0	1'7	48	1036	20'7	22'0	19'6	1123	135
1880	14'9	34'2	32'6	1'6	48	1036	20'5	21'8	19'3	1130	153
1881	15'1	33'9	32'2	1'7	49	1039	18'9	20'0	17'8	1123	130
1882	15'5	33'8	32'2	1'6	49	1038	19'6	20'7	18'5	1119	141
1883	15'5	33'5	31'9	1'6	48	1035	19'6	20'8	18'5	1122	137
1884	15'1	33'6	32'0	1'6	47	1041	19'7	20'8	18'5	1125	147
1885	14'5	32'9	31'3	1'6	48	1040	19'2	20'3	18'2	1116	138
1886	14'2	32'8	31'2	1'6	47	1038	19'5	20'6	18'5	1118	149
1887	14'4	31'9	30'4	1'5	48	1039	19'1	20'2	18'1	1116	145
1888	14'4	31'2	29'8	1'4	46	1033	18'1	19'2	17'0	1128	136
1889	15'0	31'1	29'7	1'4	46	1038	18'2	19'3	17'2	1121	144
1890	15'5	30'2	28'9	1'3	44	1033	19'5	20'8	18'3	1136	151
1891	15'6	31'4	30'1	1'3	42	1038	20'2	21'5	19'0	1128	149
1892	15'4	30'4	29'1	1'3	42	1035	19'0	20'0	18'0	1113	148
1893	14'7	30'7	29'4	1'3	42	1038	19'2	20'3	18'1	1118	159
1894	15'0	29'6	28'3	1'3	43	1036	16'6	17'6	15'6	1123	137
1895	15'0	30'3	29'0	1'3	42	1034	18'7	19'7	17'7	1113	161
1896	15'7	29'6	28'3	1'3	42	1036	17'1	18'1	16'1	1126	148
1897	16'0	29'6	28'4	1'2	42	1037	17'4	18'6	16'2	1143	156
1898	16'2	29'3	28'1	1'2	42	1032	17'5	18'6	16'5	1130	160
1899	16'5	29'1	27'9	1'2	40	1039	18'2	19'4	17'2	1132	163
1900	16'0	28'7	27'6	1'1	40	1033	18'2	19'5	17'1	1142	154
1901	15'9	28'5	27'4	1'1	39	1040	16'9	18'1	15'8	1147	151
1902	15'9	28'5	27'4	1'1	39	1039	16'2	17'4	15'2	1147	133
1903	15'6	28'4	27'3	1'1	39	1035	15'4	16'5	14'4	1146	132
1904	15'2	27'9	26'8	1'1	40	1037	16'2	17'3	15'2	1136	145
1905	15'3	27'2	26'1	1'1	40	1036	15'2	16'2	14'3	1134	128
1906	15'6	27'1	26'0	1'1	40	1041	15'4	16'4	14'4	1141	132
1907	15'8	26'3	25'3	1'0	39	1039	15'0	16'0	14'1	1130	118

\* The figures in this column are based upon death-rates per million living.



TABLE 4.—ENGLAND AND WALES.—Annual Marriage-, Birth-, and Crude Death-rates, in Groups of Years, 1838-1907.

PERIOD.	MAR- RIAGES.	BIRTHS.					DEATHS.			
	Persons Married to 1000 Living.	Births to 1000 Living.			Illegi- timate Births in 1000 Births.	Births of Males to 1000 Births of Females.	Deaths to 1000 Living.			Deaths of Males to 1000 Deaths of Females, in equal Numbers Living.†
		Total.	Legi- timate.	Illegi- timate.			Persons.	Males.	Females.	
1838-1907	16.0	32.6	31.0*	1.7*	53*	1041	20.5	21.6	19.5	1106
1841-50	16.1	32.6	—	—	—	1049	22.4	23.1	21.6	1070
1851-60	16.9	34.1	31.9	2.2	65	1046	22.2	23.1	21.4	1079
1861-70	16.6	35.2	33.1	2.1	61	1042	22.5	23.7	21.4	1109
1871-80	16.2	35.4	33.6	1.8	50	1038	21.4	22.7	20.1	1130
1881-90	14.9	32.4	30.9	1.5	47	1037	19.1	20.3	18.1	1122
1891-1900	15.6	29.9	28.7	1.2	42	1036	18.2	19.3	17.1	1127
1841-45	15.7	32.3	—	—	—	1052	21.4	22.1	20.6	1074
1846-50	16.5	32.8	30.6	2.2	67	1045	23.3	24.1	22.6	1067
1851-55	17.1	33.9	31.7	2.2	66	1046	22.7	23.5	21.8	1079
1856-60	16.7	34.4	32.2	2.2	65	1046	21.8	22.6	21.0	1079
1861-65	16.8	35.1	32.9	2.2	64	1043	22.6	23.7	21.5	1103
1866-70	16.4	35.3	33.2	2.1	58	1041	22.4	23.7	21.2	1116
1871-75	17.1	35.5	33.7	1.8	52	1039	22.0	23.3	20.7	1129
1876-80	15.3	35.3	33.6	1.7	48	1038	20.8	22.1	19.5	1133
1881-85	15.2	33.5	31.9	1.6	48	1038	19.4	20.5	18.3	1121
1886-90	14.7	31.4	29.9	1.5	46	1036	18.9	20.0	17.8	1124
1891-95	15.1	30.5	29.2	1.3	42	1036	18.7	19.8	17.7	1119
1896-1900	16.1	29.3	28.1	1.2	41	1035	17.7	18.8	16.6	1135
1901-05	15.6	28.1	27.0	1.1	39	1037	16.0	17.1	15.0	1142

\* For the period 1845-1907 only.

† The figures in this column are based upon death-rates per million living.

TABLE 5.—ENGLAND AND WALES.—Annual Marriage-, Birth-, and Crude Death-rates in each Quarter, in Groups of Years, 1838-1907, and in each Year, 1898-1907.

PERIOD.	PERSONS MARRIED TO 1000 LIVING.				BIRTHS TO 1000 LIVING.				DEATHS TO 1000 LIVING.			
	Quarter ended				Quarter ended				Quarter ended			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838-1907	12.9	16.5	15.9	18.7	33.8	33.6	31.8	31.4	22.9	20.1	18.9	20.2
1841-50	13.3	16.4	15.2	19.2	34.2	33.7	31.2	31.2	24.7	22.0	21.0	21.7
1851-60	14.1	17.1	16.3	20.1	35.8	35.5	32.8	32.5	24.7	22.1	20.3	21.9
1861-70	13.8	16.9	16.2	19.6	36.6	36.3	34.0	33.9	25.2	21.8	21.0	22.1
1871-80	13.4	16.5	15.8	19.2	36.6	36.1	34.6	34.5	23.7	20.9	19.6	21.3
1881-90	11.9	15.4	14.9	17.6	33.4	33.2	31.9	31.5	21.6	18.7	17.3	19.1
1891-1900	11.7	16.6	16.4	17.7	30.5	30.5	29.7	28.9	20.7	17.6	17.0	17.7
1898 ..	11.6	17.8	16.7	18.5	29.8	29.6	29.6	28.2	19.4	16.2	17.8	16.7
1899 ..	11.3	18.2	17.9	18.3	29.4	30.1	28.8	28.2	18.7	16.6	19.1	18.5
1900 ..	11.0	17.8	17.2	17.8	30.2	29.2	28.6	27.0	22.8	17.6	16.4	16.2
1901 ..	10.9	17.7	17.6	17.3	28.7	28.7	28.7	27.9	18.2	15.8	17.0	16.7
1902 ..	13.3	15.2	17.2	17.7	28.4	28.9	29.0	27.7	18.5	16.1	13.9	16.5
1903 ..	11.1	17.6	17.1	16.7	28.5	29.0	28.7	27.4	16.8	14.9	13.9	16.2
1904 ..	10.7	17.0	16.8	16.5	28.6	28.3	27.9	26.9	18.2	14.8	15.7	16.3
1905 ..	10.7	16.7	16.9	16.7	28.2	27.8	27.3	25.5	17.6	14.5	14.0	14.8
1906 ..	10.7	17.3	17.4	17.0	27.9	27.5	26.9	25.9	16.5	14.6	14.9	15.6
1907 ..	12.3	16.0	18.0	16.9	26.6	27.4	26.2	24.9	18.6	14.6	12.1	14.8

**TABLE 6.—ENGLAND AND WALES.—Churches and Chapels of the Established Church, and Registered Buildings in which Marriages could be legally Solemnized, 31st December, 1907.**

REGISTRATION COUNTY.	ALL RELIGIOUS DENOMI- NATIONS.	ESTABLISHED CHURCH.	Other Religious Denominations.													All Others.
			ALL OTHER RELIGIOUS DENOMINATIONS.	Roman Catholics.	Wesleyan Methodists.	Congregationalists.	Baptists.	Primitive Methodists.	United Methodist Church.*	Calvinistic Methodists.	Presbyterians.	Unitarians.	New Jerusalem Church.	Catholic Apostolic Church.	Countess of Hunting- don's Connexion.	
ENGLAND AND WALES	30,650	15,664	14,986	1255	3375	2795	2500	1494	1075	820	434	190	53	49	42	904
<b>I.—LONDON.</b>																
London .. .. .	1398	630	768	101	102	152	167	45	31	10	51	16	6	7	1	79
<b>II.—SOUTH EASTERN.</b>																
Surrey .. .. .	508	257	251	24	51	55	61	15	3	—	12	2	1	—	1	26
Kent .. .. .	855	512	343	32	80	66	95	20	14	—	9	3	1	1	3	19
Sussex .. .. .	673	413	260	27	47	70	56	10	5	—	9	3	—	1	6	26
Hampshire .. ..	776	449	327	25	64	77	55	34	26	—	7	5	—	1	1	32
Berkshire .. ..	398	268	130	13	28	21	29	21	—	—	4	1	—	—	2	11
<b>III.—SOUTH MIDLAND.</b>																
Middlesex .. ..	414	178	236	30	39	44	55	16	5	1	14	1	1	2	2	26
Hertfordshire ..	325	194	131	9	25	44	37	6	—	—	1	—	—	1	2	6
Buckinghamshire	313	198	115	5	19	22	43	15	—	—	—	—	—	—	—	11
Oxfordshire .. ..	375	267	108	12	32	22	27	6	3	—	1	—	—	1	—	4
Northamptonshire	503	320	183	7	42	42	62	13	3	—	—	—	1	—	—	13
Huntingdonshire ..	128	80	48	2	13	6	22	3	—	—	—	—	—	—	—	2
Bedfordshire .. .	258	140	118	4	43	15	35	14	—	—	—	—	—	1	—	6
Cambridgeshire ..	324	197	127	5	26	21	46	17	5	—	1	—	—	—	1	5
<b>IV.—EASTERN.</b>																
Essex .. .. .	800	451	349	29	56	113	61	23	15	—	8	4	2	3	2	33
Suffolk .. .. .	702	509	193	11	33	55	55	21	5	—	3	2	1	—	—	7
Norfolk .. .. .	935	710	225	12	44	33	45	59	16	—	2	2	1	1	2	8
<b>V.—SOUTH WESTERN.</b>																
Wiltshire .. ..	528	331	197	9	34	45	57	31	5	—	1	—	—	—	—	15
Dorsetshire .. ..	426	307	119	12	34	36	13	14	1	—	—	3	—	—	—	6
Devonshire .. ..	959	554	405	23	107	32	62	8	70	—	5	7	—	1	—	40
Cornwall .. .. .	526	255	271	10	120	19	8	7	100	—	—	—	—	—	2	5
Somersetshire .. .	907	561	346	18	105	76	60	17	36	—	3	4	1	1	1	24
<b>VI.—WEST MIDLAND.</b>																
Gloucestershire ..	729	426	303	15	57	76	73	16	18	2	5	5	1	1	3	31
Herefordshire .. .	307	229	78	6	12	12	18	17	—	2	—	—	—	—	—	11
Shropshire .. ..	511	318	193	12	37	46	17	54	9	10	2	—	—	1	—	5
Staffordshire .. .	826	374	452	48	138	57	36	81	54	1	7	6	1	3	—	20
Worcestershire .. .	420	265	155	18	33	18	30	21	6	—	6	3	—	1	7	12
Warwickshire .. .	584	334	250	37	52	52	49	11	11	2	3	5	—	2	—	26
<b>VII.—NORTH MIDLAND.</b>																
Leicestershire .. .	553	306	247	18	66	36	64	34	8	—	1	4	—	—	—	16
Rutlandshire .. .	74	56	18	2	3	4	7	2	—	—	—	—	—	—	—	—
Lincolnshire .. .	973	662	311	14	135	25	35	61	31	—	1	3	1	—	—	5
Nottinghamshire ..	561	303	261	15	80	25	40	38	43	—	2	4	1	1	—	12
Derbyshire .. ..	509	218	291	20	88	39	28	53	39	—	2	3	2	—	1	16
<b>VIII.—NORTH WESTERN.</b>																
Cheshire .. .. .	695	266	429	34	122	69	30	60	34	14	32	9	1	2	—	22
Lancashire .. ..	2625	825	1800	298	386	266	177	159	164	29	72	44	23	6	3	173
<b>IX.—YORK.</b>																
West Riding .. ..	2023	718	1305	76	415	199	129	170	196	—	10	18	6	7	1	78
East Riding (with York)	440	255	185	18	67	22	9	47	9	—	6	1	1	1	—	4
North Riding .. .	508	280	228	27	97	26	15	43	6	—	4	4	—	—	—	6
<b>X.—NORTHERN.</b>																
Durham .. .. .	683	278	405	60	100	29	25	92	39	1	34	4	—	1	—	20
Northumberland ..	465	191	274	39	47	16	10	43	33	—	76	2	1	1	—	6
Cumberland .. ..	323	186	137	14	44	19	5	22	6	—	15	1	—	—	—	11
Westmorland .. .	139	85	54	3	22	8	5	8	2	—	1	1	—	—	—	4
<b>XI.—WELSH.</b>																
Monmouthshire .. .	425	180	245	13	31	49	96	19	7	23	1	—	—	1	—	5
South Wales .. ..	2009	713	1296	31	93	413	361	15	13	329	6	20	—	—	1	14
Glamorganshire ..	880	231	649	20	56	191	187	8	12	148	5	8	—	—	—	13
Carmarthenshire ..	289	95	194	2	5	79	55	—	1	50	—	1	—	—	—	1
Pembrokeshire .. .	259	135	124	5	9	41	42	1	—	26	—	—	—	—	—	—
Cardiganshire .. .	310	115	195	1	12	65	32	—	—	73	1	11	—	—	—	—
Brecknockshire ..	202	103	99	3	8	33	27	2	—	26	—	—	—	—	—	—
Radnorshire .. .	69	34	35	—	3	4	18	4	—	6	—	—	—	—	—	—
North Wales .. ..	1234	415	819	17	106	173	90	13	4	396	17	—	—	—	—	3
Montgomeryshire ..	200	76	124	1	22	28	17	5	—	51	—	—	—	—	—	—
Flintshire .. ..	127	37	90	4	16	18	4	4	2	35	7	—	—	—	—	—
Denbighshire .. .	237	83	154	4	20	30	17	4	2	71	5	—	—	—	—	1
Merionethshire ..	223	61	162	1	18	39	17	—	—	87	—	—	—	—	—	—
Carnarvonshire ..	337	104	233	6	25	50	23	—	—	123	4	—	—	—	—	2
Anglesey .. .. .	110	54	56	1	5	8	12	—	—	29	1	—	—	—	—	—

\* In accordance with the provisions of the United Methodist Church Act, 1907, the Bible Christian Church, the Methodist New Connexion Church, and the United Methodist Free Churches have become merged in the single Denomination of the United Methodist Church.



TABLE 7.—ENGLAND AND WALES.—Marriages.—Manner of Solemnization, 1858-1907.

YEAR.	OF 1000 MARRIAGES.											
	ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						NOT ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.					
	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL IN ESTABLISHED CHURCH.	TOTAL NOT IN ESTABLISHED CHURCH.	In Registered Places.		Quakers.	Jews.	Civil Marriages in Superintendent Registrar's Office.
								Roman Catholics.	Other Christian Denominations.			
								Registrar.	Authorized Person.			
1858	0.1	127	644	24	26	821	179	43	70	0.5	1.4	64
1859	0.1	121	643	25	23	812	188	46	75	0.4	1.9	65
1860	0.1	122	638	25	22	807	193	46	79	0.4	1.8	66
1861	0.1	123	628	25	22	798	202	48	80	0.4	1.6	72
1862	0.1	119	627	24	21	791	209	45	84	0.4	1.8	78
1863	0.1	111	632	25	20	788	212	47	84	0.3	1.8	79
1864	0.1	110	629	24	19	782	218	48	87	0.3	1.9	81
1865	0.1	112	629	22	19	782	218	47	89	0.3	1.9	80
1866	0.1	108	630	23	17	778	222	48	91	0.3	1.6	81
1867	0.1	108	628	22	17	775	225	44	95	0.4	1.8	84
1868	0.1	103	627	23	16	769	231	42	97	0.4	1.7	90
1869	0.1	98	627	23	15	763	237	41	99	0.3	1.9	95
1870	0.1	94	634	22	10	760	240	41	99	0.3	2.0	98
1871	0.1	89	642	22	8	761	239	40	100	0.3	2.1	97
1872	0.1	85	645	21	6	757	243	42	100	0.2	2.1	99
1873	0.1	85	642	20	5	752	248	40	102	0.4	2.4	103
1874	0.1	87	637	19	4	747	253	40	105	0.2	2.3	105
1875	0.1	87	635	18	4	744	256	42	107	0.3	2.4	104
1876	0.2	87	630	18	3	738	262	42	110	0.3	2.3	107
1877	0.1	84	627	18	4	733	267	43	112	0.4	2.2	109
1878	0.1	82	623	18	3	726	274	42	113	0.3	2.7	116
1879	0.2	78	624	18	3	723	277	41	113	0.3	2.5	120
1880	0.2	73	623	18	3	717	283	43	111	0.3	2.4	126
1881	0.3	68	626	18	3	715	285	45	111	0.3	2.5	126
1882	0.4	65	631	17	2	715	285	45	111	0.3	2.5	126
1883	0.3	63	629	18	2	712	288	44	113	0.3	2.6	128
1884	0.3	60	628	17	2	707	293	43	116	0.3	2.9	131
1885	0.3	58	630	17	3	708	292	41	118	0.2	3.2	130
1886	0.2	56	632	17	2	707	293	42	117	0.2	3.4	130
1887	0.1	53	629	17	2	701	299	43	116	0.3	3.2	136
1888	0.1	51	632	16	2	701	299	42	116	0.3	3.9	137
1889	0.1	48	632	16	2	698	302	42	116	0.3	4.1	140
1890	0.1	47	637	15	2	701	299	43	115	0.3	4.0	137
1891	0.1	46	637	14	2	699	301	42	118	0.3	4.6	136
1892	0.1	45	637	14	2	698	302	40	118	0.3	4.6	139
1893	0.1	44	634	13	1	692	308	41	118	0.4	5.1	143
1894	0.1	41	630	13	2	686	314	42	119	0.3	5.0	148
1895	0.1	39	633	13	1	686	314	41	120	0.3	5.3	147
1896	0.1	38	637	11	1	687	313	41	120	0.4	5.2	146
1897	0.1	35	640	10	1	686	314	41	121	0.4	5.7	146
1898	0.1	34	641	9	1	685	315	40	121	0.4	5.7	148
1899	0.1	34	634	9	1	678	322	41	113	0.3	6.4	150
1900	0.1	34	629	8.0	0.9	672	328	40	106	0.3	6.5	153
1901	0.1	33	624	7.7	1.0	666	334	41	104	0.3	7.0	158
1902	0.1	33	620	7.2	0.7	661	339	41	101	0.3	7.4	163
1903	0.1	31	612	6.8	0.8	651	349	41	102	0.4	7.3	170
1904	0.2	30	604	7.0	0.7	642	358	41	101	0.3	7.0	179
1905	0.1	29	600	6.7	0.6	636	364	41	100	0.3	7.6	183
1906	0.1	28	596	6.6	0.6	631	369	42	97	0.3	8.3	188
1907	0.1	27	590	6.4	0.6	624	376	42	96	0.4	7.2	195

TABLE 8.—LONDON.—Marriages.—Manner of Solemnization, 1858-1907.

YEAR.	OF 1000 MARRIAGES.											
	ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						NOT ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.					
	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL IN ESTABLISHED CHURCH.	TOTAL NOT IN ESTABLISHED CHURCH.	In Registered Places.		Quakers.	Jews.	Civil Marriages in Superintendent Registrar's Office.
								Roman Catholics.	Other Christian Denominations.			
								Registrar.	Authorized Person.			
1858	0·3	142	751	4·0	2·0	899	101	42	27	0·1	6·0	26
1859	0·2	142	751	2·7	1·0	897	103	43	27	0·1	9·2	24
1860	0·2	141	751	3·0	1·4	897	103	42	28	0·1	8·4	24
1861	0·2	138	747	3·1	1·4	890	110	46	29	0·2	7·7	27
1862	0·2	139	742	2·7	1·2	885	115	47	32	0·2	7·9	28
1863	0·3	128	752	3·0	1·4	885	115	49	30	0·1	8·5	27
1864	0·2	124	756	2·9	0·7	884	116	49	31	0·2	8·7	27
1865	0·3	129	760	2·8	0·6	893	107	43	30	—	7·9	26
1866	0·2	121	764	2·4	0·6	888	112	44	33	0·1	6·9	28
1867	0·3	123	760	2·7	0·8	887	113	39	35	0·1	6·9	32
1868	0·5	120	764	3·0	1·4	889	111	39	33	0·1	7·5	31
1869	0·4	114	762	3·0	1·1	881	119	35	35	0·1	7·9	41
1870	0·1	113	766	2·5	0·9	882	118	35	33	0·2	7·8	42
1871	0·1	106	772	1·9	0·6	881	119	35	33	0·1	8·4	42
1872	0·2	100	777	1·7	0·7	880	120	33	35	0·1	8·4	43
1873	0·2	99	772	1·2	1·0	873	127	34	36	0·3	10·0	47
1874	0·3	100	768	1·1	0·6	870	130	33	39	0·1	9·2	49
1875	0·3	97	772	1·4	0·6	871	129	32	39	0·1	9·4	48
1876	0·6	98	766	1·2	1·0	867	133	34	39	0·1	8·4	51
1877	0·4	97	760	1·3	0·6	859	141	35	40	0·2	8·6	57
1878	0·4	93	757	1·3	0·4	852	148	36	38	0·3	11·2	62
1879	0·5	88	756	0·7	0·2	845	155	36	39	0·2	9·9	70
1880	1·0	87	752	0·6	0·6	841	159	37	39	0·1	9·9	73
1881	1·2	82	753	0·7	0·5	837	163	37	40	0·3	10·5	75
1882	1·5	83	749	0·5	0·5	834	166	39	40	0·2	10·3	76
1883	1·2	79	746	0·8	0·4	827	173	36	41	0·1	10·4	85
1884	1·6	73	741	0·6	0·3	816	184	38	39	0·1	12·1	95
1885	1·4	73	740	0·5	0·6	816	184	37	41	0·1	13·3	93
1886	1·0	71	742	0·5	0·8	815	185	37	39	0·2	13·6	95
1887	0·4	65	734	1·5	0·4	801	199	38	42	0·2	13·5	105
1888	0·2	65	731	0·4	0·5	797	203	38	42	0·2	16·4	106
1889	0·3	58	729	0·3	0·6	788	212	38	44	0·3	16·7	113
1890	0·2	58	731	0·5	0·4	790	210	38	44	0·2	17·0	111
1891	0·4	57	722	0·5	0·7	781	219	37	43	0·3	19·3	119
1892	0·4	54	723	0·2	0·6	778	222	36	42	0·4	19·8	124
1893	0·4	48	719	0·4	0·4	768	232	38	41	0·4	21·2	131
1894	0·3	48	710	0·2	0·5	759	241	37	42	0·4	21·5	140
1895	0·6	45	707	0·4	0·6	754	246	36	44	0·3	21·5	144
1896	0·3	44	709	0·2	0·6	754	246	35	44	0·5	22·2	144
1897	0·2	40	704	0·3	0·6	745	255	36	42	0·4	24·3	152
1898	0·2	39	699	0·3	0·2	739	261	35	44	0·4	25·1	156
1899	0·3	40	689	0·2	0·3	730	270	35	43	1·7	28·5	159
1900	0·3	39	680	0·2	0·2	720	280	37	39	0·2	29·3	167
1901	0·5	37	672	0·2	0·2	710	290	37	38	0·2	32·2	176
1902	0·3	36	662	0·2	0·3	699	301	39	38	0·3	34·7	181
1903	0·4	33	652	0·2	0·2	686	314	40	39	0·3	34·4	192
1904	0·6	34	641	0·1	0·1	676	324	39	38	0·3	35·5	203
1905	0·5	31	632	0·2	0·1	664	336	39	38	0·2	38·4	210
1906	0·4	29	623	0·1	0·1	653	347	39	36	0·3	39·5	222
1907	0·3	30	610	0·1	0·1	641	359	39	35	0·3	36·3	238



TABLE 9.—ENGLAND AND WALES.—First Marriages, Re-Marriages, Marriages of Minors, and Signatures by Mark, 1858-1907.

YEAR.	IN 1000 MARRIAGES.								
	FIRST MARRIAGES.		RE-MARRIAGES.		UNDER 21 YEARS.		SIGNED BY MARK.		
	Bachelors.	Spinsters.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both.
1858	858	908	142	92	59	184	270	376	184
1859	859	909	141	91	62	191	267	376	182
1860	861	910	139	90	63	194	255	362	170
1861	860	909	140	91	64	195	246	347	161
1862	863	910	137	90	65	198	237	332	153
1863	865	912	135	88	66	199	238	331	153
1864	862	909	138	91	66	201	233	324	147
1865	861	908	139	92	67	201	225	312	141
1866	861	906	139	94	67	200	216	300	134
1867	857	904	143	96	69	202	211	288	127
1868	860	906	140	94	72	210	201	278	119
1869	860	905	140	95	72	214	199	276	117
1870	864	904	136	96	75	216	198	273	116
1871	861	903	139	97	79	220	194	268	113
1872	863	901	137	99	80	223	194	263	111
1873	863	899	137	101	82	224	188	254	106
1874	863	898	137	102	84	227	179	242	98
1875	859	898	141	102	83	222	172	232	93
1876	859	897	141	103	83	220	163	221	86
1877	862	901	138	99	81	220	153	209	79
1878	864	902	136	98	78	216	146	198	73
1879	865	905	135	95	74	214	138	185	67
1880	869	905	131	95	73	215	140	186	68
1881	872	908	128	92	72	214	135	177	64
1882	875	912	125	88	76	220	132	171	62
1883	876	911	124	89	74	218	126	155	55
1884	874	911	126	89	73	213	117	142	48
1885	873	912	127	88	70	210	107	129	43
1886	876	914	124	86	67	206	96	115	37
1887	878	916	122	84	65	202	91	106	34
1888	881	917	119	83	63	199	83	97	29
1889	885	919	115	81	61	199	78	90	27
1890	885	919	115	81	60	195	72	83	24
1891	886	919	114	81	59	190	64	73	21
1892	884	918	116	82	59	187	56	66	19
1893	886	920	114	80	56	181	50	57	16
1894	889	923	111	77	55	181	46	54	14
1895	891	924	109	76	52	174	40	48	13
1896	897	927	103	73	53	174	37	43	11
1897	902	931	98	69	51	170	33	40	10
1898	905	932	95	68	51	168	31	36	10
1899	908	933	92	67	50	165	29	34	9
1900	906	932	94	68	51	163	28	32	9
1901	903	928	97	72	50	160	25	29	8
1902	909	932	91	68	47	154	23	26	7
1903	912	934	88	66	46	152	19	23	6
1904	916	937	84	63	46	153	18	21	5
1905	915	937	85	63	44	147	17	20	5
1906	917	938	83	62	43	146	15	19	5
1907	916	939	84	61	41	142	14	17	4

TABLE 10.—LONDON.—**First Marriages, Re-Marriages, Marriages of Minors, and Signatures by Mark, 1858-1907.**

YEAR.	IN 1000 MARRIAGES.								
	FIRST MARRIAGES.		RE-MARRIAGES.		UNDER 21 YEARS.		SIGNED BY MARK.		
	Bache- lors.	Spinsters.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both.
1858	855	904	145	96	31	129	109	190	63
1859	856	901	144	99	31	130	106	191	61
1860	858	903	142	97	34	137	112	186	63
1861	860	904	140	96	35	135	110	181	61
1862	864	910	136	90	34	139	105	175	58
1863	865	910	135	90	34	139	110	180	63
1864	862	908	138	92	33	143	109	174	59
1865	869	908	131	92	35	148	102	164	54
1866	863	905	137	95	35	143	98	151	49
1867	858	901	142	99	35	148	93	145	46
1868	861	904	139	96	36	153	91	142	43
1869	865	908	135	92	39	157	90	150	46
1870	865	903	135	97	39	150	88	145	43
1871	866	904	134	96	39	158	92	147	48
1872	863	904	137	96	41	160	88	139	43
1873	864	902	136	98	43	161	84	133	41
1874	861	900	139	100	46	166	81	131	39
1875	860	900	140	100	47	168	87	128	41
1876	861	899	139	101	49	172	81	118	37
1877	863	905	137	95	51	172	78	115	35
1878	864	902	136	98	51	175	75	110	34
1879	868	907	132	93	50	177	74	103	31
1880	871	910	129	90	52	181	71	103	30
1881	875	909	125	91	53	183	69	93	29
1882	871	912	129	88	55	189	68	96	29
1883	878	911	122	89	59	189	62	83	24
1884	873	913	127	87	55	191	63	80	25
1885	875	909	125	91	59	196	58	74	23
1886	878	913	122	87	58	193	52	70	22
1887	879	914	121	86	57	195	49	64	19
1888	883	917	117	83	52	190	47	58	17
1889	889	920	111	80	52	182	42	54	16
1890	887	917	113	83	52	183	42	56	16
1891	888	918	112	82	49	174	37	50	15
1892	889	916	111	84	52	177	36	49	16
1893	888	916	112	84	47	168	34	43	14
1894	890	917	110	83	47	168	30	42	11
1895	893	921	107	79	44	159	27	37	10
1896	897	922	103	78	49	161	25	32	9
1897	902	927	98	73	46	162	26	33	11
1898	908	930	92	70	48	163	25	32	11
1899	906	927	94	73	45	158	25	33	12
1900	904	925	96	75	45	155	25	32	12
1901	902	923	98	77	44	150	24	30	12
1902	910	929	90	71	40	140	24	30	13
1903	911	929	89	71	38	137	22	31	13
1904	917	931	83	69	37	139	18	26	10
1905	918	934	82	66	36	130	18	25	9
1906	917	935	83	65	35	129	17	25	9
1907	917	935	83	65	32	118	16	23	8



TABLE 11.—ENGLAND AND WALES.—Marriages.—Manner of Solemnization, in Counties, 1907.

REGISTRATION COUNTY.	OF 1000 MARRIAGES.												
	ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						NOT ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						
	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL IN ESTABLISHED CHURCH.	TOTAL NOT IN ESTABLISHED CHURCH.	In Registered Places.			Quakers.	Jews.	Civil Marriages in Superintendent Registrar's Office.
								Roman Catholics.	Other Christian Denominations.	Authorized Person.			
ENGLAND AND WALES	0·1	27	590	6·4	0·6	624	376	42	96	35	0·4	7·2	195
I.—LONDON.													
London .. .. .	0·3	30	610	0·1	0·1	641	359	39	35	10	0·3	36·3	238
II.—SOUTH EASTERN.													
Surrey .. .. .	—	29	658	0·7	1·8	690	310	26	64	10	—	—	210
Kent .. .. .	—	18	674	1·7	1·2	695	305	16	67	26	—	0·1	196
Sussex .. .. .	—	32	680	1·4	1·8	715	285	18	79	9	0·5	—	178
Hampshire .. .. .	—	29	814	1·8	0·3	645	355	20	89	9	0·2	1·5	235
Berkshire .. .. .	0·5	28	716	—	1·9	746	254	9	63	17	0·5	—	165
III.—SOUTH MIDLAND.													
Middlesex .. .. .	0·1	26	637	0·3	0·3	664	336	26	61	18	0·3	0·9	230
Hertfordshire .. .. .	0·6	18	710	—	—	728	271	9	89	25	—	—	148
Buckinghamshire .. .. .	—	24	715	—	1·6	741	259	7	100	29	—	—	123
Oxfordshire .. .. .	—	29	718	—	4·5	752	248	11	78	16	0·7	—	142
Northamptonshire .. .. .	—	17	653	1·5	3·0	675	325	6	82	64	—	—	173
Huntingdonshire .. .. .	—	26	801	—	—	827	173	—	84	14	—	—	75
Bedfordshire .. .. .	—	17	710	2·1	—	729	271	3	104	49	—	—	115
Cambridgeshire .. .. .	—	25	733	—	1·4	759	241	8	92	26	—	—	115
IV.—EASTERN.													
Essex .. .. .	—	17	691	0·6	0·6	709	291	23	70	25	—	0·6	172
Suffolk .. .. .	—	24	706	0·8	1·6	732	268	10	102	19	—	—	137
Norfolk .. .. .	—	24	714	—	1·2	739	261	7	65	32	—	0·9	156
V.—SOUTH WESTERN.													
Wiltshire .. .. .	—	24	637	0·5	5·0	667	333	11	140	25	—	—	157
Dorsetshire .. .. .	—	30	691	1·9	5·2	728	272	8	109	10	1·3	—	144
Devonshire .. .. .	—	45	528	0·6	1·3	575	425	17	121	32	0·2	1·0	254
Cornwall .. .. .	—	58	451	0·8	1·3	511	489	5	283	42	—	—	159
Somersetshire .. .. .	—	33	657	3·3	2·7	696	304	6	154	17	—	—	127
VI.—WEST MIDLAND.													
Gloucestershire .. .. .	—	27	600	0·8	1·7	630	370	14	107	27	0·6	0·4	221
Herefordshire .. .. .	—	37	691	2·6	7·7	738	262	12	87	12	3·8	—	147
Shropshire .. .. .	0·6	35	666	4·0	0·6	706	294	14	108	12	—	—	160
Staffordshire .. .. .	—	16	716	2·7	—	735	265	32	68	29	—	0·8	135
Worcestershire .. .. .	—	20	721	1·0	0·7	743	257	21	52	33	—	—	151
Warwickshire .. .. .	—	10	698	2·6	0·7	711	289	25	52	20	1·7	2·8	187
VII.—NORTH MIDLAND.													
Leicestershire .. .. .	—	14	628	1·1	1·1	644	356	18	108	36	—	0·5	193
Rutlandshire .. .. .	—	27	775	—	—	802	198	18	54	—	—	—	126
Lincolnshire .. .. .	0·2	26	674	0·7	0·7	702	298	10	88	70	—	0·7	129
Nottinghamshire .. .. .	—	18	633	0·2	0·5	652	348	11	81	39	—	1·1	216
Derbyshire .. .. .	—	32	620	3·0	0·2	655	345	22	120	55	0·2	—	148
VIII.—NORTH WESTERN.													
Cheshire .. .. .	0·2	41	584	3·9	0·9	630	370	54	111	65	—	0·2	140
Lancashire .. .. .	0·0	32	529	19·5	0·0	581	419	108	112	57	0·4	5·8	136
IX.—YORK.													
West Riding .. .. .	—	16	628	9·0	0·3	653	347	38	98	65	0·5	5·0	141
East Riding (with York) .. .. .	0·3	29	634	0·5	0·5	664	336	35	68	51	0·8	3·5	178
North Riding .. .. .	—	46	571	0·3	1·3	619	381	64	105	37	1·3	3·1	171
X.—NORTHERN.													
Durham .. .. .	—	26	454	30·4	—	510	490	76	87	50	0·7	1·7	275
Northumberland .. .. .	—	39	442	5·9	0·6	488	512	74	105	28	1·7	2·6	301
Cumberland .. .. .	—	85	494	27·7	1·5	608	392	68	96	54	2·4	—	172
Westmorland .. .. .	—	68	693	2·4	2·4	766	234	17	117	27	7·3	—	66
XI.—WELSH.													
Monmouthshire .. .. .	—	28	390	1·0	0·6	420	580	39	221	14	—	1·0	305
South Wales .. .. .	—	29	238	7·7	0·9	276	724	33	229	29	0·2	2·5	430
Glamorganshire .. .. .	—	23	244	5·2	0·1	272	728	41	197	27	0·2	2·9	460
Carmarthenshire .. .. .	—	38	167	12·9	—	218	782	2	286	53	—	—	441
Pembrokeshire .. .. .	—	59	308	18·0	—	385	615	20	249	46	—	—	300
Cardiganshire .. .. .	—	47	148	28·8	—	224	776	—	326	33	—	—	417
Brecknockshire .. .. .	—	28	258	10·8	—	297	703	28	536	—	—	6·5	132
Radnorshire .. .. .	—	122	455	—	—	577	423	—	366	—	—	—	57
North Wales .. .. .	—	45	260	7·9	—	313	687	19	376	24	—	0·3	268
Montgomeryshire .. .. .	—	48	290	16·1	—	354	646	3	361	35	—	—	247
Flintshire .. .. .	—	41	420	2·6	—	464	536	34	360	21	—	—	121
Denbighshire .. .. .	—	24	329	4·3	—	357	643	19	309	23	—	—	292
Merionethshire .. .. .	—	39	116	5·2	—	160	840	—	581	55	—	—	204
Carnarvonshire .. .. .	—	66	201	12·3	—	279	721	16	339	13	—	1·1	352
Anglesey .. .. .	—	62	123	4·7	—	190	810	66	521	—	—	—	223

NOTE —In this table 0·0 indicates that the number of marriages was too small to show a rate of 0·05 per 1000. When no marriage occurred — is inserted.

TABLE 12.—ENGLAND AND WALES.—**Marriage-rates**, Proportions of **Marriages** of **Minors**, and of **Signatures by Mark** in Counties, **1897-1906**, and **1907**.

REGISTRATION COUNTY.	Persons Married to 1000 Living		IN 1000 MARRIAGES.								
			Under 21 Years.				Signed by Mark.				
	Average of Ten Years, 1897-1906.	1907.	Average of Ten Years, 1897-1906.		1907.		Average of Ten Years, 1897-1906.		1907.		
			Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Both.
ENGLAND AND WALES	15·8	15·8	48	158	41	142	24	28	14	17	4
I.—LONDON.											
London .. .. .	17·8	17·0	41	146	32	118	22	30	16	23	8
II.—SOUTH EASTERN.											
Surrey .. .. .	14·0	13·8	31	115	26	102	14	9	8	5	2
Kent .. .. .	14·4	13·6	37	156	24	137	19	14	11	11	2
Sussex .. .. .	14·0	13·5	37	123	29	108	18	10	9	5	1
Hampshire .. ..	15·4	15·7	29	140	22	124	16	11	11	7	2
Berkshire .. ..	14·4	14·5	30	116	29	104	21	13	12	9	2
III.—SOUTH MIDLAND.											
Middlesex .. ..	13·6	14·2	43	141	29	111	15	12	8	5	2
Hertfordshire ..	13·3	13·2	46	122	40	102	29	16	19	9	4
Buckinghamshire	14·1	14·0	48	139	28	114	25	15	17	3	1
Oxfordshire .. ..	14·0	14·5	34	102	36	104	27	14	18	8	4
Northamptonshire	14·7	14·1	60	157	45	144	23	22	9	12	2
Huntingdonshire..	14·4	15·4	45	146	29	159	35	16	23	12	3
Bedfordshire ..	14·3	15·4	76	150	59	136	27	24	15	13	3
Cambridgeshire ..	14·3	14·2	50	143	38	137	39	23	21	21	6
IV.—EASTERN.											
Essex .. .. .	13·9	13·6	44	165	29	126	22	18	14	11	3
Suffolk .. .. .	14·0	13·5	45	147	35	132	35	18	21	12	2
Norfolk .. .. .	14·1	13·7	51	151	46	134	33	20	20	13	4
V.—SOUTH WESTERN.											
Wiltshire .. ..	14·4	14·7	31	116	28	116	24	13	12	12	3
Dorsetshire .. ..	14·2	14·9	35	122	29	106	27	16	16	4	1
Devonshire .. ..	15·4	15·1	29	117	24	108	17	17	10	7	1
Cornwall .. .. .	13·6	14·8	34	119	42	120	38	34	25	21	3
Somersetshire ..	13·8	14·0	40	114	28	101	30	21	18	8	2
VI.—WEST MIDLAND.											
Gloucestershire ..	15·4	15·1	42	124	27	102	24	23	14	11	3
Herefordshire ..	12·9	13·9	21	93	10	82	34	23	24	14	3
Shropshire .. ..	13·7	13·2	25	105	21	94	32	26	17	12	3
Staffordshire ..	16·3	16·2	69	194	56	170	31	36	18	22	5
Worcestershire ..	14·9	14·7	48	137	37	123	25	28	12	13	2
Warwickshire ..	17·3	17·1	61	174	52	155	24	32	18	26	8
VII.—NORTH MIDLAND.											
Leicestershire ..	15·7	15·1	69	173	61	150	17	18	12	14	4
Rutlandshire ..	12·7	11·0	20	116	9	90	17	8	27	—	—
Lincolnshire ..	15·8	16·8	45	171	43	158	21	18	11	9	1
Nottinghamshire ..	16·9	17·2	78	221	66	204	22	27	14	17	5
Derbyshire .. ..	15·9	16·4	59	202	51	195	16	20	11	12	3
VIII.—NORTH WESTERN.											
Cheshire .. .. .	14·8	15·3	43	132	37	116	20	23	12	13	3
Lancashire .. ..	16·6	17·1	54	150	49	135	22	35	12	21	4
IX.—YORK.											
West Riding .. ..	16·4	16·5	57	184	51	175	25	36	15	21	5
East Riding (with York)	16·0	16·1	52	194	44	160	18	23	10	11	1
North Riding .. ..	15·7	16·4	46	179	39	180	25	31	12	23	4
X.—NORTHERN.											
Durham .. .. .	16·7	17·1	56	229	52	223	28	36	17	24	5
Northumberland ..	16·4	16·3	41	185	36	170	19	31	10	20	2
Cumberland .. ..	14·7	15·3	39	141	47	120	18	24	13	10	1
Westmorland .. ..	13·5	12·9	29	95	20	68	11	10	—	—	—
XI.—WELSH.											
Monmouthshire ..	16·1	17·9	55	209	58	206	40	47	27	26	6
South Wales .. ..	16·1	16·7	45	169	44	172	32	44	19	23	4
Glamorganshire ..	16·8	17·6	?	?	49	193	34	44	20	23	4
Carmarthenshire ..	15·2	15·7	?	?	44	115	27	48	17	26	6
Pembrokeshire ..	14·7	14·7	?	?	29	149	23	31	13	21	7
Cardiganshire ..	12·2	11·1	?	?	4	31	22	56	9	22	2
Brecknockshire ..	16·4	17·0	?	?	17	63	39	41	28	22	—
Radnorshire .. ..	14·4	11·0	?	?	8	163	29	24	8	16	8
North Wales .. ..	13·9	12·6	21	80	14	72	40	44	20	22	5
Montgomeryshire ..	13·5	12·0	?	?	11	67	44	33	35	11	3
Flintshire .. ..	12·2	12·5	?	?	13	75	49	49	13	18	8
Denbighshire ..	14·4	13·8	?	?	15	87	43	53	23	18	6
Merionethshire ..	13·3	11·9	?	?	24	58	26	32	13	10	3
Carnarvonshire ..	14·6	12·3	?	?	13	60	37	43	18	29	4
Anglesey .. .. .	13·2	11·9	?	?	9	81	55	53	19	52	9



TABLE 13.—ENGLAND AND WALES.—Birth-rates and Crude Death-rates in Counties, 1897-1906, and 1907.

REGISTRATION COUNTY.	Births to 1000 Living.		Illegitimate Births to 1000 Births.		Males Born to 1000 Females Born.		Deaths to 1000 Living.				Deaths of Children under one year to 1000 Births.	
							Ten Years 1897 to 1906.		1907.			
	Ten Years 1897 to 1906.	1907.	Ten Years 1897 to 1906.	1907.	Ten Years 1897 to 1906.	1907.	Persons.	Persons.	Males.	Females.	Ten Years 1897 to 1906.	1907.
ENGLAND AND WALES	28'4	26'3	40	39	1037	1039	16'7	15'0	16'0	14'1	145	118
I.—LONDON.												
London* .. .. .	28'6	25'8	37	38	1035	1039	17'1	14'7	16'0	13'6	148	117
II.—SOUTH EASTERN.												
Surrey .. .. .	24'3	24'3	38	37	1039	1070	13'5	12'9	13'9	12'1	115	88
Kent .. .. .	25'1	22'7	40	41	1038	1045	14'7	12'8	13'5	12'2	126	96
Sussex .. .. .	22'3	20'0	52	52	1036	1033	14'0	13'3	14'5	12'2	110	89
Hampshire.. .. .	25'2	24'1	40	36	1037	1048	15'1	13'7	14'7	12'8	119	93
Berkshire .. .. .	24'2	22'6	47	48	1029	1034	14'2	13'0	13'7	12'3	109	83
III.—SOUTH MIDLAND.												
Middlesex .. .. .	28'6	28'7	30	28	1038	1028	13'7	12'3	13'2	11'5	131	98
Hertfordshire .. .. .	24'1	23'4	40	42	1033	1037	14'1	13'6	14'1	13'1	102	80
Buckinghamshire .. .. .	25'6	23'6	40	44	1051	995	14'1	12'7	13'1	12'2	104	84
Oxfordshire .. .. .	23'8	22'3	53	56	1032	1054	14'7	14'7	16'5	13'0	102	92
Northamptonshire .. .. .	26'3	21'3	41	42	1040	993	14'1	12'2	12'9	11'5	122	95
Huntingdonshire.. .. .	24'9	24'0	49	46	1029	1038	15'3	14'5	15'1	14'0	106	73
Bedfordshire .. .. .	24'2	22'6	49	53	1044	1112	14'5	14'4	15'7	13'2	118	101
Cambridgeshire .. .. .	24'8	23'1	48	53	1062	1057	14'8	14'1	14'6	13'6	115	88
IV.—EASTERN.												
Essex .. .. .	29'4	26'5	28	27	1041	1032	14'7	12'4	12'8	12'1	137	101
Suffolk .. .. .	25'9	23'9	56	62	1046	1060	15'3	14'5	15'3	13'8	115	99
Norfolk .. .. .	26'0	23'8	62	65	1038	1030	16'2	14'7	15'4	14'0	135	106
V.—SOUTH WESTERN.												
Wiltshire .. .. .	25'0	24'9	41	42	1037	1036	14'5	13'9	13'5	14'3	96	77
Dorsetshire .. .. .	23'6	21'8	40	37	1048	1031	14'3	14'0	15'0	13'0	97	77
Devonshire.. .. .	23'7	21'9	39	39	1032	1060	16'1	15'0	15'9	14'2	125	103
Cornwall .. .. .	23'4	21'4	50	48	1043	1040	15'9	15'1	15'8	14'6	124	99
Somersetshire .. .. .	24'0	22'0	37	35	1044	1034	14'9	13'9	14'7	13'1	104	90
VI.—WEST MIDLAND.												
Gloucestershire .. .. .	25'8	22'8	36	36	1044	1025	15'5	13'8	14'5	13'3	120	96
Herefordshire .. .. .	23'8	21'9	66	66	1029	1011	15'8	15'0	16'1	14'1	104	87
Shropshire.. .. .	26'1	23'8	64	61	1031	1023	15'7	14'4	15'0	13'7	109	91
Staffordshire .. .. .	33'0	29'9	40	38	1037	1048	17'8	15'7	16'7	14'8	161	133
Worcestershire .. .. .	27'7	24'7	37	38	1032	1024	14'9	13'4	14'2	12'7	130	110
Warwickshire .. .. .	30'7	28'7	32	30	1037	1021	17'8	15'4	16'5	14'3	162	126
VII.—NORTH MIDLAND.												
Leicestershire .. .. .	28'5	24'6	40	39	1031	1039	15'4	13'0	13'9	12'1	149	114
Rutlandshire .. .. .	22'3	20'7	46	70	1026	1106	14'2	13'5	13'7	13'4	101	89
Lincolnshire .. .. .	26'9	26'1	55	54	1042	1043	15'8	15'3	16'2	14'3	137	114
Nottinghamshire .. .. .	31'2	29'7	50	49	1031	1036	16'8	16'4	17'1	15'6	161	146
Derbyshire.. .. .	29'9	27'4	41	41	1035	1029	15'6	14'3	15'0	13'6	139	119
VIII.—NORTH WESTERN.												
Cheshire .. .. .	27'7	25'8	41	39	1039	1040	16'6	14'7	15'8	13'7	146	113
Lancashire.. .. .	29'5	27'1	38	37	1034	1044	19'1	17'0	18'1	15'9	170	138
IX.—YORK.												
West Riding .. .. .	28'5	25'7	43	41	1029	1039	17'3	15'6	16'7	14'7	157	131
East Riding (with York)	29'5	26'6	52	49	1040	1062	17'1	15'7	16'7	14'8	157	121
North Riding .. .. .	29'6	29'0	53	45	1048	1076	17'5	17'8	19'5	16'2	145	127
X.—NORTHERN.												
Durham .. .. .	35'2	33'4	34	37	1040	1025	18'4	17'0	17'7	16'3	163	135
Northumberland .. .. .	32'1	29'9	39	38	1039	1049	18'3	15'7	16'8	14'7	159	118
Cumberland .. .. .	28'0	25'6	61	58	1056	1003	16'6	16'7	17'9	15'6	129	125
Westmorland .. .. .	22'6	19'9	61	62	1052	1091	13'7	12'7	14'1	11'4	96	87
XI.—WELSH.												
Monmouthshire .. .. .	34'5	34'6	29	27	1043	1055	17'6	16'7	17'6	15'7	146	126
South Wales .. .. .	32'5	31'0	32	31	1039	1022	17'7	16'2	16'7	15'7	156	130
Glamorganshire .. .. .	35'0	33'1	26	26	1037	1027	17'9	16'2	16'9	15'5	164	136
Carmarthenshire .. .. .	29'4	29'7	37	41	1021	1006	17'3	16'0	16'8	15'3	136	113
Pembrokeshire .. .. .	26'2	24'8	52	47	1052	1058	16'8	15'5	15'6	15'4	121	102
Cardiganshire.. .. .	21'8	19'7	64	61	1071	975	18'5	17'8	16'9	18'5	120	104
Brecknockshire .. .. .	28'7	26'1	44	40	1042	1010	17'5	16'3	16'6	16'0	126	114
Radnorshire .. .. .	25'8	19'4	66	67	1133	895	14'6	11'6	11'6	11'5	112	74
North Wales .. .. .	26'5	23'6	60	61	1051	1039	17'6	15'6	16'2	15'0	133	109
Montgomeryshire .. .. .	24'7	21'9	76	73	1048	1115	16'5	15'3	16'5	14'2	107	97
Flintshire .. .. .	28'5	28'0	42	42	1043	949	17'5	15'8	16'6	14'9	115	104
Denbighshire .. .. .	29'1	26'1	49	47	1055	1050	18'6	16'0	16'8	15'2	145	113
Merionethshire .. .. .	25'9	21'5	71	77	1032	962	17'6	15'6	16'0	15'2	137	127
Carnarvonshire .. .. .	24'7	21'6	60	72	1057	1095	17'2	15'2	15'6	14'8	140	103
Anglesey .. .. .	25'1	22'2	81	75	1085	1005	18'0	15'9	15'2	16'6	131	94

\* See Note \* to Table 28.

TABLE 14.—ENGLAND AND WALES.—Annual Death-rates at Twelve Groups of Ages, and General Death-rates corrected for Sex and Age-constitution, 1858-1907.\*—Persons.

YEAR.	DEATHS TO 1000 LIVING.—PERSONS.												
	AGES.												
	ALL AGES.†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
1858	21·9	71·9	10·5	5·2	7·1	8·7	9·6	12·2	16·3	28·9	63·2	142·6	312·5
1859	21·2	69·9	9·3	5·0	6·8	8·4	9·5	12·1	16·5	28·4	60·6	134·6	289·1
1860	20·2	62·2	6·8	4·2	6·4	8·0	9·3	12·0	16·3	29·4	63·7	143·1	306·6
1861	20·5	66·9	6·8	4·3	6·7	8·2	9·4	11·8	16·1	28·8	61·0	138·0	290·5
1862	20·3	65·1	7·5	4·5	6·5	8·0	9·3	12·0	16·4	29·0	60·3	133·7	283·3
1863	21·7	72·7	10·1	5·1	6·6	8·3	9·6	12·4	16·5	29·3	60·0	133·7	297·8
1864	22·4	70·8	9·6	5·0	6·7	8·7	10·3	13·4	18·1	32·4	66·6	145·6	314·7
1865	22·0	70·1	7·9	4·7	6·6	8·8	10·4	13·4	18·5	31·7	64·2	144·3	307·9
1866	22·2	70·3	7·5	4·5	6·7	8·9	10·7	13·9	18·8	31·9	64·8	144·5	306·4
1867	20·6	64·5	6·3	3·9	6·2	8·0	9·7	12·7	17·3	30·4	63·6	145·2	304·4
1868	20·6	68·4	7·6	4·1	6·1	7·8	9·5	12·3	16·8	29·0	59·1	131·7	269·6
1869	21·0	67·8	8·0	4·3	5·9	7·6	9·6	12·6	17·5	30·3	63·5	141·5	289·3
1870	21·6	69·6	8·6	4·5	6·2	7·8	9·8	12·8	17·6	31·2	64·8	145·5	302·0
1871	21·4	67·0	7·9	4·4	6·5	8·7	10·4	13·3	17·9	31·1	63·7	138·8	290·4
1872	20·2	63·0	6·7	4·1	6·1	8·1	9·8	12·8	17·2	29·4	60·7	131·6	277·8
1873	20·0	61·4	5·8	3·6	5·4	7·1	9·0	12·5	17·6	31·0	66·1	142·0	311·8
1874	21·1	66·6	7·3	3·9	5·5	7·4	9·4	13·2	18·3	32·3	66·2	139·5	302·6
1875	21·6	66·5	6·6	3·8	5·6	7·4	9·5	13·6	19·1	34·2	69·8	156·0	343·2
1876	19·9	62·4	6·1	3·6	5·2	7·0	8·8	12·7	17·5	31·0	62·4	136·2	293·0
1877	19·4	58·8	5·8	3·6	5·0	6·7	8·6	12·5	17·4	31·0	63·2	136·5	304·4
1878	20·5	66·2	6·4	3·6	5·0	6·5	8·4	12·4	17·6	32·0	65·3	146·8	328·5
1879	19·9	58·1	6·0	3·3	4·8	6·2	8·3	12·3	18·1	33·6	70·0	158·3	342·9
1880	19·5	64·2	6·2	3·3	4·7	6·0	7·7	11·5	16·8	30·4	62·7	136·5	288·8
1881	18·2	52·3	5·7	3·2	4·6	6·0	8·1	11·9	17·0	30·8	62·7	134·5	275·2
1882	18·8	58·9	6·1	3·3	4·7	5·9	8·1	11·7	17·0	30·5	61·2	130·8	267·9
1883	19·0	56·0	6·0	3·4	4·8	6·2	8·2	12·0	17·5	31·8	64·7	140·7	286·6
1884	19·0	59·9	5·8	3·3	4·6	6·0	7·9	11·7	17·3	30·4	62·6	133·5	263·6
1885	18·7	55·8	5·1	3·0	4·4	5·8	7·8	11·6	17·2	31·4	66·2	141·1	295·4
1886	19·0	59·3	4·8	2·9	4·4	5·5	7·4	11·2	17·0	31·8	67·5	143·8	316·0
1887	18·6	57·6	5·1	2·9	4·2	5·4	7·2	11·1	16·9	31·7	66·6	139·3	286·4
1888	17·7	52·9	4·7	2·8	4·0	5·3	7·0	10·8	16·7	30·9	65·3	136·2	283·1
1889	17·9	56·8	4·7	2·7	3·9	5·0	6·7	10·5	16·2	30·2	63·1	131·8	274·6
1890	19·3	58·1	5·0	2·9	4·2	5·4	7·5	12·0	18·7	34·4	69·2	143·9	291·4
1891	20·0	59·1	4·7	2·7	4·2	5·4	7·4	12·2	19·6	36·9	75·4	156·6	310·5
1892	18·8	57·4	4·6	2·6	4·0	4·9	6·9	11·2	17·5	33·3	70·4	146·8	285·9
1893	18·9	60·4	5·1	2·9	4·3	5·3	7·2	11·5	17·4	32·2	66·5	134·6	258·5
1894	16·4	51·7	4·3	2·5	3·7	4·7	6·3	9·9	15·4	28·0	57·8	119·6	228·5
1895	18·5	60·6	4·1	2·5	3·7	4·7	6·3	10·2	16·6	32·1	66·5	146·5	287·3
1896	16·9	56·7	4·5	2·4	3·5	4·4	5·9	9·7	15·4	28·5	57·7	120·1	240·3
1897	17·3	57·4	4·0	2·4	3·5	4·5	6·0	9·8	15·6	29·3	66·6	129·9	259·8
1898	17·4	58·5	3·8	2·2	3·4	4·4	5·9	9·8	15·7	29·7	61·5	132·1	268·1
1899	18·2	58·5	4·1	2·4	3·5	4·5	6·1	10·5	17·0	31·9	66·6	142·2	283·9
1900	18·2	56·5	4·2	2·4	3·5	4·6	6·2	10·5	17·5	33·1	68·1	143·9	285·2
1901	16·9	54·1	4·0	2·3	3·3	4·2	5·8	9·6	15·9	29·8	61·7	129·9	259·2
1902	16·2	49·1	4·0	2·2	3·2	4·1	5·7	9·4	15·7	29·6	61·6	129·5	261·9
1903	15·4	47·3	3·5	2·0	2·9	3·7	5·4	8·8	14·9	28·1	59·2	123·1	253·8
1904	16·2	51·6	3·5	2·1	3·0	3·8	5·3	8·8	15·0	29·2	62·3	131·4	283·7
1905	15·2	44·7	3·4	2·1	2·9	3·7	5·2	8·6	14·8	28·6	61·3	127·1	285·2
1906	15·4	45·3	3·5	2·1	2·9	3·6	5·1	8·6	14·8	29·0	61·7	129·0	299·3
1907	15·0	40·9	3·4	2·0	2·8	3·5	5·1	8·6	14·9	29·6	64·5	131·7	301·8

\* For the purposes of this Table, the populations shown in Table 1 have been distributed among the several groups of ages, according to the proportions found to prevail at the various Censuses.

† The death-rates in this column are based upon the sex and age-constitution of the population as enumerated in 1901; they differ, therefore, in some cases from those in Table 3 and other tables.



TABLE 15.—ENGLAND AND WALES.—Annual Death-rates at Twelve Groups of Ages, and General Death-rates corrected for Age-constitution, 1858-1907.\*—Males.

YEAR.	DEATHS TO 1000 LIVING.—MALES												
	AGES.												
	ALL AGES.†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
1858	22·5	76·5	10·5	5·0	6·8	8·7	9·3	12·3	17·7	30·9	66·2	147·0	323·5
1859	21·9	74·7	9·2	4·8	6·4	8·4	9·2	12·3	17·8	30·8	64·2	140·2	298·9
1860	20·9	67·3	6·8	4·1	6·1	8·2	9·0	12·4	17·8	31·5	67·3	151·2	314·9
1861	21·3	71·8	6·7	4·3	6·4	8·3	9·2	12·3	17·6	30·9	65·4	146·5	315·7
1862	21·1	69·8	7·7	4·4	6·2	8·2	9·2	12·4	18·1	31·3	63·3	139·9	296·7
1863	22·6	77·8	10·3	5·0	6·4	8·5	9·4	12·8	18·2	31·7	63·9	139·4	309·7
1864	23·4	75·8	9·8	4·9	6·5	9·1	10·3	14·3	20·1	35·2	70·3	151·4	334·4
1865	23·1	75·0	8·1	4·7	6·4	9·2	10·6	14·2	20·5	34·7	68·6	151·8	325·6
1866	23·1	74·9	7·8	4·6	6·5	9·2	10·9	14·7	20·9	34·7	68·9	150·6	323·5
1867	21·7	69·3	6·5	4·0	6·0	8·4	10·0	13·6	19·1	33·5	68·3	152·5	332·4
1868	21·6	72·8	7·8	4·2	5·9	8·0	9·7	13·2	18·9	31·9	63·8	139·1	282·4
1869	22·1	72·5	8·3	4·3	5·7	7·9	9·9	13·5	19·3	33·3	68·4	149·1	308·9
1870	22·7	75·0	8·9	4·5	5·9	8·0	10·1	13·8	19·6	33·9	69·6	152·1	320·7
1871	22·5	71·7	8·3	4·4	6·4	9·2	11·1	14·4	20·0	33·9	67·5	145·2	312·8
1872	21·4	67·6	7·0	4·1	6·0	8·7	10·3	14·0	19·4	32·5	65·5	140·3	292·0
1873	21·1	66·4	6·0	3·7	5·3	7·5	9·5	13·6	19·8	34·1	70·9	150·6	324·9
1874	22·2	71·8	7·4	3·9	5·3	7·5	9·6	14·3	20·9	35·8	71·4	146·4	322·8
1875	22·8	71·9	6·9	3·8	5·6	7·6	9·7	15·0	21·5	37·7	74·7	165·0	363·8
1876	21·1	67·6	6·3	3·5	5·3	7·3	9·3	13·8	19·9	34·3	67·2	145·8	302·6
1877	20·6	63·9	6·1	3·5	4·9	7·0	9·1	13·7	19·7	34·7	68·2	145·8	324·9
1878	21·7	71·2	6·6	3·6	4·9	6·8	8·8	13·6	20·0	35·1	69·5	154·8	353·9
1879	21·0	63·3	6·3	3·3	4·7	6·4	8·6	13·3	20·4	36·8	74·0	168·7	365·5
1880	20·6	69·2	6·4	3·3	4·5	6·1	7·9	12·5	19·1	33·7	68·1	145·8	310·9
1881	19·2	56·5	5·8	3·2	4·5	6·1	8·3	13·0	19·3	34·0	67·7	144·8	293·5
1882	19·8	63·4	6·3	3·2	4·6	5·9	8·2	12·6	19·0	33·8	66·2	139·3	287·1
1883	20·0	61·0	6·2	3·3	4·7	6·2	8·3	13·0	19·7	35·1	70·1	149·1	302·2
1884	20·0	64·9	5·8	3·2	4·5	6·0	8·0	12·7	19·4	33·5	68·3	142·2	290·1
1885	19·6	60·6	5·1	2·9	4·3	5·8	8·0	12·6	19·3	34·4	71·3	151·5	316·2
1886	20·0	64·5	4·8	2·8	4·3	5·7	7·6	12·1	19·2	34·7	72·8	153·4	339·1
1887	19·6	62·5	5·1	2·9	4·2	5·4	7·3	11·9	18·7	35·0	72·1	149·4	310·1
1888	18·8	57·7	4·7	2·7	4·0	5·4	7·1	11·7	19·0	34·4	71·6	144·5	304·7
1889	18·9	61·8	4·7	2·6	3·9	5·1	7·0	11·3	18·3	33·4	68·5	138·9	298·6
1890	20·6	63·0	5·0	2·8	4·3	5·7	8·0	13·2	21·7	38·6	75·3	153·3	316·5
1891	21·2	64·6	4·7	2·6	4·2	5·6	7·9	13·4	22·4	41·0	81·3	167·9	327·1
1892	19·8	62·4	4·7	2·6	4·0	5·2	7·1	12·1	19·8	36·6	75·7	154·6	305·4
1893	20·0	65·6	5·0	2·8	4·3	5·4	7·3	12·5	19·9	35·6	71·4	142·5	272·8
1894	17·4	56·1	4·2	2·3	3·8	5·0	6·5	10·8	17·3	31·4	62·8	127·6	243·6
1895	19·5	66·0	4·0	2·5	3·8	5·0	6·6	11·0	18·5	34·9	71·3	154·1	306·1
1896	18·0	61·2	4·5	2·3	3·5	4·8	6·2	10·6	17·3	31·6	63·0	128·6	251·9
1897	18·5	62·5	3·9	2·4	3·6	4·8	6·4	10·8	17·7	32·9	65·8	141·7	272·0
1898	18·5	63·4	3·8	2·2	3·5	4·8	6·3	10·7	17·6	33·2	66·4	140·3	282·6
1899	19·4	63·4	4·1	2·3	3·6	5·0	6·7	11·6	19·2	35·5	72·0	150·3	302·1
1900	19·5	61·6	4·2	2·3	3·7	5·1	6·7	11·7	19·9	37·1	74·2	153·7	304·3
1901	18·1	58·9	4·0	2·3	3·4	4·7	6·2	10·6	18·1	33·6	68·0	139·8	277·4
1902	17·4	53·7	3·9	2·2	3·3	4·5	6·2	10·5	18·0	33·6	67·8	138·4	274·7
1903	16·5	51·7	3·4	2·0	3·0	4·1	5·8	9·6	16·9	32·1	65·2	132·6	268·3
1904	17·3	56·1	3·5	2·0	3·1	4·2	5·7	9·6	17·0	33·0	68·3	139·4	300·3
1905	16·2	48·8	3·4	2·0	3·0	4·0	5·6	9·4	16·7	32·4	66·8	136·9	294·1
1906	16·4	49·3	3·4	2·0	3·0	3·9	5·6	9·5	16·8	33·2	68·7	136·9	319·5
1907	16·0	44·8	3·3	1·9	2·9	3·8	5·6	9·5	16·9	33·7	70·5	138·3	316·0

\* See Note \* to Table 14.

† The death-rates in this column are based upon the age-constitution of the population as enumerated in 1901; they differ, therefore, in some cases from those in Table 3 and other tables.

TABLE 16.—ENGLAND AND WALES—Annual Death-rates at Twelve Groups of Ages, and General Death-rates corrected for Age-constitution, 1858-1907.\*—Females.

YEAR.	DEATHS TO 1000 LIVING.—FEMALES.													
	AGES.													
	ALL AGES.†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1858	21·3	67·2	10·4	5·3	7·4	8·7	9·8	12·1	14·9	27·0	60·6	139·1	305·4	
1859	20·6	65·0	9·4	5·2	7·2	8·3	9·8	12·0	15·2	26·3	57·6	130·1	282·9	
1860	19·5	57·2	6·9	4·4	6·7	7·8	9·5	11·8	15·0	27·5	60·6	136·7	301·3	
1861	19·8	62·0	6·8	4·4	7·0	8·1	9·5	11·4	14·7	26·9	57·3	131·2	274·6	
1862	19·6	60·3	7·4	4·6	6·8	7·8	9·4	11·7	14·8	26·9	57·7	128·7	274·9	
1863	20·9	67·5	9·9	5·2	6·8	8·1	9·7	12·0	14·9	27·1	56·7	129·1	290·2	
1864	21·6	65·8	9·4	5·1	7·0	8·4	10·3	12·6	16·5	29·8	63·4	141·1	302·3	
1865	21·0	65·1	7·8	4·6	6·8	8·5	10·2	12·6	16·6	28·8	60·4	138·4	296·7	
1866	21·3	65·6	7·2	4·5	6·9	8·6	10·5	13·2	16·9	29·3	61·3	139·8	295·7	
1867	19·7	59·6	6·1	3·9	6·4	7·8	9·5	12·0	15·6	27·5	59·5	139·4	287·3	
1868	19·7	63·9	7·4	4·1	6·3	7·7	9·4	11·5	14·9	26·4	55·0	125·8	261·5	
1869	20·1	63·0	7·8	4·3	6·1	7·3	9·3	11·7	15·7	27·6	59·2	135·4	277·1	
1870	20·6	64·2	8·3	4·5	6·4	7·6	9·5	11·9	15·8	28·8	60·6	140·2	290·3	
1871	20·3	62·4	7·5	4·5	6·6	8·2	9·7	12·2	15·9	28·5	60·4	133·6	276·4	
1872	19·1	58·5	6·5	4·0	6·2	7·6	9·3	11·8	15·1	26·6	56·6	124·7	269·0	
1873	18·9	56·4	5·6	3·6	5·5	6·8	8·6	11·4	15·6	28·3	61·9	135·2	303·5	
1874	20·0	61·4	7·1	3·9	5·7	7·3	9·2	12·2	15·9	29·2	61·6	134·0	290·0	
1875	20·6	61·2	6·4	3·8	5·7	7·3	9·3	12·4	17·0	31·1	65·7	148·8	330·3	
1876	18·7	57·3	5·9	3·6	5·2	6·7	8·3	11·7	15·4	27·9	58·4	128·7	287·0	
1877	18·2	53·6	5·6	3·6	5·1	6·3	8·2	11·3	15·3	27·7	58·9	129·1	291·6	
1878	19·4	61·1	6·1	3·6	5·2	6·3	8·0	11·3	15·4	29·2	61·7	140·5	312·7	
1879	18·9	52·9	5·8	3·4	4·9	6·0	8·0	11·3	16·0	30·7	66·6	150·2	328·7	
1880	18·5	59·2	6·0	3·3	4·8	5·9	7·6	10·6	14·7	27·5	58·2	129·1	274·9	
1881	17·3	48·0	5·7	3·2	4·7	6·0	7·9	11·0	14·9	28·0	58·4	126·4	263·8	
1882	17·9	54·4	6·0	3·3	4·7	5·9	7·9	11·0	15·0	27·6	56·9	124·1	256·0	
1883	18·0	51·1	5·8	3·4	4·9	6·1	8·1	11·1	15·6	28·8	60·2	134·2	277·0	
1884	18·0	54·9	5·8	3·4	4·7	5·9	7·8	10·9	15·3	27·5	57·7	126·8	247·4	
1885	17·7	51·0	5·1	3·1	4·5	5·7	7·7	10·8	15·2	28·7	62·0	133·2	282·8	
1886	18·0	54·2	4·8	3·1	4·4	5·3	7·2	10·4	15·0	29·1	63·2	136·5	302·1	
1887	17·7	52·7	5·1	3·0	4·2	5·4	7·0	10·3	15·2	28·8	62·2	131·6	272·1	
1888	16·8	48·0	4·7	2·9	4·0	5·1	6·9	9·9	14·5	27·9	60·1	130·0	270·1	
1889	16·9	51·9	4·7	2·8	3·9	4·9	6·5	9·8	14·3	27·4	58·7	126·5	260·3	
1890	18·1	53·3	5·0	2·9	4·2	5·1	7·1	10·9	15·9	30·7	64·2	136·9	276·6	
1891	18·9	53·7	4·7	2·9	4·3	5·2	7·1	11·1	17·1	33·4	70·6	148·1	300·7	
1892	17·8	52·5	4·6	2·7	4·0	4·7	6·7	10·3	15·5	30·4	66·0	140·9	274·4	
1893	17·9	55·2	5·1	3·0	4·3	5·1	7·0	10·7	15·2	29·2	62·4	128·7	250·0	
1894	15·5	47·4	4·3	2·6	3·7	4·5	6·0	9·2	13·5	25·1	53·7	113·6	219·6	
1895	17·6	55·2	4·2	2·6	3·7	4·5	6·1	9·5	14·8	29·6	62·6	140·9	276·2	
1896	16·0	52·3	4·5	2·4	3·4	4·2	5·7	8·9	13·6	25·8	53·4	113·9	233·4	
1897	16·1	52·4	4·0	2·4	3·4	4·1	5·6	8·9	13·7	26·2	55·7	121·2	252·6	
1898	16·4	53·5	3·9	2·3	3·3	4·1	5·5	8·9	13·9	26·7	57·5	126·0	259·6	
1899	17·1	53·6	4·2	2·4	3·3	4·1	5·7	9·4	15·0	28·7	62·3	136·3	273·2	
1900	17·0	51·8	4·2	2·5	3·3	4·2	5·7	9·3	15·3	29·6	63·2	136·8	273·9	
1901	15·8	49·4	4·1	2·4	3·2	3·8	5·3	8·7	13·9	26·6	56·7	122·8	248·5	
1902	15·2	44·5	4·1	2·3	3·1	3·8	5·3	8·5	13·6	26·1	56·6	123·0	259·1	
1903	14·4	42·9	3·5	2·1	2·8	3·4	4·9	8·1	13·0	24·6	54·5	116·2	245·2	
1904	15·2	47·2	3·5	2·1	2·9	3·4	4·9	8·0	13·1	26·0	57·5	125·5	273·9	
1905	14·3	40·6	3·4	2·1	2·8	3·4	4·8	7·8	13·0	25·3	56·8	120·1	279·9	
1906	14·4	41·2	3·6	2·2	2·7	3·3	4·7	7·8	13·0	25·3	56·1	123·2	287·4	
1907	14·1	37·0	3·4	2·0	2·7	3·2	4·6	7·8	13·1	26·0	59·7	127·0	293·4	

\* See Note \* to Table 14.  
† The death-rates in this column are based upon the age-constitution of the population as enumerated in 1901; they differ, therefore, in some cases from those in Table 3 and other tables.



**TABLE 17.—ENGLAND AND WALES.—Annual Death-rates in Groups of Years, at Twelve Age-periods, and General Death-rates corrected for Age-constitution, 1838–1907.\*—Males and Females.**

PERIOD.	AGES.												
	ALL AGES.†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
DEATHS TO 1000 LIVING.													
MALES.													
<b>1838 to 1907</b>	<b>20·7</b>	<b>66·9</b>	<b>6·8</b>	<b>3·8</b>	<b>5·4</b>	<b>7·3</b>	<b>8·6</b>	<b>12·5</b>	<b>18·8</b>	<b>33·3</b>	<b>68·3</b>	<b>146·5</b>	<b>307·5</b>
1841-50	22·2	71·2	9·2	5·1	7·1	9·5	9·9	12·9	18·2	31·8	67·5	148·3	312·3
1851-60	21·9	72·4	8·5	4·9	6·7	8·8	9·6	12·5	18·0	30·9	65·3	146·7	308·2
1861-70	22·3	73·5	8·2	4·5	6·2	8·5	9·9	13·5	19·3	33·1	67·1	147·2	315·0
1871-80	21·5	68·4	6·7	3·7	5·3	7·4	9·3	13·8	20·1	34·9	69·7	150·8	327·4
1881-90	19·7	61·6	5·3	3·0	4·3	5·7	7·8	12·4	19·4	34·7	70·5	146·6	305·8
1891-1900	19·2	62·7	4·3	2·4	3·8	5·1	6·8	11·5	18·9	34·9	70·4	146·1	286·8
1841-45	21·3	68·7	8·8	4·8	6·8	9·0	9·4	12·2	17·2	30·3	65·5	143·7	305·1
1846-50	23·1	73·8	9·5	5·4	7·3	10·0	10·5	13·6	19·2	33·2	69·5	153·0	319·5
1851-55	22·4	73·9	8·8	5·1	7·0	9·2	10·0	12·9	18·6	31·5	66·6	150·8	311·0
1856-60	21·4	71·5	8·3	4·6	6·4	8·4	9·2	12·2	17·4	30·4	64·3	142·6	305·4
1861-65	22·3	74·0	8·5	4·7	6·4	8·7	9·7	13·2	18·9	32·8	66·3	145·8	316·4
1866-70	22·2	72·9	7·9	4·3	6·0	8·3	10·1	13·8	19·6	33·5	67·8	148·7	313·6
1871-75	22·0	69·9	7·1	4·0	5·7	8·1	10·0	14·3	20·3	34·8	70·0	149·5	323·3
1876-80	21·0	67·0	6·3	3·4	4·9	6·7	8·7	13·4	19·8	34·9	69·4	152·2	331·6
1881-85	19·7	61·3	5·8	3·2	4·5	6·0	8·2	12·8	19·3	34·2	68·7	145·4	297·8
1886-90	19·6	61·9	4·9	2·8	4·1	5·5	7·4	12·0	19·4	35·2	72·1	147·9	313·8
1891-95	19·6	62·9	4·5	2·6	4·0	5·2	7·1	12·0	19·6	35·9	72·5	149·3	291·0
1896-1900	18·8	62·4	4·1	2·3	3·6	4·9	6·5	11·1	18·3	34·1	68·3	142·9	282·6
1901-05	17·1	53·8	3·6	2·1	3·2	4·3	5·9	9·9	17·3	32·9	67·2	137·4	283·0
FEMALES.													
<b>1838 to 1907</b>	<b>18·9</b>	<b>57·1</b>	<b>6·6</b>	<b>4·0</b>	<b>5·7</b>	<b>6·8</b>	<b>8·4</b>	<b>11·2</b>	<b>15·2</b>	<b>27·9</b>	<b>59·7</b>	<b>132·4</b>	<b>281·2</b>
1841-50	21·0	61·1	8·9	5·4	7·9	9·1	10·6	12·9	16·0	28·4	61·0	135·9	293·3
1851-60	20·6	62·7	8·4	5·1	7·4	8·5	9·9	12·2	15·2	27·0	58·7	134·5	288·9
1861-70	20·4	63·7	7·8	4·5	6·6	8·0	9·7	12·1	15·6	27·9	59·1	134·9	285·1
1871-80	19·3	58·3	6·2	3·7	5·5	6·8	8·6	11·6	15·6	28·7	61·0	135·4	296·4
1881-90	17·6	51·9	5·3	3·1	4·4	5·5	7·4	10·6	15·1	28·5	60·4	130·6	270·8
1891-1900	17·0	52·8	4·4	2·6	3·7	4·5	6·1	9·6	14·7	28·4	60·7	130·6	261·4
1841-45	20·1	58·6	8·6	5·2	7·7	8·6	9·9	12·2	15·1	27·2	59·1	131·8	288·6
1846-50	21·9	63·7	9·2	5·7	8·1	9·6	11·2	13·7	17·0	29·7	62·8	140·1	297·9
1851-55	21·0	63·8	8·5	5·3	7·8	8·9	10·3	12·6	15·8	27·8	59·6	137·1	292·0
1856-60	20·1	62·3	8·3	4·8	7·1	8·2	9·6	11·9	14·8	26·5	58·1	131·9	285·8
1861-65	20·6	64·1	8·3	4·8	6·9	8·2	9·8	12·1	15·5	27·9	59·1	133·7	287·7
1866-70	20·3	63·3	7·4	4·3	6·4	7·8	9·6	12·1	15·8	27·9	59·1	136·1	282·4
1871-75	19·8	60·0	6·6	4·0	5·9	7·4	9·2	12·0	15·9	28·7	61·2	135·3	293·8
1876-80	18·7	56·8	5·9	3·5	5·0	6·2	8·0	11·2	15·4	28·6	60·8	135·5	299·0
1881-85	17·8	51·9	5·7	3·3	4·7	5·9	7·9	11·0	15·2	28·1	59·0	128·9	265·4
1886-90	17·5	52·0	4·9	2·9	4·1	5·2	6·9	10·3	15·0	28·8	61·7	132·3	276·2
1891-95	17·5	52·8	4·6	2·8	4·0	4·8	6·6	10·2	15·2	29·5	63·1	134·4	264·2
1896-1900	16·5	52·7	4·2	2·4	3·3	4·1	5·6	9·1	14·3	27·4	58·4	126·8	258·5
1901-05	15·0	44·9	3·7	2·2	3·0	3·6	5·0	8·2	13·3	25·7	56·4	121·5	261·3

\* See Note \* to Table 14.

† The death-rates in this column are based upon the age-constitution of the population as enumerated in 1901: they differ, therefore, in some cases from those in Table 4.

TABLE 18.—ENGLAND AND WALES: Registration Counties.—Death-rates per 1000 living, at Twelve Groups of Ages, and General Death-rates corrected for Age-constitution, 1907.\*—Males.

REGISTRATION COUNTY.	ALL AGES †	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.
ENGLAND AND WALES	16'0	44'8	3'3	1'9	2'9	3'8	5'6	9'5	16'9	33'7	70'5	138'3	316'0
<b>I.—LONDON.</b>													
London.. .. .	16'8	47'2	3'5	1'8	2'7	3'3	5'3	10'7	19'4	35'8	74'5	142'5	347'8
<b>II.—SOUTH EASTERN.</b>													
Surrey .. .. .	13'9	32'4	2'5	1'8	2'5	3'6	5'4	9'8	16'2	31'2	69'6	124'6	298'5
Kent .. .. .	13'0	34'5	2'8	1'9	2'5	3'3	5'6	8'0	13'9	24'8	55'6	126'8	292'6
Sussex .. .. .	12'8	29'0	2'3	1'4	2'0	4'4	5'7	8'6	14'1	28'8	58'4	128'8	308'9
Hampshire .. .. .	13'8	33'4	2'9	1'7	2'7	4'2	6'6	9'2	14'4	29'5	61'5	125'4	347'1
Berkshire .. .. .	12'4	23'7	2'0	1'8	2'3	3'4	5'5	8'5	13'6	25'2	56'8	140'1	276'2
<b>III.—SOUTH MIDLAND.</b>													
Middlesex .. .. .	13'9	39'6	3'2	1'4	1'7	3'2	4'4	7'0	14'7	28'8	68'0	124'9	310'1
Hertfordshire .. .. .	12'6	27'6	3'1	1'4	1'8	3'2	4'6	9'8	12'0	26'1	63'5	136'6	442'9
Buckinghamshire .. .. .	11'6	27'6	3'0	1'8	2'6	4'0	4'5	7'3	10'4	26'9	56'0	105'3	237'8
Oxfordshire .. .. .	13'8	32'8	2'4	1'6	4'0	5'1	6'0	9'0	12'6	26'2	65'0	151'1	353'6
Northamptonshire .. .. .	12'0	26'9	2'1	1'9	2'8	3'4	4'6	7'2	12'7	26'5	58'0	125'3	419'8
Huntingdonshire .. .. .	11'6	25'9	4'2	3'0	2'8	3'0	5'4	7'1	9'6	22'5	51'3	120'2	470'6
Bedfordshire .. .. .	14'1	39'8	3'4	1'8	3'2	3'8	5'2	7'5	14'0	24'0	59'8	144'8	389'9
Cambridgeshire .. .. .	12'4	30'9	3'1	1'0	1'9	4'8	5'1	8'3	13'1	21'8	56'7	122'0	366'9
<b>IV.—EASTERN.</b>													
Essex .. .. .	12'9	35'0	2'9	1'6	2'2	3'3	4'5	7'2	13'1	28'4	57'0	121'4	288'2
Suffolk .. .. .	12'8	33'7	2'7	1'6	2'6	4'0	5'4	7'6	13'2	25'6	52'2	129'4	287'8
Norfolk .. .. .	12'7	34'1	2'6	1'8	2'7	3'4	5'2	8'2	11'8	24'5	54'7	118'9	329'6
<b>V.—SOUTH WESTERN.</b>													
Wiltshire .. .. .	11'7	27'4	2'7	1'4	2'2	3'1	4'3	7'1	11'6	25'9	58'1	128'0	264'9
Dorsetshire .. .. .	13'1	26'7	3'7	1'9	3'0	5'4	6'2	7'8	13'8	29'8	57'3	132'3	362'9
Devonshire .. .. .	14'2	36'7	3'0	2'2	3'1	3'8	6'9	9'0	15'6	27'0	58'7	125'7	303'6
Cornwall .. .. .	13'9	32'4	3'6	1'5	2'7	4'5	7'1	10'3	16'6	24'9	64'1	120'1	304'3
Somersetshire .. .. .	12'8	30'5	2'5	1'5	2'5	3'8	4'9	9'5	12'4	26'9	64'6	127'4	227'2
<b>VI.—WEST MIDLAND.</b>													
Gloucestershire .. .. .	13'5	30'4	2'7	2'4	2'7	4'5	5'1	9'5	14'3	29'8	63'6	134'8	343'5
Herefordshire .. .. .	12'7	28'7	1'8	1'5	2'1	3'1	5'2	8'0	14'1	27'2	62'3	138'6	390'2
Shropshire .. .. .	12'7	29'2	3'0	1'9	3'1	4'8	5'0	7'4	12'7	23'0	60'4	150'5	319'5
Staffordshire .. .. .	17'2	50'5	3'6	1'7	2'5	3'6	5'6	9'9	17'8	34'7	77'1	153'8	363'3
Worcestershire .. .. .	13'7	37'6	2'8	1'2	2'1	3'0	4'2	7'6	14'1	29'4	63'8	146'4	296'6
Warwickshire .. .. .	16'7	48'9	3'2	2'1	2'8	3'5	6'4	10'8	18'9	33'6	66'0	139'0	281'3
<b>VII.—NORTH MIDLAND.</b>													
Leicestershire .. .. .	13'6	37'0	3'3	1'3	2'6	3'5	4'8	7'3	11'7	29'5	62'3	135'4	334'5
Rutlandshire .. .. .	10'8	25'0	5'6	0'9	2'4	—	3'2	5'9	13'9	14'0	48'9	179'6	208'3
Lincolnshire .. .. .	14'3	43'1	3'4	2'5	3'1	4'8	4'7	6'9	14'0	26'5	56'4	131'1	318'4
Nottinghamshire .. .. .	16'9	58'5	3'4	1'7	2'6	3'7	5'5	8'1	14'6	31'4	62'8	151'2	318'1
Derbyshire .. .. .	15'3	43'3	3'7	2'0	2'6	3'1	4'8	7'1	15'7	31'9	69'5	148'8	374'4
<b>VIII.—NORTH WESTERN.</b>													
Cheshire .. .. .	16'2	43'8	3'5	2'1	2'8	3'6	5'0	9'1	16'6	33'8	81'4	149'9	352'8
Lancashire .. .. .	19'9	55'9	3'8	2'2	3'3	4'2	6'1	11'3	22'1	45'9	94'1	161'3	329'1
<b>IX.—YORK.</b>													
West Riding .. .. .	17'7	50'3	3'5	2'1	3'2	3'2	5'3	8'9	17'6	40'2	85'4	166'5	354'5
East Riding (with York) .. .. .	16'2	46'9	3'6	1'9	2'3	4'0	6'5	9'1	17'2	31'5	71'9	139'5	287'5
North Riding .. .. .	18'6	56'8	4'6	2'1	3'4	5'4	8'0	11'1	17'1	33'4	74'4	144'6	372'8
<b>X.—NORTHERN.</b>													
Durham .. .. .	18'4	55'6	4'1	2'1	3'8	4'7	5'6	9'7	17'1	38'2	79'9	167'3	312'5
Northumberland .. .. .	17'4	47'8	4'3	2'3	3'4	4'4	6'7	10'6	18'5	34'7	78'5	145'4	355'7
Cumberland .. .. .	17'3	42'5	3'6	2'7	3'3	4'6	5'6	11'1	19'7	40'0	80'2	159'8	341'5
Westmorland .. .. .	11'9	24'0	0'9	1'8	1'0	2'1	5'5	6'5	14'6	25'0	65'8	164'9	338'7
<b>XI.—WELSH.</b>													
Monmouthshire .. .. .	17'8	55'3	3'3	3'0	3'7	4'8	5'7	10'9	18'7	36'2	75'6	114'7	232'3
South Wales .. .. .	17'2	51'3	3'4	2'2	3'7	4'6	6'2	10'8	16'9	36'6	72'6	122'8	265'4
Glamorganshire .. .. .	18'4	56'3	3'7	2'2	3'6	4'1	6'0	11'0	18'1	41'5	76'3	134'9	268'7
Carmarthenshire .. .. .	16'3	43'8	2'2	2'3	4'5	8'1	6'5	11'7	16'7	34'4	67'4	108'6	271'0
Pembrokeshire .. .. .	13'9	32'6	2'7	2'0	4'2	4'9	7'7	9'1	12'7	24'8	81'3	100'4	244'2
Cardiganshire .. .. .	13'5	26'8	2'4	2'1	4'1	5'6	7'8	10'4	14'2	22'4	71'2	122'1	224'1
Brecknockshire .. .. .	14'6	37'3	3'3	2'9	1'8	6'6	6'1	9'1	14'2	26'8	65'2	145'7	327'6
Radnorshire .. .. .	9'6	20'7	2'8	1'9	1'7	1'7	3'0	6'7	4'8	26'0	50'9	129'4	170'7
North Wales .. .. .	14'6	35'8	2'3	1'8	3'4	5'0	5'9	8'7	14'8	31'5	73'4	138'5	231'3
Montgomeryshire .. .. .	12'9	28'9	0'6	1'5	2'6	7'4	6'0	8'6	13'0	22'4	62'5	166'7	208'3
Flintshire .. .. .	15'7	36'1	3'0	0'3	4'6	4'7	5'6	11'3	15'0	34'0	83'4	166'7	235'3
Denbighshire .. .. .	16'1	40'7	3'0	1'7	3'6	4'5	5'9	8'2	17'8	37'7	80'7	139'2	329'1
Merionethshire .. .. .	14'5	36'7	2'7	2'0	3'2	4'2	5'0	9'0	16'1	28'6	75'5	133'6	250'0
Carnarvonshire .. .. .	14'2	33'1	1'9	2'3	3'0	5'6	6'6	8'5	13'0	32'8	73'0	131'0	205'9
Anglesey .. .. .	12'6	34'1	2'1	2'8	3'1	3'0	3'7	6'8	11'9	26'3	68'3	104'2	222'2

\* The populations of the several counties, estimated to the middle of the year, are shown in Table 29. For the purposes of the above table these populations are distributed among the several groups of ages according to the proportions found to prevail at the Census of 1901.

† The death-rates in this column are based upon the age-constitution of the male population of England and Wales as enumerated in 1901; they differ, therefore, from those in Table 13 and other tables.



TABLE 19.—ENGLAND AND WALES: **Registration Counties.—Death-rates per 1000 living, at Twelve Groups of Ages, and General Death-rates corrected for Age-constitution, 1907.\*—Females.**

REGISTRATION COUNTY.	ALL AGES †	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.
ENGLAND AND WALES	14'1	37'0	3'4	2'0	2'7	3'2	4'6	7'8	13'1	26'0	59'7	127'0	293'4
<b>I.—LONDON.</b>													
London.. .. .	14'2	40'1	3'7	1'9	2'4	2'5	4'0	7'8	13'7	25'7	56'7	121'5	311'0
<b>II.—SOUTH EASTERN.</b>													
Surrey .. .. .	12'0	25'6	2'9	1'8	2'3	2'2	4'3	7'2	12'1	23'8	54'9	120'3	299'2
Kent .. .. .	11'6	26'4	3'3	2'2	2'5	3'2	4'2	6'6	10'8	20'4	49'3	116'1	268'4
Sussex .. .. .	11'1	23'5	2'3	2'0	1'9	2'3	3'6	5'7	10'4	22'6	50'6	122'6	281'2
Hampshire .. .. .	12'0	28'2	3'1	2'0	2'5	3'2	4'4	6'8	11'8	20'4	51'8	115'3	287'5
Berkshire .. .. .	10'9	22'5	3'1	1'9	1'9	3'5	4'3	5'1	9'5	20'9	50'5	110'9	346'4
<b>III.—SOUTH MIDLAND.</b>													
Middlesex .. .. .	12'1	32'1	2'7	1'4	1'7	2'1	3'3	6'1	11'2	22'6	54'2	119'0	308'2
Hertfordshire .. .. .	11'6	24'4	2'6	1'1	2'7	2'9	4'6	6'9	10'0	21'5	53'5	127'3	300'0
Buckinghamshire .. .. .	10'8	26'2	2'3	1'3	2'8	2'7	3'5	4'7	9'5	18'3	49'2	108'2	356'5
Oxfordshire .. .. .	10'9	20'2	1'9	2'9	2'5	3'2	5'0	5'0	7'6	21'4	50'1	130'9	330'0
Northamptonshire .. .. .	10'8	21'8	2'6	1'8	3'0	3'2	4'2	6'0	9'7	18'6	48'0	117'7	317'8
Huntingdonshire .. .. .	10'4	21'1	6'1	1'3	4'0	4'2	3'5	4'8	6'8	16'5	40'3	130'0	291'3
Bedfordshire .. .. .	11'8	27'1	3'0	2'2	2'9	2'3	3'9	6'5	9'8	20'5	54'4	124'1	306'4
Cambridgeshire .. .. .	11'1	23'9	2'6	1'6	2'4	3'7	5'1	7'2	9'3	19'5	43'1	117'3	289'5
<b>IV.—EASTERN.</b>													
Essex .. .. .	12'2	30'9	3'3	1'7	2'3	2'6	3'8	6'8	11'2	22'9	51'0	119'8	256'0
Suffolk .. .. .	11'5	25'5	3'1	2'1	2'7	3'1	4'4	7'5	9'3	20'6	48'9	114'7	293'2
Norfolk .. .. .	11'3	27'5	3'0	1'8	3'0	3'1	4'2	5'5	10'7	18'4	43'9	118'2	292'3
<b>V.—SOUTH WESTERN.</b>													
Wiltshire .. .. .	12'1	24'4	3'3	1'7	2'7	4'6	5'3	6'6	10'3	22'7	51'7	132'7	312'5
Dorsetshire .. .. .	10'7	20'1	2'1	1'1	3'1	2'7	4'2	5'3	10'0	20'6	52'1	118'6	307'5
Devonshire .. .. .	12'1	29'0	2'7	2'6	2'8	3'3	4'5	7'1	10'7	21'9	51'4	112'7	274'9
Cornwall .. .. .	11'8	25'7	2'6	1'8	3'2	3'4	5'6	6'8	10'5	21'3	48'3	112'1	313'6
Somersetshire .. .. .	10'9	23'2	2'7	1'6	2'7	3'3	4'0	5'9	10'5	19'3	50'3	111'9	263'5
<b>VI.—WEST MIDLAND.</b>													
Gloucestershire .. .. .	12'1	26'0	2'8	1'8	2'8	2'8	3'9	7'3	11'6	23'6	56'2	125'4	267'5
Herefordshire .. .. .	11'2	20'4	3'1	1'5	3'1	2'6	4'2	7'2	9'6	18'6	53'2	122'2	371'3
Shropshire .. .. .	11'6	24'0	2'8	1'9	2'7	3'2	4'4	7'0	10'0	20'2	56'5	125'3	255'6
Staffordshire .. .. .	15'3	41'9	3'3	2'0	2'4	3'5	4'5	8'8	13'9	28'1	66'6	136'0	286'5
Worcestershire .. .. .	12'4	31'5	2'8	1'5	1'6	2'7	4'0	7'1	11'3	23'0	51'4	125'5	281'5
Warwickshire .. .. .	14'6	41'1	3'9	1'8	2'3	2'7	4'2	8'4	14'5	26'5	55'4	127'0	323'8
<b>VII.—NORTH MIDLAND.</b>													
Leicestershire .. .. .	12'2	29'9	2'4	1'8	3'0	3'0	4'5	6'1	10'3	21'3	52'6	123'4	308'1
Rutlandshire .. .. .	10'2	17'0	2'9	1'0	3'5	1'3	4'7	5'5	6'1	15'1	53'8	145'9	324'3
Lincolnshire .. .. .	12'6	33'5	3'5	2'0	2'6	4'1	4'8	6'7	9'7	20'3	51'5	120'5	266'2
Nottinghamshire .. .. .	15'9	48'6	3'7	2'1	3'0	3'0	5'0	8'4	13'2	28'0	58'3	140'0	345'1
Derbyshire .. .. .	14'0	35'2	3'8	2'0	2'3	2'8	4'2	6'8	11'8	26'8	63'5	135'7	350'3
<b>VIII.—NORTH WESTERN.</b>													
Cheshire .. .. .	14'4	34'1	3'4	2'0	2'4	3'0	4'7	7'8	13'5	28'1	68'1	139'0	288'9
Lancashire .. .. .	17'8	46'7	4'0	2'3	3'0	3'5	5'4	9'6	17'3	35'0	80'2	157'3	311'8
<b>IX.—YORK.</b>													
West Riding .. .. .	15'9	40'8	3'6	2'2	2'8	3'3	4'5	8'1	14'0	29'8	71'2	156'9	372'8
East Riding (with York) .. .. .	14'5	37'1	3'6	2'0	2'6	3'6	4'9	9'2	13'6	25'9	61'6	127'2	283'8
North Riding .. .. .	15'9	45'6	3'8	1'9	2'7	4'4	5'6	8'5	13'6	27'1	68'1	123'8	325'1
<b>X.—NORTHERN.</b>													
Durham .. .. .	17'2	48'3	4'2	2'0	3'7	4'4	6'3	9'2	14'2	32'1	71'7	137'3	341'3
Northumberland .. .. .	15'5	40'8	3'7	2'3	2'9	3'6	5'1	9'4	13'7	29'7	65'5	132'1	288'8
Cumberland .. .. .	15'4	37'4	3'3	2'0	3'2	4'9	5'6	8'9	15'4	26'4	67'0	146'1	268'9
Westmorland .. .. .	10'5	21'4	2'1	2'0	1'4	2'5	4'9	6'0	11'5	19'9	49'1	99'0	252'7
<b>XI.—WELSH.</b>													
Monmouthshire .. .. .	15'7	43'5	3'3	1'7	3'2	3'4	6'0	9'1	14'5	29'4	69'5	124'3	201'4
South Wales .. .. .	15'7	42'6	3'1	2'4	4'1	4'9	6'0	9'6	13'9	29'9	63'9	122'0	209'9
Glamorganshire .. .. .	16'6	45'5	3'2	2'3	3'8	4'7	5'5	10'0	15'1	32'6	70'5	131'1	184'7
Cardiganshire .. .. .	14'6	36'1	3'7	2'1	5'8	4'5	7'3	8'6	11'8	27'1	61'3	108'9	196'1
Pembrokeshire .. .. .	13'6	30'3	1'8	3'7	2'6	4'6	6'3	7'9	9'0	28'4	65'2	111'4	309'5
Cardiganshire .. .. .	14'7	28'6	2'5	2'6	6'3	8'2	9'0	10'3	13'4	23'5	55'6	130'8	232'2
Brecknockshire .. .. .	14'7	36'5	2'7	2'2	3'4	5'4	7'1	8'9	14'1	30'3	45'5	127'4	307'7
Radnorshire .. .. .	9'8	16'7	2'7	1'9	5'8	—	4'6	2'7	6'5	18'9	54'4	129'8	233'3
North Wales .. .. .	13'2	27'1	2'9	2'4	3'2	4'9	6'2	8'2	12'4	23'1	60'7	120'9	293'0
Montgomeryshire .. .. .	11'7	21'1	1'5	2'1	2'7	2'6	6'7	8'5	13'6	19'0	51'6	111'4	315'8
Flintshire .. .. .	13'6	29'6	3'6	2'4	4'4	2'5	5'1	11'8	9'8	19'4	64'9	115'2	416'7
Denbighshire .. .. .	14'2	27'0	2'9	2'3	2'8	6'3	6'2	8'6	13'8	24'3	72'8	126'9	338'2
Merionethshire .. .. .	13'2	32'0	3'0	1'5	3'3	5'7	6'6	7'4	9'0	23'4	47'5	137'0	300'0
Carnarvonshire .. .. .	13'2	26'0	3'2	3'1	3'1	5'2	6'3	7'9	11'3	26'8	53'3	122'1	254'2
Anglesey .. .. .	13'4	25'4	2'7	2'5	4'2	5'1	5'6	4'8	20'9	19'0	69'7	123'1	233'8

\* The populations of the several counties, estimated to the middle of the year, are shown in Table 30. For the purposes of the above table these populations are distributed among the several groups of ages according to the proportions found to prevail at the Census of 1901.

† The death-rates in this column are based upon the age-constitution of the female population of England and Wales as enumerated in 1901: they differ, therefore, from those in Table 13 and other tables.

TABLE 20.—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes, to a Million Persons living, in Successive Quinquennia, 1871-1905.

CAUSES OF DEATH.	5 Years 1871-75.	5 Years 1876-80.	5 Years 1881-85.	5 Years 1886-90.	5 Years 1891-95.	5 Years 1896-1900.	5 Years 1901-05.
All Causes .. .. .	21962·4	20791·0	19403·0	18894·6	18718·0	17685·4	16004·6
Small-pox .. .. .	410·8	78·4	78·0	13·6	20·0	6·6	25·4
Measles .. .. .	373·2	384·8	413·0	468·4	407·2	421·0	325·8
Scarlet Fever .. .. .	758·6	679·6	435·8	240·6	182·2	134·6	125·8
Typhus .. .. .	81·4	34·2	22·8	6·6	3·8	1·4	1·4
Pyrexia* (Origin uncertain) ..	140·2	69·2	34·2	16·6	8·0	4·2	2·4
Enteric Fever.. .. .	373·8	277·2	216·0	179·2	173·6	174·8	112·6
Whooping Cough .. .. .	498·6	527·0	458·6	443·6	397·8	358·6	300·4
Diphtheria .. .. .	120·8	121·8	156·2	169·6	252·6	272·4	204·2
Croup .. .. .	184·2	154·2	163·4	125·8	70·0	34·2	16·8
Diarrhoea, Dysentery, and Cholera	1031·0	852·8	672·0	681·0	652·0	818·6	677·8
Malaria .. .. .	8·4	7·8	11·4	6·4	4·0	3·2	2·6
Rabies, Hydrophobia .. .. .	2·0	1·8	1·2	0·6	0·2	0·0	0·0
Venereal Diseases .. .. .	92·6	95·6	93·4	83·6	79·8	69·0	56·2
Puerperal Septic Diseases and Childbirth.	194·2	142·0	165·0	142·6	167·8	137·6	120·0
Pneumonia .. .. .	1025·4	999·4	1001·8	1130·6	1251·4	1202·6	1270·8
Erysipelas .. .. .	105·6	80·8	82·8	54·2	47·8	35·2	35·8
Phthisis .. .. .	2218·0	2039·8	1830·4	1635·4	1462·2	1322·6	1215·2
Alcoholism .. .. .	37·6	42·4	48·2	56·0	67·8	85·8	78·2
Rheumatic Fever, Rheum. of Heart.	127·2	62·0	97·6	89·2	88·0	82·8	76·6
Chronic Rheumatism .. .. .		77·0	34·8	33·0	31·6	28·6	16·0
Cancer .. .. .	445·6	493·6	547·6	631·6	711·4	800·2	864·0
Diabetes Mellitus .. .. .	35·8	40·4	51·4	62·4	69·2	81·0	89·2
Premature Birth .. .. .	446·8	472·8	475·2	507·2	561·8	574·2	569·4
Congenital Defects .. .. .	71·0	89·0	89·6	85·4	89·8	89·6	135·4
Epilepsy .. .. .	115·4	114·8	111·8	106·6	94·4	85·6	88·2
Heart and Blood Vessels Diseases	?	2474·6	2383·0	2581·2	2504·0	2417·0	2296·4
Bronchitis .. .. .	2220·8	2377·4	2153·6	2136·0	2074·2	1563·0	1237·0
Cirrhosis of Liver .. .. .	71·9	109·6	119·6	122·2	120·0	134·6	121·2
Acute Nephritis, Uræmia, } Bright's Disease, Albuminuria }	183·2	248·6	288·8	318·2	340·2	367·6	378·6
Old Age .. .. .	1206·8	1072·2	1015·0	975·8	929·2	928·2	927·4

\* Called Simple Continued Fever previous to 1901.



TABLE 21.—ENGLAND AND WALES.—Deaths from Various Causes at All Ages,\* 1888-1907.—Persons.

*Note.*—The list of diseases was revised and certain changes of classification were made in 1901 (*see* 64th Annual Report, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
ALL CAUSES		510971	518353	562248	587925	559684	569958	498827	568997	526727	541487	552141	581799	587880	551585	535538	514028	549784	520031	531281	524221
Small-pox	{ Vaccinated Not Vaccinated (Doubtful	91	4	4	3	55	150	153	33	45	6	107	4	7	141	821	123	75	23	—	2
Cow-pox and other effects of Vaccination		269	2	—	17	106	253	176	61	118	5	59	5	17	111	791	174	124	20	1	2
Chicken-pox		666	17	—	29	270	1054	491	129	378	14	87	165	61	104	852	463	308	73	20	6
Measles (Morbili)		45	58	43	43	58	59	50	56	42	36	26	34	25	17	22	26	28	26	29	12
German Measles		116	83	95	91	123	127	108	86	151	103	116	124	127	115	123	118	104	93	106	120
Scarlet Fever		9784	14732	12614	12673	13553	11110	11757	11491	17618	12711	13220	9998	12710	9019	12930	9150	12306	11076	9444	12625
Typhus		123	148	77	51	78	45	52	30	56	44	40	37	37	58	31	39	35	38	25	47
Plague		6378	6698	6974	4959	5618	6982	5032	4532	5476	4577	3548	3722	3844	4339	4875	4158	3770	3834	3475	3220
Relapsing Fever		160	137	151	137	85	137	115	58	71	49	47	29	29	37	61	69	37	38	9	24
Influenza		—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—
Whooping-cough		8	3	3	11	7	9	7	7	2	2	3	—	4	5	5	—	2	3	1	1
Mumps		92	55	4523	16686	15737	9669	6625	12880	3753	6088	10405	12417	16245	5666	7366	6322	5694	6953	6310	9257
Diphtheria		12287	12225	13756	13612	13406	10176	12354	9594	13266	11431	10175	10129	11467	10205	9805	9522	11909	8709	8313	10255
Cerebro-spinal Fever		86	79	78	77	84	77	61	54	77	85	59	72	94	90	93	86	108	98	110	118
Pyæmia (origin uncertain)		4815	5368	5150	5036	6552	9466	8774	7895	8993	7654	7661	9295	9345	8898	7802	6077	5763	5456	6108	5732
Enteric Fever		18	23	38	31	29	13	23	23	11	10	11	21	9	59	60	68	81	127	71	161
		436	413	361	325	244	265	203	157	164	120	136	113	113	101	93	76	67	53	29	39
		4848	5011	5146	4875	4037	6801	4781	5326	5125	4851	5708	6304	5591	5071	4149	3347	3153	3052	3169	2344
Asiatic Cholera		?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
Diarrhoea due to Food†		?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
Intestive Enteritis, Epidemic		?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
Diarrhoea (not otherwise defined)		13059	18764	17837	13962	15336	29721	10763	27392	17388	27051	30096	30971	23463	{ 11864 17946 311	94 4915 8884	89 7742 10357	105 16994 12362	211 11573 8534	304 18201 11762	217 5070 5138
Dysentery		51	50	39	47	45	32	28	30	28	26	29	24	66	57	254	310	298	216	296	233
Tetanus		159	158	146	133	110	120	88	109	106	118	91	94	109	98	201	257	257	248	254	226
Malaria		14	30	8	7	6	4	13	20	8	6	2	—	—	—	112	69	106	79	70	68
Rabies, Hydrophobia		2	8	3	4	5	6	2	3	1	6	4	—	—	—	2	—	—	—	—	—
Glanders		12	7	4	3	6	7	10	13	9	18	18	21	10	4	5	8	4	6	1	4
Anthrax (Splenic Fever)		—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	18	20	24	26	15
Syphilis		1927	2053	2056	1964	2041	2154	2011	2099	1832	1879	1801	1793	1842	1721	1693	1820	1834	1811	1718	1658
Gonorrhoea‡		285	275	276	343	306	303	322	331	352	379	335	344	367	356	31	25	37	34	44	35

\* For deaths at groups of ages from these causes in 1907, *see* pp. 296-309.

† Called Simple Continued Fever previous to 1901.

‡ Called Food, Ptomaine-Poisoning previous to 1904. The increase since that date is partly due to the inclusion of deaths from diarrhoea in artificially fed children.

§ Includes deaths from Stricture of the Urethra previous to 1902. *See also* note to Other Diseases of Urinary System, p. 32.

TABLE 22.—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1888-1907.—Persons.

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (*see* 64th Annual Report, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
ALL CAUSES	.. .. .	18111	18221	19547	20213	18971	19151	16570	18685	17053	17379	17518	18249	18228	16909	16230	15418	16239	15227	15378	15001
Small-pox { Vaccinated .. .. .	.. .. .	3	0	0	0	2	5	5	1	1	0	3	0	0	4	25	4	2	1	—	0
Not Vaccinated .. .. .	.. .. .	10	0	—	1	4	9	6	2	4	0	2	0	1	3	24	5	4	1	0	0
Doubtful .. .. .	.. .. .	24	1	—	1	9	35	16	4	12	0	3	5	2	3	26	14	9	2	1	0
Cow-pox and other effects of Vaccination .. .. .	.. .. .	2	2	1	1	2	2	2	3	1	1	1	1	1	1	1	1	1	1	1	0
Chicken-pox .. .. .	.. .. .	4	3	3	3	3	4	4	3	5	4	4	4	4	4	4	3	3	3	3	3
Measles (Morbilli) .. .. .	.. .. .	347	518	439	436	459	373	391	377	570	408	419	314	394	276	392	274	363	324	273	361
German Measles .. .. .	.. .. .	4	5	3	2	3	2	2	1	2	1	1	1	1	2	1	1	1	1	1	1
Scarlet Fever .. .. .	.. .. .	226	235	242	170	190	235	167	149	177	147	113	117	119	133	148	125	111	112	101	92
Typhus .. .. .	.. .. .	6	5	5	5	3	5	4	2	—	2	1	—	1	1	2	2	1	1	0	1
Plague .. .. .	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	0	0	0	—	0	0	—	—
Relapsing Fever .. .. .	.. .. .	0	—	0	0	0	0	0	0	0	0	0	0	0	0	0	—	0	0	0	0
Influenza .. .. .	.. .. .	3	2	157	574	533	325	220	423	122	195	330	389	504	174	223	189	168	204	183	265
Whooping-cough .. .. .	.. .. .	436	430	478	468	454	342	410	315	429	367	323	318	356	313	297	285	352	255	241	293
Mumps .. .. .	.. .. .	3	3	3	3	3	3	2	2	2	3	2	2	3	3	3	3	3	3	3	3
Diphtheria .. .. .	.. .. .	171	189	179	173	222	318	291	259	291	246	243	292	290	273	236	182	170	160	177	164
Cerebro-spinal Fever .. .. .	.. .. .	1	1	1	1	1	0	1	1	0	0	0	1	0	2	2	2	2	4	2	5
Pyæmia* (origin uncertain) .. .. .	.. .. .	15	15	13	11	8	9	7	5	5	4	4	4	4	3	3	2	2	2	1	1
Enteric Fever .. .. .	.. .. .	172	176	179	168	137	229	159	175	166	156	181	198	173	155	126	100	93	89	92	67
Asiatic Cholera .. .. .	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food* .. .. .	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Enteritis, Epidemic Diarrhoea .. .. .	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined) .. .. .	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery .. .. .	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus .. .. .	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malaria .. .. .	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rabies, Hydrophobia .. .. .	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders .. .. .	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever) .. .. .	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis .. .. .	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gonorrhoea* .. .. .	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		68	72	71	68	69	72	67	69	59	60	57	56	57	53	51	55	54	53	50	47
		10	10	10	12	10	10	11	11	11	12	11	11	11	11	1	1	1	1	1	1

\* See note to Table 21.



TABLE 21 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1888-1907.—Persons.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Puerperal Septicæmia, Puerp. Septic Intoxication	Puerperal Pyæmia .. .. .	2457	1909	2016	2089	2439	3094	2257	1927	2123	1898	1767	1973	2017	{ 1490 37 74 478 }	1464	1258	1249	1307	1225	1056
	Phlegmasia Alba Dolens .. .. .	?	?	?	?	?	?	?	?	?	?	?	?	?		54	38	38	51	66	111
	Puerperal Fever (not otherwise defined)	30844	29071	40373	42799	36891	38247	32577	35609	35405	34835	35462	39845	44300		95	87	94	103	102	84
																390	285	273	273	247	214
Infective Endocarditis*	Lobar .. .. .														{ 373 2246 15006 20067 20671 1158 258 171 708 36 212 }	379	389	402	425	460	473
	Broncho- .. .. .															3475	3208	3891	4887	4991	5385
	Epidemic .. .. .															18608	17425	19445	18805	17276	21317
	Not defined .. .. .															10	7	—	4	6	6
																24338	20085	20036	20671	19552	20259
Pneumonia	Septicæmia, Septic Intoxication (not Puerperal)	1635	1209	1375	1263	1474	1921	1353	1099	1101	1014	970	1227	1227	{ 20671 1158 258 171 708 36 212 }	1280	1082	1206	1255	1206	1033
	Pyæmia (not Puerperal) .. .. .	546	471	532	478	529	669	567	521	573	577	508	655	735		351	362	364	403	439	442
	Phlegmon, Carbuncle (not Anthrax)	461	394	485	470	545	606	488	518	554	586	563	640	693		233	200	157	210	194	162
	Phagedæna .. .. .	73	50	42	54	52	78	44	66	36	53	45	38	43		791	701	713	778	836	773
	Other Infective Processes .. .. .	?	?	?	?	?	?	?	?	?	?	?	?	?		32	35	26	52	24	29
Erysipelas															{ 212 111 169 }	111	169	130	198	221	213
Septicæmia, Septic Intoxication (not Puerperal)															{ 7562 33662 5954 2933 3195 65 1146 4071 342 }	10480	13838	16386	16942	18384	19368
																30191	26294	25465	22008	21362	20471
Pulmonary Tuberculosis (Tuberculous Phthisis)	Phthisis (not otherwise defined) .. .. .	44248	44738	48366	46515	43323	43632	41641	42490	40251	41642	41335	42408	42987	{ 7562 33662 5954 2933 3195 65 1146 4071 342 }	10480	13838	16386	16942	18384	19368
																30191	26294	25465	22008	21362	20471
Tuberculous Meningitis	Tuberculous Peritonitis .. .. .	6743	6647	6889	7180	6691	6725	6345	6746	6475	6606	6681	6449	6395	{ 5954 2933 3195 65 1146 4071 342 }	5961	6476	6389	6083	6104	5885
	Tuberculous Mesenterica .. .. .	6774	7645	7632	7301	7135	7867	5763	7389	6044	6255	6357	6294	5976		2957	3521	3915	3603	3857	3532
	Lupus .. .. .	80	70	69	78	78	57	62	68	66	54	53	61	54		2346	2062	1838	1397	1238	969
	Tubercle of other Organs .. .. .															72	62	66	80	84	78
	General Tuberculosis .. .. .	4917	5205	5443	5911	5866	5518	5532	6084	5521	5438	5766	5508	5944		1178	1468	1662	1648	1809	1709
Scrofula .. .. .															{ 7562 33662 5954 2933 3195 65 1146 4071 342 }	10480	13838	16386	16942	18384	19368
																30191	26294	25465	22008	21362	20471
Parasitic Diseases .. .. .		709	707	702	658	617	577	455	530	438	393	403	389	365	{ 7562 33662 5954 2933 3195 65 1146 4071 342 }	277	314	309	245	304	241
Starvation .. .. .															{ 7562 33662 5954 2933 3195 65 1146 4071 342 }	277	314	309	245	304	241
Scurvy .. .. .		47	41	52	71	61	71	53	50	33	41	46	43	41	{ 7562 33662 5954 2933 3195 65 1146 4071 342 }	26	28	30	21	26	21
																30	44	44	48	51	41
																2784	2550	2358	2211	2281	2201
Alcoholism, Delirium Tremens .. .. .		1451	1566	2037	2055	1971	2174	1842	2045	2188	2397	2464	2871	3638	{ 7562 33662 5954 2933 3195 65 1146 4071 342 }	2784	2550	2358	2211	2281	2201

\* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis." (See p. 28.)

TABLE 22 (continued).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million Living, 1888-1907.—Persons.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Puerperal Septicæmia, Puerp. Septic Intoxication } Puerperal Pyæmia .. .. . } Phlegmasia Alba Dolens .. .. . } Puerperal Fever (not otherwise defined) }		88	67	70	71	83	104	75	63	69	61	56	62	63	46	44	38	37	38	35	30
		?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
		1993	1022	1404	1471	1250	1285	1082	1169	1146	1118	1125	1250	1374	460	564	522	574	551	500	610
		58	43	48	43	50	65	45	36	36	33	31	38	38	35	39	32	36	37	35	30
		19	17	18	16	18	22	19	17	19	19	16	21	23	8	11	11	11	12	13	13
Septicæmia, Septic Intoxication (not Puerperal) } Pyæmia (not Puerperal) .. .. . } Phlegmon, Carbuncle (not Anthrax) } Phagedæna .. .. . } Other Infective Processes .. .. . }		16	14	17	16	18	20	16	17	18	19	18	20	21	5	7	6	5	6	6	5
		3	2	1	2	2	3	1	2	1	2	1	1	1	22	24	21	21	23	24	22
		?	?	?	?	?	?	?	?	?	?	?	?	?	1	1	1	1	2	1	1
		?	?	?	?	?	?	?	?	?	?	?	?	?	6	3	5	4	6	6	6
		1568	1573	1682	1599	1468	1466	1383	1395	1303	1336	1311	1330	1333	232	318	415	484	496	532	554
Pulmonary Tuberculosis (Tuberculous Phthisis) } Phthisis (not otherwise defined) .. .. . }		239	234	240	247	227	226	211	222	210	212	212	202	198	183	181	194	188	179	177	168
		240	269	265	251	242	264	191	243	196	201	202	197	185	90	90	105	116	105	112	101
		3	2	2	3	3	2	2	2	2	2	2	2	2	2	2	2	2	41	36	28
		174	183	189	203	199	185	184	200	179	175	183	173	184	35	36	44	49	48	52	49
		?	?	?	?	?	?	?	?	?	?	?	?	?	125	123	128	127	115	114	116
Parasitic Diseases .. .. . }		25	25	24	23	21	19	15	17	14	13	13	12	11	11	8	9	9	7	9	7
		?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
		?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
		?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
		?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
Starvation .. .. . }		2	1	2	2	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1
		?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
		?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
		?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
		52	55	70	71	67	73	61	67	71	77	78	90	113	96	84	76	70	65	66	63
Alcoholism, Delirium Tremens .. .. . }		?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?

\* See note to Table 21.



TABLE 21 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1888-1907.—Persons.

CAUSES OF DEATH.	1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Opium, Morphia-habit .. .. .	?	?	?	?	?	?	?	?	?	?	?	?	?	9	14	16	10	13	9	12
Industrial Poisoning:—																				
By Lead .. .. .	105	113	116	131	123	133	131	142	125	127	133	103	114	101	83	90	87	78	74	92
" Phosphorus .. .. .	?	?	?	?	?	?	?	?	?	?	?	?	?	—	2	—	1	—	—	1
" Arsenic and other Metals .. .. .	?	?	?	?	?	?	?	?	?	?	?	?	?	4	1	3	1	1	2	1
Rheumatic Fever, Acute Rheumatism .. .. .	2697	2258	2418	2547	2523	3085	2646	2257	2677	2527	2415	2647	2787	2170	2146	1812	1788	2121	2219	2024
<i>Rheumatism of Heart</i> .. .. .	942	897	938	1067	1029	878	799	888	850	914	905	923	894	615	629	570	586	354	333	415
Chronic Rheumatism .. .. .	?	?	?	?	?	?	?	?	?	?	?	?	?	790	506	462	488	437	392	440
Rheumatoid Arthritis, <i>Rheumatic Gout</i> .. .. .	558	545	604	653	600	619	565	606	579	570	522	559	504	848	811	883	944	898	951	981
Gout .. .. .														521	489	466	500	415	461	450
Carcinoma* .. .. .	17506	18654	19433	20117	20353	21135	21422	22945	23521	1485	1551	1706	1611	12693	13540	14813	15532	16079	17165	17610
Sarcoma .. .. .														1676	1690	1789	1753	1787	1895	1847
Cancer, Malignant Disease (not otherwise defined)* .. .. .														13118	12642	12487	12397	12355	12608	12288
Rickets .. .. .	842	960	1124	1244	1321	1245	1230	1617	1233	1427	1396	1335	1293	1384	1369	1650	1822	1398	1377	1259
Purpura .. .. .	299	375	294	378	316	361	369	361	334	340	374	332	320	302	298	305	293	260	250	302
Hæmophilia, Hæmorrhagic Diathesis .. .. .	1479	1432	1389	1558	1549	1524	1620	1883	1840	1849	1824	1866	1872	79	88	80	86	87	84	103
Anæmia, Leucocythæmia .. .. .	1773	1754	1863	1930	2011	2082	2037	2265	2286	2426	2585	2718	2767	1911	1842	1793	1843	1930	2050	2190
Diabetes Mellitus .. .. .														2964	2769	2844	3133	3174	3332	3360
Premature Birth .. .. .	14063	14439	15208	16451	16577	17263	15837	17508	17384	17779	18352	18548	18479	18564	18909	19081	19627	18871	19061	18219
Congenital Hydrocephalus† .. .. .	2349	2396	2382	2511	2656	2723	2785	2720	2710	2793	2750	2883	2992	4078	399	464	417	364	377	329
Other Congenital Defects† .. .. .																				
Injury at Birth .. .. .	88	51	83	50	73	128	120	134	178	166	162	333	448	603	651	689	772	709	866	816
Atelectasis .. .. .	825	745	757	922	939	986	969	1079	1235	1075	1147	1199	1225	1184	1255	1312	1327	1444	1458	1553
Want of Breast Milk .. .. .	261	269	232	260	273	347	231	258	295	320	318	332	459	1184	1255	717	694	661	761	756
Teething .. .. .	4235	4366	4542	4681	4242	4057	3553	4193	3721	3728	3542	3396	3601	3268	3208	3265	2975	2343	2175	2088

\* For the years 1897-1900, deaths from Carcinoma are included under the heading "Cancer, Malignant Disease."  
† Includes deaths of children under 6 months of age from "Hydrocephalus" for the year 1901 and subsequent years.  
\* Includes deaths of young children from Icterus for the year 1901 and subsequent years.

TABLE 22 (continued).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1888-1907.—Persons.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Opium, Morphia-habit	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Industrial Poisoning:—	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
By Lead	..	4	4	4	5	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" Phosphorus	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" Arsenic and other Metals	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rheumatic Fever, Acute Rheumatism	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rheumatism of Heart..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Chronic Rheumatism	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rheumatoid Arthritis, Rheumatic Gout	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Gout .. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Carcinoma*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Sarcoma .. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Cancer, Malignant Disease (not otherwise defined)*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rickets .. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Purpura .. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Hæmophilia, Hæmorrhagic Diathesis..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Anæmia, Leucocythæmia .. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Diabetes Mellitus .. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Premature Birth .. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Congenital Hydrocephalus*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Other Congenital Defects*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Injury at Birth .. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Atelectasis .. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Want of Breast Milk .. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Teething .. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

\* See note to Table 21.



TABLE 21 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1888-1907.—Persons.

CAUSES OF DEATH.	1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Meningitis, Inflammation of Brain .. .. .	8689	8561	9030	8455	7832	8108	6893	7561	7284	7429	7556	7555	7636	7073	6572	6341	6301	6034	5997	5429
Softening of Brain .. .. .	3264	3299	3464	3275	3123	3023	2609	2748	2550	2489	2583	2546	2261	2161	2070	2174	2266	2182	2229	2279
General Paralysis of Insane .. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .
Insanity (not Puerperal) .. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .
Chorea .. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .
Epilepsy .. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .
Convulsions .. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .
Laryngismus Stridulus .. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .
Locomotor Ataxy .. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .
Paraplegia, Diseases of Cord .. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .
Neuritis, Peripheral, Poly-Neuritis .. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .
Brain Tumour (not Specific) .. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .
Other Diseases of Nervous System .. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .
Otitis, Mastoid Disease .. .. .	516	509	589	567	614	771	733	828	832	905	895	904	1030	934	914	1014	1058	1115	1142	1108
Epistaxis, Diseases of Nose .. .. .	88	82	72	85	86	95	88	76	95	91	82	76	78	78	79	81	80	84	67	66
Ophthalmia, Diseases of Eye .. .. .	68	73	53	48	55	64	65	72	57	66	50	53	76	71	60	70	57	61	75	60
Valvular Disease, Endocarditis (not Infective)* .. .. .	7616	7662	8356	9238	8772	9130	9315	10072	10220	10644	11059	12118	12882	12494	13003	13415	14557	14847	15470	16326
Pericarditis .. .. .	567	431	636	668	608	662	607	527	550	554	535	604	623	636	438	422	416	455	429	481
Hypertrophy of Heart .. .. .	343	305	280	341	300	255	218	256	213	197	206	247	241	210	273	247	251	222	224	224
Angina Pectoris .. .. .	694	678	662	727	650	639	646	696	708	714	642	698	736	675	728	700	753	839	889	942
Dilatation of Heart .. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .
Fatty Degeneration of Heart .. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .
Syncope, Heart Disease (not specified)† .. .. .	35102	34723	37114	38472	35798	34253	32568	36068	33034	34410	34287	36513	36382	2199	2603	2602	3025	3051	3127	3520
Cerebral Haemorrhage, Cerebral Embolism‡ .. .. .	25013	24423	25583	26412	25069	24497	22584	24527	23638	24371	24275	25249	25214	10734	11783	13396	14275	14763	15781	16543
Apoplexy, Hemiplegia .. .. .	782	824	833	750	810	855	851	849	840	879	889	899	875	13193	11783	10191	9908	8760	8830	8665
Aneurysms .. .. .	1455	1424	1433	1568	1408	1239	1281	1331	1187	1284	1257	1278	1443	967	1067	1037	1093	1086	1101	1140
Senile Gangrene .. .. .	1096	1103	1052	1106	1076	1177	1149	1314	1369	1347	1394	1581	1700	1406	1393	1345	1403	1387	1418	1445
Embolism, Thrombosis (not Cerebral)§ .. .. .	126	130	148	164	169	170	125	135	153	148	161	180	194	586	511	418	444	412	445	516
Phlebitis .. .. .	93	101	89	107	110	111	99	81	100	104	97	89	121	110	103	94	148	150	127	130
Varicose Veins .. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .
Other Diseases of Blood Vessels† .. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .	.. .. .

\* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis (not Infective)." (See p. 24.)  
† For years prior to 1901, deaths from Other Diseases of Blood Vessels are included under the heading "Syncope, Heart Disease (not specified)." See also note to Haemorrhage on p. 34.  
‡ For years prior to 1901, deaths from Cerebral Embolism and from Cerebral Thrombosis are included under the heading "Embolism, Thrombosis (not Cerebral)."  
§ Since 1901, Aneurysm has been taken as the cause of death when occurring with certain other diseases.

TABLE 22 (continued).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1888-1907.—Persons.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Meningitis, Inflammation of Brain Softening of Brain General Paralysis of Insane Insanity (not Puerperal) Chorea Epilepsy Convulsions Laryngismus Stridulus Locomotor Ataxy Paraplegia, Diseases of Cord Neuritis, Peripheral, Poly-Neuritis Brain Tumour (not Specific) Other Diseases of Nervous System	..	308	301	314	291	265	272	229	248	236	238	240	237	237	217	199	190	186	177	174	155
	..	116	116	120	113	106	102	87	90	83	80	82	80	70	66	63	65	67	64	65	65
	..	92	97	93	96	91	99	100	119	109	119	114	120	130	70	68	64	70	67	68	67
	..	4	3	4	5	4	4	4	4	4	5	5	5	5	42	52	50	57	61	62	63
	..	103	102	106	105	95	94	85	93	84	81	84	86	93	88	91	91	86	85	81	80
	..	736	756	749	764	701	701	602	673	594	590	576	565	574	542	502	453	434	379	363	331
	..	27	24	23	28	24	20	16	20	17	16	16	14	14	14	13	13	12	11	16	9
	..	67	67	70	74	69	68	69	75	67	71	71	76	75	13	15	15	15	16	16	17
	..	167	144	125	127	115	124	104	113	101	95	92	93	73	70	62	63	65	61	60	57
	..														4	11	12	12	11	13	14
	..														12	18	19	20	20	22	22
	..														130	115	100	108	90	89	80
Otitis, Mastoid Disease Epistaxis, Diseases of Nose Ophthalmia, Diseases of Eye	..	18	18	20	19	21	26	24	27	27	29	28	28	32	29	28	30	31	33	33	32
	..	3	3	3	3	3	3	3	2	3	3	3	2	2	2	2	2	2	2	2	2
	..	2	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	..																				
	..																				
	..																				
Valvular Disease, Endocarditis (not Infective)* Pericarditis Hypertrophy of Heart Angina Pectoris Dilatation of Heart Fatty Degeneration of Heart Syncope, Heart Disease (not specified)*	..	270	269	290	318	297	307	309	331	331	342	351	380	399	383	394	402	430	435	448	467
	..	20	15	22	23	21	22	20	17	18	18	17	19	19	19	13	13	12	13	12	14
	..	12	11	10	12	10	9	7	8	7	6	7	8	7	6	8	7	7	7	7	6
	..	25	24	23	25	22	21	21	23	23	23	20	22	23	21	22	21	22	25	26	27
	..																				
	..																				
	..																				
	..																				
	..																				
	..	1244	1220	1290	1323	1213	1151	1082	1184	1070	1104	1088	1145	1128	922	880	823	841	780	761	772
Cerebral Hæmorrhage, Cerebral Embolism* Apoplexy, Hemiplegia Aneurysm Senile Gangrene Embolism, Thrombosis (not Cerebral)* Phlebitis Varicose Veins Other Diseases of Blood Vessels*	..	886	859	890	908	850	823	750	805	765	782	770	792	782	329	364	401	422	432	457	473
	..	28	29	29	26	27	29	28	28	27	28	28	28	27	404	357	305	293	256	256	245
	..	52	50	50	54	48	42	43	44	38	41	40	40	45	43	32	31	32	32	32	33
	..	39	39	37	38	36	40	38	43	44	43	44	50	53	18	42	40	41	41	41	41
	..																				
	..																				
	..																				
	..																				
	..																				
	..																				

\* See note to Table 21.



TABLE 21 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1888-1907.—Persons.

CAUSES OF DEATH.	1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Laryngitis	1590	1438	1556	1402	1400	1651	1392	1372	1428	1284	1189	1323	1384	{ 1409	1336	1104	1133	1067	1062	1112
Membranous Laryngitis (not Diphtheritic)	{													{ 32	37	24	42	41	40	29
Croup (not Spasmodic nor Membranous)	3632	3241	3145	2638	2235	2102	1742	1647	1578	1099	863	1006	842	831	609	443	475	465	460	371
Other Diseases of Larynx and Trachea	198	181	172	137	166	154	133	126	139	132	126	124	136	62	36	44	46	57	61	43
Bronchitis	57571	55674	67104	75425	66858	56686	49356	59901	47417	46839	46621	51206	54580	44535	43645	37131	42188	38915	35714	42204
Emphysema, Asthma	2388	2236	2554	3054	2882	2324	2150	2617	2130	2242	2354	2819	2615	2343	1586	1302	1615	1562	1533	1722
Pleurisy	1559	1321	1891	2005	1710	1837	1471	1537	1536	1493	1498	1645	1872	1655	1358	1299	1239	1369	1259	1322
Fibroid Disease of Lung														{ 656	684	613	591	557	529	656
Other Diseases of Respiratory System	4639	4204	4847	5306	4629	4246	3691	4339	3857	3814	3553	3868	3816	{ 3273	3084	2811	2918	2816	2699	2513
Tonsillitis, Quinsy	1048	1212	1184	1153	1095	1388	1080	1215	1116	1015	1079	1075	1130	{ 456	416	377	399	391	373	391
Dis. of Mouth, Pharynx, Oesophagus (not Specific)*														{ 609	580	429	589	558	555	514
Gastric Ulcer	3664	3838	4261	4280	4318	4953	4563	5227	5086	5314	5545	5902	6626	{ 1542	1681	1667	1749	1747	1745	1775
Gastritis, Gastric Catarrh	366	466	322	340	347	328	338	377	367	337	365	345	370	{ 5515	4742	4636	4498	3989	3402	3267
Other Diseases of Stomach (not Malignant)														{ 5806	4188	4494	525	497	618	721
Ulceration of Intestines†														{ 4106	2188	2682	4521	3964	5000	3687
Enteritis (not Epidemic)†														{ 1244	1485	1729	3346	2728	2450	2450
Gastro-enteritis	3621	4555	5165	5179	5633	8654	5946	10600	9756	13267	16214	19253	13078	{ 1369	1513	1414	1887	1946	2144	1969
Appendicitis, Perityphlitis														{ 2647	2445	2574	2510	2577	2645	2536
Hernia	1197	1315	1220	1256	1294	1395	1217	1312	1249	1304	1325	1479	1387	{ 208	291	289	245	258	238	268
Intestinal Obstruction	2649	2682	2553	2684	2475	2683	2610	2791	2654	2794	2745	2816	2624	{ 1369	1485	1414	1491	1547	1554	1536
Other Diseases of Intestines§														{ 2647	2445	2574	2510	2577	2645	2563
Peritonitis (not Puerperal)	2422	2374	2502	2594	2294	2575	2092	2172	2064	1975	1985	1994	1896	{ 1532	1115	1004	966	843	845	697
Cirrhosis of Liver	3362	3431	3563	3641	3609	3584	3473	3591	3782	4134	4146	4532	4639	{ 4308	4066	3916	3971	4008	3861	3903
Other Diseases of Liver and Gall Bladder	5331	5165	4915	4734	4339	4434	3919	3971	3832	3587	3527	3519	3402	{ 2867	2464	2316	2177	2085	2151	2021
Other Diseases of Digestive System*§	1563	1479	1528	1462	1412	1547	1372	1032	953	975	815	664	639	{ 603	434	508	511	398	295	382

\* For years prior to 1901, deaths from Diseases of the Oesophagus are included under the heading "Other Diseases of Digestive System."  
† For the years 1901-3, deaths from Ulceration of Intestines are included under the heading "Enteritis (not Epidemic)."  
‡ Since 1902, Hernia, when strangulated, has been taken as the cause of death when occurring with certain other diseases.  
§ For years prior to 1901, deaths from Other Diseases of Intestines are included under the heading "Other Diseases of Digestive System."

TABLE 22 (continued).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1888-1907.—Persons.

CAUSES OF DEATH.	1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Laryngitis	56	51	54	48	47	55	46	45	46	41	38	41	43	43	40	33	33	31	31	32
Membranous Laryngitis (not Diphtheritic)																				
Croup (not Spasmodic nor Membranous)	129	114	109	91	76	71	51	54	51	35	27	32	26	25	18	13	14	14	13	11
Other Diseases of Larynx and Trachea	7	6	6	5	6	5	4	4	5	4	4	4	4	2	1	1	1	2	2	1
Bronchitis	2041	1957	2333	2593	2266	1905	1640	1967	1535	1503	1479	1606	1692	1365	1323	1112	1246	1139	1034	1208
Emphysema, Asthma	85	79	89	105	98	78	71	86	69	72	75	88	81	72	48	39	48	46	44	49
Pleurisy	55	46	66	69	58	62	49	50	50	48	48	52	58	51	41	39	37	40	36	38
Fibroid Disease of Lung	164	148	169	182	157	143	123	142	125	122	113	121	118	20	21	18	17	16	15	19
Other Diseases of Respiratory System														100	93	84	86	82	78	72
Tonsillitis, Quinsy	37	43	41	40	37	47	36	40	36	33	34	34	35	14	13	11	12	11	11	11
Dis. of Mouth, Pharynx, Œsophagus (not Specific)*																				
Gastric Ulcer	130	135	148	147	146	166	152	172	165	171	176	185	205	47	51	50	52	51	51	15
Gastritis, Gastric Catarrh																				
Other Diseases of Stomach (not Malignant)	13	16	11	12	12	11	11	12	12	11	12	11	11	169	144	139	132	117	98	93
Ulceration of Intestines*																				
Enteritis (not Epidemic)*																				
Gastro-enteritis	128	160	180	178	191	291	198	348	316	426	514	604	406	178	127	135	16	15	18	21
Appendicitis, Perityphilitis																				
Hernia*	42	46	42	43	44	47	40	43	40	42	42	46	43	126	66	80	99	80	113	105
Intestinal Obstruction	94	94	89	92	84	90	87	92	86	90	87	88	81	38	45	52	56	57	62	70
Other Diseases of Intestines*														42	46	42	44	45	45	44
Peritonitis (not Puerperal)	86	83	87	89	78	87	69	71	67	63	63	63	p	6	74	77	74	75	77	73
Cirrhosis of Liver	119	121	124	125	122	120	115	118	122	133	132	142	144	47	34	30	28	25	24	8
Other Diseases of Liver and Gall Bladder	189	181	170	163	147	149	130	130	124	115	112	110	105	132	123	117	117	117	112	112
Other Diseases of Digestive System*	55	52	54	50	48	52	46	34	31	31	26	21	20	18	13	15	15	12	9	11

\* See note to Table 21.



TABLE 21 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1883-1907.—Persons.

CAUSES OF DEATH.	1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Diseases of Spleen .. .. .	104	132	98	93	94	101	75	69	60	73	53	53	45	73	57	46	48	56	53	50
Other Diseases of Lymphatic System ..	229	230	223	244	284	255	271	286	274	286	310	310	334	348	357	357	353	391	400	380
Diseases of Thyroid Body* .. .. .	137	152	174	163	174	237	195	215	230	245	295	312	322	458	431	441	462	480	483	527
Diseases of Supra Renal Capsules ..	148	136	169	138	146	154	153	172	194	181	197	206	209	168	168	191	195	196	228	174
Acute Nephritis, Uræmia .. .. .	2052	1985	2225	2437	2455	2528	2410	2557	2576	2788	2808	2918	3054	3035	2991	2951	3122	3153	3270	3435
Chronic Bright's Disease, Albuminuria ..	6941	7069	7319	7529	7378	7590	7531	8251	8023	8234	8537	9203	9860	9676	9221	9468	10006	9622	10082	10442
Calculus (not Biliary) .. .. .	259	242	251	237	230	241	245	241	223	272	269	245	249	244	249	217	262	249	264	278
Diseases of Bladder and of Prostate ..	2073	2123	2060	2171	2147	2117	2016	2298	2199	2335	2206	2321	2318	2353	2436	2493	2499	2469	2641	2441
Other Diseases of Urinary System† ..	1242	1113	1109	1204	1032	944	742	770	680	711	778	687	407	381	586	575	591	644	631	609
Ovarian Tumour (not Malignant) .. ..	558	498	494	536	499	506	435	500	456	457	447	446	406	{	373	374	350	389	375	357
Other Diseases of Ovary .. .. .	614	617	648	648	675	723	734	688	710	745	682	709	667	{	48	64	46	40	46	51
Uterine Tumour (not Malignant) .. ..	84	81	87	77	63	71	76	91	73	74	65	88	92	{	334	359	353	376	353	327
Other Diseases of Uterus and Vagina ..	291	250	258	232	197	178	151	155	141	152	149	149	146	{	305	278	316	327	305	319
Disorders of Menstruation .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	58	56	36	42	39	50
Other Diseases of Gener. & Mamm. Organs ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	83	54	87	73	80	58
Abortion, Miscarriage .. .. .	88	88	185	228	255	161	160	180	215	191	187	179	218	152	148	152	141	151	143	102
Puerperal Mania .. .. .	70	87	87	105	77	83	76	65	77	74	59	74	73	70	79	62	62	66	68	70
Puerperal Convulsions .. .. .	362	313	296	373	333	376	350	325	358	314	386	347	387	376	400	409	395	467	438	449
Placenta Prævia, Flooding .. .. .	763	726	700	778	806	803	780	710	701	694	660	691	614	699	637	678	580	619	618	608
Other Accidents of Pregnancy and Childbirth ..	420	462	971	1234	1284	1433	1152	1012	1087	1079	1015	1062	1146	1018	938	888	835	868	850	826
Caries, Necrosis .. .. .	1007	1072	1012	1023	981	942	934	898	859	876	787	785	780	762	706	653	539	522	460	382
Arthritis, Peritostitis .. .. .	246	213	256	254	263	294	277	286	263	272	255	299	293	189	217	202	239	222	203	249
Other Diseases of Locomotor System ..	1138	1111	1015	898	682	524	492	514	425	418	353	373	294	349	286	284	276	315	391	254
Ulcer, Bed-sore .. .. .	579	544	548	538	555	575	562	571	502	560	540	534	564	474	397	407	426	440	462	485
Eczema .. .. .	372	388	394	429	418	460	386	405	380	373	397	354	371	367	362	348	326	320	298	287
Pemphigus .. .. .	106	101	106	123	105	135	122	146	161	142	147	157	188	165	147	191	198	265	244	223
Other Diseases of the Skin .. .. .	194	184	192	178	200	214	207	246	241	187	208	220	276	240	221	214	195	234	211	251

\* Deaths from Cretinism and Myxœdema, which in the old Tables were included with "Other Constitutional Diseases," have been classed under this heading since 1901.

† Since the year 1901 deaths from Stricture of the Urethra are included under this heading. See also note to Gonorrhœa, p. 22.

TABLE 22 (continued).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1888-1907.—Persons.

CAUSES OF DEATH.	1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Diseases of Spleen .. .. .	4	5	3	3	3	3	2	2	2	2	2	2	1	2	2	1	1	2	2	1
Other Diseases of Lymphatic System ..	8	8	8	8	10	9	9	9	10	9	10	10	10	11	11	11	10	11	12	11
Diseases of Thyroid Body* .. .. .	5	5	6	6	6	8	6	7	9	8	9	10	10	14	13	13	14	14	14	15
Diseases of Supra Renal Capsules .. ..	5	5	6	5	5	5	5	6	6	6	6	6	6	5	5	6	6	6	7	5
Acute Nephritis, Uræmia .. .. .	72	69	78	84	83	85	80	84	83	89	89	92	95	93	91	88	92	92	95	98
Chronic Bright's Disease, Albuminuria ..	246	248	254	259	259	255	250	271	260	264	271	289	306	297	279	284	295	282	292	299
Calculus (not Biliary) .. .. .	9	8	9	8	8	8	8	8	7	9	9	8	8	7	8	7	8	7	8	8
Diseases of Bladder and of Prostate ..	73	75	72	75	73	71	67	75	71	75	70	73	72	72	74	75	74	72	76	70
Other Diseases of Urinary System* .. ..	44	39	38	41	35	32	25	25	22	23	25	22	13	12	18	17	17	19	18	17
Ovarian Tumour (not Malignant).. .. .	20	18	17	18	17	17	14	16	15	15	14	14	13	11	11	11	10	11	11	10
Other Diseases of Ovary .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Uterine Tumour (not Malignant) .. ..	22	22	23	22	23	24	24	23	23	24	22	22	21	10	10	11	10	11	10	9
Other Diseases of Uterus and Vagina ..	3	3	3	3	2	2	3	3	2	2	2	3	3	2	2	8	9	10	9	9
Disorders of Menstruation .. .. .	11	8	10	8	7	6	5	5	5	5	5	5	5	3	3	2	1	1	1	1
Other Diseases of Gener. & Mamm. Organs ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2
Abortion, Miscarriage .. .. .	3	3	6	8	9	5	5	6	7	6	6	6	7	5	4	5	4	4	4	3
Puerperal Mania .. .. .	2	3	3	4	3	3	3	2	2	2	2	2	2	2	2	2	2	2	2	2
Puerperal Convulsions .. .. .	13	11	10	13	11	13	12	11	12	10	12	11	12	12	12	12	12	14	13	13
Placenta Prævia, Flooding.. .. .	27	26	24	27	27	27	26	23	23	22	21	22	19	21	19	20	17	18	18	17
Other Accidents of Pregnancy and Childbirth	15	16	34	42	44	48	38	33	35	35	32	33	36	31	28	27	25	25	25	24
Caries, Necrosis .. .. .	36	38	35	35	33	32	31	29	28	28	25	25	24	23	21	20	16	15	13	11
Arthritis, Periostitis .. .. .	9	7	9	9	9	10	9	9	9	9	8	9	9	6	7	6	7	7	6	7
Other Diseases of Locomotor System ..	40	39	35	31	23	18	16	17	14	13	11	12	9	11	9	9	8	9	11	7
Ulcer, Bed-sore.. .. .	21	19	19	18	19	19	19	19	16	18	17	17	17	15	12	12	13	13	13	14
Eczema .. .. .	13	14	14	15	14	15	13	13	12	12	13	11	12	11	11	10	10	9	9	8
Pemphigus .. .. .	4	4	4	4	4	5	4	5	5	5	5	5	6	5	4	6	6	8	7	6
Other Diseases of the Skin.. .. .	7	7	7	6	7	7	7	8	8	6	7	7	9	7	7	6	6	7	6	7

\* See note to Table 21.



TABLE 21 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1888-1907.—Persons.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
OTHER SPECIFIED DISEASES.*																					
CAUSES ILL-DEFINED OR NOT SPECIFIED.																					
<i>Atrophy, Debility</i>	..	20741	21311	21434	21934	21303	22929	18281	22568	19745	20113	20355	20411	20372	19800	17708	17512	17546	16010	15900	14607
<i>Old Age</i>	..	27196	26639	28102	29417	27866	26528	24517	29842	26168	28618	28698	31477	31776	30243	30351	30090	32303	31459	33208	32918
<i>Dropsy, Ascites, Anasarca</i>	..	545	496	513	458	401	385	324	348	303	278	324	360	348	223	171	164	121	121	82	125
<i>Tumour</i>	..	124	140	153	135	151	119	126	135	79	121	82	81	73	83	82	86	89	80	68	93
<i>Abscess</i>	..	573	573	568	533	532	553	441	413	405	403	372	357	346	332	329	332	290	235	272	293
<i>Hæmorrhage†</i>	..	105	125	145	123	127	161	157	135	131	107	108	114	118	28	56	43	35	36	32	35
<i>Sudden Death (cause unascertained)</i>	..	403	377	437	394	402	348	285	301	317	204	199	212	244	175	177	142	45	30	24	19
<i>Other ill-defined causes</i>	..	2814	2652	2816	2694	2330	1922	1764	1990	1760	1931	1701	{ 72	50	360	704	819	777	854	787	712
<i>Causes not specified</i>	..	..	..	..	..	..	..	..	..	..	..	..	{ 1621	1736	1108	592	267	243	201	156	177
VIOLENT DEATHS.																					
In Mines and Quarries	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1017	979	941	981	1113	1077	1084
Vehicles and Horses	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2890	2533	2469	2440	2424	2510	2546
Ships, Boats, and Docks (not Drowning)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	334	267	297	286	283	270	247
Building Operations	..	..	..	..	..	..	..	..	..	..	..	..	..	..	185	205	210	203	233	233	243
Machinery	..	..	..	..	..	..	..	..	..	..	..	..	..	..	216	263	268	250	219	238	245
Weapons and Implements	..	..	..	..	..	..	..	..	..	..	..	..	..	..	149	118	114	127	112	114	91
Burns and Scalds	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2754	2479	2287	2383	2485	2606	2610
Poisons, Poisonous Vapours	..	..	..	..	..	..	..	..	..	..	..	..	..	..	515	495	458	520	510	539	545
Drowning	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2764	2261	2516	2411	2502	2344	2255
Suffocation	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1964	2039	1958	2084	1882	1877	1903
Falls	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2810	2676	2549	2558	2386	2562	2730
Weather Agencies	..	..	..	..	..	..	..	..	..	..	..	..	..	..	437	237	197	284	231	304	154
Otherwise, or not stated	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1477	1244	1210	1220	1190	1154	1131
Battle	..	..	..	..	..	..	..	..	..	..	1	..	..	16	4	6	2	..	3	1	2
Homicide	..	..	..	..	..	..	..	..	..	..	291	307	291	278	336	297	295	327	302	284	265
Suicide	..	..	..	..	..	..	..	..	..	..	2792	2877	2844	2896	3121	3267	3511	3345	3545	3452	3533
Execution	..	..	..	..	..	..	..	..	..	..	7	10	15	14	15	22	25	18	17	8	10

\* The figures for years prior to 1901 refer to deaths classed either to "Other Miasmatic Diseases" or to "Other Constitutional Diseases."  
† Deaths from Rupture of Blood Vessels are included under this heading for years prior to 1901, and under "Other Diseases of Blood Vessels" since that date.

TABLE 22 (continued).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1888-1907.—Persons.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
OTHER SPECIFIED DISEASES.*																					
CAUSES ILL-DEFINED OR NOT SPECIFIED.																					
<i>Atrophy, Debility</i>	..	735	749	745	754	722	770	607	741	639	646	646	640	632	607	537	525	518	469	460	418
<i>Old Age</i>	..	964	935	978	1007	942	892	817	988	846	918	910	984	983	931	923	902	959	922	957	945
<i>Dropsy, Ascites, Anasarca</i>	..	19	17	17	16	14	13	11	11	10	9	10	11	11	7	5	5	4	4	2	4
<i>Tumour</i>	..	4	5	5	5	5	4	4	4	3	4	3	3	2	3	2	3	3	2	2	3
<i>Abscess</i>	..	20	20	20	18	19	19	15	14	13	13	12	11	11	10	10	10	9	7	8	8
<i>Hamorrhage*</i>	..	4	4	5	4	4	5	5	4	4	3	3	4	4	1	2	1	1	1	1	1
<i>Sudden Death (cause unascertained)</i>	..	14	13	15	13	14	12	9	10	10	7	6	7	8	5	5	4	1	1	1	1
<i>Other ill-defined causes</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Causes not specified</i>	..	99	93	97	93	79	65	59	65	57	62	54	{ 51	54	34	18	8	7	6	5	5
VIOLENT DEATHS.																					
<i>In Mines and Quarries</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Vehicles and Horses</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Ships, Boats, and Docks (not Drowning)</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Building Operations</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Machinery</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Weapons and Implements</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Burns and Scalds</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Poisons, Poisonous Vapours</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Drowning</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Suffocation</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Falls</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Weather Agencies</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Otherwise, or not stated</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Battle</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Homicide</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Suicide</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Execution</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

\* See note to Table 21.



TABLE 23.—ENGLAND AND WALES.—Deaths from Various Causes at All Ages,\* 1888-1907.—Males

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (see 64th Annual Report, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in *italics*, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
ALL CAUSES		263294	266102	290448	302494	286062	291889	256015	290704	270575	280211	283981	299472	303823	285618	277216	266290	283206	267601	274233	269259
Small-pox	{ Vaccinated Not Vaccinated	55 159	2 1	4 —	2 8	32 59	99 140	80 84	24 33	27 62	5 3	62 35	4 3	4 7	78 61	525 401	98 109	56 76	13 7	— 1	2 1
Cow-pox and other effects of Vaccination	Doubtful	400	12	8	18	166	643	301	67	196	21	44	96	39	62	513	297	180	43	8	3
Chicken-pox		64	37	55	53	70	34	26	29	23	9	9	23	11	6	11	11	17	11	12	7
Measles (Morbilli)		5096	7716	6516	6509	6907	5771	6107	5858	8993	57	67	71	69	57	61	57	55	52	67	68
German Measles		63	83	38	24	41	19	30	14	31	18	22	5094	6506	4765	6633	4704	6313	4748	6578	25
Scarlet Fever		3218	3353	3481	2495	2799	3430	2452	2238	2749	2293	1808	1864	1951	2188	2469	2121	1895	1917	1793	1644
Typhus		87	78	80	74	48	71	58	28	36	26	27	17	14	21	37	33	20	19	5	13
Plague		—	—	—	—	—	—	—	—	—	—	—	—	—	10	2	—	1	—	—	—
Relapsing Fever		4	1	2	4	7	2	2	4	2	1	1	—	4	2	1	—	—	—	—	—
Influenza		49	29	2415	8621	7673	4808	3233	6173	1912	3085	5010	6085	7683	2912	3642	3067	2782	3387	3124	4431
Whooping-cough		5578	5622	6166	6051	6005	4515	5547	4275	5859	5234	4495	4622	5157	4573	4474	4334	5260	3951	3717	4501
Mumps		47	50	39	40	44	49	35	26	41	40	31	42	42	44	51	44	50	52	53	54
Diphtheria		2364	2446	2469	2365	3156	4652	4198	3851	4436	3764	3724	4453	4612	4374	3741	2947	2825	2626	2933	2785
Cerebro-spinal Fever		9	12	25	10	13	10	7	9	8	4	7	15	8	29	40	29	43	71	34	101
Pyæmia† (origin uncertain)		208	182	172	146	121	128	103	77	82	50	69	50	54	50	41	33	30	23	10	19
Enteric Fever		2624	2598	2769	2603	2194	3611	2701	2870	2935	2681	3205	3561	3272	2925	2396	1929	1837	1750	1840	1373
Asiatic Cholera																					
Diarrhoea due to Food†																					
Infective Enteritis, Epidemic Diarrhoea																					
Diarrhoea (not otherwise defined)																					
Dysentery																					
Tetanus																					
Malaria																					
Rabies, Hydrophobia																					
Glanders																					
Anthrax (Splenic Fever)																					
Syphilis		984	1069	1049	1042	1108	1190	1066	1126	980	1046	1007	972	990	956	935	986	1009	1002	937	952
Gonorrhoea‡		276	273	272	333	299	291	316	321	343	398	326	331	354	350	20	12	25	18	24	16

\* For deaths at groups of ages from these causes in 1907, see pp. 296-308.

† Called Simple Continued Fever previous to 1901.

‡ Called Food, Ptomaine-Poisoning previous to 1804. The increase since that date is partly due to the inclusion of deaths from diarrhoea in artificially fed children. § Includes deaths from Stricture of the Urethra previous to 1902. See also note to "Other Diseases of Urinary System," p. 46.

TABLE 24.—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1888-1907.—Males.  
Note.—The list of diseases was revised and certain changes of classification were made in 1901 (see 64th Annual Report, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
ALL CAUSES		19237	19290	20833	21465	20017	20251	17560	19719	18099	18584	18623	19419	19480	18108	17378	16506	17309	16216	16431	15932
Small-pox	Vaccinated	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Not Vaccinated	4	0	0	0	2	7	5	2	2	0	4	0	0	5	33	6	3	1	—	0
Cow-pox and other effects of Vaccination	Doubtful	12	0	—	1	4	10	6	2	4	0	2	0	0	4	25	7	5	0	0	0
	..	29	1	1	1	12	45	21	5	13	1	3	6	3	4	32	18	11	3	1	0
Chicken-pox	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Measles (Morbilli)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
German Measles	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Scarlet Fever	..	372	559	467	462	483	400	419	397	602	433	445	330	417	302	416	292	386	341	284	390
Typhus	..	5	6	3	2	3	2	2	1	2	1	1	1	1	2	1	1	1	1	1	1
Plague	..	235	243	250	177	196	238	168	152	184	152	119	121	135	139	155	131	116	116	107	97
Relapsing Fever	..	6	6	6	5	3	5	4	2	2	2	2	1	1	1	2	2	1	1	0	1
Influenza	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Whooping-cough	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Mumps	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Diphtheria	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Cerebro-spinal Fever	..	165	177	177	168	221	323	288	261	297	250	244	289	296	277	235	183	173	159	176	165
Pyrexia* (origin uncertain)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Enteric Fever	..	15	13	12	10	8	9	7	5	5	3	5	3	3	3	3	2	2	4	1	1
..	..	192	188	199	185	154	251	185	195	196	178	210	231	210	185	150	120	112	106	110	81
Asiatic Cholera	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Diarrhoea due to Food*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Infective Enteritis, Epidemic Diarrhoea	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Diarrhoea (not otherwise defined)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Dysentery	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Tetanus	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Malaria	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Rabies, Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Glanders	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Anthrax (Splenic Fever)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Syphilis	..	72	77	75	74	78	83	73	76	66	69	66	63	63	61	59	61	62	61	56	56
Gonorrhoea*	..	20	20	20	24	21	20	22	22	23	24	21	22	23	22	1	1	2	1	1	1

\* See note to Table 23.



TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1888-1907.—Males.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Puerperal Septicæmia, Puerp. Septic Intoxication		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Pyæmia .. .. .		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmasia Alba Dolens .. .. .		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Fever (not otherwise defined)		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Endocarditis* .. .. .		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
{ Lobar .. .. .		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
{ Broncho- .. .. .		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
{ Epidemic .. .. .		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
{ Not defined .. .. .		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia .. .. .		18115	16643	24138	25332	21231	22103	18605	20327	20330	20163	20134	23044	26147	12110	14361	11706	11529	12061	11448	11833
Erysipelas .. .. .		860	595	707	644	767	1025	706	564	570	501	516	624	646	607	663	561	622	646	642	541
Septicæmia, Septic Intoxication (not Puerperal)		317	290	320	289	303	387	357	316	379	367	302	412	463	152	205	196	204	221	235	273
Pyæmia (not Puerperal) .. .. .		275	238	282	297	328	343	303	302	305	353	331	387	403	113	142	140	101	135	113	93
Phlegmon, Carbuncle (not Anthrax)		35	20	25	28	24	35	20	34	20	16	25	17	16	24	18	19	14	27	11	19
Phagedæna .. .. .		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Infective Processes .. .. .		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pulmonary Tuberculosis (Tuberculous Phthisis)		23505	23711	26049	25090	23223	23600	22755	23027	22166	23046	23037	23906	24491	4333	6267	8293	9701	9981	10804	11299
{ Phthisis (not otherwise defined) .. .. .		—	—	—	—	—	—	—	—	—	—	—	—	—	19121	16954	14729	14149	12245	11841	11348
Tuberculous Meningitis .. .. .		3722	3650	3823	3992	3734	3663	3385	3691	3483	3522	3608	3452	3412	3134	3084	3406	3359	3187	3117	3090
Tuberculous Peritonitis .. .. .		3659	4025	4113	3897	3753	4116	3005	3910	3198	3355	3344	3335	3164	1475	1477	1788	1994	1798	1925	1787
Tuberculous Mesenterica .. .. .		—	—	—	—	—	—	—	—	—	—	—	—	—	1764	1311	1150	1064	784	660	531
Lupus .. .. .		27	23	29	18	25	19	24	14	21	16	16	19	19	24	16	18	28	23	22	28
Tubercle of other Organs .. .. .		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
General Tuberculosis .. .. .		2534	2725	2870	3123	3025	2926	2993	3294	2984	2939	3109	2959	3249	666	663	842	957	935	1022	957
Scrophula .. .. .		—	—	—	—	—	—	—	—	—	—	—	—	—	2187	2116	2173	2253	2015	2033	2117
Parasitic Diseases .. .. .		364	368	370	356	307	277	233	272	236	198	200	209	188	175	142	165	164	143	176	139
Starvation .. .. .		27	27	29	39	35	37	28	24	19	25	23	28	24	11	16	19	17	17	14	15
Scurvy .. .. .		13	12	14	10	13	14	12	20	9	20	17	23	18	15	15	22	21	21	26	21
Alcoholism, Delirium Tremens .. .. .		929	998	1308	1327	1231	1334	1109	1237	1364	1460	1500	1735	2063	1778	1673	1475	1396	1297	1341	1328

\* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis." (See p. 42.)

TABLE 24 (continued).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1888-1907.—Males.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Puerperal Septicæmia, Puerp. Septic Intoxication		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Pyæmia .. .. .		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmasia Alba Dolens .. .. .		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Fever (not otherwise defined) .. .. .		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Endocarditis* .. .. .		P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
{ Lobar .. .. .																					
{ Broncho- .. .. .																					
{ Epidemic .. .. .																					
{ Not defined .. .. .																					
Pneumonia .. .. .		1324	1206	1731	1798	1486	1533	1276	1379	1360	1337	1320	1494	1676	1676	1676	1676	1676	1676	1676	1676
Erysipelas .. .. .		63	43	51	46	54	71	48	38	38	33	34	40	41	41	41	41	41	41	41	41
Septicæmia, Septic Intoxication (not Puerperal) .. .. .		23	21	23	21	21	27	24	21	25	24	20	27	30	30	30	30	30	30	30	30
Pyæmia (not Puerperal) .. .. .		20	17	20	21	23	24	21	20	20	23	22	25	26	26	26	26	26	26	26	26
Phlegmon, Carbuncle (not Anthrax) .. .. .		3	1	2	2	2	2	1	2	1	1	2	1	1	1	1	1	1	1	1	1
Phagedæna .. .. .		P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
Other Infective Processes .. .. .																					
Pulmonary Tuberculosis (Tuberculous Phthisis) .. .. .		1717	1719	1868	1780	1625	1637	1561	1562	1483	1528	1511	1550	1570	1570	1570	1570	1570	1570	1570	1570
Phthisis (not otherwise defined) .. .. .																					
Tuberculous Meningitis .. .. .		272	265	274	283	261	254	232	250	233	234	237	224	219	219	219	219	219	219	219	219
Tuberculous Peritonitis .. .. .		267	292	295	277	263	286	206	265	214	223	219	216	203	203	203	203	203	203	203	203
Tabes Mesenterica .. .. .																					
Lupus .. .. .		2	2	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
Tubercle of other Organs .. .. .																					
General Tuberculosis .. .. .		185	198	206	222	212	203	205	223	200	195	204	192	208	208	208	208	208	208	208	208
Scrophula .. .. .																					
Parasitic Diseases .. .. .		26	26	27	25	21	19	16	18	16	13	13	14	12	12	12	12	12	12	12	12
Starvation .. .. .		2	2	2	3	2	3	2	2	1	2	2	2	2	2	2	2	2	2	2	2
Scurvy .. .. .		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Alcoholism, Delirium Tremens .. .. .		68	72	94	94	86	93	76	84	91	97	98	113	132	132	132	132	132	132	132	132

\* See note to Table 23.



TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1888-1907.—Males.

CAUSES OF DEATH.	1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Opium, Morphia-habit	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Industrial Poisoning:—	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
By Lead ..	91	90	86	105	102	105	102	115	101	102	112	91	105	96	80	88	83	76	5	5
" Phosphorus ..	?	?	?	?	?	?	?	?	?	?	?	?	?	—	1	—	—	—	70	89
" Arsenic and other Metals	?	?	?	?	?	?	?	?	?	?	?	?	?	4	1	3	1	1	—	1
Rheumatic Fever, Acute Rheumatism	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rheumatism of Heart ..	1365	1132	1215	1278	1306	1546	1280	1102	1317	1266	1195	1302	1430	{ 1108	1091	875	894	1016	1090	987
Chronic Rheumatism ..	427	415	377	494	454	408	359	368	348	395	405	405	392	335	278	239	240	158	137	181
Rheumatoid Arthritis, Rheumatic Gout	..	..	..	..	..	..	..	..	..	..	..	..	..	290	289	273	275	253	259	172
Gout ..	438	438	479	521	487	482	428	494	461	462	421	428	383	416	386	364	405	326	366	289
Carcinoma*	..	..	..	..	..	..	..	..	..	..	..	..	..	4746	5071	5743	6128	6423	6963	6895
Sarcoma ..	6284	6891	7137	7294	7547	7908	8077	8623	9216	{ 773	802	883	790	846	843	929	893	949	987	1034
Cancer, Malignant Disease (not otherwise defined)*	..	..	..	..	..	..	..	..	..	{ 8800	9130	9454	9685	5299	5184	5127	5065	5068	5307	5270
Rickets ..	501	532	653	714	728	710	713	950	689	797	803	750	730	820	780	987	1076	791	778	707
Purpura ..	..	..	..	..	..	..	..	..	..	164	186	177	168	{ 148	140	150	129	130	110	145
Hæmophilia, Hæmorrhagic Diathesis..	..	..	..	..	..	..	..	..	..	699	717	705	758	{ 49	59	49	59	47	46	57
Anæmia, Leucocythæmia ..	518	531	471	558	583	553	629	668	691	699	717	705	758	768	792	761	786	840	894	1004
Diabetes Mellitus ..	1070	980	1076	1082	1142	1169	1166	1262	1243	1303	1437	1448	1455	1565	1462	1409	1612	1708	1736	1738
Premature Birth	7943	8109	8489	9125	9344	9673	8990	9858	9739	10020	10393	10400	10316	10445	10661	10804	11097	10422	10767	10206
Congenital Hydrocephalus†	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Other Congenital Defects‡	1220	1294	1308	1368	1412	1469	1540	1422	1459	1522	1550	1564	1614	2253	252	270	252	245	211	179
Injury at Birth	51	28	49	29	42	76	68	76	94	93	85	196	254	382	389	413	464	418	521	485
Atelectasis ..	455	445	434	547	544	533	562	599	717	616	662	701	726	695	769	750	753	830	856	915
Want of Breast Milk	135	149	137	144	149	185	135	136	167	178	175	180	246	317	326	414	383	379	439	434
Teething ..	2404	2410	2462	2554	2351	2197	1959	2313	1976	2072	1904	1845	1973	1750	1775	1802	1593	1288	1201	1169

\* For the years 1897-1900, deaths from Carcinoma are included under the heading "Cancer, Malignant Disease."  
† Includes deaths of children under 6 months of age from "Hydrocephalus" for the year 1901 and subsequent years.  
‡ Includes deaths of young children from Icterus for the year 1901, and subsequent years.

TABLE 24 (continued).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1888-1907.—Males.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Opium, Morphia-habit	..	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
Industrial Poisoning:—	..	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
By Lead ..	..	7	7	6	7	7	7	7	8	7	7	7	6	7	6	5	5	5	5	4	5
" Phosphorus ..	..	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
" Arsenic and other Metals ..	..	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
Rheumatic Fever, Acute Rheumatism	..	100	82	87	91	91	107	88	75	88	84	78	84	92	{	68	54	55	62	65	57
<i>Rheumatism of Heart</i> ..	..	31	30	27	35	32	28	25	25	23	26	27	26	25	21	17	15	15	10	8	11
Chronic Rheumatism ..	..	?	?	?	?	?	?	?	?	?	?	?	?	?	18	12	13	14	10	9	10
Rheumatoid Arthritis, <i>Rheumatic Gout</i>	..	32	32	34	37	34	33	29	34	31	31	28	28	25	26	24	23	25	20	22	21
Gout ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Carcinoma*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	301	318	356	375	389	417	408
Sarcoma ..	..	459	500	512	518	528	549	554	585	617	{	53	57	51	54	53	58	55	58	59	61
Cancer, Malignant Disease (not otherwise defined)*	..	..	..	..	..	..	..	..	..	..	584	599	613	621	336	325	318	310	309	318	312
Rickets ..	..	36	39	47	51	51	49	49	64	46	53	53	49	47	52	49	61	66	48	47	42
Purpura ..	..	11	14	11	15	12	13	13	13	12	11	12	11	11	9	9	9	8	8	7	9
Hæmophilia, Hæmorrhagic Diathesis..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	4	3	4	3	3	3
Anæmia, Leucoeythæmia ..	..	38	38	34	40	41	38	43	45	46	46	47	46	49	49	50	47	48	51	54	59
Diabetes Mellitus ..	..	78	71	77	77	80	81	80	86	83	86	94	94	93	99	92	87	99	104	104	103
Premature Birth	..	580	588	609	648	654	671	617	668	651	665	682	674	661	662	668	670	678	632	645	605
Congenital Hydrocephalus*	..	90	94	94	97	99	102	105	96	98	101	101	102	103	143	{	17	15	15	13	11
Other Congenital Defects*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	143	144	146	151	155	151
Injury at Birth ..	..	4	2	4	2	3	5	5	5	6	6	6	13	16	24	24	26	28	25	31	29
Atelectasis ..	..	33	32	31	39	38	41	39	41	48	41	43	45	47	44	48	46	46	50	51	54
Want of Breast Milk..	..	10	11	10	10	10	13	9	9	11	12	11	12	16	20	20	26	23	23	26	26
Teething ..	..	176	175	177	181	165	152	134	157	132	137	125	120	127	111	111	112	97	78	72	69

\* See note to Table 23.



TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1888-1907.—Males.

CAUSES OF DEATH.	1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Meningitis, Inflammation of Brain	4664	4579	4962	4574	4172	4265	3594	4020	3900	4026	4035	4176	4105	3782	3528	3378	3404	3233	3301	2880
Softening of Brain	1816	1804	1909	1757	1730	1624	1417	1460	1372	1309	1345	1358	1189	1129	1118	1165	1209	1094	1156	1158
General Paralysis of Insane	1568	1742	1630	1671	1638	1757	1893	2290	2137	2264	2278	2435	2528	{ 1728	1681	1584	1802	1738	1772	1775
Insanity (not Puerperal)	25	25	26	36	32	39	30	35	40	33	38	40	43	{ 607	781	715	866	888	952	960
Chorea	25	25	26	36	32	39	30	35	40	33	38	40	43	{ 57	55	41	33	36	37	38
Epilepsy	1484	1494	1553	1563	1458	1446	1302	1439	1308	1336	1347	1371	1546	1533	1593	1598	1557	1496	1482	1458
Convulsions	11639	12197	12091	12726	11705	11579	10245	11536	10234	10445	10304	10044	10388	9863	9427	8849	8419	7377	7101	6545
Laryngismus Stridulus	490	441	411	515	450	351	310	362	312	319	330	281	261	286	266	248	220	222	180	191
Locomotor Ataxy	1073	1096	1142	1227	1195	1196	1230	1320	1221	1291	1293	1472	1472	{ 341	409	418	411	448	463	461
Paraplegia, Diseases of Cord														{ 1268	1096	1139	1205	1115	1113	1080
Neuritis, Peripheral, Poly-Neuritis														{ 46	128	112	125	103	128	140
Brain Tumour (not Specific)	2535	2225	1883	1913	1746	1876	1580	1704	1608	1525	1435	1460	1176	{ 198	324	352	330	357	383	383
Other Diseases of Nervous System														{ 2206	1924	1631	1797	1516	1568	1382
Otitis, Mastoid Disease	298	305	336	316	349	447	389	494	456	511	486	496	589	491	483	564	618	621	648	601
Epistaxis, Diseases of Nose	52	39	43	47	50	50	44	35	51	48	42	44	37	42	49	36	49	41	41	27
Ophthalmia, Diseases of Eye	43	42	37	21	32	38	33	39	30	42	32	29	48	45	36	42	27	29	38	26
Valvular Disease, Endocarditis (not Infective)*																				
Pericarditis	3602	3584	3851	4232	3991	4243	4400	4659	4759	5078	5122	5639	5937	5724	6052	6164	6683	6816	7176	7454
Hypertrophy of Heart	340	255	362	363	346	379	355	279	296	349	318	332	369	337	231	219	226	230	237	273
Angina Pectoris	186	161	153	193	172	145	120	137	126	113	104	140	138	121	164	155	149	137	152	149
Dilatation of Heart	430	422	420	455	424	402	403	448	449	481	419	452	481	450	480	463	504	532	576	612
Fatty Degeneration of Heart														{ 1027	1276	1294	1430	1478	1551	1742
Syncope, Heart Disease (not specified)†	16391	16262	17450	17767	16857	15992	15404	16649	15584	16320	16109	17221	17204	{ 874	960	950	990	1037	1045	1124
														{ 14151	13803	13140	13315	12461	12639	12911
Cerebral Haemorrhage, Cerebral Embolism†																				
Apoplexy, Hemiplegia	11421	11213	11869	12115	11459	11247	10335	11234	10752	11171	11083	11414	11629	{ 4837	5521	5954	6487	6644	7007	7403
Aneurysms	602	629	659	565	630	657	660	654	642	688	707	723	697	{ 6037	5349	4606	4375	3980	3949	3847
Senile Gangrene	843	813	793	851	805	708	681	730	618	681	677	690	750	773	842	854	869	898	882	941
Embolism, Thrombosis (not Cerebral)‡	395	420	418	495	426	471	452	548	544	527	548	603	693	748	717	710	746	788	788	783
Phlebitis		56	60	65	65	71	49	51	67	58	58	63	87	257	231	185	174	171	187	231
Varicose Veins	51	33	35	35	32	33	35	28	31	32	33	31	39	61	48	60	57	59	45	46
Other Diseases of Blood Vessels†	41	33	35	35	32	33	35	28	31	32	33	31	39	35	30	28	44	32	24	33
														776	817	798	1057	1167	1372	1530

\* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis (not Infective)." (See p. 38.)

† For years prior to 1901, deaths from Other Diseases of Blood Vessels are included under the heading "Syncope, Heart Disease (not specified)"; see also note to Haemorrhage on p. 48.

‡ For years prior to 1901, deaths from Cerebral Embolism and from Cerebral Thrombosis are included under the heading "Embolism, Thrombosis (not Cerebral)."

§ Since 1901, Aneurysm has been taken as the cause of death when occurring with certain other diseases.

TABLE 24 (continued).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1888-1907.—Males.

CAUSES OF DEATH.	1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Meningitis, Inflammation of Brain	341	332	356	325	292	296	247	273	261	267	265	271	263	240	221	209	208	196	198	171
Softening of Brain	133	131	137	125	121	113	97	99	92	87	88	88	76	72	70	72	73	66	69	69
General Paralysis of Insane	115	126	117	119	115	122	130	155	143	150	149	158	162	110	105	98	110	105	106	105
Insanity (not Puerperal)	2	2	2	3	2	3	2	2	3	2	2	3	3	4	3	3	53	54	57	57
Chorea	108	108	111	111	102	100	89	98	87	89	88	89	99	97	100	99	95	91	89	86
Epilepsy	851	884	867	903	819	803	793	783	685	693	676	651	666	625	591	536	515	447	425	388
Convulsions	36	32	29	37	31	24	21	25	21	21	22	18	17	18	17	15	13	13	11	11
Laryngismus Stridulus	78	79	82	87	84	83	84	90	82	86	85	95	94	22	26	26	25	27	28	27
Locomotor Ataxy	185	161	135	136	122	130	108	116	108	101	94	95	75	13	20	7	73	6	8	8
Paraplegia, Diseases of Cord														140	121	101	110	92	94	82
Neuritis, Peripheral, Poly-Neuritis																				
Brain Tumour (not Specific)																				
Other Diseases of Nervous System																				
Otitis, Mastoid Disease	22	22	24	22	24	31	27	34	31	34	32	32	38	31	30	35	38	38	39	36
Epistaxis, Diseases of Nose	4	3	3	3	3	3	3	2	3	3	3	3	2	3	3	2	3	2	2	2
Ophthalmia, Diseases of Eye	3	3	3	1	2	3	2	3	2	3	2	2	3	3	2	3	2	2	2	2
Valvular Disease, Endocarditis (not Infective)*	263	260	276	300	279	294	302	316	318	337	336	366	381	363	379	382	408	413	430	442
Pericarditis	25	18	26	26	24	26	24	19	20	23	21	22	24	21	14	14	14	14	14	16
Hypertrophy of Heart	14	12	11	14	12	10	8	9	8	7	7	9	9	8	10	10	9	8	9	9
Angina Pectoris	31	31	30	32	30	28	28	30	30	32	27	29	31	29	30	29	31	32	35	36
Dilatation of Heart														65	80	80	87	90	93	103
Fatty Degeneration of Heart	1198	1179	1252	1261	1180	1110	1057	1129	1042	1082	1056	1117	1103	55	60	59	61	63	63	67
Syncope, Heart Disease (not specified)*														897	865	814	814	755	757	765
Cerebral Haemorrhage, Cerebral Embolism*	834	813	852	860	802	780	709	762	719	741	727	740	746	307	346	369	396	403	439	439
Apoplexy, Hemiplegia..														383	335	285	267	241	237	228
Aneurysm*	44	46	47	40	44	46	45	44	43	46	46	47	45	49	53	53	53	54	53	56
Senile Gangrene	62	59	57	60	56	49	47	50	41	45	44	45	48	47	45	44	46	47	47	46
Embolism, Thrombosis (not Cerebral)*	29	31	30	35	30	33	31	37	36	35	36	39	44	16	14	11	11	10	11	14
Phlebitis	4	4	4	5	5	5	3	3	4	4	4	4	6	2	3	4	4	4	3	3
Varicose Veins	3	2	3	2	2	2	2	2	2	2	2	2	3	2	2	2	3	2	1	2
Other Diseases of Blood Vessels*														49	51	49	65	71	82	91

\* See note to Table 23.



TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1888-1907.—Males.

CAUSES OF DEATH.												1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	
Laryngitis	..	..	..	..	..	..	..	..	..	..	..	860	774	838	765	766	884	758	742	803	694	677	752	732	{	722	690	613	624	579	578	633
Membranous Laryngitis (not Diphtheritic)	..	..	..	..	..	..	..	..	..	..	..	1971	1728	1760	1392	1217	1153	939	891	834	598	469	553	465	447	21	21	13	25	21	25	18
Croup (not Spasmodic nor Membranous)	..	..	..	..	..	..	..	..	..	..	..	114	111	102	80	102	87	79	59	79	72	80	77	82	37	343	236	259	260	259	196	
Other Diseases of Larynx and Trachea	..	..	..	..	..	..	..	..	..	..	..	29105	27850	33686	37802	33071	27735	24656	29274	23569	23306	22970	25095	26717	21812	17	20	29	28	40	22	
Bronchitis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Emphysema, Asthma	..	..	..	..	..	..	..	..	..	..	..	1386	1360	1507	1752	1672	1406	1263	1553	1287	1385	1392	1628	1569	1380	914	782	957	906	920	1041	
Pleurisy	..	..	..	..	..	..	..	..	..	..	..	931	793	1158	1213	1033	1101	879	880	918	905	861	983	1136	958	758	747	696	827	738	733	
Fibroid Disease of Lung	..	..	..	..	..	..	..	..	..	..	..	2515	2251	2660	2880	2490	2311	2028	2401	2108	2144	1958	2191	2149	{	476	507	467	413	411	408	490
Other Diseases of Respiratory System	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	1698	1627	1550	1548	1465	1417	1297
Tonsillitis, Quinsy	..	..	..	..	..	..	..	..	..	..	..	534	614	582	566	556	725	560	620	579	505	583	548	602	{	232	227	216	208	191	207	206
Dis. of Mouth, Pharynx, Esophagus (not Specific)*	..	..	..	..	..	..	..	..	..	..	..	1727	1792	1892	1899	1872	2219	2015	2284	2200	2415	2492	2537	2930	{	323	324	227	306	273	279	254
Gastric Ulcer	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	475	514	529	552	613	667	655
Gastritis, Gastric Catarrh	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	2661	2293	2254	2151	1928	1664	1592
Other Diseases of Stomach (not Malignant)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	3109	2188	2367	306	276	353	477
Ulceration of Intestines†	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	2192	1179	1397	2111	2064	2640	1910
Enteritis (not Epidemic)†	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	736	901	1016	1124	1096	1287	1161
Gastro-enteritis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	633	694	639	665	708	738	702
Appendicitis, Perityphilitis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	1305	1197	1297	1270	1263	1336	1314
Hernia‡	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	111	154	155	137	131	128	131
Intestinal Obstruction	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	726	506	450	435	383	391	308
Other Diseases of Intestines§	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	2375	2296	2196	2207	2166	2117	2070
Peritonitis (not Puerperal)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	1335	1110	984	906	866	882	850
Cirrhosis of Liver	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	316	198	263	272	189	151	186
Other Diseases of Liver and Gall Bladder	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	..	..	..	..	..	..	..
Other Diseases of Digestive System*§	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	..	..	..	..	..	..	..

\* For years prior to 1901, deaths from Diseases of the Esophagus are included under the heading "Other Diseases of Digestive System."  
† For the years 1901-3, deaths from Ulceration of Intestines are included under the heading "Enteritis (not Epidemic)."  
‡ Since 1902 Hernia, when strangulated, has been taken as the cause of death when occurring with certain other diseases.  
§ For years prior to 1901, deaths from Other Diseases of Intestines are included under the heading "Other Diseases of Digestive System."

TABLE 24 (continued).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1888-1907.—Males.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Laryngitis	..	63	56	60	54	54	61	52	50	54	46	44	49	47	{	43	38	38	35	35	38
Membranous Laryngitis (not Diphtheritic)	..	144	125	126	99	85	80	64	60	56	1	31	36	30	28	22	15	16	1	16	1
Croup (not Spasmodic nor Membranous)	..	8	8	7	6	7	6	5	4	5	2	5	5	5	2	1	1	2	2	2	12
Other Diseases of Larynx and Trachea	..	2127	2019	2416	2682	2314	1924	1691	1986	1577	1383	1506	1627	1713	1383	1338	1146	1258	1149	1044	1210
Bronchitis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Emphysema, Asthma	..	101	99	108	124	117	98	87	105	86	87	91	106	101	87	57	48	58	55	55	62
Pleurisy	..	68	57	83	86	72	76	60	60	61	61	56	64	73	61	48	46	43	50	44	43
Fibroid Disease of Lung	..	..	..	..	..	..	..	..	..	..	{	..	..	..	{	32	29	25	25	24	29
Other Diseases of Respiratory System	..	184	163	191	204	174	160	139	163	141	108	128	142	138	108	102	94	95	89	85	77
Tonsillitis, Quinsy	..	39	44	42	40	39	50	38	42	39	33	38	36	39	{	14	13	13	12	12	12
Dis. of Mouth, Pharynx, Esophagus (not Specific)*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Gastric Ulcer	..	126	130	136	135	131	154	138	155	147	160	163	165	188	{	20	14	19	17	17	15
Gastritis, Gastric Catarrh	..	13	16	11	12	12	11	12	12	13	12	13	12	11	{	30	33	34	37	40	39
Other Diseases of Stomach (not Malignant)..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	169	139	132	117	100	94
Ulceration of Intestines*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	197	147	147	17	21	28
Enteritis (not Epidemic)*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	137	87	110	125	125	113
Gastro-enteritis	..	137	169	186	188	204	319	213	383	341	467	556	654	450	{	74	63	69	90	77	79
Appendicitis, Perityphlitis..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	56	40	41	66	66	69
Hernia*	..	44	46	42	43	43	47	43	42	39	42	40	44	43	{	44	40	41	43	44	42
Intestinal Obstruction	..	98	95	93	94	85	93	89	93	89	95	91	90	83	{	75	78	78	77	80	78
Other Diseases of Intestines*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{	10	10	8	8	8	8
Peritonitis (not Puerperal) ..	..	88	81	83	83	76	82	66	72	68	66	67	64	58	{	32	28	27	23	23	18
Cirrhosis of Liver	..	139	140	144	148	142	139	136	133	140	151	152	167	162	{	144	136	135	131	127	123
Other Diseases of Liver	..	190	177	168	163	145	150	125	127	119	113	109	109	103	{	70	61	55	52	53	50
Other Diseases of Digestive System*	..	60	55	58	55	53	57	49	39	33	33	25	21	21	{	12	16	17	11	9	11

\* See note to Table 23.



TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1888-1907.—Males.

CAUSES OF DEATH.	1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Diseases of Spleen .. .. .	60	72	49	48	47	49	34	31	25	35	26	29	24	39	25	21	23	20	27	21
Other Diseases of Lymphatic System ..	126	126	145	146	167	149	166	179	166	168	211	192	196	198	223	214	210	242	240	227
Diseases of Thyroid Body* .. .. .	28	26	32	31	34	24	29	30	34	40	40	33	37	64	61	64	63	68	62	72
Diseases of Supra Renal Capsules ..	71	61	97	55	72	69	79	74	85	76	92	99	93	81	81	93	92	74	116	83
Acute Nephritis, Uræmia .. .. .	1171	1079	1215	1393	1411	1448	1318	1428	1356	1528	1547	1555	1724	1746	1619	1567	1664	1680	1716	1844
Chronic Bright's Disease, Albuminuria ..	3761	3854	4049	4067	3993	4126	4107	4379	4324	4451	4568	4930	5374	5235	5013	5074	5465	5207	5498	5573
Calculus (not Biliary) .. .. .	204	183	205	176	164	186	192	176	170	211	197	188	174	185	182	156	176	177	187	198
Diseases of Bladder and of Prostate ..	1852	1892	1847	1951	1907	1881	1763	2044	1963	2116	1995	2111	2075	2131	2201	2268	2258	2237	2403	2203
Other Diseases of Urinary System† ..	782	726	721	756	652	625	479	496	453	451	496	458	287	229	459	445	451	496	480	470
Ovarian Tumour (not Malignant) .. ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Ovary .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Tumour (not Malignant) ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Uterus and Vagina ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of Menstruation .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Gener. & Mamm. Organs ..	115	88	96	93	95	114	90	100	78	93	91	85	102	77	67	48	73	53	62	48
Abortion, Miscarriage .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Mania .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Convulsions .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Placenta Prævia, Flooding .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Accidents of Pregnancy and Childbirth ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Caries, Necrosis .. .. .	584	623	600	555	576	518	531	498	470	527	448	445	434	418	408	364	305	283	262	205
Arthritis, Periostitis .. .. .	144	126	140	137	150	149	163	167	151	171	153	162	175	107	137	119	133	133	111	139
Other Diseases of Locomotor System ..	649	615	554	497	327	264	246	246	217	203	170	189	146	185	149	155	162	178	205	149
Ulcer, Bed-sore .. .. .	208	195	196	173	177	216	194	199	194	181	174	173	192	160	132	153	136	140	157	144
Eczema .. .. .	226	226	240	249	230	255	238	217	217	226	220	201	221	194	218	211	192	190	195	164
Pemphigus .. .. .	60	40	57	64	61	68	64	78	82	69	78	83	100	96	81	98	104	140	134	123
Other Diseases of the Skin .. .. .	106	76	83	84	100	102	89	128	125	104	108	108	142	130	108	103	92	119	110	129

\* Deaths from Cretinism and Myxoedema, which in the old Tables were included with "Other Constitutional Diseases," have been classed under this heading since 1901.  
† Since the year 1901, deaths from Stricture of the Urethra are included under this heading. See also note to Gonorrhoea, p. 36.

TABLE 24 (continued).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1888-1907.—Males.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Diseases of Spleen .. ..	..	4	5	4	3	3	3	2	2	2	2	2	2	2	2	2	1	1	1	2	1
Other Diseases of Lymphatic System ..	..	9	9	10	10	12	10	11	12	11	11	14	12	13	13	14	13	13	15	14	13
Diseases of Thyroid Body*	..	2	2	2	2	2	2	2	2	2	3	3	2	2	2	4	4	4	4	4	4
Diseases of Supra Renal Capsules ..	..	5	4	7	4	5	5	5	5	6	5	6	6	6	5	5	6	6	4	7	5
Acute Nephritis, Uræmia .. ..	..	86	78	87	99	99	100	90	97	91	101	101	101	111	111	111	97	102	102	103	109
Chronic Bright's Disease, Albuminuria ..	..	275	279	290	279	279	286	282	297	289	300	300	320	345	332	314	315	334	316	330	330
Calculus (not Biliary) .. ..	..	15	13	15	12	11	13	13	12	11	13	13	12	11	12	11	10	11	11	11	12
Diseases of Bladder and of Prostate ..	..	135	137	132	138	133	131	121	139	131	131	131	137	133	135	138	141	138	136	144	131
Other Diseases of Urinary System*	..	57	53	52	54	46	43	33	34	30	30	33	30	18	15	29	28	28	30	29	28
Other Diseases of Gen., & Mamm. Organs ..	..	8	6	7	7	7	8	6	7	5	6	6	6	7	5	4	3	4	3	4	3
Other Diseases of Ovary .. ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Uterus and Vagina ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of Menstruation .. ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Gen., & Mamm. Organs ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Abortion, Miscarriage .. ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Mania .. ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Convulsions .. ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Placenta Prævia, Flooding .. ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Accidents of Pregnancy and Childbirth ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Caries, Necrosis .. ..	..	43	45	43	39	40	36	36	34	31	35	29	29	28	27	26	23	19	17	16	12
Arthritis, Periostritis .. ..	..	11	9	10	10	10	10	11	11	10	11	10	11	11	7	9	7	8	8	7	8
Other Diseases of Locomotor System ..	..	47	45	40	35	23	18	17	17	15	13	11	12	9	12	9	10	10	11	12	9
Ulcer, Bed-sore .. ..	..	15	14	14	12	12	15	13	13	13	12	11	11	12	10	8	10	8	8	9	9
Eczema .. ..	..	17	16	17	18	16	18	16	15	15	15	14	13	14	12	14	13	12	12	12	10
Pemphigus .. ..	..	4	3	4	5	4	5	4	5	5	5	5	5	6	6	5	6	6	8	8	7
Other Diseases of the Skin .. ..	..	8	6	6	6	7	7	6	9	8	7	7	7	9	8	7	6	6	7	7	8

\* See note to Table 23.



TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1888-1907.—Males.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
OTHER SPECIFIED DISEASES.*																					
CAUSES ILL-DEFINED OR NOT SPECIFIED.																					
<i>Atrophy, Debility</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Old Age</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Dropsy, Ascites, Anasarca</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Tumour</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Abscess</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Hæmorrhage†</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Sudden Death (cause unascertained)</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Other ill-defined causes</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Causes not specified</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
11325	11608	11431	12073	11718	12601	9994	12555	10940	11079	11263	11303	11383	11095	9889	9791	9761	9090	8902	8340		
11732	11275	12059	12487	11813	11188	10414	12845	11130	12260	12148	13522	13815	13117	13031	12979	13848	13441	14210	13917		
194	177	183	188	143	147	126	120	117	111	139	139	125	85	74	69	48	44	36	60		
38	42	53	56	61	45	48	61	30	44	29	25	25	25	29	36	39	26	28	33		
288	266	271	261	268	276	209	228	206	206	183	172	177	173	182	184	162	129	140	151		
63	73	83	78	71	86	99	80	85	69	60	74	63	16	31	29	20	19	17	16		
244	222	243	253	230	197	164	158	190	121	109	129	134	114	89	25	18	18	16	11		
1587	1481	1648	1552	1341	1087	1002	1102	992	1131	948	{ 935	948	205	406	457	435	468	461	421		
													672	336	145	152	129	96	111		
VIOLENT DEATHS.																					
In Mines and Quarries	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Vehicles and Horses	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Ships, Boats, and Docks (not Drowning)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Building Operations	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Machinery	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Weapons and Implements	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Burns and Scalds	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Poisons, Poisonous Vapours	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Drowning	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Suffocation	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Falls	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Weather Agencies	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Otherwise, or not stated	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
10206	10482	11252	11470	11149	11617	10381	11572	11192	11691	11371	12337	11906	1016	979	940	981	1113	1075	1084		
													2308	2209	2139	2103	2069	2133	2197		
													832	266	294	283	280	268	246		
													185	205	210	203	233	233	243		
													204	251	245	242	204	227	237		
													131	109	103	109	104	103	79		
													1234	1022	995	1014	1035	1079	1103		
													305	334	290	324	312	341	329		
													2358	1871	2109	2020	2039	1970	1888		
													1026	1089	1022	1112	1027	984	1039		
													1507	1504	1378	1380	1280	1372	1460		
													300	171	163	200	163	215	127		
													1145	938	911	928	940	866	863		
Battle	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Homicide	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Suicide	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Execution	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
155	159	160	158	153	185	162	165	154	159	162	143	139	4	6	2	—	3	1	2		
1732	1626	1635	1863	1907	1940	2052	2071	1979	2090	2166	2121	2166	101	131	137	176	133	140	139		
17	12	16	13	16	16	17	10	19	7	10	14	12	15	22	23	17	17	2655	2632		

\* The figures for years prior to 1901 refer to deaths classed either to "Other Miasmatic Diseases" or to "Other Constitutional Diseases."  
† Deaths from Rupture of Blood Vessels are included under this heading for years prior to 1901, and under "Other Diseases of Blood Vessels" since that date.





TABLE 25.—ENGLAND AND WALES.—Deaths from Various Causes at All Ages,\* 1888-1907.—Females.

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (see 64th Annual Report, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
ALL CAUSES	.. .. .	247677	252251	271800	285431	273622	278069	242812	278293	256152	261276	268160	282227	284007	265967	258322	248338	266578	252430	257048	254962
Small-pox { Vaccinated .. Not Vaccinated .. Doubtful ..	.. .. .	36 110 266	2 1 5	— — 4	1 9 11	23 47 104	51 113 411	73 92 190	9 28 62	18 56 182	1 2 5	45 24 43	— 2 69	3 10 22	63 50 42	296 390 339	25 65 166	19 48 128	10 13 30	— — 12	— — 3
Cow-pox and other effects of Vaccination	.. .. .	25	31	21	22	28	25	24	27	19	15	17	11	14	11	11	15	11	15	17	5
Chicken-pox ..	.. .. .	52	46	40	38	53	56	42	44	63	46	49	53	58	58	62	59	49	41	39	52
Measles (Morbilli) ..	.. .. .	4688	7016	6098	6164	6646	5339	5650	5633	8625	6178	6437	4904	6204	4254	6297	4446	5993	5453	4696	6047
German Measles ..	.. .. .	60	65	39	27	37	26	22	16	25	26	18	23	23	28	16	20	16	20	11	22
Scarlet Fever ..	.. .. .	3160	3345	3493	2464	2819	3552	2580	2294	2727	2281	1740	1858	1893	2151	2406	2037	1875	1917	1682	1576
Typhus ..	.. .. .	73	59	71	63	37	66	57	30	35	23	20	12	15	16	24	36	17	19	4	11
Plague ..	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Relapsing Fever ..	.. .. .	4	2	1	7	—	7	5	3	—	1	—	—	—	3	—	—	2	—	—	1
Influenza ..	.. .. .	43	26	2108	8065	8064	4861	3392	6707	1841	3003	5395	6332	8562	2754	3724	3255	2912	3556	3186	4826
Whooping-cough ..	.. .. .	6709	6603	7590	7561	7401	5661	6807	5319	7407	6197	5680	5507	6310	5632	5331	5188	6649	4755	4596	5754
Mumps ..	.. .. .	39	29	39	37	40	28	26	28	36	45	28	30	52	46	42	42	58	46	57	64
Diphtheria ..	.. .. .	2551	2922	2681	2671	3396	4914	4576	4044	4557	3890	3937	4842	4733	4524	4061	3130	2938	2830	3175	2947
Cerebro-spinal Fever ..	.. .. .	9	11	13	21	16	3	16	14	3	6	4	6	1	30	20	39	38	56	37	60
Pyæmia (origin uncertain) ..	.. .. .	223	231	189	179	123	137	100	80	82	70	67	63	59	51	52	43	37	30	19	20
Enteric Fever ..	.. .. .	2224	2413	2377	2272	1843	3190	2080	2456	2190	2170	2503	2743	2319	2146	1753	1418	1316	1302	1329	971
Asiatic Cholera ..	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food ..	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Enteritis, Epidemic Diarrhoea ..	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined) ..	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery ..	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus ..	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malaria ..	.. .. .	15	16	7	18	8	9	6	9	6	11	12	7	14	13	109	133	127	95	146	109
Rabies ..	.. .. .	68	66	58	53	32	56	25	35	28	16	23	12	17	10	50	70	65	60	54	50
Glanders ..	.. .. .	4	8	4	1	1	1	1	3	1	—	1	—	—	—	13	9	11	8	15	6
Anthrax (Splenic Fever) ..	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis ..	.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gonorrhoea ..	.. .. .	943	984	1007	922	933	964	945	973	852	833	794	821	852	765	758	834	825	809	781	706
	.. .. .	9	2	4	10	7	12	6	10	9	11	9	10	13	6	11	13	12	16	20	19

\* For deaths at groups of ages from these causes in 1907, see pp. 297-309.  
† Called Simple Continued Fever previous to 1901.  
‡ Called Food, Poisoning previous to 1904. The increase since that date is partly due to the inclusion of deaths from diarrhoea in artificially fed children.

TABLE 26.—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1888-1907.—Females.

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (see 64th Annual Report, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
ALL CAUSES	..	17050	17214	18338	19037	17989	18119	15638	17715	16072	16248	16483	17153	17055	15786	15155	14401	15238	14301	14395	14113
Small-pox { Vaccinated .. Not Vaccinated .. Doubtful ..	..	2 8 18	0 0 0	— — 0	0 1 1	2 3 7	3 7 27	5 6 12	1 2 4	1 4 11	0 0 0	0 0 0	— 0 4	0 1 1	4 3 2	17 23 20	1 4 10	1 3 7	1 1 2	— — 1	— 0 0
Cow-pox and other effects of Vaccination	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Chicken-pox	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Measles (Morbilli)	..	323	479	411	411	437	348	364	359	541	384	396	298	373	252	369	258	343	309	263	335
German Measles	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Scarlet Fever	..	218	228	236	164	185	231	166	146	171	142	107	113	114	128	141	118	107	109	94	87
Typhus	..	5	4	5	4	2	4	4	2	2	1	1	1	1	1	1	2	1	1	0	1
Plague	..	—	—	—	—	—	—	—	—	—	—	—	—	—	0	—	—	—	—	—	—
Relapsing Fever	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Influenza	..	3	2	142	538	530	317	218	427	116	187	332	385	514	163	218	189	166	202	178	267
Whooping-cough	..	462	451	512	504	487	369	438	339	465	385	349	335	379	334	313	301	380	269	257	318
Mumps	..	176	195	181	178	223	314	295	257	286	242	242	294	284	269	238	182	168	160	178	163
Diphtheria	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Cerebro-spinal Fever	..	16	16	13	12	8	9	6	1	0	0	0	0	0	2	1	2	2	3	2	3
Pyæmia* (origin uncertain)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Enteric Fever	..	153	165	160	152	121	208	134	156	137	135	154	167	139	127	103	82	75	74	74	54
Asiatic Cholera	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Diarrhoea due to Food*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Infective Enteritis, Epidemic Diarrhoea.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Diarrhoea (not otherwise defined)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Dysentery	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Tetanus	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Malaria	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rabies, Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Glanders	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Anthrax (Splenic Fever)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Syphilis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Gonorrhoea	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

\* See note to Table 25.



TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1888-1907.—Females.

CAUSES OF DEATH.	1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Puerperal Septicæmia, Puerp. Septic Intoxication																				
Puerperal Pyæmia .. .. .	2457	1909	2016	2069	2439	3094	2257	1927	2123	1898	1767	1973	2017	{ 1490 37 74 478 }	1464	1258	1249	1307	1225	1056
Phlegmasia Alba Dolens .. .. .																		51	66	111
Puerperal Fever (not otherwise defined) .. .. .																		103	102	84
Infective Endocarditis* .. .. .																		273	247	214
{ Lobar .. .. .																				
{ Broncho- .. .. .																				
{ Epidemic .. .. .																				
Pneumonia .. .. .	12729	12428	16235	17467	15660	16144	13972	15282	15075	14672	15328	16801	18153	{ 6984 40 7957 }	8634	8156	9100	8783	8219	10080
Erysipelas .. .. .	775	614	668	619	707	896	647	535	531	513	454	603	581	{ 7957 551 106 }	617	8379	8507	8610	8104	8426
Septicæmia, Septic Intoxication (not Puerperal) .. .. .																				
Pyæmia (not Puerperal) .. .. .	229	181	212	189	226	282	210	205	194	210	206	243	272	{ 58 298 }	146	166	160	182	204	169
Phlegmon, Carbuncle (not Anthrax) .. .. .	186	156	203	173	217	263	185	216	249	233	232	253	290	12	338	289	56	75	81	69
Phagedæna .. .. .	38	30	17	26	28	43	24	32	16	37	20	21	27	12	14	16	12	25	325	302
Other Infective Processes .. .. .	p	p	p	p	p	p	p	p	p	p	p	p	p	113	75	114	52	94	13	77
Pulmonary Tuberculosis (Tuberculous Phthisis) .. .. .	20743	21027	22317	21425	20100	20032	18886	19463	18085	18596	18298	18502	18496	{ 3229 14541 }	4213	5545	6885	6961	7580	8069
Phthisis (not otherwise defined) .. .. .																		9763	9521	9123
Tuberculous Meningitis .. .. .	3021	2997	3066	3188	2957	3062	2980	3055	2992	3084	3073	2997	2983	2820	2877	3070	3030	2896	2987	2795
Tuberculous Peritonitis .. .. .	3115	3620	3519	3404	3382	3751	2758	3479	2846	2900	3013	2959	2812	{ 1458 1431 }	1480	1733	1921	1805	1932	1745
Tabes Mesenterica .. .. .														{ 41 480 }	1035	912	834	613	578	438
Lupus .. .. .	53	47	40	60	53	38	38	54	45	38	37	42	35	35	56	44	38	57	62	50
Tubercle of other Organs .. .. .															515	626	705	713	787	752
General Tuberculosis .. .. .	2583	2480	2573	2788	2841	2592	2559	2790	2537	2499	2657	2549	2695	{ 1884 165 }	1932	2092	2062	1906	1921	1944
Scrofula .. .. .															93	56	62	40	24	19
Parasitic Diseases .. .. .	345	339	332	302	310	300	222	258	202	195	203	180	177	173	135	149	145	102	128	102
Starvation .. .. .																				
Scurvy .. .. .	20	14	23	32	26	34	25	26	14	16	23	15	17	7	10	9	13	4	12	6
Alcoholism, Delirium Tremens .. .. .	7	10	7	10	7	4	11	14	11	14	9	11	26	16	15	22	23	27	25	20
	522	568	729	728	740	840	733	808	824	937	964	1136	1575	1353	1111	1075	962	914	940	873

\* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis." (See p. 56.)

TABLE 26 (continued).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million Living, 1888-1907.—Females.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Puerperal Septicæmia, Puerp. Septic Intoxication } Puerperal Pyæmia .. .. } Phlegmasia Alba Dolens .. .. } Puerperal Fever (not otherwise defined) .. .. } Infective Endocarditis* .. .. } { Lobar .. .. } Pneumonia .. .. } { Broncho- .. .. } { Epidemic .. .. } { Not defined .. .. } Erysipelas .. .. } Septicæmia, Septic Intoxication (not Puerperal) .. .. } Pyæmia (not Puerperal) .. .. } Phlegmon, Carbuncle (not Anthrax) .. .. } Phagedæna .. .. } Other Infective Processes .. .. }	169	130	136	138	160	202	145	123	133	118	109	120	121	{	{	86	73	71	74	69	58
	?	?	?	?	?	?	?	?	?	?	?	?	?	?	88	11	12	11	12	13	14
	876	848	1095	1165	1030	1052	900	973	946	912	942	1021	1090	{	{	507	473	520	498	460	558
	53	42	45	41	46	58	42	34	33	32	28	37	35	{	{	36	30	33	35	32	27
	16	12	14	13	15	18	14	13	12	13	13	15	16	{	{	9	10	9	10	11	9
	13	10	14	12	14	17	12	14	16	14	14	15	17	{	{	5	3	3	4	5	4
	3	2	1	2	2	3	2	2	1	2	1	1	2	{	{	20	17	15	18	18	17
	?	?	?	?	?	?	?	?	?	?	?	?	?	{	{	1	1	1	1	1	1
	?	?	?	?	?	?	?	?	?	?	?	?	?	{	{	4	7	3	5	5	4
	?	?	?	?	?	?	?	?	?	?	?	?	?	{	{	?	?	?	?	?	?
Pulmonary Tuberculosis (Tuberculous Phthisis) } Phthisis (not otherwise defined) .. .. } Tuberculous Meningitis .. .. } Tuberculous Peritonitis .. .. } Tuberculous .. .. } Lupus .. .. } Tubercle of other Organs .. .. } General Tuberculosis .. .. } Sarcoid .. .. }	1428	1435	1506	1429	1321	1305	1216	1239	1135	1156	1125	1124	1111	{	{	247	322	382	394	424	447
	208	205	207	213	194	200	191	194	188	192	189	182	179	{	{	168	179	174	164	167	155
	214	247	237	227	222	244	178	221	179	180	185	180	169	{	{	87	100	110	102	108	97
	4	3	3	4	3	2	2	3	3	2	2	3	2	{	{	61	53	48	35	32	24
	164	169	174	186	187	169	165	178	159	155	163	155	162	{	{	30	36	40	40	44	42
	?	?	?	?	?	?	?	?	?	?	?	?	?	{	{	113	121	118	108	108	108
	?	?	?	?	?	?	?	?	?	?	?	?	?	{	{	5	3	4	2	1	1
	?	?	?	?	?	?	?	?	?	?	?	?	?	{	{	?	?	?	?	?	?
	?	?	?	?	?	?	?	?	?	?	?	?	?	{	{	?	?	?	?	?	?
	?	?	?	?	?	?	?	?	?	?	?	?	?	{	{	?	?	?	?	?	?
Parasitic Diseases .. .. }	23	23	22	20	20	20	14	16	13	12	12	11	11	10	8	6	7	8	6	7	6
	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
Starvation .. .. }	1	1	2	2	2	2	2	2	1	1	1	1	1	0	1	1	1	1	0	1	0
	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
	35	39	50	49	49	55	47	51	52	58	59	69	95	80	65	55	53	55	52	53	48

\* See note to Table 25.



TABLE 25 (continued).--ENGLAND AND WALES.--Deaths from Various Causes at All Ages, 1888-1907.--Females.

CAUSES OF DEATH.	1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Opium, Morphia-habit	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Industrial Poisoning:--	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
By Lead ..	14	23	30	26	21	28	29	27	24	25	21	12	9	5	3	2	4	2	4	3
" Phosphorus ..	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
" Arsenic and other Metals	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
Rheumatic Fever, Acute Rheumatism.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Rheumatism of Heart</i> ..	1332	1126	1203	1269	1217	1539	1366	1155	1360	1261	1220	1345	1357	{ 1062	1055	937	894	1105	1129	1057
Chronic Rheumatism ..	515	482	561	573	575	470	440	520	502	519	500	518	502	313	351	331	346	196	196	234
Rheumatoid Arthritis, <i>Rheumatic Gout</i>	..	..	..	..	..	..	..	..	..	..	..	..	..	455	308	257	266	272	246	268
Gout ..	120	107	125	132	113	137	137	112	118	108	101	131	121	558	522	610	469	645	692	682
..	..	..	..	..	..	..	..	..	..	..	..	..	..	105	103	102	95	89	95	88
Carcinoma*	..	..	..	..	..	..	..	..	..	..	..	..	..	7947	8469	9070	9404	9656	10202	10715
Sarcoma ..	11222	11763	12296	12823	12806	13227	13345	14317	{ 14305	{ 712	{ 749	{ 823	{ 821	830	847	860	860	838	908	813
Cancer, Malignant Disease (not otherwise defined)*	..	..	..	..	..	..	..	..	..	14158	14515	15165	15425	7819	7458	7360	7332	7257	7301	7018
Rickets ..	341	428	471	530	593	535	517	667	544	630	593	585	563	564	589	663	746	607	599	552
Purpura ..	149	176	139	167	144	171	181	170	157	176	188	155	152	154	158	155	164	130	140	157
Hæmophilia, Hæmorrhagic Diathesis ..	..	..	..	..	..	..	..	..	..	..	..	..	..	30	29	31	27	40	38	46
Anæmia, Leucocythæmia ..	961	901	918	1000	986	971	991	1215	1149	1150	1107	1161	1114	1143	1050	1032	1057	1090	1156	1186
Diabetes Mellitus ..	703	774	787	848	869	913	871	1003	1043	1123	1148	1270	1312	1399	1307	1435	1521	1466	1606	1622
Premature Birth ..	6120	6330	6719	7326	7233	7590	6847	7650	7645	7759	7959	8148	8163	8119	8248	8277	8530	8449	8294	8013
Congenital Hydrocephalus†	1129	1102	1074	1143	1244	1254	1245	1298	1251	1271	1200	1319	1388	1825	1682	1807	165	119	166	150
Other Congenital Defects†	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1923	1999	2084	1973
Injury at Birth ..	37	23	34	21	31	52	52	58	84	73	77	137	194	221	262	276	308	291	345	351
Atelectasis ..	370	300	323	375	395	393	407	480	518	459	485	498	499	489	486	582	574	614	602	638
Want of Breast Milk..	126	120	95	116	124	162	96	122	128	142	143	152	213	228	248	303	311	282	322	322
Teething ..	1831	1956	2080	2107	1891	1860	1594	1880	1745	1656	1638	1551	1622	1518	1433	1463	1382	1055	974	919

\* For the years 1897-1900, deaths from Carcinoma are included under the heading "Cancer, Malignant Disease."

† Includes deaths of children under 6 months of age from "Hydrocephalus" for the year 1901 and subsequent years.

‡ Includes deaths of young children from Icterus for the year 1901 and subsequent years.

TABLE 26 (continued).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1888-1907.—Females.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Opium, Morphia-habit Industrial Poisoning:— By Lead .. .. " Phosphorus .. .. " Arsenic and other Metals .. ..	..	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
	..	I	2	2	2	I	2	2	2	2	2	I	I	I	I	I	I	I	I	I	I
	..	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
	..	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
Rheumatic Fever, Acute Rheumatism <i>Rheumatism of Heart</i> .. ..	..	92	77	81	85	80	100	88	74	85	78	75	82	81	63	62	54	51	63	63	59
Chronic Rheumatism .. ..	..	35	33	38	38	38	31	28	33	31	32	31	31	30	19	21	19	20	11	11	13
Rheumatoid Arthritis, <i>Rheumatic Gout</i> .. ..	..	P	P	P	P	P	P	P	P	P	P	P	P	P	27	18	15	15	15	14	15
Gout .. ..	..	8	7	8	9	7	9	9	7	7	7	6	8	7	33	31	35	38	37	39	37
Carcinoma* .. ..	..														6	6	6	5	5	5	5
Sarcoma .. ..	..	773	803	830	855	842	862	859	911	898	{ 44	46	50	49	472	497	526	538	547	572	593
Cancer, Malignant Disease (not otherwise defined)* .. ..	..										{ 880	892	921	926	464	438	427	419	411	409	388
Rickets .. ..	..	23	29	32	35	39	35	33	42	34	39	36	36	34	33	35	38	43	34	34	31
Purpura .. ..	..	10	12	9	11	9	11	12	11	10	11	12	9	9	9	9	9	9	7	8	9
Hæmophilia, Hæmorrhagic Diathesis .. ..	..														2	2	2	2	2	2	3
Anæmia, Leucocythæmia .. ..	..	66	61	62	67	64	63	64	77	72	72	68	71	67	68	62	60	60	62	65	66
Diabetes Mellitus .. ..	..	48	53	53	57	57	59	56	64	65	70	71	77	79	83	77	83	87	83	90	90
Premature Birth .. ..	..	421	432	453	489	476	495	441	487	480	483	489	495	490	482	484	480	488	479	465	444
Congenital Hydrocephalus* .. ..	..	78	75	73	76	82	81	80	83	79	79	74	80	84	108	99	111	9	7	9	8
Other Congenital Defects* .. ..	..																				
Injury at Birth .. ..	..	3	2	2	1	2	3	3	4	5	5	5	8	12	13	15	16	18	16	19	109
Atelectasis .. ..	..	25	20	22	25	26	26	26	31	33	29	30	30	30	29	29	33	33	35	34	35
Want of Breast Milk .. ..	..	9	8	6	8	8	11	6	8	8	9	9	9	13	14	15	18	18	16	18	18
Teething .. ..	..	126	133	140	141	124	121	103	120	109	103	101	94	97	90	84	85	79	60	55	51

\* See note to Table 25.



TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1888-1907.—Females.

CAUSES OF DEATH.	1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Meningitis, Inflammation of Brain	4025	3982	4068	3881	3660	3843	3299	3541	3384	3403	3521	3379	3531	3291	3044	2963	2897	2801	2696	2549
Softening of Brain	1448	1495	1555	1518	1393	1399	1192	1288	1178	1180	1238	1188	1072	1032	952	1009	1057	1088	1073	1121
General Paralysis of Insane	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Insanity (not Puerperal)	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Chorea	81	70	80	98	77	88	92	91	84	111	113	132	125	134	105	106	90	115	118	117
Epilepsy	1416	1421	1492	1491	1351	1365	1253	1387	1273	1192	1311	1375	1451	1350	1412	1454	1357	1402	1315	1342
Convulsions	9125	9308	9444	9496	8982	9277	7881	8948	8113	7939	7861	7975	8114	7825	7127	6463	6288	6556	5427	5017
Laryngismus Stridulus	267	239	242	287	261	253	183	238	208	193	172	154	175	182	173	187	178	142	125	124
Locomotor Ataxy	822	803	859	912	842	839	850	949	849	915	957	944	940	68	74	84	103	102	99	123
Paraplegia, Diseases of Cord	...	...	...	...	...	...	...	...	...	...	...	...	...	1013	960	948	988	960	962	953
Neuritis, Peripheral, Poly-Neuritis	...	...	...	...	...	...	...	...	...	...	...	...	...	86	223	304	291	284	323	335
Brain Tumour (not Specific)	2184	1901	1714	1769	1650	1829	1542	1733	1500	1428	1460	1496	1166	187	274	266	334	341	361	370
Other Diseases of Nervous System	...	...	...	...	...	...	...	...	...	...	...	...	...	2026	1882	1716	1850	1551	1511	1430
Otitis, Mastoid Disease	218	204	253	251	265	324	344	334	376	394	409	408	441	443	431	450	440	491	494	507
Epistaxis, Diseases of Nose	36	43	29	38	36	45	44	41	44	43	40	32	41	36	30	45	31	43	26	39
Ophthalmia, Diseases of Eye	25	31	16	27	23	26	32	33	27	24	18	24	28	26	24	28	30	32	37	34
Valvular Disease, Endocarditis (not Infective)*	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pericarditis	4014	4078	4505	5006	4781	4887	4915	5413	5451	5566	5937	6479	6945	6770	6951	7251	7874	8031	8294	8872
Hypertrophy of Heart	227	176	274	305	262	283	252	248	254	205	217	272	254	299	207	203	190	225	192	208
Angina Pectoris	157	144	127	148	123	110	98	119	87	84	102	107	103	89	109	92	102	85	84	75
Dilatation of Heart	264	256	242	272	226	237	243	248	259	233	223	246	255	225	248	237	249	307	313	330
Fatty Degeneration of Heart	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Syncope, Heart Disease (not specified)†	18711	18461	19664	20705	18941	18261	17164	19419	17450	18090	18178	19292	19178	1068	1147	1113	1242	1231	1275	1359
Cerebral Hæmorrhage, Cerebral Embolism†	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Apoplexy, Hemiplegia	13592	13210	13714	14297	13610	13250	12249	13293	12886	13200	13192	13835	13585	5897	6495	7442	7788	8119	8774	9140
Aneurysms	180	195	174	185	180	198	191	195	198	191	182	176	178	7156	6434	5685	5533	4780	4881	4718
Senile Gangrene	612	611	640	717	603	531	600	601	569	603	580	588	693	194	225	183	224	188	219	199
Embolism, Thrombosis (not Cerebral)‡	701	683	634	611	650	706	697	766	835	820	846	978	1007	329	280	635	657	619	630	662
Phlebitis	75	74	88	99	104	99	90	76	86	90	103	117	107	102	99	111	91	241	258	285
Varicose Veins	52	68	54	72	78	78	64	53	69	72	64	58	82	75	73	66	77	91	82	84
Other Diseases of Blood Vessels†	?	?	?	?	?	?	?	?	?	?	?	?	?	448	512	513	614	692	866	982

\* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis (not Infective)." (See p. 52.)

† For years prior to 1901, deaths from Other Diseases of Blood Vessels are included under the heading "Syncope, Heart Disease (not specified)"; see also note to Hemorrhage on p. 62.

‡ For years prior to 1901, deaths from Cerebral Embolism and Cerebral Thrombosis are included under the heading "Embolism, Thrombosis (not Cerebral)."

§ Since 1901 Aneurysm has been taken as the cause of death when occurring with certain other diseases.

TABLE 26 (continued).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1888-1907.—Females.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Meningitis, Inflammation of Brain Softening of Brain .. General Paralysis of Insane Insanity (not Puerperal) .. Chorea .. Epilepsy .. Convulsions .. Laryngismus Stridulus .. Locomotor Ataxy .. Paraplegia, Diseases of Cord .. Neuritis, Peripheral, Poly-Neuritis .. Brain Tumour (not Specific) .. Other Diseases of Nervous System ..	..	277	272	274	259	241	250	212	225	212	212	216	205	212	195	179	172	166	159	151	141
	..	100	102	105	101	92	91	77	82	74	73	76	72	64	61	56	59	60	62	60	62
	..	70	69	70	75	68	78	73	85	78	89	80	84	99	32	34	32	33	31	32	31
	..	6	5	5	7	5	6	6	6	5	7	7	8	8	45	55	54	61	67	67	69
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	..	97	97	101	99	89	89	81	88	80	74	81	84	87	80	83	84	78	79	74	74
	..	628	635	637	633	591	604	508	570	509	494	483	485	487	464	418	375	359	315	304	278
	..	18	16	16	19	17	16	12	15	13	12	11	9	11	11	10	11	10	8	7	7
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	..	57	55	58	61	55	55	55	60	53	57	59	57	56	4	4	5	6	6	6	7
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	..	150	130	115	118	108	119	99	110	94	89	90	91	70	11	16	15	106	19	18	20
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	120	110	100	88	85	85	79
Otitis, Mastoid Disease .. Epistaxis, Diseases of Nose .. Ophthalmia, Diseases of Eye ..	..	15	14	17	17	17	21	22	21	24	25	25	25	26	26	25	26	25	28	28	28
	..	2	3	2	3	2	3	3	3	3	3	2	2	2	2	2	3	2	2	1	2
	..	2	2	1	2	2	2	2	2	2	1	1	1	2	2	1	2	2	2	2	2
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Valvular Disease, Endocarditis (not Infective)* Pericarditis .. Hypertrophy of Heart .. Angina Pectoris .. Dilatation of Heart .. Fatty Degeneration of Heart .. Syncope, Heart Disease (not specified)* ..	..	276	278	304	334	314	318	317	345	343	346	365	394	417	402	408	420	450	455	464	491
	..	16	12	18	20	17	18	16	16	16	13	13	17	15	18	12	12	11	13	11	12
	..	..	..	..	..	8	7	6	8	5	5	6	7	6	5	6	5	6	5	5	4
	..	..	..	..	..	15	15	16	16	16	14	14	15	15	13	15	14	14	17	18	18
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	..	1288	1260	1326	1381	1245	1190	1105	1236	1095	1125	1117	1172	1152	945	894	830	866	803	764	779
Cerebral Hæmorrhage, Cerebral Embolism* Apoplexy, Hemiplegia .. Aneurysm* .. Senile Gangrene .. Embolism, Thrombosis (not Cerebral)* .. Phlebitis .. Varicose Veins .. Other Diseases of Blood Vessels*	..	936	902	927	954	895	863	789	846	809	821	811	841	816	350	381	432	445	460	492	506
	..	12	13	12	12	12	13	12	12	12	12	11	11	11	425	377	324	316	271	274	261
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

\* See note to Table 25.



TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1888-1907.—Females.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Laryngitis	..	730	664	718	637	634	767	634	630	625	590	512	571	652	{ 687	646	491	509	488	484	479
Membranous Laryngitis (not Diphtheritic)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Croup (not Spasmodic nor Membranous)	..	1661	1513	1385	1246	1018	949	803	756	744	501	394	453	377	{ 13	16	11	17	20	15	11
Other Diseases of Larynx and Trachea	..	84	70	70	57	64	67	54	67	60	60	46	47	54	384	266	207	216	205	201	175
Bronchitis	..	28466	27824	33418	37623	33787	28951	24700	30627	23848	23533	23651	26111	27863	25	19	24	17	29	21	21
Emphysema, Asthma	..	1002	876	1047	1302	1210	918	887	1064	843	857	962	1191	1046	22723	22304	18650	21610	19954	18285	21781
Pleurisy	..	628	528	733	792	677	736	592	657	618	588	637	662	736	963	672	520	658	656	613	681
Fibroid Disease of Lung	..	..	..	..	..	..	..	..	..	..	..	..	..	..	697	600	552	543	542	521	589
Other Diseases of Respiratory System	..	2124	1953	2187	2426	2139	1935	1663	1938	1749	1670	1595	1677	1667	{ 180	177	146	178	146	121	166
															{ 1575	1457	1291	1370	1351	1282	1216
Tonsillitis, Quinsy	..	514	598	602	587	539	663	520	595	537	510	496	527	528	224	189	161	191	200	166	185
Dis. of Mouth, Pharynx, Oesophagus (not Specific)*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	286	256	202	283	285	276	260
Gastric Ulcer	..	1937	2046	2369	2381	2446	2734	2548	2943	2886	2899	3053	3365	3696	{ 1067	1167	1138	1197	1134	1078	1120
Gastritis, Gastric Catarrh	..	..	..	..	..	..	..	..	..	..	..	..	..	..	{ 2854	2449	2382	2347	2061	1738	1675
Other Diseases of Stomach (not Malignant)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2697	2000	2127	219	221	255	275
Ulceration of Intestines†	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2110	1900	2360	1777
Enteritis (not Epidemic)†	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1540	1250	1805	1113
Gastro-enteritis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	763	850	857	808
Appendicitis, Perityphlitis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	826	839	816	834
Hernia‡	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1240	1314	1309	1249
Intestinal Obstruction	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	108	127	110	137
Other Diseases of Intestines§	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	713	763	460	389
Peritonitis (not Puerperal)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	826	839	1744	1833
Cirrhosis of Liver	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1720	1842	1269	1171
Other Diseases of Liver and Gall Bladder	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1271	1219	1269	1171
Other Diseases of Digestive System*§	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	239	209	144	196

\* For years prior to 1901, deaths from Diseases of the Oesophagus are included under the heading "Other Diseases of Digestive System."

† For the years 1901-3, deaths from Ulceration of Intestines are included under the heading Enteritis (not Epidemic).

‡ Since 1902 Hernia, when strangulated, has been taken as the cause of death when occurring with certain other diseases.

§ For years prior to 1901, deaths from Other Diseases of Intestines are included under the heading "Other Diseases of Digestive System."

TABLE 26 (continued).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1888-1907.—Females.

CAUSES OF DEATH.	1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Laryngitis .. .. .	50	45	48	42	42	50	41	40	39	37	31	35	39	{	38	28	29	28	27	27
Membranous Laryngitis (not Diphtheritic)	114	103	93	83	67	62	52	48	23	16	24	28	23	23	16	12	12	1	1	1
Croup (not Spasmodic nor Membranous)	6	5	5	4	4	4	3	4	3	4	3	3	3	1	1	1	1	2	1	10
Other Diseases of Larynx and Trachea	1960	1899	2255	2509	2221	1886	1591	1950	1673	1463	1454	1586	1073	1349	1308	1081	1235	1130	1024	1206
Bronchitis .. .. .																				
Emphysema, Asthma .. .. .	69	60	71	87	80	60	57	68	63	53	59	72	63	57	39	30	38	37	34	38
Pleurisy .. .. .	43	36	49	53	45	48	38	42	44	37	39	40	44	41	35	32	31	31	29	33
Fibroid Disease of Lung .. .. .	146	133	148	162	141	126	107	123	100	104	98	102	100	{	110	8	10	8	7	9
Other Diseases of Respiratory System														93	85	75	78	77	72	67
Tonsillitis, Quinsy .. .. .	35	41	40	39	35	43	33	38	32	32	30	32	32	{	11	9	11	11	9	10
Dis. of Mouth, Pharynx, Esophagus (not Specific)*														13	15	12	16	16	15	14
Gastric Ulcer .. .. .	133	139	160	159	161	178	164	187	222	180	188	204	222	63	68	66	68	64	60	62
Gastritis, Gastric Catarrh .. .. .														{	144	138	134	117	{	93
Other Diseases of Stomach (not Malignant)														169					14	15
Ulceration of Intestines* .. .. .														{					15	14
Enteritis (not Epidemic)* .. .. .														160	117	123	13	13	132	98
Gastro-enteritis .. .. .	120	152	175	169	180	264	183	315	364	387	475	557	364	{	59	75	88	71	101	62
Appendicitis, Perityphilitis .. .. .														114	34	41	44	48	48	45
Hernia* .. .. .	41	46	43	44	45	47	38	44	43	42	44	49	43	30	34	45	47	48	46	46
Intestinal Obstruction .. .. .	90	94	85	90	83	88	85	90	80	85	84	87	80	44	48	45	47	48	46	46
Other Diseases of Intestines*	p	p	p	p	p	p	p	p	p	p	p	p	p	80	73	74	71	74	73	69
Peritonitis (not Puerperal) .. .. .	84	86	90	95	79	91	73	71	60	61	60	61	60	6	8	8	6	7	6	8
Cirrhosis of Liver .. .. .	100	103	105	104	104	103	96	104	127	115	112	119	127	48	36	32	30	26	25	22
Other Diseases of Liver and Gall Bladder	188	186	174	162	149	148	135	134	108	128	115	111	108	115	104	100	101	104	98	101
Other Diseases of Digestive System*	49	49	48	46	43	48	42	29	18	30	26	21	18	17	14	14	14	12	8	11

\* See note to Table 25.



TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1888-1907.—Females.

CAUSES OF DEATH.	1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Diseases of Spleen .. .. .	44	60	49	45	47	52	41	38	35	38	32	24	21	34	32	25	25	36	26	29
Other Diseases of Lymphatic System ..	103	104	78	92	117	106	105	107	108	118	105	118	138	134	134	143	149	149	160	153
Diseases of Thyroid Body* .. .. .	109	126	142	138	140	213	166	185	196	205	255	279	285	394	370	377	399	412	421	455
Diseases of Supra Renal Capsules .. ..	77	75	72	83	74	85	74	98	109	105	105	107	116	87	87	98	103	122	112	91
Acute Nephritis, Uræmia .. .. .	881	906	1010	1044	1044	1080	1092	1129	1220	1280	1261	1363	1330	1289	1372	1384	1458	1473	1554	1591
Chronic Bright's Disease, Albuminuria ..	3180	3215	3270	3462	3385	3464	3424	3872	3699	3783	3969	4273	4486	4441	4208	4394	4541	4415	4584	4869
Calculus (not Biliary) .. .. .	55	59	46	61	66	55	53	65	53	61	72	57	75	59	67	61	86	72	77	80
Diseases of Bladder and of Prostate ..	221	231	213	220	240	236	253	254	236	219	211	210	243	222	235	225	241	232	238	238
Other Diseases of Urinary System .. ..	460	387	398	448	380	319	263	274	227	260	282	229	120	152	127	130	140	148	151	139
Ovarian Tumour (not Malignant) .. ..	558	498	494	536	499	506	435	500	456	457	447	446	406	348	373	374	350	389	375	357
Other Diseases of Ovary .. .. .	614	617	648	648	675	723	734	688	710	745	682	709	667	339	334	359	353	376	46	51
Uterine Tumour (not Malignant) .. ..	84	81	87	77	63	71	76	91	73	74	65	88	92	316	305	278	316	327	353	327
Other Diseases of Uterus and Vagina ..	176	162	162	139	102	64	61	55	63	59	58	64	44	76	58	56	36	42	39	50
Disorders of Menstruation .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	19	16	6	14	20	18	10
Other Diseases of Gener. & Mamm. Organs ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Abortion, Miscarriage .. .. .	88	88	185	228	255	161	160	180	215	191	187	179	218	152	148	152	141	151	143	102
Puerperal Mania .. .. .	70	87	87	105	77	83	76	65	77	74	59	74	73	70	79	62	62	66	68	70
Puerperal Convulsions .. .. .	362	313	296	373	333	376	350	325	358	314	386	347	387	376	400	409	395	467	438	449
Placenta Prævia, Flooding .. .. .	763	726	700	778	806	803	780	719	701	694	660	691	614	699	637	678	580	619	618	608
Other Accidents of Pregnancy and Childbirth ..	420	462	971	1234	1284	1433	1152	1012	1087	1079	1015	1062	1146	1018	938	888	835	868	850	826
Caries, Necrosis .. .. .	423	449	412	468	405	424	403	400	389	349	339	340	346	344	298	289	234	239	198	177
Arthritis, Periostitis .. .. .	102	87	116	117	113	145	114	119	112	101	102	137	118	82	80	83	106	89	92	110
Other Diseases of Locomotor System .. ..	489	496	461	401	355	260	246	268	208	215	183	184	148	164	137	129	114	137	186	105
Ulcer, Bed-sore .. .. .	371	349	352	365	378	359	368	372	308	379	366	361	372	314	265	254	290	300	305	341
Eczema .. .. .	146	162	154	180	188	205	148	188	163	147	177	153	150	173	144	137	134	130	103	123
Pemphigus .. .. .	46	61	49	59	44	67	58	68	79	73	69	74	88	69	66	93	94	125	110	100
Other Diseases of the Skin .. .. .	88	108	109	94	100	112	118	118	116	83	100	112	134	110	113	111	103	115	101	122

\* Deaths from Cretinism and Myxædema, which in the old Tables were included with "Other Constitutional Diseases," have been classed under this heading since 1901.

TABLE 26 (continued).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1888-1907.—Females.

CAUSES OF DEATH.	1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Diseases of Spleen .. .. .	3	4	5	3	3	3	3	2	2	2	2	1	1	2	2	1	1	2	1	2
Other Diseases of Lymphatic System ..	7	7	3	7	8	7	7	7	7	7	6	7	8	9	8	8	8	8	9	8
Diseases of Thyroid Body* .. .. .	8	9	10	9	9	14	11	12	12	13	16	17	17	23	22	22	23	23	24	25
Diseases of Supra Renal Capsules .. ..	5	5	5	6	5	6	5	6	7	7	6	7	7	5	5	6	6	7	6	5
Acute Nephritis, Uræmia .. .. .	61	62	68	70	69	70	70	72	77	78	78	83	80	77	80	80	83	83	87	88
Chronic Bright's Disease, Albuminuria ..	219	219	221	231	223	226	221	246	232	235	244	260	269	264	247	255	260	250	257	270
Calculus (not Biliary) .. .. .	4	4	3	4	4	4	3	4	3	4	4	3	5	4	4	4	5	4	4	4
Diseases of Bladder and of Prostate .. ..	15	16	14	15	16	15	16	16	15	14	13	13	15	13	14	13	14	13	13	13
Other Diseases of Urinary System .. ..	32	27	26	30	25	21	17	17	14	16	17	14	7	9	7	8	8	8	8	8
Ovarian Tumour (not Malignant) .. .. .	38	34	33	36	33	33	28	32	29	28	27	27	24	21	22	22	20	22	21	20
Other Diseases of Ovary .. .. .	42	42	44	43	44	47	47	44	45	46	42	43	40	20	20	4	3	2	3	3
Uterine Tumour (not Malignant) .. .. .	6	6	6	5	4	5	5	6	5	5	4	5	6	5	3	3	2	19	17	18
Other Diseases of Uterus and Vagina .. ..	12	11	11	9	7	4	4	4	4	4	4	4	3	1	1	0	1	2	2	3
Disorders of Menstruation .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Other Diseases of Gener. & Mamm. Organs ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Abortion, Miscarriage .. .. .	6	6	12	15	17	10	10	11	13	12	11	11	13	9	9	9	8	9	8	6
Puerperal Mania .. .. .	5	6	6	7	5	5	5	4	5	5	4	4	4	4	5	4	4	4	4	4
Puerperal Convulsions .. .. .	25	21	20	25	22	24	23	21	22	20	24	21	23	22	23	24	23	26	25	25
Placenta Prævia, Flooding .. .. .	53	50	47	52	53	52	50	45	44	43	41	42	37	41	37	39	33	35	35	34
Other Accidents of Pregnancy and Childbirth	29	32	66	82	84	93	74	64	68	67	62	65	69	60	55	51	48	49	48	46
Caries, Necrosis .. .. .	29	31	28	31	27	28	26	25	24	22	21	21	21	20	17	17	13	14	11	10
Arthritis, Periostitis .. .. .	7	6	8	8	7	9	7	8	7	6	6	8	7	5	5	5	6	5	5	6
Other Diseases of Locomotor System .. ..	34	34	31	27	23	17	16	17	13	13	11	11	9	10	8	7	7	8	10	6
Ulcer, Bed-sore .. .. .	26	24	24	24	25	23	24	24	19	24	22	22	22	19	16	15	17	17	17	19
Eczema .. .. .	10	11	10	12	12	13	10	12	10	9	11	9	9	10	8	8	8	7	6	7
Pemphigus .. .. .	3	4	3	4	3	4	4	4	5	5	4	4	5	4	4	5	5	7	6	6
Other Diseases of the Skin .. .. .	6	7	7	6	7	7	8	8	7	5	6	7	8	7	7	6	6	7	6	7

\* See note to Table 25.



TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1888-1907.—Females.

CAUSES OF DEATH.		1888.	1889.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
<b>OTHER SPECIFIED DISEASES.*</b>																					
<b>CAUSES ILL-DEFINED OR NOT SPECIFIED.</b>																					
<i>Atrophy, Debility</i>	..	9416	9703	10003	9861	9585	10328	8287	10013	8805	9034	9092	9108	8989	8705	7819	7721	7785	6920	6998	6267
<i>Old Age</i>	..	15464	15364	16043	16930	16053	16340	14103	16997	15038	16358	16550	17955	17961	17126	17320	17111	18455	18018	18998	19001
<i>Dropsy, Ascites, Anasarca</i>	..	351	319	330	270	258	238	198	228	186	167	185	221	223	138	97	95	73	77	46	65
<i>Tumour</i>	..	86	98	100	79	90	74	78	74	49	77	53	56	48	58	53	50	50	54	40	60
<i>Abscess</i>	..	285	307	297	272	294	277	232	185	199	197	189	185	169	159	147	148	128	106	132	142
<i>Hæmorrhage†</i>	..	42	52	62	45	56	75	58	55	46	38	48	40	55	12	25	14	15	17	15	19
<i>Sudden Death (cause unascertained)</i>	..	159	155	194	141	172	151	121	143	127	83	90	83	110	61	83	53	20	42	8	8
<i>Other ill-defined causes</i>	..	1227	1171	1168	1142	989	835	762	888	768	800	753	{ 636	788	155	298	362	342	336	326	291
<i>Causes not specified</i>	..														436	256	121	91	72	70	66
<b>VIOLENT DEATHS.</b>																					
<i>In Mines and Quarries</i>	..																				
<i>Vehicles and Horses</i>	..																				
<i>Ships, Boats, and Docks (not Drowning)</i>	..																				
<i>Building Operations..</i>	..																				
<i>Machinery</i>	..																				
<i>Weapons and Implements..</i>	..																				
<i>Burns and Scalds</i>	..																				
<i>Poisons, Poisonous Vapours</i>	..																				
<i>Drowning</i>	..																				
<i>Suffocation</i>	..																				
<i>Falls</i>	..																				
<i>Weather Agencies</i>	..																				
<i>Otherwise, or not stated</i>	..																				
<i>Battle</i>	..																				
<i>Homicide</i>	..																				
<i>Suicide</i>	..																				
<i>Execution</i>	..																				

\* The figures for years prior to 1901 refer to deaths classed either to "Other Miasmatic Diseases" or to "Other Constitutional Diseases."

† Deaths from Rupture of Blood Vessels are included under this heading for years prior to 1901, and under "Other Diseases of Blood Vessels" since that date.

TABLE 26 (continued).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1888-1907.—Females.

[illegible]

See note to Table 25.



TABLE 27.—ENGLAND AND WALES.—Crude Annual Death-rates from the Principal Epidemic Diseases and Infantile Mortality, 1858-1907.

PERIOD.	ANNUAL MORTALITY PER MILLION PERSONS LIVING FROM THE PRINCIPAL EPIDEMIC DISEASES.									ANNUAL MORTALITY of Infants under one year of age to 1000 Births.
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Pyrexia.* (Origin uncertain.)	Diarrhoea, sentery, and Cholera.	
1838-42 (5 years.)	576	539	797		504	1053			298	152
1847-50 (4 years.)	292	403	884		480	1246			1710	154
1851-60	222	412	982		505	913			1088	154
1861-70	162	443	971	187	530	886			1076	154
1871-80	245	379	719	121	513	58	326	105	942	149
1881-90	46	441	338	163	451	15	198	25	677	142
1891-1900	13	414	158	263	378	3	174	6	735	154
1858	329	476	1212	339	598	918			822	158
1859	193	485	976	517	456	806			1046	153
1860	136	479	485	261	429	652			560	148
1861	64	450	451	225	612	767			1044	153
1862	78	481	728	241	602	919			622	142
1863	286	550	1478	315	547	874			814	149
1864	364	397	1418	261	409	960			877	153
1865	301	405	837	196	409	1089			1225	160
1866	139	511	546	140	736	986			1525	160
1867	114	304	567	120	548	778			1003	153
1868	91	528	996	137	419	895			1473	155
1869	67	464	1244	117	493	193	390	239	967	156
1870	113	335	1446	120	529	147	388	233	1208	160
1871	1012	408	815	111	455	121	371	186	1132	158
1872	821	368	515	93	596	80	377	145	1030	150
1873	98	316	562	108	411	70	376	132	994	149
1874	88	517	1050	150	437	74	374	130	948	151
1875	35	257	851	142	594	62	371	108	1051	158
1876	99	408	691	129	432	48	309	81	942	146
1877	173	366	585	111	460	45	279	78	632	136
1878	74	310	753	140	710	36	306	71	1028	152
1879	21	362	694	120	503	21	231	58	460	135
1880	25	478	675	109	530	21	261	58	1202	153
1881	119	280	548	121	415	21	212	44	570	130
1882	50	483	521	152	579	36	229	39	666	141
1883	36	350	475	158	393	33	228	36	613	137
1884	82	419	402	186	425	12	236	28	1008	147
1885	103	533	233	164	481	12	175	24	503	138
1886	11	436	218	149	470	9	184	22	918	149
1887	19	602	282	160	404	8	185	18	744	145
1888	37	347	226	171	436	6	172	15	463	136
1889	1	518	235	189	430	5	176	15	660	144
1890	0	439	242	179	478	5	179	13	620	151
1891	2	436	170	173	468	5	168	11	480	149
1892	15	459	190	222	454	3	137	8	520	148
1893	49	373	235	318	342	5	229	9	1000	159
1894	27	391	167	291	410	4	159	7	359	137
1895	7	377	149	259	315	2	175	5	901	161
1896	17	570	177	291	429	2	166	5	564	148
1897	0	408	147	246	367	2	156	4	869	156
1898	8	419	113	243	323	1	181	4	957	160
1899	5	314	117	292	318	1	198	4	973	163
1900	3	394	119	290	356	1	173	4	730	154
1901	10	276	133	273	313	1	155	3	926	151
1902	75	392	148	236	297	2	126	3	429	133
1903	23	274	125	182	285	2	100	2	554	132
1904	15	363	111	170	352	1	93	2	879	145
1905	4	324	112	160	255	1	89	2	601	128
1906	1	273	101	177	241	0	92	1	886	132
1907	0	361	92	164	293	1	67	1	305	118

\* Called Simple Continued Fever previous to 1901.

TABLE 28.—LONDON.\*—Crude Annual Death-rates from the Principal Epidemic Diseases and Infantile Mortality, 1858-1907.

PERIOD.	ANNUAL MORTALITY PER MILLION PERSONS LIVING FROM THE PRINCIPAL EPIDEMIC DISEASES.									ANNUAL MORTALITY of Infants under one year of age to 1,000 Births.
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Pyrexia.† (Origin uncertain.)	Diarrhoea, Dysentery, and Cholera.	
1838-40 (3 years.)	1065	695	1108		804	1339			294	—
1841-50	402	623	863		867	979			1469	157
1851-60	280	530	1017		877	886			1544	155
1861-70	276	576	1133	179	882	904			1284	162
1871-80	457	510	600	122	815	55	244	75	987	158
1881-90	145	636	335	259	693	8	189	18	772	152
1891-1900	10	583	188	500	500	1	143	3	781	160
1858	90	884	1561		1010	716			877	160
1859	425	488	1277	284	639	675			1360	150
1860	323	752	726	174	744	531			553	153
1861	77	377	846	239	1260	656			1033	155
1862	128	816	1221	255	758	1284			680	143
1863	687	562	1706	275	749	988			913	151
1864	185	942	1097	207	819	1278			1071	169
1865	214	431	727	144	980	1074			1307	171
1866	457	730	622	152	973	884			2923	172
1867	436	370	470	145	738	708			1070	159
1868	190	625	929	158	745	786			1412	166
1869	87	458	1839	107	1187	225	337	194	1169	170
1870	302	450	1875	104	607	147	303	177	1258	164
1871	2422	437	582	105	701	118	267	133	1282	171
1872	537	505	276	80	979	52	242	97	1132	158
1873	34	637	191	95	777	82	269	96	1219	160
1874	17	490	773	122	545	91	256	98	970	156
1875	13	404	1056	167	920	37	235	78	975	162
1876	207	485	651	109	771	45	217	57	1048	157
1877	710	664	439	88	505	44	251	54	697	146
1878	388	411	495	155	1227	41	283	54	1001	164
1879	121	667	717	155	791	19	229	43	524	148
1880	125	402	820	144	930	20	186	35	1024	158
1881	619	663	553	172	516	24	254	35	824	148
1882	111	605	519	222	1212	14	252	25	575	151
1883	35	626	514	244	410	14	247	26	701	146
1884	313	575	362	241	799	8	234	20	1029	156
1885	357	731	181	227	624	7	150	20	703	148
1886	6	519	172	212	714	3	154	18	1028	159
1887	2	716	356	235	723	5	151	11	963	158
1888	2	590	295	319	728	2	169	9	550	146
1889	—	558	190	391	432	4	130	10	665	141
1890	1	773	206	331	768	2	146	9	678	163
1891	2	428	142	340	680	3	132	10	594	155
1892	10	798	273	460	586	3	102	5	617	155
1893	48	333	369	759	539	1	160	5	826	164
1894	20	757	222	622	482	1	147	3	408	143
1895	13	614	189	534	346	1	143	2	841	166
1896	2	826	207	600	655	1	130	4	745	162
1897	4	429	176	511	413	0	132	2	958	159
1898	0	687	130	395	483	1	131	2	1009	167
1899	1	475	89	434	383	0	180	0	974	167
1900	1	432	81	348	434	0	170	1	841	160
1901	53	433	128	296	355	1	118	2	862	149
1902	284	507	121	254	401	0	126	1	582	141
1903	3	446	77	165	357	1	83	2	655	131
1904	5	490	79	159	325	—	65	1	1097	146
1905	2	366	117	119	322	—	53	0	729	131
1906	—	409	113	151	266	—	59	1	957	133
1907	—	380	135	167	375	—	43	1	321	117

\* For the purposes of this table the deaths of Londoners during recent years in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside London, have been included, and the deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within London, have been excluded. Some of the figures for 1907 may differ, therefore, from those in Tables 13, 31, and 40.

† Called Simple Continued Fever previous to 1901.



TABLE 29.—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1907.—MALES.  
*Note.*—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1907.* (Males.)	DEATH-RATE PER MILLION LIVING FROM																									
		ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia,† of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis <i>Mesenterica</i> .	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
ENGLAND & WALES.	16,879,509	15952	0	390	97	1	263	267	165	1	81	342	669	672	183	106	31	185	781	104	68	1565	1210	—	810	7961	
I.—LONDON.	2,245,748	16003	—	432	126	—	195	344	170	1	52	347	1227	562	236	90	20	215	973	145	65	1774	1232	—	—	830	6967
II.—SOUTH EASTERN.			—	123	58	3	285	212	144	3	44	264	840	547	141	76	21	131	801	144	68	1232	837	—	—	733	7167
Surrey .. .. .	382,239	13874	—	301	89	—	252	268	109	—	95	188	660	559	133	95	16	157	799	85	42	1132	803	—	—	698	6982
Kent .. .. .	504,359	13465	2	79	41	—	451	169	121	—	41	193	572	840	155	55	17	200	1054	100	62	1092	820	—	—	654	7771
Sussex .. .. .	290,322	14487	—	301	30	—	386	167	234	2	67	247	807	605	140	67	22	154	922	149	67	987	850	—	—	740	7795
Hampshire .. .	401,391	14744	5	112	—	—	371	133	175	—	21	161	580	426	77	49	21	126	944	119	35	1000	874	—	—	776	7711
Berkshire .. .	143,028	13711	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III.—SOUTH MIDLAND.			—	319	210	—	225	323	194	4	46	363	638	524	168	90	31	149	686	94	66	1529	819	—	—	588	6094
Middlesex .. .	457,768	13160	—	164	74	—	385	229	115	—	33	74	549	442	66	82	16	123	966	106	57	1023	1097	—	—	721	7759
Hertfordshire ..	122,149	14081	—	250	23	—	250	91	114	—	23	57	421	557	80	80	—	125	785	114	80	1092	933	—	—	785	7253
Buckinghamshire	87,929	13113	—	69	34	—	345	103	138	—	23	126	482	678	126	46	—	207	1125	149	69	1102	1263	—	—	712	9751
Oxfordshire .. .	87,079	16548	—	216	108	—	237	76	76	—	38	146	453	750	162	92	38	124	880	113	49	917	869	—	—	599	6966
Northamptonshire	185,299	12909	—	183	92	—	504	—	229	—	46	92	367	550	92	183	12	138	1284	183	—	917	1146	—	—	825	8254
Huntingdonshire..	21,810	15085	—	246	35	—	235	375	293	—	59	282	575	809	106	47	12	106	1044	129	70	938	1255	—	—	645	8457
Bedfordshire .. .	85,251	15718	—	121	50	—	443	111	111	—	30	181	554	554	141	70	10	161	1187	81	40	1057	835	—	—	684	8190
Cambridgeshire ..	99,378	14611	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
IV.—EASTERN.			—	272	153	2	190	360	208	2	44	379	518	603	197	63	32	161	640	121	48	1133	1043	—	—	600	5990
Essex .. .. .	620,246	12759	—	256	28	—	240	312	56	—	56	145	334	702	128	45	17	290	1020	139	61	931	970	—	—	786	8780
Suffolk .. .. .	179,389	15296	—	35	40	—	339	256	159	—	84	286	361	714	150	115	18	163	1018	128	75	965	1000	—	—	617	8901
Norfolk .. .. .	226,858	15424	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
V.—SOUTH WESTERN.			—	340	67	—	429	96	126	—	67	104	348	503	104	104	—	126	903	44	52	755	910	—	—	496	7968
Wiltshire .. .	135,133	13542	—	117	20	—	593	29	253	—	97	97	428	798	156	49	10	243	778	78	88	1197	895	—	—	662	8453
Dorsetshire .. .	102,785	15941	—	385	25	—	330	111	96	—	65	97	586	644	117	83	12	216	897	102	65	1177	1251	—	—	820	8639
Devonshire .. .	324,501	15852	—	294	33	—	321	161	114	—	54	254	729	890	141	54	—	147	863	94	47	883	876	—	—	863	9039
Cornwall .. .	149,461	15817	—	105	41	—	337	250	150	—	32	169	433	510	132	41	14	87	874	82	59	1057	1034	—	—	879	8456
Somersetshire .. .	219,584	14742	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VI.—WEST MIDLAND.			—	174	60	—	338	73	205	—	54	237	685	531	139	79	19	123	897	95	73	1137	1058	—	—	730	7776
Gloucestershire ..	316,646	14483	—	277	55	—	739	—	148	—	74	74	628	444	92	92	—	129	850	185	55	1405	906	—	—	665	9242
Herefordshire .. .	54,111	16060	—	215	38	—	530	161	177	—	54	92	361	607	161	85	15	146	868	38	38	1244	883	—	—	876	8391
Shropshire .. .	130,177	14980	—	635	154	—	248	231	167	—	104	483	512	637	136	119	37	194	600	75	61	1568	1501	—	—	814	8415
Staffordshire .. .	670,431	16691	—	454	73	—	229	202	118	—	73	160	420	576	99	99	27	179	683	111	46	1343	1183	—	—	664	7460
Worcestershire ..	262,064	14199	—	467	133	—	179	215	184	—	112	439	473	994	137	122	27	196	754	118	72	1628	1226	—	—	834	8194
Warwickshire .. .	473,711	16504	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							

\* The populations have been estimated to the middle of 1907 from the numbers enumerated at the Censuses of 1891 and 1901.  
† Called Simple Continued Fever previous to 1901.



TABLE 30.—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1907.—FEMALES.

Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1907.* (Females.)	DEATH-RATE PER MILLION LIVING FROM																	All other Causes.							
		All Causes.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia† of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis.	Tabes Mesenterica.		All other Tubercu- lous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.
ENGLAND & WALES.	13,066,091	14113	0	335	87	1	267	318	163	1	54	269	447	505	155	97	24	154	1026	76	72	1137	1206	196	326	7197
I.—LONDON.	2,512,470	13562	—	333	166	—	197	402	154	1	34	275	628	365	203	78	13	172	1081	107	73	1317	1262	142	386	6233
II.—SOUTH EASTERN.																										
Surrey .. .. .	430,650	12119	—	72	67	—	339	244	176	5	12	197	474	351	149	65	9	109	1124	98	49	910	759	139	304	6467
Kent .. .. .	517,452	12235	2	259	70	—	315	323	108	2	79	157	512	462	97	72	23	168	1117	83	58	800	883	97	251	6297
Sussex .. .. .	353,568	12244	—	71	17	—	419	187	82	—	25	161	345	588	133	42	6	136	1369	59	82	773	821	110	209	6609
Hampshire .. .	436,199	12824	—	282	11	—	378	170	186	—	80	172	536	420	158	69	21	177	1091	80	28	812	867	144	280	6862
Berkshire .. .	152,570	12329	—	151	26	—	393	223	295	7	46	118	315	354	98	39	13	111	1068	98	72	675	878	210	262	6877
III.—SOUTH MIDLAND.																										
Middlesex .. .	515,938	11548	—	223	173	—	242	384	178	4	43	231	409	372	110	48	10	97	956	62	74	1006	969	169	238	5550
Hertfordshire ..	133,918	13150	—	164	45	—	321	217	112	—	22	105	530	441	127	52	15	82	1412	75	30	829	1038	157	202	7174
Buckinghamshire	92,405	12240	—	206	65	—	411	238	152	—	11	76	335	292	130	65	11	54	1223	43	65	909	985	65	314	6590
Oxfordshire .. .	98,741	13034	—	30	—	—	365	162	101	—	20	132	456	435	122	61	10	142	1438	111	41	729	1195	192	263	7009
Northamptonshire	191,507	11483	—	172	78	—	204	167	47	—	37	115	272	554	110	89	16	115	924	57	37	653	1164	120	308	8244
Huntingdonshire..	23,004	14041	—	43	87	—	522	—	261	—	43	217	348	609	217	87	—	217	913	87	174	522	1217	43	217	8217
Bedfordshire .. .	97,074	13186	—	134	41	—	216	422	227	—	72	165	402	484	72	72	—	144	1030	62	72	876	1298	165	216	7016
Cambridgeshire ..	105,344	13632	—	114	38	—	361	123	104	—	66	161	437	399	161	95	9	133	1291	133	95	712	978	247	247	7728
IV.—EASTERN.																										
Essex .. .. .	638,532	12128	—	287	103	—	219	439	249	—	30	290	373	423	172	67	22	149	843	94	89	996	1020	144	254	5865
Suffolk .. .. .	189,866	13799	—	200	32	—	253	300	84	—	37	63	321	706	200	58	—	237	1143	100	74	737	906	111	263	7974
Norfolk .. .. .	248,433	13955	—	48	32	—	326	270	201	—	40	225	338	539	105	101	12	125	1381	121	44	725	914	185	250	7973
V.—SOUTH WESTERN.																										
Wiltshire .. .. .	136,615	14303	—	256	44	—	490	168	205	—	22	66	432	403	132	51	15	198	1339	66	51	710	1135	161	293	8066
Dorsetshire .. .	103,946	12988	—	77	—	—	625	58	173	—	19	144	327	510	115	58	10	135	1039	87	48	673	972	164	173	7581
Devonshire .. .	362,613	14191	—	259	36	—	350	165	86	—	47	221	469	461	97	91	3	193	1059	77	55	940	1241	168	265	7498
Cornwall .. .. .	171,103	14553	—	245	18	—	292	175	64	6	41	94	444	538	140	41	18	199	1169	47	47	690	970	199	234	8882
Somersetshire .. .	256,021	13104	—	90	16	—	371	246	141	—	4	148	445	387	86	55	—	109	1172	70	43	852	1117	137	258	7357
VI.—West MIDLAND.																										
Gloucestershire ..	365,712	13256	3	142	44	—	375	98	167	—	16	194	432	416	85	74	16	134	1096	79	96	850	1200	142	295	7302
Herefordshire .. .	57,967	14077	—	242	52	—	673	69	138	—	35	86	293	535	86	86	17	86	1259	69	69	949	897	224	138	8074
Shropshire .. .	132,426	13744	—	234	30	—	513	75	106	—	8	106	332	491	98	83	15	98	1155	30	83	883	793	159	340	8112
Staffordshire .. .	679,297	14813	—	626	137	—	172	262	171	—	72	361	330	512	124	127	34	149	814	66	71	1125	1353	215	387	7705
Worcestershire ..	290,990	12687	—	296	103	—	223	265	100	—	58	144	357	364	89	69	17	137	990	48	38	1014	1189	134	313	6719
Warwickshire .. .	503,850	14314	—	456	109	—	171	276	169	—	60	323	306	494	143	101	26	161	998	62	60	1183	1167	196	447	7406

\* The populations have been estimated to the middle of 1907 from the numbers enumerated at the Censuses of 1891 and 1901.

† Called Simple Continued Fever previous to 1901.



TABLE 29 (continued).—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1907.—MALES.  
Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1907.* (Males.)	DEATH-RATE PER MILLION LIVING FROM																	All other Causes.							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia,† of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuber- culous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	
VII.—NORTH MIDLAND.																										
Leicestershire ..	232,135	—	211	82	—	207	112	138	—	43	254	401	694	202	90	13	258	737	95	47	1094	1202	—	—	715	7332
Rutlandshire ..	10,014	—	—	—	—	399	100	300	—	100	100	100	399	100	100	—	203	899	—	68	1198	999	—	—	599	8088
Lincolnshire ..	251,083	—	219	127	—	382	346	175	—	104	255	374	709	127	115	24	203	932	92	68	1063	1143	—	—	801	8959
Nottinghamshire ..	321,841	—	696	72	—	239	232	154	—	124	494	569	659	171	112	31	190	612	118	50	1684	1591	—	—	92	8294
Derbyshire.. ..	262,123	—	370	80	—	202	214	198	4	111	217	374	664	168	99	23	172	591	92	76	1267	1183	—	—	820	8095
VIII.—NORTH WESTERN.																										
Cheshire .. ..	395,856	—	392	106	3	210	260	200	3	78	265	505	659	220	139	56	174	720	99	51	1645	1018	—	—	745	8213
Lancashire .. ..	2,286,460	0	480	128	3	206	370	161	—	119	509	803	794	227	153	45	191	666	84	89	2101	1610	—	—	841	8500
IX.—YORK.																										
West Riding ..	1,447,316	—	442	117	—	240	282	151	1	86	501	697	625	192	111	29	184	705	85	73	1686	1425	—	—	833	8191
East Riding (with York)	240,370	—	570	54	—	291	241	229	4	96	391	508	736	150	112	29	183	753	104	62	1402	1152	—	—	990	8605
North Riding ..	191,741	—	809	57	—	495	250	266	—	146	350	553	746	214	94	94	261	908	94	73	2915	1116	—	—	960	9141
X.—NORTHERN.																										
Durham .. ..	662,411	—	608	65	3	232	266	195	2	113	361	308	864	255	201	89	211	610	68	74	1925	1378	—	—	984	8854
Northumberland..	335,838	—	402	68	—	167	313	217	3	57	241	685	810	256	131	68	188	721	95	63	1513	986	—	—	962	8806
Cumberland ..	130,497	—	460	84	—	222	138	69	8	130	184	360	774	138	146	38	153	1035	54	107	1862	1073	—	—	874	9953
Westmorland ..	29,585	—	135	34	—	473	135	34	—	34	—	203	608	68	68	—	101	1048	101	—	845	642	—	—	744	8822
XI.—WELSH.																										
Monmouthshire ..	176,461	—	521	125	—	323	198	232	6	215	346	391	612	159	62	23	142	448	136	74	2697	1490	—	—	1162	8279
South Wales ..	679,567	3	477	63	—	287	256	144	3	106	368	515	650	212	103	28	190	612	109	88	1856	1192	—	—	1134	8322
Glamorganshire ..	502,796	4	617	76	—	263	278	139	2	107	446	487	603	217	99	28	157	545	117	93	2039	1279	—	—	1231	8084
Carmarthenshire ..	61,488	—	49	33	—	293	358	244	—	130	98	537	813	244	130	33	276	829	49	81	1512	1025	—	—	1155	8895
Pembrokeshire ..	39,967	—	125	50	—	150	150	75	—	100	275	576	801	175	150	—	325	876	25	50	1326	1026	—	—	776	8607
Cardiganshire ..	35,955	—	56	—	—	584	111	83	28	83	83	1085	1113	111	111	28	278	751	195	56	918	807	—	—	501	10011
Brecknockshire ..	27,184	—	74	37	—	441	74	258	—	221	147	184	552	147	37	74	331	699	147	110	1729	1067	—	—	883	9415
Radnorshire ..	12,177	—	164	—	—	493	—	—	—	—	164	411	164	411	82	—	82	821	—	82	821	411	—	—	657	6816
North Wales ..	247,364	—	77	44	—	538	206	113	4	73	234	449	974	133	81	53	230	954	61	97	1297	877	—	—	659	9049
Montgomeryshire ..	30,392	—	33	—	—	625	132	33	—	66	165	329	888	165	33	—	263	888	—	99	757	1020	—	—	888	10101
Flintshire .. ..	31,583	—	222	127	—	317	412	158	—	158	190	348	886	158	63	32	32	791	—	95	1108	918	—	—	1013	9592
Denbighshire ..	67,307	—	63	74	—	698	223	163	—	59	342	312	847	89	89	89	203	1010	59	59	1842	995	—	—	624	9036
Merionethshire ..	31,522	—	—	63	—	254	508	95	—	32	190	666	1015	95	32	63	285	1205	63	190	1491	952	—	—	698	9029
Carnarvonshire ..	69,317	—	14	—	—	620	29	87	14	87	245	606	1168	159	87	58	274	909	130	115	1096	692	—	—	519	8729
Anglesey .. ..	17,238	—	464	—	—	348	58	116	—	—	58	348	928	174	232	—	348	870	—	—	928	696	—	—	232	9399

\* The populations have been estimated to the middle of 1907 from the numbers enumerated at the Censuses of 1891 and 1901.  
† Called Simple Continued Fever previous to 1901.



TABLE 30 (continued).--ENGLAND AND WALES.--Crude Death-rates in Registration Counties, 1907.--FEMALES.  
Note.--These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1907.* (Females.)	DEATH-RATE PER MILLION LIVING FROM																			ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyæmia,† of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubæ Mesenterica.	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
VII.—NORTH MIDLAND.																										
Leicestershire ..	250,705	12058	168	140	—	168	88	100	—	36	203	411	542	140	140	20	160	997	48	40	798	1065	148	195	6451	
Rutlandshire ..	10,084	13388	—	—	—	198	—	198	—	—	298	397	298	—	—	—	99	496	198	99	893	1488	—	298	8428	
Lincolnshire ..	261,095	14347	176	142	—	448	349	199	—	50	218	329	620	111	73	15	192	1168	80	34	835	1172	188	260	7688	
Nottinghamshire ..	336,023	15845	699	65	—	310	461	179	—	116	402	440	511	131	101	27	143	952	71	48	1434	1414	247	408	7486	
Derbyshire.. ..	267,010	13569	296	97	—	198	277	236	4	60	180	311	453	112	124	30	210	966	45	71	1037	1285	172	255	7150	
VIII.—NORTH WESTERN.																										
Cheshire ..	437,636	13694	283	98	—	174	306	176	—	62	217	290	533	144	94	37	126	1090	69	71	1097	1122	210	331	7164	
Lancashire ..	2,478,562	15929	438	136	4	199	411	161	1	82	401	506	567	167	123	34	141	944	69	89	1511	1597	240	409	7699	
IX.—YORK.																										
West Riding ..	1,532,323	14677	387	85	—	238	320	166	1	67	384	417	477	189	114	23	155	1030	79	85	1160	1322	241	324	7413	
East Riding (with York)	250,303	14798	459	28	—	380	352	188	—	60	260	391	687	92	88	28	132	1130	76	40	1043	1258	228	399	7475	
North Riding ..	198,043	16199	535	50	—	490	308	303	5	76	293	460	500	151	96	96	182	1060	71	91	1772	1187	217	374	7882	
X.—NORTHERN.																										
Durham ..	646,597	16261	643	84	—	220	401	218	2	57	343	326	796	223	226	67	195	759	53	87	1463	1316	280	326	8173	
Northumberland ..	332,060	14696	352	63	—	220	391	208	3	45	172	473	702	217	139	57	166	834	63	51	1111	940	208	295	7986	
Cumberland ..	138,325	15608	376	108	—	304	325	123	—	22	174	311	716	145	116	29	130	1113	80	94	1272	1041	231	347	8551	
Westmorland ..	34,087	11412	29	—	—	499	—	59	—	59	88	176	440	147	29	—	117	1115	1115	59	88	293	323	469	6953	
XI.—WELSH.																										
Monmouthshire ..	168,301	15704	422	107	—	327	291	196	—	83	238	368	535	149	113	36	149	826	59	36	1658	1438	315	327	8031	
South Wales ..	670,007	15655	427	54	—	303	370	145	1	79	321	546	697	170	96	36	161	848	63	106	1330	1171	345	324	8061	
Glamorganshire ..	478,109	15517	563	73	—	272	425	146	—	77	385	456	617	157	100	42	149	784	71	121	1510	1251	370	341	7605	
Cardiganshire ..	66,523	15348	75	—	—	195	346	165	15	135	90	722	1022	270	90	30	135	782	15	105	947	977	225	256	8751	
Pembrokeshire ..	43,231	15406	69	—	—	278	278	93	—	46	278	416	648	139	93	46	116	948	46	69	948	925	393	347	9230	
Cardiganshire ..	41,951	18509	89	—	—	601	200	89	—	111	111	1513	1001	156	111	—	289	1379	44	67	756	934	200	267	10702	
Brecknockshire ..	27,041	16050	185	37	—	666	37	296	—	185	259	407	814	148	37	—	296	998	74	—	925	1035	444	333	8874	
Radnorshire ..	10,152	11525	—	—	—	296	—	—	—	—	99	296	887	394	—	—	197	1084	99	—	591	1182	99	99	6202	
North Wales ..	256,749	15015	58	19	—	526	199	136	—	16	164	382	904	160	125	27	183	1313	47	82	818	1024	284	241	8307	
Montgomeryshire ..	31,843	14163	—	—	—	471	63	63	—	—	94	377	659	126	188	—	188	1162	126	94	471	1099	283	251	8148	
Flintshire ..	30,687	14925	65	33	—	489	196	293	—	33	98	196	880	130	33	—	98	978	65	98	749	1010	456	228	8797	
Denbighshire ..	67,073	15237	30	30	—	522	224	134	—	30	283	224	790	194	119	45	119	1297	60	104	984	1163	358	224	8303	
Merionethshire ..	32,898	15168	—	—	—	517	547	152	—	—	122	730	821	182	122	61	365	1246	—	122	608	851	182	152	8358	
Carnarvonshire ..	76,094	14771	39	13	—	618	105	105	—	13	145	447	1104	184	118	13	184	1498	26	39	880	933	250	329	7728	
Anglesey ..	18,154	16580	441	—	—	331	110	110	—	—	110	386	1102	—	220	55	220	1542	—	55	1047	1102	55	110	9584	

\* The populations have been estimated to the middle of 1907 from the numbers enumerated at the Censuses of 1891 and 1901.  
† Called Simple Continued Fever previous to 1901.



TABLE 31.—ENGLAND AND WALES.—Crude Death-rates to a Million Persons living from the Diseases and Accidents of Childbirth to 1000 Births,

NOTE.—These rates are calculated upon the deaths registered in each County,

REGISTRATION COUNTY.	TO A MILLION PERSONS LIVING.									
	Small-pox.		Measles.		Scarlet Fever.		Diphtheria.		Whooping- cough.	
	Ten Years 1897 to 1906.	1907.	Ten Years 1897 to 1906.	1907.	Ten Years 1897 to 1906.	1907.	Ten Years 1897 to 1906.	1907.	Ten Years 1897 to 1906.	1907.
ENGLAND & WALES.	14	0	344	361	123	92	227	164	311	293
I.—LONDON.										
London* .. .. .	3	—	467	380	99	115	280	161	374	375
II.—SOUTH EASTERN.										
Surrey .. .. .	5	—	188	96	45	63	173	161	234	229
Kent .. .. .	191	2	161	280	50	79	257	109	234	296
Sussex .. .. .	1	—	131	75	30	28	202	99	193	179
Hampshire .. .. .	3	2	203	291	48	20	227	209	240	168
Berkshire .. .. .	4	—	170	132	40	14	157	237	216	179
III.—SOUTH MIDLAND.										
Middlesex .. .. .	39	—	288	268	146	190	264	186	303	355
Hertfordshire .. .. .	3	—	161	164	49	59	126	113	210	223
Buckinghamshire .. .. .	3	—	153	227	40	44	232	133	221	166
Oxfordshire .. .. .	11	—	147	48	54	16	111	118	216	135
Northamptonshire .. .. .	3	—	162	194	126	93	118	61	283	122
Huntingdonshire .. .. .	4	—	130	112	30	89	120	245	217	—
Bedfordshire .. .. .	3	—	167	186	31	38	211	258	217	400
Cambridgeshire .. .. .	9	—	159	117	54	44	157	107	230	117
IV.—EASTERN.										
Essex .. .. .	30	—	311	280	76	128	322	229	344	400
Suffolk .. .. .	3	—	144	227	37	30	144	70	278	306
Norfolk .. .. .	1	—	202	42	77	36	193	181	270	263
V.—SOUTH WESTERN.										
Wiltshire .. .. .	1	—	151	298	62	55	126	163	180	132
Dorsetshire .. .. .	—	—	128	97	49	10	142	213	175	44
Devonshire .. .. .	1	—	252	319	61	31	114	90	250	140
Cornwall .. .. .	1	—	166	250	39	25	97	87	277	168
Somersetshire .. .. .	0	—	208	97	50	27	159	145	206	248
VI.—WEST MIDLAND.										
Gloucestershire .. .. .	2	1	314	157	77	51	211	185	256	86
Herefordshire .. .. .	1	—	109	259	47	54	165	143	223	36
Shropshire .. .. .	2	—	154	225	53	34	150	141	248	118
Staffordshire .. .. .	3	—	420	630	190	145	294	169	355	247
Worcestershire .. .. .	1	—	249	371	109	89	152	108	246	235
Warwickshire .. .. .	3	—	364	461	153	121	207	176	377	247
VII.—NORTH MIDLAND.										
Leicestershire .. .. .	9	—	260	188	122	112	324	118	277	99
Rutlandshire .. .. .	—	—	82	—	72	—	154	249	150	50
Lincolnshire .. .. .	3	—	169	197	93	135	182	187	262	318
Nottinghamshire .. .. .	5	—	336	698	120	68	151	169	321	403
Derbyshire .. .. .	6	—	288	333	148	89	146	217	253	246
VIII.—NORTH WESTERN.										
Cheshire .. .. .	10	—	321	335	139	102	183	187	309	284
Lancashire .. .. .	12	0	522	458	212	132	217	161	359	391
IX.—YORKSHIRE.										
West Riding .. .. .	13	—	405	414	175	101	248	159	296	301
East Riding (with York)	45	2	321	514	102	41	192	208	293	298
North Riding .. .. .	59	—	261	670	109	54	207	235	294	280
X.—NORTHERN.										
Durham .. .. .	13	—	394	626	174	74	170	206	380	332
Northumberland .. .. .	14	—	326	377	154	66	162	213	364	352
Cumberland .. .. .	5	—	378	417	119	97	135	97	294	234
Westmorland .. .. .	5	—	115	79	72	16	98	47	172	63
XI.—WELSH.										
Monmouthshire .. .. .	2	—	478	473	117	116	353	215	352	244
South Wales .. .. .	6	2	375	452	138	59	438	144	347	313
Glamorganshire .. .. .	7	3	459	590	153	74	514	143	393	350
Carmarthenshire .. .. .	—	—	258	62	135	16	273	203	244	352
Pembrokeshire .. .. .	1	—	124	96	64	24	213	84	230	216
Cardiganshire .. .. .	—	—	83	74	92	—	210	87	171	161
Brecknockshire .. .. .	8	—	174	129	109	37	352	277	319	55
Radnorshire .. .. .	10	—	202	90	69	—	339	—	210	—
North Wales .. .. .	3	—	193	67	81	32	184	125	270	202
Montgomeryshire .. .. .	2	—	91	16	33	—	83	48	213	96
Flintshire .. .. .	2	—	304	145	116	80	368	225	187	305
Denbighshire .. .. .	5	—	300	15	132	52	234	149	365	223
Merionethshire .. .. .	—	—	157	31	62	47	232	124	210	528
Carnarvonshire .. .. .	4	—	131	28	64	7	115	96	259	69
Anglesey .. .. .	—	—	160	452	32	—	140	113	203	85

**Principal Epidemic Diseases, and from Phthisis; and Deaths from Puerperal Septic in Registration Counties, 1897-1906, and 1907.**

no correction having been made for those occurring in Public Institutions.

TO A MILLION PERSONS LIVING.										TO 1000 BIRTHS.		REGISTRATION COUNTY.
Fever.						Diarrhœa (including Dysentery).	Phthisis.		Puerperal Septic Diseases and Accidents of Childbirth.			
Typhus.		Enteric.		Pyrexia†(Origin uncertain.)								
Ten Years 1897 to 1906.	1907.	Ten Years 1897 to 1906.	1907.	Ten Years 1897 to 1906.	1907.						Ten Years 1897 to 1906.	
1	1	136	67	3	1	779	305	1254	1140	4'39	3'83	ENGLAND & WALES.
0	—	109	42	1	1	850	309	1620	1369	3'21	2'92	I.—LONDON. London.*
0	1	58	27	2	4	555	229	1094	1089	3'51	3'04	II.—SOUTH EASTERN.
—	—	149	87	1	1	634	172	1154	1095	3'74	2'15	Surrey.
0	—	81	33	1	—	449	175	1223	1149	3'99	3'02	Kent.
0	—	143	74	3	1	594	208	1372	1175	3'45	3'12	Sussex.
—	—	50	34	1	3	415	139	1030	832	4'34	4'78	Hampshire. Berkshire.
0	—	87	44	1	4	907	293	1022	960	3'19	3'12	III.—SOUTH MIDLAND.
—	—	73	27	—	—	465	90	1102	980	3'57	3'50	Middlesex.
—	—	68	17	2	—	358	67	900	799	3'78	1'41	Hertfordshire.
1	—	45	22	1	—	274	129	971	1017	3'66	4'59	Buckinghamshire.
—	—	97	37	1	—	475	130	1066	1011	3'92	2'86	Oxfordshire.
—	—	60	45	—	—	395	156	1032	937	2'94	0'93	Northamptonshire.
—	—	58	66	1	—	558	219	1045	1119	3'84	3'88	Huntingdonshire.
1	—	84	49	3	—	391	171	1102	967	3'86	5'50	Bedfordshire. Cambridgeshire.
0	1	154	37	2	1	965	334	1037	956	3'21	2'76	IV.—EASTERN.
—	—	83	46	2	—	365	103	1152	1032	3'92	2'38	Essex.
—	—	142	61	3	—	583	255	1030	972	3'99	4'07	Suffolk. Norfolk.
—	—	44	44	2	—	265	85	926	843	4'62	3'25	V.—SOUTH WESTERN.
—	—	58	58	1	—	256	121	991	1030	3'99	3'77	Wiltshire.
1	—	111	55	2	—	441	226	1253	1071	4'45	4'06	Dorsetshire.
0	—	77	47	3	3	338	168	1226	1279	4'46	4'97	Devonshire.
0	—	54	17	1	—	282	158	979	883	3'93	3'34	Cornwall. Somersetshire.
0	—	75	34	1	—	444	214	1123	1019	4'09	3'34	VI.—WEST MIDLAND.
—	—	19	54	—	—	197	80	939	946	4'87	5'29	Gloucestershire.
—	—	48	30	2	—	254	99	991	895	3'80	3'26	Herefordshire.
0	—	174	88	3	—	993	422	1027	994	4'69	3'62	Shropshire.
0	—	88	65	1	—	510	152	943	852	4'16	2'86	Staffordshire.
0	—	153	85	2	—	1138	380	1300	1123	4'13	3'53	Worcestershire. Warwickshire.
—	—	105	39	1	—	851	228	1072	1021	3'82	3'11	VII.—NORTH MIDLAND.
—	—	54	50	—	—	193	199	744	597	3'72	—	Leicestershire.
0	—	160	76	3	—	620	236	1002	1015	4'29	3'67	Rutlandshire.
0	—	205	120	2	—	940	447	1075	1087	4'57	4'25	Lincolnshire.
0	—	126	85	0	4	634	198	937	900	4'72	3'17	Nottinghamshire. Derbyshire.
1	1	137	70	4	1	765	240	1141	985	5'18	4'28	VIII.—NORTH WESTERN.
7	4	193	99	6	1	1148	453	1435	1324	5'18	4'59	Cheshire. Lancashire.
1	—	182	77	2	1	892	441	1214	1102	5'10	4'84	IX.—YORKSHIRE.
—	—	175	77	3	2	1152	324	1183	1160	4'25	4'37	West Riding.
1	—	149	110	7	3	677	321	1068	1126	4'36	3'80	East Riding (with York). North Riding.
1	3	197	86	7	2	949	352	1271	1147	4'73	4'14	X.—NORTHERN.
2	—	142	51	6	3	786	208	1533	1336	4'51	3'45	Durham.
3	—	71	74	0	4	332	179	1155	1079	5'38	4'66	Northumberland.
—	—	51	47	2	—	180	47	842	707	5'56	8'68	Cumberland. Westmorland.
0	—	157	151	8	3	572	293	928	954	5'84	4'44	XI.—WELSH.
2	—	161	93	4	2	526	345	1317	1204	6'16	5'52	Monmouthshire.
2	—	176	93	4	1	788	416	1175	1082	6'12	5'44	South Wales.
—	—	155	133	3	8	242	94	1625	1555	6'22	3'94	Glamorganshire.
—	—	133	72	4	—	227	276	1412	1214	6'24	8'25	Carmarthenshire.
—	—	62	—	2	12	247	99	2154	2373	7'28	5'65	Pembrokeshire.
—	—	169	203	9	—	258	203	1040	977	6'41	8'49	Cardiganshire.
—	—	80	—	11	—	151	134	1012	851	3'69	2'30	Brecknockshire.
—	—	84	44	4	2	316	198	1483	1353	6'29	6'12	Radnorshire.
—	—	34	32	2	—	225	129	1290	1125	6'15	6'62	North Wales.
—	—	151	96	7	—	330	145	1070	1156	5'33	8'03	Montgomeryshire.
—	—	111	45	3	—	441	313	1255	1086	7'05	6'85	Flintshire.
—	—	45	16	3	—	185	155	1654	1614	7'61	4'33	Denbighshire.
—	—	83	48	4	7	307	193	1744	1657	5'56	6'05	Merionethshire.
—	—	72	—	6	—	272	85	1453	1384	5'00	1'27	Carnarvonshire. Anglesey.

\* Called Simple Continued Fever previous to 1901.



TABLE 32.—ENGLAND AND WALES. Both Sexes.

Cause of Death.	Proportion of Deaths									
	Under 1 day.	1 day and under 1 week.	Weeks.			Months.				
			1—	2—	3—	Under 1 month.	1—	2—	3—	4—
I. COM. INFECTION DIS.	—	0'00	0'00	0'07	0'10	<b>0'17</b>	0'56	0'52	0'48	0'45
II. DIARRHOEAL DIS.	0'00	0'06	0'21	0'36	0'36	<b>0'99</b>	1'68	1'79	1'76	1'58
III. WASTING DIS.	10'54	10'84	3'92	3'38	2'23	<b>30'91</b>	4'58	2'53	1'57	1'12
IV. TUBERC. DIS.	0'00	0'00	0'02	0'02	0'04	<b>0'08</b>	0'27	0'36	0'47	0'40
V. OTHER CAUSES	0'80	2'15	1'83	2'03	1'72	<b>8'53</b>	6'29	4'71	3'90	3'39
ALL CAUSES	11'34	13'05	5'98	5'86	4'45	<b>40'68</b>	13'38	9'91	8'18	6'94
I. { Small-pox ..	—	—	—	—	—	—	—	—	—	—
Chicken-pox ..	—	—	—	—	—	—	0'00	0'01	0'01	0'00
Measles ..	—	0'00	—	0'01	0'01	<b>0'02</b>	0'04	0'02	0'02	0'06
Scarlet Fever ..	—	—	—	—	0'00	<b>0'00</b>	0'00	0'00	0'01	0'01
Diphtheria, Croup	—	—	0'00	0'01	0'00	<b>0'01</b>	0'01	0'01	0'00	0'01
Whooping Cough	—	0'00	0'00	0'05	0'09	<b>0'14</b>	0'51	0'48	0'44	0'37
II. { Enteritis ..	0'00	0'02	0'06	0'08	0'08	<b>0'24</b>	0'36	0'31	0'28	0'27
Gastro-enteritis	—	0'01	0'04	0'06	0'06	<b>0'17</b>	0'24	0'24	0'21	0'20
Gastritis, Gastric	0'00	0'02	0'04	0'07	0'06	<b>0'19</b>	0'25	0'23	0'22	0'16
Catarrh.	—	0'00	0'01	0'03	0'02	<b>0'06</b>	0'10	0'09	0'08	0'06
Gastro-intestinal	—	0'01	0'06	0'12	0'14	<b>0'33</b>	0'73	0'92	0'97	0'89
Catarrh.	—	0'01	0'06	0'12	0'14	<b>0'33</b>	0'73	0'92	0'97	0'89
Diarrhoea (other	—	0'01	0'06	0'12	0'14	<b>0'33</b>	0'73	0'92	0'97	0'89
forms).	—	0'01	0'06	0'12	0'14	<b>0'33</b>	0'73	0'92	0'97	0'89
III. { Premature Birth	7'21	6'37	1'86	1'52	0'93	<b>17'89</b>	1'32	0'39	0'12	0'06
Congenital Defects.	1'16	2'02	0'86	0'57	0'30	<b>4'91</b>	0'65	0'32	0'20	0'14
Injury at Birth..	0'52	0'29	0'05	0'01	0'01	<b>0'88</b>	0'01	0'00	—	—
Want of Breast	—	0'02	0'04	0'05	0'04	<b>0'15</b>	0'19	0'16	0'10	0'08
Milk, Starvation.	1'65	2'14	1'11	1'23	0'95	<b>7'08</b>	2'41	1'66	1'15	0'84
Atrophy, Debility, Marasmus.	1'65	2'14	1'11	1'23	0'95	<b>7'08</b>	2'41	1'66	1'15	0'84
IV. { Tuberculous	—	—	0'01	0'00	0'01	<b>0'02</b>	0'04	0'07	0'12	0'10
Meningitis.	—	0'00	0'00	0'01	0'02	<b>0'03</b>	0'15	0'18	0'23	0'18
Tuberculous	—	0'00	0'00	0'01	0'02	<b>0'03</b>	0'15	0'18	0'23	0'18
Peritonitis, Tabes Mesenterica.	0'00	0'00	0'01	0'01	0'01	<b>0'03</b>	0'08	0'11	0'12	0'12
Other Tuberculous Diseases.	0'00	0'00	0'01	0'01	0'01	<b>0'03</b>	0'08	0'11	0'12	0'12
V. { Erysipelas ..	0'00	0'00	0'01	0'02	0'02	<b>0'05</b>	0'07	0'04	0'02	0'01
Syphilis ..	0'01	0'03	0'07	0'11	0'08	<b>0'30</b>	0'29	0'21	0'14	0'10
Rickets ..	—	0'00	0'00	0'00	0'01	<b>0'01</b>	0'01	0'01	0'03	0'04
Meningitis (not	—	0'01	0'01	0'03	0'02	<b>0'07</b>	0'09	0'12	0'14	0'15
Tuberculous).	—	0'01	0'01	0'03	0'02	<b>0'07</b>	0'09	0'12	0'14	0'15
Convulsions ..	0'34	1'61	0'92	0'77	0'57	<b>4'21</b>	1'79	1'25	0'92	0'72
Bronchitis ..	0'01	0'06	0'28	0'41	0'40	<b>1'16</b>	1'74	1'23	1'03	0'87
Laryngitis ..	—	0'01	0'01	0'00	0'00	<b>0'02</b>	0'01	0'01	0'02	0'01
Pneumonia ..	0'00	0'05	0'12	0'19	0'21	<b>0'57</b>	1'08	1'02	0'96	0'91
Suffocation ..	0'10	0'18	0'09	0'10	0'11	<b>0'58</b>	0'42	0'33	0'20	0'14
Other Causes	0'34	0'20	0'32	0'40	0'30	<b>1'56</b>	0'79	0'49	0'44	0'44

Mortality under 5 Years of Age, 1907.

to 1000 Births.								Deaths per 1000 Survivors.					Death- rate per 1000 living under 5 years of age.
Months.							Under 1 year.	1 year.	2 years.	3 years.	4 years.		
5—	6—	7—	8—	9—	10—	11—							
0'55	0'67	0'82	1'01	1'07	1'14	1'23	8'67	11'46	5'74	4'17	3'06	6'82	
1'33	1'18	0'97	0'88	0'76	0'61	0'53	14'06	2'81	0'48	0'24	0'16	3'96	
0'66	0'55	0'35	0'31	0'24	0'18	0'18	43'18	0'91	0'18	0'07	0'03	10'16	
0'45	0'45	0'48	0'41	0'39	0'39	0'39	4'54	3'45	1'82	1'28	0'96	2'53	
3'19	3'27	3'02	2'92	2'85	2'62	2'48	47'17	18'66	6'94	4'16	3'07	17'42	
6'18	6'12	5'64	5'53	5'31	4'94	4'81	117'62	37'29	15'16	9'92	7'28	40'89	
—	—	—	—	—	—	—	—	—	—	0'00	—	0'00	
0'01	0'01	0'00	0'01	0'01	0'00	0'01	0'07	0'04	0'01	0'01	0'01	0'03	
0'12	0'20	0'32	0'42	0'53	0'59	0'66	3'00	6'30	2'63	1'42	0'91	2'93	
0'01	0'02	0'01	0'02	0'02	0'02	0'02	0'14	0'42	0'66	0'69	0'54	0'48	
0'01	0'01	0'02	0'05	0'04	0'06	0'07	0'30	0'92	1'00	1'23	1'12	0'90	
0'40	0'43	0'47	0'51	0'47	0'47	0'47	5'16	3'78	1'44	0'82	0'48	2'48	
0'20	0'20	0'15	0'13	0'11	0'08	0'10	2'43	0'48	0'11	0'05	0'04	0'69	
0'16	0'15	0'12	0'11	0'07	0'06	0'05	1'78	0'35	0'07	0'04	0'02	0'50	
0'13	0'09	0'08	0'05	0'06	0'04	0'03	1'53	0'23	0'08	0'04	0'04	0'43	
0'05	0'03	0'02	0'03	0'02	0'02	0'02	0'58	0'08	0'02	0'00	0'00	0'15	
0'79	0'71	0'60	0'56	0'50	0'41	0'33	7'74	1'67	0'20	0'11	0'06	2'19	
0'04	0'01	0'01	0'01	0'00	0'00	—	19'85	—	—	—	—	4'56	
0'09	0'08	0'06	0'05	0'04	0'03	0'03	6'60	0'19	0'07	0'04	0'02	1'58	
—	—	—	—	—	—	—	0'89	—	—	—	—	0'20	
0'04	0'05	0'02	0'02	0'01	0'00	0'01	0'83	0'00	—	—	—	0'19	
0'49	0'41	0'26	0'23	0'19	0'15	0'14	15'01	0'72	0'11	0'03	0'01	3'63	
0'14	0'16	0'18	0'17	0'15	0'16	0'14	1'45	1'33	0'84	0'59	0'47	0'97	
0'19	0'15	0'15	0'12	0'12	0'10	0'11	1'71	0'90	0'37	0'24	0'16	0'73	
0'12	0'14	0'15	0'12	0'12	0'13	0'14	1'38	1'22	0'61	0'45	0'33	0'83	
0'01	0'01	0'01	0'00	0'01	0'00	0'00	0'23	0'01	0'01	0'01	0'00	0'06	
0'05	0'05	0'01	0'02	0'02	0'02	0'02	1'23	0'07	0'01	0'00	0'00	0'30	
0'03	0'04	0'05	0'05	0'08	0'07	0'08	0'50	0'66	0'22	0'06	0'03	0'31	
0'18	0'19	0'17	0'18	0'20	0'14	0'14	1'77	1'14	0'54	0'37	0'28	0'87	
0'56	0'43	0'34	0'29	0'22	0'18	0'15	11'06	1'14	0'31	0'14	0'06	2'87	
0'80	0'77	0'72	0'65	0'65	0'60	0'53	10'75	3'29	0'82	0'35	0'20	3'41	
0'01	0'02	0'02	0'01	0'01	0'02	0'01	0'17	0'24	0'17	0'18	0'18	0'19	
1'00	1'13	1'12	1'18	1'18	1'19	1'17	12'51	8'68	2'99	1'58	0'90	5'70	
0'06	0'05	0'03	0'03	0'02	0'01	0'01	1'88	0'04	0'01	0'01	0'00	0'44	
0'49	0'58	0'55	0'51	0'46	0'39	0'37	7'07	3'39	1'86	1'46	1'42	3'27	



TABLE 33.—ENGLAND AND WALES. **Males.**

Cause of Death.	Proportion of Deaths									
	Under 1 day.	1 day and under 1 week.	Weeks.			Months.				
			1—	2—	3—	Under 1 month.	1—	2—	3—	4—
I. COM. INFECTION DIS...	—	0'00	0'00	0'07	0'10	<b>0'17</b>	0'51	0'51	0'45	0'44
II. DIARRHOEAL DIS.	—	0'08	0'24	0'47	0'45	<b>1'24</b>	2'04	2'08	1'86	1'68
III. WASTING DIS. ..	11'99	12'13	4'34	3'81	2'54	<b>34'81</b>	5'18	2'78	1'66	1'18
IV. TUBERC. DIS. ..	—	0'00	0'01	0'03	0'04	<b>0'08</b>	0'33	0'43	0'53	0'49
V. OTHER CAUSES ..	0'91	2'57	2'11	2'32	1'96	<b>9'87</b>	7'24	5'29	4'32	3'68
ALL CAUSES ..	12'90	14'78	6'70	6'70	5'09	<b>46'17</b>	15'30	11'09	8'82	7'47
I. { Small-pox ..	—	—	—	—	—	—	—	—	—	—
Chicken-pox ..	—	—	—	—	—	—	—	0'01	0'01	0'00
Measles .. ..	—	—	—	0'01	0'01	<b>0'02</b>	0'05	0'02	0'02	0'06
Scarlet Fever ..	—	—	—	—	—	—	0'00	0'01	0'01	0'01
Diphtheria, Croup	—	—	—	0'00	0'00	<b>0'00</b>	0'02	0'01	0'00	0'01
Whooping Cough	—	0'00	0'00	0'06	0'09	<b>0'15</b>	0'44	0'46	0'41	0'36
II. { Enteritis .. ..	—	0'03	0'06	0'10	0'10	<b>0'29</b>	0'40	0'35	0'31	0'29
Gastro-enteritis..	—	0'02	0'05	0'09	0'08	<b>0'24</b>	0'31	0'25	0'21	0'24
Gastritis, Gastric Catarrh.	—	0'03	0'05	0'09	0'06	<b>0'23</b>	0'34	0'25	0'25	0'16
Gastro-intestinal Catarrh.	—	0'00	0'02	0'04	0'03	<b>0'09</b>	0'13	0'12	0'09	0'06
Diarrhoea (other forms).	—	0'00	0'06	0'15	0'18	<b>0'39</b>	0'86	1'11	1'00	0'93
III. { Premature Birth	8'28	6'86	1'99	1'66	1'01	<b>19'80</b>	1'39	0'40	0'13	0'05
Congenital De- fects.	1'28	2'36	0'95	0'62	0'36	<b>5'57</b>	0'74	0'34	0'19	0'15
Injury at Birth ..	0'59	0'34	0'07	0'01	0'02	<b>1'03</b>	0'01	0'00	—	—
Want of Breast Milk, Starvation, Atrophy, Debi- lity, Marasmus.	—	0'03	0'05	0'05	0'04	<b>0'17</b>	0'23	0'18	0'11	0'10
IV. { Tuberculous Meningitis.	—	—	0'01	0'00	0'01	<b>0'02</b>	0'04	0'08	0'14	0'13
Tuberculous Peritonitis, Ta- bes Mesenterica.	—	—	0'00	0'01	0'02	<b>0'03</b>	0'18	0'22	0'26	0'21
Other Tubercu- lous Diseases.	—	0'00	0'00	0'02	0'01	<b>0'03</b>	0'11	0'13	0'13	0'15
V. { Erysipelas ..	—	—	0'01	0'03	0'02	<b>0'06</b>	0'06	0'02	0'02	0'01
Syphilis .. ..	0'02	0'04	0'09	0'11	0'10	<b>0'36</b>	0'37	0'23	0'15	0'09
Rickets .. ..	—	—	—	—	0'00	<b>0'00</b>	0'01	0'02	0'03	0'04
Meningitis (not Tuberculous).	—	0'01	0'02	0'04	0'03	<b>0'10</b>	0'10	0'15	0'16	0'15
Convulsions ..	0'40	1'96	1'05	0'89	0'65	<b>4'95</b>	2'10	1'44	0'93	0'75
Bronchitis ..	0'00	0'07	0'31	0'45	0'49	<b>1'32</b>	2'02	1'37	1'21	0'97
Laryngitis.. ..	—	0'01	0'01	0'00	0'00	<b>0'02</b>	0'02	0'01	0'01	0'00
Pneumonia ..	0'00	0'04	0'15	0'21	0'25	<b>0'65</b>	1'25	1'16	1'11	1'01
Suffocation ..	0'10	0'20	0'09	0'11	0'11	<b>0'61</b>	0'44	0'34	0'21	0'15
Other Causes ..	0'39	0'24	0'38	0'48	0'31	<b>1'80</b>	0'87	0'55	0'49	0'51

## Mortality under 5 Years of Age, 1907.

to 1000 Births.								Deaths per 1000 Survivors.					Death- rate per 1000 living under 5 years of age.
Months.							Under 1 year.	1 year.	2. years.	3 years.	4 years.		
5—	6—	7—	8—	9—	10—	11—							
0'53	0'68	0'86	0'96	1'10	1'14	1'17	8'52	11'33	5'60	3'96	2'79	6'72	
1'43	1'31	1'01	0'96	0'80	0'67	0'56	15'64	2'89	0'49	0'25	0'16	4'43	
0'74	0'57	0'34	0'30	0'27	0'18	0'18	48'19	0'87	0'23	0'05	0'04	11'56	
0'48	0'52	0'51	0'42	0'41	0'41	0'40	5'01	3'76	1'91	1'37	0'95	2'77	
3'63	3'58	3'43	3'18	3'16	2'87	2'65	52'90	19'51	7'25	4'50	2'99	19'29	
6'81	6'66	6'15	5'82	5'74	5'27	4'96	130'26	38'36	15'48	10'13	6'93	44'77	
—	—	—	—	—	—	—	—	—	—	—	—	—	
0'01	0'02	0'00	0'01	0'02	0'00	0'00	0'03	0'05	0'01	0'01	0'00	0'03	
0'12	0'24	0'38	0'46	0'58	0'65	0'69	3'29	6'64	2'71	1'39	0'84	3'09	
0'01	0'01	0'01	0'02	0'02	0'02	0'03	0'15	0'43	0'70	0'67	0'51	0'49	
0'02	0'01	0'03	0'05	0'05	0'07	0'06	0'33	0'98	0'99	1'23	1'08	0'92	
0'37	0'40	0'44	0'42	0'43	0'40	0'39	4'67	3'23	1'19	0'66	0'36	2'19	
0'25	0'21	0'16	0'12	0'10	0'10	0'11	2'69	0'45	0'12	0'06	0'03	0'76	
0'17	0'18	0'12	0'12	0'07	0'07	0'05	2'03	0'38	0'07	0'04	0'03	0'58	
0'14	0'10	0'08	0'06	0'06	0'04	0'03	1'74	0'21	0'10	0'05	0'04	0'49	
0'05	0'03	0'02	0'03	0'03	0'02	0'01	0'68	0'09	0'02	0'00	0'01	0'18	
0'82	0'79	0'63	0'63	0'54	0'44	0'36	8'50	1'76	0'18	0'10	0'05	2'42	
0'03	0'01	0'00	0'01	0'00	0'00	—	21'82	—	—	—	—	5'12	
0'11	0'07	0'07	0'05	0'05	0'03	0'04	7'41	0'18	0'09	0'03	0'03	1'81	
—	—	—	—	—	—	—	1'04	—	—	—	—	0'24	
0'04	0'04	0'01	0'03	0'01	0'01	0'00	0'93	0'00	—	—	—	0'22	
0'56	0'45	0'26	0'21	0'21	0'14	0'14	16'99	0'69	0'14	0'02	0'01	4'17	
0'15	0'19	0'21	0'19	0'13	0'15	0'14	1'62	1'44	0'85	0'63	0'47	1'06	
0'20	0'17	0'15	0'11	0'12	0'12	0'12	1'89	0'97	0'43	0'24	0'15	0'80	
0'13	0'16	0'15	0'12	0'11	0'14	0'14	1'50	1'35	0'63	0'50	0'33	0'91	
0'01	0'00	0'01	0'00	0'00	—	0'01	0'20	0'01	0'01	0'01	0'01	0'05	
0'05	0'04	0'01	0'02	0'02	0'02	0'02	1'38	0'08	0'01	0'00	0'00	0'34	
0'04	0'04	0'07	0'07	0'09	0'07	0'09	0'57	0'72	0'24	0'06	0'05	0'35	
0'21	0'20	0'19	0'18	0'21	0'13	0'15	1'93	1'22	0'52	0'43	0'26	0'94	
0'61	0'47	0'40	0'32	0'21	0'19	0'16	12'53	1'11	0'31	0'15	0'05	3'27	
0'93	0'81	0'83	0'74	0'72	0'67	0'55	12'14	3'36	0'83	0'32	0'19	3'80	
0'01	0'02	0'02	0'01	0'02	0'03	0'01	0'18	0'30	0'21	0'21	0'18	0'22	
1'14	1'26	1'23	1'23	1'34	1'29	1'27	13'94	9'03	3'07	1'67	0'88	6'21	
0'05	0'06	0'04	0'03	0'01	0'01	0'01	1'96	0'04	0'02	0'02	0'00	0'48	
0'58	0'68	0'63	0'58	0'54	0'46	0'38	8'07	3'64	2'03	1'63	1'37	3'63	



TABLE 34.—ENGLAND AND WALES. **Females.**

Cause of Death.	Proportion of Deaths									
	Under 1 day.	1 day and under 1 week.	Weeks.			Months.				
			1—	2—	3—	Under 1 month.	1—	2—	3—	4—
I. COM. INFECTIONAL DIS. . .	—	0'00	0'00	0'04	0'10	<b>0'14</b>	0'61	0'52	0'50	0'45
II. DIARRHOEAL DIS. . .	0'00	0'04	0'15	0'26	0'27	<b>0'72</b>	1'27	1'48	1'68	1'49
III. WASTING DIS. . .	9'01	9'50	3'50	2'92	1'91	<b>26'84</b>	3'97	2'30	1'46	1'03
IV. TUBERC. DIS. . .	0'00	0'00	0'02	0'01	0'03	<b>0'06</b>	0'19	0'29	0'43	0'34
V. OTHER CAUSES . . .	0'70	1'72	1'56	1'77	1'47	<b>7'22</b>	5'35	4'08	3'45	3'09
ALL CAUSES . . .	<b>9'71</b>	<b>11'26</b>	<b>5'23</b>	<b>5'00</b>	<b>3'78</b>	<b>34'98</b>	<b>11'39</b>	<b>8'67</b>	<b>7'52</b>	<b>6'40</b>
I. { Small-pox.. . .	—	—	—	—	—	—	—	—	—	—
Chicken-pox . . .	—	—	—	—	—	—	0'00	0'01	0'00	0'01
Measles . . .	—	0'00	—	0'00	0'01	<b>0'01</b>	0'02	0'01	0'02	0'05
Scarlet Fever . . .	—	—	—	—	0'00	<b>0'00</b>	—	0'00	0'00	0'01
Diphtheria, Croup . . .	—	—	0'00	0'00	—	<b>0'00</b>	0'00	0'01	0'01	0'00
Whooping Cough . . .	—	—	0'00	0'04	0'09	<b>0'13</b>	0'59	0'49	0'47	0'38
II. { Enteritis . . .	0'00	0'01	0'05	0'07	0'05	<b>0'18</b>	0'31	0'27	0'25	0'26
Gastro-enteritis . . .	—	0'01	0'03	0'03	0'05	<b>0'12</b>	0'16	0'22	0'22	0'17
Gastritis, Gastric Catarrh . . .	0'00	0'01	0'02	0'05	0'06	<b>0'14</b>	0'15	0'21	0'20	0'16
Gastro-intestinal Catarrh . . .	—	—	0'00	0'02	0'02	<b>0'04</b>	0'06	0'06	0'07	0'06
Diarrhoea (other forms). . .	—	0'01	0'05	0'09	0'09	<b>0'24</b>	0'59	0'72	0'94	0'84
III. { Premature Birth . . .	6'09	5'86	1'73	1'37	0'86	<b>15'91</b>	1'23	0'39	0'11	0'05
Congenital Defects. . .	1'03	1'66	0'77	0'52	0'24	<b>4'22</b>	0'56	0'30	0'20	0'12
Injury at Birth . . .	0'44	0'24	0'03	0'01	0'00	<b>0'72</b>	0'01	0'00	—	—
Want of Breast Milk, Starvation, Atrophy, Debility, Marasmus. . .	—	0'01	0'03	0'04	0'04	<b>0'12</b>	0'15	0'14	0'09	0'07
IV. { Tuberculous Meningitis. . .	—	—	0'01	0'00	0'00	<b>0'01</b>	0'03	0'06	0'09	0'08
Tuberculous Peritonitis, Tuberculous Mesenterica. . .	—	0'00	—	0'01	0'02	<b>0'03</b>	0'11	0'15	0'20	0'16
Other Tuberculous Diseases. . .	0'00	—	0'01	0'00	0'01	<b>0'02</b>	0'05	0'08	0'14	0'10
V. { Erysipelas . . .	0'00	0'00	0'01	0'02	0'02	<b>0'05</b>	0'07	0'05	0'02	0'02
Syphilis . . .	0'01	0'02	0'05	0'09	0'06	<b>0'23</b>	0'23	0'19	0'14	0'10
Rickets . . .	—	0'00	0'01	0'00	0'00	<b>0'01</b>	0'02	0'01	0'03	0'04
Meningitis (not Tuberculous). . .	—	0'01	0'01	0'01	0'02	<b>0'05</b>	0'08	0'09	0'13	0'14
Convulsions . . .	0'28	1'25	0'78	0'67	0'48	<b>3'46</b>	1'46	1'06	0'92	0'69
Bronchitis.. . .	0'00	0'05	0'25	0'37	0'32	<b>0'99</b>	1'45	1'09	0'85	0'76
Laryngitis.. . .	—	0'01	0'00	0'00	0'01	<b>0'02</b>	0'02	0'01	0'02	0'02
Pneumonia . . .	0'01	0'05	0'12	0'16	0'16	<b>0'50</b>	0'92	0'87	0'80	0'81
Suffocation . . .	0'10	0'16	0'09	0'09	0'10	<b>0'54</b>	0'39	0'31	0'18	0'14
Other Causes . . .	0'30	0'17	0'24	0'36	0'30	<b>1'37</b>	0'71	0'40	0'36	0'37

Mortality under 5 Years of Age, 1907.

to 1000 Births.								Deaths per 1000 Survivors.					Death- rate per 1000 living under 5 years of age.
Months.							Under I year.	I year.	2 years.	3 years.	4 years.		
5—	6—	7—	8—	9—	10—	11—							
0'57	0'68	0'81	1'05	1'03	1'15	1'29	8'80	11'60	5'87	4'37	3'34	6'95	
1'23	1'04	0'90	0'81	0'74	0'57	0'49	12'42	2'74	0'48	0'24	0'17	3'52	
0'57	0'54	0'34	0'32	0'23	0'17	0'17	37'94	0'96	0'14	0'09	0'04	8'78	
0'42	0'40	0'45	0'41	0'36	0'36	0'37	4'08	3'13	1'73	1'18	0'96	2'30	
2'75	2'90	2'62	2'64	2'50	2'33	2'32	41'25	17'78	6'62	3'83	3'13	15'47	
5'54	5'56	5'12	5'23	4'86	4'58	4'64	104'49	36'21	14'84	9'71	7'64	37'02	
—	—	—	—	—	—	—	—	—	—	0'00	—	0'00	
0'01	0'00	0'01	0'01	0'00	—	0'01	0'06	0'03	0'01	0'00	0'01	0'02	
0'11	0'17	0'26	0'38	0'47	0'54	0'65	2'69	5'96	2'56	1'46	0'98	2'78	
0'02	0'02	0'01	0'02	0'01	0'02	0'02	0'13	0'41	0'61	0'71	0'57	0'48	
0'01	0'01	0'02	0'05	0'04	0'05	0'06	0'26	0'86	1'01	1'23	1'17	0'89	
0'42	0'48	0'51	0'59	0'51	0'54	0'55	5'66	4'34	1'68	0'97	0'61	2'78	
0'16	0'18	0'13	0'14	0'12	0'07	0'09	2'16	0'51	0'10	0'04	0'04	0'62	
0'14	0'10	0'11	0'10	0'08	0'05	0'04	1'51	0'32	0'07	0'05	0'02	0'43	
0'11	0'09	0'07	0'05	0'05	0'05	0'04	1'32	0'26	0'07	0'04	0'04	0'38	
0'06	0'03	0'02	0'03	0'02	0'02	0'02	0'49	0'06	0'02	—	—	0'13	
0'76	0'64	0'57	0'49	0'47	0'38	0'30	6'94	1'59	0'22	0'11	0'07	1'96	
0'04	0'02	0'02	0'01	0'01	0'00	—	17'79	—	—	—	—	4'00	
0'09	0'10	0'04	0'04	0'03	0'03	0'02	5'75	0'20	0'05	0'05	0'02	1'36	
—	—	—	—	—	—	—	0'73	—	—	—	—	0'17	
0'03	0'05	0'02	0'02	0'02	0'00	0'01	0'72	—	—	—	—	0'16	
0'41	0'37	0'26	0'25	0'17	0'14	0'14	12'95	0'76	0'09	0'04	0'02	3'39	
0'14	0'13	0'16	0'16	0'12	0'16	0'14	1'28	1'22	0'83	0'55	0'46	0'89	
0'18	0'13	0'15	0'12	0'12	0'08	0'10	1'53	0'83	0'31	0'23	0'17	0'65	
0'10	0'14	0'14	0'13	0'12	0'12	0'13	1'27	1'08	0'59	0'40	0'33	0'76	
0'01	0'02	0'02	0'00	0'00	0'00	0'00	0'26	0'02	0'01	0'01	0'00	0'07	
0'04	0'06	0'02	0'02	0'02	0'02	0'02	1'09	0'06	0'00	0'01	—	0'26	
0'02	0'04	0'04	0'03	0'06	0'06	0'03	0'44	0'60	0'19	0'05	0'02	0'27	
0'16	0'17	0'16	0'18	0'17	0'14	0'13	1'60	1'05	0'55	0'31	0'30	0'80	
0'50	0'36	0'28	0'25	0'24	0'17	0'14	9'53	1'18	0'32	0'14	0'08	2'48	
0'67	0'73	0'60	0'56	0'58	0'52	0'51	9'31	3'23	0'81	0'38	0'20	3'01	
0'00	0'02	0'01	0'00	0'01	0'01	0'02	0'16	0'18	0'13	0'16	0'17	0'16	
0'86	0'99	0'99	1'13	1'01	1'09	1'06	11'03	8'32	2'92	1'49	0'93	5'19	
0'08	0'05	0'03	0'02	0'02	0'01	0'02	1'79	0'04	0'01	0'01	0'01	0'41	
0'41	0'46	0'47	0'45	0'39	0'31	0'34	6'04	3'10	1'68	1'27	1'42	2'82	



TABLE 35.—URBAN COUNTIES. Both Sexes.

Cause of Death.	Proportion of Deaths									
	Under 1 Day.	1 day and under 1 week.	Weeks.			Months.				
			1—	2—	3—	Under 1 month.	1—	2—	3—	4—
I. COM. INFECTION. DIS. ..	—	0'00	—	0'05	0'11	<b>0'16</b>	0'55	0'52	0'49	0'50
II. DIARRHOEAL DIS. .	0'00	0'06	0'24	0'41	0'39	<b>1'10</b>	1'88	2'07	2'12	1'89
III. WASTING DIS. . .	10'46	10'98	4'10	3'45	2'27	<b>31'26</b>	4'84	2'60	1'74	1'23
IV. TUBERC. DIS. . .	0'00	0'01	0'02	0'02	0'04	<b>0'09</b>	0'27	0'39	0'53	0'45
V. OTHER CAUSES . .	0'79	2'27	2'02	2'27	1'91	<b>9'26</b>	6'92	5'12	4'30	3'75
ALL CAUSES . .	<b>11'25</b>	<b>13'32</b>	<b>6'38</b>	<b>6'20</b>	<b>4'72</b>	<b>41'87</b>	<b>14'46</b>	<b>10'70</b>	<b>9'18</b>	<b>7'82</b>
I. { Small-pox . .	—	—	—	—	—	—	—	—	—	—
Chicken-pox . .	—	—	—	—	—	—	—	0'01	0'01	0'01
Measles . . . .	—	—	—	0'01	0'01	<b>0'02</b>	0'04	0'02	0'02	0'07
Scarlet Fever . .	—	—	—	—	—	—	0'00	0'00	0'01	0'01
Diphtheria, Croup	—	—	—	0'01	0'00	<b>0'01</b>	0'02	0'01	0'00	0'01
Whooping Cough	—	0'00	—	0'03	0'10	<b>0'13</b>	0'49	0'48	0'45	0'40
II. { Enteritis . . . .	0'00	0'02	0'06	0'11	0'09	<b>0'28</b>	0'39	0'33	0'36	0'31
Gastro-enteritis . .	—	0'02	0'05	0'07	0'07	<b>0'21</b>	0'25	0'26	0'20	0'22
Gastritis, Gastric	—	0'02	0'05	0'07	0'07	<b>0'21</b>	0'26	0'25	0'27	0'18
Catarrh. . . . .	—	—	0'01	0'03	0'03	<b>0'07</b>	0'12	0'11	0'10	0'06
Gastro-intestinal	—	—	0'01	0'03	0'03	<b>0'07</b>	0'12	0'11	0'10	0'06
Catarrh. . . . .	—	0'00	0'07	0'13	0'13	<b>0'33</b>	0'86	1'12	1'19	1'12
Diarrhoea (other forms).	—	0'00	0'07	0'13	0'13	<b>0'33</b>	0'86	1'12	1'19	1'12
III. { Premature Birth	7'16	6'51	1'97	1'61	0'97	<b>18'22</b>	1'40	0'37	0'10	0'05
Congenital Defects.	1'17	2'05	0'89	0'62	0'30	<b>5'03</b>	0'67	0'32	0'19	0'13
Injury at Birth . .	0'51	0'30	0'06	0'01	0'01	<b>0'89</b>	0'01	0'00	—	—
Want of Breast Milk, Starvation, Atrophy, Debility, Marasmus.	—	0'01	0'05	0'06	0'04	<b>0'16</b>	0'21	0'17	0'11	0'09
IV. { Tuberculous Meningitis	—	—	0'01	0'00	0'01	<b>0'02</b>	0'04	0'07	0'12	0'12
Tuberculous Peritonitis, Tuberculous Mesenterica.	—	0'01	0'00	0'01	0'02	<b>0'04</b>	0'14	0'20	0'25	0'20
Other Tuberculous Diseases.	0'00	0'00	0'01	0'01	0'01	<b>0'03</b>	0'09	0'12	0'16	0'13
V. { Erysipelas . . . .	—	0'00	0'01	0'03	0'03	<b>0'07</b>	0'07	0'03	0'02	0'01
Syphilis . . . . .	0'02	0'05	0'08	0'11	0'09	<b>0'35</b>	0'33	0'23	0'16	0'11
Rickets . . . . .	—	0'00	—	0'00	0'01	<b>0'01</b>	0'02	0'01	0'03	0'05
Meningitis (not Tuberculous).	—	0'02	0'02	0'03	0'02	<b>0'09</b>	0'12	0'14	0'18	0'17
Convulsions . . . .	0'34	1'67	0'99	0'87	0'64	<b>4'51</b>	1'96	1'32	0'96	0'75
Bronchitis . . . . .	0'00	0'05	0'32	0'45	0'47	<b>1'30</b>	1'90	1'32	1'13	0'94
Laryngitis . . . . .	—	0'01	0'00	0'00	0'01	<b>0'02</b>	0'02	0'01	0'01	0'01
Pneumonia . . . . .	0'00	0'06	0'17	0'20	0'22	<b>0'65</b>	1'18	1'18	1'12	1'05
Suffocation . . . .	0'12	0'21	0'12	0'14	0'13	<b>0'72</b>	0'52	0'39	0'24	0'18
Other Causes . . . .	0'31	0'19	0'31	0'44	0'29	<b>1'54</b>	0'80	0'49	0'45	0'48

Mortality under 5 Years of Age, 1907.

to 1000 Births.								Deaths per 1000 Survivors.					Death- rate per 1000 living under 5 years of age.
Months.							Under 1 year.	1 year.	2 years.	3 years.	4 years.		
5—	6—	7—	8—	9—	10—	11—							
0'59	0'73	0'99	1'17	1'27	1'33	1'47	9'77	13'94	6'99	4'88	3'49	8'17	
1'52	1'40	1'17	1'07	0'96	0'77	0'68	16'63	3'54	0'58	0'28	0'17	4'86	
0'73	0'62	0'37	0'34	0'28	0'20	0'21	44'42	1'03	0'22	0'08	0'05	10'80	
0'52	0'51	0'48	0'45	0'43	0'39	0'46	4'97	4'01	2'08	1'46	1'08	2'90	
3'63	3'57	3'37	3'18	3'10	2'94	2'73	51'87	21'56	7'93	4'70	3'47	19'85	
6'99	6'83	6'38	6'21	6'04	5'63	5'55	127'66	44'08	17'85	11'40	8'26	46'58	
—	—	—	—	—	—	—	—	—	—	0'00	—	0'00	
0'00	0'01	0'00	0'02	0'02	—	0'01	0'09	0'06	0'01	0'01	0'00	0'04	
0'14	0'23	0'39	0'49	0'65	0'70	0'83	3'60	7'67	3'27	1'73	1'14	3'62	
0'01	0'02	0'02	0'02	0'02	0'03	0'03	0'17	0'58	0'82	0'91	0'69	0'63	
0'02	0'01	0'03	0'06	0'06	0'07	0'07	0'37	1'13	1'16	1'22	1'08	1'00	
0'42	0'46	0'55	0'58	0'52	0'53	0'53	5'54	4'50	1'73	1'01	0'58	2'88	
0'22	0'22	0'16	0'18	0'14	0'09	0'13	2'81	0'57	0'13	0'06	0'04	0'82	
0'15	0'16	0'12	0'11	0'07	0'06	0'05	1'86	0'40	0'07	0'04	0'03	0'55	
0'14	0'10	0'09	0'05	0'07	0'04	0'04	1'70	0'27	0'10	0'06	0'04	0'50	
0'06	0'04	0'03	0'03	0'03	0'02	0'02	0'69	0'09	0'02	—	—	0'19	
0'95	0'88	0'77	0'70	0'65	0'56	0'44	9'57	2'21	0'26	0'12	0'06	2'80	
0'04	0'01	0'01	0'01	0'00	0'00	—	20'21	—	—	—	—	4'79	
0'09	0'08	0'06	0'05	0'03	0'04	0'03	6'72	0'18	0'07	0'04	0'03	1'66	
—	—	—	—	—	—	—	0'90	—	—	—	—	0'21	
0'04	0'05	0'02	0'02	0'02	0'00	0'01	0'90	0'00	—	—	—	0'21	
0'56	0'48	0'28	0'26	0'23	0'16	0'17	15'69	0'85	0'15	0'04	0'02	3'93	
0'17	0'19	0'20	0'19	0'17	0'16	0'16	1'61	1'58	0'97	0'68	0'49	1'13	
0'21	0'16	0'14	0'12	0'14	0'11	0'14	1'85	1'02	0'42	0'26	0'18	0'81	
0'14	0'16	0'14	0'14	0'12	0'12	0'16	1'51	1'41	0'69	0'52	0'41	0'96	
0'01	0'01	0'02	0'01	0'01	0'00	0'00	0'26	0'02	0'01	0'00	0'01	0'07	
0'05	0'05	0'02	0'02	0'03	0'03	0'02	1'40	0'09	0'01	0'00	—	0'35	
0'03	0'04	0'05	0'06	0'07	0'07	0'09	0'53	0'69	0'25	0'06	0'03	0'33	
0'21	0'23	0'19	0'20	0'22	0'15	0'16	2'06	1'27	0'60	0'39	0'35	1'01	
0'60	0'44	0'39	0'30	0'22	0'20	0'16	11'81	1'22	0'33	0'14	0'07	3'15	
0'90	0'83	0'79	0'70	0'67	0'68	0'54	11'70	3'65	0'90	0'39	0'22	3'81	
0'01	0'01	0'02	0'01	0'00	0'03	0'01	0'16	0'27	0'20	0'18	0'16	0'20	
1'22	1'29	1'30	1'34	1'36	1'35	1'36	14'40	10'58	3'62	1'93	1'06	6'87	
0'09	0'07	0'04	0'04	0'02	0'01	0'01	2'33	0'05	0'02	0'01	—	0'57	
0'51	0'60	0'55	0'50	0'50	0'42	0'38	7'22	3'72	2'04	1'60	1'57	3'49	



TABLE 36.—RURAL COUNTIES. Both Sexes.

Cause of Death.	Proportion of Deaths									
	Under 1 day.	1 day and under 1 week.	Weeks.			Months.				
			1—	2—	3—	Under 1 month.	1—	2—	3—	4—
I. COM. INFECTIONAL DIS...	—	—	—	0'09	0'06	<b>0'15</b>	0'63	0'54	0'59	0'42
II. DIARRHOEAL DIS...	—	0'04	0'17	0'31	0'32	<b>0'84</b>	1'45	1'14	1'03	1'04
III. WASTING DIS. ..	10'15	10'25	3'17	3'11	2'16	<b>28'81</b>	4'54	2'30	1'30	0'87
IV. TUBERC. DIS. ..	—	—	0'01	0'04	0'02	<b>0'07</b>	0'24	0'25	0'32	0'30
V. OTHER CAUSES ..	0'88	2'10	1'65	1'64	1'44	<b>7'71</b>	4'97	4'44	3'39	3'02
ALL CAUSES ..	11'03	12'39	5'00	5'19	4'00	<b>37'61</b>	11'83	8'67	6'63	5'65
I. { Small-pox ..	—	—	—	—	—	—	—	—	—	—
Chicken-pox ..	—	—	—	—	—	—	—	—	0'01	—
Measles .. ..	—	—	—	—	—	—	0'03	0'01	0'05	0'03
Scarlet Fever ..	—	—	—	—	—	—	—	—	0'01	0'01
Diphtheria, Croup	—	—	—	—	—	—	0'01	—	0'01	0'01
Whooping Cough	—	—	—	0'09	0'06	<b>0'15</b>	0'59	0'53	0'51	0'37
II. { Enteritis .. ..	—	0'02	0'05	0'04	0'07	<b>0'18</b>	0'38	0'27	0'17	0'23
Gastro-enteritis..	—	0'01	0'03	0'08	0'06	<b>0'18</b>	0'21	0'25	0'18	0'24
Gastritis, Gastric	—	0'01	0'04	0'05	0'05	<b>0'15</b>	0'26	0'18	0'14	0'10
Catarrh,	—	—	0'01	0'01	0'01	<b>0'03</b>	0'07	0'05	0'07	0'08
Gastro-intestinal	—	—	0'01	0'01	0'01	<b>0'03</b>	0'07	0'05	0'07	0'08
Catarrh.	—	—	0'04	0'13	0'13	<b>0'30</b>	0'53	0'39	0'47	0'39
Diarrhoea (other forms).	—	—	0'04	0'13	0'13	<b>0'30</b>	0'53	0'39	0'47	0'39
III. { Premature Birth	6'63	5'75	1'34	1'21	0'81	<b>15'74</b>	1'18	0'29	0'14	0'08
Congenital Defects.	0'94	1'65	0'74	0'46	0'29	<b>4'08</b>	0'62	0'22	0'15	0'14
Injury at Birth ..	0'52	0'18	0'03	0'01	—	<b>0'74</b>	—	—	—	—
Want of Breast	—	0'03	0'03	0'05	0'03	<b>0'14</b>	0'21	0'16	0'09	0'03
Milk, Starvation, Atrophy, Debility, Marasmus.	2'06	2'64	1'03	1'38	1'03	<b>8'14</b>	2'53	1'63	0'92	0'62
IV. { Tuberculous Meningitis.	—	—	—	—	0'01	<b>0'01</b>	0'02	0'06	0'09	0'04
Tuberculous Peritonitis, Tubercles Mesenterica.	—	—	—	0'02	0'01	<b>0'03</b>	0'14	0'14	0'14	0'14
Other Tuberculous Diseases.	—	—	0'01	0'02	—	<b>0'03</b>	0'08	0'05	0'09	0'12
V. { Erysipelas ..	—	—	0'02	—	—	<b>0'02</b>	0'06	0'04	—	0'01
Syphilis .. ..	—	—	0'03	0'08	0'04	<b>0'15</b>	0'14	0'18	0'07	0'06
Rickets .. ..	—	—	—	—	—	—	—	0'02	0'03	0'03
Meningitis (not Tuberculous).	—	—	—	0'01	—	<b>0'01</b>	0'03	0'11	0'08	0'11
Convulsions ..	0'37	1'71	0'85	0'73	0'62	<b>4'28</b>	1'63	1'41	1'09	0'88
Bronchitis ..	0'01	0'04	0'20	0'19	0'24	<b>0'68</b>	1'14	0'93	0'74	0'72
Laryngitis ..	—	—	0'02	—	—	<b>0'02</b>	0'03	0'01	0'01	0'02
Pneumonia ..	—	—	0'10	0'10	0'11	<b>0'31</b>	0'90	0'84	0'75	0'60
Suffocation ..	0'08	0'13	0'03	0'06	0'02	<b>0'32</b>	0'20	0'18	0'14	0'04
Other Causes ..	0'42	0'22	0'40	0'47	0'41	<b>1'92</b>	0'84	0'72	0'48	0'55

Mortality under 5 Years of Age, 1907.

to 1000 Births.								Deaths per 1000 Survivors.				Death- rate per 1000 living under 5 years of age.
Months.							Under I year.	I year.	2 years.	3 years.	4 years.	
5—	6—	7—	8—	9—	10—	11—						
0'51	0'54	0'53	0'66	0'57	0'70	0'74	6'58	5'56	2'72	2'36	1'51	3'83
0'85	0'74	0'64	0'43	0'44	0'35	0'21	9'16	1'33	0'34	0'20	0'14	2'40
0'44	0'53	0'30	0'26	0'16	0'09	0'13	39'76	0'65	0'15	0'10	0'02	8'82
0'31	0'27	0'34	0'39	0'22	0'39	0'20	3'30	1'97	1'16	0'85	0'69	1'64
2'45	2'78	2'28	2'37	2'36	1'98	2'03	39'78	12'61	4'99	3'17	2'38	13'23
4'56	4'86	4'09	4'11	3'75	3'51	3'31	98'58	22'12	9'36	6'68	4'74	29'92
—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	0'01	—	—	0'02	0'04	0'01	—	—	0'01	0'01
0'08	0'09	0'13	0'19	0'18	0'37	0'26	1'42	2'44	1'04	0'64	0'30	1'18
0'01	0'02	0'01	—	—	0'01	—	0'07	0'09	0'29	0'26	0'21	0'18
0'01	0'02	0'01	0'02	—	0'02	0'02	0'13	0'50	0'59	0'96	0'78	0'59
0'41	0'41	0'38	0'44	0'39	0'30	0'44	4'92	2'52	0'80	0'50	0'21	1'87
0'16	0'18	0'15	0'04	0'08	0'05	0'03	1'92	0'30	0'10	0'04	0'01	0'51
0'11	0'10	0'13	0'09	0'11	0'06	0'03	1'69	0'29	0'07	0'03	0'05	0'46
0'11	0'11	0'07	0'05	0'08	0'03	0'06	1'34	0'13	0'06	0'03	0'04	0'34
0'05	0'01	0'01	0'03	—	0'03	0'01	0'44	0'05	0'03	—	0'01	0'12
0'42	0'34	0'28	0'22	0'17	0'18	0'08	3'77	0'56	0'08	0'10	0'03	0'97
0'04	0'03	0'02	0'02	0'00	—	—	17'54	—	—	—	—	3'81
0'09	0'13	0'10	0'05	0'02	0'02	0'02	5'64	0'24	0'09	0'08	0'01	1'31
—	—	—	—	—	—	—	0'74	—	—	—	—	0'16
0'02	0'01	—	0'04	0'01	—	—	0'71	—	—	—	—	0'15
0'29	0'36	0'18	0'15	0'13	0'07	0'11	15'13	0'41	0'06	0'02	0'01	3'39
0'10	0'08	0'10	0'09	0'09	0'18	0'06	0'92	0'82	0'50	0'41	0'30	0'60
0'15	0'09	0'12	0'15	0'05	0'06	0'03	1'24	0'36	0'28	0'14	0'15	0'45
0'06	0'10	0'12	0'15	0'08	0'15	0'11	1'14	0'79	0'38	0'30	0'24	0'59
0'02	—	0'01	—	—	—	—	0'16	0'03	—	—	—	0'04
0'06	0'05	0'02	0'01	0'01	0'01	0'04	0'80	0'04	—	—	—	0'18
0'02	0'04	0'05	0'03	0'05	0'08	0'08	0'43	0'79	0'17	0'05	0'02	0'30
0'08	0'08	0'11	0'12	0'11	0'07	0'09	1'00	0'63	0'34	0'24	0'17	0'49
0'52	0'43	0'30	0'24	0'24	0'14	0'14	11'30	1'05	0'31	0'16	0'03	2'76
0'52	0'63	0'53	0'57	0'47	0'57	0'60	8'10	2'48	0'73	0'22	0'17	2'47
—	—	0'02	—	0'05	—	—	0'16	0'24	0'11	0'18	0'20	0'18
0'74	0'99	0'66	0'81	0'97	0'82	0'70	9'09	4'48	1'81	0'94	0'63	3'54
0'03	0'04	0'04	0'01	0'01	0'01	—	1'02	0'02	0'01	0'01	—	0'23
0'46	0'52	0'54	0'58	0'45	0'28	0'38	7'72	2'85	1'51	1'37	1'16	3'04



TABLE 37.—ENGLAND AND WALES.—Both Sexes. Mortality of Infants and Young Children,\* Average 1902-6 and 1907.

Cause of Death.	Proportion of Deaths to 1000 Births.								Death-rate per 1000 living under 5 years of age.		
	Under 3 months.		3 to 6 months.		6 to 12 months.		Under 1 year.				
	1902-06.	1907.	1902-06.	1907.	1902-06.	1907.	1902-06.	1907.	1902-06.	1907.	
I. COM. INFECTIONAL DISEASES ..	1·14	1·25	1·49	1·48	5·80	5·94	8·43	8·67	6·87	6·82	
II. DIARRHOEAL DISEASES...	7·00	4·46	8·50	4·67	9·59	4·93	25·09	14·06	7·44	3·96	
III. WASTING DISEASES	39·13	38·02	3·71	3·35	2·15	1·81	44·99	43·18	11·22	10·16	
IV. TUBERC. DISEASES	0·91	0·71	1·74	1·32	2·98	2·51	5·63	4·54	3·00	2·53	
V. OTHER CAUSES ..	20·03	19·53	11·33	10·48	18·60	17·16	49·96	47·17	19·03	17·42	
ALL CAUSES ..	68·21	63·97	26·77	21·30	39·12	32·35	134·10	117·62	47·56	40·89	
I.	Small-pox ..	0·05	—	0·02	—	0·01	—	0·08	—	0·04	0·00
	Chicken-pox ..	0·01	0·01	0·01	0·02	0·04	0·04	0·06	0·07	0·03	0·03
	Measles .. ..	0·06	0·08	0·19	0·20	2·44	2·72	2·69	3·00	2·66	2·93
	Scarlet Fever ..	0·01	0·00	0·02	0·03	0·15	0·11	0·18	0·14	0·63	0·48
	Diphtheria, Croup	0·03	0·03	0·05	0·02	0·31	0·25	0·39	0·30	1·08	0·90
	Whooping Cough	0·98	1·13	1·20	1·21	2·85	2·82	5·03	5·16	2·43	2·48
II.	Diarrhoea (all forms): Enteritis, Gastro-enteritis, Gastritis, Gastric Catarrh, Gastro-intestinal Catarrh.	7·00	4·46	8·50	4·67	9·59	4·93	25·09	14·06	7·44	3·96
	Premature Birth	20·05	19·60	0·24	0·22	0·04	0·03	20·33	19·85	4·95	4·56
III.	Congenital Defects.	5·33	5·88	0·41	0·43	0·33	0·29	6·07	6·60	1·55	1·58
	Injury at Birth ..	0·78	0·89	0·00	—	0·00	—	0·78	0·89	0·19	0·20
	Want of Breast Milk, Starvation.	0·41	0·50	0·22	0·22	0·10	0·11	0·73	0·83	0·18	0·19
	Atrophy, Debility, Marasmus.	12·56	11·15	2·84	2·48	1·68	1·38	17·08	15·01	4·35	3·63
IV.	Tuberculous Meningitis.	0·13	0·13	0·40	0·36	1·04	0·96	1·57	1·45	1·09	0·97
	Tuberculous Peritonitis, Tuberculous Mesenterica.	0·51	0·36	0·86	0·60	1·07	0·75	2·44	1·71	0·98	0·73
	Other Tuberculous Diseases.	0·27	0·22	0·48	0·36	0·87	0·80	1·62	1·38	0·93	0·83
V.	Erysipelas ..	0·19	0·16	0·06	0·04	0·04	0·03	0·29	0·23	0·08	0·06
	Syphilis .. ..	0·80	0·80	0·32	0·29	0·17	0·14	1·29	1·23	0·34	0·30
	Rickets .. ..	0·04	0·03	0·13	0·10	0·46	0·37	0·63	0·50	0·39	0·31
	Meningitis (not Tuberculous).	0·31	0·28	0·59	0·47	1·23	1·02	2·13	1·77	1·07	0·87
	Convulsions ..	8·51	7·25	2·77	2·20	2·17	1·61	13·45	11·06	3·70	2·87
	Bronchitis ..	3·73	4·13	2·77	2·70	4·29	3·92	10·79	10·75	3·69	3·41
	Laryngitis ..	0·05	0·04	0·04	0·04	0·12	0·09	0·21	0·17	0·21	0·19
	Pneumonia ..	2·13	2·67	2·64	2·87	6·50	6·97	11·27	12·51	5·40	5·70
	Suffocation ..	1·29	1·33	0·45	0·40	0·16	0·15	1·90	1·88	0·48	0·44
	Other Causes ..	2·98	2·84	1·56	1·37	3·46	2·86	8·00	7·07	3·67	3·27

\* The divisions of the first year of life are limited to three in this table because the deaths in the several weeks and months of the first year were not abstracted separately previous to 1905.

TABLE 38.—Mortality of Illegitimate as compared with Legitimate Infants under one Year of Age, 1907.

Cause of Death.	Proportion of Deaths among Illegitimate Infants to 1000 Illegitimate Births, and among Legitimate Infants to 1000 Legitimate Births.									
	England and Wales.						Urban Counties.		Rural Counties.	
	Both Sexes.		Males.		Females.		Both Sexes.		Both Sexes.	
	Illegitimate.	Legitimate.	Illegitimate.	Legitimate.	Illegitimate.	Legitimate.	Illegitimate.	Legitimate.	Illegitimate.	Legitimate.
I. COM. INFEC. DIS.	9'49	8'63	9'67	8'48	9'28	8'79	11'55	9'71	6'35	6'59
II. DIARRHŒAL DIS.	31'44	13'36	33'44	14'93	29'37	11'72	38'64	15'78	15'05	8'83
III. WASTING DIS. ..	86'13	41'41	94'36	46'29	77'52	36'33	93'87	42'51	70'26	38'04
IV. TUBERC. DIS. ..	8'96	4'37	9'77	4'83	8'09	3'90	10'52	4'75	5'63	3'16
V. OTHER CAUSES..	83'74	45'66	92'89	51'20	74'17	39'91	90'91	50'39	68'47	38'17
ALL CAUSES ..	219'76	113'43	240'13	125'73	198'43	100'65	245'49	123'14	165'76	94'79
I. { Small-pox ..	—	—	—	—	—	—	—	—	—	—
Chicken-pox ..	0'11	0'07	0'05	0'08	0'17	0'06	0'16	0'09	—	0'04
Measles .. ..	4'01	2'96	4'54	3'24	3'45	2'66	4'92	3'54	2'36	1'37
Scarlet Fever ..	0'06	0'14	0'11	0'15	—	0'14	0'10	0'18	—	0'07
Diphtheria, Croup	0'14	0'30	0'22	0'34	0'06	0'27	0'26	0'38	—	0'13
Whooping Cough	5'17	5'16	4'75	4'67	5'60	5'66	6'11	5'52	3'99	4'98
II. { Enteritis .. ..	5'89	2'29	6'54	2'53	5'21	2'03	8'18	2'60	2'54	1'88
Gastro-enteritis..	3'37	1'71	3'67	1'97	3'06	1'44	3'26	1'80	2'90	1'62
Gastritis, Gastric Catarrh.	3'59	1'45	3'62	1'67	3'56	1'23	3'94	1'63	2'90	1'25
Gastro-intestinal Catarrh.	1'05	0'57	1'03	0'67	1'08	0'46	1'61	0'65	0'36	0'45
Diarrhoea (other forms).	17'54	7'34	18'58	8'09	16'46	6'56	21'65	9'10	6'35	3'63
Premature Birth	31'39	19'37	34'46	21'30	28'18	17'37	34'24	19'67	23'60	17'20
Congenital Defects.	8'18	6'54	8'64	7'36	7'69	5'67	8'24	6'66	5'63	5'65
III. { Injury at Birth ..	2'21	0'83	2'38	0'98	2'04	0'68	2'64	0'83	2'36	0'64
Want of Breast Milk, Starvation, Atrophy, Debility, Marasmus.	3'34	0'72	3'62	0'82	3'06	0'62	3'42	0'80	3'63	0'54
IV. { Tuberculous Meningitis.	1'66	1'44	1'94	1'61	1'36	1'27	2'23	1'59	0'91	0'92
Tuberculous Peritonitis, Tabes Mesenterica.	4'23	1'61	4'70	1'79	3'73	1'44	4'87	1'73	2'54	1'16
Other Tuberculous Diseases.	3'07	1'32	3'13	1'43	3'00	1'19	3'42	1'43	2'18	1'08
Erysipelas ..	0'22	0'23	0'05	0'21	0'40	0'26	0'21	0'25	—	0'17
Syphilis .. ..	8'15	0'95	9'61	1'04	6'62	0'86	8'75	1'11	4'72	0'58
Rickets .. ..	1'49	0'47	1'62	0'53	1'36	0'40	1'55	0'50	0'91	0'40
Meningitis (not Tuberculous).	2'04	1'76	2'21	1'92	1'87	1'59	2'18	2'05	0'73	1'01
V. { Convulsions ..	21'17	10'64	24'09	12'05	18'11	9'18	22'64	11'40	20'52	10'78
Bronchitis.. ..	15'89	10'54	17'45	11'92	14'26	9'11	17'25	11'48	11'80	7'89
Laryngitis ..	0'28	0'17	0'22	0'18	0'34	0'15	0'26	0'16	0'36	0'15
Pneumonia ..	17'60	12'30	19'01	13'73	16'13	10'82	20'00	14'19	13'80	8'83
Suffocation ..	4'03	1'79	4'00	1'88	4'07	1'70	5'02	2'23	2'00	0'96
Other Causes ..	12'87	6'81	14'63	7'74	11'01	5'84	13'05	7'02	13'63	7'40



TABLE 39.—Mortality of **Illegitimate** as compared with

		Cause of Death.	Proportion of Deaths among to 1000			
			Under I Week.	Weeks.		
				1—	2—	3—
ENGLAND AND WALES.		<i>Illegitimate.</i>				
Both Sexes..	{	I. Common Infectious Diseases	—	—	0·03	—
		II. Diarrhoeal Diseases .. ..	0·03	0·33	0·69	0·91
		III. Wasting Diseases .. ..	31·89	7·21	6·19	5·47
		IV. Tuberculous Diseases .. ..	—	0·02	0·06	0·06
		V. Other Causes .. ..	8·48	3·21	3·14	2·74
		ALL CAUSES { <i>Illegitimate</i> ..	40·40	10·77	10·11	9·18
	{ <i>Legitimate</i> ..	23·73	5·78	5·69	4·26	
		<i>Illegitimate.</i>				
Males .. ..	{	I. Common Infectious Diseases	—	—	0·05	—
		II. Diarrhoeal Diseases .. ..	—	0·43	0·92	0·97
		III. Wasting Diseases .. ..	36·41	7·99	7·56	5·24
		IV. Tuberculous Diseases .. ..	—	—	0·11	0·05
		V. Other Causes .. ..	10·09	3·73	3·73	3·62
		ALL CAUSES { <i>Illegitimate</i> ..	46·50	12·15	12·37	9·88
	{ <i>Legitimate</i> ..	26·91	6·48	6·45	4·90	
		<i>Illegitimate.</i>				
Females .. ..	{	I. Common Infectious Diseases	—	—	—	—
		II. Diarrhoeal Diseases .. ..	0·06	0·22	0·45	0·85
		III. Wasting Diseases .. ..	27·16	6·39	4·75	5·72
		IV. Tuberculous Diseases .. ..	—	0·06	—	0·05
		V. Other Causes .. ..	6·79	2·66	2·55	1·81
		ALL CAUSES { <i>Illegitimate</i> ..	34·01	9·33	7·75	8·43
	{ <i>Legitimate</i> ..	20·44	5·06	4·89	3·59	
URBAN COUNTIES.		<i>Illegitimate.</i>				
Both Sexes..	{	I. Common Infectious Diseases	—	—	—	—
		II. Diarrhoeal Diseases .. ..	—	0·26	0·93	0·88
		III. Wasting Diseases .. ..	34·86	7·82	6·06	5·13
		IV. Tuberculous Diseases .. ..	—	0·05	—	0·05
		V. Other Causes .. ..	8·80	3·68	3·42	2·59
		ALL CAUSES { <i>Illegitimate</i> ..	43·66	11·81	10·41	8·65
	{ <i>Legitimate</i> ..	23·83	6·17	6·04	4·57	
RURAL COUNTIES.		<i>Illegitimate.</i>				
Both Sexes..	{	I. Common Infectious Diseases	—	—	0·18	—
		II. Diarrhoeal Diseases .. ..	—	0·36	0·36	0·73
		III. Wasting Diseases .. ..	24·51	5·27	5·27	5·62
		IV. Tuberculous Diseases .. ..	—	—	0·36	—
		V. Other Causes .. ..	7·44	2·18	2·36	2·36
		ALL CAUSES { <i>Illegitimate</i> ..	31·95	7·81	8·53	8·71
	{ <i>Legitimate</i> ..	22·94	4·84	5·01	3·73	

**Legitimate Infants under One Year of Age, 1907.**

Illegitimate Infants to 1000 Illegitimate Births, and among Legitimate Infants  
Legitimate Births.

Under 1 Month.	Months.											Total under 1 Year.
	1—	2—	3—	4—	5—	6—	7—	8—	9—	10—	11—	
0'03	0'58	0'53	0'75	0'77	0'86	0'72	0'94	1'08	1'02	1'08	1'13	9'49
1'96	4'06	4'95	4'58	3'79	2'85	2'32	1'80	1'69	1'30	1'26	0'88	31'44
50'76	12'57	7'54	4'84	3'76	1'69	1'62	0'88	0'72	0'64	0'64	0'47	86'13
0'14	0'69	0'94	1'16	0'83	0'99	0'83	0'80	0'77	0'53	0'75	0'53	8'96
17'57	10'78	9'56	8'21	6'77	5'80	5'89	4'06	4'67	3'71	2'93	3'79	83'74
70'46	28'68	23'52	19'54	15'92	12'19	11'38	8'48	8'93	7'20	6'66	6'80	219'76
39'46	12'76	9'35	7'71	6'57	5'94	5'90	5'53	5'39	5'23	4'87	4'72	113'43
0'05	0'49	0'54	0'59	1'03	0'76	0'81	1'19	1'19	1'02	0'81	1'19	9'67
2'32	5'02	5'35	5'13	3'62	3'02	2'65	1'74	1'78	0'92	1'30	0'59	33'44
57'20	14'15	7'24	5'40	3'83	1'62	1'84	0'97	0'54	0'65	0'49	0'43	94'36
0'16	0'92	0'92	0'97	1'03	1'03	0'96	0'97	0'76	0'49	0'97	0'59	9'77
21'17	11'50	10'58	9'08	7'18	6'53	6'16	4'64	4'70	4'32	2'86	4'17	92'89
80'90	32'08	24'63	21'17	16'69	12'96	12'42	9'51	8'97	7'40	6'43	6'97	240'13
44'74	14'60	10'53	8'31	7'09	6'55	6'42	6'01	5'69	5'67	5'24	4'88	125'73
—	0'68	0'51	0'90	0'51	0'96	0'62	0'68	0'96	1'02	1'36	1'08	9'28
1'58	3'06	4'53	4'02	3'96	2'66	1'98	1'87	1'58	1'70	1'24	1'19	29'37
44'02	10'93	7'86	4'24	3'68	1'75	1'42	0'79	0'91	0'62	0'79	0'51	77'52
0'11	0'45	0'96	1'36	0'62	0'96	0'69	0'62	0'79	0'57	0'51	0'45	8'09
13'81	10'00	8'49	7'30	6'34	5'04	5'60	3'45	4'64	3'11	3'00	3'39	74'17
59'52	25'12	22'35	17'82	15'11	11'37	10'31	7'41	8'88	7'02	6'90	6'62	198'43
33'98	10'83	8'12	7'10	6'04	5'30	5'36	5'02	5'08	4'77	4'49	4'56	100'65
—	0'31	0'73	0'98	0'88	1'19	1'04	1'09	1'40	1'44	1'04	1'45	11'55
2'07	4'56	5'96	5'85	4'82	3'88	2'59	2'18	2'22	1'61	1'71	1'19	38'64
53'87	13'62	7'82	5'65	4'66	1'97	2'23	1'14	0'73	0'83	0'78	0'57	93'87
0'10	0'83	1'09	1'40	0'78	1'19	1'04	0'93	0'88	0'52	0'93	0'83	10'52
18'49	11'66	10'25	9'17	7'72	5'39	6'41	4'87	4'82	4'51	3'73	3'89	90'91
74'53	30'98	25'85	23'05	18'86	13'62	13'31	10'21	10'05	8'91	8'19	7'93	245'49
40'61	13'83	10'13	8'65	7'40	6'73	6'59	6'22	6'05	5'93	5'54	5'46	123'14
0'18	0'73	0'36	0'73	0'18	0'73	—	0'54	0'73	0'91	0'73	0'53	6'35
1'45	2'18	2'90	1'82	1'45	0'73	1'45	1'09	0'36	0'54	0'91	0'17	15'05
40'67	12'16	7'81	3'63	2'54	1'27	0'54	0'73	0'18	0'36	0'18	0'19	70'26
0'36	0'55	0'37	0'54	0'73	0'54	0'37	0'54	0'91	0'18	0'54	—	5'63
14'34	8'35	8'35	6'17	5'45	5'63	5'08	2'73	5'26	3'09	1'09	2'93	68'47
57'00	23'97	19'79	12'89	10'35	8'90	7'44	5'63	7'44	5'08	3'45	3'82	165'76
36'52	11'14	8'04	6'27	5'39	4'31	4'71	4'01	3'92	3'68	3'52	3'28	94'79



TABLE 40.—ENGLAND AND WALES.—Infantile Mortality from Several Causes in Registration Counties, 1907.

REGISTRATION COUNTY.	Deaths under One Year per 1,000 Births.									
	All Causes.	Measles.	Whooping-cough.	Diarrhoeal Diseases.	Wasting Diseases.	Tuberculous Diseases.	Meningitis and Convulsions.	Bronchitis.	Pneumonia.	Other Causes.
ENGLAND AND WALES.. ..	118	3	5	14	43	5	13	11	13	11
I.—LONDON.										
London* .. .. .	117	3	6	15	41	5	7	10	15	15
III.—SOUTH EASTERN.										
Surrey .. .. .	88	1	5	10	36	3	7	7	10	9
Kent .. .. .	96	2	7	9	38	3	9	8	9	11
Sussex .. .. .	89	1	4	11	37	3	6	8	10	9
Hampshire .. .. .	93	2	4	9	39	4	9	6	8	12
Berkshire .. .. .	83	1	4	8	36	2	8	8	6	10
III.—SOUTH MIDLAND.										
Middlesex .. .. .	98	2	5	13	36	4	8	8	12	10
Hertfordshire .. .. .	80	2	4	6	37	1	7	8	9	6
Buckinghamshire .. .. .	84	3	3	6	38	1	5	9	10	9
Oxfordshire .. .. .	92	1	3	6	39	2	7	11	13	10
Northamptonshire .. .. .	95	2	3	8	44	3	8	11	7	9
Huntingdonshire .. .. .	73	3	—	6	35	2	2	7	7	11
Bedfordshire .. .. .	101	1	7	9	39	3	11	13	9	9
Cambridgeshire .. .. .	88	0	2	10	41	2	7	6	9	11
IV.—EASTERN.										
Essex .. .. .	101	2	7	12	36	4	8	10	10	12
Suffolk .. .. .	99	2	7	6	46	3	7	8	7	13
Norfolk .. .. .	106	0	7	11	46	5	9	9	8	11
V.—SOUTH WESTERN.										
Wiltshire.. .. .	77	2	3	6	35	3	6	7	8	7
Dorsetshire .. .. .	77	1	1	5	40	2	7	6	6	9
Devonshire .. .. .	103	3	3	12	37	3	11	11	12	11
Cornwall.. .. .	99	4	4	9	41	3	13	7	7	11
Somersetshire .. .. .	90	1	6	9	37	2	8	9	8	10
VI.—WEST MIDLAND.										
Gloucestershire .. .. .	96	1	2	12	40	3	10	7	10	11
Herefordshire .. .. .	87	4	1	7	33	3	10	5	13	11
Shropshire .. .. .	91	2	3	10	37	4	9	6	11	9
Staffordshire .. .. .	133	5	4	16	51	5	16	13	13	10
Worcestershire .. .. .	110	3	5	11	44	5	9	12	11	10
Warwickshire .. .. .	126	4	3	18	50	4	11	10	13	13
VII.—NORTH MIDLAND.										
Leicestershire .. .. .	114	2	3	13	44	5	14	12	11	10
Rutlandshire .. .. .	89	—	—	5	43	2	7	17	10	5
Lincolnshire .. .. .	114	1	7	10	44	4	14	10	11	13
Nottinghamshire .. .. .	146	6	6	18	55	4	15	13	17	12
Derbyshire .. .. .	119	2	4	10	48	6	16	12	11	10
VIII.—NORTH WESTERN.										
Cheshire .. .. .	113	3	6	12	41	6	14	10	11	10
Lancashire .. .. .	138	4	6	19	45	6	16	13	16	13
IX.—YORKSHIRE.										
West Riding .. .. .	131	3	5	18	45	4	17	14	13	12
East Riding (with York) .. .. .	121	4	4	14	45	4	16	10	11	13
North Riding .. .. .	127	6	4	14	45	5	16	11	16	10
X.—NORTHERN.										
Durham .. .. .	135	4	5	13	54	6	18	14	11	10
Northumberland .. .. .	118	2	6	11	48	5	15	11	10	10
Cumberland .. .. .	125	5	5	17	54	4	8	9	13	10
Westmorland .. .. .	87	2	1	7	37	1	17	7	6	9
XI.—WELSH.										
Monmouthshire .. .. .	126	3	4	15	43	3	21	11	16	10
South Wales .. .. .	130	3	6	16	40	4	25	11	15	10
Glamorganshire .. .. .	136	4	6	17	41	4	25	12	17	10
Carmarthenshire .. .. .	113	1	6	11	32	5	31	9	9	9
Pembrokeshire .. .. .	102	1	6	13	33	2	19	5	11	12
Cardiganshire .. .. .	104	—	4	8	38	4	27	5	8	10
Brecknockshire .. .. .	114	—	1	9	44	4	19	10	13	14
Radnorshire .. .. .	74	2	—	5	46	2	2	9	2	6
North Wales .. .. .	109	1	5	13	35	4	24	6	10	11
Montgomeryshire.. .. .	97	—	4	8	38	4	24	4	7	8
Flintshire .. .. .	104	2	7	11	44	3	14	7	5	11
Denbighshire .. .. .	113	0	5	11	38	4	23	7	13	12
Merionethshire .. .. .	127	—	14	12	35	7	25	8	13	13
Carnarvonshire .. .. .	108	0	2	18	30	3	29	6	10	10
Anglesey .. .. .	94	4	1	10	25	5	31	5	7	6

\* See Note \* to Table 28.

TABLE 41.—ENGLAND AND WALES.—Mortality among Children aged 0-5 Years, from Several Causes, in Registration Counties, 1907.

REGISTRATION COUNTY.	Deaths under 5 Years of Age per 1,000 Living.									
	All Causes.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	Diarrhoeal Diseases.	Tuberculous Diseases.	Meningitis and Convulsions.	Bronchitis.	Pneumonia.
ENGLAND AND WALES.. ..	40·89	2·93	0·48	0·90	2·48	3·96	2·53	3·74	3·41	5·70
I.—LONDON.										
London .. .. .	43·68	3·30	0·67	1·09	3·33	4·23	3·36	2·31	3·14	7·18
II.—SOUTH EASTERN.										
Surrey .. .. .	29·00	0·82	0·31	0·72	2·17	2·85	1·91	2·09	2·18	3·89
Kent .. .. .	30·45	2·26	0·39	0·52	2·66	2·15	1·75	2·47	2·50	3·89
Sussex .. .. .	26·21	0·60	0·14	0·54	1·74	2·45	1·80	1·77	2·18	3·97
Hampshire .. ..	30·82	2·35	0·09	1·05	1·53	2·52	2·15	2·66	1·99	3·29
Berkshire .. ..	25·58	0·99	0·03	1·09	1·64	2·05	1·09	1·99	2·31	2·66
III.—SOUTH MIDLAND.										
Middlesex .. ..	35·88	2·04	1·11	0·95	2·96	3·66	2·08	2·42	2·71	5·31
Hertfordshire ..	26·01	1·32	0·18	0·44	1·95	1·51	1·29	2·17	2·46	3·38
Buckinghamshire	26·92	1·74	0·25	0·50	1·49	1·44	1·04	1·69	3·18	4·28
Oxfordshire .. ..	26·41	0·41	0·05	0·61	1·18	1·64	1·54	2·00	2·97	4·04
Northamptonshire	24·31	1·52	0·25	0·36	0·97	1·72	1·36	1·86	2·29	2·72
Huntingdonshire ..	23·51	1·03	0·62	0·83	—	1·65	1·24	0·62	2·27	3·09
Bedfordshire .. ..	33·42	1·72	0·21	1·20	3·59	2·34	1·30	3·27	3·85	3·85
Cambridgeshire ..	27·34	0·86	0·23	0·41	1·04	2·40	1·59	2·04	2·13	3·08
IV.—EASTERN.										
Essex .. .. .	32·93	2·07	0·55	1·19	3·02	3·44	2·24	2·20	2·74	4·25
Suffolk .. .. .	29·62	1·83	0·07	0·29	2·62	1·51	2·00	2·09	2·55	2·89
Norfolk .. .. .	30·79	0·32	0·11	0·63	2·35	2·77	2·01	2·66	2·54	3·19
V.—SOUTH WESTERN.										
Wiltshire.. .. .	25·90	2·45	0·27	0·76	0·99	1·63	1·63	1·89	2·16	2·75
Dorsetshire .. ..	23·43	0·88	0·05	0·93	0·37	1·58	1·68	2·28	1·77	2·61
Devonshire .. ..	32·85	2·87	0·17	0·55	1·36	2·97	1·42	2·95	3·32	4·82
Cornwall.. .. .	29·08	2·04	0·09	0·49	1·61	2·04	1·25	3·25	2·43	2·83
Somersetshire .. ..	26·86	0·76	0·16	0·66	2·29	2·21	0·82	2·19	2·59	3·35
VI.—WEST MIDLAND.										
Gloucestershire ..	28·19	1·29	0·25	0·79	0·76	2·98	1·49	2·48	2·01	3·98
Herefordshire ..	24·52	2·09	0·25	0·42	0·33	1·59	1·59	2·51	1·34	3·85
Shropshire .. ..	26·63	1·73	0·14	0·48	0·99	2·62	1·39	2·38	1·63	3·95
Staffordshire .. ..	46·17	4·65	0·73	0·87	1·83	4·53	2·63	4·57	4·01	5·69
Worcestershire ..	34·52	2·95	0·49	0·48	2·03	2·87	1·89	2·60	3·36	4·71
Warwickshire .. ..	45·00	3·60	0·70	1·02	1·96	4·93	2·24	3·52	3·15	6·46
VII.—NORTH MIDLAND.										
Leicestershire .. ..	33·43	1·52	0·55	0·63	0·83	3·19	2·59	3·37	3·42	4·07
Rutlandshire .. ..	21·11	—	—	0·49	0·49	0·98	0·98	1·47	3·44	2·45
Lincolnshire .. ..	38·28	1·60	0·46	0·74	3·06	2·90	1·93	3·95	3·41	4·46
Nottinghamshire ..	53·53	5·36	0·35	0·87	3·29	5·57	2·68	4·65	4·30	7·81
Derbyshire .. ..	39·21	2·50	0·47	0·76	1·92	2·57	2·40	4·83	3·62	4·80
VIII.—NORTH WESTERN.										
Cheshire .. .. .	38·91	2·78	0·55	0·97	2·49	3·44	2·89	4·04	3·00	4·91
Lancashire .. ..	51·31	3·78	0·73	1·02	3·29	5·81	3·26	4·84	4·33	7·54
IX.—YORKSHIRE.										
West Riding .. ..	45·52	3·37	0·48	0·86	2·59	5·00	2·67	4·68	4·38	6·43
East Riding (with York)	41·98	4·15	0·17	1·07	2·51	3·84	2·09	4·34	3·40	5·20
North Riding .. ..	51·17	5·34	0·17	1·70	2·27	4·25	3·27	5·12	3·73	8·40
X.—NORTHERN.										
Durham .. .. .	51·96	4·33	0·35	1·12	2·38	4·25	3·57	5·78	5·16	6·21
Northumberland ..	44·35	2·83	0·30	1·32	2·78	3·42	3·31	4·69	3·71	5·32
Cumberland .. ..	39·97	3·40	0·61	0·61	1·92	4·33	2·15	2·88	2·88	5·06
Westmorland .. ..	22·68	0·77	—	0·31	0·62	1·39	0·77	4·01	1·54	2·47
XI.—WELSH.										
Monmouthshire .. ..	49·38	3·26	0·60	1·15	1·82	4·85	2·24	6·38	4·19	8·42
South Wales .. ..	46·95	3·38	0·36	0·89	2·44	4·91	2·19	7·22	3·58	6·96
Glamorganshire ..	50·82	4·22	0·44	0·90	2·62	5·47	2·26	7·47	3·92	7·79
Carmarthenshire ..	39·92	0·47	0·14	1·08	2·85	3·46	2·24	8·88	2·98	5·08
Pembrokeshire .. ..	31·47	0·77	0·11	0·33	1·98	3·52	1·65	4·84	1·76	4·07
Cardiganshire .. ..	27·69	0·51	—	0·51	1·40	2·04	1·28	6·12	1·53	2·93
Brecknockshire ..	36·91	1·12	—	1·92	0·48	3·36	2·40	4·63	3·36	4·79
Radnorshire .. ..	18·78	0·40	—	—	—	1·20	2·00	1·20	2·40	1·60
North Wales .. ..	31·45	0·49	0·16	0·51	1·79	3·41	2·07	5·82	2·01	3·63
Montgomeryshire ..	24·97	0·15	—	0·30	0·89	2·82	1·49	4·90	1·19	2·68
Flintshire .. .. .	32·86	1·21	0·54	1·07	2·28	3·08	1·48	4·43	2·68	2·28
Denbighshire .. ..	33·83	0·13	0·19	0·45	1·85	3·38	2·23	5·61	2·23	4·91
Merionethshire .. ..	34·34	0·14	0·29	0·72	4·89	2·87	2·44	5·32	2·59	4·02
Carnarvonshire .. ..	29·53	0·20	—	0·34	0·67	4·16	2·08	6·64	1·75	3·29
Anglesey .. .. .	29·87	2·93	—	0·27	0·80	2·93	2·67	8·27	1·07	2·93



TABLE 42.—ENGLAND AND WALES.—Deaths from Various Causes to a Million Deaths from All Causes, 1907.

CAUSES OF DEATH.	Proportional Number.	CAUSES OF DEATH.	Proportional Number.	CAUSES OF DEATH.	Proportional Number.	
ALL CAUSES .. ..	1,000,000	Rickets.. .. .	2402	Intestinal Obstruction ..	4889	
Small-pox .. .. .	19	Purpura .. .. .	576	Other Dis. of Intestines ..	511	
Cow-pox and other effects of Vaccination.	23	Hæmophilia, Hæmorrhagic Diathesis.	196	Peritonitis (not Puerperal)	1330	
Chicken-pox .. .. .	229	Anæmia, Leucocythæmia	4178	Cirrhosis of Liver .. ..	7445	
Measles (Morbilli) .. ..	24083	Diabetes Mellitus .. ..	6410	Other Diseases of Liver and Gall Bladder.	3855	
German Measles .. .. .	90	Premature Birth .. ..	34754	Other Diseases of Digestive System.	729	
Scarlet Fever.. .. .	6142	Congenital Hydrocephalus	628	Diseases of Spleen .. ..	95	
Typhus.. .. .	46	Other Congenital Defects	8622	Other Diseases of Lymphatic System.	725	
Plague .. .. .	—	Injury at Birth .. ..	1557	Diseases of Thyroid Body	1005	
Relapsing Fever .. .. .	2	Atelectasis .. .. .	2962	Diseases of Supra Renal Capsules.	332	
Influenza .. .. .	17659	Want of Breast Milk ..	1442	Acute Nephritis, Uræmia..	6553	
Whooping-cough .. .. .	19562	Teething .. .. .	3983	Chronic Bright's Disease, Albuminuria.	19919	
Mumps.. .. .	225	Meningitis, Inflammation of Brain.	10356	Calculus (not Biliary) ..	530	
Diphtheria .. .. .	10934	Softening of Brain .. ..	4347	Diseases of Bladder and of Prostate.	4656	
Cerebro-spinal Fever ..	307	General Paralysis of Insane.	4449	Other Diseases of Urinary System.	1162	
Pyrexia* (origin uncertain)	74	Insanity (not Puerperal)..	4214	Ovarian Tumour (not Malignant).	681	
Enteric Fever .. .. .	4471	Chorea .. .. .	296	Other Diseases of Ovary ..	97	
Asiatic Cholera .. .. .	—	Epilepsy .. .. .	5341	Uterine Tumour (not Malignant).	624	
Diarrhœa due to Food† ..	414	Convulsions .. .. .	22056	Other Diseases of Uterus and Vagina.	609	
Infective Enteritis, Epidemic Diarrhœa.	9671	Laryngismus Stridulus ..	601	Disorders of Menstruation	95	
Diarrhœa (not oth. defined)	9801	Locomotor Ataxy .. ..	1114	Other Dis. of Generative and Mammary Organs.	111	
Dysentery .. .. .	444	Paraplegia, Diseases of Cord.	3783	Abortion, Miscarriage ..	195	
Tetanus .. .. .	431	Neuritis, Peripheral, Polyneuritis.	906	Puerperal Mania .. .. .	134	
Malaria .. .. .	130	Brain Tumour(not Specific)	1436	Puerperal Convulsions ..	857	
Rabies, Hydrophobia ..	—	Other Diseases of Nervous System.	5364	Placenta Prævia, Flooding	1160	
Glanders .. .. .	8	Otitis, Mastoid Disease ..	2114	Other Accidents of Pregnancy and Childbirth.	1576	
Anthrax (Splenic Fever)..	29	Epistaxis, Diseases of Nose.	126	Caries, Necrosis .. .. .	729	
Syphilis .. .. .	3163	Ophthalmia, Diseases of Eye.	114	Arthritis, Periostitis ..	475	
Gonorrhœa .. .. .	67	Valvular Disease, Endocarditis (not Infective).	31143	Other Diseases of Locomotor System.	485	
Puerperal Septicæmia, Puer. Sept. Intoxication.	2014	Pericarditis .. .. .	918	Ulcer, Bedsore .. .. .	925	
Puerperal Pyæmia.. .. .	212	Hypertrophy of Heart ..	427	Eczema .. .. .	547	
Phlegmasia Alba Dolens ..	160	Angina Pectoris .. .. .	1797	Pemphigus .. .. .	425	
Puerperal Fever (not oth. defined).	408	Dilatation of Heart ..	6715	Other Diseases of the Skin.	479	
Infective Endocarditis ..	902	Fatty Degeneration of Heart.	4737	Other Specified Diseases ..	—	
Pneumonia { Lobar .. ..	10272	Syncope, Heart Disease (not specified).	51490	Atrophy, Debility .. ..	27864	
{ Broncho- .. ..	40665	Cerebral Hæmorrhage, Cerebral Embolism.	31557	Old Age .. .. .	62794	
{ Epidemic .. ..	11	Apoplexy, Hemiplegia ..	16339	Dropsy, Ascites, Anasarca ..	238	
{ Not defined .. ..	38646	Aneurysm .. .. .	2175	Tumour .. .. .	177	
Erysipelas .. .. .	1971	Senile Gangrene .. ..	2756	Abscess .. .. .	559	
Septicæmia, Sept. Intox. (not Puerperal).	843	Embolism, Thrombosis (not Cerebral).	984	Hæmorrhage .. .. .	67	
Pyæmia (not Puerperal) ..	309	Phlebitis .. .. .	248	Sudden Death (Cause unascertained).	36	
Phlegmon, Carbuncle (not Anthrax).	1475	Varicose Veins .. .. .	196	Other ill-defined causes ..	1358	
Phagedæna .. .. .	55	Other Diseases of Blood Vessels.	4792	Causes not specified .. ..	338	
Other Infective Processes	406	Laryngitis .. .. .	2121	(In Mines and Quarries	2068	
Pulmonary Tuberculosis (Tuberc. Phthisis).	36947	Membranous Laryngitis(not Diphtheritic).	55	Vehicles and Horses ..	4857	
Phthisis (not other. defined)	39050	Croup (not Spasmodic nor Membranous).	708	Ships, Boats, and Docks (not Drowning).	471	
Tuberculous Meningitis ..	11226	Other Diseases of Larynx and Trachea.	82	Building Operations ..	464	
Tuberculous Peritonitis ..	6738	Bronchitis .. .. .	80508	Machinery .. .. .	467	
Tabes Mesenterica .. ..	1848	Emphysema, Asthma ..	3285	Weapons and Implements.	174	
Lupus .. .. .	149	Pleurisy .. .. .	2522	Burns and Scalds .. ..	4979	
Tubercle of other Organs..	3260	Fibroid Disease of Lung ..	1251	Poisons, Poisonous Vapours.	1040	
General Tuberculosis ..	7747	Other Diseases of Respiratory System.	4794	Drowning .. .. .	4301	
Scrofula .. .. .	53	Tonsillitis, Quinsy .. ..	746	Suffocation .. .. .	3630	
Parasitic Diseases .. ..	460	Dis. of Mouth, Pharynx, Esophagus(not Specific).	981	Falls .. .. .	5208	
Starvation .. .. .	40	Gastric Ulcer .. .. .	3386	Weather Agencies .. ..	294	
Scurvy .. .. .	78	Gastritis, Gastric Catarrh..	6232	Otherwise, or not stated	2157	
Alcoholism, Delirium Tremens.	4199	Other Diseases of Stomach (not Malignant).	1063	Battle .. .. .	4	
Opium, Morphia Habit ..	23	Ulceration of Intestines ..	1375	Homicide .. .. .	506	
Industrial Poisoning:—		Enteritis (not Epidemic)..	7033	Suicide .. .. .	6740	
By Lead .. .. .	175	Gastro-enteritis .. .. .	4674	Execution .. .. .	19	
„ Phosphorus .. .. .	2	Appendicitis, Perityphlitis	3756			
„ Arsenic and other Metals.	2	Hernia .. .. .	2930			
Rheumatic Fever, Acute Rheumatism.	3861					
Rheumatism of Heart ..	792					
Chronic Rheumatism ..	839					
Rheumatoid Arthritis, Rheumatic Gout.	1871					
Gout .. .. .	858					
Carcinoma .. .. .	33593					
Sarcoma .. .. .	3523					
Cancer, Malignant Disease (not otherwise defined).	23440					

\* Called Simple Continued Fever previous to 1901.

† Called Food, Ptomaine-Poisoning previous to 1904.



TABLE 43.—ENGLAND AND WALES.—Names on the Registers, Searches, and Fees received, at the General Register Office, 1858-1907.

YEAR.	NAMES ON THE REGISTERS AT THE END OF EACH YEAR.				SEARCHES IN THE REGISTERS, INCLUDING NON-PAROCHIAL.	
	PERSONS MARRIED.	BIRTHS.	DEATHS.	TOTAL.	NUMBER.*	AMOUNT RECEIVED FOR SEARCHES AND FOR CERTIFICATES.*
						£ s. d.
1858 .. ..	6,083,452	12,209,237	8,306,741	26,599,430	5,585	815 1 6
1859 .. ..	6,418,898	12,899,118	8,747,522	28,065,538	6,483	949 17 0
1860 .. ..	6,759,210	13,583,166	9,170,243	29,512,619	7,085	1,031 18 0
1861 .. ..	7,086,622	14,279,572	9,605,357	30,971,551	7,484	1,099 1 6
1862 .. ..	7,414,682	14,992,256	10,041,923	32,448,861	8,522	1,250 12 6
1863 .. ..	7,761,702	15,719,673	10,515,760	33,997,135	8,825†	1,280 17 6†
1864 .. ..	8,122,476	16,459,948	11,011,291	35,593,715	9,607	1,371 18 6
1865 .. ..	8,493,424	17,208,017	11,502,200	37,203,641	10,182	1,487 12 0
1866 .. ..	8,868,976	17,961,887	12,002,889	38,833,752	12,135	1,866 15 6
1867 .. ..	9,227,284	18,730,236	12,473,962	40,431,482	12,343	1,906 16 6
1868 .. ..	9,581,208	19,517,094	12,954,584	42,052,886	12,913†	2,031 11 0†
1869 .. ..	9,935,148	20,290,475	13,449,412	43,675,035	14,260	2,247 7 6
1870 .. ..	10,298,458	21,083,262	13,964,741	45,346,461	16,170	2,456 19 6
1871 .. ..	10,678,682	21,880,690	14,479,620	47,038,992	17,910	2,705 7 0
1872 .. ..	11,081,216	22,706,597	14,971,885	48,759,698	18,970	2,867 5 6
1873 .. ..	11,492,446	23,536,375	15,464,405	50,493,226	20,941†	3,142 9 6†
1874 .. ..	11,896,466	24,391,331	15,991,037	52,278,834	22,354	3,364 7 0
1875 .. ..	12,298,890	25,241,938	16,537,490	54,078,318	26,356	3,879 15 6
1876 .. ..	12,702,638	26,129,906	17,047,805	55,880,349	27,590	4,109 15 6
1877 .. ..	13,091,342	27,018,106	17,548,301	57,657,749	27,721	4,211 13 6
1878 .. ..	13,471,450	27,910,012	18,088,173	59,469,635	28,540	4,313 8 6
1879 .. ..	13,835,614	28,790,401	18,614,428	61,240,443	29,690†	4,517 15 0†
1880 .. ..	14,219,544	29,672,044	19,143,052	63,034,640	31,308	4,695 3 0
1881 .. ..	14,614,124	30,555,686	19,634,987	64,804,797	32,305	4,976 12 6
1882 .. ..	15,022,934	31,444,700	20,151,641	66,619,275	33,597	5,170 15 0
1883 .. ..	15,435,702	32,335,422	20,674,638	68,445,762	34,810	5,356 0 0
1884 .. ..	15,844,304	33,242,172	21,205,466	70,291,942	34,843†	5,177 15 0†
1885 .. ..	16,239,794	34,136,442	21,728,216	72,104,452	36,450	5,317 13 6
1886 .. ..	16,631,936	35,040,202	22,265,492	73,937,630	36,079	5,168 16 0
1887 .. ..	17,032,972	35,926,533	22,796,250	75,755,755	37,750	5,347 5 0
1888 .. ..	17,440,614	36,806,401	23,307,221	77,554,236	40,477	5,808 0 6
1889 .. ..	17,868,344	37,692,345	23,825,574	79,386,263	41,002	5,884 2 6
1890 .. ..	18,314,400	38,562,282	24,387,822	81,264,504	43,874†	6,178 4 0†
1891 .. ..	18,767,452	39,476,439	24,975,747	83,219,638	46,500	6,458 10 6
1892 .. ..	19,221,722	40,374,396	25,535,431	85,131,549	50,942	6,921 15 0
1893 .. ..	19,659,100	41,288,968	26,105,389	87,053,457	50,626	6,845 6 6
1894 .. ..	20,111,998	42,179,257	26,604,216	88,895,471	54,255	7,166 3 6
1895 .. ..	20,568,406	43,101,548	27,173,213	90,843,167	53,289	7,200 12 6
1896 .. ..	21,053,934	44,016,879	27,699,940	92,770,753	57,444†	7,600 0 6†
1897 .. ..	21,552,224	44,938,562	28,241,427	94,732,213	58,664	7,686 8 6
1898 .. ..	22,062,982	45,861,727	28,793,568	96,718,277	63,825	8,450 19 6
1899 .. ..	22,587,650	46,790,373	29,375,367	98,753,390	57,670	8,551 19 6
1900 .. ..	23,102,610	47,717,435	29,963,197	100,783,242	57,895	8,658 9 6
1901 .. ..	23,621,410	48,647,242	30,514,782	102,783,434	58,445	8,645 10 0
1902 .. ..	24,144,910	49,587,751	31,050,320	104,782,981	61,437†	9,177 15 0†
1903 .. ..	24,667,116	50,536,022	31,564,948	106,768,086	63,519	9,437 9 6
1904 .. ..	25,182,828	51,481,411	32,114,732	108,778,971	62,270	9,274 12 0
1905 .. ..	25,704,312	52,410,704	32,634,763	110,749,779	65,142	9,611 9 0
1906 .. ..	26,244,388	53,345,785	33,166,044	112,756,217	64,340	9,458 6 0
1907 .. ..	26,797,230	54,263,827	33,690,265	114,751,322	69,249	10,194 9 0

\* The figures in these columns refer to periods of 52 weeks except those marked †, which refer to periods of 53 weeks.



TABLE 44.—ISLANDS IN THE BRITISH SEAS. Area and Population; and Births and Deaths, 1883–1907.

YEAR.	ISLANDS IN THE BRITISH SEAS.	ISLE OF MAN.	JERSEY.	GUERNSEY AND ADJACENT ISLANDS.				
Area in Acres ..	193,408	145,325	28,717	19,366				
ENUMERATED POPULATION.								
1881 .. ..	141,260	53,558	52,445	35,257				
1891 .. ..	147,842	55,608	54,518	37,716				
1901 .. ..	150,370	54,752	52,576	43,042				
—	Births.	Deaths.	Births.	Deaths.	Births.	Deaths.	Births.*	Deaths.
1883 .. ..	3,493	3,001	1,392	1,172	1,376	1,129	725	700
1884 .. ..	3,618	3,024	1,448	1,129	1,471	1,166	699	729
1885 .. ..	3,562	2,921	1,439	1,074	1,369	1,179	754	668
1886 .. ..	3,778	2,960	1,574	1,096	1,464	1,145	740	719
1887 .. ..	3,739	2,674	1,515	1,133	1,458	973	766	568
1888 .. ..	3,810	2,663	1,564	1,078	1,523	1,025	723	560
1889 .. ..	3,791	2,687	1,578	1,010	1,415	1,039	798	638
1890 .. ..	3,607	3,040	1,458	1,159	1,375	1,156	774	725
1891 .. ..	3,688	2,925	1,493	1,086	1,373	1,144	822	695
1892 .. ..	3,382	3,031	1,331	1,131	1,269	1,262	782	638
1893 .. ..	3,633	2,864	1,415	1,091	1,401	1,118	817	655
1894 .. ..	3,305	2,700	1,336	1,091	1,227	987	742	622
1895 .. ..	3,602	2,985	1,515	1,138	1,294	1,151	793	696
1896 .. ..	3,538	2,602	1,437	1,073	1,307	998	794	531
1897 .. ..	3,716	2,819	1,445	1,099	1,331	1,016	940	704
1898 .. ..	3,585	2,760	1,400	1,008	1,259	1,020	926	732
1899 .. ..	3,650	2,881	1,473	1,130	1,261	1,054	916	697
1900 .. ..	3,375	2,894	1,376	1,143	1,151	1,054	848	697
1901 .. ..	3,145	2,556	1,204	1,033	1,139	869	802	654
1902 .. ..	3,289	2,466	1,256	979	1,137	864	896	623
1903 .. ..	3,134	2,466	1,190	948	1,097	933	847	585
1904 .. ..	3,536	2,649	1,227	1,027	1,068	903	1,241	719
1905 .. ..	3,419	2,530	1,139	998	1,066	856	1,214	676
1906 .. ..	3,310	2,397	1,123	894	1,007	878	1,180	625
1907 .. ..	3,197	2,499	1,073	893	980	917	1,144	689

NOTE.—The above numbers of births and deaths have been compiled from returns furnished to the Registrar-General by the Registrar-General of the Isle of Man, the Government Secretary of Jersey, and the Lieutenant-Governor of Guernsey and its Dependencies.  
\* Up to and including the year 1895 the figures in this column refer to the number of Baptisms.

TABLE 45.—BALANCE inward or outward on Passenger Movement into and out of the United Kingdom, 1895-1907.

YEAR.	BALANCE OUTWARD ON MOVEMENT TO AND FROM NON-EUROPEAN COUNTRIES.				BALANCE INWARD ON MOVEMENT TO AND FROM EUROPEAN COUNTRIES. (ALL NATION- ALITIES).	NET BALANCE OUTWARD ON TOTAL MOVEMENT TO AND FROM ALL COUNTRIES. (ALL NATION- ALITIES).
	BRITISH AND IRISH.	FOREIGNERS.	NATIONALITY NOT DIS- TINGUISHED.	TOTAL.		
1895	75,763	18,015	2,320	96,098	28,503	67,595
1896	60,133	19,506	2,350	82,039	38,956	43,083
1897	51,239	4,933	1,989	58,166	17,850	40,316
1898	49,396	14,189	2,240	65,825	29,897	35,928
1899	46,116	30,444	2,025	78,585	56,660	21,925
1900	71,188	50,041	1,585	122,814	79,433	43,381
1901	72,016	63,618	1,923	137,557	88,712	48,845
1902	101,547	112,132	2,226	215,905	137,313	78,592
1903	147,036	99,149	3,136	249,321	114,540	134,781
1904	126,854	82,182	2,945	211,981	84,389	127,592
1905	139,365	110,514	4,590	254,469	107,733	146,736
1906	194,671	133,878	977*	327,572	134,199	193,373
1907	235,092	109,857	3,633*	341,316	113,385	227,931

NOTE.—The returns of the passenger movement to and from European countries in the years specified above were not quite complete, no account having been kept by some shipping companies of the number of children carried by them in either direction. The true outward balance on the whole movement is probably somewhat smaller than that shown in the last column of the above table.  
\* Balance inward.

TABLE 46.—ARMY. **Strength and Mortality, 1869—1907.**  
(Regiments on Passage Out and Home are included with the Number Abroad.)

YEAR.	STRENGTH.			DEATHS.			DEATH-RATE PER 1000.		
	TOTAL ARMY.	IN UNITED KINGDOM.	ABROAD.	TOTAL ARMY.	IN UNITED KINGDOM.	ABROAD.	TOTAL ARMY.	IN UNITED KINGDOM.	ABROAD.
1869 ..	186,668	86,278	100,390	3,250	903	2,347	17·4	10·5	23·4
1870 ..	180,444	89,670	90,774	2,638	1,029	1,609	14·6	11·5	17·7
1871 ..	192,665	105,757	86,908	2,327	1,005	1,322	12·1	9·5	15·2
1872 ..	192,007	104,154	87,853	2,649	940	1,709	13·8	9·0	19·5
1873 ..	188,379	100,583	87,796	2,139	931	1,208	11·4	9·3	13·8
1874 ..	186,389	97,635	88,754	2,136	1,007	1,129	11·5	10·3	12·7
1875 ..	184,669	97,193	87,476	2,269	1,061	1,208	12·3	10·9	13·8
1876 ..	184,433	97,146	87,287	2,102	930	1,172	11·4	9·6	13·4
1877 ..	190,502	101,904	88,598	1,801	836	945	9·5	8·4	10·7
1878 ..	200,758	109,201	91,557	2,249	778	1,471	11·2	7·1	16·1
1879 ..	191,290	88,215	103,075	4,239	796	3,443	22·2	9·0	33·4
1880 ..	188,986	91,887	97,099	3,333	756	2,577	17·6	8·2	26·5
1881 ..	188,798	91,946	96,852	2,650	844	1,806	14·0	9·2	18·6
1882 ..	189,229	94,295	94,934	2,224	806	1,418	11·8	8·5	14·9
1883 ..	181,971	90,071	91,900	1,783	672	1,111	9·8	7·5	12·1
1884 ..	183,004	89,994	93,010	1,611	523	1,088	8·8	5·8	11·7
1885 ..	198,064	91,579	106,485	2,730	735	1,995	13·8	8·0	18·7
1886 ..	203,805	98,057	105,748	2,813	703	2,110	13·8	7·2	20·0
1887 ..	209,574	106,767	102,807	2,006	568	1,438	9·6	5·3	14·0
1888 ..	211,105	106,913	104,192	2,041	731	1,310	9·7	6·8	12·6
1889 ..	210,298	105,956	104,342	1,961	525	1,436	9·3	5·0	13·8
1890 ..	209,221	105,668	103,553	1,813	631	1,182	8·7	6·0	11·4
1891 ..	209,699	104,860	104,839	1,869	562	1,307	8·9	5·4	12·5
1892 ..	213,540	106,115	107,425	1,950	502	1,448	9·1	4·7	13·5
1893 ..	217,279	106,074	111,205	1,803	586	1,217	8·3	5·5	10·9
1894 ..	219,121	105,749	113,372	1,871	447	1,424	8·5	4·2	12·6
1895 ..	220,309	107,636	112,673	1,839	491	1,348	8·3	4·6	12·0
1896 ..	220,742	106,408	114,334	1,862	431	1,431	8·4	4·1	12·5
1897 ..	219,283	102,155	117,128	2,188	403	1,785	10·0	3·9	15·2
1898 ..	225,027	102,202	122,825	2,699	452	2,247	12·0	4·4	18·3
1899 ..	238,739	107,504	131,235	2,516	486	2,030	10·5	4·5	15·5
1900 ..	383,037	117,041	265,996	10,554	958	9,596	27·6	8·2	36·1
1901 ..	412,949	126,797	286,152	6,237	780	5,457	15·1	6·2	19·1
1902 ..	379,048	126,992	252,056	4,029	625	3,404	10·6	4·9	13·5
1903 ..	295,589	137,755	157,834	2,067	703	1,364	7·0	5·1	8·6
1904 ..	283,691	134,345	149,346	1,715	444	1,271	6·0	3·3	8·5
1905 ..	274,158	132,141	142,017	1,526	385	1,141	5·6	2·9	8·0
1906 ..	263,834	129,421	134,413	1,445	399	1,046	5·5	3·1	7·8
1907 ..	249,890	123,668	126,222	1,186	382	804	4·7	3·1	6·4

TABLE 47.—ROYAL NAVY. **Mortality in the Service Afloat, 1868—1907.**  
(From the Statistical Reports of the Health of the Navy.)

YEAR.	DEATH-RATE PER 1000.			YEAR.	DEATH-RATE PER 1000.		
	From All Causes.	From Disease.	From Violence.		From All Causes.	From Disease.	From Violence.
1868 ..	8·9	6·5	2·4	1888 ..	5·71	3·95	1·75
1869 ..	9·9	7·3	2·6	1889 ..	5·33	3·87	1·45
1870 ..	19·6	6·7	12·9	1890 ..	8·54	4·14	4·40
1871 ..	8·5	6·3	2·2	1891 ..	6·17	4·68	1·49
1872 ..	8·2	5·6	2·6	1892 ..	5·58	4·50	1·08
1873 ..	8·3	6·0	2·3	1893 ..	11·29	4·07	7·21
1874 ..	9·4	6·7	2·7	1894 ..	5·76	4·05	1·71
1875 ..	8·8	6·9	1·9	1895 ..	6·60	4·64	1·95
1876 ..	9·24	5·99	3·24	1896 ..	5·28	3·81	1·47
1877 ..	7·05	4·91	2·13	1897 ..	5·23	3·78	1·45
1878 ..	14·41	5·32	9·09	1898 ..	4·91	3·56	1·35
1879 ..	8·58	6·23	2·34	1899 ..	5·41	3·87	1·53
1880 ..	12·57	4·62	7·95	1900 ..	7·27	4·96	2·30
1881 ..	10·94	5·27	5·67	1901 ..	5·34	3·38	1·96
1882 ..	9·49	6·87	2·62	1902 ..	5·92	3·51	2·40
1883 ..	5·88	4·05	1·82	1903 ..	4·19	2·79	1·40
1884 ..	9·00	5·83	3·16	1904 ..	4·45	3·14	1·31
1885 ..	7·04	4·77	2·27	1905 ..	3·90	2·74	1·15
1886 ..	6·88	5·04	1·83	1906 ..	3·68	2·48	1·20
1887 ..	8·32	4·89	3·42	1907 ..	3·35	2·26	1·09



**TABLE 48.—MERCHANT SERVICE. Number and Mortality of Masters and Seamen employed in Sea-going Vessels (excluding Fishing Vessels and Yachts) registered in the United Kingdom and the Isle of Man, under the Merchant Shipping Act, reported to the Board of Trade during each of the Years ending 30th June, 1890-1891 to 1906-1907.**

(Furnished to the Registrar-General by the Marine Department of the Board of Trade.)

YEARS.	No. of MASTERS and SEAMEN EMPLOYED. *	No. of DEATHS REPORTED.				DEATH-RATE per 1000.			
		From all Causes.	From Disease, &c. †	From Wreck or Casualty. ††	From Accident other than Wreck or Casualty.	From all Causes.	From Disease &c. †	From Wreck or Casualty. ††	From Accident other than Wreck or Casualty.
Deaths in Sailing Vessels.									
1890-1891	65,792	1,526	352	805	369	23.2	5.4	12.2	5.6
1891-1892	63,357	1,561	455	750	356	24.6	7.2	11.8	5.6
1892-1893	63,618	1,248	392	541	315	19.6	6.2	8.5	5.0
1893-1894	61,327	1,244	374	613	357	21.9	6.1	10.0	5.8
1894-1895	58,537	1,400	484	594	322	23.9	8.3	10.1	5.5
1895-1896	56,095	1,370	410	637	323	24.4	7.3	11.4	5.8
1896-1897	53,267	965	285	413	267	18.1	5.4	7.8	5.0
1897-1898	49,858	781	295	255	231	15.7	5.9	5.1	4.6
1898-1899	46,553	896	271	430	195	19.2	5.8	9.2	4.2
1899-1900	43,356	754	256	307	191	17.4	5.9	7.1	4.4
1900-1901	41,151	894	215	474	205	21.7	5.2	11.5	5.0
1901-1902	38,400	686	207	294	185	17.9	5.4	7.7	4.8
1902-1903	36,406	588	217	196	175	16.2	6.0	5.4	4.8
1903-1904	34,748	652	175	300	177	18.8	5.0	8.6	5.1
1904-1905	32,466	599	166	283	150	18.5	5.1	8.7	4.6
1905-1906	30,204	576	146	287	143	19.1	4.8	9.5	4.7
1906-1907	28,142	386	103	152	131	13.7	3.7	5.4	4.7
Deaths in Steam Vessels.									
1890-1891	148,635	1,513	690	403	420	10.2	4.6	2.7	2.8
1891-1892	154,890	1,759	951	354	454	11.4	6.1	2.3	2.9
1892-1893	155,942	1,430	667	429	334	9.2	4.3	2.8	2.1
1893-1894	156,990	1,799	747	607	445	11.5	4.8	3.9	2.8
1894-1895	159,257	1,538	733	363	442	9.7	4.6	2.3	2.8
1895-1896	162,129	1,697	761	517	419	10.5	4.7	3.2	2.6
1896-1897	165,966	1,668	717	486	465	10.1	4.3	2.9	2.8
1897-1898	168,158	1,412	759	234	419	8.4	4.5	1.4	2.5
1898-1899	172,830	1,961	843	651	467	11.3	4.9	3.8	2.7
1899-1900	177,751	1,981	1,043	462	476	11.1	5.9	2.6	2.7
1900-1901	183,394	1,887	1,052	370	465	10.3	5.7	2.0	2.5
1901-1902	187,043	1,939	1,022	481	436	10.4	5.5	2.6	2.3
1902-1903	193,755	1,797	1,024	305	468	9.3	5.3	1.6	2.4
1903-1904	198,734	1,600	1,015	181	404	8.1	5.1	0.9	2.0
1904-1905	202,111	1,704	993	327	384	8.4	4.9	1.6	1.9
1905-1906	207,607	1,909	1,128	287	494	9.2	5.4	1.4	2.4
1906-1907	214,828	1,924	1,141	347	436	9.0	5.3	1.6	2.0
Total.									
1890-1891	214,427	3,039	1,042	1,208	789	14.2	4.9	5.6	3.7
1891-1892	218,247	3,320	1,406	1,104	810	15.2	6.4	5.1	3.7
1892-1893	219,560	2,678	1,059	970	649	12.2	4.8	4.4	3.0
1893-1894	218,317	3,143	1,121	1,220	802	14.4	5.1	5.6	3.7
1894-1895	217,794	2,938	1,217	957	764	13.5	5.6	4.4	3.5
1895-1896	218,224	3,067	1,171	1,154	742	14.1	5.4	5.3	3.4
1896-1897	219,233	2,633	1,002	899	732	12.0	4.6	4.1	3.3
1897-1898	218,016	2,193	1,054	489	650	10.1	4.8	2.2	3.0
1898-1899	219,383	2,857	1,114	1,081	662	13.0	5.1	4.9	3.0
1899-1900	221,107	2,735	1,299	769	667	12.4	5.9	3.5	3.0
1900-1901	224,545	2,781	1,267	844	670	12.4	5.6	3.8	3.0
1901-1902	225,443	2,625	1,229	775	621	11.6	5.5	3.4	2.8
1902-1903	230,161	2,385	1,241	501	643	10.4	5.4	2.2	2.8
1903-1904	233,482	2,252	1,190	481	581	9.6	5.1	2.1	2.5
1904-1905	234,577	2,303	1,159	610	534	9.8	4.9	2.6	2.3
1905-1906	237,811	2,485	1,274	574	637	10.4	5.4	2.4	2.7
1906-1907	242,970	2,310	1,244	499	567	9.5	5.1	2.1	2.3

\* The figures relating to employment are made up for the year ending in December and are compared with the deaths in the year ending in the following June.

† These figures include cases of homicide, suicide, supposed suicide, missing at sea, and a few cases where the causes of the deaths were unknown.

†† These figures include only deaths resulting from casualties to ships.

TABLE 49 — ENGLAND AND WALES. Prices and Pauperism, 1858-1907.

YEAR.	AVERAGE PRICES.										PAUPERISM.			
	CONSOLS* for Money) per £100 stock.	WHEAT per Quarter in England and Wales.†	MEAT. Price per lb. at the Metropolitan Cattle Market (sinking the Offal).‡						Average Price of SEABORNE COAL per Ton in the London Market.§	Average Number, to 1000 Persons living, in receipt of Poor Law Relief.¶			In-door Paupers to 1000 in Receipt of out- door Relief.	
			BEEF.			MUTTON.				Total.	In-door.	Out- door.		
			Inferior Quality.	Second Quality.	First Quality.	Inferior Quality.	Second Quality.	First Quality.						
£ s. d.	s. d.	d.	d.	d.	d.	d.	d.	d.	s. d.					
1858	96 19 5	44 2	4 4 1/2	—	6 3/4	4 4 1/2	—	6 3/4	—	44·7	6·2	38·5	160	
1859	95 0 0	43 9	4 4 1/2	—	6 3/4	4 4 1/2	—	7 1/2	—	41·5	5·6	35·9	157	
1860	93 19 8	53 3	4 4 1/2	—	6 3/4	5 1/2	—	7 1/2	—	40·1	5·6	34·5	161	
1861	92 0 8	55 4	4 4 1/2	—	6 3/4	5 1/2	—	7 1/2	—	41·9	6·1	35·8	170	
1862	93 8 9	55 5	4 4 1/2	—	6 3/4	5 1/2	—	6 3/4	—	46·7	6·4	40·3	160	
1863	92 17 10	44 9	4 4 1/2	—	6 3/4	4 4 1/2	—	7 1/2	—	48·0	6·3	41·7	151	
1864	90 6 3	40 2	4 4 1/2	—	6 3/4	5 1/2	—	7 1/2	—	43·8	6·1	37·7	161	
1865	89 11 7	41 10	4 4 1/2	—	7 1/2	5 1/2	—	8 3/4	—	41·9	6·0	35·9	168	
1866	87 16 11	49 11	4 4 1/2	—	7 1/2	5 1/2	—	8 1/2	—	40·5	6·1	34·4	176	
1867	93 1 3	64 5	4 4 1/2	—	6 3/4	5 1/2	—	7 1/2	—	42·5	6·4	36·1	178	
1868	93 19 5	63 9	4 4 1/2	—	6 3/4	4 4 1/2	—	6 3/4	—	43·6	6·8	36·8	183	
1869	93 2 2	48 2	4 4 1/2	—	7 1/2	5 1/2	—	7 1/2	—	43·4	6·7	36·7	183	
1870	92 13 2	46 10	4 4 1/2	—	7 1/2	5 1/2	—	7 1/2	—	43·5	6·6	36·9	180	
1871	92 18 5	56 8	5 1/2	—	7 1/2	5 1/2	—	8 1/2	—	41·6	6·3	35·3	179	
1872	92 10 8	57 0	5 1/2	—	7 1/2	6 1/2	—	8 1/2	—	36·9	6·0	30·9	192	
1873	92 14 8	58 8	5 1/2	—	8 1/2	6 1/2	—	9 1/2	31 0	33·9	5·9	28·0	210	
1874	92 12 6	55 8	5 1/2	—	8 1/2	5 1/2	—	8 1/2	23 8	31·5	5·8	25·7	225	
1875	93 15 11	45 2	5 1/2	—	8 1/2	5 1/2	—	9 1/2	21 8	29·7	5·6	24·1	233	
1876	95 5 8	46 2	5 1/2	—	8 1/2	5 1/2	—	9 1/2	19 1	27·5	5·7	21·8	260	
1877	95 10 0	56 9	4 4 1/2	—	8 1/2	4 4 1/2	—	9 1/2	17 5	27·0	6·0	21·0	283	
1878	95 5 0	46 5	4 4 1/2	—	8 1/2	4 4 1/2	—	9 1/2	16 4	27·3	6·2	21·1	293	
1879	97 12 10	43 10	4 4 1/2	—	7 1/2	4 4 1/2	—	8 1/2	15 11	29·0	6·5	22·5	290	
1880	98 10 8	44 4	4 4 1/2	—	7 1/2	4 4 1/2	—	8 1/2	14 10	28·4	6·7	21·7	310	
1881	100 2 6	45 4	4 4 1/2	—	7 1/2	5 1/2	—	9 1/2	16 0	28·2	6·8	21·4	318	
1882	100 17 10	45 1	4 4 1/2	—	8 1/2	5 1/2	—	9 1/2	15 10	27·2	6·7	20·5	325	
1883	101 8 2	41 7	5 1/2	—	8 1/2	5 1/2	—	9 1/2	16 10	26·7	6·6	20·1	331	
1884	101 4 8	35 8	4 4 1/2	—	7 1/2	4 4 1/2	—	8 1/2	15 5	26·0	6·6	19·4	339	
1885	99 4 8	32 10	3 7/8	—	6 3/4	4 1/2	—	7 1/2	15 5	26·0	6·6	19·4	338	
1886	100 17 10	31 0	3 3/8	—	6 3/8	4 1/2	—	8 1/2	14 9	26·6	6·6	20·0	328	
1887	101 16 2	32 6	3 3/8	—	5 3/8	3 3/8	—	7 1/2	14 10	26·2	6·6	19·6	336	
1888	101 0 0	31 10	3 3/8	—	6 3/8	3 3/8	—	7 1/2	14 10	26·0	6·6	19·4	337	
1889	98 0 9	29 9	—	—	—	—	—	—	16 6	25·0	6·4	18·6	345	
1890	96 10 0	31 11	—	—	—	—	—	—	18 7	23·8	6·2	17·6	350	
1891	95 14 8	37 0	—	—	—	—	—	—	18 3	22·8	6·0	16·8	360	
1892	96 13 6	30 3	4 1/2	6 1/2	7 1/2	5 1/2	7 1/2	8 1/2	17 7	22·7	6·1	16·6	370	
1893	98 7 4	26 4	4 1/2	6 1/2	7 1/2	5 1/2	7 1/2	8 1/2	19 0	23·2	6·4	16·8	378	
1894	101 1 5	22 10	3 3/8	5 1/2	6 3/8	5 1/2	7 1/2	8 1/2	16 1	23·3	6·5	16·8	386	
1895	106 3 3	23 1	4 1/2	6 1/2	6 3/8	5 1/2	8 1/2	8 1/2	14 7	24·2	6·6	17·6	376	
1896	110 5 7	26 2	3 3/4	5 1/2	6 3/8	4 7/8	7 1/2	8 1/2	14 4	23·3	6·5	16·8	385	
1897	112 8 0	30 2	3 3/4	5 1/2	6 3/8	5 1/2	7 1/2	8 1/2	15 7	23·0	6·4	16·6	390	
1898	110 19 6	34 0	3 3/4	5 1/2	6 3/8	4 4 1/2	7 1/2	8 1/2	16 2	22·9	6·5	16·4	393	
1899	107 3 11	25 8	3 3/4	5 1/2	6 3/8	5 1/2	7 1/2	8 1/2	17 10	21·7	6·4	15·3	414	
1900	99 12 11	26 11	4 1/2	6 3/8	7 1/2	5 1/2	7 1/2	9 1/2	22 10	21·0	6·2	14·8	418	
1901	94 5 8	26 9	3 3/4	6 1/2	6 7/8	4 7/8	7 1/2	8 1/2	19 4	21·2	6·3	14·9	427	
1902	94 7 5	28 1	4 1/2	6 1/2	7 1/2	5 1/2	7 1/2	8 1/2	18 1	21·3	6·4	14·9	434	
1903	90 15 8	26 9	4 1/2	6 1/2	7 1/2	5 1/2	7 1/2	8 1/2	16 2	21·5	6·6	14·9	447	
1904	88 5 6	28 4	4 1/2	5 1/2	6 7/8	5 1/2	7 1/2	8 1/2	15 2	22·4	7·1	15·3	460	
1905	89 13 9	29 8	4 1/2	5 1/2	7 1/2	5 1/2	7 1/2	8 1/2	14 11 1/4	23·0	7·2	15·8	458	
1906	88 6 6	28 3	4 1/2	5 1/2	6 7/8	6 6	8 1/2	9 1/2	15 9	22·6	7·2	15·4	469	
1907	84 3 4	30 7	4 1/2	5 1/2	7 1/2	6 6	8 1/2	9 1/2	19 6	22·2	7·2	15·0	483	

\* The prices of Consols for the years 1858-88 relate to stock bearing 3 per cent. interest, from 1889 to 31st March, 1903, to stock bearing 2½ per cent., and since then to stock bearing 2½ per cent.

† From the Board of Trade Statistical Abstract.

‡ The Registrar-General is unable to give precise information as to the price of meat for the years 1889-91.

§ The prices of coal are furnished by the Mineral Statistics Department of the Home Office.

¶ Derived from Returns, published by the Local Government Board, of the number of persons in receipt of Relief on each Saturday.

¶ March Quarter only.



TABLE 50.—Meteorological Elements,

YEAR.	Mean Weekly Movement of the Air in Miles.*	Departure from Average of 50 Years.	Fall of Rain in Inches.	Departure from Average of 50 Years.	Mean Degree of Humidity of the Air (Saturation =100).	Departure from Average of 50 Years.	Mean Tempera- ture of the Air.	Departure from Average of 50 Years.
	Miles.	Miles.	Inches.	Inches.	°/°	°/°	°	°
1858 .. ..	1626	-300	17·8	- 6·2	79	- 2	49·2	- 0·2
1859 .. ..	1598	-328	25·9	+ 1·9	80	- 1	50·7	+ 1·3
1860 .. ..	1676	-250	32·0	+ 8·0	84	+ 3	47·0	- 2·4
1861 .. ..	1666	-260	20·8	- 3·2	84	+ 3	49·4	0·0
1862 .. ..	1680	-246	26·2	+ 2·2	84	+ 3	49·5	+ 0·1
1863 .. ..	1775	-151	20·0	- 4·0	80	- 1	50·3	+ 0·9
1864 .. ..	1597	-329	16·7	- 7·3	78	- 3	48·5	- 0·9
1865 .. ..	1553	-373	29·0	+ 5·0	80	- 1	50·3	+ 0·9
1866 .. ..	1917	- 9	30·7	+ 6·7	82	+ 1	49·8	+ 0·4
1867 .. ..	1981	+ 55	28·4	+ 4·4	82	+ 1	48·6	- 0·8
1868 .. ..	2029	+103	25·2	+ 1·2	78	- 3	51·5	+ 2·1
1869 .. ..	2043	+117	24·0	0·0	81	0	49·5	+ 0·1
1870 .. ..	1872	- 54	18·5	- 5·5	79	- 2	48·7	- 0·7
1871 .. ..	1749	-177	22·3	- 1·7	81	0	48·7	- 0·7
1872 .. ..	1998	+ 72	30·0	+ 6·0	82	+ 1	50·7	+ 1·3
1873 .. ..	1940	+ 14	23·4	- 0·6	82	+ 1	48·9	- 0·5
1874 .. ..	1915	- 11	20·0	- 4·0	82	+ 1	49·3	- 0·1
1875 .. ..	1942	+ 16	28·2	+ 4·2	80	- 1	49·2	- 0·2
1876 .. ..	2036	+110	24·2	+ 0·2	80	- 1	50·1	+ 0·7
1877 .. ..	2184	+258	26·9	+ 2·9	79	- 2	49·4	0·0
1878 .. ..	1880	- 46	29·2	+ 5·2	81	0	49·6	+ 0·2
1879 .. ..	1873	- 53	31·3	+ 7·3	83	+ 2	46·2	- 3·2
1880 .. ..	1928	+ 2	29·8	+ 5·8	84	+ 3	49·4	0·0
1881 .. ..	2030	+104	25·2	+ 1·2	81	0	48·7	- 0·7
1882 .. ..	2151	+225	25·2	+ 1·2	84	+ 3	49·7	+ 0·3
1883 .. ..	2058	+132	21·9	- 2·1	82	+ 1	49·4	0·0
1884 .. ..	2034	+108	18·1	- 5·9	80	- 1	50·7	+ 1·3
1885 .. ..	2008	+ 82	24·0	0·0	81	0	48·6	- 0·8
1886 .. ..	1962	+ 36	24·2	+ 0·2	81	0	48·7	- 0·7
1887 .. ..	1927	+ 1	19·9	- 4·1	79	- 2	47·8	- 1·6
1888 .. ..	2049	+123	27·5	+ 3·5	82	+ 1	47·7	- 1·7
1889 .. ..	1934	+ 8	23·3	- 0·7	83	+ 2	48·8	- 0·6
1890 .. ..	1946	+ 20	21·9	- 2·1	81	0	48·6	- 0·8
1891 .. ..	1945	+ 19	25·1	+ 1·1	82	+ 1	48·4	- 1·0
1892 .. ..	1863	- 63	22·3	- 1·7	80	- 1	48·1	- 1·3
1893 .. ..	1909	- 17	20·1	- 3·9	76	- 5	51·1	+ 1·7
1894 .. ..	2019	+ 93	26·9	+ 2·9	81	0	49·9	+ 0·5
1895 .. ..	1951	+ 25	19·7	- 4·3	78	- 3	49·3	- 0·1
1896 .. ..	1932	+ 6	22·4	- 1·6	79	- 2	50·2	+ 0·8
1897 .. ..	2033	+107	22·1	- 1·9	79	- 2	50·3	+ 0·9
1898 .. ..	1956	+ 30	18·9	- 5·1	78	- 3	51·3	+ 1·9
1899 .. ..	1911	- 15	22·3	- 1·7	77	- 4	50·6	+ 1·2
1900 .. ..	2050	+124	23·2	- 0·8	79	- 2	50·4	+ 1·0
1901 .. ..	1970	+ 44	20·3	- 3·7	78	- 3	49·2	- 0·2
1902 .. ..	1933	+ 7	19·3	- 4·7	80	- 1	49·2	- 0·2
1903 .. ..	2226	+300	35·5	+11·5	80	- 1	50·1	+ 0·7
1904 .. ..	1913	- 13	20·7	- 3·3	82	+ 1	49·8	+ 0·4
1905 .. ..	2063	+137	23·0	- 1 0	81	0	49·9	+ 0·5
1906 .. ..	2093	+167	24·7	+ 0·7	79	- 2	50·7	+ 1·3
1907 .. ..	1977	+ 51	22·3	- 1·7	81	0	49·7	+ 0·3
Average in 50 } Years.	1926	—	24·0	—	81	—	49·4	—

\* Approximated to the results of the Robinson's Anemometer by reduction from Whewell's up to 1859.

Greenwich, 1858-1907.

MEAN TEMPERATURE of the AIR in the Quarter ended the last day of								YEAR
March.	Departure from Average of 50 Years.	June.	Departure from Average of 50 Years.	Sept.	Departure from Average of 50 Years.	Dec.	Departure from Average of 50 Years.	
37.8	- 2.2	54.3	+ 1.3	61.0	+ 0.5	43.8	- 0.4	1858
43.3	+ 3.3	53.7	+ 0.7	62.8	+ 2.3	43.3	- 0.9	1859
38.8	- 1.2	50.5	- 2.5	56.2	- 4.3	42.6	- 1.6	1860
39.9	- 0.1	51.8	- 1.2	60.4	- 0.1	45.5	+ 1.3	1861
41.0	+ 1.0	53.3	+ 0.3	58.8	- 1.7	45.0	+ 0.8	1862
42.6	+ 2.6	53.1	+ 0.1	58.8	- 1.7	46.8	+ 2.6	1863
37.9	- 2.1	53.1	+ 0.1	59.4	- 1.1	43.7	- 0.5	1864
36.5	- 3.5	56.2	+ 3.2	62.5	+ 2.0	46.0	+ 1.8	1865
41.2	+ 1.2	53.0	0.0	58.9	- 1.6	46.2	+ 2.0	1866
38.9	- 1.1	53.5	+ 0.5	59.7	- 0.8	42.5	- 1.7	1867
41.4	+ 1.4	55.8	+ 2.8	63.9	+ 3.4	45.1	+ 0.9	1868
41.3	+ 1.3	52.0	- 1.0	61.4	+ 0.9	43.3	- 0.9	1869
38.0	- 2.0	54.4	+ 1.4	60.7	+ 0.2	41.6	- 2.6	1870
40.2	+ 0.2	51.5	- 1.5	61.3	+ 0.8	41.8	- 2.4	1871
43.6	+ 3.6	52.8	- 0.2	61.1	+ 0.6	45.3	+ 1.1	1872
39.4	- 0.6	51.8	- 1.2	60.3	- 0.2	44.2	0.0	1873
41.4	+ 1.4	52.8	- 0.2	60.9	+ 0.4	42.3	- 1.9	1874
39.5	- 0.5	53.4	+ 0.4	60.7	+ 0.2	43.1	- 1.1	1875
39.5	- 0.5	51.7	- 1.3	61.8	+ 1.3	47.0	+ 2.8	1876
42.3	+ 2.3	51.9	- 1.1	58.5	- 2.0	45.0	+ 0.8	1877
41.5	+ 1.5	54.6	+ 1.6	60.8	+ 0.3	41.6	- 2.6	1878
37.1	- 2.9	49.5	- 3.5	58.1	- 2.4	39.9	- 4.3	1879
39.8	- 0.2	52.4	- 0.6	61.4	+ 0.9	44.0	- 0.2	1880
37.3	- 2.7	52.9	- 0.1	60.0	- 0.5	44.6	+ 0.4	1881
42.3	+ 2.3	53.0	0.0	58.1	- 2.4	44.7	+ 0.5	1882
40.0	0.0	53.0	0.0	59.5	- 1.0	44.9	+ 0.7	1883
43.4	+ 3.4	52.5	- 0.5	62.7	+ 2.2	44.1	- 0.1	1884
40.3	+ 0.3	52.4	- 0.6	59.1	- 1.4	42.8	- 1.4	1885
36.5	- 3.5	52.5	- 0.5	61.2	+ 0.7	44.6	+ 0.4	1886
37.3	- 2.7	51.6	- 1.4	61.0	+ 0.5	41.3	- 2.9	1887
36.9	- 3.1	51.6	- 1.4	57.6	- 2.9	44.6	+ 0.4	1888
38.2	- 1.8	54.5	+ 1.5	58.9	- 1.6	43.5	- 0.7	1889
41.4	+ 1.4	52.8	- 0.2	58.4	- 2.1	40.8	- 3.4	1890
37.6	- 2.4	51.6	- 1.4	59.3	- 1.2	45.0	+ 0.8	1891
37.5	- 2.5	53.4	+ 0.4	59.2	- 1.3	42.3	- 1.9	1892
40.9	+ 0.9	57.0	+ 4.0	61.9	+ 1.4	44.6	+ 0.4	1893
41.4	+ 1.4	53.3	+ 0.3	58.6	- 1.9	46.4	+ 2.2	1894
35.2	- 4.8	55.1	+ 2.1	62.3	+ 1.8	44.7	+ 0.5	1895
42.2	+ 2.2	55.6	+ 2.6	60.4	- 0.1	42.4	- 1.8	1896
41.1	+ 1.1	53.1	+ 0.1	60.9	+ 0.4	46.0	+ 1.8	1897
41.5	+ 1.5	52.4	- 0.6	62.7	+ 2.2	48.5	+ 4.3	1898
41.8	+ 1.8	52.8	- 0.2	63.0	+ 2.5	44.7	+ 0.5	1899
39.2	- 0.8	52.8	- 0.2	61.8	+ 1.3	47.6	+ 3.4	1900
37.8	- 2.2	53.4	+ 0.4	61.7	+ 1.2	43.9	- 0.3	1901
40.5	+ 0.5	51.0	- 2.0	59.6	- 0.9	45.2	+ 1.0	1902
43.9	+ 3.9	51.2	- 1.8	60.0	- 0.5	45.2	+ 1.0	1903
39.5	- 0.5	53.8	+ 0.8	61.5	+ 1.0	44.3	+ 0.1	1904
41.9	+ 1.9	53.8	+ 0.8	61.7	+ 1.2	42.2	- 2.0	1905
41.1	+ 1.1	52.8	- 0.2	63.2	+ 2.7	45.8	+ 1.6	1906
40.0	0.0	52.9	- 0.1	60.1	- 0.4	45.8	+ 1.6	1907
40.0	—	53.0	—	60.5	—	44.2	—	{ Average in 50 Years.



TABLE 51.—Quarterly Meteorological

Winter .. Jan., Feb., March. Spring .. April, May, June. Summer .. July, Aug., Sept. Autumn .. Oct., Nov., Dec.	Temperature of								Elastic Force of Vapour.		Weight of Vapour in a Cubic Foot of Air.		
	Air.			Evaporation.		Dew Point.		Air—Daily Range.		Mean.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.
	Mean of Maximum and Minimum.	Diff. from Average of 130 Years.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.				
1907.	°	°	°	°	°	°	°	°	°	in.	in.	grs.	gr.
YEAR ..	49·7	+ 1·0	+ 0·3	46·0	- 0·5	43·0	- 0·5	15·6	- 0·2	·286	- ·007	3·2	- 0·2
Winter Quarter	40·0	+ 1·1	+ 0·2	37·1	- 0·7	34·1	- 1·1	12·9	+ 1·1	·197	- ·010	2·3	- 0·1
Spring do.	52·9	+ 0·5	0·0	48·0	- 1·1	44·3	- 0·9	17·3	- 2·6	·295	- ·011	3·3	- 0·1
Summer do.	60·1	+ 0·3	- 0·3	54·7	- 1·8	51·3	- 1·7	20·1	+ 0·4	·381	- ·021	4·2	- 0·4
Autumn do.	45·8	+ 2·1	+ 1·4	44·1	+ 1·5	42·3	+ 1·7	12·0	+ 0·3	·273	+ ·016	3·1	0·0

In this table + and - respectively signify that the number in the *preceding* column is

Elements, Greenwich, 1907.

Degree of Humidity.		Reading of Barometer, reduced to 32° F.		Weight of a Cubic Foot of Air.		Rain.		Reading of Thermometer on Grass.																
Mean (Saturation = 100).	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.	Amount.	Diff. from Average of 86 Years.	Number of Nights it was			Lowest Reading at Night.	Highest Reading at Night.	Winter ..	..	Jan., Feb., March.	Spring ..	..	April, May, June.	Summer ..	..	July, Aug., Sept.	Autumn ..	..	Oct., Nov., Dec.
								At or below 30°.	Between 30° and 40°.	Above 40°.														
%	%	ins.	in.	grs.	grs.	Sums.		Sums.			°	°	1907.											
81	- 1	29·803	+ ·026	544	+ 2	ins. 22·25	ins. - 2·55	105	147	113	8·8	58·1	YEAR.											
82	- 2	30·008	+ ·234	558	+ 6	3·27	- 1·67	58	29	3	8·8	43·5	Winter Quarter											
77	0	29·678	- ·107	538	0	7·26	+ 1·65	15	43	33	20·3	53·0	Spring do.											
78	+ 1	29·890	+ ·094	535	+ 5	3·51	- 3·66	3	27	62	24·7	58·1	Summer do.											
88	- 1	29·637	- ·116	544	- 3	8·21	+ 1·13	29	48	15	19·0	52·8	Autumn do.											

above or below the average to the amount of the quantities to which the signs are affixed.



TABLE 52.—Monthly Meteorological Elements at Greenwich, 1907.

1907.	Baro- meter.	Air Temperature.							Hygrometer.				Earth Temperature.		Bright Sunshine.				
		Mean Pressure, at 32° F. at Station Level,* (Bar. 159 ft. above M.S.L.)	Mean of		Mean of A and B.	Difference from Average.†	Absolute Minimum and Maximum.			Mean of Observations at 9 a.m. and 9 p.m.*				At 1 foot depth.	At 3 ft. 2 in. depth.	Total Possible.	Total Observed.	Difference from Average.†	
			A	B			Minimum.	Day of Month.	Maximum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.						Humidity.
January ..	..	33.8	42.7	38.3	° -0.1	22	24	51	1	38.3	2.1	.191	83	° 42.5	hrs. 259	hrs. 37	hrs. - 4		
February ..	..	32.3	42.8	37.6	° -2.2	24	7	51	17	37.0	2.0	.184	84	° 40.2	276	58	+ 1		
March ..	..	34.3	53.6	44.0	° +1.5	24	12	69	31	42.9	2.9	.217	79	° 42.2	365	170	-71		
April ..	..	38.8	56.0	47.4	° -0.7	29	19	72	24	46.0	2.8	.217	80	° 45.8	413	125	-22		
May ..	..	44.6	62.3	53.4	° -0.4	34	20	82	12	52.6	3.8	.299	76	° 50.3	481	159	-27		
June ..	..	49.3	66.2	57.8	° -2.5	43	17	76	9	53.3	4.2	.339	74	° 55.3	494	168	-29		
July ..	..	50.3	69.8	60.0	° -3.7	43	11	79	19	58.3	4.2	.366	75	° 58.3	493	182	-54		
August ..	..	52.0	71.2	61.6	° -1.3	44	2	79	4	60.4	4.3	.393	76	° 60.3	451	180	-30		
September ..	..	48.0	69.5	58.7	° +0.5	35	23	83	25	56.4	2.5	.383	84	° 58.9	380	154	- 1		
October ..	..	43.5	58.7	51.1	° +0.7	36	25	68	1	50.8	1.7	.328	88	° 55.7	331	99	+ 4		
November ..	..	33.9	50.8	44.8	° +1.4	29	22	60	9	44.5	1.1	.266	91	° 50.8	266	37	-11		
December ..	..	37.2	46.1	41.6	° +2.0	28	16	57	8	41.6	1.8	.225	86	° 46.4	244	47	+14		
Year ..	..	41.9	57.5	49.7	° -0.4	—	—	—	—	48.8	2.8	.286	81	° 50.6	4,458	1,417	-85		

\* The hours of observation are 9 a.m. and 9 p.m. local time.

† The averages used are obtained from observations extending over 65 years for Rain and Temperature, and 10 years for Sunshine.

*Wind Force*.—Beaufort Scale (0-12) is used. The number of observations of moderate and strong wind (force 4-7), the number of observations of calm, and the number of days of gale are given in the table.





TABLE 53.—Mean Annual Values of Meteorological

Name of Station. County and Height.  [The figures give the height of the Cistern of the Baro- meter above Mean Sea Level.]	Baro- meter.	Air Temperature.								Hygrometer.				Earth Tem- pera- ture.		Bright Sunshine.		
	Mean Pressure, at 32° F. at Station Level.*	Mean of		Difference from Average.†	Absolute Minimum and Maximum.				Mean of Obser- vations at 9 a.m. and 9 p.m.*				At 1 foot depth.	At 4 feet depth.	Total Possible.	Total Observed.	Difference from Average.†	
		A	B		Mean of A and B.	Minimum.	Day of Month.	Maximum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.						Humidity.
No. 1.—LONDON:—	Ins.	°	°	°	°	°	°	°	°	°	Ins.	%	°	°	Hrs.	Hrs.	Hrs.	
Greenwich, Kent. 159 ft.	29·803	41·9	57·5	49·7	-0·4	22	Jan. 24	83	Sept. 25	48·8	2·8	·286	81	—‡	50·6	4,458	1,417	- 85
Kew, Surrey. 34 ft.	29·945	43·1	56·2	49·7	+0·2	23	Jan. 27	78	Sept. 25	49·1	2·8	·291	81	49·3	50·1	4,406	1,463	- 4
b. Barnet, Middle- sex. 215 ft.	29·757	41·8	—	—	—	20	Jan. 27	85	May 12	49·2	2·7	·295	82	—	—	4,406	—	—
Tottenham, Essex, 55 ft.	29·907	43·0	56·5	49·8	—	22	Jan. 24	80	Sept. 25	49·6	1·6	·332	89	—	50·8	4,406	1,424	—
Camden Square. 123 ft.	29·847	42·9	57·8	50·4	0·0	22	Jan. 24	82	May 12	49·6	2·5	·304	84	49·2	49·0	4,406	1,209	—
a. Westminster. 54 ft.	29·902	43·9	56·4	50·2	+0·1	23	Jan. 25	80	Sept. 25	48·3	2·1	·297	85	—	—	4,406	1,234	+ 90
Norwood, Surrey. 235 ft.	29·746	42·5	56·8	49·7	+0·1	22	Jan. 24, 27	81	May 12	48·7	2·6	·289	82	49·1	—	4,406	—	—
LONDON.—Annual	—	42·9	56·9	49·9	0·0	20	—	85	—	49·2	2·5	300	83	49·2	50·1	4,413	1,349	0
No. 2.—ENGLAND, CENTRAL:—																		
Huddersfield, Yorkshire. 411 ft.	29·467	41·0	53·1	47·1	—	19	Jan. 24, 25	74	July 17	46·0	1·8	·280	87	46·8	46·8	4,415	1,068	—
Sheffield, York- shire. 450 ft.	29·446	42·0	54·0	48·0	-0·5	18	Jan. 25	76	May 12	47·4	1·9	·296	86	47·0	47·3	4,414	1,428	—
a. Nottingham, Notts. 85 ft.	29·829	40·5	55·2	47·9	-0·5	14	Jan. 25	80	May 12	46·0	1·6	·282	88	47·2	48·0	4,412	1,250	—
d Wakefield, Yorkshire. 100 ft.	29·822	—	—	—	—	—	—	76	July 17	—	—	—	—	—	—	4,415	—	—
Birmingham, War- wick. 542 ft.	29·355	41·8	54·0	47·9	-0·2	15	Jan. 25	77	May 12	46·5	2·3	·276	84	46·8	47·8	4,408	1,105	—
c. Coventry, War- wick. 309 ft.	29·635	41·0	—	—	—	15	Jan. 25	80	May 12	48·2	2·8	·279	81	48·9	49·7	4,408	1,355	—
Buxton, Derby. 995 ft.	28·863	38·6	50·9	44·7	-0·6	9	Jan. 25	76	May 12	44·4	1·9	·258	86	—	—	4,413	—	—
Cheltenham, Glos. 206 ft.	29·746	43·2	55·4	49·3	+0·7	17	Jan. 25	79	July 19	48·7	2·6	·290	82	—	—	4,405	1,602	—
Oxford. 212 ft. ..	29·746	42·3	56·0	49·2	+0·3	20	Jan. 23	79	May 12	48·1	2·6	·283	82	—	—	4,432	1,432	- 24
Shrewsbury, Shropshire. 212 ft.	29·714	40·9	55·9	48·4	-0·6	12	Jan. 25	81	July 17, 18	47·3	2·0	·293	86	—	—	4,410	—	—
Stokesay, Shrop- shire. 375 ft.	29·547	39·5	55·5	47·5	—	10	Jan. 25	83	July 18	47·1	2·0	·285	86	—	—	4,408	—	—
Berkhamsted, Herts. 397 ft.	29·547	40·2	55·9	48·1	-0·3	19	Jan 27 Feb. 2	78	Sept. 25	46·7	2·0	·281	86	49·5	—	4,406	1,463	—
Belvoir Castle, Lei- cester. 276 ft.	29·646	40·7	54·5	47·6	-0·5	12	Jan. 25	80	May 12	46·6	1·8	·286	88	—‡	48·2	4,412	1,545	—
ENGLAND, CEN- TRAL.—Annual.	—	41·0	54·6	47·8	-0·2	9	—	83	—	46·9	2·1	·283	85	47·7	48·0	4,412	1,361	—

\* At Oxford the observations are taken at 8 a.m., noon, and 8 p.m. (see note in Quarterly Returns). At all the stations marked —a. (Westminster and Nottingham) the observing hours are 8 a.m. and 6 p.m. hour is 9 a.m. local time: d. (Wakefield) the observing hours are 9 a.m. and 8 p.m. local time.  
For all the stations marked a, b, and c the results under Barometer, Hygrometer and Cloud are based on the included in the means for districts. For the station marked c and for Camden Square, where the wind and cloud wind have been multiplied by two in order to make them more readily comparable with the results for other French type, but are included in the means for districts.  
† The averages used are obtained from observations extending over 35 years, namely:—For Rainfall, 35 years, Temperature, 65 years; Sunshine, 10 years.)  
‡ At the Royal Observatory the earth temperature is taken at 3 ft. 2 ins. below the surface, and at Belvoir  
§ See footnote. p. 81 in Quarterly Returns.  
Wind Force.—Beaufort Scale (0-12) is used. The number of observations of moderate and strong wind (force

Elements from Observations at several Stations in the Year 1907.

Cloud.	Rain and other forms of Precipitation.					Weather. Number of days of							Wind Force (0-12).	Wind Direction. No. of Observations at 9 a.m. and 9 p.m.*								
Mean of Observations of amount at 9 a.m. and 9 p.m.* (Scale 0-10).	Number of Days.	Total Fall.	Difference from Average.†	Most in a day.		Snow.	Hail.	Thunderstorm.	Clear Sky. (See Note on p. 85.)	Overcast. (See Note on p. 85.)	Fog.	Gale.	Number of Observations of Moderate and Strong Wind. (Force 4-7.)	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
				Amount.	Day of Month.§																	
6.6	163	22.25	- 1.87	1.03	June 29	13	5	9	36	153	65	4	85	56	69	62	70	48	70	197	113	45
6.6	182	23.81	- 0.23	0.93	June 1	8	0	15	42	161	83	0	125	3	81	63	99	28	92	168	122	74
6.9	185	26.15	+ 0.64	1.08	July 22	—	—	—	39	164	—	1	95	20	34	117	60	69	20	159	118	133
7.3	149	23.84	—	1.54	July 22	9	7	13	22	184	22	4	78	63	50	76	50	67	29	211	90	94
7.3	176	23.01	- 2.15	0.72	Dec. 12	10	2	13	36	201	34	—	—	54	114	72	66	34	44	90	178	78
7.1	162	19.52	- 4.87	0.57	July 22	12	1	11	26	152	37	10	128	101	47	62	76	42	37	155	145	65
6.5	183	22.95	- 1.98	0.74	June 29	14	4	15	52	163	98	9	67	125	70	54	38	35	91	146	118	53
6.8	171	23.08	- 1.74	1.54	—	11	3	13	36	168	57	5	96	60	67	72	66	46	55	161	126	77
6.6	231	35.45	—	1.54	Oct. 16	20	7	18	43	156	23	5	104	124	26	62	43	40	51	134	178	72
7.2	208	31.58	- 0.98	1.79	Oct. 16	31	6	17	22	154	60	3	38	77	56	50	20	46	138	128	117	98
7.3	197	23.48	- 1.31	0.92	Aug. 14	22	6	14	22	153	55	2	45	32	38	58	88	40	59	164	198	53
6.6	177?	24.10?	- 2.28	1.54	Oct. 16	15	9	16	25	124	39	11	69	39	63	71	40	55	36	160	198	68
6.7	173	28.86	+ 1.51	1.40	May 13	10	2	10	36	153	24	1	94	78	70	43	70	41	69	134	136	89
6.1	201	27.57	+ 1.83	1.30	Oct. 16	11	2	7	87	152	13	2	16	170	32	64	50	28	86	134	96	70
6.5	247	46.58	- 4.01	1.25	Mar. 19	37	16	11	46	157	36	3	59	209	6	36	59	43	19	107	136	115
6.2	174	29.00	+ 1.37	1.51	July 21	10	4	9	47	137	8	12	92	98	14	42	72	109	62	168	116	49
6.5	190	27.03	+ 0.99	1.85	July 22	16	12	7	22	77	42	6	185	79	66	74	47	48	92	150	120	54
6.5	197	25.54	—	1.17	Aug. 14	14	8	10	39	153	31	4	130	16	40	31	24	160	76	125	106	152
7.0	195	30.53	—	1.19	Oct. 16	20	7	14	27	161	14	9	80	274	51	29	10	51	105	85	53	72
6.8	187	27.87	- 0.60	1.20	Oct. 14	22	18	17	34	168	45	3	12	176	28	40	49	34	78	103	140	82
6.4	227	25.83	+ 0.46	1.05	May 14	23	9	32	35	143	80	5	151	162	43	43	17	33	100	174	100	58
6.6	200	29.49	- 0.30	1.85	—	19	8	14	37	145	36	5	83	118	41	50	45	56	75	136	130	79

other stations the hours of observation are 9 a.m. and 9 p.m. local time, with the following exceptions. At the Greenwich time ; b. (Barnet) the observing hours are 9 a.m. and 3 p.m. local time ; c. (Coventry) the observing morning observations only, and these results are in consequence printed in French type. They have not been are not observed at 9 p.m., the results for Wind Direction and the number of observations of moderate and strong stations. They as well as the numbers of days of "Clear Sky" and "Overcast" at these stations are printed in 1871-1905 ; Temperature. 35 years, 1871-1905 ; Sunshine, 25 years, 1881-1905. (Greenwich : Rain, 65 years Castle at 3 ft. 4-7), the number of observations of calm and the number of days of gale are given in the table.



TABLE 53 (continued).—Mean Annual Values of Meteorological

Name of Station. County and Height.	Baro- meter.	Air Temperature.								Hygrometer.				Earth Tem- pera- ture.		Bright Sunshine.		
	Mean Pressure, at 32° F. at Station Level.*	Mean of		Difference from Average.†	Absolute Minimum and Maximum.				Mean of Obser- vations at 9 a.m. and 9 p.m.*				At 1 foot depth.	At 4 feet depth.	Total Possible.	Total Observed.	Difference from Average.†	
		A	B		Minimum.	Day of Month.	Maximum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.						
[The figures give the height of the Cistern of the Baro- meter above Mean Sea Level.]		Minimum.	Maximum.	Mean of A and B.		Minimum.	Day of Month.	Maximum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	At 1 foot depth.	At 4 feet depth.	Total Possible.	Total Observed.	Difference from Average.†
3. ENGLAND, S.:—	Ins.	°	°	°	°	°	°	°	°	°	°	Ins.	%	°	°	Hrs.	Hrs.	Hrs.
Southampton, Hants. 84 ft.	29·903	43·9	57·7	50·8	+0·3	21	Jan. 24	81	July 16	50·4	2·7	·312	82	—	—	4,407	1,709	+44
c. Portsmouth, Hants. 18 ft.	29·971	45·2	56·4	50·8	+0·5	21	Jan. 24	79	July 16	51·0	3·0	·307	81	51·5	52·2	4,408	—	—
Brighton, Sussex. 31 ft.	—	44·7	55·4	50·1	-0·3	19	Jan. 24	79	July 16	—	—	—	—	—	50·9	4,408	1,691	-40
b. Ventnor, Isle of Wight. 80 ft.	29·887	46·1	56·0	51·1	-0·2	22	Jan. 25	77	July 16	51·4	3·0	·311	80	—	—	4,408	1,736	+13
a. Portland Bill, Dorset. 23 ft.	29·937	47·0	53·8	50·4	-0·6	23	Jan. 24, 25	74	July 16	50·1	1·8	·324	87	—	—	4,408	—	—
Eastbourne, Sussex. 36 ft.	29·945	44·7	54·6	49·7	-0·4	19	Jan. 24	73	Aug. 4 Sept. 12	50·1	2·1	·321	86	50·4	50·6	4,408	1,848	+109
Salisbury, Wilts. 186 ft.	29·771	40·0	57·5	48·8	-0·2	18	Feb. 7	83	July 20	48·2	1·7	·309	89	50·7	—	4,407	—	—
ENGLAND, S.— Annual }	—	44·5	55·9	50·2	-0·1	18	—	83	—	49·6	2·2	·314	86	50·9	51·2	4,408	1,746	+32
4. ENGLAND, E.:—																		
Cromer, Norfolk. 139 ft.	—	42·5	54·7	48·6	—	21	Jan. 27	79	May 11	—	—	—	—	—	—	4,412	1,667	—
Clacton, Essex. 62 ft.	29·900	43·7	54·4	49·1	-0·5	21	Jan. 27 Feb. 8	74	Aug. 13	49·0	2·3	·306	85	50·0	51·2	4,406	1,729	—
Dunmow, Essex. 300 ft.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4,405	—	—
Cambridge. 43 ft.	29·890	40·5	56·3	48·4	-0·5	20	Jan. 27	80	Sept. 25	47·6	—	—	—	49·4	50·3	4,407	1,484	-76
Norwich. 93 ft. ..	—	41·4	55·5	48·5	—	15	Jan. 27	80	May 11	—	—	—	—	—	—	4,410	—	—
Bennington, Herts. 411 ft.	29·552	40·8	55·2	48·0	-0·3	21	Jan. 24	79	Sept. 25	46·9	2·0	·283	86	49·3	49·4	4,405	—	—
Hillington, Nor- folk. 92 ft.	29·835	39·9	55·4	47·6	-0·6	10	Jan. 25	81	May 12	46·8	1·7	·288	88	—	—	4,410	1,524	+25
ENGLAND, E.— Annual }	—	41·5	55·3	48·4	-0·5	10	—	81	—	47·6	2·0	·292	86	49·6	50·3	4,408	1,601	-26

\* The hours of observation are 9 a.m. and 9 p.m. local time, with the following exceptions. At the stations observing hours are 9 a.m. and 3 p.m. local time; c. (Portsmouth) the observing hour is 9 a.m. local time. For all the stations marked a, b, and c the results under Barometer, Hygrometer and Cloud are based on the included in the means for districts. For the station marked c the results for Wind Direction and the number of comparable with the results for other stations. They as well as the numbers of days of "Clear Sky" and † The averages used are obtained from observations extending over 35 years, namely:—For Rainfall, 35 years, † See footnote. p. 81 of Quarterly Returns. Wind Force.—Beaufort Scale (0-12) is used. The number of observations of moderate and strong wind (force

Elements from Observations at several Stations in the Year 1907.

Cloud.	Rain and other forms of Precipitation.					Weather. Number of days of							Wind Force (0-12).		Wind Direction. No. of Observations at 9 a.m. and 9 p.m.*							
	Number of Days.	Total Fall.	Difference from Average.†	Most in a day.		Snow.	Hail.	Thunderstorm.	Clear sky. (See Note on p. 85.)	Overcast. (See Note on p. 85.)	Fog.	Gale.	Number of Observations of Moderate and Strong Wind. (Force 4-7.)	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
				Amount.	Day of Month.‡																	
Mean of Observations of amount at 9 a.m. and 9 p.m.* (Scale 0-10).																						
		Ins.	Ins.	Ins.																		
6.5	182	30.80	-0.10	1.12	May 13	8	5	13	55	153	86	6	197	6	12	158	12	109	3	227	31	172
5.9	172	25.33	-2.22	1.12	Oct. 14	9	11	10	76	136	7	5	318	2	52	68	76	90	28	136	124	154
—	165	20.62	-6.96	0.84	Nov. 26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.6	178	24.21	-5.38	1.20	Oct. 14	7	3	4	42	148	3	7	188	16	83	52	89	56	71	170	136	57
6.6	164	26.59	—	1.81	Oct. 16	5	5	8	24	139	35	23	376	15	39	85	111	34	46	142	168	90
5.8	177	26.40	-4.49	1.23	Nov. 26	7	3	9	53	113	12	3	143	96	19	119	75	33	31	133	176	48
6.4	220	34.09	+1.86	1.76	Oct. 10	7	5	13	26	127	33	8	109	7	48	70	32	58	59	124	143	189
6.2	180	26.86	-2.88	1.81	—	7	5	10	46	136	29	9	222	24	42	92	66	63	40	155	130	118
—	213	21.97	—	0.89	May 31	10	1	0	—	—	10	—	—	—	—	—	—	—	—	—	—	—
6.2	150	16.66	—	0.99	July 10	11	7	12	27	111	29	12	250	28	57	55	86	61	92	110	139	102
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.0	169	21.21	-1.45	0.87	June 29	14	8	14	52	120	22	0	36	178	42	68	35	52	55	139	99	62
—	231	26.25	—	0.74	Apr. 30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7.1	198	23.39	-2.61	1.05	May 13	25	11	23	31	184	58	3	29	142	25	50	50	69	45	166	140	43
6.5	198	25.69	-1.80	0.81	May 14	21	7	8	45	155	17	5	68	172	32	73	29	57	24	155	90	98
6.5	193	22.53	-1.95	1.05	—	16	7	11	39	143	27	5	96	130	39	61	50	60	54	143	117	76

marked:—a. (Portland Bill) the observing hours are 8 a.m. and 6 p.m. Greenwich time; b. (Ventnor) the morning observations only, and these results are in consequence printed in French type. They have not been observations of moderate and strong wind have been multiplied by two in order to make them more readily "Overcast" at these stations are printed in French type, but are included in the means for districts. 1871-1905; Temperature, 35 years, 1871-1905; Sunshine, 25 years, 1881-1905. 4-7), the number of observations of calm and the number of days of gale are given in the table.



TABLE 53 (continued).—Mean Annual Values of Meteorological

Name of Station. County and Height.  [The figures give the height of the Cistern of the Baro- meter above Mean Sea Level.]	Baro- meter.	Air Temperature.								Hygrometer.				Earth Tem- pera- ture.		Bright Sunshine.		
	Mean Pressure, at 32° F. at Station Level.*	Mean of		Difference from Average.†	Absolute Minimum and Maximum.				Mean of Obser- vations at 9 a.m. and 9 p.m.*				At 1 foot depth.	At 4 feet depth.	Total Possible.	Total Observed.	Difference from Average.†	
		A	B		Minimum.	Day of Month.	Maximum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.						
5. ENGLAND, N.E.:—	Ins.	°	°	°	°	°	°	°	°	°	Ins.	%	°	°	Hrs.	Hrs.	Hrs.	
a. North Shields. 117 ft.	29.748	39.9	53.1	46.5	-0.7	22	Feb 3, 4	72	Sept. 10	46.0	2.0	.272	86	—	—	4,412	—	—
a. Spurn Head, Yorks. 28 ft.	29.868	44.1	52.8	48.5	+0.2	21	Jan. 25	73	Aug. 4	47.1	1.7	.292	88	—	—	4,414	—	—
Durham. 352 ft. ..	29.501	39.6	52.9	46.3	-0.5	20	Jan. 24	75	July 16	46.1	2.0	.277	86	—	—	4,413	1,333	+ 16
York. 53 ft. ..	29.865	41.0	55.1	48.1	0.0	19	Jan. 25	76	May 12 July 16	47.2	1.9	.288	87	47.6	48.0	4,415	1,265	- 11
Hull. 2 ft. .. ..	29.911	41.2	55.2	48.2	+0.4	19	Jan 25 Feb. 3	80	May 11	48.1	2.5	.286	83	47.0	47.9	4,415	961	—
Lincoln. 42 ft. ..	—	40.2	55.0	47.9	-0.5	15	Jan. 25	81	May 12	47.5	2.4	.284	83	47.9	48.4	4,413	—	—
Cockle Park, Mor- peth. 331 ft.	29.513	39.5	—	—	—	21	Jan. 24, 26	76	July 16	45.2	1.9	.268	86	45.8	46.1	4,411	1,427	—
ENGLAND, N.E.— } Annual }	—	41.0	54.1	47.6	-0.2	15	—	81	—	46.8	2.1	.281	85	47.1	47.6	4,413	1,247	+ 3
6. ENGLAND, N.W.:—																		
Llandudno. 21 ft.	29.912	44.6	55.0	49.8	-0.1	20	Jan. 25	76	July 17	49.6	2.8	.293	81	—	—	4,413	1,540	+ 84
Bettws - y - Coed, Denbigh. 100 ft.	29.791	41.5	55.0	48.3	-1.4	15	Jan. 25	80	July 20 Sept. 10	47.8	2.0	.294	86	47.2	48.1	4,412	1,282	—
Liverpool (Bidston) 202 ft.	29.704	43.2	53.2	48.2	-0.7	21	Jan. 25	76	July 20	47.6	2.4	.280	83	—	—	4,414	—	—
Aspatria, Cumber- land. 254 ft.	29.614	40.8	53.0	46.9	-0.2	19	Jan. 24	80	Sept. 28	46.4	1.7	.288	89	—	—	4,413	1,379	—
Manchester. 195 ft.	29.722	44.0	54.4	49.2	—	20	Jan. 25	80	July 17	48.6	2.6	.290	83	47.7	49.0	4,414	894	—
Southport, Lancs. 42 ft.	29.876	42.5	53.7	48.1	-0.1	20	Jan. 25	76	July 16	47.6	2.2	.286	85	49.1	49.7	4,415	1,474	+ 8
Stonyhurst, Lancs. 363 ft.	29.536	41.0	52.1	46.6	-0.8	20	Jan. 25	77	July 17	46.3	2.4	.271	83	—	—	4,415	1,181	-175
ENGLAND, N.W.— } Annual }	—	42.5	53.8	48.2	-0.6	15	—	80	—	47.7	2.3	.286	84	48.0	48.9	4,414	1,292	- 28

\* The hours of observation are 9 a.m. and 9 p.m. local time with the following exceptions. At the stations For all the stations marked a the results under Barometer, Hygrometer and Cloud are based on the morning in the means for districts.

† The averages used are obtained from observations extending over 35 years, namely :—For Rainfall, 35 years.

‡ See footnote, p. 81 in Quarterly Returns.

Wind Force.—Beaufort Scale (0-12) is used. The number of observations of moderate and strong wind (force

Elements from Observations at several Stations in the Year 1907.

Cloud.  Mean of Observations of amount at 9 a.m. and 9 p.m.* (Scale 0-10).	Rain and other forms of Precipitation.					Weather. Number of days of							Wind Force (0-12).		Wind Direction. No. of Observations at 9 a.m. and 9 p.m.*								
	Number of Days.	Total Fall.	Difference from Average.†		Most in a day.		Snow.	Hail.	Thunderstorm.	Clear Sky. (See Note on p. 85.)	Overcast. (See Note on p. 85.)	Fog.	Gale.	Number of Observations of Moderate and Strong Wind. (Force 4-7.)	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
					Amount.	Day of Month.																	
		Ins.	Ins.	Ins.																			
7·6	196	24·87	-0·11	1·27	May 14	21	13	7	1	171	32	2		131	24	62	41	54	56	112	183	148	50
6·2	177	18·72	-0·84	1·01	Aug. 14	19	6	12	37	115	38	5		363	2	60	51	60	75	110	133	132	107
7·3	187	24·83	-2·41	0·85	May 14	24	2	13	28	179	22	20		94	204	34	27	33	24	134	110	121	43
6·2	211	25·60	+0·33	0·94	June 29	17	2	16	42	120	46	0		31	14	71	28	57	46	195	66	176	77
6·6	195	24·82	-0·95	0·92	May 31	23	13	11	39	153	45	2		55	205	30	56	34	36	40	127	137	65
—	198	24·47	+1·13	3·00	Oct. 16	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—
6·5	228	28·45	-1·64	1·23	May 14	19	14	7	20	121	2	16		225	66	23	19	29	69	63	120	181	160
6·7	199	24·54	-0·64	3·00	—	21	8	11	28	143	31	8		150	86	47	37	44	51	109	123	149	84
6·3	203	26·31	-4·52	0·67	Aug. 14	8	7	8	29	100	2	5		125	16	54	38	61	28	37	79	357	60
5·9	227	45·92	—	1·40	Oct. 16	13	22	5	27	64	0	36		106	29	27	33	49	57	11	214	192	118
7·2	209	26·57	-2·27	1·18	June 30	18	23	10	16	168	13	9		172	11	33	36	87	135	58	120	180	70
6·1	211	43·04	+4·01	1·70	Dec. 19	19	16	7	40	109	7	30		193	148	51	59	33	17	54	166	159	43
—	224	33·89	-1·27	1·01	Aug. 14	13	6	10	—	—	23	1		28	42	49	70	72	101	126	140	90	40
7·3	206	32·63	-0·27	0·83	Aug. 14	9	14	8	16	160	31	22		348	0	41	46	95	139	92	109	129	79
7·7	220	50·00	+3·19	1·41	Aug. 7	30	26	15	17	218	26	8		129	209	28	73	53	9	63	123	137	35
6·8	214	36·91	-0·19	1·70	—	16	16	9	24	137	15	16		157	65	40	51	64	69	63	136	178	64

marked :—a. (North Shields and Spurn Head) the observing hours are 8 a.m. and 6 p.m. Greenwich time. observations only, and these results are in consequence printed in French type. They have not been included

1871-1905 ; Temperature, 35 years, 1871-1905 ; Sunshine, 25 years, 1881-1905.

4-7), the number of observations of calm and the number of days of gale are given in the table.



TABLE 53 (continued).—Mean Annual Values of Meteorological

Name of Station. County and Height.  [The figures give the height of the Cistern of the Baro- meter above Mean Sea Level.]	Baro- meter.	Air Temperature.								Hygrometer.				Earth Tem- pera- ture.		Bright Sunshine.		
	Mean Pressure, at 32° F. at Station Level.*	Mean of		Difference from Average.†	Absolute Minimum and Maximum.				Mean of Obser- vations at 9 a.m. and 9 p.m.*				At 1 foot depth.	At 4 feet depth.	Total Possible.	Total Observed.	Difference from Average.†	
		A	B		Mean of A and B.	Minimum.	Day of Month.	Maximum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.						Humidity.
7. ENGLAND, S.W. :—	Ins.	°	°	°	°	°		°		°	°	Ins.	%	°	°	Hrs.	Hrs.	Hrs.
Plymouth. 116 ft.	29·863	45·2	55·4	50·3	−0·6	23	Jan. 24	78	July 17	50·7	2·3	·325	85	51·1	—	4,409	1,655	+ 5
Woolacombe, Devon. 79 ft.	29·896	46·0	55·1	50·6	−1·6	23	Jan. 24	79	July 20	50·6	2·2	·319	85	—	—	4,407	1,652	+ 26
a. St. Ann's Head. 150 ft.	29·772	45·3	53·3	49·3	−0·6	19	Jan. 25	75	July 18	48·8	1·7	·309	88	—	—	4,406	1,574	− 68
Bristol (Clifton). 230 ft.	—	43·8	55·7	49·8	−0·1	19	Jan. 25	82	July 20	—	—	—	—	—	—	4,406	—	—
Falmouth, Corn- wall. 183 ft.	29·796	46·5	54·7	50·6	−0·4	25	Jan. 24	74	July 17	50·4	2·2	·319	85	—	—	4,409	1,563	− 203
a. Bath, Somerset. 81 ft.	29·885	41·7	56·4	49·1	−0·7	17	Feb. 3	80	July 20	47·4	2·1	·288	86	51·0	52·2	4,406	1,674	—
c. Llangammarch Wells. 585 ft.	29·319	38·5	53·6	46·1	−1·7	5	Jan. 25	79	July 18, 20	46·1	1·8	·279	87	48·3	48·7	4,405	1,278	—
ENGLAND, S.W.— Annual }	—	43·9	54·9	49·4	−0·8	5	—	82	—	50·6	2·2	·321	85	50·1	50·5	4,407	1,566	− 60
8. ENGLISH CHANNEL :—																		
a. Scilly (St. Mary's). 20 ft	29·944	48·6	55·4	52·0	−0·3	28	Jan. 24	70	July 16, 18	51·1	2·2	·323	85	—	—	4,409	1,588	− 223
a. Jersey (St. Aubin's). 36 ft.	29·974	46·8	57·2	52·0	−0·1	21	Jan. 24	81	Sep. 8	51·6	2·5	·326	83	—	—	4,409	1,839	− 88
Guernsey. 311 ft.	29·674	46·9	55·8	51·4	−0·4	22	Jan. 24	72	July 20	50·4	2·3	·317	85	52·7	52·9	4,409	1,860	− 46
ENGLISH CHANNEL —Annual }	—	47·4	56·1	51·8	−0·3	21	—	81	—	50·4	2·3	·317	85	52·7	52·9	4,409	1,762	− 119

\* The hours of observation are 9 a.m. and 9 p.m. local time, with the following exceptions. At the stations time ; c. (Llangammarch Wells) the observing hour is 9 a.m. local time.  
For all the stations marked a, and c the results under Barometer, Hygrometer, and Cloud are based on the included in the means for districts. For the station marked c the results for Wind Direction and the number of comparable with the results for other stations. They as well as the numbers of days of "Clear Sky" and  
† The averages used are obtained from observations extending over 35 years, namely :—For Rainfall, 35 years,  
‡ See footnote, p. 81 in Quarterly Returns.  
Wind Force.—Beaufort Scale (0-12) is used. The number of observations of moderate and strong wind (force

Elements from Observations at several Stations in the Year 1907.

Cloud.	Rain and other forms of Precipitation.					Weather. Number of days of							Wind Force (0-12).		Wind Direction. No. of Observations at 9 a.m. and 9 p.m.*							
	Number of Days.	Total Fall.	Difference from Average.†	Most in a day.		Snow.	Hail.	Thunderstorm.	Clear Sky. (See Note on p. 85.)	Overcast. (See Note on p. 85.)	Fog.	Gale.	Number of Observations of Moderate and Strong Wind. (Force 4-7.)	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
				Amount.	Day of Month.‡																	
Mean of Observations of amount at 9 a.m. and 9 p.m.* (Scale 0-10).		Ins.	Ins.	Ins.																		
7.4	226	36.25	+ 0.37	0.97	Apr. 20	3	3	6	16	180	43	—	—	13	71	60	83	67	70	133	131	102
6.1	196	26.44	- 5.55	1.12	Dec. 4	5	8	9	46	125	6	4	262	29	28	106	90	86	27	172	87	105
6.8	223	37.20	+ 2.12	1.34	Sept. 3	4	12	11	6	108	49	28	414	7	65	90	57	68	76	131	149	87
—	208	34.25	- 0.35	1.16	Dec. 4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.2	220	45.11	- 0.32	2.19	Nov. 2	1	22	7	40	134	42	0	160	0	104	58	65	59	76	146	122	100
6.9	187	32.32	+ 1.85	2.69	July 21	—	—	—	39	147	—	—	152	7	30	146	65	43	31	120	218	70
7.9	236	48.92	—	1.76	July 21	9	19	12	43	251	20	1	180	236	42	86	28	8	38	40	118	134
6.6	214	37.21	- 0.31	2.69	—	4	13	9	32	158	32	8	234	48	56	91	65	55	53	124	138	100
7.5	211	29.26	- 4.37	1.04	Sept. 26	1	4	3	1	184	32	10	347	0	69	63	90	46	79	126	157	100
6.8	201	28.63	- 5.58	1.66	Nov. 25	10	15	9	33	141	39	27	346	3	23	69	92	92	39	102	187	123
6.0	192	34.00	- 3.55	1.10	Nov. 25	—	—	—	43	115	—	49	267	67	41	83	29	67	85	136	137	85
6.0	201	30.63	- 4.50	1.66	—	6	10	6	26	147	36	29	320	24	44	72	70	68	68	121	160	103

marked :—a (St. Ann's Head, Bath, Scilly, and Jersey) the observing hours are 8 a.m. and 6 p.m. Greenwich morning observations only, and these results are in consequence printed in French type. They have not been observations of moderate and strong wind have been multiplied by two in order to make them more readily "Overcast" at this station are printed in French type, but are included in the means for districts. 1871-1905 ; Temperature, 35 years, 1871-1905 ; Sunshine, 25 years, 1881-1905.

4-7), the number of observations of calm and the number of days of gale are given in the table.



TABLE 54.—Births and Deaths per 1000 of the Population, in the UNITED  
(Tabulated from returns furnished by

YEAR.	UNITED KINGDOM.	ENGLAND AND WALES.	SCOTLAND.	IRELAND.	AUSTRALIAN COMMONWEALTH.						NEW ZEALAND.	PROVINCE OF ONTARIO.	CEYLON.	JAMAICA.	DENMARK.	NORWAY.	SWEDEN.
					NEW SOUTH WALES.	VICTORIA.	QUEENS-LAND.	SOUTH AUSTRALIA.	WESTERN AUSTRALIA.	TASMANIA.							
BIRTHS PER																	
1881	32.5	33.9	33.7	24.5	37.9	31.2	37.2	38.6	33.9	33.4	37.9	21.1	27.1	36.7	32.2	30.6	29.1
1882	32.3	33.8	33.5	24.0	37.2	30.1	35.8	38.0	35.8	33.8	37.3	22.1	26.7	35.7	32.3	31.1	29.4
1883	32.0	33.5	32.8	23.5	37.3	30.3	36.9	38.0	33.9	34.8	36.3	22.3	29.6	41.5	31.8	31.2	28.9
1884	32.2	33.6	33.7	23.9	38.4	30.9	35.7	39.0	33.8	36.5	35.9	23.1	31.3	36.1	33.3	31.3	30.0
1885	31.6	32.9	32.7	23.5	37.8	31.3	36.7	39.0	35.2	36.2	34.3	23.5	28.1	37.8	32.5	31.6	29.4
1886	31.5	32.8	32.9	23.2	37.4	31.3	37.8	36.8	39.2	35.5	33.1	22.0	27.1	36.1	32.4	31.2	29.8
1887	30.7	31.9	31.7	23.1	37.1	32.5	38.1	35.5	37.9	35.4	32.1	21.7	32.7	34.7	31.7	31.2	29.7
1888	30.1	31.2	31.3	22.8	37.2	32.7	37.8	34.4	35.9	34.8	31.2	21.8	31.8	39.1	31.5	31.2	28.8
1889	30.0	31.1	30.9	22.7	35.0	33.3	36.3	33.5	37.1	33.9	30.2	22.6	27.7	35.3	31.2	30.1	27.7
1890	29.2	30.2	30.4	22.3	35.4	33.6	37.2	33.3	34.7	33.5	29.4	22.0	31.9	38.4	30.5	30.3	28.0
1891	30.4	31.4	31.2	23.1	34.5	33.6	36.4	33.9	35.0	33.4	29.0	21.1	31.9	38.3	31.0	30.9	28.3
1892	29.5	30.4	30.7	22.5	34.0	32.5	35.8	32.6	33.1	32.7	27.8	19.7	30.2	37.3	29.6	29.6	27.0
1893	29.8	30.7	30.8	23.0	33.5	31.2	33.7	32.0	34.2	34.5	27.5	19.8	31.3	40.6	30.8	30.6	27.4
1894	28.8	29.6	29.9	23.0	31.7	29.1	31.9	30.8	28.3	31.9	27.3	19.2	33.2	37.2	30.4	29.6	27.1
1895	29.4	30.3	30.0	23.3	31.0	28.5	32.8	30.7	26.3	31.0	26.8	18.8	31.8	38.8	30.3	30.5	27.5
1896	29.0	29.6	30.4	23.7	28.7	27.2	30.1	29.0	22.7	29.2	26.3	20.7	32.0	38.5	30.5	30.2	27.2
1897	28.9	29.6	30.0	23.5	28.9	26.5	29.9	27.7	25.8	28.9	26.0	20.9	37.7	39.8	29.8	29.9	26.7
1898	28.7	29.3	30.1	23.3	27.6	25.5	28.3	25.8	29.4	27.5	25.7	20.4	38.8	38.1	30.2	30.1	27.1
1899	28.5	29.1	29.8	23.1	27.3	26.1	27.3	25.7	30.7	27.4	25.1	19.4	38.5	42.2	29.7	30.7	26.4
1900	28.2	28.7	29.6	22.7	27.4	25.8	30.2	25.8	30.8	28.1	25.6	19.8	38.6	35.7	29.7	29.9	27.0
1901	28.0	28.5	29.5	22.7	27.7	25.7	28.3	25.4	30.4	28.4	26.3	21.1	37.5	40.9	29.7	29.6	27.0
1902	28.0	28.5	29.2	23.0	27.1	25.1	27.7	24.8	30.3	28.9	25.9	21.7	38.5	39.3	29.2	29.0	26.5
1903	27.9	28.4	29.2	23.1	25.3	24.5	24.6	23.4	30.3	28.6	26.6	21.1	40.0	39.9	28.7	28.8	25.7
1904	27.5	27.9	28.7	23.6	26.7	24.6	27.1	24.9	30.3	29.6	26.9	22.8	38.5	36.1	28.9	28.1	25.8
1905	26.9	27.2	28.1	23.4	26.7	24.8	25.9	23.8	30.3	29.3	27.2	23.5	38.7	38.8	28.4	27.4	25.7
1906	26.8	27.1	27.9	23.6	27.0	25.1	26.3	23.7	30.0	29.5	27.1	23.3	35.7	38.1	28.5	26.7	25.7
1907	26.0	26.3	27.0	23.2	27.1	25.2	26.9	23.9	29.2	29.6	27.3	—	32.8	35.0	28.3	26.3	25.5
DEATHS PER																	
1881	18.7	18.9	19.3	17.5	15.1	14.2	15.0	14.5	14.0	14.8	11.1	11.8	27.2	26.0	18.3	17.0	17.7
1882	19.3	19.6	19.4	17.3	16.0	15.3	18.0	15.4	14.1	16.0	11.2	11.3	19.7	20.4	19.2	18.5	17.4
1883	19.6	19.6	20.2	19.2	14.6	14.3	18.8	15.1	17.9	17.4	11.4	10.9	19.3	23.0	18.4	17.2	17.3
1884	19.4	19.7	19.6	17.5	16.1	14.5	23.0	15.8	21.9	15.9	10.4	11.2	22.3	22.7	18.3	16.6	17.5
1885	19.1	19.2	19.3	18.4	16.5	15.0	19.6	12.9	17.6	15.9	10.6	11.4	29.1	22.6	17.8	16.6	17.8
1886	19.2	19.5	18.9	17.8	15.0	15.2	16.8	14.0	21.6	15.1	10.5	11.0	23.7	23.3	18.1	16.2	16.6
1887	19.0	19.1	19.0	18.2	13.4	15.7	14.6	12.9	17.1	16.1	10.3	11.5	24.0	24.2	18.2	16.2	16.1
1888	18.1	18.1	18.0	17.9	13.9	15.4	14.7	12.3	15.9	14.8	9.4	11.0	26.4	22.3	19.5	17.2	16.0
1889	18.1	18.2	18.4	17.4	13.9	17.8	15.4	11.4	14.2	15.0	9.4	10.7	28.5	22.2	18.5	17.6	16.0
1890	19.4	19.5	19.7	18.2	12.9	16.1	13.6	12.6	12.0	14.7	9.7	11.1	23.0	25.1	19.0	17.9	17.1
1891	20.0	20.2	20.7	18.4	14.3	16.2	12.8	13.3	17.0	15.0	10.3	11.3	28.7	22.7	20.0	17.5	16.8
1892	19.0	19.0	18.5	19.4	12.2	13.6	12.7	11.5	16.7	13.6	10.1	10.7	27.5	20.9	19.5	17.8	17.9
1893	19.0	19.2	19.3	18.0	13.3	14.1	13.3	13.5	15.3	13.7	10.2	10.5	29.6	22.1	19.0	16.3	16.8
1894	16.8	16.6	17.1	18.2	12.4	13.1	12.1	11.8	14.4	12.7	10.2	10.3	27.9	21.0	17.6	16.8	16.4
1895	18.7	18.7	19.4	18.5	11.9	13.2	11.4	11.4	17.8	11.7	9.9	10.1	27.6	22.7	16.9	15.5	15.2
1896	16.9	17.1	16.6	16.7	12.5	13.3	12.1	11.7	16.5	12.0	9.1	11.0	25.3	22.1	15.7	15.1	15.6
1897	17.6	17.4	18.4	18.5	11.0	12.8	11.3	11.5	17.0	12.0	9.1	12.2	23.7	23.0	16.6	15.3	15.4
1898	17.7	17.5	18.0	18.2	12.7	15.8	12.7	13.5	16.1	14.2	9.8	11.5	26.6	21.0	15.5	15.2	15.1
1899	18.2	18.2	18.1	17.7	11.9	14.0	12.1	12.5	13.8	12.9	10.2	12.4	30.6	22.8	17.3	16.7	17.7
1900	18.4	18.2	18.5	19.6	11.2	12.7	11.7	10.7	12.7	11.0	9.4	12.6	28.7	21.6	16.8	15.8	16.8
1901	17.1	16.9	17.9	17.8	11.7	13.2	11.9	11.1	13.4	10.4	9.8	13.6	27.6	21.9	15.8	14.9	16.1
1902	16.5	16.2	17.2	17.5	11.9	13.3	12.1	11.8	13.7	10.8	10.5	12.6	27.5	19.8	14.6	13.8	15.4
1903	15.8	15.4	16.6	17.5	11.6	12.9	12.4	10.7	12.6	11.9	10.4	13.4	25.9	24.6	14.7	14.8	15.1
1904	16.5	16.2	16.9	18.1	10.6	11.9	10.1	10.2	11.9	11.0	9.5	14.1	24.9	24.7	14.1	14.3	15.3
1905	15.5	15.2	15.9	17.1	10.1	12.1	10.5	10.1	10.8	10.1	9.3	14.2	27.7	21.9	15.0	14.8	15.6
1906	15.6	15.4	16.0	17.0	9.9	12.4	9.6	10.3	11.8	11.2	9.3	14.8	34.3	26.2	13.5	13.6	14.4
1907	15.4	15.0	16.2	17.7	10.6	11.7	10.3	9.7	11.1	11.2	10.9	—	30.1	28.3	14.2	14.2	14.6



ITAL STATISTICS.

INGDOM and in certain COLONIES and FOREIGN COUNTRIES, 1881-1907.

the authorities of the various States.)

RUSSIA (EUROPEAN).	FINLAND.	GERMAN EMPIRE.	PRUSSIA.	AUSTRIA.	HUNGARY.	ROUMANIA.	BULGARIA.	SERVIA.	THE NETHERLANDS.	BELGIUM.	FRANCE.	SWITZERLAND.	SPAIN.	ITALY.	JAPAN.	CHILI.	YEAR.
1000 LIVING.																	
47.8	35.0	37.0	37.0	37.5	42.9	41.5	33.7	45.7	35.0	31.8	24.9	29.8	37.1	38.0	25.6	46.2	1881
50.4	36.3	37.2	37.6	38.9	43.8	40.4	36.7	44.4	35.3	31.6	24.8	28.9	36.2	37.1	24.9	41.9	1882
49.8	35.9	36.6	37.1	38.1	44.8	42.8	38.5	47.0	34.3	30.8	24.8	28.5	35.6	37.2	26.8	42.7	1883
49.0	36.1	37.2	37.6	38.6	45.6	41.4	38.5	47.6	34.9	30.9	24.7	28.3	36.7	39.0	25.8	40.3	1884
48.4	34.2	37.0	37.7	37.7	44.8	43.1	37.6	46.6	34.4	30.3	24.3	27.7	36.3	38.6	26.9	25.8	1885
46.5	35.3	37.0	37.7	38.1	45.6	42.2	32.6	42.0	34.6	29.9	23.9	27.8	36.7	37.0	27.3	32.0	1886
47.5	36.2	36.9	37.7	38.3	44.2	41.0	38.4	46.3	33.7	29.7	23.5	27.9	36.1	38.9	27.1	33.0	1887
49.9	34.9	36.6	37.4	38.1	43.8	42.4	37.7	45.7	33.7	29.4	23.1	27.7	36.4	37.5	29.6	35.4	1888
48.8	33.4	36.4	37.1	38.1	43.7	40.6	36.7	44.1	33.2	29.4	23.0	27.6	36.4	38.3	30.2	38.0	1889
48.2	32.7	35.7	36.6	36.5	40.3	38.5	35.1	40.2	32.9	29.0	21.8	26.6	34.4	35.8	28.3	37.6	1890
48.8	34.3	37.0	37.7	38.3	42.3	42.3	39.1	45.0	33.7	30.0	22.6	28.2	35.3	37.2	26.7	34.3	1891
47.2	31.5	35.7	36.3	36.1	40.4	39.0	36.0	42.4	32.0	28.9	22.3	27.7	35.8	36.2	29.4	38.3	1892
47.0	29.9	36.8	37.5	38.0	42.6	40.5	35.1	42.5	32.9	29.5	22.8	27.9	35.6	36.5	28.5	37.7	1893
48.7	30.8	35.9	36.6	36.8	41.5	40.9	37.9	42.4	32.7	29.0	22.3	27.3	34.8	35.5	28.9	39.5	1894
49.4	32.6	36.1	36.9	38.1	41.8	42.3	40.5	44.0	32.8	28.5	21.7	27.3	35.0	34.9	29.5	36.2	1895
49.7	32.1	36.3	36.9	38.0	40.5	40.7	41.3	41.2	32.7	29.0	22.5	28.1	35.9	34.8	30.0	34.6	1896
49.5	31.9	36.0	36.5	37.5	40.3	42.9	42.5	42.6	32.5	29.0	22.2	28.3	34.1	34.7	30.9	34.8	1897
48.7	34.0	36.1	36.7	36.3	37.7	36.7	39.5	35.1	31.9	28.6	21.8	28.5	33.3	33.5	31.3	33.1	1898
49.0	33.2	35.8	36.3	37.3	39.3	42.0	40.8	39.3	32.0	28.8	21.9	29.0	34.2	33.9	31.4	33.5	1899
49.4	32.0	35.6	36.1	37.3	39.3	38.8	42.6	42.0	31.5	28.9	21.4	28.6	33.8	33.0	31.7	34.6	1900
47.9	32.5	35.7	36.2	36.6	37.8	39.3	37.7	38.0	32.3	29.4	22.0	29.1	34.8	32.6	32.7	35.9	1901
49.1	31.5	35.1	35.5	37.0	38.8	39.0	39.1	38.0	31.8	28.4	21.7	28.7	35.4	33.4	32.9	35.7	1902
—	30.4	33.9	34.4	35.2	36.7	40.1	41.3	40.9	31.6	27.5	21.1	27.7	36.1	31.7	32.0	34.0	1903
—	31.8	34.1	34.7	35.5	37.0	40.1	42.7	39.8	31.4	27.1	20.9	27.7	33.9	32.8	30.6	35.4	1904
—	30.6	33.0	33.5	33.7	35.7	38.6	43.8	37.3	30.8	26.1	20.6	27.4	35.7	32.5	30.6	35.1	1905
—	31.4	33.1	33.7	34.8	36.0	40.5	44.3	41.3	30.4	25.7	20.6	27.4	33.4	31.9	—	—	1906
—	—	—	33.0	—	36.0	41.7	—	—	30.0	—	19.7	—	32.9	31.4	—	—	1907
1000 LIVING.																	
33.2	25.0	25.5	24.9	30.5	34.4	26.7	16.4	24.7	21.5	21.2	22.0	22.4	30.2	27.6	18.7	28.6	1881
39.5	22.3	25.7	25.4	30.6	35.3	28.2	19.1	23.0	20.7	20.5	22.2	21.9	31.4	27.6	18.1	29.2	1882
36.9	20.8	25.9	25.6	30.1	32.2	26.0	19.8	22.8	21.8	21.1	22.2	20.4	32.6	27.6	18.1	27.0	1883
32.7	20.9	26.0	25.7	29.4	31.0	25.5	17.2	25.0	22.2	21.2	22.6	20.2	30.5	26.9	18.6	23.8	1884
34.7	22.0	25.7	25.4	30.2	31.8	25.0	16.7	26.9	21.0	20.4	22.0	21.3	38.0	27.0	23.2	30.6	1885
31.2	22.2	26.2	26.1	29.5	31.7	26.7	19.2	29.6	21.8	21.3	22.5	20.7	29.3	28.7	24.4	32.4	1886
32.2	19.0	24.2	23.8	29.0	33.8	30.5	18.2	24.9	19.7	19.3	22.0	20.2	32.7	28.0	19.3	37.1	1887
32.3	19.8	23.7	22.8	29.4	32.0	30.6	18.2	24.4	20.4	20.3	21.9	19.9	30.1	27.5	19.0	37.3	1888
34.5	19.6	23.7	23.2	27.5	29.9	27.2	18.5	25.5	20.1	19.8	20.7	20.3	30.4	25.6	20.2	32.5	1889
35.7	19.5	24.4	24.0	29.3	32.4	28.4	21.1	25.3	20.5	20.8	22.8	20.9	32.1	26.3	20.4	36.2	1890
34.6	21.2	23.4	22.9	28.1	33.1	30.1	26.7	26.5	20.7	21.2	22.9	20.6	31.3	26.1	21.0	34.0	1891
42.1	23.7	24.1	23.4	28.7	35.1	34.7	31.6	33.5	21.0	21.8	22.8	19.0	30.6	26.2	21.6	36.5	1892
33.1	20.9	24.6	24.2	27.2	31.2	30.8	27.7	29.7	19.2	20.3	22.5	20.1	29.7	25.2	22.7	33.1	1893
34.0	19.2	22.3	21.8	27.9	30.5	31.7	27.4	23.0	18.5	18.6	21.2	20.1	30.3	25.0	20.1	32.7	1894
35.0	17.7	22.1	21.8	27.6	29.7	27.6	26.4	26.9	18.6	19.5	22.2	19.2	29.0	25.0	20.2	27.3	1895
32.8	18.5	20.8	20.7	26.3	28.9	29.1	24.3	27.0	17.2	17.5	20.0	17.8	29.6	24.1	21.4	29.2	1896
31.4	17.5	21.3	20.9	25.6	28.5	29.6	25.6	26.5	16.9	17.2	19.4	17.7	28.4	21.9	20.3	28.1	1897
33.2	17.4	20.5	20.0	24.9	28.0	26.5	23.1	22.9	17.0	17.6	20.9	18.3	28.2	22.9	20.4	26.4	1898
31.0	19.9	21.5	21.4	25.6	27.2	27.5	24.9	24.3	17.1	18.8	21.1	17.7	28.8	21.9	21.1	26.9	1899
31.1	21.5	22.1	21.8	25.3	26.9	24.2	22.7	23.3	17.8	19.3	21.9	19.3	28.9	23.8	20.4	33.3	1900
32.1	20.6	20.7	20.5	24.0	25.4	26.2	23.3	21.0	17.2	17.2	20.1	18.0	27.7	22.0	20.4	34.3	1901
31.5	18.5	19.5	19.2	24.7	27.0	27.7	24.0	22.3	16.3	17.3	19.5	17.2	26.0	22.2	20.9	27.1	1902
—	17.9	20.0	19.7	23.8	26.1	24.8	22.9	23.5	15.6	17.0	19.2	17.6	24.8	22.4	20.0	26.9	1903
—	17.7	19.6	19.2	23.7	24.8	24.4	21.4	21.1	15.9	16.9	19.4	17.8	25.4	21.1	21.2	28.8	1904
—	18.4	19.8	19.6	25.0	27.8	25.0	21.9	24.4	15.3	16.5	19.6	17.9	25.4	21.9	22.0	32.3	1905
—	17.5	18.2	17.9	22.5	24.8	24.3	22.5	24.0	14.8	16.4	19.9	17.0	25.6	20.8	—	—	1906
—	—	—	17.8	—	25.2	26.7	—	—	14.6	—	20.2	—	24.0	20.8	—	—	1907



TABLE 55.—UNITED KINGDOM. Population, Marriages, Births, and Deaths, 1881-1907.

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	34,934,476	490,240	1,135,660	654,295	14'0	32'5	18'7	124
1882	35,206,617	506,060	1,137,820	678,143	14'4	32'3	19'3	133
1883	35,449,721	509,242	1,133,343	696,116	14'4	32'0	19'6	131
1884	35,724,231	505,984	1,154,782	693,150	14'1	32'2	19'4	138
1885	36,015,601	488,452	1,136,321	688,069	13'6	31'6	19'1	131
1886	36,313,582	482,360	1,145,577	698,208	13'3	31'5	19'2	140
1887	36,599,143	492,678	1,123,149	693,889	13'5	30'7	19'0	137
1888	36,881,271	498,372	1,112,694	668,037	13'5	30'1	18'1	130
1889	37,178,929	523,460	1,116,568	674,499	14'1	30'0	18'1	136
1890	37,484,764	542,974	1,096,717	727,102	14'5	29'2	19'4	143
1891*	37,802,440	551,940	1,148,259	757,497	14'6	30'4	20'0	141
1892	38,134,110	554,670	1,127,234	725,273	14'5	29'5	19'0	140
1893	38,490,333	535,096	1,147,764	732,449	13'9	29'8	19'0	151
1894	38,859,067	551,310	1,120,010	653,468	14'2	28'8	16'8	131
1895	39,221,109	559,492	1,154,898	735,244	14'3	29'4	18'7	152
1896	39,599,072	592,178	1,152,144	673,104	15'0	29'0	16'9	139
1897	39,987,294	606,172	1,157,224	704,470	15'2	28'9	17'6	150
1898	40,380,792	620,142	1,159,483	712,942	15'4	28'7	17'7	153
1899	40,774,296	635,246	1,163,279	741,091	15'6	28'5	18'2	154
1900	41,154,646	622,508	1,159,922	757,732	15'1	28'2	18'4	147
1901*	41,550,773	626,702	1,162,975	710,811	15'1	28'0	17'1	144
1902	41,961,199	633,224	1,174,639	691,155	15'1	28'0	16'5	128
1903	42,371,219	632,892	1,183,627	667,988	14'9	27'9	15'8	127
1904	42,793,272	626,176	1,181,803	707,278	14'6	27'5	16'5	139
1905	43,221,145	630,180	1,163,535	669,638	14'6	26'9	15'5	124
1906	43,661,092	651,634	1,170,622	681,343	14'9	26'8	15'6	127
1907†	44,098,727	664,380	1,148,573	678,822	15'1	26'0	15'4	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whooping Cough.	Enteric Fever.	Diarrhœa and Dysentery.	Asiatic Cholera.‡	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	3,189	8,714	17,192	4,292	13,808	7,346	18,037	—	65,307	17,365
1882	1,449	15,518	16,545	5,338	18,199	8,084	21,272	—	66,985	17,995
1883	984	11,759	15,750	5,204	15,480	7,929	19,620	—	69,229	18,646
1884	2,249	13,323	13,506	6,204	15,821	8,123	31,114	—	67,823	19,255
1885	2,870	17,244	8,446	5,455	16,699	6,370	16,683	—	66,806	19,658
1886	301	12,978	7,894	5,017	16,037	6,588	28,667	—	66,525	20,585
1887	537	19,670	10,011	5,629	15,849	6,730	24,490	—	62,682	21,553
1888	1,032	13,125	7,959	6,134	15,268	6,254	15,659	—	61,104	21,959
1889	31	17,254	7,856	6,694	15,974	6,774	22,142	—	61,787	23,431
1890	16	15,849	8,032	6,514	18,288	6,778	20,644	—	66,202	24,006
1891	56	14,688	6,003	6,147	17,329	6,533	17,115	—	63,914	24,983
1892	442	17,016	6,908	7,645	16,352	5,395	17,988	—	60,136	25,289
1893	1,526	15,831	8,271	10,869	13,371	8,652	34,723	—	60,422	26,231
1894	1,021	13,763	6,465	10,328	16,148	6,266	13,210	—	58,375	26,725
1895	416	13,855	5,904	8,944	12,589	6,816	31,506	—	59,946	28,234
1896	547	19,619	6,897	9,987	16,276	6,503	20,538	—	56,195	28,971
1897	38	15,837	5,815	8,562	16,159	6,504	31,133	—	58,590	30,290
1898	255	15,826	4,782	8,695	14,239	7,806	34,534	—	58,103	31,306
1899	176	13,129	4,758	10,371	13,011	7,997	35,935	—	59,163	32,551
1900	139	15,175	4,743	10,478	13,968	7,004	26,929	—	60,362	32,941
1901	636	11,133	5,139	10,013	14,079	6,617	34,117	—	57,549	34,042
1902	2,545	15,394	5,585	8,885	12,572	5,314	16,352	—	56,643	34,444
1903	841	10,969	4,775	7,092	12,530	4,379	20,905	—	56,321	35,935
1904	708	14,340	4,251	6,743	15,865	4,029	32,471	—	58,422	36,657
1905	125	13,547	4,215	6,418	11,533	3,927	23,078	—	54,540	37,644
1906	22	11,277	3,854	7,258	10,605	3,963	33,655	—	55,170	39,658
1907	—	—	—	—	—	—	—	—	—	—

\* Census year.  
† The figures for the year 1907 are provisional.  
‡ See note † to England and Wales on next page.

TABLE 56.—ENGLAND AND WALES. **Population, Marriages, Births, and Deaths, 1881-1907.**

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	26,046,142	394,580	883,642	491,935	15·1	33·9	18·9	130
1882	26,334,942	408,810	889,014	516,654	15·5	33·8	19·6	141
1883	26,626,949	412,768	890,722	522,997	15·5	33·5	19·6	137
1884	26,922,192	408,602	906,750	530,828	15·1	33·6	19·7	147
1885	27,220,706	395,490	894,270	522,750	14·5	32·9	19·2	138
1886	27,522,532	392,142	903,760	537,276	14·2	32·8	19·5	149
1887	27,827,706	401,036	886,331	530,758	14·4	31·9	19·1	145
1888	28,136,258	407,642	879,868	510,971	14·4	31·2	18·1	136
1889	28,448,239	427,730	885,944	518,353	15·0	31·1	18·2	144
1890	28,763,673	446,056	869,937	562,248	15·5	30·2	19·5	151
1891*	29,085,819	453,052	914,157	587,925	15·6	31·4	20·2	149
1892	29,421,392	454,270	897,957	552,684	15·4	30·4	19·0	148
1893	29,760,842	437,378	914,572	569,958	14·7	30·7	19·2	159
1894	30,104,201	452,898	890,289	498,827	15·0	29·6	16·6	137
1895	30,451,528	456,408	922,291	563,997	15·0	30·3	18·7	161
1896	30,802,858	485,528	915,331	526,727	15·7	29·6	17·1	148
1897	31,158,245	498,290	921,683	541,487	16·0	29·6	17·4	156
1898	31,517,725	510,758	923,165	552,141	16·2	29·3	17·5	160
1899	31,881,365	524,668	928,646	581,799	16·5	29·1	18·2	163
1900	32,249,187	514,960	927,062	587,830	16·0	28·7	18·2	154
1901*	32,621,263	518,800	929,807	551,585	15·9	28·5	16·9	151
1902	32,997,626	523,500	940,509	535,538	15·9	28·5	16·2	133
1903	33,378,338	522,206	948,271	514,628	15·6	28·4	15·4	132
1904	33,763,434	515,712	945,389	549,784	15·2	27·9	16·2	145
1905	34,152,977	521,484	929,293	520,031	15·3	27·2	15·2	128
1906	34,547,016	540,076	935,031	531,281	15·6	27·1	15·4	132
1907	34,945,600	552,842	918,042	524,221	15·8	26·3	15·0	118

**The Total Deaths include:—**

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.†	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	3,098	7,300	14,275	3,153	10,830	5,529	14,855	—	47,541	13,542
1882	1,317	12,711	13,732	3,992	15,259	6,036	17,544	—	48,715	14,057
1883	957	9,329	12,649	4,218	10,471	6,078	16,328	—	50,053	14,614
1884	2,234	11,324	10,863	5,020	11,476	6,380	27,225	—	49,325	15,198
1885	2,827	14,495	6,355	4,471	13,106	4,765	13,709	—	48,175	15,560
1886	275	12,013	5,986	4,098	12,936	5,061	25,286	—	47,872	16,243
1887	506	16,765	7,859	4,443	11,251	5,155	20,709	—	44,935	17,113
1888	1,026	9,784	6,378	4,815	12,287	4,848	13,068	—	44,248	17,506
1889	23	14,732	6,698	5,368	12,225	5,011	18,769	—	44,738	18,654
1890	16	12,614	6,974	5,150	13,756	5,146	17,840	—	48,366	19,433
1891	49	12,673	4,959	5,036	13,612	4,875	13,972	—	46,515	20,117
1892	431	13,553	5,618	6,552	13,406	4,037	15,342	—	43,323	20,353
1893	1,457	11,110	6,982	9,466	10,176	6,801	29,753	—	43,632	21,135
1894	820	11,757	5,032	8,774	12,354	4,781	10,789	—	41,641	21,422
1895	223	11,491	4,532	7,895	9,594	5,326	27,418	—	42,496	22,945
1896	541	17,618	5,476	8,993	13,266	5,125	17,412	—	40,251	23,521
1897	25	12,711	4,577	7,654	11,431	4,851	27,089	—	41,642	24,443
1898	253	13,220	3,548	7,661	10,175	5,708	30,153	—	41,335	25,196
1899	174	9,998	3,722	9,295	10,129	6,304	31,040	—	42,408	26,325
1900	85	12,710	3,844	9,345	11,467	5,591	23,531	—	42,987	26,721
1901	356	9,019	4,339	8,898	10,205	5,071	30,186	—	41,224	27,487
1902	2,464	12,930	4,875	7,802	9,805	4,149	14,147	—	40,671	27,872
1903	760	9,150	4,158	6,077	9,522	3,347	18,498	—	40,132	29,089
1904	507	12,306	3,770	5,763	11,909	3,153	29,759	—	41,851	29,682
1905	116	11,076	3,834	5,456	8,709	3,052	20,534	—	38,950	30,221
1906	21	9,444	3,475	6,108	8,313	3,169	30,563	—	39,746	31,668
1907	10	12,625	3,220	5,732	10,255	2,344	10,658	—	39,839	31,745

\* Census year.

† The deaths from Asiatic cholera were not separately tabulated for the years 1881-1900.



TABLE 57.—SCOTLAND. **Population, Marriages, Births, and Deaths, 1881-1907.**

(Furnished by the Registrar-General, Scotland.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	3,742,564	52,008	126,171	72,325	13·9	33·7	19·3	112
1882	3,770,657	53,192	126,158	72,989	14·1	33·5	19·4	118
1883	3,798,961	53,738	124,458	76,891	14·1	32·8	20·2	119
1884	3,827,478	52,212	129,157	75,168	13·6	33·7	19·6	118
1885	3,856,307	50,608	126,100	74,607	13·1	32·7	19·3	120
1886	3,885,155	49,030	127,890	73,640	12·6	32·9	18·9	116
1887	3,914,318	49,752	124,418	74,546	12·7	31·7	19·0	122
1888	3,943,701	50,610	123,269	71,174	12·8	31·3	18·0	113
1889	3,973,305	52,688	122,783	73,238	13·3	30·9	18·4	121
1890	4,003,132	54,938	121,526	79,004	13·7	30·4	19·7	131
1891*	4,036,245	55,938	125,986	83,573	13·9	31·2	20·7	128
1892	4,078,910	57,340	125,043	75,545	14·1	30·7	18·5	117
1893	4,122,029	54,290	127,110	79,670	13·2	30·8	19·3	136
1894	4,165,606	55,208	124,367	71,113	13·3	29·9	17·1	117
1895	4,209,645	56,844	126,494	81,852	13·5	30·0	19·4	133
1896	4,254,153	60,540	129,172	70,677	14·2	30·4	16·6	115
1897	4,299,132	62,100	128,877	79,144	14·4	30·0	18·4	138
1898	4,344,589	64,224	130,861	78,397	14·8	30·1	18·0	134
1899	4,390,530	65,956	130,733	79,593	15·0	29·8	18·1	131
1900	4,436,958	64,888	131,401	82,296	14·6	29·6	18·5	128
1901*	4,483,880	62,774	132,192	80,107	14·0	29·5	17·9	129
1902	4,531,299	63,826	132,237	77,941	14·1	29·2	17·2	113
1903	4,579,223	64,702	133,525	76,002	14·1	29·2	16·6	118
1904	4,627,656	64,542	132,603	77,981	13·9	28·7	16·9	123
1905	4,676,603	62,540	131,410	74,536	13·4	28·1	15·9	116
1906	4,726,070	66,284	132,005	75,635	14·0	27·9	16·0	115
1907†	4,776,063	66,520	128,789	77,267	13·9	27·0	16·2	—

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	19	1,012	1,573	816	1,620	1,004	1,617	—	7,739	1,914
1882	3	1,289	1,583	961	2,108	1,204	2,123	—	8,012	2,056
1883	11	1,629	1,336	747	2,968	998	1,728	—	8,401	2,037
1884	14	1,440	1,266	830	2,511	1,050	2,277	—	7,915	2,110
1885	39	1,426	944	688	2,157	839	1,688	—	7,922	2,173
1886	24	681	1,058	583	1,882	755	1,900	—	7,959	2,313
1887	17	1,598	1,179	805	3,212	835	1,926	—	7,418	2,373
1888	3	1,406	732	872	1,722	665	1,338	—	7,044	2,450
1889	8	1,948	701	968	2,268	795	1,891	—	7,098	2,643
1890	—	2,509	739	1,018	3,039	777	1,642	—	7,660	2,428
1891	—	1,775	736	830	2,437	799	1,770	—	7,361	2,703
1892	11	2,280	871	807	1,792	644	1,367	—	6,765	2,715
1893	68	3,639	832	992	2,026	932	2,763	—	6,921	2,816
1894	129	791	834	1,173	2,552	702	1,263	—	7,108	2,928
1895	47	2,063	782	744	1,948	730	2,379	—	7,688	2,993
1896	2	1,515	669	671	1,970	662	1,563	—	6,893	3,013
1897	10	2,056	716	569	2,877	655	2,203	—	7,200	3,212
1898	2	2,290	909	661	2,476	814	2,363	—	7,090	3,453
1899	1	1,599	831	697	1,894	803	2,592	—	7,275	3,572
1900	53	1,825	654	771	1,812	644	1,626	—	7,299	3,503
1901	278	1,655	595	739	2,751	717	2,239	—	6,776	3,662
1902	80	1,388	524	662	1,765	552	1,075	—	6,572	3,711
1903	41	1,133	407	640	1,946	552	1,312	—	6,630	3,798
1904	185	1,512	277	663	2,405	410	1,394	—	6,738	3,920
1905	4	1,662	211	657	2,243	373	1,226	—	6,374	4,132
1906	1	1,445	230	801	1,363	400	1,417	—	6,491	4,509
1907	—	—	—	—	—	—	—	—	—	—

\* Census year.

† The figures for the year 1907 are provisional.

TABLE 53.—IRELAND. **Population, Marriages, Births, and Deaths, 1881-1907.**

(Furnished by the Registrar-General, Ireland.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	5,145,770	43,652	125,847	90,035	8·5	24·5	17·5	91
1882	5,101,018	44,058	122,648	88,500	8·6	24·0	17·3	95
1883	5,023,811	42,736	118,163	96,228	8·5	23·5	19·2	98
1884	4,974,561	45,170	118,875	87,154	9·1	23·9	17·5	92
1885	4,938,588	42,354	115,951	90,712	8·6	23·5	18·4	95
1886	4,905,895	41,188	113,927	87,292	8·4	23·2	17·8	94
1887	4,857,119	41,890	112,400	88,585	8·6	23·1	18·2	95
1888	4,801,312	40,120	109,557	85,892	8·4	22·8	17·9	97
1889	4,757,385	43,042	107,841	82,908	9·0	22·7	17·4	94
1890	4,717,959	41,980	105,254	85,850	8·9	22·3	18·2	95
1891*	4,680,376	42,950	108,116	85,999	9·2	23·1	18·4	95
1892	4,633,808	43,060	104,234	90,044	9·3	22·5	19·4	105
1893	4,607,462	43,428	106,082	82,821	9·4	23·0	18·0	102
1894	4,589,260	43,204	105,354	83,528	9·4	23·0	18·2	102
1895	4,559,936	46,240	106,113	84,395	10·1	23·3	18·5	104
1896	4,542,061	46,110	107,641	75,700	10·2	23·7	16·7	95
1897	4,529,917	45,782	106,664	83,839	10·1	23·5	18·5	109
1898	4,518,478	45,160	105,457	82,404	10·0	23·3	18·2	110
1899	4,502,401	44,622	103,900	79,699	9·9	23·1	17·7	108
1900	4,468,501	42,660	101,459	87,606	9·5	22·7	19·6	109
1901*	4,445,630	45,128	100,976	79,119	10·2	22·7	17·8	101
1902	4,432,274	45,898	101,863	77,676	10·4	23·0	17·5	100
1903	4,413,658	45,984	101,831	77,358	10·4	23·1	17·5	96
1904	4,402,182	45,922	103,811	79,513	10·4	23·6	18·1	100
1905	4,391,565	46,156	102,832	75,071	10·5	23·4	17·1	95
1906	4,388,006	45,324	103,536	74,427	10·3	23·6	17·0	93
1907	4,377,064	45,018	101,742	77,334	10·3	23·2	17·7	92

**The Total Deaths include :—**

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whooping Cough.	Enteric Fever.	Diarrhœa and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	72	402	1,344	323	1,358	813	1,565	—	10,027	1,909
1882	129	1,518	1,230	385	832	844	1,605	—	10,258	1,882
1883	16	801	1,765	239	2,041	853	1,564	—	10,775	1,995
1884	1	559	1,377	354	1,834	693	1,612	—	10,583	1,947
1885	4	1,323	1,147	296	1,436	716	1,286	—	10,709	1,925
1886	2	284	850	336	1,219	772	1,481	—	10,694	2,029
1887	14	1,307	973	381	1,386	740	1,855	—	10,329	2,067
1888	3	1,935	849	447	1,259	741	1,253	—	9,812	2,003
1889	—	574	457	358	1,481	968	1,482	—	9,951	2,134
1890	—	726	319	346	1,493	855	1,162	—	10,176	2,145
1891	7	240	308	281	1,280	859	1,373	—	10,038	2,163
1892	—	1,183	419	286	1,154	714	1,279	—	10,048	2,221
1893	1	1,082	457	411	1,169	919	2,207	—	9,869	2,280
1894	72	1,215	599	381	1,242	783	1,158	—	9,626	2,375
1895	146	301	590	305	1,047	760	1,709	—	9,768	2,296
1896	4	516	752	323	1,040	716	1,563	—	9,051	2,437
1897	3	1,070	522	339	1,851	998	1,841	—	9,748	2,635
1898	—	316	325	373	1,588	1,284	2,018	—	9,678	2,657
1899	1	1,532	205	379	988	890	2,303	—	9,480	2,654
1900	1	640	245	362	689	769	1,772	—	10,076	2,717
1901	2	459	205	376	1,123	829	1,692	—	9,549	2,893
1902	1	1,076	186	421	1,002	613	1,130	—	9,400	2,861
1903	40	686	210	375	1,062	480	1,095	—	9,559	3,048
1904	16	522	204	317	1,551	466	1,318	—	9,833	3,055
1905	5	809	170	305	581	502	1,318	—	9,216	3,291
1906	—	388	149	349	929	394	1,675	—	8,933	3,481
1907	1	584	99	283	809	362	1,067	—	8,828	3,338

\* Census year.



TABLE 59.—NEW SOUTH WALES. **Population, Marriages, Births, and Deaths, 1881-1907.**  
(Furnished by the Government Statistician, New South Wales.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	765,015	12,568	28,993	11,536	16·4	37·9	15·1	115
1882	798,540	13,896	29,702	12,816	17·4	37·2	16·0	131
1883	838,155	14,810	31,281	12,249	17·7	37·3	14·6	115
1884	833,145	14,964	33,946	14,220	16·9	38·4	16·1	126
1885	927,275	15,236	35,043	15,282	16·4	37·8	16·5	131
1886	969,455	15,622	36,284	14,587	16·1	37·4	15·0	128
1887	1,004,835	15,180	37,236	13,448	15·1	37·1	13·4	106
1888	1,035,705	15,688	38,525	14,408	15·1	37·2	13·9	111
1889	1,066,450	15,060	37,295	14,796	14·1	35·0	13·9	125
1890	1,101,840	15,752	38,960	14,218	14·3	35·4	12·9	104
1891*	1,142,025	16,914	39,458	16,286	14·8	34·5	14·3	119
1892	1,176,990	16,044	40,041	14,410	13·6	34·0	12·2	106
1893	1,203,170	15,498	40,342	16,022	12·9	33·5	13·3	115
1894	1,226,900	15,332	38,951	15,170	12·5	31·7	12·4	109
1895	1,250,760	16,060	38,774	14,914	12·8	31·0	11·9	106
1896	1,270,620	16,990	36,506	15,839	13·4	28·7	12·5	121
1897	1,290,375	17,626	37,247	14,264	13·7	28·9	11·0	102
1898	1,312,455	17,776	36,222	16,661	13·5	27·6	12·7	122
1899	1,333,605	18,550	36,461	15,901	13·9	27·3	11·9	119
1900	1,354,335	19,992	37,146	15,118	14·8	27·4	11·2	103
1901*	1,367,851	21,076	37,875	16,021	15·4	27·7	11·7	104
1902	1,395,299	20,972	37,835	16,646	15·0	27·1	11·9	110
1903	1,419,734	19,518	35,966	16,497	13·7	25·3	11·6	110
1904	1,446,535	20,844	38,667	15,360	14·4	26·7	10·6	82
1905	1,478,703	21,940	39,501	14,978	14·8	26·7	10·1	81
1906	1,514,390	23,102	40,948	14,975	15·3	27·0	9·9	75
1907	1,554,783	24,378	42,195	16,410	15·7	27·1	10·6	89

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whooping Cough.	Enteric Fever.	Diarrhœa and Dysentery.†	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	17	88	35	132	156	266	1,202	—	866	216
1882	23	10	39	175	109	450	1,432	—	917	215
1883	—	47	46	235	52	397	1,240	—	941	215
1884	3	45	22	165	201	516	1,584	—	1,003	233
1885	2	10	127	298	114	503	1,661	—	1,078	287
1886	—	6	88	110	244	591	1,310	—	1,051	333
1887	13	51	74	217	205	427	1,205	—	977	354
1888	2	218	111	240	35	434	1,331	—	1,045	404
1889	—	13	64	288	211	549	1,615	—	1,025	393
1890	—	7	67	440	254	306	1,092	—	1,029	392
1891	—	10	40	433	261	269	1,258	—	1,053	516
1892	1	2	69	334	225	328	1,266	—	1,018	510
1893	—	730	181	422	180	221	1,519	—	1,069	489
1894	1	143	111	355	225	329	1,385	—	1,042	516
1895	—	2	59	209	266	286	1,391	—	1,016	556
1896	—	4	48	168	100	509	1,939	—	1,038	627
1897	—	3	79	143	13	327	1,517	—	974	693
1898	1	510	83	169	241	387	1,803	—	1,104	714
1899	—	209	25	60	487	347	1,538	—	1,078	761
1900	—	10	9	63	106	398	1,622	—	1,056	765
1901	3	37	16	131	259	291	1,517	—	1,134	847
1902	1	107	61	74	261	276	1,926	—	1,123	869
1903	—	16	87	134	186	475	2,174	—	1,235	930
1904	—	21	50	156	147	249	1,329	—	1,174	954
1905	—	29	21	102	5	239	1,298	—	1,037	965
1906	—	17	42	100	10	271	1,542	—	1,007	1,027
1907	—	90	26	133	594	189	1,460	—	961	1,085

\* Census year.

† Including enteritis and cholera infantum.

TABLE 60.—VICTORIA. **Population, Marriages, Births, and Deaths, 1881-1907.**  
(Furnished by the Government Statist, Victoria.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED	BIRTHS. Exclusive of Still-born.	DEATHS	PERSONS MARRIED	BIRTHS.	DEATHS.	
1881*	868,942	11,792	27,145	12,302	13'6	31'2	14'2	115
1882	889,720	12,618	26,747	13,634	14'2	30'1	15'3	139
1883	910,130	13,542	27,541	13,006	14'9	30'3	14'3	114
1884	932,630	14,436	28,850	13,505	15'5	30'9	14'5	114
1885	956,880	14,790	29,975	14,364	15'5	31'3	15'0	126
1886	984,860	15,474	30,824	14,952	15'7	31'3	15'2	127
1887	1,016,750	15,536	33,043	16,005	15'3	32'5	15'7	130
1888	1,054,980	17,892	34,503	16,287	17'0	32'7	15'4	127
1889	1,090,350	18,388	36,359	19,392	16'9	33'3	17'8	153
1890	1,118,500	18,374	37,578	18,012	16'4	33'6	16'1	117
1891*	1,146,930	17,560	38,505	18,631	15'3	33'6	16'2	126
1892	1,163,360	15,446	37,831	15,851	13'3	32'5	13'6	107
1893	1,172,380	14,008	36,552	16,508	11'9	31'2	14'1	117
1894	1,179,230	14,058	34,258	15,430	11'9	29'1	13'1	104
1895	1,184,120	14,362	33,706	15,636	12'1	28'5	13'2	102
1896	1,183,115	15,250	32,178	15,714	12'9	27'2	13'3	110
1897	1,181,495	15,136	31,310	15,126	12'8	26'5	12'8	103
1898	1,182,885	15,240	30,172	18,695	12'9	25'5	15'8	134
1899	1,186,265	16,280	31,008	16,578	13'7	26'1	14'0	111
1900	1,193,338	16,616	30,779	15,215	13'9	25'8	12'7	95
1901*	1,204,045	16,812	31,008	15,904	13'9	25'7	13'2	103
1902	1,211,170	16,954	30,461	16,177	14'0	25'1	13'3	109
1903	1,208,880	15,210	29,569	15,595	12'6	24'5	12'9	106
1904	1,207,537	16,420	29,763	14,393	13'6	24'6	11'9	78
1905	1,212,517	17,548	30,107	14,676	14'5	24'8	12'1	83
1906	1,227,072	17,860	30,844	15,237	14'6	25'1	12'4	93
1907	1,246,860	19,150	31,369	14,542	15'4	25'2	11'7	73

**The Total Deaths include:—**

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	62	86	114	167	351	786	—	1,199	351
1882	2	15	89	122	109	472	1,150	—	1,274	373
1883	—	7	59	131	48	661	1,024	—	1,212	450
1884	2	233	34	162	209	456	721	—	1,359	446
1885	2	69	14	152	168	424	942	—	1,384	445
1886	—	20	14	121	209	523	1,021	—	1,375	496
1887	1	78	4	199	129	630	1,071	—	1,557	527
1888	—	30	21	301	21	539	926	—	1,528	521
1889	—	19	41	652	234	906	1,183	—	1,571	629
1890	—	1	68	864	98	610	717	—	1,631	626
1891	—	4	26	402	168	352	738	—	1,483	699
1892	—	1	26	287	179	300	644	—	1,581	684
1893	—	659	21	141	117	258	598	—	1,572	734
1894	—	32	67	184	262	380	487	—	1,548	744
1895	—	—	32	145	125	281	451	—	1,567	760
1896	—	3	44	137	77	315	503	—	1,428	789
1897	—	7	87	263	11	269	452	—	1,375	774
1898	—	671	42	212	61	555	699	—	1,520	864
1899	1	34	15	141	297	344	462	—	1,339	842
1900	—	112	6	155	52	237	388	—	1,387	817
1901	1	50	2	147	186	185	398	—	1,416	882
1902	—	50	15	104	187	197	398	—	1,412	852
1903	—	21	46	190	110	254	421	—	1,341	920
1904	—	—	23	190	46	190	210	—	1,342	893
1905	—	79	10	80	20	121	193	—	1,235	953
1906	—	7	4	50	247	162	212	—	1,213	926
1907	—	41	2	86	128	89	165	—	1,195	992

\* Census year.



TABLE 61.—QUEENSLAND. Population, Marriages, Births, and Deaths, 1881-1907.  
(Furnished by the Government Statistician, Queensland.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	221,011	3,406	8,220	3,320	15·4	37·2	15·0	112
1882	237,611	4,068	8,518	4,274	17·1	35·8	18·0	140
1883	267,865	4,784	9,890	5,041	17·9	36·9	18·8	133
1884	298,694	5,322	10,679	6,861	17·8	35·7	23·0	147
1885	318,415	5,684	11,672	6,235	17·9	36·7	19·6	149
1886*	332,510	5,570	12,582	5,575	16·8	37·8	16·8	126
1887	354,777	5,828	13,513	5,166	16·4	38·1	14·6	113
1888	377,201	6,508	14,247	5,529	17·3	37·8	14·7	121
1889	397,061	6,246	14,401	6,132	15·7	36·3	15·4	136
1890	414,716	6,390	15,407	5,638	15·4	37·2	13·6	101
1891*	404,772	5,810	14,715	5,170	14·3	36·4	12·8	101
1892	415,813	5,548	14,903	5,266	13·3	35·8	12·7	107
1893	426,798	5,048	14,394	5,695	11·8	33·7	13·3	118
1894	438,727	5,004	13,977	5,298	11·4	31·9	12·1	98
1895	452,852	5,642	14,874	5,152	12·5	32·8	11·4	91
1896	466,364	5,646	14,017	5,645	12·1	30·1	12·1	105
1897	478,440	5,788	14,313	5,423	12·1	29·9	11·3	95
1898	492,602	5,944	13,933	6,243	12·1	28·3	12·7	111
1899	508,864	6,898	13,899	6,144	13·6	27·3	12·1	109
1900	490,325	6,742	14,801	5,747	13·8	30·2	11·7	98
1901*	505,695	6,682	14,303	6,007	13·2	28·3	11·9	102
1902	513,612	6,486	14,216	6,204	12·6	27·7	12·1	100
1903	512,690	5,866	12,621	6,346	11·4	24·6	12·4	120
1904	519,178	6,156	14,082	5,250	11·9	27·1	10·1	76
1905	525,728	6,346	13,626	5,503	12·1	25·9	10·5	76
1906	532,783	7,176	14,019	5,095	13·5	26·3	9·6	75
1907	541,204	8,210	14,542	5,599	15·2	26·9	10·3	77

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whoop-ing Cough.	Enteric Fever.	Diarrhœa and Dys-entery.	Asiatic Cholera.	Pulmon-ary Tubercu-losis.	Cancer (including Carcinoma and Sarcoma).
1881	—	3	1	28	10	73	439	—	292	65
1882	—	32	2	29	54	150	585	—	404	54
1883	—	59	5	39	71	238	697	—	471	70
1884	—	6	8	41	21	542	1,377	—	572	94
1885	—	2	3	87	28	289	673	—	593	53
1886	—	1	7	98	62	304	551	16	494	92
1887	—	—	1	94	60	137	480	—	441	81
1888	—	3	3	86	73	163	553	—	492	88
1889	—	—	1	90	83	282	653	—	470	130
1890	—	—	61	162	28	103	468	—	515	117
1891	—	—	26	157	17	106	457	2	501	134
1892	1	1	2	107	73	124	422	—	423	130
1893	—	186	2	106	128	109	478	—	476	121
1894	—	113	—	114	35	102	323	—	446	157
1895	—	2	1	67	128	72	338	—	420	189
1896	—	—	1	31	65	130	375	—	444	183
1897	—	—	—	42	42	183	355	—	418	187
1898	—	138	87	70	146	149	324	—	421	229
1899	—	116	59	82	128	149	295	—	407	213
1900	—	7	11	48	73	136	318	—	427	229
1901	—	1	3	41	84	148	356	—	427	278
1902	—	4	4	28	21	133	308	—	458	285
1903	—	44	13	58	30	189	348	—	402	252
1904	—	5	11	42	85	91	133	—	410	297
1905	—	1	1	40	10	95	118	—	397	351
1906	—	5	1	39	8	88	134	—	361	292
1907	—	20	3	51	121	84	443†	—	347	353

\* Census year.      † Including enteritis.

TABLE 62.—SOUTH AUSTRALIA (excluding the NORTHERN TERRITORY). **Population, Marriages, Births, and Deaths, 1881-1907.**  
(Furnished by the Registrar-General, South Australia.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION (exclusive of Aborigines).	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS	
1881*	277,670	4,616	10,708	4,012	17·3	38·6	14·5	—
1882	285,115	5,060	10,844	4,393	17·7	38·0	15·4	—
1883	293,937	5,078	11,173	4,435	17·3	38·0	15·1	—
1884	303,426	5,110	11,847	4,789	16·8	39·0	15·8	—
1885	308,648	4,894	12,046	3,987	15·9	39·0	12·9	113
1886	303,561	3,952	11,177	4,234	13·0	36·8	14·0	126
1887	305,247	3,954	10,831	3,944	13·0	35·5	12·9	111
1888	305,510	4,163	10,510	3,759	13·6	34·4	12·3	96
1889	308,078	4,124	10,318	3,501	13·4	33·5	11·4	94
1890	311,500	4,470	10,364	3,923	14·3	33·3	12·6	97
1891*	316,560	4,630	10,737	4,211	14·6	33·9	13·3	91
1892	323,746	4,238	10,544	3,711	13·1	32·6	11·5	97
1893	333,852	4,220	10,683	4,520	12·6	32·0	13·5	117
1894	339,907	4,188	10,476	4,001	12·3	30·8	11·8	94
1895	343,381	4,096	10,537	3,921	11·9	30·7	11·4	95
1896	344,810	4,366	10,012	4,038	12·7	29·0	11·7	101
1897	344,313	3,898	9,535	3,973	11·3	27·7	11·5	109
1898	346,854	4,428	8,945	4,675	12·8	25·8	13·5	140
1899	351,658	4,530	9,397	4,406	12·9	26·7	12·5	112
1900	354,268	4,610	9,143	3,774	13·0	25·8	10·7	100
1901*	357,556	4,608	9,079	3,974	12·9	25·4	11·1	100
1902	359,968	4,752	8,927	4,236	13·2	24·8	11·8	94
1903	361,724	4,520	8,475	3,873	12·5	23·4	10·7	97
1904	365,586	5,052	9,100	3,719	13·8	24·9	10·2	70
1905	370,791	5,188	8,832	3,761	14·0	23·8	10·1	73
1906	376,335	5,358	8,921	3,872	14·2	23·7	10·3	76
1907	384,255	6,140	9,209	3,736	15·9	23·9	9·7	66

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whoop-ing Cough.	Enteric Fever.	Diarrhoea and Dys-entery.	Asiatic Cholera.	Pulmon-ary Tubercu-losis.	Cancer (including Carcinoma and Sarcoma).
1881	—	72	50	123	27	85	344	—	274	91
1882	—	11	34	166	43	146	457	—	341	89
1883	—	12	24	157	128	135	456	—	313	86
1884	—	139	29	196	53	134	422	—	323	109
1885	—	6	4	188	90	132	315	—	307	100
1886	—	3	13	117	93	93	307	—	339	104
1887	—	2	7	87	30	143	335	—	353	110
1888	—	1	3	179	9	108	202	—	365	116
1889	—	1	1	148	2	128	284	—	289	133
1890	—	1	3	231	129	94	164	—	294	129
1891	—	—	4	223	42	73	182	—	329	156
1892	—	—	2	139	12	83	209	—	307	148
1893	—	261	5	130	121	62	249	—	340	171
1894	—	28	35	113	60	80	201	—	356	162
1895	—	2	10	53	44	71	192	—	335	166
1896	—	—	4	25	17	93	244	—	308	186
1897	—	—	7	34	—	106	233	—	308	185
1898	1	54	15	52	112	145	294	—	317	184
1899	—	27	16	49	106	111	192	—	312	203
1900	—	2	5	38	29	57	205	—	299	210
1901	1	5	1	22	51	72	196	—	302	216
1902	—	235	—	35	36	89	150	—	292	267
1903	—	5	19	25	60	57	160	—	296	261
1904	—	—	10	22	25	32	100	—	289	226
1905	—	—	8	14	6	41	107	—	279	249
1906	—	1	12	16	16	48	102	—	307	279
1907	—	5	5	14	73	39	227†	—	293	270

\* Census year.

† Including enteritis.



TABLE 63.—WESTERN AUSTRALIA. Population, Marriages, Births, and Deaths, 1881-1907.  
(Furnished by the Government Statistician, Western Australia.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF MEAN POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS	DEATHS	
1881*	29,516	394	1,020	424	13·3	33·9	14·0	—
1882	30,390	430	1,089	430	14·1	35·8	14·1	—
1883	31,233	434	1,058	560	13·9	33·9	17·9	—
1884	32,329	460	1,094	707	14·2	33·8	21·9	—
1885	34,072	512	1,200	600	15·0	35·2	17·6	—
1886	37,385	594	1,466	806	15·9	39·2	21·6	155
1887	41,036	632	1,556	702	15·4	37·9	17·1	157
1888	42,312	608	1,518	673	14·4	35·9	15·9	124
1889	42,918	600	1,594	611	14·0	37·1	14·2	88
1890	44,994	556	1,561	540	12·4	34·7	12·0	90
1891*	51,009	826	1,786	869	16·2	35·0	17·0	120
1892	55,847	824	1,848	931	14·7	33·1	16·7	141
1893	61,690	784	2,112	945	12·7	34·2	15·3	118
1894	75,055	964	2,123	1,081	12·8	28·3	14·4	126
1895	90,148	1,266	2,373	1,604	14·0	26·3	17·8	143
1896	122,696	2,154	2,782	2,020	17·6	22·7	16·5	184
1897	155,563	3,318	4,021	2,643	21·3	25·8	17·0	183
1898	168,999	3,348	4,968	2,716	19·8	29·4	16·1	166
1899	168,528	3,342	5,174	2,324	19·8	30·7	13·8	140
1900	176,905	3,562	5,454	2,240	20·1	30·8	12·7	126
1901*	188,313	3,642	5,718	2,519	19·3	30·4	13·4	129
1902	205,755	4,048	6,232	2,823	19·7	30·3	13·7	142
1903	221,278	4,128	6,699	2,788	18·7	30·3	12·6	141
1904	236,516	4,176	7,176	2,817	17·7	30·3	11·9	113
1905	250,207	4,246	7,582	2,709	17·0	30·3	10·8	104
1906	259,811	4,522	7,800	3,084	17·4	30·0	11·8	110
1907	263,749	4,228	7,711	2,924	16·0	29·2	11·1	98

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whooping Cough.	Enteric Fever.	Diarrhœa and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	15	12	17	—	26	6
1882	—	—	—	1	—	8	25	—	21	9
1883	—	30	—	21	—	10	20	—	25	10
1884	—	95	—	5	1	10	28	—	36	10
1885	—	4	—	1	3	22	14	—	29	17
1886	—	—	—	5	61	14	53	—	27	15
1887	—	—	—	4	4	21	58	—	46	17
1888	—	—	—	3	—	8	63	—	42	18
1889	—	—	—	4	—	13	45	—	39	20
1890	—	—	—	3	—	3	25	—	43	15
1891	—	—	—	3	19	19	35	—	49	20
1892	—	—	—	7	13	55	67	—	47	16
1893	7	21	—	8	—	28	48	—	44	19
1894	2	6	—	8	4	73	62	—	53	22
1895	—	—	1	12	21	325	101	—	57	25
1896	—	—	—	9	9	400	129	—	83	30
1897	—	1	2	26	3	407	150	—	87	51
1898	—	34	—	34	8	296	227	—	113	55
1899	—	5	1	7	29	148	145	—	114	60
1900	—	1	1	3	31	128	111	—	137	52
1901	—	45	1	10	13	120	101	—	151	83
1902	—	19	2	8	23	181	142	—	146	85
1903	—	3	2	18	42	132	96	—	144	92
1904	—	1	2	35	17	87	95	—	198	105
1905	—	1	3	35	1	107	74	—	162	127
1906	—	5	2	59	11	128	93	—	213	154
1907	—	6	—	64	103	123	341†	—	206	131

\* Census year. † Diarrhœa and enteritis.

TABLE 64.—TASMANIA. **Population, Marriages, Births, and Deaths, 1881-1907.**  
(Furnished by the Government Statistician, Tasmania.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MAR-RIED	BIRTHS.	DEATHS.	
1881*	117,314	1,712	3,918	1,733	14'6	33'4	14'8	103
1882	119,474	1,938	4,043	1,909	16'2	33'8	16'0	104
1883	122,242	2,240	4,259	2,122	18'3	34'8	17'4	124
1884	125,352	2,006	4,578	1,990	16'0	36'5	15'9	100
1885	128,160	2,108	4,637	2,036	16'4	36'2	15'9	113
1886	130,442	1,970	4,627	1,976	15'1	35'5	15'1	105
1887	133,802	1,878	4,736	2,161	14'0	35'4	16'1	101
1888	137,167	1,902	4,777	2,036	13'9	34'8	14'8	96
1889	140,262	1,934	4,757	2,098	13'8	33'9	15'0	106
1890	143,734	1,908	4,813	2,118	13'3	33'5	14'7	106
1891*	148,955	1,976	4,971	2,234	13'3	33'4	15'0	95
1892	151,727	1,990	4,965	2,069	13'1	32'7	13'6	99
1893	151,241	1,696	5,216	2,071	11'2	34'5	13'7	105
1894	152,286	1,694	4,852	1,938	11'1	31'9	12'7	90
1895	154,426	1,692	4,790	1,811	11'0	31'0	11'7	82
1896	157,702	1,928	4,603	1,890	12'2	29'2	12'0	89
1897	162,108	2,104	4,684	1,940	13'0	28'9	12'0	88
1898	166,559	2,194	4,580	2,358	13'2	27'5	14'2	116
1899	170,659	2,294	4,674	2,202	13'4	27'4	12'9	116
1900	172,775	2,664	4,864	1,902	15'4	28'1	11'0	80
1901*	173,679	2,676	4,930	1,805	15'4	28'4	10'4	89
1902	175,922	2,626	5,085	1,904	14'9	28'9	10'8	79
1903	177,547	2,688	5,080	2,105	15'1	23'6	11'9	111
1904	178,826	2,700	5,292	1,969	15'1	29'6	11'0	91
1905	179,259	2,730	5,257	1,815	15'2	29'3	10'1	80
1906	180,634	2,796	5,333	2,018	15'5	29'5	11'2	91
1907	178,296	2,822	5,291	2,001	15'8	29'6	11'2	82

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whoop-ing Cough.	Enteric Fever.	Diarrhœa and Dys-entery.	Asiatic Cholera.	Pulmon-ary Tuberc-ulosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	1	12	22	11	50	61	—	145	65
1885	—	20	—	23	16	30	115	—	145	60
1886	—	1	—	12	27	47	108	—	145	57
1887	11	—	2	35	13	112	157	—	154	67
1888	—	—	5	43	—	80	100	—	116	68
1889	—	—	1	43	8	113	123	—	121	70
1890	—	—	1	49	41	49	117	—	138	79
1891	—	—	3	21	7	82	61	1	134	68
1892	—	—	3	69	2	46	92	—	129	69
1893	—	35	1	50	43	23	74	—	157	79
1894	—	14	1	44	5	33	69	—	142	80
1895	—	—	—	24	22	46	57	—	116	75
1896	—	1	2	14	10	45	48	—	113	95
1897	—	—	5	12	—	47	52	—	135	81
1898	—	45	7	10	4	83	108	—	125	99
1899	—	13	15	19	54	46	59	—	101	91
1900	—	—	9	10	20	30	42	—	107	93
1901	—	—	1	16	4	23	73	—	100	95
1902	—	1	22	3	23	25	25	—	102	109
1903	19	—	26	9	65	38	66	—	112	160
1904	—	1	4	4	26	22	57	—	113	93
1905	—	3	1	10	—	23	23	—	124	97
1906	—	4	—	4	1	37	68	—	119	94
1907	—	1	—	8	47	37	28	—	113	112

\* Census year.



TABLE 65.—NEW ZEALAND. **Population, Marriages, Births, and Deaths, 1881-1907.**  
(Furnished by the Registrar-General, New Zealand.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	493,482	6,554	18,732	5,491	13·3	37·9	11·1	92
1882	509,309	7,200	19,009	5,701	14·1	37·3	11·2	88
1883	529,292	7,224	19,202	6,061	13·6	36·3	11·4	104
1884	552,590	7,600	19,846	5,740	13·7	35·9	10·4	79
1885	573,362	7,626	19,693	6,081	13·3	34·3	10·6	89
1886*	582,117	6,976	19,299	6,135	12·0	33·1	10·5	98
1887	596,374	7,126	19,135	6,137	11·9	32·1	10·3	94
1888	605,371	7,234	18,902	5,708	11·9	31·2	9·4	72
1889	611,716	7,264	18,457	5,772	11·9	30·2	9·4	79
1890	620,780	7,594	18,278	5,994	12·2	29·4	9·7	79
1891*	629,783	7,610	18,273	6,518	12·1	29·0	10·3	91
1892	642,245	8,004	17,876	6,459	12·5	27·8	10·1	89
1893	661,349	8,230	18,187	6,767	12·4	27·5	10·2	88
1894	679,196	8,356	18,528	6,918	12·3	27·3	10·2	81
1895	692,417	8,220	18,546	6,863	11·9	26·8	9·9	88
1896*	706,846	9,686	18,612	6,432	13·7	26·3	9·1	77
1897	721,609	9,856	18,737	6,595	13·7	26·0	9·1	72
1898	736,260	10,182	18,955	7,244	13·8	25·7	9·8	80
1899	749,984	10,922	18,835	7,680	14·6	25·1	10·2	96
1900	763,594	11,720	19,546	7,200	15·3	25·6	9·4	75
1901*	777,968	12,190	20,491	7,634	15·7	26·3	9·8	71
1902	797,793	12,788	20,655	8,375	16·0	25·9	10·5	83
1903	820,217	13,496	21,829	8,528	16·5	26·6	10·4	81
1904	845,022	13,966	22,766	8,087	16·5	26·9	9·5	71
1905	870,000	14,400	23,682	8,061	16·6	27·2	9·3	68
1906*	895,594	15,184	24,252	8,339	17·0	27·1	9·3	62
1907	919,105	16,384	25,094	10 066	18·0	27·3	10·9	89

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whoop-ing Cough	Enteric Fever	Diarrhoea and Dys-entery.	Asiatic Cholera.	Pulmon-ary Tubercu-losis.	Cancer (including Carcinoma and Sarcoma).
1881	—	113	104	83	20	124	436	—	468	134
1882	—	86	153	142	68	110	327	—	438	147
1883	—	15	26	84	246	157	509	—	500	158
1884	—	31	17	112	167	104	208	—	498	191
1885	—	1	12	104	91	118	399	—	514	177
1886	—	54	7	78	132	123	455	—	500	214
1887	—	30	18	92	138	158	475	—	534	238
1888	—	6	21	143	72	130	214	—	476	263
1889	—	3	19	113	19	118	355	—	499	260
1890	—	1	31	116	82	145	290	—	520	295
1891	—	1	24	86	242	119	319	—	495	295
1892	—	—	4	195	115	134	329	—	524	307
1893	—	525	1	128	55	97	193	—	545	332
1894	—	14	5	92	190	115	207	—	576	408
1895	—	—	6	76	150	94	232	—	553	383
1896	—	1	4	74	24	124	334	—	523	389
1897	—	1	2	49	2	106	257	—	596	395
1898	—	57	2	45	6	120	275	—	597	471
1899	—	137	—	58	123	93	298	—	593	468
1900	—	9	10	63	90	68	199	—	577	430
1901	—	7	17	44	9	95	139	—	596	515
1902	—	134	39	51	83	53	275	—	617	536
1903	1	143	131	23	204	61	184	—	570	582
1904	—	10	13	27	35	73	193	—	598	571
1905	—	8	10	35	3	45	128	—	496	566
1906	—	12	18	35	26	48	97	—	556	623
1907	—	101	25	55	307	53	314	—	612	674

\* Census year.

TABLE 66.—DOMINION OF CANADA—PROVINCE OF ONTARIO. **Population, Marriages, Births, and Deaths, 1881-1907.**  
(Furnished by the Deputy Registrar-General of Ontario.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	1,923,610†	23,212	40,714	22,821	13·4	21·1	11·8	—
1882		26,898	42,429	21,800	14·0	22·1	11·3	—
1883		28,554	42,981	21,049	14·8	22·3	10·9	—
1884		27,292	44,504	21,702	14·2	23·1	11·2	—
1885		27,350	45,223	22,105	14·2	23·5	11·4	—
1886	2,115,971	27,690	46,458	23,184	13·0	22·0	11·0	—
1887	2,115,971	28,920	45,904	23,414	13·6	21·7	11·5	—
1888	2,148,971	29,102	46,953	23,734	13·6	21·8	11·0	—
1889	2,148,971	29,760	48,538	23,329	13·8	22·6	10·7	—
1890	2,161,971	28,926	47,433	24,013	13·4	22·0	11·1	—
1891*	2,122,716	28,378	47,472	24,013	13·4	21·1	11·3	—
1892	2,146,020	28,964	41,947	23,120	13·4	19·7	10·7	—
1893	2,167,460	28,950	42,686	22,903	14·0	19·8	10·5	—
1894	2,189,116	28,682	41,899	22,538	13·0	19·2	10·3	—
1895	2,211,101	27,974	41,474	22,461	12·6	18·8	10·1	—
1896	2,263,492	29,808	46,680	24,857	13·2	20·7	11·0	—
1897	2,257,378	30,586	46,888	26,508	13·6	20·9	12·2	130
1898	2,279,929	30,750	46,067	25,409	13·4	20·4	11·5	128
1899	2,302,705	33,028	44,286	27,747	14·2	19·4	12·4	141
1900	2,325,712	34,214	45,549	28,543	14·6	19·8	12·6	155
1901*	2,184,144	36,070	45,281	28,500	16·4	21·1	13·6	141
1902	2,205,965	36,144	46,973	26,713	16·4	21·7	12·6	125
1903	2,198,692	39,660	47,709	28,399	18·0	21·1	13·4	137
1904	2,203,968	39,578	49,158	29,600	17·8	22·8	14·1	137
1905	2,208,364	40,852	50,808	29,748	18·4	23·5	14·2	148
1906	2,214,116	39,692	50,621	31,244	18·0	23·3	14·8	162
1907	—	—	—	—	—	—	—	—

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whoop-ing Cough.	Enteric Fever.	Diarrhœa and Dys-entery.	Asiatic Cholera.	Pulmon-ary Tubercu-losis.	Cancer (including Carcinoma and Sarcoma).
1881	5	148	470	1,704	270	616	1,084	—	2,397	313
1882	15	75	543	1,708	183	555	649	—	2,464	397
1883	4	177	405	1,076	123	469	593	—	2,500	403
1884	63	81	382	929	154	492	653	—	2,347	422
1885	30	78	314	1,232	192	462	529	—	2,313	463
1886	19	149	260	1,833	205	386	716	—	2,419	440
1887	—	169	116	1,716	124	569	834	—	2,556	614
1888	—	128	132	1,450	187	529	934	—	2,521	635
1889	—	141	159	1,101	225	565	1,192	—	2,417	714
1890	—	186	151	893	190	545	978	—	2,503	685
1891	—	79	216	952	102	744	911	—	2,379	402
1892	—	117	240	890	145	445	917	—	2,592	410
1893	?	?	?	942	?	?	?	—	2,552	?
1894	?	?	454	1,075	?	?	?	—	2,379	?
1895	?	?	?	942	?	588	?	—	2,472	?
1896	—	136	99	932	187	552	?	—	2,758	?
1897	—	80	169	163	169	355	1,511	—	3,154	927
1898	—	115	222	634	126	405	1,773	—	3,291	975
1899	7	40	246	599	124	452	1,561	—	3,405	1,041
1900	11	143	170	738	185	682	2,299	—	3,484	1,055
1901	7	181	263	772	166	500	1,267	—	3,243	1,094
1902	7	143	346	676	204	392	1,050	—	2,694	1,048
1903	21	55	580	687	204	391	1,337	—	2,723	1,156
1904	3	30	163	608	109	482	1,127	—	2,877	1,253
1905	3	63	72	503	181	446	1,835	—	2,667	1,224
1906	4	128	64	423	240	891	2,075	—	2,911	1,411
1907	—	—	—	—	—	—	—	—	—	—

\* Census year.

† Census population.

NOTE.—A ? denotes that the figures are not available for the whole Province.



TABLE 67.—CEYLON. **Population, Marriages, Births, and Deaths, 1881-1907.**  
(Furnished by the Registrar-General, Ceylon.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.†	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.†	BIRTHS.	DEATHS.	
1881*	2,755,558	24,174	74,794	75,012	9.4	27.1	27.2	170
1882	2,773,389	26,428	74,042	54,672	10.3	26.7	19.7	138
1883	2,781,711	31,780	82,240	53,680	12.3	29.6	19.3	136
1884	2,793,689	27,540	87,407	62,398	10.6	31.3	22.3	157
1885	2,815,166	21,446	79,234	81,908	8.2	28.1	29.1	189
1886	2,830,359	40,428	76,836	67,041	15.4	27.1	23.7	152
1887	2,855,216	34,342	93,223	68,496	13.0	32.7	24.0	152
1888	2,901,262	29,276	92,289	76,724	10.9	31.8	26.4	167
1889	2,938,977	25,582	81,465	83,845	9.4	27.7	28.5	174
1890	2,980,245	30,216	95,106	68,600	10.9	31.9	23.0	145
1891*	3,021,579	29,474	96,493	86,643	10.5	31.9	28.7	170
1892	3,088,405	33,366	93,233	84,937	11.7	30.2	27.5	162
1893	3,121,093	34,654	97,800	92,422	11.9	31.3	29.6	177
1894	3,144,561	45,566	104,301	87,784	15.4	33.2	27.9	165
1895	3,193,821	61,382	101,480	88,301	20.4	31.8	27.6	169
1896	3,240,501	39,358	103,854	81,898	12.8	32.0	25.3	158
1897	3,315,768	43,638	125,019	78,538	14.0	37.7	23.7	140
1898	3,395,519	48,508	131,620	90,256	15.3	38.8	26.6	169
1899	3,429,745	64,988	132,190	104,933	20.1	38.5	30.6	197
1900	3,520,574	56,384	136,051	100,873	17.2	38.6	28.7	178
1901*	3,582,697	47,472	134,252	98,813	14.2	37.5	27.6	170
1902	3,629,986	55,632	141,893	99,680	16.4	38.5	27.5	173
1903	3,703,615	47,068	148,027	96,084	13.7	40.0	25.9	164
1904	3,767,826	43,894	145,253	93,940	12.5	38.5	24.9	174
1905	3,901,471	42,376	150,735	108,160	11.7	38.7	27.7	176
1906	3,968,541	36,010	141,847	136,271	9.7	35.7	34.3	198
1907.	3,971,340	37,966	130,403	119,377	10.3	32.8	30.1	186

The Total Deaths‡ include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	237	610	—	227	88	—	11,636	991	1,717	69
1882	320	78	—	208	52	—	8,624	857	1,756	81
1883	335	5	—	201	88	—	8,125	800	1,817	97
1884	347	41	—	118	69	—	8,495	812	2,010	99
1885	726	50	—	239	64	—	11,819	1,294	1,949	83
1886	462	166	—	159	103	—	10,792	893	1,936	85
1887	89	170	—	145	67	—	9,808	933	1,885	92
1888	145	184	—	147	239	2,768	12,747	1,331	2,010	117
1889	97	235	—	130	102	2,990	11,826	2,563	1,977	141
1890	88	287	—	178	38	2,854	8,495	1,872	2,104	171
1891	452	574	—	152	51	3,398	11,529	3,398	2,233	139
1892	69	390	—	105	69	3,140	18,108	2,833	2,373	187
1893	37	254	—	153	65	3,628	22,396	645	2,575	235
1894	3	188	—	13	107	3,644	22,408	530	2,512	196
1895	5	372	—	7	50	4,042	22,291	589	2,445	207
1896	21	384	—	11	53	3,943	20,019	428	2,873	123
1897	25	568	—	6	61	3,693	18,886	104	2,782	177
1898	13	292	—	15	43	4,638	19,975	302	2,889	175
1899	96	188	—	14	65	5,262	21,201	—	3,167	191
1900	41	123	—	15	111	5,437	22,058	217	3,217	233
1901	80	207	—	8	53	4,902	23,954	52	3,390	213
1902	35	194	—	11	40	5,477	21,551	139	3,297	219
1903	6	158	—	18	63	5,243	19,880	6	3,383	212
1904	2	64	—	16	34	4,739	17,804	4	3,488	190
1905	112	211	—	8	167	6,025	22,867	1	3,733	207
1906	72	296	—	10	66	9,440	33,448	204	4,153	182
1907	27	89	—	8	34	7,729	27,606	77	4,096	148

\* Census year.  
† Registration of marriages is not compulsory in Ceylon, except among the Kandyan Sinhalese. The figures in these columns relate to persons whose marriages were registered.  
‡ The Registrar-General, Ceylon, states that "too much reliance should not be placed on the figures given under Causes of Death, as, in the large majority of cases, the cause of death is not medically certified, and registration is made in the vernacular languages, and by registrars who possess no medical qualifications."

TABLE 68.--JAMAICA. **Population, Marriages, Births, and Deaths, 1881-1907.**

(Furnished by the Registrar-General, Jamaica.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	580,804	4,356	21,340	15,125	7.4	36.7	26.0	173
1882	588,718	4,736	20,749	11,874	8.0	35.7	20.4	141
1883	594,023	5,738	24,132	13,397	9.6	41.5	23.0	153
1884	591,819	5,906	21,402	13,484	9.9	36.1	22.7	165
1885	596,383	5,990	22,558	13,500	10.0	37.8	22.6	159
1886	603,354	4,780	21,831	14,060	7.9	36.1	23.3	154
1887	603,500	5,326	20,964	14,641	8.8	34.7	24.2	170
1888	613,376	6,706	24,025	13,696	10.9	39.1	22.3	162
1889	624,105	6,446	22,044	13,874	10.3	35.3	22.2	175
1890	634,930	7,120	24,507	16,040	11.2	38.4	25.1	188
1891*	645,829	6,810	24,744	14,711	10.5	38.3	22.7	175
1892	655,595	6,698	24,475	13,717	10.2	37.3	20.9	165
1893	667,554	7,468	27,365	14,885	11.1	40.6	22.1	168
1894	678,786	7,258	25,298	14,321	10.6	37.2	21.0	168
1895	690,667	6,484	26,842	15,716	9.3	38.8	22.7	178
1896	701,181	6,052	27,064	15,535	8.6	38.5	22.1	176
1897	713,384	5,322	28,447	16,474	7.4	39.8	23.0	177
1898	725,033	6,724	27,648	15,290	9.2	38.1	21.0	176
1899	740,171	7,534	31,259	16,880	10.1	42.2	22.8	170
1900	751,588	6,442	26,869	16,243	8.5	35.7	21.6	174
1901	763,545	6,404	31,268	16,756	8.3	40.9	21.9	163
1902	778,120	7,202	30,605	15,413	9.2	39.3	19.8	162
1903	794,053	7,152	31,687	19,593	9.0	39.9	24.6	187
1904	802,609	5,760	29,025	19,863	7.1	36.1	24.7	193
1905	814,800	6,232	31,618	17,871	7.6	38.8	21.9	165
1906	827,744	11,014	31,547	21,723	13.2	38.1	26.2	197
1907	834,012	12,502	29,210	23,672	14.8	35.0	28.3	223

**The Total Deaths include:—**

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	1	15	7	17	341	47	1,658	—	1,071	57
1882	—	4	1	23	4	30	686	—	1,005	43
1883	1	114	—	21	—	29	868	—	1,083	65
1884	—	109	1	35	—	22	800	—	1,097	66
1885	—	6	—	20	1	31	816	—	979	64
1886	187	1	—	12	1	38	883	—	1,043	65
1887	672	2	—	21	1	41	885	—	958	61
1888	25	5	—	9	1	54	727	—	935	73
1889	—	67	—	9	65	49	825	—	1,032	70
1890	—	175	1	3	1,924	48	726	—	1,064	80
1891	—	22	—	9	7	53	976	—	1,085	91
1892	—	2	1	6	—	42	846	—	1,050	88
1893	—	1	—	13	13	49	912	—	1,040	96
1894	—	—	1	10	202	57	763	—	1,102	102
1895	—	9	—	16	326	75	914	—	1,182	115
1896	—	121	—	14	495	89	868	—	1,191	113
1897	—	19	—	12	311	117	808	—	1,168	97
1898	—	4	—	9	138	65	623	—	1,156	108
1899	—	23	—	14	25	90	661	—	1,187	129
1900	—	128	—	12	—	55	703	—	1,204	124
1901	—	33	—	7	2	71	766	—	1,148	118
1902	—	3	—	2	—	96	599	—	1,149	109
1903	—	—	1	3	292	89	1,482	—	1,232	125
1904	—	3	1	4	1,546	131	934	—	1,308	128
1905	—	—	—	12	40	69	733	—	1,240	153
1906	—	97	—	6	5	86	793	—	1,328	141
1907	—	150	1	4	2	223	1,327	—	1,451	126

NOTE.—The figures in the table for the years 1881-1889 relate to the 12 months ended 30th September in each of those years; those for 1890 and subsequent years to the 12 months ended 31st March of the following year.

\* Census year.



TABLE 69.—DENMARK (the Kingdom properly so-called). **Population, Marriages, Births, and Deaths, 1881-1907.**

(Furnished by the Director of the Statistical Bureau, Denmark.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	1,995,000	31,058	64,145	36,471	15·6	32·2	18·3	121
1882	2,013,000	30,992	65,070	38,738	15·4	32·3	19·2	151
1883	2,029,000	31,284	64,474	37,403	15·4	31·8	18·4	138
1884	2,051,000	31,940	68,340	37,597	15·6	33·3	18·3	137
1885	2,076,000	31,290	67,463	36,999	15·0	32·5	17·8	122
1886	2,102,000	29,668	68,080	38,094	14·2	32·4	18·1	136
1887	2,124,000	29,452	67,417	38,645	13·9	31·7	18·2	134
1888	2,143,000	30,182	67,428	41,869	14·0	31·5	19·5	143
1889	2,161,000	30,466	67,385	40,004	14·1	31·2	18·5	141
1890*	2,179,000	29,950	66,376	41,377	13·8	30·5	19·0	133
1891	2,195,000	29,882	67,937	43,954	13·6	31·0	20·0	134
1892	2,210,000	30,078	65,468	43,079	13·5	29·6	19·5	140
1893	2,226,000	31,478	68,530	42,295	14·2	30·8	19·0	150
1894	2,248,000	31,374	68,300	39,508	14·0	30·4	17·6	134
1895	2,276,000	32,294	68,871	38,573	14·2	30·3	16·9	137
1896	2,303,000	33,646	70,271	36,090	14·6	30·5	15·7	126
1897	2,338,000	34,928	69,576	38,744	15·0	29·8	16·6	129
1898	2,371,000	35,794	71,670	36,671	15·1	30·2	15·5	123
1899	2,403,000	35,874	71,355	41,477	15·0	29·7	17·3	154
1900	2,432,000	36,996	72,129	40,891	15·2	29·7	16·8	128
1901*	2,462,000	35,198	73,211	38,786	14·3	29·7	15·8	134
1902	2,491,000	35,298	72,795	36,408	14·2	29·2	14·6	114
1903	2,519,000	35,852	72,348	36,945	14·2	28·7	14·7	116
1904	2,546,000	36,450	73,691	35,903	14·3	28·9	14·1	112
1905	2,574,000	36,772	73,082	38,562	14·3	28·4	15·0	121
1906*	2,600,000	38,708	74,216	35,172	14·9	28·5	13·5	109
1907	2,630,000	40,206	74,327	37,265	15·3	28·3	14·2	—

The Total Deaths in Copenhagen and other large Cities include :—

YEAR.	Popula- tion of Cities.	Small- pox.	Measles.	Scarlet Fever	Diph- theria (ex- cluding Croup)	Whoop- ing Cough.	Enteric Fever.	Diarrhœa and Dys- entery.	Asiatic Cholera.	Pulmon- ary Tubercu- losis.	Cancer (including Carcinoma and Sarcoma).
1880*	553,497	—	—	—	—	—	—	—	—	—	—
1881	—	5	30	184	194	236	167	437	—	1,435	593
1882	—	12	502	154	125	280	216	972	—	1,530	606
1883	—	4	17	61	125	318	165	685	—	1,502	641
1884	—	—	353	41	151	290	248	924	—	1,569	686
1885	—	23	188	129	199	174	146	548	—	1,540	726
1886	—	—	46	78	302	191	175	1 003	—	1,497	722
1887	—	—	798	148	570	378	142	748	—	1,596	775
1888	—	—	385	241	671	238	149	733	—	1,793	782
1889	—	3	32	106	779	272	256	1,220	—	1,637	866
1890*	726,355	1	269	195	960	308	102	766	—	1,645	832
1891	—	10	215	78	810	257	136	823	—	1,619	927
1892	—	—	255	68	676	301	109	675	—	1,557	837
1893	—	—	80	132	683	370	101	1,300	—	1,516	936
1894	—	1	220	316	574	144	100	800	—	1,492	875
1895	—	—	215	127	272	383	122	889	—	1,521	933
1896	—	1	187	55	178	251	94	994	—	1,393	1,022
1897	—	—	166	31	198	151	87	996	—	1,466	1,054
1898	—	—	63	76	147	444	93	756	—	1,412	1,063
1899	—	—	142	173	176	358	102	1,583	—	1,405	1,063
1900	—	—	56	140	163	120	83	887	—	1,566	1,123
1901*	958,905	6	260	102	124	324	131	1,339	—	1,409	1,201
1902	—	—	151	85	100	389	50	567	—	1,303	1,276
1903	—	—	81	65	76	279	59	899	—	1,376	1,229
1904	—	1	102	50	49	342	44	1,029	—	1,446	1,313
1905	—	—	184	56	96	247	49	1,117	—	1,481	1,338
1906*	1,023,334	—	131	20	70	227	35	1,153	—	1,348	1,344
1907	—	—	—	—	—	—	—	—	—	—	—

\* Census year.

TABLE 70.—NORWAY. **Population, Marriages, Births, and Deaths, 1881-1907.**

(Furnished by the Director of the Central Statistical Bureau, Norway.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	1,909,700	24,632	58,342	32,427	12·9	30·6	17·0	96
1882	1,906,300	25,748	59,375	35,325	13·5	31·1	18·5	110
1883	1,905,600	25,420	59,498	32,834	13·3	31·2	17·2	96
1884	1,915,100	26,494	60,025	31,730	13·8	31·3	16·6	98
1885	1,929,800	26,048	61,052	32,111	13·5	31·6	16·6	93
1886	1,943,900	25,638	60,716	31,566	13·2	31·2	16·2	90
1887	1,955,200	24,982	60,908	31,675	12·8	31·2	16·2	89
1888	1,961,800	24,308	61,277	33,645	12·4	31·2	17·2	95
1889	1,969,200	24,832	59,188	34,704	12·6	30·1	17·6	109
1890*	1,981,600	25,844	60,108	35,492	13·0	30·3	17·9	98
1891	1,996,900	26,358	61,721	34,856	13·2	30·9	17·5	97
1892	2,010,000	25,484	59,430	35,769	12·7	29·6	17·8	105
1893	2,021,400	25,948	61,918	32,915	12·8	30·6	16·3	89
1894	2,039,800	25,932	60,450	34,355	12·7	29·6	16·8	104
1895	2,065,900	26,678	62,932	32,189	12·9	30·5	15·5	96
1896	2,094,100	27,924	63,308	31,574	13·3	30·2	15·1	96
1897	2,123,700	28,440	63,417	32,389	13·4	29·9	15·3	97
1898	2,155,400	30,078	64,821	32,693	14·0	30·1	15·2	91
1899	2,185,300	31,060	67,013	36,563	14·2	30·7	16·7	105
1900*	2,211,300	30,444	66,149	34,932	13·8	29·9	15·8	90
1901	2,234,700	29,520	66,207	33,295	13·2	29·6	14·9	93
1902	2,253,600	28,770	65,262	31,163	12·8	29·0	13·8	75
1903	2,264,900	27,132	65,155	33,567	12·0	28·8	14·8	79
1904	2,274,100	26,962	63,955	32,467	11·9	28·1	14·3	76
1905	2,285,700	26,538	62,698	33,793	11·6	27·4	14·8	81
1906	2,296,300	27,180	61,316	31,214	11·8	26·7	13·6	69
1907†	2,305,700	27,800	60,600	32,700	12·1	26·3	14·2	—

**The Total Deaths include :—**

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whoop-ing Cough.	Enteric Fever.	Diarrhœa and Dys-entery.	Asiatic Cholera.	Pulmon-ary Tubercu-losis.	Cancer (including Carcinoma and Sarcoma).
1881	14	314	1,028	549	421	208	512	—	2,595	874
1882	52	679	1,231	1,380	311	249	782	—	2,649	892
1883	—	10	818	1,641	247	228	563	—	2,664	959
1884	3	1	505	1,782	343	197	635	—	2,619	1,006
1885	6	1	571	1,638	239	171	520	—	2,862	1,047
1886	—	3	898	1,548	235	165	714	—	2,701	1,008
1887	1	212	623	1,801	260	172	778	—	2,694	1,116
1888	5	487	461	1,632	448	139	675	—	2,827	1,112
1889	3	372	327	2,057	480	222	1,044	—	2,877	1,144
1890	1	123	454	2,528	216	184	739	—	3,055	1,148
1891	14	187	305	1,754	183	210	670	—	3,085	1,237
1892	3	334	215	1,368	453	87	822	2	3,358	1,278
1893	1	125	195	1,615	170	137	1,086	—	3,559	1,405
1894	1	470	275	1,620	436	140	1,115	—	3,663	1,449
1895	3	146	242	620	462	141	977	—	3,837	1,464
1896	—	185	224	356	470	185	1,076	—	3,892	1,691
1897	3	240	162	349	296	145	1,052	—	4,123	1,802
1898	6	243	113	379	369	164	600	—	4,391	1,802
1899	—	214	127	283	450	172	1,505	—	4,773	1,931
1900	—	216	177	181	365	133	880	—	4,888	2,008
1901	—	103	118	156	338	174	1,829	—	4,337	2,126
1902	—	287	106	242	461	102	508	—	4,249	1,964
1903	—	300	120	334	440	144	700	—	4,488	2,112
1904	—	234	72	318	140	99	720	—	4,489	2,182
1905	6	87	130	444	468	86	571	—	4,652	2,248
1906	—	42	80	477	428	126	627	—	4,539	2,239
1907	—	—	—	—	—	—	—	—	—	—

NOTE.—The deaths from the several diseases for the earlier years are incomplete ; only about 50 per cent. of the causes of death were stated in 1881, against 85 per cent. in 1901.

\* Census year.

† The figures for the year 1907 are provisional.



TABLE 71.—SWEDEN. **Population, Marriages, Births, and Deaths 1881-1907.**  
(Furnished by the Director of the Central Statistical Bureau, Sweden.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS	DEATHS.	
1881	4,568,956	56,602	132,804	80,800	12·4	29·1	17·7	113
1882	4,575,680	57,934	134,300	79,406	12·7	29·4	17·4	125
1883	4,591,355	58,898	132,875	79,487	12·9	28·9	17·3	116
1884	4,624,022	60,400	138,745	81,077	13·1	30·0	17·5	113
1885	4,663,609	61,822	137,308	82,781	13·3	29·4	17·8	114
1886	4,699,979	50,266	139,882	78,045	12·8	29·8	16·6	111
1887	4,726,045	59,034	140,169	76,227	12·5	29·7	16·1	103
1888	4,741,579	56,150	136,451	75,831	11·8	28·8	16·0	100
1889	4,761,333	56,956	132,069	76,124	12·0	27·7	16·0	107
1890*	4,779,695	57,222	133,597	81,824	12·0	28·0	17·1	103
1891	4,793,866	55,880	135,516	80,603	11·7	28·3	16·8	108
1892	4,804,808	54,676	129,622	85,894	11·4	27·0	17·9	109
1893	4,815,508	54,438	131,729	81,027	11·3	27·4	16·8	101
1894	4,848,667	55,702	131,409	79,444	11·5	27·1	16·4	101
1895	4,896,221	57,456	134,599	74,368	11·7	27·5	15·2	95
1896	4,940,914	58,752	134,308	77,259	11·9	27·2	15·6	103
1897	4,986,100	60,442	132,999	76,558	12·1	26·7	15·4	99
1898	5,036,275	61,800	136,523	75,949	12·3	27·1	15·1	91
1899	5,080,160	63,420	133,882	89,678	12·5	26·4	17·7	112
1900*	5,116,922	62,956	138,139	86,146	12·3	27·0	16·8	99
1901	5,155,835	62,556	139,370	82,772	12·1	27·0	16·1	103
1902	5,186,990	61,792	137,364	79,722	11·9	26·5	15·4	86
1903	5,210,022	60,176	133,896	78,610	11·6	25·7	15·1	93
1904	5,241,051	61,366	134,952	80,152	11·7	25·8	15·3	84
1905	5,277,848	61,776	135,409	82,443	11·7	25·7	15·6	88
1906†	5,315,970	64,900	136,700	76,400	12·2	25·7	14·4	—
1907†	5,357,384	66,300	136,600	78,100	12·4	25·5	14·6	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.†	Diarrhœa and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.§	Cancer (including Carcinoma and Sarcoma).§
1881	299	1,097	1,905	4,708	815	1,143	1,545	—	—	—
1882	159	1,721	1,364	4,423	1,044	1,325	3,206	—	—	—
1883	125	1,253	2,721	4,287	481	1,320	1,765	—	—	—
1884	58	321	3,305	3,490	726	1,398	1,962	—	—	—
1885	4	538	3,811	2,576	1,257	1,078	1,428	—	—	—
1886	2	445	3,326	2,333	1,116	1,220	2,091	—	—	—
1887	5	1,280	2,160	2,945	579	1,055	1,620	—	—	—
1888	9	1,383	1,259	2,102	700	879	1,378	—	—	—
1889	2	417	1,345	2,174	725	1,193	1,970	—	—	—
1890	2	733	2,382	2,796	1,003	1,068	1,374	—	—	—
1891	2	1,770	1,658	2,382	922	1,109	1,615	—	—	—
1892	4	422	1,587	2,704	956	1,022	1,338	—	—	—
1893	25	159	1,657	3,804	841	950	1,486	—	—	—
1894	21	302	1,115	3,582	874	905	1,386	1	—	—
1895	—	463	788	2,220	577	761	1,462	5	—	—
1896	2	665	654	1,871	1,109	809	1,675	—	—	—
1897	1	620	415	1,701	1,038	752	1,508	—	—	—
1898	1	324	271	1,881	1,047	710	1,288	—	—	—
1899	1	786	414	2,974	1,092	803	1,785	—	—	—
1900	2	459	426	2,610	626	704	1,598	—	—	—
1901	—	378	485	2,617	884	647	2,005	—	—	—
1902	1	638	436	1,754	1,084	539	985	—	—	—
1903	2	807	352	1,382	953	275	863	—	—	—
1904	1	173	437	1,346	885	266	878	—	—	—
1905	3	142	624	1,710	765	517	1,085	—	—	—
1906	—	—	—	—	—	—	—	—	—	—
1907	—	—	—	—	—	—	—	—	—	—

\* Census year.  
† The figures for the years 1906 and 1907 are provisional.  
‡ Including Brain Fever.  
§ The deaths from these diseases are not tabulated for the whole of Sweden.

TABLE 72.—RUSSIA, EUROPEAN (50 Governments, excluding Finland and the Provinces of the Vistula and of the Caucasus). **Population, Marriages, Births, and Deaths, 1881-1907.**  
(Furnished by the Central Statistical Committee, Ministry of the Interior.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	—	1,462,542	3,679,694	2,560,483	18·8	47·8	33·2	252
1882	—	1,437,864	3,926,661	3,076,262	18·4	50·4	39·5	301
1883	—	1,470,126	3,884,964	2,881,430	18·8	49·8	36·9	284
1884	—	1,386,608	4,007,858	2,674,065	17·0	49·0	32·7	248
1885	81,725,185†	1,366,588	3,957,528	2,833,108	16·8	48·4	34·7	270
1886	85,395,209†	1,364,076	3,972,797	2,661,898	16·0	46·5	31·2	248
1887	—	1,467,098	4,062,606	2,757,722	17·2	47·5	32·2	256
1888	—	1,616,520	4,268,601	2,760,971	18·8	49·9	32·3	250
1889	—	1,485,364	4,232,577	2,991,608	17·2	48·8	34·5	275
1890	—	1,436,550	4,227,915	3,130,996	16·4	48·2	35·7	289
1891	—	1,494,302	4,372,419	3,095,552	16·6	48·8	34·6	274
1892	—	1,567,778	4,033,402	3,596,585	18·4	47·2	42·1	307
1893	—	1,575,054	4,298,323	3,028,300	17·2	47·0	33·1	252
1894	—	1,696,766	4,391,658	3,062,022	18·8	48·7	34·0	265
1895	—	1,685,262	4,539,176	3,213,841	18·4	49·4	35·0	280
1896	—	1,619,694	4,634,809	3,063,047	17·4	49·7	32·8	274
1897*	94,494,853	1,714,742	4,692,621	2,976,453	18·2	49·5	31·4	260
1898	—	1,651,204	4,625,558	3,156,303	17·4	48·7	33·2	279
1899	97,143,469	1,796,404	4,764,678	3,013,114	18·4	49·0	31·0	240
1900	98,379,841	1,746,036	4,853,804	3,055,030	17·6	49·4	31·1	252
1901	100,172,597	1,724,816	4,801,190	3,218,501	17·2	47·9	32·1	272
1902	101,634,636	1,755,818	4,993,248	3,204,333	17·2	49·1	31·5	260
1903	—	—	—	—	—	—	—	—
1904	—	—	—	—	—	—	—	—
1905	—	—	—	—	—	—	—	—
1906	—	—	—	—	—	—	—	—
1907	—	—	—	—	—	—	—	—

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whoop-ing Cough.	Enteric Fever.	Diarrhoea and Dys-entery.	Asiatic Cholera.	Pulmon-ary Tubercu-losis.	Cancer (including Carcinoma and Sarcoma).
1881										
1882										
1883										
1884										
1885										
1886										
1887										
1888										
1889										
1890										
1891										
1892										
1893										
1894										
1895										
1896										
1897										
1898										
1899										
1900										
1901										
1902										
1903										
1904										
1905										
1906										
1907										

NOTE.—The deaths from the several diseases are not tabulated for the whole of the Russian Empire.

\* Census year.

† Estimated to the 1st January.



TABLE 73.—FINLAND. **Population, Marriages, Births, and Deaths, 1881-1907.**

(Furnished by the Central Statistical Bureau, Finland.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	2,071,712	28,566	72,436	51,744	13·8	35·0	25·0	186
1882	2,097,972	31,856	76,053	46,821	15·2	36·3	22·3	164
1883	2,129,843	33,092	76,378	44,291	15·5	35·9	20·8	149
1884	2,163,471	33,170	78,147	45,204	15·3	36·1	20·9	148
1885	2,194,532	31,956	75,129	48,261	14·6	34·2	22·0	162
1886	2,223,545	32,496	78,576	49,514	14·6	35·3	22·2	157
1887	2,258,356	34,358	81,724	42,875	15·2	36·2	19·0	132
1888	2,296,159	33,496	80,172	45,417	14·6	34·9	19·8	146
1889	2,330,940	32,198	77,881	45,679	13·8	33·4	19·6	142
1890*	2,380,469	33,770	77,860	46,479	14·2	32·7	19·5	142
1891	2,396,814	33,144	82,128	50,715	13·8	34·3	21·2	145
1892	2,423,580	29,650	76,433	57,486	12·2	31·5	23·7	170
1893	2,445,668	28,190	73,030	51,002	11·5	29·9	20·9	143
1894	2,472,341	32,226	76,206	47,467	13·0	30·8	19·2	140
1895	2,506,452	36,512	81,783	44,482	14·6	32·6	17·7	129
1896	2,543,583	38,378	81,656	47,061	15·1	32·1	18·5	143
1897	2,580,820	39,826	82,350	45,233	15·4	31·9	17·5	133
1898	2,622,679	41,222	89,106	45,751	15·7	34·0	17·4	128
1899	2,663,871	39,078	88,353	53,042	14·7	33·2	19·9	137
1900*	2,697,490	36,590	86,339	57,915	13·6	32·0	21·5	153
1901	2,728,757	37,070	88,637	56,223	13·6	32·5	20·6	145
1902	2,762,985	35,016	87,082	50,999	12·7	31·5	18·5	129
1903	2,798,658	35,308	85,120	49,992	12·6	30·4	17·9	127
1904	2,836,668	37,292	90,253	50,227	13·1	31·8	17·7	120
1905	2,874,563	37,264	87,841	52,773	13·0	30·6	18·4	135
1906	2,912,972	39,874	91,401	50,857	13·6	31·4	17·5	119
1907	—	—	—	—	—	—	—	—

**The Total Deaths include:—**

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.†	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.†	Cancer (including Carcinoma and Sarcoma).‡
1881	8,057	2,336			—	5,049	1,759	—	5,725	—
1882	4,137	1,412			—	4,911	1,727	—	5,082	—
1883	784	3,642			—	4,507	1,484	—	5,351	—
1884	321	4,179			—	4,570	1,480	—	5,568	—
1885	279	5,256			—	4,402	1,522	—	5,467	—
1886	266	5,696			—	4,516	1,725	—	5,602	—
1887	180	1,767			—	4,444	1,192	—	5,561	—
1888	99	1,048			—	4,885	1,808	2	6,120	—
1889	130	1,425			—	4,800	2,825	—	5,801	—
1890	90	2,933			—	4,985	1,642	2	6,279	—
1891	105	5,702			—	4,780	1,738	—	6,137	—
1892	790	7,576			—	5,540	1,489	3	6,777	—
1893	876	3,890			—	5,333	1,588	13	6,336	—
1894	255	3,287			—	4,703	1,403	29	6,383	—
1895	72	1,479			—	4,505	1,413	4	6,335	—
1896	56	1,692			—	4,836	1,766	—	6,765	—
1897	52	1,797			—	4,063	1,779	—	6,620	—
1898	77	2,414			—	4,016	1,707	—	6,687	—
1899	83	5,126			—	4,360	1,766	—	7,530	—
1900	49	6,282			—	4,939	2,176	—	8,011	—
1901	103	4,900			—	4,723	4,441	—	7,720	—
1902	72	3,233			—	4,479	1,557	—	8,090	—
1903	35	2,632			—	3,857	2,330	—	8,044	—
1904	36	1,398			—	4,202	1,573	—	8,490	—
1905	18	1,222			—	4,348	2,366	—	8,445	—
1906	29	2,258			—	4,579	1,816	—	7,858	—
1907	—	—			—	—	—	—	—	—

\* Census year.

† The deaths from Whooping Cough are included under Pulmonary Tuberculosis.

‡ The deaths from the several forms of malignant disease are not available.

TABLE 74.--GERMAN EMPIRE. **Population, Marriages, Births, and Deaths, 1881-1907.**  
(Furnished by the Presidents of the Statistical Department, German Empire, and of the Imperial Health Office, Berlin.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	45,425,887	677,818	1,682,149	1,156,391	14·9	37·0	25·5	—
1882	45,716,815	700,914	1,702,348	1,176,853	15·3	37·2	25·7	—
1883	46,013,927	705,998	1,683,699	1,190,002	15·3	36·6	25·9	—
1884	46,334,474	725,192	1,725,583	1,203,500	15·7	37·2	26·0	—
1885*	46,704,503	737,238	1,729,927	1,199,742	15·8	37·0	25·7	—
1886	47,131,981	744,652	1,746,133	1,233,737	15·8	37·0	26·2	—
1887	47,627,738	741,318	1,757,079	1,151,924	15·6	36·9	24·2	—
1888	48,165,671	753,308	1,761,407	1,142,826	15·6	36·6	23·7	—
1889	48,715,494	778,678	1,772,570	1,153,087	16·0	36·4	23·7	—
1890*	49,239,445	790,712	1,759,253	1,199,006	16·1	35·7	24·4	—
1891	49,762,266	798,796	1,840,172	1,164,421	16·1	37·0	23·4	—
1892	50,266,216	797,550	1,795,971	1,211,402	15·9	35·7	24·1	—
1893	50,756,521	802,468	1,865,715	1,248,201	15·8	36·8	24·6	—
1894	51,339,492	816,132	1,841,205	1,144,331	15·9	35·9	22·3	—
1895*	52,001,060	828,436	1,877,278	1,151,488	15·9	36·1	22·1	—
1896	52,753,455	864,214	1,914,749	1,098,966	16·4	36·3	20·8	—
1897	53,569,271	895,540	1,926,690	1,142,056	16·7	36·0	21·3	—
1898	54,406,277	917,754	1,964,731	1,117,860	16·9	36·1	20·5	—
1899	55,248,225	943,038	1,980,304	1,185,197	17·1	35·8	21·5	—
1900*	56,045,886	952,982	1,996,139	1,236,382	17·0	35·6	22·1	—
1901	56,861,612	936,658	2,032,313	1,174,489	16·5	35·7	20·7	207
1902	57,709,213	914,416	2,024,735	1,122,492	15·9	35·1	19·5	183
1903	58,575,463	926,300	1,983,078	1,170,905	15·8	33·9	20·0	204
1904	59,430,283	955,644	2,025,847	1,163,183	16·1	34·1	19·6	196
1905*	60,285,103	971,812	1,987,153	1,194,314	16·1	33·0	19·8	205
1906	61,139,923	997,980	2,022,477	1,112,202	16·3	33·1	18·2	185
1907	—	—	—	—	—	—	—	—

The Total Deaths† include :—

YEAR.	Estimated Population in the middle of each Year.	Small-pox.	Measles.†	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).§
1881	—	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—	—
1886	—	—	—	—	—	—	—	—	—	—	—
1887	—	—	—	—	—	—	—	—	—	—	—
1888	—	—	—	—	—	—	—	—	—	—	—
1889	—	—	—	—	—	—	—	—	—	—	—
1890	—	—	—	—	—	—	—	—	—	—	—
1891	—	—	—	—	—	—	—	—	—	—	—
1892	47,125,446	105	14,614	10,437	55,746	18,766	8,230	151,309	8,937	113,720	28,745
1893	47,625,932	151	13,555	13,575	75,322	19,713	7,392	149,927	360	115,641	30,013
1894	48,259,077	84	16,130	8,884	63,162	21,428	6,314	138,996	479	113,971	31,137
1895	48,818,672	27	9,536	8,538	37,527	17,063	6,129	171,016	1	112,087	32,071
1896	49,356,136	10	13,462	8,142	31,593	19,495	5,587	132,025	—	107,103	33,620
1897	49,893,600	5	10,793	6,720	25,788	21,056	5,771	162,269	—	107,089	34,584
1898	50,431,064	16	12,728	9,031	23,642	18,004	5,081	158,997	—	100,544	35,504
1899	51,843,158	25	12,794	13,369	23,816	19,015	5,756	161,771	—	104,698	38,209
1900	52,624,706	49	12,317	13,169	20,477	18,445	5,894	182,830	—	108,827	37,946
1901	53,406,252	52	16,334	13,351	21,142	19,766	5,691	163,435	—	103,154	39,917
1902	54,187,799	12	14,085	12,949	17,457	18,754	3,769	123,037	—	101,730	40,613
1903	54,969,346	18	14,979	14,851	18,707	16,797	4,028	138,876	—	102,972	42,535
1904	58,433,571	25	12,389	12,651	18,982	17,753	4,115	154,823	—	106,709	46,723
1905	59,413,982	27	9,421	9,351	16,967	18,856	3,750	147,605	77	106,552	48,078
1906	—	—	—	—	—	—	—	—	—	—	—
1907	—	—	—	—	—	—	—	—	—	—	—

\* Census year.  
† The causes of deaths are not tabulated for the whole of the German Empire. The deaths in this table for the years 1892-1903 relate to ten of the federated states, representing 94 per cent. of the total population of the German Empire; the deaths for 1904 and 1905 relate to 23 states. The population of these states is also shown for the purpose of calculating rates of mortality from the several diseases.  
‡ Including R $\ddot{o}$ theln.  
§ Including deaths from tumours.



TABLE 75.—PRUSSIA. **Population, Marriages, Births, and Deaths, 1881-1907.**  
(Furnished by the President of the Statistical Department, Prussia.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	27,382,662	419,172	1,013,246	682,414	15.3	37.0	24.9	199
1882	27,560,419	434,478	1,036,489	700,388	15.8	37.6	25.4	208
1883	27,746,488	441,496	1,029,156	711,437	15.9	37.1	25.6	211
1884	27,955,360	451,878	1,051,474	718,283	16.2	37.6	25.7	213
1885*	28,207,721	461,414	1,064,971	717,085	16.4	37.7	25.4	204
1886	28,484,191	463,176	1,074,783	742,950	16.3	37.7	26.1	225
1887	28,790,042	459,998	1,085,463	686,358	16.0	37.7	23.8	199
1888	29,137,429	466,842	1,091,557	665,601	16.0	37.4	22.8	198
1889	29,493,056	481,992	1,094,839	682,933	16.3	37.1	23.2	207
1890*	29,825,633	489,314	1,092,504	717,325	16.4	36.6	24.0	210
1891	30,165,866	491,812	1,138,511	689,598	16.3	37.7	22.9	201
1892	30,501,468	490,894	1,106,776	714,811	16.1	36.3	23.4	211
1893	30,830,253	496,696	1,156,561	746,663	16.1	37.5	24.2	206
1894	31,222,040	501,920	1,143,297	679,926	16.1	36.6	21.8	196
1895*	31,666,802	507,458	1,168,205	689,789	16.0	36.9	21.8	212
1896	32,160,484	529,644	1,185,489	666,792	16.5	36.9	20.7	191
1897	32,683,961	549,386	1,194,069	683,032	16.8	36.5	20.9	205
1898	33,207,438	560,788	1,219,573	665,139	16.9	36.7	20.0	193
1899	33,730,915	574,816	1,225,684	720,694	17.0	36.3	21.4	204
1900*	34,254,392	586,128	1,235,917	745,538	17.1	36.1	21.8	213
1901	34,801,607	577,134	1,260,558	713,787	16.6	36.2	20.5	200
1902	35,365,770	563,064	1,255,904	677,422	16.0	35.5	19.2	172
1903	35,929,933	570,768	1,235,363	708,030	15.9	34.4	19.7	194
1904	36,494,096	534,464	1,264,720	702,252	16.2	34.7	19.2	185
1905*	37,058,259	599,976	1,241,839	726,852	16.2	33.5	19.6	198
1906	37,622,422	619,844	1,269,717	673,735	16.4	33.7	17.9	177
1907	38,186,585	626,078	1,259,636	680,949	16.4	33.0	17.8	168

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whoop-ing Cough.	Fever.	Diarrhœa and Dysentery.†	Asiatic Cholera.	Tuberc- ulosis.‡	Cancer.
1881	990	8,433	17,180	39,850	13,855	15,487	23,599	—	84,363	8,525
1882	1,007	9,887	16,484	49,855	15,655	13,914	25,574	—	85,359	8,778
1883	547	10,371	13,187	45,890	14,714	12,804	27,809	—	88,837	9,383
1884	413	13,435	16,573	49,702	14,622	12,657	31,745	—	87,756	9,865
1885	395	16,042	17,750	53,842	13,620	9,782	25,621	—	88,056	10,108
1886	143	19,326	12,301	55,033	15,152	8,972	35,078	—	88,283	10,919
1887	148	11,470	8,311	50,597	14,555	7,670	27,213	—	84,124	10,981
1888	84	8,248	6,691	38,519	14,470	6,795	26,770	—	84,109	11,906
1889	159	9,380	7,749	40,814	13,416	7,106	38,119	—	82,529	12,819
1890	36	12,150	8,670	43,497	17,299	6,121	32,607	—	84,086	12,904
1891	36	6,110	4,918	36,160	13,438	6,019	35,799	—	80,151	13,487
1892	91	10,606	6,267	40,201	13,929	6,243	43,563	866	76,161	15,122
1893	136	8,751	9,956	55,401	15,272	5,303	43,743	289	76,977	15,740
1894	77	9,706	6,779	46,026	14,755	4,772	36,411	478	74,656	16,480
1895	24	6,184	7,067	28,717	12,329	4,697	51,784	—	73,752	16,850
1896	7	10,116	6,892	24,251	14,846	4,328	37,931	—	70,373	17,643
1897	5	6,814	5,471	20,077	15,142	4,308	41,280	—	70,380	18,315
1898	12	9,040	7,708	18,147	12,748	3,729	49,082	—	65,560	18,695
1899	25	9,752	12,136	18,593	13,351	4,416	57,610	—	68,408	20,011
1900	46	6,803	12,039	16,138	13,313	4,631	64,117	—	70,602	20,430
1901	47	10,744	11,831	16,809	13,990	4,420	62,962	—	67,445	21,488
1902	13	10,080	11,134	14,175	13,284	2,846	36,756	—	66,726	21,876
1903	14	9,702	12,427	14,914	11,663	2,874	56,859	—	70,049	23,420
1904	17	7,367	10,202	14,162	12,051	2,867	68,128	—	69,326	25,050
1905	10	6,292	7,446	12,005	13,327	2,730	80,236	77	70,323	25,704
1906	41	9,107	7,770	10,025	11,749	2,419	70,322	—	64,459	26,498
1907	31	6,925	8,484	9,307	8,827	2,168	58,898	—	65,054	28,034

NOTE.—Including Heligoland since 1891.  
\* Census year.  
† The deaths from diarrhœa relate to children only.  
‡ Deaths from pulmonary tuberculosis are not separately tabulated.

TABLE 76.—AUSTRIA. **Population, Marriages, Births, and Deaths, 1881-1907.**  
(Furnished by the President of the Statistical Central Commission, Austria.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	22,209,173	353,966	833,476	676,515	15·9	37·5	30·5	—
1882	22,458,476	366,756	873,522	686,951	16·3	38·9	30·6	—
1883	22,522,423	352,032	858,832	677,337	15·6	38·1	30·1	—
1884	22,696,370	358,342	878,321	666,523	15·8	38·6	29·4	—
1885	22,865,317	351,084	861,391	691,229	15·4	37·7	30·2	—
1886	23,027,423	361,046	876,851	679,994	15·7	38·1	29·5	—
1887	23,212,423	364,554	890,186	673,878	15·7	38·3	29·0	—
1888	23,399,791	372,546	890,663	688,122	15·9	38·1	29·4	—
1889	23,604,923	356,260	899,168	648,224	15·1	38·1	27·5	—
1890*	23,795,286	358,446	869,703	697,935	15·1	36·5	29·3	—
1891	23,996,119	373,516	920,306	674,683	15·6	38·3	28·1	—
1892	24,163,944	375,970	872,098	694,746	15·6	36·1	28·7	—
1893	24,340,142	387,116	924,298	661,533	15·9	38·0	27·2	—
1894	24,537,039	388,952	902,159	683,944	15·9	36·8	27·9	—
1895	24,731,121	399,522	941,184	682,899	16·2	38·1	27·6	238
1896	24,961,694	396,922	948,419	657,011	15·9	38·0	26·3	235
1897	25,212,994	407,686	944,764	646,019	16·2	37·5	25·6	220
1898	25,462,769	399,322	923,241	635,115	15·7	36·3	24·9	228
1899	25,714,019	427,502	960,205	658,269	16·6	37·3	25·6	219
1900*	25,975,976	428,428	967,939	658,630	16·5	37·3	25·3	226
1901	26,291,190	427,514	961,501	631,377	16·3	36·6	24·0	210
1902	26,572,015	413,154	984,240	656,400	15·5	37·0	24·7	218
1903	26,841,221	418,270	943,953	638,092	15·6	35·2	23·8	211
1904	27,106,432	420,292	961,430	642,333	15·5	35·5	23·7	219
1905	27,337,991	425,854	921,764	684,537	15·6	33·7	25·0	—
1906†	27,578,144	434,592	960,420	619,900	15·8	34·8	22·5	—
1907	—	—	—	—	—	—	—	—

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.†	Asiatic Cholera	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	18,019	10,812	14,608	36,648	23,698	18,712	33,326	—	84,533	9,364
1882	21,154	9,573	16,906	38,769	24,242	17,561	40,937	—	84,329	9,545
1883	13,310	9,903	13,340	31,066	23,957	15,342	37,616	—	90,249	9,991
1884	11,521	11,953	12,503	28,583	27,695	14,774	36,766	—	88,608	10,364
1885	13,212	11,479	12,410	29,490	24,785	16,384	40,713	—	92,164	10,877
1886	8,794	14,209	12,147	31,666	20,977	15,890	42,581	—	91,555	11,122
1887	9,591	14,073	15,737	35,512	21,792	14,807	41,855	—	85,616	11,086
1888	14,138	12,627	14,571	32,532	20,561	14,049	42,807	—	89,599	11,537
1889	12,358	8,990	10,453	28,845	23,156	11,531	43,208	—	84,583	12,175
1890	5,935	15,182	12,158	28,414	27,274	11,099	46,317	—	93,364	12,525
1891	6,838	11,816	13,749	28,888	20,654	10,543	43,362	—	86,657	13,027
1892	6,087	8,941	13,790	28,412	17,178	13,637	59,774	—	88,043	13,774
1893	5,821	7,503	12,695	28,531	15,429	11,123	45,398	—	83,885	14,352
1894	2,512	14,228	12,287	32,578	14,621	9,207	50,114	—	88,539	14,912
1895	1,161	8,577	13,547	29,874	19,016	8,901	7,942	459	91,663	15,757
1896	897	7,928	16,341	27,401	18,203	7,851	4,066	19	88,278	16,410
1897	1,450	9,229	11,316	23,347	12,956	7,382	4,834	—	86,278	17,109
1898	2,521	13,765	15,009	19,740	10,622	7,127	3,557	—	83,682	17,667
1899	1,899	11,556	14,614	18,198	12,307	6,290	2,583	—	88,251	17,961
1900	369	5,731	10,422	13,723	13,452	6,229	3,291	—	92,196	18,423
1901	96	8,166	12,551	13,152	12,123	5,808	1,712	—	87,897	19,154
1902	30	17,169	14,930	11,251	15,984	4,813	1,600	—	89,648	19,685
1903	17	5,546	15,573	11,227	11,911	5,301	2,991	—	90,230	19,728
1904	17	8,260	9,767	11,961	9,704	5,237	1,365	—	89,830	20,231
1905	20	6,789	8,099	10,740	9,737	4,864	2,848	—	98,312	20,744
1906	—	—	—	—	—	—	—	—	—	—
1907	—	—	—	—	—	—	—	—	—	—

NOTE.—The figures in these tables refer exclusively to the civil population.  
\* Census year.  
† The figures for the year 1906 are provisional.  
‡ The deaths in this column for 1895 and subsequent years refer to dysentery only.



TABLE 77.—HUNGARY. **Population, Marriages, Births, and Deaths, 1881-1907.**  
(Furnished by the Director of the Central Statistical Office, Kingdom of Hungary.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MAR-RIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MAR-RIED.	BIRTHS.	DEATHS.	
1881	15,797,000	315,466	676,891	542,880	19·9	42·9	34·4	—
1882	15,919,000	327,678	696,682	561,579	20·6	43·8	35·3	—
1883	16,064,000	335,312	718,908	516,468	20·9	44·8	32·2	—
1884	16,265,000	335,056	741,206	504,473	20·6	45·6	31·0	—
1885	16,472,000	330,598	737,358	524,619	20·1	44·8	31·8	—
1886	16,676,000	321,586	759,865	527,961	19·3	45·6	31·7	—
1887	16,861,000	303,248	744,737	569,380	18·0	44·2	33·8	—
1888	17,031,000	317,762	745,867	545,169	18·7	43·8	32·0	—
1889	17,233,000	281,226	753,312	513,467	16·3	43·7	29·9	—
1890*	17,404,000	285,366	701,504	563,609	16·4	40·3	32·4	—
1891	17,536,168	301,650	742,416	581,263	17·2	42·3	33·1	255
1892	17,647,293	325,414	712,608	618,765	18·4	40·4	35·1	274
1893	17,779,476	333,022	758,222	554,941	18·8	42·6	31·2	239
1894	17,963,599	332,150	744,995	547,194	18·6	41·5	30·5	244
1895	18,155,843	307,862	758,302	538,768	17·0	41·8	29·7	240
1896	18,355,347	294,954	742,936	530,368	16·2	40·5	28·9	226
1897	18,554,494	302,338	748,064	528,967	16·4	40·3	28·5	222
1898	18,738,579	312,416	706,833	524,390	16·8	37·7	28·0	222
1899	18,927,595	341,652	743,272	514,334	18·2	39·3	27·2	206
1900*	19,144,142	339,374	752,718	515,234	17·8	39·3	26·9	219
1901	19,366,180	340,632	731,721	491,804	17·6	37·8	25·4	205
1902	19,585,304	338,058	759,739	528,058	17·2	38·8	27·0	216
1903	19,789,127	320,442	725,239	515,926	16·2	36·7	26·1	212
1904	19,999,539	364,340	740,799	495,836	18·2	37·0	24·8	195
1905	20,185,201	341,120	720,532	560,921	16·8	35·7	27·8	230
1906	20,362,913	353,652	733,953	504,790	17·4	36·0	24·8	205
1907	20,571,946	402,862	740,867	518,614	19·6	36·0	25·2	208

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whoop-ing Cough.	Enteric Fever.	Infective Enteritis, Infantile Diarrhœa and Dys-entery.†	Asiatic Cholera.	Tuberc-ulosis.‡	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—
1886	—	—	—	—	—	—	—	—	—	—
1887	—	—	—	—	—	—	—	—	—	—
1888	—	—	—	—	—	—	—	—	—	—
1889	—	—	—	—	—	—	—	—	—	—
1890	—	—	—	—	—	—	—	—	—	—
1891	—	—	—	—	—	—	—	—	—	—
1892	—	—	—	—	—	—	—	—	—	—
1893	—	—	—	—	—	—	—	—	—	—
1894	—	—	—	—	—	—	—	—	—	—
1895	—	—	—	—	—	—	—	—	—	—
1896	—	—	—	—	—	—	—	—	—	—
1897	1,506	5,182	8,645	14,007	15,069	7,255	9,486	—	59,860	4,975
1898	1,656	9,111	11,666	14,005	12,433	8,224	11,876	—	68,511	5,458
1899	1,363	10,950	12,258	12,552	8,968	6,782	8,675	—	73,323	5,267
1900	815	7,327	9,658	9,941	7,616	6,193	8,578	—	72,467	7,021
1901	841	7,983	11,486	9,227	7,028	5,538	6,019	—	70,731	6,941
1902	322	10,103	14,135	9,038	12,817	5,338	6,834	—	75,145	7,461
1903	249	6,965	16,318	10,740	9,500	5,554	6,542	—	76,637	7,742
1904	445	5,969	14,467	9,013	5,360	5,089	5,461	—	77,923	8,112
1905	457	8,816	9,100	8,132	6,650	6,499	7,337	—	89,120	8,110
1906	232	9,894	8,829	7,150	8,103	5,509	6,073	—	78,225	8,229
1907	146	8,569	11,758	7,166	8,807	5,440	5,615	—	79,018	8,635

\* Census year.

† Infective enteritis relates to deaths certified by physician-coroners

‡ The deaths from pulmonary tuberculosis being incomparable, those from tuberculosis have been substituted.

TABLE 78.—ROUMANIA. **Population, Marriages, Births, and Deaths, 1881-1907.**

(Furnished by the Director of the Statistical Department, Roumania.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION to the end of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	4,622,674	84,134	192,004	123,390	18·2	41·5	26·7	177
1882	4,687,722	88,484	189,220	132,411	18·8	40·4	28·2	199
1883	4,776,193	94,412	204,301	124,069	19·8	42·8	26·0	175
1884	4,862,037	81,096	201,413	123,808	16·6	41·4	25·5	178
1885	4,960,043	79,172	213,581	123,814	16·0	43·1	25·0	180
1886	5,046,363	77,976	212,820	134,739	15·4	42·2	26·7	183
1887	5,108,406	77,922	209,573	155,769	15·2	41·0	30·5	193
1888	5,177,629	76,672	219,658	158,674	14·8	42·4	30·6	199
1889	5,256,221	82,244	213,222	142,869	15·6	40·6	27·2	191
1890	5,318,341	77,288	204,667	150,786	14·6	38·5	28·4	211
1891	5,392,576	88,534	228,283	162,287	16·6	42·3	30·1	210
1892	5,424,517	83,514	211,679	187,977	15·4	39·0	34·7	243
1893	5,485,739	81,054	222,115	169,132	14·8	40·5	30·8	217
1894	5,544,706	99,072	226,605	175,877	17·8	40·9	31·7	227
1895	5,635,434	82,964	238,191	155,702	14·8	42·3	27·6	201
1896	5,709,959	94,648	232,428	166,142	16·6	40·7	29·1	230
1897	5,795,235	83,216	248,845	171,808	14·4	42·9	29·6	216
1898	5,863,037	87,522	215,029	155,358	15·0	36·7	26·5	222
1899*	5,956,690	100,280	250,450	163,881	16·8	42·0	27·5	198
1900	6,045,389	80,814	234,843	146,144	13·4	38·8	24·2	—
1901	6,125,742	87,500	240,704	160,351	14·2	39·3	26·2	—
1902	6,195,798	110,908	241,884	171,828	18·0	39·0	27·7	—
1903	6,292,032	109,576	252,242	156,008	17·4	40·1	24·8	—
1904	6,392,273	103,624	256,177	155,936	16·2	40·1	24·4	—
1905	6,480,300	102,382	247,959	159,932	15·8	38·6	25·0	—
1906	6,585,572	133,726	262,438	157,204	20·6	40·5	24·3	—
1907	6,684,265	140,526	274,187	175,794	21·3	41·7	26·7	—

**The Total Deaths include:—**

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.†	Cancer (including Carcinoma and Sarcoma).†
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—
1886	1,046	323	550	1,366	183	—	101	—	—	—
1887	1,471	1,291	1,088	1,096	332	—	611	—	—	—
1888	2,662	268	1,574	656	190	—	378	—	—	—
1889	885	352	446	304	189	—	109	—	—	—
1890	236	1,055	295	1,236	199	—	185	—	—	—
1891	241	360	713	1,128	776	1,363	283	—	—	—
1892	308	402	829	1,077	808	1,056	384	—	—	—
1893	289	875	1,620	907	613	734	200	872	—	—
1894	26	2,568	3,638	1,187	495	629	1,527	—	—	—
1895	638	729	2,080	1,092	488	573	284	—	—	—
1896	2,813	361	1,773	1,339	623	407	349	—	—	—
1897	1,512	452	389	2,297	1,178	972	97	—	—	—
1898	99	2,026	728	1,928	1,482	712	260	—	—	—
1899	63	1,954	2,101	1,814	706	819	685	—	—	—
1900	2	307	2,263	1,251	925	496	275	—	—	—
1901	1	1,176	3,036	1,293	600	671	716	—	—	—
1902	14	2,854	4,189	981	1,425	628	728	—	—	—
1903	2	2,028	3,760	829	1,358	914	1,085	—	—	—
1904	18	1,671	2,099	631	618	813	972	—	—	—
1905	—	319	1,152	477	1,013	932	1,369	—	—	—
1906	2	224	1,309	441	1,290	1,027	632	—	—	—
1907	—	1,433	2,362	376	1,102	1,160	591	—	—	—

\* Census year.

† Deaths from pulmonary tuberculosis and cancer are not separately tabulated for the whole of the Kingdom of Roumania.



TABLE 79.—BULGARIA. **Population, Marriages, Births, and Deaths, 1881-1907.**  
(Furnished by the Director of the Statistical Bureau, Bulgaria.)

YEAR.	NUMBERS				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	2,007,919	40,534	67,591	32,871	20'2	33'7	16'4	69
1882	2,033,420	39,590	74,642	38,884	19'4	36'7	19'1	106
1883	2,059,244	40,690	79,278	40,673	19'8	38'5	19'8	75
1884	2,085,396	36,512	80,257	35,787	17'6	38'5	17'2	78
1885	2,111,881	27,880	79,344	35,183	13'2	37'6	16'7	75
1886	2,138,702	39,192	69,714	41,044	18'4	32'6	19'2	105
1887	2,165,864	40,178	83,179	39,393	18'6	38'4	18'2	78
1888*	3,154,375	52,444	118,826	57,278	16'6	37'7	18'2	92
1889	3,184,972	50,806	116,918	58,893	16'0	36'7	18'5	92
1890	3,215,856	58,846	112,772	67,854	18'4	35'1	21'1	108
1891	3,247,050	59,316	126,924	86,817	18'2	39'1	26'7	121
1892	3,278,550	55,106	117,883	103,550	16'8	36'0	31'6	144
1893*	3,310,713	43,934	116,319	81,829	13'2	35'1	27'7	147
1894	3,362,029	53,280	127,516	92,037	15'8	37'9	27'4	142
1895	3,414,140	62,460	138,338	90,210	18'4	40'5	26'4	144
1896	3,467,059	58,398	143,255	84,073	16'8	41'3	24'3	134
1897	3,520,793	58,454	149,631	90,134	16'6	42'5	25'6	147
1898	3,575,370	56,464	141,046	82,725	15'8	39'5	23'1	143
1899	3,630,788	64,154	148,172	90,324	17'6	40'8	24'9	158
1900	3,687,065	61,322	156,962	83,667	16'6	42'6	22'7	131
1901*	3,744,283	65,638	141,373	87,239	17'6	37'7	23'3	143
1902	3,802,320	72,082	148,719	91,093	19'0	39'1	24'0	143
1903	3,858,000	73,368	159,164	88,314	19'0	41'3	22'9	154
1904	3,916,000	89,236	167,263	83,731	22'8	42'7	21'4	142
1905	3,976,000	86,482	174,186	87,304	21'8	43'8	21'9	—
1906*	4,036,000	77,558	178,971	90,940	19'2	44'3	22'5	—
1907	—	—	—	—	—	—	—	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881										
1882										
1883										
1884										
1885										
1886										
1887										
1888										
1889										
1890										
1891										
1892										
1893										
1894										
1895										
1896										
1897										
1898										
1899										
1900										
1901										
1902										
1903										
1904										
1905										
1906										
1907										

NOTE.—The deaths from the several diseases are not tabulated for the whole of Bulgaria.

NOTE.—The figures for the years 1881-1887 relate to North Bulgaria only, those for 1888 and subsequent years include Eastern Roumelia.

\* Census year.

TABLE 80.—SERVIA. **Population, Marriages, Births, and Deaths, 1881-1907.**

(Furnished by the Director of the State Statistical Bureau, Servia.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED	BIRTHS.	DEATHS.	
1881	1,764,844	41,864	80,678	43,645	23·7	45·7	24·7	149
1882	1,806,967	44,016	80,274	41,648	34·3	44·4	23·0	150
1883	1,855,352	44,194	87,151	42,263	23·8	47·0	22·8	145
1884	1,901,736	40,740	90,441	47,552	21·4	47·6	25·0	166
1885*	1,946,354	34,214	90,627	52,313	17·6	46·6	26·9	174
1886	1,977,224	46,652	83,091	58,525	23·6	42·0	29·6	192
1887	2,026,958	45,110	93,911	50,481	22·3	46·3	24·9	156
1888	2,077,427	45,474	94,865	50,700	21·9	45·7	24·4	140
1889	2,123,362	43,506	93,724	54,093	20·5	44·1	25·5	155
1890*	2,161,961	43,110	87,020	54,723	19·9	40·2	25·3	145
1891	2,191,908	46,392	98,538	58,149	20·2	45·0	26·5	167
1892	2,211,606	42,036	93,833	74,135	19·0	42·4	33·5	196
1893	2,240,270	47,358	95,232	66,568	21·1	42·5	29·7	175
1894	2,272,992	49,926	96,488	63,766	22·0	42·4	28·0	163
1895*	2,312,484	41,198	101,676	62,184	17·8	44·0	26·9	158
1896	2,345,837	41,682	96,752	63,399	17·8	41·2	27·0	167
1897	2,384,205	42,314	101,605	63,237	17·7	42·6	26·5	167
1898	2,413,694	45,042	84,789	55,300	18·7	35·1	22·9	161
1899	2,450,392	48,912	96,241	59,548	20·0	39·3	24·3	152
1900*	2,492,882	62,406	104,772	53,034	25·0	42·0	23·3	150
1901	2,535,956	42,060	96,348	53,274	16·6	38·0	21·0	145
1902	2,576,517	53,036	98,000	57,439	20·6	38·0	22·3	151
1903	2,621,576	49,002	105,553	60,494	19·0	40·9	23·5	151
1904	2,671,505	61,098	106,259	56,330	22·9	39·8	21·1	135
1905*	2,688,747	53,216	100,242	65,276	19·8	37·3	24·4	165
1906	2,735,147	5,956	112,973	65,851	20·4	41·3	24·0	144
1907	—	—	—	—	—	—	—	—

**The Total Deaths include:—**

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—
1886	—	—	—	—	—	—	—	—	—	—
1887	—	—	—	—	—	—	—	—	—	—
1888	1,773	—	—	—	—	—	2,483	—	—	—
1889	1,986	—	—	—	—	4,307	1,439	—	—	—
1890	1,916	—	—	—	—	5,486	1,726	—	—	—
1891	?	—	—	—	—	3,169	2,345	—	—	—
1892	2,184	2,341	6,511	7,691	4,367	5,437	—	5,626	121	—
1893	3,516	2,411	7,221	4,344	3,708	3,285	—	6,505	140	—
1894	4,233	1,304	9,934	4,227	3,232	1,576	—	5,482	156	—
1895	2,865	612	11,653	5,643	2,678	1,505	—	5,055	128	—
1896	5,567	386	11,572	5,174	2,471	1,654	—	5,109	154	—
1897	1,548	306	7,663	5,741	3,412	2,833	—	5,413	167	—
1898	2,693	420	3,401	5,745	2,726	1,358	—	5,228	178	—
1899	4,203	1,953	4,241	5,019	2,638	1,454	—	5,811	233	—
1900	1,343	2,074	3,194	5,703	2,351	1,922	—	6,396	235	—
1901	799	1,799	1,937	3,913	2,432	1,677	—	6,166	230	—
1902	1,654	2,635	1,875	5,214	2,174	1,460	—	6,843	248	—
1903	3,148	2,593	1,992	7,544	1,834	1,685	—	7,276	238	—
1904	1,067	2,498	1,366	4,642	1,964	1,798	—	7,400	275	—
1905	2,567	3,418	1,433	4,408	435	2,066	—	8,940	279	—
1906	4,778	4,696	1,415	4,166	451	2,263	—	7,861	290	—
1907	—	—	—	—	—	—	—	—	—	—

\* Census year.



TABLE 81.—THE NETHERLANDS. **Population, Marriages, Births, and Deaths, 1881-1907.**  
(Furnished by the Director of the Netherlands Central Statistical Bureau.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MAR-RIED.	BIRTHS.	DEATHS.	
1881	4,087,334	59,698	142,969	87,726	14·6	35·0	21·5	182
1882	4,143,524	59,142	146,454	85,950	14·2	35·3	20·7	175
1883	4,199,018	59,630	144,102	91,656	14·2	34·3	21·8	187
1884	4,251,669	61,056	148,480	94,413	14·4	34·9	22·2	194
1885	4,307,142	59,788	148,028	90,304	13·8	34·4	21·0	169
1886	4,363,434	60,596	150,851	95,239	13·8	34·6	21·8	192
1887	4,420,864	61,848	149,157	87,093	14·0	33·7	19·7	162
1888	4,478,401	61,724	151,094	91,241	13·8	33·7	20·4	173
1889*	4,527,264	62,988	150,529	91,135	14·0	33·2	20·1	177
1890	4,537,990	64,608	149,329	93,246	14·0	32·9	20·5	171
1891	4,593,155	65,414	154,687	94,844	14·2	33·7	20·7	169
1892	4,645,660	66,660	148,714	97,530	14·4	32·0	21·0	174
1893	4,701,243	68,622	159,005	90,372	14·6	32·9	19·2	164
1894	4,764,279	68,940	154,722	87,970	14·4	32·7	18·5	152
1895	4,827,549	71,196	158,130	90,007	14·8	32·8	18·6	167
1896	4,894,055	72,980	160,247	84,291	15·0	32·7	17·2	148
1897	4,966,431	73,592	161,441	83,856	14·8	32·5	16·9	148
1898	5,039,418	73,626	160,765	85,813	14·6	31·9	17·0	156
1899*	5,107,098	75,980	163,289	87,319	14·8	32·0	17·1	149
1900	5,159,347	78,838	162,611	92,043	15·2	31·5	17·8	155
1901	5,221,180	80,522	168,380	89,967	15·4	32·3	17·2	149
1902	5,305,207	79,889	168,728	86,248	15·2	31·8	16·3	130
1903	5,389,082	79,415	170,103	83,933	14·9	31·6	15·6	135
1904	5,470,301	80,530	171,495	87,128	14·7	31·4	15·9	137
1905	5,550,690	80,766	170,767	85,016	14·6	30·8	15·3	131
1906	5,631,824	83,739	170,952	83,259	14·9	30·4	14·8	127
1907	5,709,755	85,912	171,510	83,356	15·0	30·0	14·6	112

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whoop-ing Cough.	Enteric Fever.†	Diarrhœa and Dys-entery.	Asiatic Cholera.	Pulmon-ary Tubercu-losis.§	Cancer (including Carcinoma and Sarcoma).
1881	75	874	400	240	1,626	877	1,756	—	7,991	2,353
1882	153	784	275	314	1,633	813	1,674	—	8,163	2,421
1883	673	1,012	259	554	1,196	765	1,833	—	8,547	2,436
1884	62	2,193	1,017	703	994	764	2,119	—	8,645	2,621
1885	31	657	1,286	718	1,955	571	1,312	—	8,583	2,841
1886	72	2,035	844	814	1,326	670	2,733	—	8,594	2,925
1887	18	1,541	428	689	973	568	1,677	—	7,845	2,887
1888	1	1,655	188	535	1,864	556	1,778	—	8,335	3,111
1889	10	1,620	98	658	1,273	622	2,075	—	8,804	3,411
1890	1	1,526	77	671	1,276	579	1,633	—	8,865	3,332
1891	10	1,331	74	684	1,649	631	1,639	—	8,979	3,648
1892	49	1,200	246	665	1,488	711	1,240	193	8,906	3,712
1893	190	795	233	934	1,521	566	1,743	113	8,647	3,798
1894	625	737	128	903	1,269	496	1,232	53	9,010	3,859
1895	79	538	166	603	1,535	518	1,821	—	8,897	4,122
1896	34	1,171	202	617	1,477	481	1,363	—	8,429	4,329
1897	1	533	162	543	1,094	447	711	—	8,631	4,487
1898	7	833	106	474	1,357	507	554	—	8,027	4,685
1899	—	405	206	439	1,488	583	558	—	7,937	4,900
1900	6	1,326	152	428	1,180	544	423	—	8,451	4,733
1901	7	2,741	101	631	1,211	474	9,237	—	7,171	4,894
1902	5	2,430	128	540	1,053	454	5,980	—	7,028	5,040
1903	22	1,233	132	484	860	457	7,874	—	7,117	5,331
1904	11	2,399	175	485	1,409	485	8,444	1	7,081	5,356
1905	13	1,182	191	445	1,226	461	7,682	—	7,533	5,618
1906	6	1,400	155	357	1,002	458	7,833	—	7,531	5,673
1907	6	1,477	269	352	1,035	392	5,149	—	7,403	5,813

\* Census year.  
† Including Typhus.  
‡ The deaths in this column for 1901 and subsequent years include those of children under two years of age from gastro-enteritis.  
§ The deaths in this column for 1881-1886 include those from diabetes.

TABLE 82.—BELGIUM. **Population, Marriages, Births, and Deaths, 1881-1907.**  
(Furnished by the Director-General of the Statistical Department, Belgium.)

YEAR	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION to the end of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	5,585,846	78,974	175,411	117,007	14·3	31·8	21·2	155
1882	5,655,197	78,428	176,345	114,298	14·0	31·6	20·5	151
1883	5,720,807	77,332	174,484	119,196	13·7	30·8	21·1	154
1884	5,784,958	78,410	176,721	121,070	13·6	30·9	21·2	168
1885	5,853,278	79,820	175,043	117,775	13·8	30·3	20·4	150
1886	5,909,975	79,284	175,091	124,904	13·5	29·9	21·3	178
1887	5,974,743	84,982	175,466	115,296	14·4	29·7	19·3	145
1888	6,030,043	84,854	175,586	121,097	14·2	29·4	20·3	165
1889	6,093,798	87,518	177,542	119,726	14·5	29·4	19·8	160
1890*	6,069,321	89,192	176,595	126,545	14·6	29·0	20·8	166
1891	6,136,444	90,898	181,917	128,786	15·0	30·0	21·2	162
1892	6,195,355	94,418	177,485	133,693	15·4	28·9	21·8	169
1893	6,262,272	94,130	183,062	125,530	15·2	29·5	20·3	165
1894	6,341,958	95,470	181,466	118,213	15·0	29·0	18·6	152
1895	6,410,783	99,424	183,015	125,148	15·5	28·5	19·5	172
1896	6,495,886	105,170	188,533	113,748	16·2	29·0	17·5	142
1897	6,586,593	108,396	190,987	113,586	16·5	29·0	17·2	149
1898	6,669,732	110,888	190,921	117,457	16·6	28·6	17·6	169
1899	6,744,532	111,530	194,268	126,963	16·5	28·8	18·8	167
1900*	6,693,548	115,422	193,789	129,046	17·2	28·9	19·3	172
1901	6,799,999	114,262	200,077	116,077	17·4	29·4	17·2	142
1902	6,896,079	112,314	195,871	119,330	16·2	28·4	17·3	144
1903	6,985,219	109,892	192,301	118,675	15·7	27·5	17·0	155
1904	7,074,910	113,480	191,721	119,506	16·0	27·1	16·9	152
1905	7,160,547	113,358	187,437	118,343	15·8	26·1	16·5	146
1906	7,238,622	116,776	186,271	118,884	16·1	25·7	16·4	153
1907	7,317,561	—	—	—	—	—	—	—

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whoop-ing Cough.	Enteric Fever.	Diarrhœa and Dys-entery.	Asiatic Cholera.	Pulmon-ary Tuberc-ulosis.†	Cancer (including Carcinoma and Sarcoma).‡
1881	2,721	2,936	1,895	4,016	4,081	3,818	7,836	76	17,305	—
1882	1,570	3,048	1,712	4,184	3,953	3,120	7,925	85	16,844	—
1883	1,796	2,944	1,381	4,244	3,823	3,523	8,322	56	17,523	—
1884	1,355	2,622	1,476	4,898	4,267	3,164	10,139	97	17,334	—
1885	1,636	3,253	1,383	5,092	3,195	2,509	7,807	46	17,098	—
1886	1,213	2,653	1,211	5,425	4,318	2,784	10,502	58	17,085	—
1887	610	3,233	1,082	3,993	3,453	2,177	7,624	29	16,128	—
1888	865	2,936	964	3,586	3,366	2,287	7,833	30	11,324	—
1889	1,212	4,336	859	3,279	3,661	2,195	7,457	27	10,829	—
1890	636	4,187	1,064	3,433	4,166	2,491	7,756	30	10,859	—
1891	1,300	4,196	954	3,297	3,848	2,521	7,437	36	11,408	—
1892	2,528	4,319	871	3,130	3,205	2,508	8,305	981	10,491	—
1893	2,103	4,137	847	3,331	3,487	2,150	7,503	452	9,982	—
1894	537	2,766	816	3,237	3,071	1,775	6,678	1,228	7,478	—
1895	298	3,535	1,159	2,383	3,782	1,843	9,064	41	9,698	—
1896	130	3,134	1,003	1,982	3,290	1,584	6,852	27	9,524	—
1897	140	2,083	1,019	1,734	2,809	1,593	8,333	56	9,359	—
1898	158	2,364	1,726	1,682	2,734	1,491	9,696	84	9,311	—
1899	257	3,188	2,095	1,763	3,633	1,682	9,077	32	9,818	—
1900	193	2,610	1,360	1,828	3,459	1,702	9,738	37	9,117	—
1901	260	2,036	1,409	1,750	2,365	1,508	8,471	26	9,186	—
1902	652	3,305	992	1,817	2,651	1,228	7,405	17	9,077	—
1903	1,630	2,309	698	1,393	2,734	1,088	8,023	9	7,586	4,084
1904	656	2,758	726	1,289	2,918	1,051	8,839	6	7,716	3,969
1905	244	2,446	760	1,253	2,689	984	7,240	5	7,701	4,203
1906	41	2,459	785	1,198	2,544	890	9,369	39	7,647	4,232
1907	—	—	—	—	—	—	—	—	—	—

\* Census year.

† The deaths in this column for the years 1881-1887 include those from other chronic diseases of the lungs.

‡ The deaths from cancer were not separately tabulated prior to 1903.



TABLE 83.—FRANCE. Population, Marriages, Births, and Deaths, 1881-1907.

(Furnished by the Director of the Statistical Bureau, France.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MAR-RIED.	BIRTHS.	DEATHS.	
1881*	37,590,000	564,158	937,057	828,828	15·0	24·9	22·0	165
1882	37,730,000	562,120	935,566	838,539	14·9	24·8	22·2	165
1883	37,860,000	569,038	937,944	841,141	15·0	24·8	22·2	165
1884	38,010,000	579,110	937,758	858,784	15·2	24·7	22·6	177
1885	38,110,000	566,340	924,558	836,897	14·9	24·3	22·0	162
1886*	38,230,000	566,416	912,838	860,222	14·8	23·9	22·5	173
1887	38,260,000	554,120	899,333	842,797	14·5	23·5	22·0	161
1888	38,290,000	553,696	882,639	837,867	14·4	23·1	21·9	165
1889	38,370,000	545,806	880,453	794,933	14·2	23·0	20·7	155
1890	38,380,000	538,664	838,059	876,505	14·0	21·8	22·8	176
1891*	38,350,000	570,916	866,377	876,882	14·9	22·6	22·9	161
1892	38,360,000	580,638	855,847	875,888	15·1	22·3	22·8	181
1893	38,380,000	574,588	874,672	867,526	14·9	22·8	22·5	173
1894	38,420,000	573,324	355,388	815,620	14·9	22·3	21·2	153
1895	38,460,000	575,830	834,173	851,986	14·7	21·7	22·2	180
1896*	38,520,000	580,302	865,586	771,886	15·1	22·5	20·0	148
1897	38,680,000	582,924	859,107	751,019	15·1	22·2	19·4	152
1898	38,800,000	574,358	843,933	810,073	14·8	21·8	20·9	169
1899	38,900,000	591,504	847,627	816,233	15·3	21·9	21·1	163
1900	38,900,000	598,168	827,297	853,285	15·5	21·4	21·9	161
1901*	38,930,000	606,938	857,274	784,876	15·6	22·0	20·1	142
1902	39,060,000	589,572	845,378	761,434	15·1	21·7	19·5	135
1903	39,140,000	591,992	826,712	753,606	15·1	21·1	19·2	137
1904	39,200,000	597,442	818,229	761,203	15·2	20·9	19·4	144
1905	39,240,000	605,246	807,291	770,171	15·4	20·6	19·6	136
1906*	39,260,000	612,974	806,847	780,196	15·6	20·6	19·9	143
1907	39,260,000	629,806	773,969	806,847	16·0	19·7	20·2	—

The Total Deaths in Towns with populations exceeding 5,000 persons† include :—

YEAR.	Popu-lation of Towns.	Small-pox.	Measles.	Scarlet Fever.	Diph-theria and Croup.	Whoop-ing Cough.	Enteric Fever.	Diarrhoea and Dys-entery.‡	Asiatic Cholera.	Pulmon-ary Tuberc-ulosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—	—
1886	—	—	—	—	—	—	—	—	—	—	—
1887	—	—	—	—	—	—	—	—	—	—	—
1888	—	—	—	—	—	—	—	—	—	—	—
1889	11,521,260	2,136	3,894	695	6,988	2,054	5,362	20,786	—	29,516	?
1890	—	1,537	7,196	731	6,850	2,317	5,133	23,023	1	33,192	?
1891*	12,223,548	1,897	3,813	713	6,373	1,933	4,546	21,844	—	32,074	?
1892	—	1,699	2,705	647	6,018	1,573	5,130	26,562	—	31,080	10,761
1893	—	1,336	4,662	801	6,231	1,741	1,512	23,523	—	31,025	11,442
1894	—	1,155	3,056	647	4,774	1,633	3,870	19,618	—	31,418	11,607
1895	—	1,082	2,095	675	2,263	1,660	3,367	24,420	—	33,076	11,955
1896*	12,869,412	1,076	3,290	744	2,207	1,432	2,969	19,240	—	32,751	12,212
1897	—	190	2,831	412	1,550	1,259	3,182	21,996	—	31,316	12,631
1898	—	105	2,828	541	1,588	1,581	3,400	25,798	—	31,980	12,789
1899	—	670	3,046	796	1,775	1,775	4,501	23,409	—	33,282	13,161
1900	—	1,783	2,521	574	1,800	1,105	4,210	23,173	—	34,357	13,392
1901*	13,771,440	1,017	1,931	550	2,269	1,504	2,868	16,757	—	37,160	12,385
1902	—	2,553	2,317	511	2,191	1,837	2,727	15,779	—	37,483	12,463
1903	—	2,350	2,163	496	1,578	1,254	2,773	15,706	—	37,512	12,912
1904	—	735	2,055	410	1,264	1,247	2,650	18,368	2	37,613	13,312
1905	—	292	1,783	308	1,161	1,053	2,168	14,916	—	37,642	13,793
1906*	14,277,759	562	2,030	373	1,175	1,302	2,704	17,953	—	38,773	14,339
1907	—	—	—	—	—	—	—	—	—	—	—

NOTE.—The deaths of Frenchmen abroad, civil or military, are registered in the books of the Commune in which they were last domiciled.

\* Census year.

† The figures relate to 567 towns for the years 1889-1895, to 584 towns for the years 1896-1900, to 616 towns for the years 1901-5, and to 643 towns for the year 1906.

‡ For the year 1901 and subsequent years, the deaths in this column relate to children under 2 years of age.

TABLE 84.—SWITZERLAND. **Population, Marriages, Births, and Deaths, 1881-1907.**  
(Furnished by the Federal Statistical Bureau, Switzerland.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	2,852,463	38,850	85,142	63,979	13·6	29·8	22·4	187
1882	2,863,367	38,828	82,689	62,849	13·6	28·9	21·9	172
1883	2,874,271	39,392	81,974	58,733	13·7	28·5	20·4	164
1884	2,885,175	39,796	81,571	58,301	13·8	28·3	20·2	161
1885	2,896,079	40,210	80,349	61,548	13·9	27·7	21·3	173
1886	2,906,983	40,160	80,763	60,061	13·8	27·8	20·7	164
1887	2,917,887	41,292	81,287	58,939	14·2	27·9	20·2	162
1888*	2,928,791	41,412	81,098	58,229	14·1	27·7	19·9	153
1889	2,939,695	41,382	81,176	59,715	14·1	27·6	20·3	159
1890	2,950,599	41,672	78,548	61,805	14·1	26·6	20·9	157
1891	2,965,053	42,528	83,596	61,183	14·3	28·2	20·6	163
1892	3,002,263	43,768	83,125	57,178	14·6	27·7	19·0	150
1893	3,039,472	43,768	84,897	61,059	14·4	27·9	20·1	152
1894	3,076,682	44,376	84,142	61,885	14·4	27·3	20·1	153
1895	3,113,891	45,364	84,973	59,747	14·6	27·3	19·2	159
1896	3,151,101	47,568	88,428	56,096	15·1	28·1	17·8	132
1897	3,188,310	49,908	90,078	56,399	15·7	28·3	17·7	141
1898	3,225,520	50,228	91,793	58,914	15·6	28·5	18·3	155
1899	3,262,729	50,824	94,472	57,591	15·6	29·0	17·7	136
1900*	3,299,939	51,074	94,316	63,606	15·5	28·6	19·3	150
1901	3,328,842	50,756	97,028	60,018	15·2	29·1	18·0	137
1902	3,357,907	50,256	96,481	57,702	14·9	28·7	17·2	132
1903	3,391,645	50,566	93,824	59,626	14·9	27·7	17·6	133
1904	3,427,627	51,006	94,867	60,859	14·9	27·7	17·8	140
1905	3,454,754	52,538	94,653	61,800	15·2	27·4	17·9	129
1906	3,491,163	54,596	95,595	59,204	15·6	27·4	17·0	127
1907	—	—	—	—	—	—	—	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.†	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	167	537	278	2,246	861	1,067	4,012	—	5,665	2,866
1882	22	250	316	2,313	918	866	3,151	—	5,982	2,874
1883	24	220	243	1,504	441	665	3,155	—	6,089	2,941
1884	61	157	247	1,705	697	1,008	3,600	1	5,904	3,042
1885	426	390	150	1,468	643	599	3,348	—	6,413	3,134
1886	182	341	99	1,100	987	531	3,108	—	6,420	3,294
1887	14	451	163	975	366	445	3,527	—	5,836	3,276
1888	17	249	270	818	499	450	2,791	—	6,204	3,389
1889	3	470	429	1,070	734	481	3,073	—	6,165	3,354
1890	32	481	400	990	586	441	3,000	—	6,639	3,405
1891	26	594	533	1,337	724	349	3,498	—	6,141	3,528
1892	35	316	211	1,135	562	345	3,616	—	5,785	3,706
1893	15	870	138	1,599	377	380	3,832	—	5,756	3,653
1894	51	473	58	1,930	694	302	3,184	—	6,222	3,802
1895	1	185	62	999	581	305	4,094	—	6,377	3,923
1896	8	423	89	848	511	288	2,776	—	6,051	3,916
1897	1	272	47	760	476	261	3,921	—	6,106	4,088
1898	2	354	34	994	445	308	5,011	—	5,984	4,125
1899	3	264	38	1,106	601	269	3,780	—	5,823	4,130
1900	30	809	34	981	695	220	4,150	—	6,692	4,285
1901	37	829	71	1,052	846	240	3,767	—	6,241	4,271
1902	2	456	73	726	512	207	3,936	—	6,280	4,258
1903	4	545	162	540	561	169	3,812	—	6,181	4,447
1904	4	821	279	607	836	265	4,252	—	6,452	4,464
1905	36	657	312	668	654	174	3,350	—	6,630	4,555
1906	14	569	153	516	649	167	3,930	—	6,407	4,593
1907	—	—	—	—	—	—	—	—	—	—

\* Census year.

† The deaths in this column relate to diarrhoea in young children.



TABLE 85.—SPAIN (including the Balearic, Canary Islands and Ceuta). **Population, Marriages, Births, and Deaths, 1881-1907.**

(Furnished by the Director-General Instituto Geografico y Estadistico.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	16,951,100	215,708	629,582	511,810	12·7	37·1	30·2	189
1882	17,043,500	205,796	616,901	534,793	12·1	36·2	31·4	192
1883	17,136,300	212,322	610,559	559,500	12·4	35·6	32·6	204
1884	17,229,600	227,984	631,694	526,434	13·2	36·7	30·5	186
1885	17,323,500	220,470	628,932	657,664	12·7	36·3	38·0	192
1886	17,417,800	221,220	638,548	509,480	12·7	36·7	29·3	175
1887*	17,512,700	191,820	632,174	573,490	11·0	36·1	32·7	199
1888	17,593,500	197,436	640,592	539,021	11·2	36·4	30·1	184
1889	17,678,100	275,090	643,433	538,044	15·6	36·4	30·4	—
1890	17,757,100	281,142	610,417	570,181	15·8	34·4	32·1	—
1891	17,836,400	312,380	629,854	557,995	17·5	35·3	31·3	—
1892	17,916,000	302,534	641,731	547,604	16·9	35·8	30·6	—
1893	17,996,000	281,736	640,324	534,721	15·7	35·6	29·7	—
1894	18,076,400	282,338	628,382	540,579	15·6	34·8	30·3	—
1895	18,157,100	279,912	636,130	527,192	15·4	35·0	29·0	—
1896	18,238,200	265,290	654,796	539,145	14·5	35·9	29·6	—
1897	18,319,700	257,360	625,304	520,210	14·0	34·1	28·4	—
1898	18,401,500	250,818	612,343	518,795	13·6	33·3	28·2	—
1899	18,433,700	312,226	632,588	533,109	16·9	34·2	28·8	—
1900*	18,536,200	322,402	627,848	536,716	17·4	33·8	28·9	204
1901	18,668,000	315,624	650,649	517,578	16·9	34·8	27·7	186
1902	18,812,000	327,834	666,687	488,289	17·4	35·4	26·0	181
1903	18,997,000	308,978	685,265	470,387	16·3	36·1	24·8	162
1904	19,173,000	290,916	649,878	486,889	15·2	33·9	25·4	173
1905†	19,332,000	273,794	670,651	491,368	14·2	35·7	25·4	161
1906†	19,485,000	275,706	650,364	499,004	14·1	33·4	25·6	173
1907†	19,639,000	272,270	646,472	472,015	13·9	32·9	24·0	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whoop-ing Cough.	Enteric Fever.	Diarrhœa and Dys-entery.	Asiatic Cholera.	Pulmon-ary Tuberc-ulosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—
1886	—	—	—	—	—	—	—	—	—	—
1887	—	—	—	—	—	—	—	—	—	—
1888	—	—	—	—	—	—	—	—	—	—
1889	—	—	—	—	—	—	—	—	—	—
1890	—	—	—	—	—	—	—	—	—	—
1891	—	—	—	—	—	—	—	—	—	—
1892	—	—	—	—	—	—	—	—	—	—
1893	—	—	—	—	—	—	—	—	—	—
1894	—	—	—	—	—	—	—	—	—	—
1895	—	—	—	—	—	—	—	—	—	—
1896	—	—	—	—	—	—	—	—	—	—
1897	—	—	—	—	—	—	—	—	—	—
1898	—	—	—	—	—	—	—	—	—	—
1899	—	—	—	—	—	—	—	—	—	—
1900	6,497	12,010	1,237	8,489	4,750	11,426‡	75,080	17	23,026	7,294
1901	5,250	18,463	1,140	6,299	3,889	9,594	70,757	17	28,649	7,912
1902	5,590	10,746	1,184	5,247	4,236	8,587	69,836	—	27,983	8,117
1903	4,699	9,989	1,011	4,751	4,551	8,164	70,655	2	27,096	8,315
1904	2,859	9,770	978	3,833	4,559	8,396	77,862	16	28,522	8,851
1905†	2,740	13,766	1,041	3,523	4,390	7,159	71,978	4	26,789	8,887
1906†	4,357	8,666	1,380	3,374	4,633	8,049	80,719§	—	27,528	9,158
1907†	3,256	6,837	2,351	3,630	3,406	6,832	62,775§	—	27,017	9,211

\* Census year.

† The figures for the years 1905-07 are provisional.

§ Excluding Dysentery.

‡ Including Typhus.

TABLE 86.—ITALY. Population, Marriages, Births, and Deaths, 1881-1907.  
(Furnished by the Director of the Statistical Department, Italy.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in each Year. (See Note).	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	28,459,628	460,286	1,081,125	784,181	16·2	38·0	27·6	—
1882	28,563,773	448,082	1,061,094	787,326	15·7	37·1	27·6	—
1883	28,773,790	463,890	1,071,452	794,196	16·1	37·2	27·6	—
1884	28,984,382	479,026	1,130,741	780,361	16·5	39·0	26·9	—
1885	29,194,398	467,862	1,125,970	787,217	16·0	38·6	27·0	—
1886	29,404,414	466,620	1,086,960	844,603	15·9	37·0	28·7	—
1887	29,614,430	471,258	1,152,906	828,992	15·9	38·9	28·0	—
1888	29,825,022	473,766	1,119,563	820,431	15·9	37·5	27·5	—
1889	30,035,038	460,902	1,149,197	768,068	15·3	38·3	25·6	—
1890	30,245,054	443,944	1,083,103	795,911	14·7	35·8	26·3	192
1891	30,455,070	455,312	1,132,139	795,327	15·0	37·2	26·1	188
1892	30,665,662	457,144	1,110,573	802,779	14·9	36·2	26·2	184
1893	30,875,678	456,206	1,126,296	776,713	14·8	36·5	25·2	180
1894	31,085,694	463,162	1,102,935	776,372	14·9	35·5	25·0	184
1895	31,295,710	456,304	1,092,102	783,813	14·6	34·9	25·0	187
1896	31,506,302	445,206	1,095,505	758,129	14·1	34·8	24·1	177
1897	31,716,318	453,082	1,101,848	695,602	14·4	34·7	21·9	165
1898	31,926,334	439,194	1,070,074	732,265	13·8	33·5	22·9	169
1899	32,136,350	471,330	1,088,558	703,393	14·7	33·9	21·9	156
1900	32,346,366	465,262	1,067,376	768,917	14·4	33·0	23·8	172
1901*	32,475,253	469,638	1,057,763	715,036	14·5	32·6	22·0	165
1902	32,744,743	475,026	1,093,074	727,181	14·5	33·4	22·2	175
1903	32,921,317	474,422	1,042,090	736,311	14·4	31·7	22·4	168
1904	33,139,697	495,616	1,085,431	698,604	15·0	32·8	21·1	164
1905	33,362,167	511,746	1,084,518	730,340	15·3	32·5	21·9	166
1906	33,541,097	521,550	1,070,983	696,875	15·5	31·9	20·8	161
1907	33,775,241	519,936	1,060,039	700,861	15·4	31·4	20·8	—

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough	Enteric Fever.	Diarrhœa and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.†	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—
1886	—	—	—	—	—	—	—	—	—	—
1887	16,249	23,768	14,631	26,206	11,140	27,800	99,475	8,150	39,123	12,631
1888	18,110	20,961	9,050	25,683	7,633	23,869	98,799	—	41,423	12,625
1889	13,416	13,800	6,444	19,915	12,275	23,071	98,223	—	42,756	12,923
1890	7,017	14,396	7,344	15,059	13,090	20,118	99,438	—	41,183	12,917
1891	2,910	19,551	7,294	16,747	8,983	19,207	106,788	—	39,514	13,094
1892	1,453	12,399	7,890	16,634	7,594	15,619	103,898	—	39,715	13,069
1893	2,638	12,953	6,596	17,783	6,847	15,065	103,640	3,040	38,380	13,234
1894	2,606	9,001	4,511	15,585	8,261	13,639	101,314	20	40,169	13,841
1895	2,998	11,322	3,814	11,466	8,678	15,590	114,362	—	41,624	15,089
1896	2,033	11,499	3,234	9,286	6,660	16,397	108,719	—	41,069	15,482
1897	1,903	6,156	3,907	8,881	7,938	15,557	99,852	—	38,670	15,967
1898	420	5,429	4,492	7,808	7,420	17,412	112,259	—	38,335	16,330
1899	214	7,433	4,487	6,893	7,886	14,963	95,101	—	39,807	16,680
1900	316	8,827	1,483	5,790	6,565	15,060	115,190	—	41,733	16,873
1901	3,396	5,562	1,185	5,444	6,916	11,748	98,617	—	38,512	17,141
1902	2,413	9,961	1,338	4,514	7,202	11,358	111,570	—	35,722	17,634
1903	6,049	7,283	1,991	4,064	6,521	11,671	108,712	—	36,924	17,774
1904	3,093	5,332	1,611	4,519	5,958	12,239	104,592	—	39,152	18,860
1905	482	6,738	1,689	4,255	5,767	10,896	115,564	—	40,349	19,348
1906	169	9,726	2,723	4,253	6,165	9,424	108,850	—	40,900	20,653
1907	452	8,184	2,940	5,635	6,142	8,609	97,112	—	41,968	20,668

NOTE.—The population figures given for census years show the numbers enumerated on 31st December in 1881 and on 10th February, 1901; for the years 1881-1901 the population is estimated on the assumption that the annual rate of increase had been uniform throughout that period; for 1902 and following years the population is obtained by applying the natural increase and balance of migration.

\* Census year.

† The deaths in this column also include those from general tuberculosis.



TABLE 87.—JAPAN. **Population, Marriages, Births, and Deaths, 1881-1907.**  
(Furnished by the Director of the General Statistical Bureau, Japan.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION to the end of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	36,700,118	—	941,343	686,064	—	25·6	18·7	92
1882	37,017,302	—	922,715	663,342	—	24·9	18·1	93
1883	37,451,764	674,912	1,004,989	676,369	18·0	26·8	18·1	90
1884	37,868,987	575,684	975,252	705,123	15·2	25·8	18·6	102
1885	38,151,217	518,994	1,024,574	888,824	13·6	26·9	23·2	141
1886	33,507,177	630,622	1,050,617	933,343	16·4	27·3	21·4	95
1887	39,069,691	688,298	1,058,137	753,456	17·1	27·1	19·3	106
1888	39,607,234	660,492	1,172,729	752,834	16·7	29·6	19·0	110
1889	40,072,020	689,890	1,204,910	808,680	17·0	30·2	20·2	135
1890	40,453,461	650,282	1,145,374	823,718	16·1	28·3	20·4	133
1891	40,718,677	651,302	1,067,775	853,139	16·0	26·7	21·0	141
1892	41,039,940	698,978	1,207,734	886,983	17·0	29·4	21·6	150
1893	41,388,313	716,778	1,178,428	937,614	17·3	28·5	22·7	153
1894	41,813,215	722,638	1,208,983	840,768	17·3	28·9	20·1	144
1895	42,270,620	731,266	1,246,427	852,422	17·3	29·5	20·2	141
1896	42,708,264	1,003,554	1,282,178	912,822	23·5	30·0	21·4	149
1897	43,228,863	730,414	1,334,125	876,837	16·9	30·9	20·3	151
1898	43,763,855	942,596	1,369,638	894,524	21·5	31·3	20·4	154
1899	44,260,642	594,856	1,388,185	934,566	13·4	31·4	21·1	154
1900	44,815,930	693,180	1,421,919	914,557	15·4	31·7	20·4	155
1901	45,437,032	757,274	1,487,477	928,578	16·6	32·7	20·4	151
1902	46,022,476	783,756	1,513,090	962,097	17·1	32·9	20·9	161
1903	46,732,876	742,374	1,493,547	933,834	15·9	32·0	20·0	157
1904*	47,215,630	798,436	1,444,307	999,621	16·9	30·6	21·2	151
1905*	47,674,460	702,520	1,457,039	1,044,355	14·7	30·6	22·0	151
1906	—	—	—	—	—	—	—	—
1907	—	—	—	—	—	—	—	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	453	—	—	1,110	—	5,866	1,837	6,197	—	—
1882	197	—	—	1,079	—	4,954	1,300	33,781	—	—
1883	295	—	—	1,231	—	5,043	5,066	434	—	—
1884	410	—	—	1,266	—	5,699	5,989	415	—	—
1885	3,299	—	—	1,439	—	6,483	10,627	9,310	—	—
1886	18,676	—	—	1,465	—	13,807	6,839	108,405	36,138	—
1887	9,967	—	—	1,429	—	9,813	4,257	654	36,367	—
1888	853	—	—	1,450	—	9,211	6,576	460	39,687	—
1889	328	—	—	1,495	—	8,623	5,970	431	42,452	—
1890	25	—	—	1,438	—	8,464	8,706	35,227	46,025	—
1891	721	—	—	1,974	—	9,614	11,208	1,760	54,505	—
1892	8,409	—	—	2,531	—	8,529	16,844	497	57,292	—
1893	11,852	—	—	3,205	—	8,183	41,282	364	57,798	—
1894	3,342	—	—	2,903	—	8,054	38,094	314	52,898	—
1895	268	—	—	3,025	—	8,401	12,959	40,154	58,992	—
1896	3,388	—	—	3,296	—	9,174	22,356	908	62,790	—
1897	12,276	—	3	5,579	—	5,870	23,189	488	65,597	—
1898	362	—	7	6,453	—	5,697	22,392	374	72,708	—
1899	223	2,558	7	7,481	1,334	6,761	89,390	2	55,938	19,382
1900	7	1,740	13	6,017	1,456	5,549	69,209	—	59,525	20,334
1901	7	3,643	6	4,937	1,450	5,882	67,047	—	62,062	22,149
1902	24	3,348	17	4,519	1,868	5,239	63,662	8,164	65,993	24,598
1903	25	850	3	4,271	2,117	4,585	57,579	140	67,722	25,550
1904*	154	1,434	15	3,846	2,533	5,100	60,351	51	69,107	?
1905*	70	4,129	18	3,881	2,773	6,291	72,742	34	76,061	?
1906	—	—	—	—	—	—	—	—	—	—
1907	—	—	—	—	—	—	—	—	—	—

\* The figures for 1904 and 1905 are provisional.

TABLE 88.—CHILI. Population, Marriages, Births, and Deaths, 1881-1907.

(Furnished by Oficina Central de Estadística, Santiago.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born *	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	2,199,180	31,978	101,635	62,866	15'4	46'2	28'6	—
1882	2,237,949	33,756	93,902	65,425	15'0	41'9	29'2	—
1883	2,266,426	34,518	96,688	61,283	15'2	42'7	27'0	—
1884	2,482,185	35,746	99,994	58,909	14'4	40'3	23'8	—
1885	2,527,320	11,262	66,247	77,388	4'4	25'8	30'6	308
1886	2,545,803	14,138	82,569	82,491	5'6	32'0	32'4	240
1887	2,564,285	16,326	85,267	95,336	6'4	33'0	37'1	219
1888	2,582,768	19,334	91,337	96,488	7'4	35'4	37'3	268
1889	2,601,250	23,602	100,698	84,741	9'0	38'0	32'5	288
1890	2,619,733	21,908	98,538	95,547	8'4	37'6	36'2	306
1891	2,638,215	13,706	79,235	89,422	5'0	34'3	34'0	412
1892	2,656,698	25,790	103,065	97,004	9'4	38'3	36'5	334
1893	2,675,180	27,538	103,082	88,775	10'2	37'7	33'1	331
1894	2,693,663	29,452	108,724	88,157	10'8	39'5	32'7	313
1895	2,983,359	29,562	110,158	81,682	9'8	36'2	27'3	292
1896	3,008,569	33,944	106,638	88,095	11'2	34'6	29'2	304
1897	3,049,352	26,908	109,057	85,956	8'8	34'8	28'1	344
1898	3,082,178	27,842	104,536	81,419	9'0	33'1	26'4	329
1899	3,110,085	27,006	106,787	83,778	8'6	33'5	26'9	337
1900	3,128,095	26,662	110,697	104,312	8'4	34'6	33'3	349
1901	3,146,577	34,940	115,745	108,199	11'0	35'9	34'3	366
1902	3,173,783	33,502	115,813	86,107	10'6	35'7	27'1	366
1903	3,206,043	31,824	115,524	86,378	9'8	34'0	26'9	263
1904	3,238,764	32,590	116,950	93,254	10'1	35'4	28'8	—
1905	3,400,924	34,416	119,441	110,258	10'1	35'1	32'3	—
1906	—	—	—	—	—	—	—	—
1907	—	—	—	—	—	—	—	—

The Total Deaths† include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhœa and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	2,286	2,370	9	445	1,153	244	4,375	—	5,636	329
1886	4,841	2,485	6	757	653	236	2,532	—	5,622	239
1887	1,374	461	16	413	329	224	4,047	13,568	6,513	367
1888	1,119	1,791	—	460	1,483	255	3,160	8,622	5,530	437
1889	929	3,781	119	439	1,024	819	3,248	60	6,680	468
1890	6,754	3,217	72	428	1,603	846	3,471	—	5,996	475
1891	6,012	2,556	137	692	1,381	922	2,742	—	6,863	464
1892	4,662	1,151	260	777	666	861	2,011	—	7,077	457
1893	3,813	872	72	1,122	1,979	1,164	2,139	—	7,693	455
1894	2,337	1,138	60	2,667	2,847	687	1,559	—	7,714	546
1895	2,048	852	40	2,425	2,689	859	1,159	—	6,677	426
1896	946	1,535	78	3,124	2,604	882	1,338	—	6,521	554
1897	—	—	—	—	—	—	—	—	—	—
1898	—	—	—	—	—	—	—	—	—	—
1899	—	—	—	—	—	—	—	—	—	—
1900	—	—	—	—	—	—	—	—	—	—
1901	—	—	—	—	—	—	—	—	—	—
1902	—	—	—	—	—	—	—	—	—	—
1903	445	131	2	830	1,534	1,437	3,346	—	7,859	894
1904	—	—	—	—	—	—	—	—	—	—
1905	8,906	2,602	208	481	2,038	—	2,401	—	6,859	972
1906	—	—	—	—	—	—	—	—	—	—
1907	—	—	—	—	—	—	—	—	—	—

\* The births and deaths for the years 1881-1884, 1886, 1888, 1890 and 1891 are inclusive of stillborn.  
† Complete statistics of causes of death are not available for the years 1897-1902.





# BIRTHS, DEATHS, AND MARRIAGES.

Registered in the Year

1907.



BIRTHS, DEATHS, and MARRIAGES, 1907.

REGISTRATION DIVISIONS AND COUNTIES.*		BIRTHS (exclusive of Still-born).					DEATHS (exclusive of Still-born).			MARRIAGES.
		Total.	Legitimate.		Illegitimate.		Total.	Males.	Females.	
			Males.	Females.	Males.	Females.				
	ENGLAND AND WALES	918042	449213	432640	18515	17674	524221	269259	254962	276421
No.	I.—LONDON.	122745	60144	57989	2388	2224	70012	35939	34073	40551
1	LONDON .. ..	122745	60144	57989	2388	2224	70012	35939	34073	40551
	II.—SOUTH EASTERN.	82794	40616	38758	1766	1654	47533	24179	23354	25620
2	SURREY .. ..	19747	9817	9200	389	341	10522	5303	5219	5625
3	KENT .. ..	23235	11388	10885	483	479	13122	6791	6331	6951
4	SUSSEX .. ..	12901	6204	6028	351	318	8535	4206	4329	4332
5	HAMPSHIRE ..	20218	9967	9516	380	355	11512	5918	5594	6566
6	BERKSHIRE ..	6693	3240	3129	163	161	3842	1961	1881	2146
	III.—SOUTH MIDLAND.	60263	29398	28543	1198	1124	31226	15851	15375	17100
7	MIDDLESEX ..	27902	13734	13376	408	384	11982	6024	5958	6934
8	HERTFORDSHIRE	6000	2928	2818	127	127	3481	1720	1761	1691
9	BUCKINGHAMSH.	4254	2030	2037	92	95	2284	1153	1131	1265
10	OXFORDSHIRE ..	4135	1984	1920	138	93	2728	1441	1287	1348
11	NORTHAMPTONS.	8042	3837	3867	169	169	4591	2392	2199	2658
12	HUNTINGDONSH.	1076	524	503	24	25	652	329	323	346
13	BEDFORDSHIRE ..	4128	2057	1852	116	103	2620	1340	1280	1403
14	CAMBRIDGESH. ..	4726	2304	2170	124	128	2888	1452	1436	1455
	IV.—EASTERN.	53429	26084	25179	1104	1062	27988	14157	13831	14299
15	ESSEX .. ..	33308	16445	15969	470	424	15658	7914	7744	8544
16	SUFFOLK .. ..	8808	4246	4020	287	255	5364	2744	2620	2500
17	NORFOLK .. ..	11313	5393	5190	347	383	6966	3499	3467	3255
	V.—SOUTH WESTERN.	43643	21420	20488	871	864	28416	14121	14295	14443
18	WILTSHIRE .. ..	8777	3313	3179	136	149	3784	1830	1954	1998
19	DORSETSHIRE ..	4510	2202	2141	87	80	2896	1546	1350	1542
20	DEVONSHIRE ..	15041	7437	7019	303	282	10290	5144	5146	5204
21	CORNWALL .. ..	6846	3326	3193	164	163	4854	2364	2490	2379
22	SOMERSETSHIRE	10469	5142	4956	181	190	6592	3237	3355	3320
	VI.—WEST MIDLAND.	106237	51903	50312	2047	1975	58578	30134	28444	31004
23	GLOUCESTERSH. ...	15549	7580	7406	290	273	9434	4586	4848	5163
24	HEREFORDSHIRE	2458	1158	1139	78	83	1685	869	816	781
25	SHROPSHIRE ..	6252	2965	2904	196	187	3770	1950	1820	1736
26	STAFFORDSHIRE	40296	19828	18918	788	762	21252	11190	10062	10915
27	WORCESTERSH. ..	13644	6630	6498	273	243	7407	3721	3686	4057
28	WARWICKSHIRE	28038	13742	13447	422	427	15030	7818	7212	8352

\* The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with the Poor Law Unions. The Counties are grouped in Registration Divisions, the County of Monmouth being by this arrangement included in the Welsh Division. The differences between Registration Counties and Administrative Counties are shown in Table 2 of the Census County Volumes.

## BIRTHS, DEATHS, and MARRIAGES, 1907—continued.

REGISTRATION DIVISIONS AND COUNTIES.		BIRTHS (exclusive of Still-born).					DEATHS (exclusive of Still-born).			MARRIAGES.
		Total.	Legitimate.		Illegitimate.		Total.	Males.	Females.	
			Males.	Females.	Males.	Females.				
No.	VII.—NORTH MIDLAND.	59681	28913	28017	1471	1280	32666	16882	15784	18058
29	LEICESTERSHIRE	11892	5820	5610	240	222	6256	3233	3023	3650
30	RUTLANDSHIRE ..	417	206	182	13	16	272	137	135	111
31	LINCOLNSHIRE ..	13350	6426	6203	391	330	7818	4072	3746	4303
32	NOTTINGHAMSH.	19507	9400	9159	526	422	10760	5503	5257	5661
33	DERBYSHIRE ..	14515	7061	6863	301	290	7560	3937	3623	4333
	VIII.—NORTH WESTERN.	150873	74148	71086	2897	2742	93054	47579	45475	47000
34	CHESHIRE .. ..	21513	10545	10130	420	418	12232	6239	5993	6368
35	LANCASHIRE ..	129360	63603	60956	2477	2324	80822	41340	39482	40632
	IX.—YORKSHIRE.	100837	49409	47122	2133	2173	61260	31858	29402	31683
36	WEST RIDING ..	76495	37412	35930	1558	1595	46596	24106	22490	24536
37	EAST RIDING (with York).	13040	6401	5996	314	329	7709	4005	3704	3954
38	NORTH RIDING ..	11302	5596	5196	261	249	6955	3747	3208	3193
	X.—NORTHERN.	71878	35025	33987	1458	1408	38019	20077	17942	19125
39	DURHAM .. ..	43757	21316	20817	835	789	22216	11702	10514	11212
40	NORTHUMBERLD.	19984	9826	9390	404	364	10507	5627	4880	5444
41	CUMBERLAND ..	6870	3267	3207	174	222	4490	2331	2159	2059
42	WESTMORLAND ..	1267	616	573	45	33	806	417	389	410
	XI.—WELSH.	65662	32153	31159	1182	1168	35469	18482	16987	17536
43	MONMOUTHSH. ..	11924	5953	5644	169	158	5756	3113	2643	3091
44	SOUTH WALES ..	41816	20506	20016	631	663	21850	11361	10489	11270
	Glamorganshire ..	32514	16037	15616	433	428	15922	8503	7419	8616
	Carmarthenshire	3803	1839	1809	68	87	2053	1032	1021	1008
	Pembrokeshire ..	2060	1011	953	48	48	1291	625	666	611
	Cardiganshire ..	1592	743	752	43	54	1440	608	832	451
	Brecknockshire ..	1413	682	675	28	28	886	452	434	461
	Radnorshire.. ..	434	194	211	11	18	258	141	117	123
45	NORTH WALES ..	11922	5694	5499	382	347	7863	4008	3855	3177
	Montgomeryshire	1360	660	601	57	42	952	501	451	373
	Flintshire .. ..	1744	812	858	37	37	983	525	458	388
	Denbighshire ..	3505	1711	1628	84	82	2154	1132	1022	926
	Merionethshire ..	1385	628	651	51	55	1003	504	499	382
	Carnarvonshire ..	3142	1524	1393	118	107	2208	1084	1124	897
	Anglesey .. ..	786	359	368	35	24	563	262	301	211



I.—LONDON.—BIRTHS, DEATHS, AND MARRIAGES, 1907.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.*				AREA in Acres. †	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS		MARRIAGES.	
						Total.	Legitimate.	Illegitimate.	Total.	Males.		Females.
1.—LONDON.												
1a.—Paddington.				1356	143976	3088	2961	127	2156	1105	1051	1487
No. 1	Paddington North\$ H .. ..			539	63603	3088	2961	127	2156	1105	1051	—
2	Paddington Central\$ W,3H .. ..			429	50053							
3	Paddington South\$ .. ..			388	30320							
1b.—Kensington.				2291	176628	3316	3135	181	2842	1434	1408	1674
1	Kensington Town 2W,w,2H.. ..			1596	128037	2827	2657	170	2430	1225	1205	—
2	Brompton 2H .. ..			695	48591	489	478	11	412	209	203	—
2.—Fulham.‡				3990	249528	7548	7243	305	3751	1873	1873	2403
1	North Hammersmith 3W,w,H .. ..			1535	49192	1544	1467	77	873	466	407	—
2	South Hammersmith w,2H.. ..			751	63047	1501	1466	35	916	480	436	—
3	North West Fulham W .. ..			485	45180	1943	1831	112	916	455	461	—
4	North East Fulham F .. ..			514	46405	1231	1189	42	629	298	331	—
5	South Fulham W .. ..			705	45704	1329	1290	39	417	179	238	—
3.—Chelsea.				660	73842	1446	1363	83	1691	947	744	594
1	Chelsea North W,w,3H .. ..			353	42514	742	675	67	1173	667	506	—
2	Chelsea South W,2H .. ..			307	31328	704	688	16	518	280	238	—
4.—St. George Hanover Sq.				1887	128256	2103	2007	96	1627	886	741	1389
1	Mayfair and Knightsbridge .. ..			915	28743	215	213	2	160	86	74	—
2	Belgrave W,2H .. ..			539	55815	982	909	73	810	432	378	—
3	St. Margt. and St. John 6H .. ..			433	43698	906	885	21	657	368	289	—
5.—Westminster.				216	33081	437	420	17	238	132	106	440
1	St. James and St. Anne W,6H .. ..			216	33081	437	420	17	238	132	106	—
6.—St. Marylebone.				1473	133301	3966	3242	724	1777	894	883	1339
1	All Souls 8H .. ..			243	35391	485	469	16	789	422	367	—
2	St. Mary W,4H .. ..			224	37948	2203	1516	687	396	179	217	—
3	Christchurch .. ..			601	39536	927	912	15	366	189	177	—
4	St. John 2H .. ..			405	20426	351	345	6	226	104	122	—
7.—Hampstead.				2265	81942	1341	1297	44	1060	496	564	646
1	Hampstead W,F,6H .. ..			2265	81942	1341	1297	44	1060	496	564	—
8.—St. Pancras.				2694	235317	5508	5239	269	3639	1891	1748	2130
1	West St. Pancras 2H.. ..			613	60562	1438	1399	39	686	336	350	—
2	South St. Pancras w,12H .. ..			297	55707	970	903	67	1051	597	454	—
3	East St. Pancras W,2H .. ..			632	60320	1627	1492	135	1038	535	503	—
4	North St. Pancras 2W .. ..			1152	58728	1473	1445	28	864	423	441	—

\* The Registration Districts, 634 in number at the end of the year 1907, are generally co-extensive with the Poor Law Unions of the same names. They are divided into Sub-districts (2029 in number), each having a Registrar of Births and Deaths. The letter *W* denotes a Workhouse, or a Workhouse Infirmary belonging to the District or Union in which it stands; *w* indicates a similar Institution belonging wholly or partly to other Districts or Unions; *F* a Hospital for Infectious Diseases; *H* another Hospital; *L* a Lunatic Asylum. When a Sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The deaths in these Institutions are shown on pages 227-278.

† These areas are derived from those published in the Census Report for 1901. They do not include space occupied by foreshore or tidal water of rivers and creeks.

‡ 2.—The district of FULHAM comprises the two Poor Law Parishes of HAMMERSMITH and FULHAM.

§ 1a: 1, 2, 3.—On 1st October, 1907, St. Mary Paddington (1), St. John Paddington (2), and North West Paddington (3) sub-districts were abolished and their constituent parts rearranged into three new sub-districts, viz.: Paddington North (1), Paddington Central (2), and Paddington South (3). See p. 470. The births and deaths for the new sub-districts cannot be shown separately.

I.—LONDON.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*continued*.

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	<b>1.—LONDON—continued.</b>									
	<b>9.—Islington.</b>	<b>3092</b>	<b>334991</b>	<b>8367</b>	<b>8131</b>	<b>236</b>	<b>4983</b>	<b>2524</b>	<b>2459</b>	<b>2962</b>
1	Tufnell W .. .. .	411	31995	740	714	26	1119	586	533	—
2	Upper Holloway 2W,w,H .. ..	299	33978	1017	913	104	1133	605	528	—
3	Tollington W,w,H .. .. .	315	33922	743	730	13	320	159	161	—
4	Lower Holloway .. .. .	413	41424	1076	1059	17	435	220	215	—
5	Barnsbury .. .. .	310	54478	1672	1649	23	624	304	320	—
6	Islington South East F .. ..	545	75397	1853	1818	35	729	338	391	—
7	Highbury 2H .. .. .	799	63797	1266	1248	18	623	312	311	—
	<b>10.—Hackney.</b>	<b>4152</b>	<b>270519</b>	<b>6860</b>	<b>6525</b>	<b>335</b>	<b>3858</b>	<b>1907</b>	<b>1951</b>	<b>2131</b>
1	Stoke Newington H .. .. .	863	51247	1055	1046	9	507	237	270	—
2	North Hackney .. .. .	1082	50560	1067	1048	19	518	232	286	—
3	Central Hackney 2w,F .. ..	857	50536	1391	1381	10	690	351	339	—
4	South West Hackney 3H .. ..	586	59921	1691	1476	215	900	462	438	—
5	South East Hackney 2W,w,H ..	764	58255	1656	1574	82	1243	625	618	—
	<b>11.—St. Giles.</b>	<b>232</b>	<b>31436</b>	<b>1016</b>	<b>950</b>	<b>66</b>	<b>296</b>	<b>155</b>	<b>141</b>	<b>379</b>
1	St. Giles and Bloomsbury 2W,2H..	232	31436	1016	950	66	296	155	141	—
	<b>12.—Strand.</b>	<b>399</b>	<b>21674</b>	<b>203</b>	<b>183</b>	<b>20</b>	<b>537</b>	<b>329</b>	<b>208</b>	<b>302</b>
1	Strand W,4H .. .. .	399	21674	203	183	20	537	329	208	—
	<b>13.—Holborn.</b>	<b>762</b>	<b>129432</b>	<b>3947</b>	<b>3893</b>	<b>54</b>	<b>1757</b>	<b>940</b>	<b>817</b>	<b>1188</b>
1	Holborn W,6H .. .. .	202	29612	584	574	10	858	491	367	—
2	South Clerkenwell .. .. .	115	28676	768	760	8	218	102	116	—
3	North Clerkenwell H .. .. .	202	35028	995	975	20	316	154	162	—
4	Finsbury 3H,L .. .. .	243	36116	1600	1584	16	365	193	172	—
	<b>14.—London City.</b>	<b>672</b>	<b>26923</b>	<b>269</b>	<b>256</b>	<b>13</b>	<b>890</b>	<b>525</b>	<b>365</b>	<b>451</b>
1	St. Botolph H .. .. .	239	10299	127	126	1	72	33	39	—
2	St. Sepulchre and Allhallows W,2H	433	16624	142	130	12	818	492	326	—
	<b>15.—Shoreditch.</b>	<b>658</b>	<b>118637</b>	<b>3642</b>	<b>3509</b>	<b>133</b>	<b>2200</b>	<b>1086</b>	<b>1114</b>	<b>1109</b>
1	Shoreditch South H .. .. .	256	46362	1275	1253	22	479	244	235	—
2	Shoreditch North West W,w,H ..	176	36127	1257	1154	103	1348	688	660	—
3	Shoreditch North East .. .. .	226	36148	1110	1102	8	373	154	219	—
	<b>16.—Bethnal Green.</b>	<b>759</b>	<b>129680</b>	<b>4108</b>	<b>4061</b>	<b>47</b>	<b>2195</b>	<b>1136</b>	<b>1059</b>	<b>992</b>
1	Bethnal Green North East 2W,2H,L	470	65138	1932	1899	33	1552	809	743	—
2	Bethnal Green South West H .. ..	289	64542	2176	2162	14	643	327	316	—
	<b>17.—Whitechapel.</b>	<b>378</b>	<b>78768</b>	<b>2650</b>	<b>2598</b>	<b>52</b>	<b>2214</b>	<b>1267</b>	<b>947</b>	<b>625</b>
1	Spitalfields .. .. .	37	27969	794	790	4	162	85	77	—
2	Mile End New Town W,H.. ..	114	28718	1335	1288	47	1906	1106	800	—
3	Goodman's Fields .. .. .	177	22081	521	520	1	146	76	70	—
	<b>18.—St. George in the East.</b>	<b>244</b>	<b>49068</b>	<b>2005</b>	<b>1969</b>	<b>36</b>	<b>694</b>	<b>385</b>	<b>309</b>	<b>271</b>
1	St. George and St. John 2W.. ..	244	49068	2005	1969	36	694	385	309	—



I.—LONDON.—BIRTHS, DEATHS, AND MARRIAGES, 1907—continued.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
1.—LONDON—continued.										
19.—Stepney.		466	57937	1752	1734	18	994	511	483	424
1	Shadwell and Ratcliff W,H.. ..	221	25568	705	696	9	665	348	317	—
2	Limehouse W .. ..	245	32369	1047	1038	9	329	163	166	—
20.—Mile End Old Town.		678	112827	4139	4076	63	1338	703	635	1345
1	Mile End Old Tn. South Western H	319	63698	2780	2768	12	505	265	240	—
2	Mile End Old Tn. North Eastern W,w	359	49129	1359	1308	51	833	438	395	—
21.—Poplar.		2328	168822	5215	5090	125	2903	1563	1340	1502
1	Bow .. ..	556	41989	1257	1241	16	428	212	216	—
2	Bromley 3w,H .. ..	606	63319	2124	2082	42	1766	964	802	—
3	Poplar W,w .. ..	1166	58514	1834	1767	67	709	387	322	—
22.—Southwark.		1132	206180	6042	5873	169	3061	1578	1483	2019
1	Christchurch and St. Saviour South- wark W,2H.	210	23319	597	581	16	912	530	382	—
2	Kent Road .. ..	105	21904	714	710	4	242	123	119	—
3	St. George the Martyr West W,2H,L	183	39094	1061	1041	20	572	286	286	—
4	Newington North .. ..	227	49022	1450	1433	17	563	286	277	—
5	Newington South W .. ..	407	72841	2220	2108	112	772	353	419	—
23.—St. Olave (Bermondsey).		1500	130760	4024	3950	74	1860	931	929	1147
1	St. Olave 2W .. ..	122	9817	270	231	39	120	62	58	—
2	Bermondsey W .. ..	626	82483	2647	2624	23	897	392	505	—
3	Rotherhithe W,F .. ..	752	38460	1107	1095	12	843	477	366	—
24.—Lambeth.		4080	301895	8687	8173	514	4925	2458	2467	2505
1	Waterloo 2H .. ..	172	27440	1488	1447	41	406	176	230	—
2	Lambeth Church H .. ..	182	27440	754	745	9	1020	605	415	—
3	Kennington 2W .. ..	398	52518	1598	1443	155	1396	718	678	—
4	Stockwell FH .. ..	583	63826	2027	1778	249	680	333	347	—
5	Brixton H .. ..	1027	73673	1619	1577	42	819	345	474	—
6	Norwood 2W,H .. ..	1718	56998	1201	1183	18	604	281	323	—
25.—Wandsworth.		11268	400829	11587	11235	352	5800	2796	3004	3548
1	East Battersea H .. ..	947	72203	2109	2078	31	733	368	365	—
2	North West Battersea .. ..	363	49656	1534	1501	33	499	240	259	—
3	South West Battersea 2W,H	850	47048	871	854	17	1212	624	588	—
4	Clapham 2H .. ..	1075	51361	1359	1326	33	587	262	325	—
5	Streatham W,2w,2F,2L .. ..	3370	83019	2824	2759	65	1637	767	870	—
6	Springfield 2W,L .. ..	888	27959	1087	947	140	421	199	222	—
7	Southfields H .. ..	1557	40444	1304	1280	24	457	222	235	—
8	Putney .. ..	2218	24139	499	490	9	254	114	140	—
26.—Camberwell.		4480	259339	6623	6489	134	4245	2196	2049	2106
1	Dulwich .. ..	1266	13359	211	206	5	120	58	62	—
2	Camberwell South W,w .. ..	846	40206	976	926	50	1300	725	575	—
3	Camberwell North W,2L .. ..	716	65584	1576	1549	27	1350	692	658	—
4	St. George .. ..	328	47331	1385	1363	22	491	248	243	—
5	Peckham North .. ..	427	48913	1443	1424	19	555	264	291	—
6	Peckham South 2W,w .. ..	897	43946	1032	1021	11	429	209	220	—
27.—Greenwich.		3424	185034	5422	5290	132	2803	1450	1353	1364
1	Deptford North .. ..	436	37613	1277	1270	7	444	214	230	—
2	Deptford Central F .. ..	508	45481	1528	1501	27	654	327	327	—
3	Deptford South .. ..	730	34625	731	720	11	319	153	166	—
4	Greenwich West 2H .. ..	298	23456	603	591	12	297	129	168	—
5	Greenwich East 2W,H .. ..	1452	43859	1283	1208	75	1089	627	462	—

I.—LONDON.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*continued.*

REGISTRATION DISTRICTS  AND  SUB-DISTRICTS								AREA  in  Acres.	POPULATION,  1901.	BIRTHS <i>(exclusive of Still-born).</i>			DEATHS			MARRIAGES.
										Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
1.—LONDON— <i>continued.</i>																
28.—Lewisham.								10774	134721	3920	3809	111	1988	941	1047	1096
No.																
1	Eltham <i>w,H</i> .. .. .							3760	7226	284	278	6	112	54	58	—
2	Lee <i>w,H</i> .. .. .							1616	25490	454	447	7	244	103	141	—
3	Lewisham <i>W,w,F</i> .. .. .							3680	58352	2064	1985	79	1216	591	625	—
4	Sydenham <i>H</i> .. .. .							1718	43653	1118	1099	19	416	193	223	—
29.—Woolwich.								6507	131086	3514	3432	82	1690	895	795	983
1	Charlton <i>F,2H</i> .. .. .							1991	21134	468	462	6	321	177	144	—
2	Woolwich <i>5H</i> .. .. .							1130	41625	1270	1245	25	427	228	199	—
3	Plumstead West <i>W</i> .. .. .							345	18063	378	372	6	163	76	87	—
4	Plumstead East <i>2W,H</i> .. .. .							3041	50264	1398	1353	45	779	414	365	—

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907.

<b>2.—SURREY.</b>									
<b>30.—Epsom.</b>	<b>43882</b>	<b>62021</b>	<b>1647</b>	<b>1598</b>	<b>49</b>	<b>1382</b>	<b>675</b>	<b>707</b>	<b>411</b>
1 Carshalton <i>2F,3H,2L</i> .. .. .	12228	32997	888	865	23	659	323	336	—
2 Epsom <i>W,w,2F,H,4L</i> .. .. .	13074	17429	482	462	20	599	292	307	—
3 Leatherhead <i>H</i> .. .. .	18580	11595	277	271	6	124	60	64	—
<b>31.—Chertsey.</b>	<b>43638</b>	<b>40597</b>	<b>1022</b>	<b>984</b>	<b>38</b>	<b>438</b>	<b>233</b>	<b>205</b>	<b>259</b>
1 Walton <i>3H</i> .. .. .	8230	15658	399	393	6	144	70	74	—
2 Chertsey <i>W,F</i> .. .. .	16296	15486	398	375	23	204	112	92	—
3 Chobham .. .. .	19112	9453	225	216	9	90	51	39	—
<b>32.—Guildford.</b>	<b>65648</b>	<b>62122</b>	<b>1548</b>	<b>1492</b>	<b>56</b>	<b>954</b>	<b>461</b>	<b>493</b>	<b>481</b>
1 Woking <i>F,2H,L</i> .. .. .	19292	19783	619	597	22	358	158	200	—
2 Ripley .. .. .	9179	3022	61	57	4	38	22	16	—
3 Albury <i>H</i> .. .. .	17793	5029	94	92	2	58	25	33	—
4 Guildford <i>W,F,H</i> .. .. .	6616	22460	538	517	21	393	198	195	—
5 Godalming <i>H</i> .. .. .	12768	11828	236	229	7	107	58	49	—
<b>33.—Farnham.</b>	<b>41215</b>	<b>62458</b>	<b>1969</b>	<b>1917</b>	<b>52</b>	<b>772</b>	<b>420</b>	<b>352</b>	<b>518</b>
1 Frimley <i>F,H</i> .. .. .	13998	11879	389	379	10	146	71	75	—
2 Aldershot <i>2F,H</i> .. .. .	4178	30974	1064	1052	12	310	175	135	—
3 Farnham <i>W,3H</i> .. .. .	10093	11979	346	320	26	226	124	102	—
4 Frensham <i>F,H</i> .. .. .	13036	7626	170	166	4	90	50	40	—
<b>34.—Hambledon.</b>	<b>63196</b>	<b>21660</b>	<b>494</b>	<b>479</b>	<b>15</b>	<b>271</b>	<b>138</b>	<b>133</b>	<b>152</b>
1 Witley <i>W,H,L</i> .. .. .	30355	10584	238	229	9	145	82	63	—
2 Cranley <i>H</i> .. .. .	32841	11076	256	250	6	126	50	70	—
<b>35.—Dorking.</b>	<b>40864</b>	<b>17449</b>	<b>390</b>	<b>368</b>	<b>22</b>	<b>243</b>	<b>116</b>	<b>127</b>	<b>99</b>
1 Capel <i>2H</i> .. .. .	24820	4750	102	95	7	55	27	28	—
2 Dorking <i>W,F,H</i> .. .. .	16044	12699	288	273	15	188	89	99	—
<b>36.—Reigate.</b>	<b>50645</b>	<b>42740</b>	<b>974</b>	<b>937</b>	<b>37</b>	<b>517</b>	<b>260</b>	<b>257</b>	<b>307</b>
1 Betchworth .. .. .	18006	7014	174	169	5	56	26	30	—
2 Reigate <i>W,3H,L</i> .. .. .	5994	25993	573	545	28	352	175	177	—
3 Horley <i>2F,H</i> .. .. .	26645	9733	227	223	4	109	59	50	—
<b>37.—Godstone.</b>	<b>52345</b>	<b>27864</b>	<b>689</b>	<b>661</b>	<b>28</b>	<b>530</b>	<b>272</b>	<b>258</b>	<b>227</b>
1 Godstone <i>W,F,6H,2L</i> .. .. .	52345	27864	689	661	28	530	272	258	—



II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
2.—SURREY—continued.										
38.—Croydon.		32562	194541	6009	5764	245	2944	1486	1453	1684
No.	Coulsdon L .. .. .	11069	8166	220	216	4	248	142	106	—
1	South Croydon w,H .. .. .	4200	49309	1111	1076	35	466	211	255	—
2	West Croydon 3W,F,H .. .. .	2168	42888	1617	1506	111	1038	521	517	—
3	North Croydon H .. .. .	2644	41698	1244	1194	50	448	221	227	—
4	Penge w .. .. .	770	22465	389	382	7	197	93	104	—
5	Mitcham 2w .. .. .	11711	30015	1428	1390	38	547	298	249	—
6										
39.—Kingston.		24551	137716	3662	3516	146	1775	886	889	1106
1	Wimbledon F,3H .. .. .	3221	41652	1121	1073	48	481	238	243	—
2	Kingston 2W,H .. .. .	6224	42068	1168	1110	58	704	374	330	—
3	Surbiton F,H .. .. .	3046	15017	341	329	12	143	74	69	—
4	Esher 2H .. .. .	7496	15523	417	405	12	178	80	98	—
5	Hampton F,H,L .. .. .	4564	23456	615	599	16	269	120	149	—
40.—Richmond.		5009	49493	1343	1301	42	696	356	340	381
1	Richmond* W,H .. .. .	2491	31672	643	612	31	429	223	206	—
2	Mortlake* F .. .. .	2518	17821	700	689	11	267	133	134	—
3.—KENT.										
41.—Bromley.		40978	85739	2174	2095	79	1007	503	504	644
1	Bromley F,3H .. .. .	4703	27354	704	686	18	305	150	155	—
2	Beckenham H .. .. .	7825	28497	691	678	13	272	136	136	—
3	Orpington W,F .. .. .	21117	13442	382	348	34	271	149	122	—
4	Chislehurst 2H .. .. .	7333	16446	397	383	14	159	68	91	—
42.—Dartford.		52316	96051	2882	2795	87	1348	738	610	631
1	Bexley w,F,H .. .. .	8678	21151	639	625	14	221	115	106	—
2	Erith F,H .. .. .	3854	25296	853	838	15	214	127	87	—
3	Dartford W,4F,H,3L .. .. .	13334	36175	1023	979	44	765	414	351	—
4	Farningham 3H .. .. .	26450	13429	367	353	14	148	82	66	—
43.—Gravesend.		1259	27196	708	686	22	405	224	181	202
1	Gravesend 2W,2H .. .. .	1259	27196	708	686	22	405	224	181	—
44.—Strood.		36937	40336	1162	1115	47	490	261	229	309
1	Northfleet 5F .. .. .	20049	17299	510	496	14	218	105	113	—
2	Strood W .. .. .	16888	23037	652	619	33	272	156	116	—
45.—Hoo.		20021	4262	104	101	3	60	36	24	30
1	Hoo W,F .. .. .	20021	4262	104	101	3	60	36	24	—
46.—Medway.		11820	97400	2839	2761	78	1437	757	680	846
1	Rochester and Chatham W,3F,2H .. .. .	6797	55744	1525	1460	65	947	491	456	—
2	Gillingham 2F,2H .. .. .	5023	41656	1314	1301	13	490	266	224	—
47.—Malling.		47352	28295	740	701	39	422	225	197	218
1	Aylesford W,2F .. .. .	21428	18526	482	452	30	286	157	129	—
2	Wrotham .. .. .	25924	9769	258	249	9	136	68	68	—
48.—Sevenoaks.		66596	30790	663	634	29	385	200	185	226
1	Shoreham .. .. .	19575	7214	157	154	3	81	42	39	—
2	Sevenoaks W,F,2H .. .. .	21198	15674	321	302	19	217	110	107	—
3	Penshurst F .. .. .	25823	7902	185	178	7	87	48	39	—
49.—Tonbridge.		47680	66803	1423	1343	80	987	462	525	504
1	Tonbridge Wells F,3H .. .. .	12916	41362	792	757	35	542	236	306	—
2	Tonbridge W,F,H .. .. .	15648	17410	450	417	33	341	169	172	—
3	Branchley 2F .. .. .	19116	8031	181	169	12	104	57	47	—

\* 40: 1, 2.—On 1st June, 1907, the boundary between these sub-districts was altered. See page 470. The births and deaths are shown as if the change had taken place at the beginning of the year.

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	<b>3.—KENT—continued.</b>									
	<b>50.—Maidstone.</b>	<b>39004</b>	<b>49086</b>	<b>1129</b>	<b>1062</b>	<b>67</b>	<b>991</b>	<b>504</b>	<b>487</b>	<b>406</b>
1	Yalding .. .. .	21309	7164	152	142	10	114	59	55	—
2	Loose 2W,F .. .. .	13687	8406	213	198	15	204	103	101	—
3	Maidstone F,2H,L .. .. .	4008	33516	764	722	42	673	342	331	—
	<b>51.—Hollingbourn.</b>	<b>57670</b>	<b>12546</b>	<b>270</b>	<b>258</b>	<b>12</b>	<b>173</b>	<b>87</b>	<b>86</b>	<b>91</b>
1	Hollingbourn W,F .. .. .	22259	4284	83	81	2	68	34	34	—
2	Lenham .. .. .	16260	3102	71	68	3	47	22	25	—
3	Headcorn .. .. .	19151	5160	116	109	7	58	31	27	—
	<b>52.—Cranbrook.</b>	<b>41315</b>	<b>12944</b>	<b>287</b>	<b>275</b>	<b>12</b>	<b>166</b>	<b>90</b>	<b>76</b>	<b>91</b>
1	Cranbrook W,F,2H .. .. .	20574	6129	135	128	7	93	45	48	—
2	Hawkhurst H .. .. .	20741	6815	152	147	5	73	45	28	—
	<b>53.—Tenterden.</b>	<b>47323</b>	<b>8766</b>	<b>206</b>	<b>194</b>	<b>12</b>	<b>118</b>	<b>62</b>	<b>56</b>	<b>65</b>
1	Tenterden W .. .. .	47323	8766	206	194	12	118	62	56	—
	<b>54.—West Ashford.</b>	<b>42340</b>	<b>20559</b>	<b>466</b>	<b>441</b>	<b>25</b>	<b>273</b>	<b>146</b>	<b>127</b>	<b>146</b>
1	Calehill W,2F .. .. .	22775	4987	115	110	5	71	43	28	—
2	Ashford F,H .. .. .	19565	15572	351	331	20	202	103	99	—
	<b>55.—East Ashford.</b>	<b>54800</b>	<b>13112</b>	<b>291</b>	<b>278</b>	<b>13</b>	<b>178</b>	<b>84</b>	<b>94</b>	<b>100</b>
1	Brabourne W,F .. .. .	27209	7595	188	181	7	119	57	62	—
2	Wye F .. .. .	27591	5517	103	97	6	59	27	32	—
	<b>56.—Bridge.</b>	<b>42003</b>	<b>12384</b>	<b>248</b>	<b>233</b>	<b>15</b>	<b>257</b>	<b>121</b>	<b>136</b>	<b>81</b>
1	Chartham L .. .. .	18519	7014	113	111	2	181	85	96	—
2	Barham W,F .. .. .	23484	5370	135	122	13	76	36	40	—
	<b>57.—Canterbury.</b>	<b>3517</b>	<b>19804</b>	<b>446</b>	<b>432</b>	<b>14</b>	<b>321</b>	<b>175</b>	<b>146</b>	<b>145</b>
1	Canterbury W,2F,2H,L .. .. .	3517	19804	446	432	14	321	175	146	—
	<b>58.—Blean.</b>	<b>28835</b>	<b>24548</b>	<b>596</b>	<b>580</b>	<b>16</b>	<b>337</b>	<b>162</b>	<b>175</b>	<b>171</b>
1	Sturry .. .. .	8903	6689	156	155	1	85	37	48	—
2	Herne W,2F,4H .. .. .	13857	9958	228	218	10	134	69	65	—
3	Whitstable .. .. .	6075	7901	212	207	5	118	56	62	—
	<b>59.—Faversham.</b>	<b>44682</b>	<b>26422</b>	<b>618</b>	<b>579</b>	<b>39</b>	<b>355</b>	<b>189</b>	<b>166</b>	<b>207</b>
1	Boughton .. .. .	21331	5686	136	133	3	62	37	25	—
2	Faversham W,F,H .. .. .	8266	15667	355	325	30	238	121	117	—
3	Teynham 2F .. .. .	15085	5069	127	121	6	55	31	24	—
	<b>60.—Milton.</b>	<b>31827</b>	<b>28190</b>	<b>748</b>	<b>713</b>	<b>35</b>	<b>339</b>	<b>181</b>	<b>158</b>	<b>209</b>
1	Milton W,F,H .. .. .	31827	28190	748	713	35	339	181	158	—
	<b>61.—Sheppey.</b>	<b>22401</b>	<b>22275</b>	<b>587</b>	<b>572</b>	<b>15</b>	<b>231</b>	<b>113</b>	<b>118</b>	<b>139</b>
1	Minster W,2F,2H .. .. .	8227	21029	557	544	13	218	108	110	—
2	Eastchurch .. .. .	14174	1246	30	28	2	13	5	8	—
	<b>62.—Thanet.</b>	<b>26187</b>	<b>68461</b>	<b>1365</b>	<b>1293</b>	<b>72</b>	<b>1040</b>	<b>543</b>	<b>497</b>	<b>430</b>
1	Minster W .. .. .	15331	5829	128	105	23	153	77	76	—
2	Margate 3w,8H .. .. .	4370	27141	497	477	20	356	179	177	—
3	Broadstairs w,F,4H .. .. .	2930	7193	142	140	2	101	61	40	—
4	Ramsgate W,4H,L .. .. .	3556	28298	598	571	27	430	226	204	—



II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
3.—KENT—continued.										
No.	63.—Eastry.	46464	31533	672	641	31	440	240	200	210
1	Sandwich W,F,H .. ..	21765	8987	176	165	11	145	94	51	—
2	Wingham .. ..	8336	3061	66	63	3	44	17	27	—
3	Eythorne .. ..	8206	1906	36	36	—	21	8	13	—
4	Deal F,H .. ..	8157	17579	394	377	17	230	121	109	—
64.—Dover.										
1	St. James F,2H .. ..	13006	17935	403	390	13	236	122	114	—
2	St. Mary W,2H .. ..	1112	27470	730	684	46	345	165	180	—
3	Hougham .. ..	14949	3537	78	72	6	39	22	17	—
65.—Elham.										
1	Folkestone W,2F,12H .. ..	6306	40228	950	919	31	436	236	250	—
2	Elham W,F .. ..	21259	3662	79	68	11	71	42	29	—
3	Hythe 2F,H .. ..	16160	8244	209	205	4	107	58	49	—
66.—Romney Marsh.										
1	New Romney W,F,H .. ..	27021	3707	85	79	6	51	29	22	—
2	Lydd .. ..	16750	2859	77	74	3	27	14	13	—
4.—SUSSEX.										
67.—Rye.										
1	Rye W .. ..	15895	6097	139	130	9	80	41	39	—
2	Beckley .. ..	22347	4960	96	91	5	63	34	29	—
68.—Hastings.										
1	Ore W,F,H .. ..	10571	8136	241	209	32	150	75	75	—
2	All Saints .. ..	1018	30548	516	487	29	331	160	171	—
3	St. Mary Magdalen 9H .. ..	2014	26872	370	357	13	407	185	222	—
69.—Battle.										
1	Bexhill H .. ..	28264	17598	352	332	20	205	85	120	—
2	Battle W .. ..	25660	6339	130	121	9	104	54	50	—
70.—Eastbourne.										
1	Westham 2F .. ..	18418	3392	93	90	3	26	8	18	—
2	Eastbourne W,F,6H .. ..	8977	43756	886	843	43	565	284	281	—
3	Seaford H .. ..	13910	3984	98	96	2	37	15	22	—
71.—Hailsham.										
1	Hurstmonceux .. ..	29144	7257	170	164	6	87	43	44	—
2	Hellingly W,F,L .. ..	28919	8471	197	185	12	214	103	111	—
72.—Ticehurst.										
1	Ticehurst* W,F .. ..	27780	7843	164	158	6	98	51	47	—
2	Wadhurst F .. ..	24356	8454	176	172	4	87	48	39	—
73.—Uckfield.										
1	Rotherfield .. ..	25322	8991	224	217	7	121	60	61	—
2	Framfield .. ..	15334	4122	92	90	2	43	17	26	—
3	Isfield W,H .. ..	6038	3591	81	74	7	62	31	31	—
4	Maresfield .. ..	29091	6902	147	140	7	82	36	46	—
74.—East Grinstead.										
1	Withyham .. ..	18514	3648	69	66	3	39	14	25	—
2	East Grinstead W,F,H .. ..	15128	8610	205	196	9	103	49	54	—
3	Worth .. ..	18671	5743	157	149	8	63	33	30	—

\* 72: 1.—On 1st October, 1907, Ticehurst (1) and Salehurst (2) sub-districts were united and called Ticehurst (1). The births and deaths are shown as if the change had taken place at the beginning of the year.

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate	Total.	Males.	Females.	
4.—SUSSEX—continued.										
75.—Cuckfield.		57379	26075	549	522	27	311	149	162	170
No. 1	Cuckfield <i>W,H</i> .. ..	34985	14477	331	311	20	201	101	100	—
2	Hurstpierpoint <i>F</i> .. ..	22394	11598	218	211	7	110	48	62	—
76a.—Lewes.		50972	23457	458	432	26	384	194	190	166
1	Chailey <i>W,2F,2H,L</i> .. ..	32119	9046	165	156	9	195	104	91	—
2	Lewes <i>W,F,H</i> .. ..	18853	14411	293	276	17	189	90	99	—
76b.—Newhaven.		27061	12132	243	232	11	118	72	46	55
1	Newhaven <i>W,2w,F,H</i> .. ..	27061	12132	243	232	11	118	72	46	—
77.—Brighton.		1629	102320	2156	2021	135	1625	822	803	865
1	East Brighton* <i>W,3H</i> .. ..	890	49283	2156	2021	135	1625	822	803	—
2	West Brighton* <i>5H</i> .. ..	739	53037							
78.—Steyning.		46143	80797	1817	1734	83	1156	557	599	547
1	Preston <i>F</i> .. ..	5332	22268	584	569	15	293	143	150	—
2	Hove <i>4H</i> .. ..	2795	36847	636	595	41	523	216	307	—
3	Shoreham <i>W,F</i> .. ..	14565	15674	481	458	23	280	161	119	—
4	Steyning .. ..	23451	6008	116	112	4	60	37	23	—
79.—Horsham.		76613	28162	614	586	28	358	170	188	204
1	South Horsham .. ..	24774	4743	95	93	2	55	28	27	—
2	North Horsham <i>W,2H</i> .. ..	32003	19164	436	415	21	255	124	131	—
3	West Horsham <i>H</i> .. ..	19836	4255	83	78	5	48	18	30	—
80.—Petworth.		45754	8529	167	153	14	103	57	46	55
1	Petworth Northern <i>W</i> .. ..	25298	3843	79	73	6	45	23	22	—
2	Petworth Southern <i>W,F,H</i> .. ..	20456	4686	88	80	8	58	34	24	—
81.—Thakeham.		40632	7302	202	191	11	109	54	55	53
1	Pulborough .. ..	18149	3696	108	104	4	52	20	32	—
2	Washington <i>W</i> .. ..	22483	3606	94	87	7	57	34	23	—
82.—East Preston.		34980	38918	905	859	46	604	305	299	312
1	Worthing <i>F,6H</i> .. ..	10015	24191	559	526	33	386	193	193	—
2	Littlehampton <i>W,3H</i> .. ..	8964	9790	246	233	13	160	81	79	—
3	Arundel <i>H</i> .. ..	16001	4937	100	100	—	58	31	27	—
83.—Westhampnett.		71757	20108	428	412	16	240	120	120	135
1	Yapton .. ..	17002	4096	81	78	3	58	34	24	—
2	Bognor <i>2H</i> .. ..	2753	6562	143	135	8	84	38	46	—
3	Oving .. ..	24731	5560	135	131	4	62	29	33	—
4	Boxgrove .. ..	27271	3890	69	68	1	36	19	17	—
84.—Chichester.		1538	12244	261	249	12	278	133	145	78
1	Chichester <i>W,F,H,L</i> .. ..	1538	12244	261	249	12	278	133	145	—
85.—Midhurst.		66775	13612	294	279	15	178	102	76	102
1	Midhurst <i>W,H</i> .. ..	23808	6570	132	120	12	97	59	38	—
2	Fernhurst .. ..	13847	2417	59	58	1	28	17	11	—
3	Harting .. ..	29120	4625	103	101	2	53	26	27	—
86.—Westbourne.		32026	6815	204	195	9	104	45	59	60
1	Westbourne <i>W,F</i> .. ..	32026	6815	204	195	9	104	45	59	—

\* 77: 1, 2.—On the 1st March, 1907, the boundary between these sub-districts was altered. See page 470. The births and deaths for the new sub-districts cannot be shown separately.



II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—cont.

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	<b>5.—HAMPSHIRE.</b>									
	<b>87.—Havant.</b>	<b>14216</b>	<b>11188</b>	<b>252</b>	<b>242</b>	<b>10</b>	<b>139</b>	<b>69</b>	<b>70</b>	<b>95</b>
1	Havant W.F.H. .. .. .	14216	11188	252	242	10	139	69	70	—
	<b>88.—Portsmouth.</b>	<b>6031</b>	<b>188923</b>	<b>5862</b>	<b>5666</b>	<b>196</b>	<b>3404</b>	<b>1677</b>	<b>1727</b>	<b>2016</b>
1	North End and Buckland .. ..	2931	44960	1774	1747	27	678	334	344	—
2	Kingston and East Southsea W.F.T.H.L.	1614	43144	1629	1542	87	1151	530	621	—
3	Portsea and Landport 3H .. ..	699	53022	1447	1396	51	901	432	419	—
4	Portsmouth and Mid Southsea 6H	787	47797	1012	981	31	674	331	343	—
	<b>89.—Alverstokey.</b>	<b>3872</b>	<b>28884</b>	<b>882</b>	<b>858</b>	<b>24</b>	<b>419</b>	<b>235</b>	<b>184</b>	<b>223</b>
1	Alverstokey W.F.2H .. .. .	3872	28884	882	858	24	419	235	184	—
	<b>90.—Fareham.</b>	<b>36650</b>	<b>20386</b>	<b>481</b>	<b>461</b>	<b>20</b>	<b>398</b>	<b>205</b>	<b>193</b>	<b>146</b>
1	Fareham W.F.H.L. .. .. .	17243	12116	265	252	13	281	145	136	—
2	Titchfield .. .. .	19407	8270	216	209	7	117	60	57	—
	<b>91.—Isle of Wight.</b>	<b>94968</b>	<b>82418</b>	<b>1699</b>	<b>1624</b>	<b>75</b>	<b>1142</b>	<b>593</b>	<b>549</b>	<b>617</b>
1	Cowes F.H.L. .. .. .	13960	15313	410	394	16	175	85	90	—
2	Newport W.H.L. .. .. .	16149	16498	386	368	18	269	151	118	—
3	Ryde F.H. .. .. .	7331	18167	326	311	15	255	116	139	—
4	Brading F.3H .. .. .	13337	13240	234	226	8	188	105	83	—
5	Godshill F.3H .. .. .	19980	11108	172	160	12	153	78	75	—
6	Calbourne .. .. .	23311	8092	171	165	6	102	58	44	—
	<b>92.—Lymington.</b>	<b>40128</b>	<b>13551</b>	<b>335</b>	<b>326</b>	<b>9</b>	<b>190</b>	<b>99</b>	<b>91</b>	<b>122</b>
1	Lymington W.F. .. .. .	25783	8939	199	194	5	117	66	51	—
2	Milford H. .. .. .	14345	4612	136	132	4	73	33	40	—
	<b>93.—Christchurch.</b>	<b>31033</b>	<b>69340</b>	<b>1445</b>	<b>1377</b>	<b>68</b>	<b>1006</b>	<b>510</b>	<b>496</b>	<b>556</b>
1	Christchurch 2W.F.H. .. ..	26988	15618	431	400	31	298	144	154	—
2	Bournemouth F.11H .. .. .	4045	53722	1014	977	37	708	366	342	—
	<b>94.—Ringwood.</b>	<b>36447</b>	<b>6220</b>	<b>178</b>	<b>169</b>	<b>9</b>	<b>91</b>	<b>51</b>	<b>40</b>	<b>40</b>
1	Ringwood W.H. .. .. .	36447	6220	178	169	9	91	51	40	—
	<b>95.—Fordingbridge.</b>	<b>36186</b>	<b>6137</b>	<b>157</b>	<b>144</b>	<b>13</b>	<b>91</b>	<b>49</b>	<b>42</b>	<b>46</b>
1	Fordingbridge W.H. .. .. .	36186	6137	157	144	13	91	49	42	—
	<b>96.—New Forest.</b>	<b>68563</b>	<b>14600</b>	<b>349</b>	<b>331</b>	<b>18</b>	<b>165</b>	<b>86</b>	<b>79</b>	<b>103</b>
1	Lyndhurst .. .. .	23684	3820	76	71	5	40	18	22	—
2	Fawley .. .. .	23158	3891	96	94	2	35	21	14	—
3	Eling W. .. .. .	21721	6889	177	166	11	90	47	43	—
	<b>97.—Southampton.</b>	<b>1409</b>	<b>61319</b>	<b>1498</b>	<b>1461</b>	<b>37</b>	<b>900</b>	<b>466</b>	<b>434</b>	<b>568</b>
1	Southampton W.3H .. .. .	1409	61319	1498	1461	37	900	466	434	—
	<b>98.—South Stoneham.</b>	<b>26095</b>	<b>80611</b>	<b>2373</b>	<b>2288</b>	<b>85</b>	<b>1175</b>	<b>612</b>	<b>563</b>	<b>636</b>
1	St. Mary Extra 2H.L. .. ..	6196	18855	600	585	15	220	123	97	—
2	South Stoneham W.F. .. ..	11186	33065	894	866	28	411	199	212	—
3	Millbrook w.2F.H. .. .. .	8713	28691	879	837	42	544	290	254	—
	<b>99.—Romsey.</b>	<b>32029</b>	<b>10623</b>	<b>239</b>	<b>232</b>	<b>7</b>	<b>161</b>	<b>85</b>	<b>76</b>	<b>76</b>
1	Romsey W.H. .. .. .	13070	6757	144	140	4	110	59	51	—
2	Michelmersham .. .. .	18959	3866	95	92	3	51	26	25	—
	<b>100.—Stockbridge.</b>	<b>44314</b>	<b>6130</b>	<b>139</b>	<b>134</b>	<b>5</b>	<b>78</b>	<b>48</b>	<b>30</b>	<b>35</b>
1	Broughton .. .. .	22599	2916	53	53	—	27	12	15	—
2	Stockbridge W. .. .. .	21715	3214	86	81	5	51	36	15	—

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	<b>5.—HAMPSHIRE—continued.</b>									
	<b>101.—Winchester.*</b>	<b>79822</b>	<b>35196</b>	<b>837</b>	<b>805</b>	<b>32</b>	<b>505</b>	<b>269</b>	<b>236</b>	<b>283</b>
1	Micheldever <i>F</i> .. .. .	36254	4607	98	93	5	40	25	15	—
2	Winchester <i>W,F,H</i> .. .. .	9233	21635	498	478	20	370	194	176	—
3	Twyford .. .. .	17578	5274	132	128	4	56	27	29	—
4	Hursley <i>W</i> .. .. .	16757	3680	109	106	3	39	23	16	—
	<b>102.—Droxford.</b>	<b>48646</b>	<b>11778</b>	<b>270</b>	<b>257</b>	<b>13</b>	<b>131</b>	<b>72</b>	<b>59</b>	<b>82</b>
1	Bishops Waltham .. .. .	12698	3970	95	91	4	47	28	19	—
2	West Meon .. .. .	13819	2088	29	26	3	19	8	11	—
3	Hambledon <i>W,H</i> .. .. .	22129	5720	146	140	6	65	36	29	—
	<b>103.—Catherington.</b>	<b>13144</b>	<b>3068</b>	<b>70</b>	<b>65</b>	<b>5</b>	<b>40</b>	<b>23</b>	<b>17</b>	<b>27</b>
1	Horndean <i>W,F</i> .. .. .	13144	3068	70	65	5	40	23	17	—
	<b>104.—Petersfield.</b>	<b>45896</b>	<b>12561</b>	<b>315</b>	<b>310</b>	<b>5</b>	<b>143</b>	<b>75</b>	<b>73</b>	<b>114</b>
1	Petersfield <i>W,F,H</i> .. .. .	19998	9116	237	232	5	114	55	59	—
2	East Meon .. .. .	25898	3445	78	78	—	34	20	14	—
	<b>105.—Alresford.</b>	<b>42316</b>	<b>6983</b>	<b>166</b>	<b>158</b>	<b>8</b>	<b>91</b>	<b>52</b>	<b>39</b>	<b>44</b>
1	Ropley .. .. .	23903	3568	89	85	4	39	21	18	—
2	Alresford <i>W</i> .. .. .	18413	3415	77	73	4	52	31	21	—
	<b>106.—Alton.</b>	<b>61759</b>	<b>16345</b>	<b>571</b>	<b>546</b>	<b>25</b>	<b>235</b>	<b>140</b>	<b>95</b>	<b>129</b>
1	Alton <i>W,2F,2H</i> .. .. .	33824	9861	273	261	12	144	86	58	—
2	Binsted .. .. .	27935	6484	298	285	13	91	54	37	—
	<b>107.—Hartley Wintney.</b>	<b>57489</b>	<b>30513</b>	<b>735</b>	<b>716</b>	<b>19</b>	<b>348</b>	<b>174</b>	<b>174</b>	<b>205</b>
1	Odiham <i>W,H</i> .. .. .	24678	9509	228	225	3	116	58	58	—
2	Farnborough <i>2H</i> .. .. .	12473	15552	403	394	9	141	75	66	—
3	Hartley Wintney <i>W</i> .. .. .	20338	5452	104	97	7	91	41	50	—
	<b>108.—Basingstoke.</b>	<b>76957</b>	<b>21711</b>	<b>540</b>	<b>518</b>	<b>22</b>	<b>260</b>	<b>122</b>	<b>138</b>	<b>166</b>
1	Basingstoke <i>W,F,H</i> .. .. .	19714	13504	375	354	21	183	93	90	—
2	Bramley .. .. .	23218	4562	99	98	1	36	13	23	—
3	Dummer .. .. .	34025	3645	68	66	—	41	16	25	—
	<b>109.—Whitchurch.</b>	<b>31358</b>	<b>5823</b>	<b>150</b>	<b>145</b>	<b>5</b>	<b>56</b>	<b>28</b>	<b>28</b>	<b>52</b>
1	Whitchurch <i>W,F</i> .. .. .	31358	5823	150	145	5	56	28	28	—
	<b>110.—Andover.</b>	<b>74218</b>	<b>15800</b>	<b>494</b>	<b>476</b>	<b>18</b>	<b>230</b>	<b>125</b>	<b>105</b>	<b>133</b>
1	Longparish .. .. .	27183	3943	91	86	5	44	21	23	—
2	Amport .. .. .	18876	2731	163	162	1	42	25	17	—
3	Andover <i>W,F,H</i> .. .. .	14021	7564	203	192	11	122	67	55	—
4	Hurstbourne Tarrant .. .. .	14138	1562	37	36	1	22	12	10	—
	<b>111.—Kingsclere.</b>	<b>45936</b>	<b>8500</b>	<b>181</b>	<b>174</b>	<b>7</b>	<b>109</b>	<b>53</b>	<b>56</b>	<b>52</b>
1	Highclere .. .. .	20514	3463	73	72	1	32	17	15	—
2	Kingsclere <i>W,F</i> .. .. .	25472	5037	108	102	6	77	36	41	—
	<b>6.—BERKSHIRE.</b>									
	<b>112.—Newbury.</b>	<b>44216</b>	<b>21057</b>	<b>426</b>	<b>403</b>	<b>23</b>	<b>290</b>	<b>142</b>	<b>148</b>	<b>162</b>
1	Newbury <i>W,F,H</i> .. .. .	1828	11061	212	202	10	181	90	91	—
2	Speen .. .. .	27624	5332	114	108	6	64	31	33	—
3	Thatcham <i>2H</i> .. .. .	14764	4614	100	93	7	45	21	24	—

\* 101.—The District of WINCHESTER comprises the two Poor Law Unions of Winchester (Micheldever, Winchester, and Twyford sub-districts) and Hursley (Hursley sub-district),



II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS ( <i>exclusive of Still-born.</i> )			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males	Females.	
<b>6.—BERKSHIRE—<i>continued.</i></b>										
<b>113.—Hungerford.</b>		<b>96430</b>	<b>15562</b>	<b>382</b>	<b>366</b>	<b>16</b>	<b>223</b>	<b>123</b>	<b>100</b>	<b>115</b>
No. 1	Kintbury .. .. .	24211	3682	90	90	—	45	25	20	—
2	Hungerford W .. .. .	38650	7606	189	182	7	120	62	58	—
3	Lambourn .. .. .	33569	4274	103	94	9	58	36	22	—
<b>114.—Faringdon.</b>		<b>64984</b>	<b>12312</b>	<b>287</b>	<b>272</b>	<b>15</b>	<b>188</b>	<b>103</b>	<b>85</b>	<b>98</b>
1	Shrivenham .. .. .	22081	3283	90	84	6	53	31	22	—
2	Faringdon W,H .. .. .	42903	9029	197	188	9	135	72	63	—
<b>115.—Abingdon.</b>		<b>55710</b>	<b>17325</b>	<b>410</b>	<b>379</b>	<b>31</b>	<b>222</b>	<b>120</b>	<b>102</b>	<b>136</b>
1	Fyfield .. .. .	20155	3422	89	85	4	39	24	15	—
2	Abingdon W,F,H .. .. .	13228	8592	197	180	17	134	67	67	—
3	Nuneham Courtenay F .. .. .	10294	2091	45	43	2	14	9	5	—
4	Sutton Courtenay .. .. .	12033	3220	79	71	8	35	20	15	—
<b>116.—Wantage.</b>		<b>76978</b>	<b>15608</b>	<b>331</b>	<b>313</b>	<b>18</b>	<b>200</b>	<b>113</b>	<b>87</b>	<b>108</b>
1	Wantage W,H .. .. .	35280	9725	220	208	12	129	76	53	—
2	Ilsey .. .. .	41698	5883	111	105	6	71	37	34	—
<b>117.—Wallingford.</b>		<b>42696</b>	<b>13786</b>	<b>331</b>	<b>315</b>	<b>16</b>	<b>239</b>	<b>111</b>	<b>128</b>	<b>95</b>
1	Cholsey W,L .. .. .	21276	6096	138	133	5	140	59	81	—
2	Wallingford W,F,H .. .. .	21420	7690	193	182	11	99	52	47	—
<b>118.—Bradfield.</b>		<b>64369</b>	<b>18117</b>	<b>423</b>	<b>410</b>	<b>13</b>	<b>222</b>	<b>116</b>	<b>106</b>	<b>120</b>
1	Bucklebury W .. .. .	36256	7580	166	159	7	98	53	45	—
2	Tilehurst F,H .. .. .	28113	10537	257	251	6	124	63	61	—
<b>119.—Reading.</b>		<b>5876</b>	<b>72217</b>	<b>1817</b>	<b>1744</b>	<b>73</b>	<b>1033</b>	<b>500</b>	<b>533</b>	<b>559</b>
1	St. Mary W,H .. .. .	2197	29246	903	860	43	448	210	238	—
2	St. Giles F,H .. .. .	3679	42971	914	884	30	585	290	295	—
<b>120.—Wokingham.</b>		<b>44401</b>	<b>17937</b>	<b>433</b>	<b>411</b>	<b>22</b>	<b>246</b>	<b>142</b>	<b>104</b>	<b>138</b>
1	Wokingham W,H .. .. .	23346	10097	282	265	17	180	107	73	—
2	Wargrave .. .. .	21055	7840	151	146	5	66	35	31	—
<b>121.—Maidenhead.</b>		<b>29926</b>	<b>23554</b>	<b>646</b>	<b>617</b>	<b>29</b>	<b>314</b>	<b>147</b>	<b>167</b>	<b>233</b>
1	Maidenhead W,F,H .. .. .	29926	23554	646	617	29	314	147	167	—
<b>122.—Easthampstead.</b>		<b>27033</b>	<b>15757</b>	<b>345</b>	<b>323</b>	<b>22</b>	<b>168</b>	<b>94</b>	<b>74</b>	<b>104</b>
1	Bracknell W,H .. .. .	22497	10186	211	194	17	106	61	45	—
2	Sandhurst L .. .. .	4536	5571	134	129	5	62	33	29	—
<b>123.—Windsor.</b>		<b>21070</b>	<b>40299</b>	<b>862</b>	<b>816</b>	<b>46</b>	<b>497</b>	<b>250</b>	<b>247</b>	<b>278</b>
1	Egham 2H,L .. .. .	14101	18302	400	387	13	197	94	103	—
2	Windsor W,F,4H .. .. .	6969	21997	462	429	33	300	156	144	—

## III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.							AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
									Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
7.—MIDDLESEX.															
124.—Staines.							24331	33861	1027	990	37	440	209	231	238
No.	1	Sunbury	w	..	..	..	11054	18683	588	573	15	216	108	108	—
	2	Staines	W,H	..	..	..	13277	15178	439	417	22	224	101	123	—
125.—Uxbridge.							26858	39003	1530	1478	52	773	420	353	308
	1	Hillingdon	W,F,H	..	..	..	6035	13661	458	438	20	212	116	96	—
	2	Uxbridge	H	..	..	..	12757	8984	270	263	7	117	64	53	—
	3	Hayes	w,2F,H,L	..	..	..	8066	16358	802	777	25	444	240	204	—
126.—Brentford.							20930	178866	6610	6354	256	2901	1433	1468	1704
	1	Isleworth	3W,3F,H	..	..	..	6859	30863	1137	1044	93	752	384	368	—
	2	Twickenham	F,2H	..	..	..	2421	20991	764	732	32	302	142	160	—
	3	Brentford	3F,2H	..	..	..	4319	48289	1741	1704	37	745	367	378	—
	4	Chiswick	H	..	..	..	1249	29309	916	888	28	339	149	190	—
	5	Acton	w,F,3H	..	..	..	6132	48914	2052	1986	66	763	391	372	—
127.—Hendon.*							33569	167305	5927	5788	139	2238	1111	1127	1421
	1	Harrow	F,H	..	..	..	13809	25523	937	923	14	289	148	141	—
	2	Edgware	2F,2H..	..	..	..	6994	4521	105	104	1	51	27	24	—
	3	Willesden	W,F,2H	..	..	..	4384	114811	4169	4065	104	1545	767	778	—
	4	Hendon	W,w,F	..	..	..	8382	22450	716	696	20	353	169	184	—
128.—Barnet.							25767	58970	1861	1816	45	949	469	480	443
	1	South Mimms	2F,H	..	..	..	17755	7308	183	179	4	77	34	43	—
	2	Barnet	W,2H	..	..	..	3324	17970	494	467	27	258	143	115	—
	3	Finchley	F,2H,L	..	..	..	4688	33692	1184	1170	14	614	292	322	—
129.—Edmonton.							47101	332301	10947	10684	263	4681	2382	2299	2820
	1	Hornsey	F,H	..	..	..	2875	72056	1518	1487	31	635	297	338	—
	2	Wood Green	w,H	..	..	..	1625	34233	1236	1219	17	469	234	235	—
	3	West Tottenham	F	..	..	..	996	48853	1791	1751	40	680	317	363	—
	4	East Tottenham	2H	..	..	..	2017	53688	1952	1928	24	921	513	408	—
	5	Edmonton	W,2w,3F	..	..	..	7491	61892	2528	2417	111	1169	598	571	—
	6	Enfield	2W,F,H..	..	..	..	12601	42738	1447	1420	27	613	328	285	—
	7	Waltham Abbey	F	..	..	..	11017	6549	173	169	4	68	34	34	—
	8	Cheshunt	F,H	..	..	..	8479	12292	302	293	9	126	61	65	—
8.—HERTFORDSHIRE.															
130.—Ware.							36158	21175	489	472	17	264	130	134	128
	1	Hoddesdon..	..	..	..	..	7987	8783	186	180	6	92	45	47	—
	2	Stanstead	..	..	..	..	7985	2959	66	65	1	38	18	20	—
	3	Ware	W	..	..	..	6909	6511	179	170	9	109	57	52	—
	4	Standon	..	..	..	..	13277	2922	58	57	1	25	10	15	—
131.—Bishop Stortford.							54471	21498	498	481	17	306	149	157	144
	1	Stortford	W,2F,H	..	..	..	15804	11616	269	261	8	187	90	97	—
	2	Stansted	..	..	..	..	18610	5799	133	127	6	68	39	29	—
	3	Braughing	H	..	..	..	20057	4083	96	93	3	51	20	31	—
132.—Royston.*							91067	21046	479	451	28	262	131	131	148
	1	Buntingford	W,F	..	..	..	28470	5020	114	104	10	64	32	32	—
	2	Royston	H	..	..	..	34140	7732	161	153	8	84	48	36	—
	3	Melbourn	W,F	..	..	..	28457	8294	204	194	10	114	51	63	—
133.—Hitchin.							66840	28749	814	770	44	420	219	201	222
	1	Baldock	..	..	..	..	32157	10816	367	354	13	161	89	72	—
	2	Hitchin	W,2H	..	..	..	34683	17933	447	416	31	259	130	129	—
134.—Hertford.							35435	17036	395	376	19	233	115	118	111
	1	Watton	F..	..	..	..	16615	3658	84	83	1	27	16	11	—
	2	Hertford	W,F,H	..	..	..	18820	13378	311	293	18	206	99	107	—

\* 127; 132.—The District of HENDON (127) comprises the Poor Law Union of Hendon (Harrow, Edgware, and Hendon sub-districts) and the Poor Law Parish of Willesden (Willesden sub-district). The District of ROYSTON (132) comprises the two Poor Law Unions of Buntingford (Buntingford sub-district) and Royston (Royston and Melbourn sub-districts).



III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
8.—HERTFORDSHIRE—cont.										
135.—Hatfield.*		30068	9816	227	219	8	120	65	55	61
No. 1	Hatfield <i>W,H</i> .. .. .	23486	7551	163	157	6	86	49	37	—
2	Welwyn <i>W,F,H</i> .. .. .	6582	2265	64	62	2	34	16	18	—
136.—St. Albans.		41402	33008	885	846	39	557	263	294	244
1	Harpenden.. .. .	20616	11654	312	296	16	129	62	67	—
2	St. Albans <i>W,F,H,2L</i> .. .. .	20786	21354	573	550	23	428	201	227	—
137.—Watford.		36952	53936	1469	1413	56	874	415	459	390
1	Bushey <i>H</i> .. .. .	9333	9173	226	224	2	115	52	63	—
2	Watford <i>W,2F,H</i> .. .. .	5798	28331	887	847	40	453	229	224	—
3	Rickmansworth <i>w,L</i> .. .. .	16540	13090	262	249	13	262	111	151	—
4	Abbots Langley .. .. .	5281	3342	94	93	1	44	23	21	—
138.—Hemel Hempstead.		27180	17276	423	409	14	234	120	114	140
1	Kings Langley .. .. .	8358	2805	57	56	1	23	8	15	—
2	Hemel Hempstead <i>W,F,2H</i> .. .. .	7184	11264	300	290	10	175	97	78	—
3	Flamstead .. .. .	11638	3207	66	63	3	36	15	21	—
139.—Berkhampstead.		26847	16220	321	309	12	211	113	98	103
1	Berkhampstead <i>W</i> .. .. .	11503	8790	176	169	7	115	62	53	—
2	Tring <i>2F</i> .. .. .	15344	7430	145	140	5	96	51	45	—
9.—BUCKINGHAMSHIRE.										
140.—Amersham.		50394	22357	587	560	27	327	169	158	156
1	Missenden .. .. .	6322	2291	59	56	3	27	18	9	—
2	Chesham <i>F,H</i> .. .. .	13656	9772	243	230	13	112	48	64	—
3	Amersham <i>W</i> .. .. .	20568	7206	197	189	8	133	73	60	—
4	Chalfont <i>H</i> .. .. .	9848	3088	88	85	3	55	30	25	—
141.—Eton.		42988	34792	852	815	37	438	222	216	233
1	Iver <i>H</i> .. .. .	16706	7363	190	185	5	91	48	43	—
2	Eton <i>W,F,H</i> .. .. .	7478	18710	461	435	26	252	124	128	—
3	Burnham <i>F</i> .. .. .	18804	8719	201	195	6	95	50	45	—
142.—Wycombe.		75498	45377	1231	1185	46	572	307	265	366
1	Wycombe <i>H</i> .. .. .	18756	24476	719	697	22	293	155	138	—
2	Marlow <i>2F,H</i> .. .. .	13709	10102	269	260	9	138	68	70	—
3	Princes Risborough .. .. .	22782	6376	144	138	6	58	29	29	—
4	Stokenchurch <i>W</i> .. .. .	20251	4423	99	90	9	83	55	28	—
143.—Aylesbury.		75412	24865	581	548	33	394	202	192	184
1	Haddenham <i>L</i> .. .. .	27541	5657	125	118	7	122	67	55	—
2	Aylesbury <i>W,H</i> .. .. .	19396	13668	314	295	19	209	102	107	—
3	Waddesdon .. .. .	28475	5540	142	135	7	63	33	30	—
144.—Winslow.		34525	7034	157	147	10	103	47	56	39
1	Winslow <i>W</i> .. .. .	34525	7034	157	147	10	103	47	56	—
145.—Newport Pagnell.		74206	28000	609	584	25	301	132	169	209
1	Fenny Stratford.. .. .	33144	14814	347	335	12	142	58	84	—
2	Newport Pagnell <i>W</i> .. .. .	3432	4028	90	83	7	66	32	34	—
3	Olney .. .. .	37630	9158	172	166	6	93	42	51	—

\* 135.—The District of HATFIELD comprises the two Poor Law Unions of Hatfield (Hatfield sub-district) and Welwyn (Welwyn sub-district).

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.						AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
								Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
9.—BUCKINGHAMSH.—cont.														
146.—Buckingham.						54022	10636	237	228	9	149	74	75	78
No.														
1	Buckingham W,F,H .. ..					26769	6205	131	125	6	92	46	46	—
2	Tingewick .. ..					27253	4431	106	103	3	57	28	29	—
10.—OXFORDSHIRE.														
147.—Henley.						59540	23826	630	595	35	315	162	153	152
1	Henley W,F,H .. ..					25971	10893	264	241	23	132	81	51	—
2	Caversham .. ..					14550	9211	295	289	6	138	60	78	—
3	Watlington H .. ..					19019	3722	71	65	6	45	21	24	—
148.—Thame.						61413	13174	255	230	25	197	99	98	91
1	Lewknor .. ..					27835	4530	85	75	10	59	34	25	—
2	Thame W,3F .. ..					33578	8644	170	155	15	138	65	73	—
149.—Headington.						29093	38605	787	747	40	691	368	323	275
1	Wheatley 2F .. ..					12619	3206	67	63	4	48	26	22	—
2	St. Clement 2W,w,4H,2L .. ..					16474	35399	720	684	36	643	342	301	—
150.—Oxford.						1720	22896	544	511	33	239	130	109	219
1	Oxford F .. ..					1720	22896	544	511	33	239	130	109	—
151.—Bicester.						63008	12284	242	229	13	182	107	75	106
1	Bletchington F .. ..					32188	5761	94	90	4	75	43	32	—
2	Bicester W,F .. ..					30820	6523	148	139	9	107	64	43	—
152.—Woodstock.						47854	12071	291	278	13	166	85	81	75
1	Deddington .. ..					21412	4404	103	101	2	60	26	34	—
2	Woodstock W .. ..					26442	7667	188	177	11	106	59	47	—
153.—Witney.						77795	19283	441	422	19	283	160	123	134
1	Eynsham .. ..					18077	4361	109	104	5	53	33	20	—
2	Bampton .. ..					23691	4053	100	95	5	59	35	24	—
3	Witney W .. ..					15043	7229	165	158	7	110	58	52	—
4	Burford H .. ..					20984	3640	67	65	2	61	34	27	—
154.—Chipping Norton.						72511	16004	344	322	22	232	114	118	108
1	Charlbury .. ..					39293	8017	172	164	8	120	58	62	—
2	Chipping Norton W .. ..					33218	7987	172	158	14	112	56	56	—
155.—Banbury.						78487	28555	601	570	31	423	216	207	188
1	Bloxham .. ..					19702	5612	120	112	8	70	36	34	—
2	Swalcliffe .. ..					22744	4495	92	86	6	46	26	20	—
3	Cropredy .. ..					19596	3044	53	52	1	44	24	20	—
4	Banbury W,2F,H .. ..					16445	15404	336	320	16	263	130	133	—
11.—NORTHAMPTONSH.														
156.—Brackley.						55825	10718	230	218	12	137	69	68	57
1	Brackley W,H .. ..					55825	10718	230	218	12	137	69	68	—
157.—Towcester.						42457	10720	210	199	11	149	76	73	83
1	Abthorpe .. ..					22694	3945	81	77	4	59	27	32	—
2	Towcester W .. ..					19763	6775	129	122	7	90	49	41	—



III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS <i>(exclusive of Still-born).</i>			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
<b>11.—NORTHAMPTONSH.</b> <i>—continued.</i>										
<b>158.—Potterspury.</b>		<b>24373</b>	<b>13759</b>	<b>317</b>	<b>304</b>	<b>13</b>	<b>180</b>	<b>80</b>	<b>100</b>	<b>127</b>
No. 1	Potterspury W.. .. .	24373	13759	317	304	13	180	80	100	—
<b>159.—Hardingstone.</b>		<b>32924</b>	<b>11932</b>	<b>278</b>	<b>272</b>	<b>6</b>	<b>154</b>	<b>87</b>	<b>67</b>	<b>80</b>
1	Brafield .. .. .	12388	3118	61	60	1	39	24	15	—
2	Hardingstone W,2F .. .	20536	8814	217	212	5	115	63	52	—
<b>160.—Northampton.</b>		<b>19315</b>	<b>89355</b>	<b>1942</b>	<b>1870</b>	<b>72</b>	<b>1321</b>	<b>702</b>	<b>619</b>	<b>751</b>
1	St. Giles W,2H,L .. .	5668	53817	1090	1045	45	878	454	424	—
2	All Saints .. .. .	4537	31296	794	768	26	324	178	146	—
3	Bugbrooke L .. .. .	9110	4242	58	57	1	119	70	49	—
<b>161.—Daventry.</b>		<b>64510</b>	<b>17205</b>	<b>409</b>	<b>392</b>	<b>17</b>	<b>220</b>	<b>114</b>	<b>106</b>	<b>120</b>
1	Weedon .. .. .	19827	4566	112	105	7	54	24	30	—
2	Daventry 2W,F .. .	24567	7914	206	200	6	111	62	49	—
3	Long Buckby .. .. .	20116	4725	91	87	4	55	28	27	—
<b>162.—Brixworth.</b>		<b>63647</b>	<b>11829</b>	<b>224</b>	<b>209</b>	<b>15</b>	<b>147</b>	<b>77</b>	<b>70</b>	<b>73</b>
1	West Brixworth .. .. .	32106	5569	102	90	12	55	29	26	—
2	East Brixworth W,F,H .. .	31541	6260	122	119	3	92	48	44	—
<b>163.—Wellingborough.</b>		<b>55761</b>	<b>56042</b>	<b>1293</b>	<b>1237</b>	<b>56</b>	<b>628</b>	<b>316</b>	<b>312</b>	<b>368</b>
1	Wellingborough W,F,H .. .	26836	28917	631	611	20	331	165	166	—
2	Higham Ferrers .. .. .	28925	27125	662	626	36	297	151	146	—
<b>164.—Kettering.</b>		<b>58189</b>	<b>48093</b>	<b>1205</b>	<b>1161</b>	<b>44</b>	<b>582</b>	<b>305</b>	<b>277</b>	<b>390</b>
1	Burton Latimer .. .. .	22596	7129	189	186	3	91	53	38	—
2	Kettering W,2F,H .. .	2814	28653	692	657	35	334	175	159	—
3	Rothwell .. .. .	32779	12311	324	318	6	157	77	80	—
<b>165.—Thrapston.</b>		<b>51744</b>	<b>14941</b>	<b>364</b>	<b>350</b>	<b>14</b>	<b>206</b>	<b>115</b>	<b>91</b>	<b>105</b>
1	Thrapston W .. .. .	27802	7490	176	168	8	109	62	47	—
2	Raunds .. .. .	23942	7451	188	182	6	97	53	44	—
<b>166.—Oundle.</b>		<b>69516</b>	<b>10494</b>	<b>234</b>	<b>220</b>	<b>14</b>	<b>160</b>	<b>86</b>	<b>74</b>	<b>76</b>
1	Oundle W .. .. .	69516	10494	234	220	14	160	86	74	—
<b>167.—Peterborough.</b>		<b>104132</b>	<b>53859</b>	<b>1336</b>	<b>1272</b>	<b>64</b>	<b>707</b>	<b>365</b>	<b>342</b>	<b>428</b>
1	Stilton .. .. .	30495	5579	158	151	7	66	36	30	—
2	Peterborough W,2F,H .. .	22681	39452	962	919	43	535	283	252	—
3	Crowland .. .. .	33114	7047	181	167	14	91	35	56	—
4	Thorney .. .. .	17842	1781	35	35	—	15	11	4	—
<b>12.—HUNTINGDONSHIRE.</b>										
<b>168.—Huntingdon.</b>		<b>79735</b>	<b>18095</b>	<b>424</b>	<b>406</b>	<b>18</b>	<b>276</b>	<b>137</b>	<b>139</b>	<b>128</b>
1	Ramsey .. .. .	27066	5907	171	169	2	73	36	37	—
2	Sawtry .. .. .	16493	1793	48	47	1	40	19	21	—
3	Spaldwick .. .. .	20362	2140	39	36	3	22	7	15	—
4	Huntingdon W,2F,H .. .	15814	8255	166	154	12	141	75	66	—

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	<b>12.—HUNTINGDONSHIRE</b> <i>—continued.</i>									
	<b>169.—St. Ives.</b>	<b>61914</b>	<b>14776</b>	<b>316</b>	<b>298</b>	<b>18</b>	<b>176</b>	<b>82</b>	<b>94</b>	<b>105</b>
1	Warboys .. .. .	15738	2847	62	56	6	26	12	14	—
2	Somersham .. .. .	15298	3096	76	74	2	37	18	19	—
3	Swavesey .. .. .	14445	2468	51	47	4	35	14	21	—
4	St. Ives W .. .. .	16433	6365	127	121	6	78	38	40	—
	<b>170.—St. Neots.</b>	<b>65920</b>	<b>13879</b>	<b>336</b>	<b>323</b>	<b>13</b>	<b>200</b>	<b>110</b>	<b>90</b>	<b>113</b>
1	St. Neots .. .. .	30548	7888	187	181	6	97	47	50	—
2	Kimbolton W .. .. .	35372	5991	149	142	7	103	63	40	—
	<b>13.—BEDFORDSHIRE.</b>									
	<b>171.—Bedford.</b>	<b>96654</b>	<b>57686</b>	<b>1215</b>	<b>1149</b>	<b>66</b>	<b>791</b>	<b>406</b>	<b>385</b>	<b>387</b>
1	Riseley .. .. .	16046	2116	34	32	2	25	12	13	—
2	Sharnbrook .. .. .	12500	2101	43	40	3	25	13	12	—
3	Harrold .. .. .	11583	2356	48	47	1	32	13	19	—
4	Turvey .. .. .	9251	1747	31	29	2	25	16	9	—
5	Bedford and Kempston W,F ..	17412	27735	524	489	35	333	163	170	—
6	Bedford and Cardington 2F,H ..	29862	21631	535	512	23	351	189	162	—
	<b>172.—Biggleswade.</b>	<b>58275</b>	<b>26718</b>	<b>619</b>	<b>592</b>	<b>27</b>	<b>480</b>	<b>236</b>	<b>244</b>	<b>193</b>
1	Biggleswade* W,F .. .. .	31474	14591	364	348	16	227	123	104	—
2	Stotfold* L .. .. .	26801	12127	255	244	11	253	113	140	—
	<b>173.—Ampthill.</b>	<b>69992</b>	<b>21323</b>	<b>452</b>	<b>428</b>	<b>24</b>	<b>332</b>	<b>176</b>	<b>156</b>	<b>172</b>
1	Shillington .. .. .	12579	3473	62	59	3	58	25	33	—
2	Ampthill W, 2F .. .. .	20120	7506	172	165	7	135	78	57	—
3	Cranfield .. .. .	10832	2727	62	55	7	35	17	18	—
4	Woburn 2H .. .. .	26461	7617	156	149	7	104	56	48	—
	<b>174.—Woburn (dissolved in 1899).</b>									
	<b>175.—Leighton Buzzard.</b>	<b>42638</b>	<b>18071</b>	<b>383</b>	<b>364</b>	<b>19</b>	<b>235</b>	<b>106</b>	<b>129</b>	<b>146</b>
1	Leighton Buzzard W,3F .. ..	21537	12329	265	251	14	176	83	93	—
2	Wing .. .. .	7278	2029	47	43	4	19	7	12	—
3	Ivinghoe .. .. .	6213	1396	23	23	—	16	4	12	—
4	Edlesborough .. .. .	7610	2317	48	47	1	24	12	12	—
	<b>176.—Luton.</b>	<b>39785</b>	<b>51174</b>	<b>1459</b>	<b>1376</b>	<b>83</b>	<b>782</b>	<b>416</b>	<b>366</b>	<b>505</b>
1	Dunstable F .. .. .	13679	9248	214	206	8	117	60	57	—
2	Luton 2W,F,2H .. .. .	26106	41926	1245	1170	75	665	356	309	—
	<b>14.—CAMBRIDGESHIRE.</b>									
	<b>177.—Caxton.</b>	<b>51403</b>	<b>8397</b>	<b>182</b>	<b>170</b>	<b>12</b>	<b>106</b>	<b>52</b>	<b>54</b>	<b>55</b>
1	Caxton W .. .. .	51403	8397	182	170	12	106	52	54	—
	<b>178.—Chesterton.</b>	<b>80995</b>	<b>33246</b>	<b>742</b>	<b>703</b>	<b>39</b>	<b>466</b>	<b>224</b>	<b>242</b>	<b>231</b>
1	Willingham .. .. .	35035	9242	202	192	10	100	51	49	—
2	Fulbourn W, 2F, L .. .. .	23106	16865	404	382	22	275	135	140	—
3	Shelford .. .. .	22854	7139	136	129	7	91	38	53	—
	<b>179.—Cambridge.</b>	<b>3233</b>	<b>38379</b>	<b>815</b>	<b>772</b>	<b>43</b>	<b>586</b>	<b>300</b>	<b>286</b>	<b>313</b>
1	St. Andrew the Less W,F .. ..	1398	28424	701	665	36	362	172	190	—
2	St. Andrew the Great 2H .. ..	1835	9955	114	107	7	224	128	96	—

172 : 1, 2.—On 1st October, 1907, the boundary between these sub-districts was altered. See page 470. The births and deaths are shown as if the change had taken place at the beginning of the year.



III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
14.—CAMBRIDGESHIRE —continued.										
180.—Linton.		50916	11257	225	209	16	141	71	70	70
No.	Duxford .. .. .	15371	4642	92	89	3	47	21	26	—
2	Linton W. .. .. .	16949	3854	82	71	11	53	26	27	—
3	Balsham .. .. .	18596	2761	51	49	2	41	24	17	—
181.—Newmarket.		101353	32103	734	711	23	436	230	206	220
1	Cheveley .. .. .	39714	7966	164	161	3	94	53	41	—
2	Newmarket W,F,H .. .. .	5649	10688	211	201	10	156	31	65	—
3	Burwell .. .. .	23130	4913	128	122	6	62	33	29	—
4	Soham .. .. .	32860	8536	231	227	4	124	53	71	—
182.—Ely.		80747	20096	473	452	21	290	136	154	131
1	Haddenham .. .. .	16458	3347	67	61	6	41	23	18	—
2	Sutton .. .. .	19952	3021	70	67	3	39	18	21	—
3	Ely W .. .. .	15993	7691	180	171	9	130	65	65	—
4	Littleport .. .. .	28344	6037	156	153	3	80	30	50	—
183.—North Witchford.		59584	16994	477	451	26	245	119	126	129
1	Chatteris W .. .. .	23981	6798	204	194	10	121	67	54	—
2	March F .. .. .	35603	10196	273	257	16	124	52	72	—
184.—Whittlesey.		26180	7103	203	192	11	91	45	46	48
1	Whittlesey W .. .. .	26180	7103	203	192	11	91	45	46	—
185.—Wisbech.		111789	33105	875	814	61	527	275	252	258
1	Leverington .. .. .	26443	5120	125	115	10	62	35	27	—
2	Wisbech W,F,H .. .. .	6476	9831	239	215	24	214	112	102	—
3	Walpole St. Peter .. .. .	15056	2581	67	64	3	34	20	14	—
4	Terrington St. Clement .. .. .	23836	4871	137	130	7	72	32	40	—
5	Walsoken .. .. .	19860	6008	191	181	10	87	42	45	—
6	Upwell .. .. .	20118	4694	116	109	7	58	34	24	—

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907.

<b>15.—ESSEX.</b>										
<b>186.—West Ham.</b>										
		<b>18786</b>	<b>580396</b>	<b>19774</b>	<b>19358</b>	<b>416</b>	<b>8396</b>	<b>4154</b>	<b>4242</b>	<b>4780</b>
1	Stratford* H .. .. .	1091	52974	2627	2597	30	1092	539	553	—
2	Forest Gate* w .. .. .	787	52745							
3	Plaistow F,2H .. .. .	1249	90921	3448	3402	46	1306	622	684	—
4	Canning Town H .. .. .	1556	70718	2719	2656	63	1049	574	475	—
5	South East Ham 2F .. .. .	1993	37342	1709	1683	26	580	264	316	—
6	North East Ham w,H .. .. .	1333	58676	1882	1845	37	661	304	357	—
7	Wanstead F .. .. .	1679	9179	193	190	3	93	50	43	—
8	South Leyton 2W .. .. .	631	50467	1480	1355	125	758	338	420	—
9	North Leyton 2W,w,F .. .. .	1963	48445	1701	1669	32	1580	859	721	—
10	Walthamstow 2H,L .. .. .	6504	108929	4015	3961	54	1277	604	673	—
<b>187.—Epping.</b>										
		<b>48117</b>	<b>30461</b>	<b>725</b>	<b>699</b>	<b>26</b>	<b>393</b>	<b>219</b>	<b>174</b>	<b>179</b>
1	Chigwell 2F,3H .. .. .	11778	16397	413	403	10	199	111	88	—
2	Epping W,F .. .. .	19298	7853	181	170	11	115	64	51	—
3	Harlow .. .. .	17041	6211	131	126	5	79	44	35	—
<b>188.—Ongar.</b>										
		<b>47236</b>	<b>10044</b>	<b>223</b>	<b>216</b>	<b>7</b>	<b>136</b>	<b>71</b>	<b>65</b>	<b>70</b>
1	Bobbingworth .. .. .	24327	4753	119	117	2	53	28	25	—
2	Chipping Ongar W,w .. .. .	22909	5291	104	99	5	83	43	40	—
<b>189.—Romford.</b>										
		<b>47649</b>	<b>95455</b>	<b>3625</b>	<b>3522</b>	<b>103</b>	<b>1624</b>	<b>812</b>	<b>812</b>	<b>817</b>
1	Romford W,2F,H .. .. .	15873	20413	711	663	48	387	203	184	—
2	Ilford F,2L .. .. .	8496	41234	1689	1663	26	845	393	452	—
3	Barking Town F .. .. .	3803	21547	867	846	21	274	149	125	—
4	Hornchurch w,L .. .. .	19477	12261	358	350	8	118	67	51	—

\* 186: 1, 2.—On 1st July, 1907, the boundary between these sub-districts was altered. See pages 470, 471. The births and deaths for the new sub-districts cannot be shown separately.

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*continued.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.							AREA in Acres.	POPULATION, 1901.	BIRTHS <i>exclusive of Still-born.</i>			DEATHS			MARRIAGES.
									Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
15.—ESSEX— <i>continued.</i>															
190.—Orsett.							41298	33746	1140	1115	25	474	264	210	279
No. 1	Grays	2w,F,H	..	..	..	..	15998	26570	917	900	17	356	208	148	—
2	Orsett	W	..	..	..	..	25300	7176	223	215	8	118	56	62	—
191.—Billericay.							49854	22436	521	500	21	439	247	192	140
1	Brentwood	3w,2H,L	..	..	..	..	25584	16821	365	351	14	349	193	156	—
2	Wickford	W	..	..	..	..	24270	5615	156	149	7	90	54	36	—
192.—Chelmsford.							86157	36297	850	819	31	484	263	221	264
1	Ingatestone	F	..	..	..	..	28523	6226	151	143	8	76	38	38	—
2	Chelmsford	W,2F,H	..	..	..	..	16393	16317	398	386	12	241	127	114	—
3	Great Waltham	..	..	..	..	..	25764	6415	134	127	7	87	46	41	—
4	Great Baddow	F	..	..	..	..	15477	7339	167	163	4	80	52	28	—
193.—Rochford.							63121	51170	1768	1701	67	914	456	458	554
1	Rochford	W,2F	..	..	..	..	39638	11133	326	303	23	204	107	97	—
2	Prittlewell	2F,H	..	..	..	..	8453	32772	1187	1151	36	624	300	324	—
3	Great Wakering	..	..	..	..	..	15030	7265	255	247	8	86	49	37	—
194.—Maldon.							89887	23117	531	508	23	296	167	129	173
1	Southminster	..	..	..	..	..	35208	7438	183	174	9	77	41	36	—
2	Maldon	W,H	..	..	..	..	27557	8558	198	187	11	134	77	57	—
3	Tollesbury	F	..	..	..	..	27122	7121	150	147	3	85	49	36	—
195.—Tendring.							84076	45025	1172	1124	48	671	348	323	318
1	Clacton	F,3H	..	..	..	..	13062	8860	241	228	13	140	65	75	—
2	Thorpe	W	..	..	..	..	23196	7503	173	161	12	173	88	85	—
3	Harwich	2F,H	..	..	..	..	1541	10070	323	314	9	115	57	58	—
4	Manningtree	L	..	..	..	..	17077	7783	181	174	7	104	64	40	—
5	Ardleigh	..	..	..	..	..	29200	10809	254	247	7	139	74	65	—
196.—Colchester.							11333	38373	1009	975	34	517	268	249	304
1	Colchester First Ward	W,3H	..	..	..	..	4373	20376	570	547	23	319	171	148	—
2	Colchester Second Ward	F,L	..	..	..	..	4788	8847	174	167	7	90	37	53	—
3	Colchester Third Ward	..	..	..	..	..	2172	9150	265	261	4	108	60	48	—
197.—Lexden.							71049	21146	431	411	20	294	154	140	153
1	Wivenhoe	..	..	..	..	..	22665	8196	148	145	3	80	41	39	—
2	Stanway	W	..	..	..	..	24964	6500	154	142	12	131	68	63	—
3	Fordham	..	..	..	..	..	23420	6450	129	124	5	83	45	38	—
198.—Halstead.							39359	16249	336	319	17	196	90	106	106
1	Halstead	W,F,H	..	..	..	..	18847	10554	219	207	12	129	63	66	—
2	Hedingham	F	..	..	..	..	20512	5695	117	112	5	67	27	40	—
199.—Braintree.							68285	26893	538	512	26	350	163	187	199
1	Finchingfield	..	..	..	..	..	16724	3275	56	51	5	28	14	14	—
2	Bocking	W,H	..	..	..	..	11714	4667	83	79	4	96	50	46	—
3	Coggeshall	..	..	..	..	..	14309	5819	115	111	4	67	26	41	—
4	Witham	..	..	..	..	..	14835	5860	101	96	5	56	23	33	—
5	Braintree	F	..	..	..	..	10703	7272	183	175	8	103	50	53	—
200.—Dunmow.							73503	15705	346	330	16	248	114	134	102
1	Dunmow	W,F,H	..	..	..	..	40410	8980	196	191	5	149	75	74	—
2	Thaxted	H	..	..	..	..	33093	6725	150	139	11	99	39	60	—



## IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—continued.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
15.—ESSEX—continued.										
201.—Saffron Walden.		64676	16132	319	305	14	226	124	102	196
No. 1	Newport .. .. .	19000	3970	77	75	2	51	28	23	—
2	Saffron Walden W,F,H .. ..	24280	9026	171	161	10	130	77	53	—
3	Radwinter .. .. .	21396	3136	71	69	2	45	19	26	—
16.—SUFFOLK.										
202.—Risbridge.		53926	16049	345	322	23	242	120	122	100
1	Haverhill W,F .. .. .	18586	8701	189	176	13	137	68	69	—
2	Wickhambrook .. .. .	18813	3258	60	57	3	42	20	22	—
3	Clare .. .. .	16527	4090	96	89	7	63	32	31	—
203.—Sudbury.		80521	27040	525	487	38	402	208	194	150
1	Bulmer .. .. .	14633	2691	44	42	2	35	18	17	—
2	Bures H .. .. .	18129	4157	89	85	4	54	26	28	—
3	Sudbury W,F,H .. .. .	8681	8952	169	146	23	166	90	76	—
4	Melford .. .. .	16974	5266	108	103	5	73	39	34	—
5	Hartest .. .. .	22104	5974	115	111	4	74	35	39	—
204.—Cosford.		52890	14863	337	312	25	218	112	106	92
1	Lavenham .. .. .	27116	6881	173	167	6	117	60	57	—
2	Hadleigh W .. .. .	25774	7982	164	145	19	101	52	49	—
205.—Thingoe.		83998	14528	309	297	12	163	97	66	94
1	Rougham .. .. .	25954	4677	103	98	5	52	37	15	—
2	Fornham .. .. .	33816	5050	95	90	5	51	25	26	—
3	Ixworth .. .. .	24228	4801	111	109	2	60	35	25	—
206.—Bury St. Edmunds.		2947	16255	360	336	24	285	148	137	104
1	Bury St. Edmunds w,F,H .. ..	2947	16255	360	336	24	285	148	137	—
207.—Mildenhall.		64870	8290	185	177	8	140	74	66	54
1	Mildenhall W,H .. .. .	64870	8290	185	177	8	140	74	66	—
208.—Stow.		56810	19167	428	401	27	242	127	115	142
1	Walsham le Willows .. .. .	19179	4858	105	100	5	55	36	19	—
2	Rattlesden W .. .. .	20840	5422	124	111	13	72	29	43	—
3	Stowmarket F .. .. .	16791	8887	199	190	9	115	62	53	—
209.—Hartismere.*		107352	23735	534	497	37	308	155	153	145
1	Mendlesham W .. .. .	32047	7844	158	142	16	97	52	45	—
2	Botesdale .. .. .	22463	5670	119	114	5	76	38	38	—
3	Stradbroke* .. .. .	25606	5200	125	115	10	71	34	37	—
4	Dennington* .. .. .	27236	5021	132	126	6	64	31	33	—
210.—Hoxne* (dissolved 1st July, 1907).										
211.—Bosmere. .		58883	14097	364	341	23	217	117	100	87
1	Coddensham W .. .. .	31068	6896	188	169	19	123	65	58	—
2	Needham Market .. .. .	27815	7201	176	172	4	94	52	42	—
212.—Samford.		45351	12253	278	264	14	157	87	70	57
1	Capel St. Mary H .. .. .	22614	5827	137	132	5	55	30	25	—
2	Holbrook W,H .. .. .	22737	6426	141	132	9	102	57	45	—

\* 210.—On the 1st July, 1907, the registration district of HOXNE (210) was dissolved, and the sub-districts of Stradbroke and Dennington added to the HARTISMERE (209) registration district. The births and deaths are shown as if the change had taken place at the beginning of the year

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*continued*.

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	<b>16.—SUFFOLK—continued.</b>									
	<b>213.—Ipswich.</b>	<b>8112</b>	<b>66630</b>	<b>1856</b>	<b>1740</b>	<b>116</b>	<b>1149</b>	<b>577</b>	<b>572</b>	<b>529</b>
1	Ipswich Western .. ..	4383	30649	834	778	56	389	205	184	—
2	Ipswich Eastern 2w,F,H,L ..	3729	35981	1022	962	60	760	372	388	—
	<b>214.—Woodbridge.</b>	<b>78472</b>	<b>25582</b>	<b>568</b>	<b>538</b>	<b>30</b>	<b>379</b>	<b>178</b>	<b>201</b>	<b>150</b>
1	Carlford .. ..	25989	5901	125	118	7	68	28	40	—
2	Colneis H .. ..	26572	10051	244	231	13	121	64	57	—
3	Woodbridge and Wilford F,L ..	25911	9630	199	189	10	190	86	104	—
	<b>215.—Plomesgate.</b>	<b>75373</b>	<b>19611</b>	<b>413</b>	<b>381</b>	<b>32</b>	<b>245</b>	<b>126</b>	<b>119</b>	<b>104</b>
1	Framlingham .. ..	19405	5407	112	108	4	60	36	24	—
2	Orford W,H .. ..	34087	6736	156	140	16	94	54	40	—
3	Aldeburgh .. ..	21881	7468	145	133	12	91	36	55	—
	<b>216.—Blything.</b>	<b>94316</b>	<b>25577</b>	<b>621</b>	<b>575</b>	<b>46</b>	<b>359</b>	<b>177</b>	<b>182</b>	<b>171</b>
1	Westleton W .. ..	38222	10120	265	236	29	176	82	94	—
2	Halesworth H .. ..	26587	6384	135	130	5	77	46	31	—
3	Wenhaston H .. ..	29507	9073	221	209	12	106	49	57	—
	<b>217.—Wangford.</b>	<b>35570</b>	<b>14885</b>	<b>347</b>	<b>317</b>	<b>30</b>	<b>206</b>	<b>99</b>	<b>107</b>	<b>103</b>
1	Bungay .. ..	17103	5401	112	102	10	78	40	38	—
2	Beccles W,F,H .. ..	18467	9484	235	215	20	128	59	69	—
	<b>218.—Mutford.</b>	<b>31741</b>	<b>43338</b>	<b>1338</b>	<b>1281</b>	<b>57</b>	<b>652</b>	<b>342</b>	<b>310</b>	<b>418</b>
1	Kessingland .. ..	10534	12858	438	424	14	188	95	93	—
2	Lowestoft W,2F,2H .. ..	7495	26756	822	781	41	422	229	193	—
3	Belton .. ..	13712	3724	78	76	2	42	18	24	—
	<b>17.—NORFOLK.</b>									
	<b>219.—Yarmouth.</b>	<b>3524</b>	<b>50704</b>	<b>1375</b>	<b>1300</b>	<b>75</b>	<b>792</b>	<b>427</b>	<b>365</b>	<b>411</b>
1	Yarmouth Southern H,L ..	479	15526	423	406	17	240	145	95	—
2	Yarmouth Northern W,F,H ..	896	19845	522	477	45	367	196	171	—
3	Gorleston F,H .. ..	2149	15333	430	417	13	185	86	99	—
	<b>220.—Flegg.</b>	<b>29049</b>	<b>9803</b>	<b>279</b>	<b>266</b>	<b>13</b>	<b>159</b>	<b>77</b>	<b>82</b>	<b>75</b>
1	East Flegg .. ..	13261	5030	144	142	2	85	43	42	—
2	West Flegg W .. ..	15788	4773	135	124	11	74	34	40	—
	<b>221.—Smallburgh.</b>	<b>66988</b>	<b>17329</b>	<b>423</b>	<b>394</b>	<b>29</b>	<b>253</b>	<b>111</b>	<b>142</b>	<b>110</b>
1	Ludham .. ..	16469	3003	74	73	1	48	20	28	—
2	Smallburgh W .. ..	17203	3962	92	77	15	51	25	26	—
3	Stalham .. ..	17459	3981	100	96	4	53	26	27	—
4	North Walsham .. ..	15857	6383	157	148	9	101	40	61	—
	<b>222.—Erpingham.</b>	<b>64227</b>	<b>22263</b>	<b>527</b>	<b>499</b>	<b>28</b>	<b>305</b>	<b>150</b>	<b>155</b>	<b>149</b>
1	Repps H .. ..	15931	4165	98	96	2	63	28	35	—
2	Cromer W,F,2H .. ..	23389	11375	249	233	16	149	72	77	—
3	Holt H .. ..	24907	6723	180	170	10	93	50	43	—
	<b>223.—Aylsham.</b>	<b>69341</b>	<b>17053</b>	<b>390</b>	<b>350</b>	<b>40</b>	<b>230</b>	<b>120</b>	<b>110</b>	<b>89</b>
1	Eynsford .. ..	41002	7842	183	171	12	101	51	50	—
2	Buxton W .. ..	28339	9211	207	179	28	129	69	60	—
	<b>224.—St. Faith's.</b>	<b>49256</b>	<b>12567</b>	<b>294</b>	<b>273</b>	<b>21</b>	<b>196</b>	<b>89</b>	<b>107</b>	<b>59</b>
1	St. Faith's W,F,L .. ..	49256	12567	294	273	21	196	89	107	—



IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
17.—NORFOLK—continued.										
No.	225.—Norwich.	7556	111733	2975	2827	148	1777	890	887	890
1	East Wymer	2789	54655	1569	1494	75	688	350	338	—
2	West Wymer W,2F,3H,L	4767	57078	1406	1333	73	1089	540	549	—
226.—Forehoe.		38528	11329	264	242	22	176	83	93	75
1	Costessey	15702	3485	89	84	5	42	19	23	—
2	Wymondham W	22826	7844	175	158	17	134	64	70	—
227.—Henstead.		42398	10358	220	212	8	134	64	70	71
1	Humbleyard* W	22468	5302	112	109	3	69	38	31	—
2	Henstead*	19930	5056	108	103	5	65	26	39	—
228.—Blofield.		45967	11845	250	236	14	251	134	117	68
1	Blofield W,L	19961	6935	136	130	6	189	106	83	—
2	South Walsham	26006	4910	114	106	8	62	28	34	—
229.—Loddon.		60321	12393	270	252	18	175	83	92	69
1	Aldeby H	28874	6346	136	131	5	72	36	36	—
2	Loddon W	31447	6047	134	121	13	103	47	56	—
230.—Depwade.		83959	23860	476	445	31	341	166	175	151
1	Harleston W	31591	8772	192	182	10	144	76	68	—
2	Diss H	19940	7464	121	110	11	91	41	50	—
3	Stratton	32428	7624	163	153	10	106	49	57	—
231.—Guiltecross (dissolved in 1902).										
232.—Wayland.		68775	13793	286	262	24	197	101	96	86
1	Attleborough† W	33214	8223	171	151	20	108	54	54	—
2	Watton †H	35561	5570	115	111	4	89	47	42	—
233.—Mitford.		106911	23982	571	523	48	331	164	167	174
1	Shipdham	11579	2282	50	46	4	24	12	12	—
2	Mattishall	17003	3439	77	69	8	57	35	22	—
3	Bawdeswell	13556	2504	68	63	5	30	11	19	—
4	East Dereham W	18922	7992	190	171	19	129	63	66	—
5	Litcham	26969	3990	99	90	9	40	17	23	—
6	North Elmham	18882	3775	87	84	3	51	26	25	—
234.—Walsingham.		83142	19621	447	418	29	248	125	123	103
1	Fakenham	29061	7440	159	152	7	86	48	38	—
2	Walsingham W	32011	6592	167	151	16	101	54	47	—
3	Wells	22070	5589	121	115	6	61	23	38	—
235.—Docking.		87948	17634	406	369	37	258	145	113	119
1	Burnham	40358	6570	156	146	10	79	44	35	—
2	Snettisham W,H	47590	11064	250	223	27	179	101	78	—
236.—Freebridge Lynn.		74774	11847	245	224	21	134	69	65	66
1	Hillington	26542	4124	92	85	7	47	21	26	—
2	Gayton W	33062	5328	105	95	10	62	35	27	—
3	Castle Rising	15170	2395	48	44	4	25	13	12	—

\* 227 1, 2.—On 1st April, 1907, Henstead sub-district was divided into two, viz.:—Humbleyard (1), and Henstead (2). See page 471. The births and deaths are shown as if the change had taken place at the beginning of the year.

† 232: 1, 2.—On 1st April, 1907, the boundary between these sub-districts was altered. See page 471. The births and deaths are shown as if the change had taken place at the beginning of the year.

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*continued*.

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males	Females.	
	<b>17.—NORFOLK—continued.</b>									
	<b>237.—King's Lynn.</b>	<b>4696</b>	<b>20950</b>	<b>490</b>	<b>447</b>	<b>43</b>	<b>290</b>	<b>147</b>	<b>143</b>	<b>150</b>
1	North King's Lynn .. ..	629	12057	262	243	19	145	67	78	—
2	South King's Lynn W,F,H ..	4067	8893	228	204	24	145	80	65	—
	<b>238.—Downham.</b>	<b>82933</b>	<b>17309</b>	<b>401</b>	<b>368</b>	<b>33</b>	<b>267</b>	<b>137</b>	<b>130</b>	<b>124</b>
1	Wiggenhall .. ..	32114	5863	126	117	9	78	42	36	—
2	Downham W .. ..	28145	7705	203	184	19	136	71	65	—
3	Fincham .. ..	22674	3741	72	67	5	53	24	29	—
	<b>239.—Swaffham.</b>	<b>82148</b>	<b>11015</b>	<b>262</b>	<b>234</b>	<b>28</b>	<b>166</b>	<b>72</b>	<b>94</b>	<b>73</b>
1	Swaffham W,F,H .. ..	82148	11015	262	234	28	166	72	94	—
	<b>240.—Thetford.</b>	<b>133729</b>	<b>20366</b>	<b>462</b>	<b>442</b>	<b>20</b>	<b>286</b>	<b>145</b>	<b>141</b>	<b>143</b>
1	Methwold .. ..	68470	8018	202	191	11	119	67	52	—
2	Thetford W,H .. ..	70259	12348	260	251	9	167	78	89	—

## V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907.

	<b>18.—WILTSHIRE.</b>									
	<b>241.—Swindon.</b>	<b>53986</b>	<b>59285</b>	<b>1930</b>	<b>1850</b>	<b>80</b>	<b>906</b>	<b>435</b>	<b>471</b>	<b>513</b>
1	Highworth W,F .. ..	24251	8919	300	268	32	186	91	95	—
2	Swindon F,2H .. ..	29735	50366	1630	1582	48	720	344	376	—
	<b>242.—Cricklade.</b>	<b>46734</b>	<b>11357</b>	<b>296</b>	<b>280</b>	<b>16</b>	<b>155</b>	<b>77</b>	<b>78</b>	<b>73</b>
1	Wootton Bassett F .. ..	22427	5541	145	140	5	68	33	35	—
2	Cricklade W .. ..	24307	5816	151	140	11	87	44	43	—
	<b>243.—Malmesbury.</b>	<b>58535</b>	<b>12676</b>	<b>273</b>	<b>266</b>	<b>7</b>	<b>173</b>	<b>82</b>	<b>91</b>	<b>75</b>
1	Malmesbury Eastern H .. ..	32583	5290	111	109	2	76	37	39	—
2	Malmesbury Western W,H..	25952	7386	162	157	5	97	45	52	—
	<b>244.—Chippenham.</b>	<b>58967</b>	<b>22959</b>	<b>537</b>	<b>521</b>	<b>16</b>	<b>334</b>	<b>160</b>	<b>174</b>	<b>154</b>
1	Castle Combe .. ..	14183	2462	51	49	2	17	7	10	—
2	Corsham .. ..	17605	8319	171	171	—	111	52	59	—
3	Chippenham W,F,H .. ..	14884	9606	263	250	13	170	90	80	—
4	Christian Malford .. ..	12295	2572	52	51	1	36	11	25	—
	<b>245.—Calne.</b>	<b>29324</b>	<b>8071</b>	<b>197</b>	<b>184</b>	<b>13</b>	<b>130</b>	<b>59</b>	<b>71</b>	<b>68</b>
1	Calne W,F .. ..	29324	8071	197	184	13	130	59	71	—
	<b>246.—Marlborough.</b>	<b>44393</b>	<b>8458</b>	<b>178</b>	<b>164</b>	<b>14</b>	<b>95</b>	<b>54</b>	<b>41</b>	<b>57</b>
1	Marlborough W,2F,H.. ..	44393	8458	178	164	14	95	54	41	—
	<b>247.—Devizes.</b>	<b>62762</b>	<b>19602</b>	<b>449</b>	<b>432</b>	<b>17</b>	<b>292</b>	<b>135</b>	<b>157</b>	<b>122</b>
1	Devizes W,F,H,L .. ..	30133	13243	312	301	11	210	100	110	—
2	Lavington .. ..	32629	6359	137	131	6	82	35	47	—
	<b>248.—Melksham.</b>	<b>16379</b>	<b>18416</b>	<b>447</b>	<b>433</b>	<b>14</b>	<b>259</b>	<b>137</b>	<b>122</b>	<b>164</b>
1	Melksham W,H .. ..	12744	6022	157	151	6	97	45	52	—
2	Trowbridge F,H .. ..	3635	12394	290	282	8	162	92	70	—



V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
18.—WILTSHIRE—continued.										
No.	249.—Bradford on Avon.	18688	9585	230	221	9	112	52	60	63
1	Bradford on Avon W,H .. ..	18688	9585	230	221	9	112	52	60	—
250.—Westbury.		31534	9704	248	237	11	149	68	81	77
1	Bradley .. ..	12810	3280	80	79	1	46	21	25	—
2	Westbury W,H .. ..	18724	6424	168	158	10	103	47	56	—
251.—Warminster.		58458	11781	230	219	11	156	78	78	96
1	Warminster W,F,H .. ..	19124	7532	156	147	9	108	54	54	—
2	Longbridge Deverill .. ..	11295	1493	22	22	—	25	14	11	—
3	Heytesbury .. ..	28039	2756	52	50	2	23	10	13	—
252.—Pewsey.		75219	11211	310	291	19	148	70	78	82
1	Netheravon W .. ..	39964	6121	158	145	13	81	37	44	—
2	Collingbourne H .. ..	35255	5090	152	146	6	67	33	34	—
253.—Amesbury.		63453	8268	267	255	12	119	61	58	64
1	Orcheston .. ..	18651	1875	42	41	1	19	10	9	—
2	Amesbury W,H .. ..	28176	4470	175	165	10	68	39	29	—
3	Winterbourne F .. ..	16626	1923	50	49	1	32	12	20	—
254.—Salisbury.		58712	29977	680	649	31	447	219	228	225
1	Alderbury .. ..	27279	4023	97	95	2	51	28	23	—
2	Downton .. ..	29713	5769	124	121	3	69	35	34	—
3	Salisbury W,H,L .. ..	1720	20185	459	433	26	327	156	171	—
255.—Wilton.		56205	9670	218	210	8	119	50	69	73
1	Wilton W .. ..	24089	5951	150	143	7	82	29	53	—
2	Bishopstone .. ..	32116	3719	68	67	1	37	21	16	—
256.—Tisbury.		43562	7714	174	172	2	125	67	58	62
1	Donhead .. ..	20017	3053	72	72	—	42	31	11	—
2	Tisbury W .. ..	11594	2947	61	60	1	48	19	29	—
3	Hindon .. ..	11951	1714	41	40	1	35	17	18	—
257.—Mere.		32309	5210	113	108	5	65	26	39	30
1	Mere W .. ..	32309	5210	113	108	5	65	26	39	—
19.—DORSETSHIRE.										
258.—Shaftesbury.		43089	12955	241	228	13	166	79	87	80
1	Shaftesbury W,H .. ..	8273	4282	61	56	5	61	36	25	—
2	Fontmell .. ..	15215	2275	47	44	3	19	5	14	—
3	Gillingham.. ..	19601	6398	133	128	5	86	38	48	—
259.—Sturminster.		39342	8804	146	139	7	149	68	81	70
1	Sturminster W .. ..	39342	8804	146	139	7	149	68	81	—
260.—Blandford.		61959	12457	241	233	8	177	96	81	93
1	Milton Abbas H .. ..	29081	4295	86	82	4	59	34	25	—
2	Blandford W,F,H .. ..	32878	8162	155	151	4	118	62	56	—

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	<b>19.—DORSETSHIRE—<i>cont.</i></b>									
	<b>261.—Wimborne.</b>	<b>81534</b>	<b>17110</b>	<b>379</b>	<b>363</b>	<b>16</b>	<b>252</b>	<b>153</b>	<b>99</b>	<b>115</b>
1	Cranborne .. .. .	42802	5838	127	122	5	95	53	42	—
2	Wimborne W,H.. .. .	38732	11272	252	241	11	157	100	57	—
	<b>262.—Poole.</b>	<b>25234</b>	<b>32337</b>	<b>1012</b>	<b>971</b>	<b>41</b>	<b>479</b>	<b>245</b>	<b>234</b>	<b>309</b>
1	Canford F,H .. .. .	13213	11371	412	396	16	126	71	55	—
2	Poole W,F,2H .. .. .	4256	18379	532	508	24	317	152	165	—
3	Lytchett .. .. .	7815	2587	68	67	1	36	22	14	—
	<b>263.—Wareham.</b>	<b>92519</b>	<b>16001</b>	<b>392</b>	<b>375</b>	<b>17</b>	<b>197</b>	<b>98</b>	<b>99</b>	<b>130</b>
1	Swanage H .. .. .	12758	4936	132	129	3	56	27	29	—
2	Corfe Castle .. .. .	11854	1967	60	57	3	25	12	13	—
3	Wareham W,F .. .. .	37197	5516	109	102	7	76	41	35	—
4	Bere Regis .. .. .	30710	3582	91	87	4	40	18	22	—
	<b>264.—Weymouth.</b>	<b>33201</b>	<b>42926</b>	<b>937</b>	<b>916</b>	<b>21</b>	<b>537</b>	<b>296</b>	<b>241</b>	<b>317</b>
1	Upway 2F .. .. .	18095	4558	97	96	1	61	30	31	—
2	Weymouth W,F,3H .. .. .	2454	21753	552	534	18	346	182	164	—
3	Portland H .. .. .	2897	15199	257	256	1	114	73	41	—
4	Abbotsbury .. .. .	9755	1416	31	30	1	16	11	5	—
	<b>265.—Dorchester.*</b>	<b>117472</b>	<b>24001</b>	<b>495</b>	<b>473</b>	<b>22</b>	<b>432</b>	<b>242</b>	<b>190</b>	<b>169</b>
1	Dorchester W,F,H .. .. .	9045	10148	236	223	13	182	86	76	—
2	Puddletown .. .. .	24168	3375	61	59	2	42	29	13	—
3	Maiden Newton L .. .. .	37518	5414	85	84	1	150	89	61	—
4	Cerne W .. .. .	46741	5064	113	107	6	78	38	40	—
	<b>266.—Sherborne.</b>	<b>38411</b>	<b>11485</b>	<b>239</b>	<b>229</b>	<b>10</b>	<b>183</b>	<b>87</b>	<b>96</b>	<b>88</b>
1	Yetminster.. .. .	21052	3402	72	67	5	50	25	25	—
2	Sherborne W,H.. .. .	17359	8083	167	162	5	133	62	71	—
	<b>267.—Beaminster.</b>	<b>58693</b>	<b>9184</b>	<b>191</b>	<b>182</b>	<b>9</b>	<b>114</b>	<b>63</b>	<b>51</b>	<b>62</b>
1	Evershot .. .. .	17458	2079	54	52	2	23	13	10	—
2	Netherbury W .. .. .	29139	4499	83	78	5	67	35	32	—
3	Beaminster .. .. .	12096	2606	54	52	2	24	15	9	—
	<b>268.—Bridport.</b>	<b>32837</b>	<b>12708</b>	<b>237</b>	<b>234</b>	<b>3</b>	<b>210</b>	<b>119</b>	<b>91</b>	<b>109</b>
1	Burton Bradstock .. .. .	16122	3443	73	73	—	53	32	21	—
2	Bridport W,H .. .. .	673	5962	99	97	2	98	55	43	—
3	Whitchurch Canonorum F .. .. .	16042	3303	65	64	1	59	32	27	—
	<b>20.—DEVONSHIRE.</b>									
	<b>269.—Axminster.</b>	<b>54548</b>	<b>15623</b>	<b>283</b>	<b>274</b>	<b>9</b>	<b>213</b>	<b>103</b>	<b>110</b>	<b>102</b>
1	Lyme H .. .. .	4821	2920	55	54	1	32	19	13	—
2	Axminster W,H .. .. .	13551	3993	70	68	2	63	32	31	—
3	Chardstock F .. .. .	17429	2752	41	41	—	40	24	16	—
4	Colyton .. .. .	18747	5958	117	111	6	78	28	50	—
	<b>270.—Honiton.</b>	<b>87759</b>	<b>20285</b>	<b>417</b>	<b>404</b>	<b>13</b>	<b>333</b>	<b>162</b>	<b>171</b>	<b>142</b>
1	Honiton W,H .. .. .	55181	9146	193	185	8	148	77	71	—
2	Ottery St. Mary 2H .. .. .	32578	11139	224	219	5	185	85	100	—

\* 265.—The District of DORCHESTER comprises the two Poor Law Unions of Dorchester (Dorchester, Puddletown, and Maiden Newton sub-districts) and Cerne (Cerne sub-district).



V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
20.—DEVONSHIRE—cont.										
No.	271.—St. Thomas.	125452	55372	1283	1242	41	989	507	482	412
1	East Budleigh H .. .. .	12101	3890	69	68	1	55	21	34	—
2	Exmouth H .. .. .	5584	11497	213	209	4	168	80	88	—
3	Woodbury .. .. .	13943	2769	69	67	2	43	26	17	—
4	Topsham .. .. .	4916	3606	94	93	1	61	31	30	—
5	Heavitree 2F,2L.. .. .	31602	13575	382	371	11	255	127	128	—
6	St. Thomas W .. .. .	35882	14496	368	348	20	234	136	98	—
7	Kenton 2L .. .. .	20424	5539	88	86	2	173	86	87	—
272.—Exeter.										
1	Exeter W,3H .. .. .	1890	37718	800	756	44	678	336	342	392
273.—Newton Abbot.										
1	Teignmouth F,2H .. .. .	11406	14393	253	240	13	185	74	111	581
2	Chudleigh .. .. .	19056	5643	133	130	3	76	34	42	—
3	Moreton Hampstead H .. .. .	22899	2654	50	48	2	37	20	17	—
4	Ashburton H .. .. .	32322	5088	92	88	4	61	36	25	—
5	Newton Abbot W,F,H .. .. .	21071	16951	396	363	33	305	145	160	—
6	Torquay 2F,9H .. .. .	10446	35583	552	531	21	539	259	280	—
274.—Totnes.										
1	Paignton F,H .. .. .	10090	9473	231	224	7	160	74	86	324
2	Brixham F,H .. .. .	8145	8624	180	176	4	104	57	47	—
3	Dartmouth H .. .. .	4977	7969	190	185	5	116	62	54	—
4	Totnes W,H .. .. .	12219	5530	112	101	11	95	48	47	—
5	Buckfastleigh .. .. .	20323	3972	68	66	2	45	24	21	—
6	Ugborough H,L.. .. .	25043	3662	73	72	1	82	26	56	—
7	Harberton .. .. .	15678	2215	47	43	4	31	18	13	—
275.—Kingsbridge.										
1	Blackawton .. .. .	13058	2063	43	40	3	29	17	12	96
2	Stokenham.. .. .	16060	2924	63	61	2	39	22	17	—
3	West Alvington W .. .. .	15065	4247	93	83	10	65	36	29	—
4	Kingsbridge H .. .. .	12658	4137	72	71	1	48	24	24	—
5	Modbury .. .. .	16182	2762	64	63	1	42	22	20	—
276.—Plympton St. Mary.										
1	Yealmpton .. .. .	27831	9400	226	222	4	125	65	60	158
2	Plympton W,2H .. .. .	46250	11968	282	275	7	146	78	68	—
277.—Plymouth.										
1	Plymouth North* W,4H .. .. .	960	28101	1555	1488	67	1072	546	526	—
2	Plymouth South East* F .. .. .	838	29962							
3	Plymouth South West* 2F,H .. .. .	572	49573	1232	1188	44	704	351	353	—
278.—East Stonehouse.										
1	East Stonehouse W,H .. .. .	192	15111	437	426	11	304	166	138	140
279.—Devonport.										
1	St. Aubyn 2H .. .. .	376	22928	675	661	14	363	195	168	675
2	Stoke W,2F .. .. .	2243	24407	931	911	20	438	208	230	—
3	Tamar H .. .. .	425	23102	586	577	9	266	150	116	—
280.—Tavistock.										
1	Calstock .. .. .	12023	7829	191	184	7	119	65	54	194
2	Tavistock W,H .. .. .	89640	13352	251	240	11	175	91	84	—
3	Milton Abbot .. .. .	34594	3118	55	53	2	35	21	14	—
4	Lifton .. .. .	22782	2608	45	43	2	31	13	18	—

\* 277: 1, 2, 3.—On the 1st February, 1907, Charles sub-district was divided into two, viz.:—Plymouth North (1), and Plymouth South East (2). The births and deaths for the new sub-districts cannot be shown separately. St. Andrew sub-district was renamed Plymouth South West (3). See pages 471 472.

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.						AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
								Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
20.—DEVONSHIRE—cont.														
281.—Okehampton.						133320	15756	345	319	26	236	118	118	104
No. 1	Bratton Clovelly	H	..	..	..	22629	1598	30	26	4	17	6	11	—
2	Hatherleigh	..	..	..	..	26698	2874	65	59	6	43	16	27	—
3	Okehampton	W	..	..	..	28153	4461	102	95	7	78	42	36	—
4	Chagford	H	..	..	..	20136	2432	58	56	2	36	20	16	—
5	Tawton	..	..	..	..	35704	4391	90	83	7	62	34	28	—
282.—Crediton.						94455	15553	253	244	9	237	124	113	85
1	Morehard Bishop	..	..	..	..	28994	3385	60	60	—	36	19	17	—
2	Bow	..	..	..	..	20522	2369	41	37	4	38	20	18	—
3	Crediton	W	..	..	..	17106	5902	91	87	4	109	55	54	—
4	Cheriton Fitzpaine	..	..	..	..	27833	3897	61	60	1	54	30	24	—
283.—Tiverton.						110847	27378	532	509	23	387	175	212	195
1	Silverton	..	..	..	..	19606	4227	92	89	3	73	34	39	—
2	Cullompton	..	..	..	..	32830	7991	158	149	9	102	42	60	—
3	Tiverton	W,F,H	..	..	..	17680	10382	184	176	8	155	70	85	—
4	Bampton	..	..	..	..	40731	4778	98	95	3	57	29	28	—
284.—South Molton.						123343	13812	249	239	10	196	92	104	89
1	Witheridge	..	..	..	..	73194	5737	106	103	3	81	36	45	—
2	South Molton	W,H	..	..	..	50149	8075	143	136	7	115	56	59	—
285.—Barnstaple.						144845	42060	800	751	49	609	300	309	273
1	Barnstaple	W,H	..	..	..	1577	11999	232	210	22	218	110	108	—
2	Lynton	H	..	..	..	35073	3142	49	47	2	31	13	18	—
3	Combe Martin	..	..	..	..	27957	3862	77	75	2	60	32	28	—
4	Ilfracombe	2F,H	..	..	..	44795	16847	312	297	15	221	104	117	—
5	Bishops Tawton	..	..	..	..	35443	6210	130	122	8	79	41	38	—
286.—Torrington.						83388	12501	247	239	8	170	78	92	71
1	High Bickington	..	..	..	..	18115	1988	33	33	—	18	12	6	—
2	Winkleigh	..	..	..	..	32998	3765	77	76	1	52	25	27	—
3	Shebbear	..	..	..	..	18084	2252	47	45	2	27	14	13	—
4	Great Torrington	W,H	..	..	..	14191	4496	90	85	5	73	27	46	—
287.—Bideford.						62474	20603	459	441	18	272	138	134	127
1	Bideford	W,F,H	..	..	..	5476	9189	209	196	13	133	68	65	—
2	Northam	..	..	..	..	4514	5731	124	122	2	78	34	44	—
3	Parkham	..	..	..	..	16956	2116	38	36	2	22	11	11	—
4	Hartland	..	..	..	..	29659	3147	75	74	1	37	24	13	—
5	Putford	..	..	..	..	5869	420	13	13	—	2	1	1	—
288.—Holsworthy.						85524	8687	195	185	10	133	64	69	59
1	Milton Damerel	..	..	..	..	23736	2138	50	50	—	30	13	17	—
2	Holsworthy	W	..	..	..	20534	2947	80	73	7	55	27	28	—
3	Black Torrington	..	..	..	..	16022	1495	29	27	2	24	10	14	—
4	Ashwater	..	..	..	..	8710	758	8	8	—	8	6	2	—
5	Clawton	..	..	..	..	16522	1349	28	27	1	16	8	8	—
21.—CORNWALL.														
289.—Stratton.						55220	7316	155	140	15	111	44	67	57
1	Kilkhampton	..	..	..	..	16345	1465	30	29	1	27	14	13	—
2	Stratton	W,H	..	..	..	13484	3745	84	73	11	64	24	40	—
3	Week St Mary	..	..	..	..	25391	2106	41	38	3	20	6	14	—



V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
21.—CORNWALL—cont.										
290.—Camelford.		52545	7188	175	167	8	97	42	55	45
1	Boscastle .. .. .	17660	2176	57	54	3	25	13	12	—
2	Camelford W .. .. .	34885	5012	118	113	5	72	29	43	—
291.—Launceston.		104663	14310	252	242	10	220	112	108	89
1	Altarnun .. .. .	22631	1756	19	19	—	23	14	9	—
2	North Petherwin .. .. .	49530	4258	89	87	2	71	32	39	—
3	Launceston W,H .. .. .	2189	4053	68	66	2	72	34	38	—
4	North Hill .. .. .	30313	4243	76	70	6	54	32	22	—
292.—St. Germans.		43032	21147	490	473	17	288	132	156	95
1	Antony W .. .. .	7701	10613	234	226	8	137	72	65	—
2	St. Germans .. .. .	12582	2606	41	41	—	40	22	18	—
3	Saltash H.. .. .	22749	7928	215	206	9	111	38	73	—
293.—Liskeard.		107851	23946	548	517	31	365	173	192	183
1	Callington .. .. .	22883	5681	121	110	11	98	45	53	—
2	Liskeard W,H .. .. .	45169	9353	195	182	13	159	70	89	—
3	Looe .. .. .	19933	5448	152	151	1	65	36	29	—
4	Lerrin F .. .. .	19866	3464	80	74	6	43	22	21	—
294.—Bodmin		89179	19263	396	384	12	308	158	150	126
1	Lanlivery .. .. .	18564	3963	86	85	1	44	22	22	—
2	St. Mabyn .. .. .	28941	2629	48	46	2	36	15	21	—
3	Bodmin W,H,L .. .. .	16517	7078	138	131	7	147	80	67	—
4	Egloshayle .. .. .	25157	5593	124	122	2	81	41	40	—
295.—St. Columb.		78068	15428	345	321	24	238	113	125	112
1	Padstow .. .. .	26541	4322	90	83	7	80	35	45	—
2	St. Columb W,F .. .. .	31312	8130	177	165	12	125	63	62	—
3	Newlyn .. .. .	20215	2976	78	73	5	33	15	18	—
296.—St. Austell.		58481	32937	831	792	39	501	259	242	264
1	Fowey H .. .. .	8592	7692	161	155	6	116	62	54	—
2	St. Austell W .. .. .	21924	15254	422	394	28	254	134	120	—
3	Mevagissey .. .. .	13156	3964	81	79	2	45	19	26	—
4	Grampound .. .. .	14809	6027	167	164	3	86	44	42	—
297.—Truro.		89368	33624	592	563	29	512	237	275	244
1	Probus .. .. .	22029	3410	66	62	4	38	17	21	—
2	St. Just .. .. .	16412	3605	50	49	1	51	26	25	—
3	St. Agnes F,H .. .. .	19338	6986	135	128	7	111	56	55	—
4	St. Clement W,F .. .. .	11658	7486	148	138	10	112	52	60	—
5	Kenwyn H .. .. .	10208	8621	146	140	6	151	62	89	—
6	Kea .. .. .	9723	3516	47	46	1	49	24	25	—
298.—Falmouth.		25296	23171	423	406	17	336	165	171	171
1	Penryn .. .. .	8213	7243	122	119	3	100	43	57	—
2	Falmouth W,F,3H .. .. .	4377	13077	257	245	12	198	103	95	—
3	Constantine .. .. .	12706	2848	44	42	2	38	19	19	—
299.—Helston.		73334	20773	419	399	20	306	147	159	139
1	Wendron .. .. .	19085	6906	154	150	4	78	35	43	—
2	Helston W .. .. .	10053	4261	74	63	11	76	36	40	—
3	St. Keverne .. .. .	28095	4541	93	92	1	61	30	31	—
4	Breage .. .. .	8605	2822	61	58	3	51	25	26	—
5	Crowan .. .. .	7496	2243	37	36	1	40	21	19	—

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.							AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS		MARRIAGES.	
									Total.	Legitimate.	Illegitimate.	Total.	Males.		Females.
21.—CORNWALL—continued.															
300.—Redruth.							40426	48109	1104	1044	60	841	417	424	428
No.	Gwennap	..	..	..	..	..	10991	7375	144	140	4	106	62	44	—
2	Redruth 2H	..	..	..	..	..	4006	10451	243	231	12	211	103	108	—
3	Illogan W,F	..	..	..	..	..	8493	8885	221	194	27	179	92	87	—
4	Camborne F	..	..	..	..	..	6931	14726	362	346	16	246	124	122	—
5	Phillack	..	..	..	..	..	10005	6672	134	133	1	99	36	63	—
301.—Penzance.							64880	49287	1076	1031	45	695	349	346	419
1	Uny Lelant	..	..	..	..	..	12107	5389	110	105	5	82	42	40	—
2	St. Ives	..	..	..	..	..	9092	7359	171	168	3	97	54	43	—
3	Marazion	..	..	..	..	..	4766	2945	48	46	2	65	34	31	—
4	Penzance W,F,H	..	..	..	..	..	13723	24430	550	522	28	333	164	169	—
5	St. Just in Penwith	..	..	..	..	..	13512	6546	146	142	4	103	45	58	—
6	St. Buryan	..	..	..	..	..	11680	2618	51	48	3	15	10	5	—
302.—Isles of Scilly.							4041	2092	40	40	—	36	16	20	7
1	Isles of Scilly W	..	..	..	..	..	4041	2092	40	40	—	36	16	20	—
22.—SOMERSETSHIRE.															
303.—Williton.							100679	16973	331	317	14	243	122	121	120
1	Minehead F	..	..	..	..	..	24381	4442	90	87	3	65	32	33	—
2	Dunster H	..	..	..	..	..	26269	3227	60	59	1	44	15	29	—
3	Williton W	..	..	..	..	..	16206	5352	108	102	6	81	50	31	—
4	Stogursey	..	..	..	..	..	15040	1770	20	20	—	26	14	12	—
5	Stogumber	..	..	..	..	..	18783	2182	53	49	4	27	11	16	—
304.—Dulverton.							78980	4609	99	97	2	63	33	30	22
1	Dulverton W	..	..	..	..	..	78980	4609	99	97	2	63	33	30	—
305.—Wellington.							61093	18314	398	382	16	272	148	124	121
1	Wiveliscombe	..	..	..	..	..	10807	2794	64	62	2	37	19	18	—
2	Milverton H	..	..	..	..	..	15361	3056	74	72	2	47	23	24	—
3	Wellington W,H	..	..	..	..	..	13953	9127	183	176	7	139	72	67	—
4	Culmstock	..	..	..	..	..	20972	3337	77	72	5	49	34	15	—
306.—Taunton.							73109	38653	906	853	53	639	310	329	305
1	Pitminster	..	..	..	..	..	23593	4057	77	70	7	37	18	19	—
2	North Curry	..	..	..	..	..	22280	6562	156	147	9	77	39	38	—
3	Taunton W,F,H	..	..	..	..	..	6928	23101	577	547	30	403	198	205	—
4	Bishop's Lydeard L	..	..	..	..	..	20308	4933	96	89	7	122	55	67	—
307.—Bridgwater.							88382	33655	834	803	31	478	249	229	266
1	North Petherton*	..	..	..	..	..	28948	6625	116	115	1	82	40	42	—
2	Bridgwater* W,F,H	..	..	..	..	..	16610	18706	524	500	24	286	143	143	—
3	Huntspill H	..	..	..	..	..	33554	6357	146	142	4	81	48	33	—
4	Middlezoy*	..	..	..	..	..	9270	1967	48	46	2	29	18	11	—
308.—Langport.							59410	13459	332	319	13	186	90	96	75
1	Somerton W	..	..	..	..	..	34352	6568	163	157	6	84	44	40	—
2	Langport	..	..	..	..	..	25058	6891	169	162	7	102	46	56	—
309.—Chard.							57451	24250	465	451	14	319	165	154	176
1	Ilminster	..	..	..	..	..	19086	6568	120	116	4	85	41	44	—
2	Combe St. Nicholas	..	..	..	..	..	11782	1851	41	40	1	18	9	9	—
3	Chard W	..	..	..	..	..	10760	7364	155	151	4	117	53	64	—
4	Crewkerne H	..	..	..	..	..	15823	8467	149	144	5	99	62	37	—

\* 307 : 1, 2, 4.—On 1st May, 1907, Stowey sub-district was abolished and its constituent parts divided between North Petherton (1) and Bridgwater (2); the boundary between North Petherton (1) and Middlezoy (4) was also altered. See page 472. The births and deaths are shown as if the change had taken place at the beginning of the year.



V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.	
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.		
22.-SOMERSETSHIRE-cont.											
310.—Yeovil.		55752	27381	674	656	18	392	182	210	211	
No.	Coker .. .. .	17400	4818	95	90	5	70	32	38	—	
1	South Petherton .. .. .	4923	2723	66	66	—	30	11	19	—	
2	Martock .. .. .	12915	5513	141	141	—	83	38	45	—	
3	Yeovil W,F,H .. .. .	20514	14327	372	359	13	209	101	108	—	
4	311.—Wincanton.		64540	16399	319	304	15	216	102	114	91
Castle Cary .. .. .		20256	5318	101	98	3	72	34	38	—	
1	Milborne Port H .. .. .	19990	5331	97	94	3	68	30	38	—	
2	Wincanton W,H .. .. .	24294	5750	121	112	9	76	38	38	—	
3	312.—Frome.		52752	22172	440	424	16	297	149	148	166
Nunney .. .. .		16552	2429	47	46	1	34	20	14	—	
1	Frome W,F,H .. .. .	8581	12164	220	210	10	180	92	88	—	
2	Road .. .. .	11576	2609	48	46	2	24	12	12	—	
3	Kilmersdon .. .. .	16043	4970	125	122	3	59	25	34	—	
4	313.—Shepton Mallet.		50109	15076	331	322	9	159	75	84	100
Shepton Mallet W,H .. .. .		28009	11073	248	241	7	113	54	59	—	
1	Evercreech.. .. .	22100	4003	83	81	2	46	21	25	—	
2	314.—Wells.		66646	23650	488	472	16	360	185	175	155
Wells W,H,L .. .. .		35367	11826	243	234	9	231	121	110	—	
1	Glastonbury F,H .. .. .	31279	11824	245	238	7	129	64	65	—	
2	315.—Axbridge.		97529	47922	992	959	33	720	334	386	348
Axbridge W,H .. .. .		24358	6766	127	115	12	124	61	63	—	
1	Burnham .. .. .	23755	9058	212	205	7	127	58	69	—	
2	Weston super Mare F,3H .. .. .	21125	24857	500	488	12	392	175	217	—	
3	Blagdon .. .. .	28291	7241	153	151	2	77	40	37	—	
4	316.—Clutton.		47897	25763	762	743	19	328	176	152	179
Harptree W,H .. .. .		18188	3893	102	93	9	74	41	33	—	
1	Chew Magna .. .. .	13183	3601	92	91	1	36	22	14	—	
2	High Littleton H .. .. .	6145	5785	188	187	1	78	42	36	—	
3	Midsomer Norton F .. .. .	10381	12484	380	372	8	140	71	69	—	
4	317.—Bath.		30727	77604	1547	1492	55	1126	533	593	601
Twerton .. .. .		14450	14985	417	406	11	175	85	90	—	
1	Bathwick F .. .. .	3458	6983	97	95	2	81	39	42	—	
2	Lyncombe W .. .. .	1849	14372	316	292	24	244	123	121	—	
3	Walcot 6H .. .. .	939	31183	526	512	14	496	225	271	—	
4	Batheaston.. .. .	10031	10081	191	187	4	130	61	69	—	
5	318.—Keynsham.		33028	36175	1001	974	27	461	223	238	232
Bitton .. .. .		7533	7139	174	165	9	78	38	40	—	
1	Kingswood.. .. .	4089	20767	585	575	10	248	110	138	—	
2	Keynsham W,F.. .. .	21406	8269	242	234	8	135	75	60	—	
3	319.—Long Ashton.		51994	24138	550	530	20	333	161	172	152
Long Ashton W.. .. .		21939	6744	151	142	9	91	50	41	—	
1	Yatton F,2H .. .. .	17769	10474	212	204	8	163	73	90	—	
2	St. George.. .. .	12286	6920	187	184	3	79	38	41	—	
3											

## VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
23.—GLOUCESTERSHIRE.										
No.	320.—Bristol.	17341	339042	8913	8629	284	4918	2323	2595	2991
1	Bedminster 2F,H .. ..	1924	60112	1935	1900	35	792	372	420	—
2	Clifton 2H .. ..	1504	44128	624	605	19	481	190	291	—
3	Bristol Central 2F,4H .. ..	810	45836	921	870	51	1003	515	488	—
4	St. Philip and St. Jacob .. ..	736	49402	1485	1465	20	555	247	308	—
5	Knowle .. ..	1184	12671	513	502	11	182	82	100	—
6	St. George F .. ..	1846	55426	1544	1526	18	561	261	300	—
7	Stapleton 3W,2H,L .. ..	2573	21236	669	565	104	819	425	394	—
8	Ashley 2H .. ..	1750	40480	921	902	19	423	190	233	—
9	Westbury on Trym W,H .. ..	5014	9451	301	294	7	102	41	61	—
321.—Barton Regis (dis- solved 1st January, 1905).										
322.—Chipping Sodbury.		69736	22104	439	469	20	267	132	135	114
1	Winterbourne H .. ..	6452	4483	109	107	2	56	29	27	—
2	Chipping Sodbury F .. ..	14657	5600	118	115	3	48	26	22	—
3	Marshfield .. ..	16478	3296	68	66	2	25	8	17	—
4	Hawkesbury .. ..	20870	3392	67	62	5	40	18	22	—
5	Iron Acton W .. ..	11279	5333	127	119	8	98	51	47	—
323.—Thornbury.		64118	18487	382	366	16	254	127	127	116
1	Almondsbury H .. ..	26915	7023	136	133	3	97	45	52	—
2	Thornbury W .. ..	17623	5187	108	100	8	89	49	40	—
3	Berkeley F,H .. ..	19580	6277	138	133	5	68	33	35	—
324.—Dursley.		26786	11636	219	211	8	137	67	70	81
1	Wotton under Edge .. ..	10598	4609	98	91	7	52	23	29	—
2	Dursley W,F .. ..	16188	7027	121	120	1	85	44	41	—
325.—Westbury on Severn.		41526	22864	588	564	24	304	149	155	171
1	Newnham W .. ..	26201	6644	131	116	15	97	53	44	—
2	East Dean F .. ..	15325	16220	457	448	9	207	96	111	—
326.—Newent.		40846	8249	182	173	9	129	62	67	43
1	Newent W .. ..	18342	4026	91	87	4	84	41	43	—
2	Redmarley.. ..	22504	4223	91	86	5	45	21	24	—
327.—Gloucester.		32984	58734	1452	1407	45	1020	526	494	441
1	Barnwood* 2F,H,2L .. ..	21460	7932	147	142	5	224	106	118	—
2	Gloucester Northern* 2W,F,2H .. ..	741	19993	441	422	19	432	240	192	—
3	Gloucester Southern* .. ..	10783	30809	834	843	21	364	180	184	—
328.—Wheatenhurst.		24383	6105	121	114	7	115	67	48	41
1	Haresfield .. ..	14571	2643	52	49	3	46	26	20	—
2	Frampton W .. ..	9812	3462	69	65	4	69	41	28	—
329.—Stroud.		39987	39974	764	732	32	537	246	291	286
1	Stonehouse F .. ..	2935	5788	111	105	6	64	23	41	—
2	Painswick H .. ..	8325	3138	57	55	2	48	29	19	—
3	Bisley F .. ..	12022	5422	108	106	2	62	27	35	—
4	Stroud W,H .. ..	2601	11774	232	221	11	187	89	98	—
5	Rodborough .. ..	4242	6043	122	117	5	73	32	41	—
6	Minchinhampton .. ..	4637	3737	56	54	2	42	21	21	—
7	Horsley .. ..	5225	4072	78	74	4	61	25	36	—
330.—Tetbury.		29686	6145	137	132	5	95	51	44	44
1	Didmarton.. ..	9383	1086	21	21	—	9	4	5	—
2	Tetbury W,H .. ..	20303	5059	116	111	5	86	47	39	—

\* 327 : 1, 2, 3.—On 1st January, 1907, Barnwood (1), St. Nicholas (2), St. John the Baptist (3), and South Hamlet (4) sub-districts were abolished and their constituent parts formed into three new sub-districts, viz.:—Barnwood (1), Gloucester Northern (2), and Gloucester Southern (3). See pages 472, 473.



VI.—WEST MIDLAND DIVISION —BIRTHS, DEATHS, AND MARRIAGES, 1907—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
23.—GLOUCESTERSH.—cont.										
331.—Cirencester.		86277	19620	403	383	20	273	147	126	118
No. 1	Cotswold .. .. .	29143	3107	75	71	4	35	15	20	—
2	Cirencester W,2F,H .. ..	30628	11798	234	223	11	171	93	78	—
3	Fairford H .. .. .	26506	4715	94	89	5	67	39	28	—
332.—Northleach.		70018	8100	153	145	8	116	62	54	72
1	Bibury W,2F .. .. .	31230	3991	84	78	6	66	35	31	—
2	Chedworth.. .. .	38788	4109	69	67	2	50	27	23	—
333.—Stow on the Wold.		44537	8151	168	162	6	93	51	42	65
1	Bourton on the Water H .. ..	23365	3814	80	78	2	37	24	13	—
2	Stow on the Wold W .. ..	21172	4337	88	84	4	56	27	29	—
334.—Winchcomb.		57089	8825	213	205	8	130	63	67	49
1	Guiting W,F,H .. .. .	35605	5079	128	125	3	79	38	41	—
2	Cleeve .. .. .	21484	3746	85	80	5	51	25	26	—
335.—Cheltenham.		26526	57882	1081	1025	56	865	410	455	447
1	Charlton Kings .. .. .	21800	8443	200	193	7	126	73	53	—
2	Cheltenham W,F,3H .. ..	4726	49439	881	832	49	739	337	402	—
336.—Tewkesbury.		40917	12709	284	269	15	181	103	78	84
1	Tewkesbury W,2F,H .. ..	40917	12709	284	269	15	181	103	78	—
24.—HEREFORDSHIRE.										
337.—Ledbury.		50995	13733	292	274	18	165	82	83	82
1	Ledbury W,H .. .. .	25786	9764	205	191	14	122	59	63	—
2	Yarkhill .. .. .	25209	3969	87	83	4	43	23	20	—
338.—Ross.		63229	16117	353	325	28	248	126	122	109
1	Sollershope .. .. .	20438	2935	70	64	6	32	16	16	—
2	Ross W,H .. .. .	23349	10407	223	207	16	174	86	88	—
3	St. Weonards .. .. .	19442	2775	60	54	6	42	24	18	—
339.—Hereford.*		146266	41978	977	930	47	701	353	348	301
1	Dewchurch .. .. .	27133	4202	87	82	5	60	38	22	—
2	Fownhope .. .. .	16885	4090	89	84	5	65	33	32	—
3	Burghill L .. .. .	21650	4979	105	100	5	103	52	51	—
4	Hereford City W,F,2H .. ..	5031	21382	538	513	25	358	176	182	—
5	Madley .. .. .	19966	2381	55	53	2	36	16	20	—
6	Kentchurch W .. .. .	27158	2965	56	51	5	45	22	23	—
7	Clodock .. .. .	28443	1979	47	47	—	34	16	18	—
340.—Weobley.		49728	6951	139	125	14	100	48	52	49
1	Weobley W .. .. .	29494	4098	79	72	7	62	34	28	—
2	Dilwyn .. .. .	20234	2853	60	53	7	38	14	24	—
341.—Bromyard.		61258	9907	202	190	12	143	82	61	72
1	Bromyard H .. .. .	18645	3574	77	72	5	49	29	20	—
2	Bishops Frome .. .. .	21945	3461	82	78	4	51	26	25	—
3	Brockhampton W,F .. ..	20668	2872	43	40	3	43	27	16	—
342.—Leominster.		66409	13341	283	257	26	192	99	93	92
1	Leominster W,H .. .. .	13844	6137	132	117	15	98	53	45	—
2	Bodenham .. .. .	24752	3436	69	60	9	47	24	23	—
3	Kingsland .. .. .	27813	3768	82	80	2	47	22	25	—

\* 339.—The District of HEREFORD comprises the two Poor Law Unions of Hereford (Dewchurch, Fownhope, Burghill, and Hereford City sub-districts) and Dore (Madley, Kentchurch, and Clodock sub-districts).

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.						AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS		MARRIAGES.	
								Total.	Legitimate.	Illegitimate.	Total.	Males.		Females.
24.—HEREFORDSHIRE— continued.														
343.—Kington.						101341	10522	212	196	16	136	79	57	76
1	Brilley	..	..	..	..	15975	1679	35	34	1	21	13	8	—
2	Rudnor	..	..	..	..	48739	2783	61	56	5	35	18	17	—
3	Kington	W,H	..	..	..	36627	6060	116	106	10	80	48	32	—
25.—SHROPSHIRE.														
344.—Ludlow.						85696	18373	387	360	27	226	123	103	121
1	Leintwardine	..	..	..	..	16428	2176	42	38	4	23	14	9	—
2	Ludlow	W,F,H	..	..	..	14694	8158	156	142	14	124	65	59	—
3	Cainham	..	..	..	..	13308	2957	72	69	3	27	16	11	—
4	Munslow	..	..	..	..	23590	2596	53	52	1	25	13	12	—
5	Diddlebury	..	..	..	..	17676	2486	64	59	5	27	15	12	—
345.—Clun.						86553	8491	205	189	16	123	70	53	60
1	Clun	H	..	..	..	34468	3467	81	77	4	49	27	22	—
2	Bishops Castle	W	..	..	..	17118	2364	48	40	8	41	24	17	—
3	Norbury	..	..	..	..	20934	1122	37	35	2	19	8	11	—
4	Lydbury	..	..	..	..	14033	1538	39	37	2	14	11	3	—
346.—Church Stretton.						46085	5295	141	132	9	73	42	36	33
1	Church Stretton	W	..	..	..	46085	5295	141	132	9	78	42	36	—
347.—Cleobury Mortimer.						57652	8870	258	245	13	115	60	55	47
1	Cleobury Mortimer	W	..	..	..	31056	5904	141	131	10	72	38	34	—
2	Stottesden	..	..	..	..	26596	2966	117	114	3	43	22	21	—
348.—Bridgnorth.						71954	14485	321	313	8	205	114	91	94
1	Chetton	..	..	..	..	40289	4095	100	95	5	51	32	19	—
2	Bridgnorth	W,F,H	..	..	..	3561	6181	122	119	3	100	52	48	—
3	Worfield	..	..	..	..	28104	4209	99	99	—	54	30	24	—
349.—Shifnal.						46946	11801	257	247	10	146	76	70	58
1	Albrighton	..	..	..	..	22864	3794	62	61	1	40	20	20	—
2	Shifnal	W,H	..	..	..	24082	8007	195	186	9	106	56	50	—
350.—Madeley.						28468	23845	598	561	37	344	183	161	141
1	Dawley	..	..	..	..	3630	7717	218	197	21	102	49	53	—
2	Madeley	W	..	..	..	7786	9129	220	210	10	141	72	69	—
3	Broseley	F,2H	..	..	..	17052	6999	160	154	6	101	62	39	—
351.—Atcham.						130653	49440	1175	1097	78	873	453	420	360
1	Condover	W	..	..	..	62418	9652	233	205	28	175	100	75	—
2	St. Mary	F,H	..	..	..	13825	23060	578	519	29	379	200	179	—
3	St Chad	H,L	..	..	..	5814	8899	188	177	11	191	90	101	—
4	Westbury	..	..	..	..	48596	7829	176	166	10	128	63	65	—
352.—Oswestry.						83196	28262	660	623	37	413	186	227	191
1	Knockin	..	..	..	..	19996	3762	74	70	4	45	25	20	—
2	Llansilin	..	..	..	..	16170	1345	25	24	1	21	11	10	—
3	Oswestry	W,H	..	..	..	28106	15590	352	325	27	236	99	137	—
4	St. Martin's	..	..	..	..	18924	7565	209	204	5	111	51	60	—



VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
25.—SHROPSHIRE—cont.										
353.—Ellesmere.		79409	14486	335	313	22	199	117	82	74
No. 1	Overton .. .. .	12281	2379	61	58	3	29	19	10	—
2	Hanmer .. .. .	14807	2251	48	47	1	28	16	12	—
3	Ellesmere W,H .. .. .	30474	6316	150	137	13	91	53	38	—
4	Baschurch .. .. .	21847	3540	76	71	5	51	29	22	—
354.—Wem.		52451	10415	239	227	12	128	67	61	71
1	Wem W .. .. .	36465	7239	176	167	9	85	44	41	—
2	Prees .. .. .	15986	3176	63	60	3	43	23	20	—
355.—Whitchurch.		40553	12060	282	254	28	183	97	86	89
1	Whitchurch W,H .. .. .	23839	8316	194	173	21	144	78	66	—
2	Malpas .. .. .	16714	3744	88	81	7	39	19	20	—
356.—Market Drayton.		65046	13849	312	287	25	217	110	107	91
1	Moreton Say .. .. .	22858	3852	71	66	5	55	32	23	—
2	Market Drayton W,F,H .. .. .	42188	9997	241	221	20	162	78	84	—
357.—Wellington.		35788	25854	763	726	37	353	168	185	201
1	Ercall Magna H .. .. .	18903	2753	68	67	1	33	14	19	—
2	Wellington W .. .. .	14279	15072	425	400	25	201	95	106	—
3	Wombidge .. .. .	2606	8029	270	259	11	119	59	60	—
358.—Newport.		48217	13562	319	295	24	167	84	83	105
1	Newport W,2F .. .. .	23704	9452	222	202	20	123	62	61	—
2	Gnosall .. .. .	24513	4110	97	93	4	44	22	22	—
26.—STAFFORDSHIRE.										
359.—Stafford.		57897	31302	860	824	36	660	364	296	260
1	Stafford W,2F,2H,2L .. .. .	57897	31302	860	824	36	660	364	296	—
360.—Stone.		68420	19639	468	439	29	311	154	157	153
1	Stone W,H .. .. .	35392	14045	357	336	21	223	110	113	—
2	Eccleshall F .. .. .	33028	5594	111	103	8	88	44	44	—
361.—Newcastle under Lyme.		29403	40345	1168	1112	56	599	332	267	338
1	Whitmore .. .. .	6748	1131	20	20	—	12	6	6	—
2	Newcastle under Lyme W,F .. .. .	11230	24206	702	672	30	403	230	173	—
3	Audley .. .. .	11425	15008	446	420	26	184	96	88	—
362.—Wolstanton.		13885	98918	3492	3348	144	1863	926	937	936
1	Wolstanton F .. .. .	5422	22645	814	781	33	350	163	187	—
2	Tunstall W .. .. .	5394	35349	1272	1211	61	788	413	375	—
3	Burslem F,H .. .. .	3069	40924	1406	1356	50	725	350	375	—
363.—Stoke upon Trent.*		10782	155516	5571	5312	259	3160	1653	1507	1462
1	Hanley .. .. .	1957	62226	2175	2096	79	1081	536	545	—
2	Stoke upon Trent W,H .. .. .	1882	30458	1032	972	60	875	479	396	—
3	Fenton .. .. .	1753	22742	910	869	41	412	215	197	—
4	Longton H .. .. .	1947	35815	1286	1214	72	685	369	316	—
5	Stoke Rural* F .. .. .	3243	4275	168	161	7	107	54	53	—
364.—Leek.*		77593	42400	1330	1265	65	675	331	344	332
1	Norton* 2F .. .. .	11169	13280	509	487	22	202	112	90	—
2	Biddulph F .. .. .	5671	6247	245	240	5	89	38	51	—
3	Leek† W,F,H .. .. .	19303	17951	461	429	32	318	151	167	—
4	Leek Frith† .. .. .	13473	1542	38	37	1	15	8	7	—
5	Longnor .. .. .	27977	3380	77	72	5	51	22	29	—

\* 363: 5; 364: 1.—On 1st March, 1907, the boundary between these sub-districts was altered. See page 473. The births and deaths are included in the figures for the sub-district in which they were registered.  
† 364: 3, 4.—On 1st March, 1907, the boundaries of these sub-districts were altered. See pages 473, 474. The births and deaths are shown as if the change had taken place at the beginning of the year.

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
<b>26.—STAFFORDSHIRE</b> <i>—continued.</i>									
<b>365.—Cheadle.</b>	<b>54169</b>	<b>24657</b>	<b>659</b>	<b>633</b>	<b>26</b>	<b>471</b>	<b>259</b>	<b>212</b>	<b>195</b>
Alton .. .. .	10249	3482	85	84	1	51	21	30	—
Ipstones <i>L</i> .. .. .	19523	6024	131	128	3	176	105	71	—
Dilthorne .. .. .	12694	7576	227	216	11	120	66	54	—
Cheadle <i>W,F</i> .. .. .	11703	7575	216	205	11	124	67	57	—
<b>366.—Uttoxeter.</b>	<b>66148</b>	<b>15808</b>	<b>372</b>	<b>358</b>	<b>14</b>	<b>197</b>	<b>101</b>	<b>96</b>	<b>114</b>
Uttoxeter* <i>W</i> .. .. .	28632	10083	250	237	13	135	70	65	—
Abbots Bromley* .. .. .	15567	2173	43	43	—	22	10	12	—
Sudbury .. .. .	21949	3552	79	78	1	40	21	19	—
<b>367.—Burton upon Trent.</b>	<b>88215</b>	<b>92814</b>	<b>2486</b>	<b>2372</b>	<b>114</b>	<b>1330</b>	<b>748</b>	<b>582</b>	<b>729</b>
Tutbury .. .. .	26839	7185	212	201	11	104	47	57	—
Repton <i>F,L</i> .. .. .	26239	7533	153	148	5	195	103	92	—
Gresley .. .. .	15899	22297	689	664	25	276	145	131	—
Burton upon Trent <i>W,F,2H</i> .. .. .	19238	55799	1432	1359	73	755	453	302	—
<b>368.—Tamworth.</b>	<b>44519</b>	<b>24667</b>	<b>773</b>	<b>747</b>	<b>26</b>	<b>339</b>	<b>199</b>	<b>140</b>	<b>253</b>
Tamworth <i>W,F,H</i> .. .. .	44519	24667	773	747	26	339	199	140	—
<b>369.—Lichfield.</b>	<b>76890</b>	<b>42542</b>	<b>1097</b>	<b>1041</b>	<b>56</b>	<b>691</b>	<b>365</b>	<b>326</b>	<b>308</b>
Lichfield <i>W,H,L</i> .. .. .	36548	27805	736	693	38	516	278	238	—
Rugeley <i>F,3H</i> .. .. .	40342	14737	361	343	18	175	87	88	—
<b>370.—Cannock.</b>	<b>68830</b>	<b>47636</b>	<b>1554</b>	<b>1507</b>	<b>47</b>	<b>608</b>	<b>317</b>	<b>291</b>	<b>380</b>
Brewood .. .. .	44276	10929	256	249	7	125	60	65	—
Cannock <i>W,F,H</i> .. .. .	24554	36707	1298	1258	40	483	257	226	—
<b>371.—Wolverhampton.†</b>	<b>55972</b>	<b>172743</b>	<b>5458</b>	<b>5268</b>	<b>190</b>	<b>2859</b>	<b>1478</b>	<b>1381</b>	<b>1465</b>
Tettenhall .. .. .	15414	8830	215	210	5	96	45	51	—
Kinver .. .. .	16677	3158	71	66	5	44	28	16	—
Wombourn <i>W,F</i> .. .. .	12734	6164	163	160	3	86	44	42	—
Wolverhampton Western <i>3H</i> .. .. .	2044	53491	1460	1418	42	671	340	331	—
Wolverhampton Eastern <i>F,H</i> .. .. .	1481	40696	1224	1189	35	768	413	355	—
Willenhall <i>2W,F</i> .. .. .	5755	36370	1391	1322	69	739	377	362	—
Bilston <i>2F</i> .. .. .	1867	24034	934	903	31	455	231	224	—
<b>372.—Walsall.</b>	<b>22079</b>	<b>118607</b>	<b>4094</b>	<b>3955</b>	<b>139</b>	<b>2004</b>	<b>1075</b>	<b>929</b>	<b>1092</b>
Darlaston <i>F</i> .. .. .	2361	15752	650	628	22	315	183	132	—
Bloxwich <i>F</i> .. .. .	4097	17481	617	600	17	241	129	112	—
Walsall <i>W,F,H</i> .. .. .	3929	67117	2215	2132	83	1202	628	574	—
Aldridge .. .. .	11692	18257	612	595	17	246	135	111	—
<b>373.—West Bromwich.</b>	<b>19424</b>	<b>172189</b>	<b>5633</b>	<b>5460</b>	<b>173</b>	<b>2844</b>	<b>1493</b>	<b>1351</b>	<b>1558</b>
Handsworth <i>2F,L</i> .. .. .	7752	55269	1588	1571	17	667	337	330	—
Oldbury <i>F</i> .. .. .	3525	25191	1006	972	34	462	226	236	—
West Bromwich South West <i>H</i> .. .. .	1544	34532	1179	1138	41	593	329	264	—
West Bromwich North East <i>W,w,F</i> .. .. .	4316	30643	961	899	62	693	369	324	—
Wednesbury <i>F</i> .. .. .	2287	26554	899	830	19	429	232	197	—
<b>374.—Dudley.</b>	<b>17205</b>	<b>152127</b>	<b>5281</b>	<b>5105</b>	<b>176</b>	<b>2641</b>	<b>1395</b>	<b>1246</b>	<b>1340</b>
Rowley Regis <i>F</i> .. .. .	3828	34670	1228	1198	30	484	251	233	—
Tipton <i>F</i> .. .. .	2171	30543	1110	1081	29	495	252	243	—
Sedgley <i>W</i> .. .. .	7591	38170	1285	1233	52	764	429	335	—
Dudley <i>F,H</i> .. .. .	3615	48744	1658	1593	65	898	463	435	—

\* 366: 1, 2.—On 1st March, 1907, the boundary between these sub-districts was altered. See page 474. The births and deaths are shown as if the change had taken place at the beginning of the year.

† 371.—The District of WOLVERHAMPTON comprises the two Poor Law Unions of Seisdon (Tettenhall, Kinver, and Wombourn sub-districts) and Wolverhampton (Wolverhampton Western, Wolverhampton Eastern, Willenhall, and Bilston sub-districts).



VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
27.—WORCESTERSHIRE.										
No.	375.—Stourbridge.	16855	92482	2963	2857	106	1448	743	705	772
1	Halesowen F .. .. .	6114	23586	862	837	25	351	184	167	—
2	Stourbridge H .. .. .	3369	30406	841	820	21	444	212	232	—
3	Kingswinford W,F .. .. .	7372	38490	1260	1200	60	653	347	306	—
376.—Kidderminster.										
1	Chaddesley Corbett .. .. .	10583	2209	54	54	—	25	10	15	—
2	Wolverley .. .. .	6497	2755	56	54	2	39	23	16	—
3	Kidderminster W,F,H .. .. .	8385	27745	622	584	38	402	197	205	—
4	Lower Mitton .. .. .	981	3111	73	70	3	42	18	24	—
5	Bewdley .. .. .	10788	4949	103	97	6	84	42	42	—
377.—Tenbury.										
1	Tenbury WH .. .. .	36624	7005	128	118	10	91	48	43	35
		36624	7005	128	118	10	91	48	43	—
378.—Martley.										
1	Martley W .. .. .	30498	6102	120	111	9	75	39	36	—
2	Leigh F,H.. .. .	25325	5878	154	148	6	69	32	37	—
379.—Worcester.										
1	Worcester 2W,F,2H .. .. .	8231	47793	1199	1132	67	869	462	407	358
		8231	47793	1199	1132	67	869	462	407	—
380.—Upton on Severn.										
1	Malvern H,L .. .. .	14559	19478	315	300	15	326	150	176	—
2	Upton on Severn W,F .. .. .	27268	6551	142	132	10	111	48	63	—
3	Kempsey .. .. .	12350	3287	84	77	7	44	17	27	—
381.—Evesham.										
1	Evesham W,F,H .. .. .	18853	10509	318	304	14	155	86	69	—
2	Broadway .. .. .	28826	7120	191	187	4	82	43	39	—
382.—Pershore.										
1	Eckington .. .. .	20458	3931	74	71	3	42	21	21	—
2	Pershore W,F,H .. .. .	32665	8823	206	196	10	130	61	69	—
383.—Droitwich.										
1	Ombersley F .. .. .	27168	9403	222	212	10	124	65	59	—
2	Droitwich W,H.. .. .	27033	8971	208	195	13	152	79	73	—
384.—Bromsgrove.										
1	Bromsgrove W,F,2H,L .. .. .	17001	16920	437	422	15	258	134	124	—
2	Belbroughton .. .. .	15848	5623	126	119	7	70	31	39	—
3	Tardebigg H .. .. .	17550	13087	394	380	14	166	67	99	—
385.—Kings Norton.										
1	Kings Norton 2W,F,H,L .. .. .	22907	95949	2890	2800	90	1429	727	702	—
2	Edgbaston .. .. .	2598	26486	329	319	10	242	117	125	—
3	Harborne F .. .. .	3411	64652	2236	2189	47	932	461	471	—

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
28.—WARWICKSHIRE.										
386.—Birmingham.		2996	245216	7311	7052	259	4984	2685	2299	2468
1	Lady Wood <i>H</i> .. .. .	1051	64955	1908	1870	38	928	471	457	—
2	All Saints <i>2W,F,L</i> .. .. .	570	45884	1549	1427	122	1507	842	665	—
3	St. George <i>2H</i> .. .. .	658	68358	2088	2042	46	1501	808	693	—
4	St. Martin <i>6H</i> .. .. .	717	66019	1766	1713	53	1048	564	484	—
387.—Aston.		31287	312263	10044	9793	251	4822	2446	2376	2800
1	Deritend .. .. .	650	56292	1970	1916	54	878	418	460	—
2	Bordesley <i>F</i> .. .. .	1331	54686	1662	1645	17	680	317	363	—
3	Duddeston .. .. .	932	65572	2167	2126	41	978	508	470	—
4	Aston Manor .. .. .	960	77326	2128	2082	46	934	458	476	—
5	Erdington <i>2W,2F,H,L</i> .. .. .	10201	42845	1690	1606	84	1180	652	528	—
6	Sutton Coldfield .. .. .	17213	15542	427	418	9	172	93	79	—
388.—Meriden.		48091	11346	253	242	11	147	78	69	74
1	Coleshill <i>W</i> .. .. .	21156	5265	111	107	4	64	34	30	—
2	Meriden <i>W</i> .. .. .	26935	6081	142	135	7	83	44	39	—
389.—Atherstone.		28939	17729	584	572	12	231	112	119	156
1	Atherstone <i>W,F</i> .. .. .	28939	17729	584	572	12	231	112	119	—
390.—Nuneaton.		27722	28120	1141	1118	23	439	223	216	281
1	Nuneaton <i>W,F,H</i> .. .. .	27722	28120	1141	1118	23	439	223	216	—
391.—Foleshill.		19069	17002	700	684	16	287	158	129	126
1	Foleshill* <i>W F</i> .. .. .	19069	17002	700	684	16	287	158	129	—
392.—Coventry.		6030	70296	2578	2515	63	1157	633	524	797
1	St. John <i>W,F</i> .. .. .	3068	26109	738	709	29	444	241	203	—
2	Holy Trinity <i>F,H</i> .. .. .	2962	44187	1840	1806	34	713	392	321	—
393.—Rugby.		80799	34328	947	917	30	444	243	201	270
1	Rugby <i>W,F,H</i> .. .. .	18366	22835	673	651	22	303	165	138	—
2	Crick .. .. .	24417	4343	98	97	1	60	31	29	—
3	Dunchurch .. .. .	38016	7150	176	169	7	81	47	34	—
394.—Solihull.		49398	48618	1746	1703	43	735	360	375	474
1	Solihull <i>W,F,3H</i> .. .. .	21192	41666	1596	1557	39	632	304	328	—
2	Knowle <i>L</i> .. .. .	11774	3672	72	71	1	65	31	34	—
3	Tanworth .. .. .	16432	3280	78	75	3	38	25	13	—
395.—Warwick.		68300	54906	1175	1118	57	896	423	473	412
1	Warwick <i>W,F,H,L</i> .. .. .	25616	17343	394	371	23	380	190	190	—
2	Leamington <i>2H</i> .. .. .	13470	29077	556	530	26	401	177	224	—
3	Kenilworth .. .. .	29214	8486	225	217	8	115	56	59	—
396.—Stratford on Avon.		77200	20842	423	400	23	279	141	138	152
1	Wellesbourne .. .. .	27725	5316	113	108	5	65	36	29	—
2	Stratford on Avon <i>W,2F,2H</i> .. .. .	29135	11523	218	205	13	162	77	85	—
3	Wootton Wawen .. .. .	20340	4003	92	87	5	52	28	24	—
397.—Alcester.		55447	20979	526	504	22	262	133	129	177
1	Feckenham .. .. .	28588	13840	369	365	4	158	79	79	—
2	Alcester <i>W,F</i> .. .. .	26859	7139	157	139	18	104	54	50	—

\* 391: 1.—On 1st September, 1907, Foleshill (1) and Sowe (2) sub-districts were united and called Foleshill. The births and deaths are shown as if the change had taken place at the beginning of the year.



VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
28.—WARWICKSH.—cont.											
No.	398.—Shipston on Stour.		78289	15053	355	335	20	214	107	107	95
1	Blockley	.. ..	28378	5735	163	156	7	76	38	38	—
2	Shipston on Stour	W,2F,2H.. ..	17477	4969	95	92	3	84	43	41	—
3	Halford	.. ..	32434	4349	97	87	10	54	26	28	—
399.—Southam.											
1	Southam	W .. ..	52797	9903	255	236	19	133	76	57	70
			52797	9903	255	236	19	133	76	57	—

VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907.

<b>29.—LEICESTERSHIRE.</b>									
No. <b>400.—Lutterworth.</b>	<b>57066</b>	<b>11029</b>	<b>232</b>	<b>225</b>	<b>7</b>	<b>152</b>	<b>94</b>	<b>58</b>	<b>71</b>
1 Lutterworth W,H .. .. .	57066	11029	232	225	7	152	94	58	—
<b>401.—Market Harborough.</b>									
1 Market Harborough W .. ..	71293	19187	442	427	15	259	128	131	137
	71293	19187	442	427	15	259	128	131	—
<b>402.—Billesdon.</b>									
1 Billesdon W,w .. .. .	52482	6172	171	126	45	379	231	148	54
	52482	6172	171	126	45	379	231	148	—
<b>403.—Blaby.</b>									
1 Wigston w,F .. .. .	11203	14828	327	321	6	173	85	88	—
2 Enderby W .. .. .	22279	10067	267	259	8	152	82	70	—
<b>404.—Hinckley.</b>									
1 Burbage .. .. .	9141	5100	121	118	3	49	24	25	—
2 Hinckley W,H .. .. .	7671	12454	372	363	9	189	102	87	—
3 Earl Shilton F .. .. .	5769	6386	167	158	9	85	41	44	—
<b>405.—Market Bosworth.</b>									
1 Market Bosworth W .. .. .	32861	5757	179	169	10	91	39	52	—
2 Ibstock F .. .. .	20557	11497	455	441	14	149	74	75	—
<b>406.—Ashby de la Zouch.</b>									
1 Measham .. .. .	10662	4288	123	118	5	67	34	33	—
2 Hartshorn .. .. .	16883	8597	281	275	6	108	54	54	—
3 Ashby de la Zouch W,2F,H	11097	10262	284	263	21	160	84	76	—
4 Whitwick F .. .. .	16804	21094	756	735	21	289	158	131	—
<b>407.—Loughborough.</b>									
1 Loughborough W,F,H .. ..	19974	29690	894	871	23	422	229	193	—
2 Leake .. .. .	25845	5207	115	109	6	72	40	32	—
<b>408.—Barrow upon Soar.</b>									
1 Barrow upon Soar .. .. .	13299	6675	181	179	2	77	50	27	—
2 Quorndou 2H .. .. .	10350	6227	149	147	2	85	50	35	—
3 Rothley W,F .. .. .	13294	5940	166	161	5	133	72	61	—
4 Syston F .. .. .	13509	6686	150	138	12	79	43	36	—
<b>409.—Leicester.</b>									
1 North West Leicester 2H ..	2393	75528	2167	2061	106	1015	497	518	1846
2 North East Leicester W,L ..	2107	58355	1397	1354	43	646	320	326	—
3 South Leicester H,L .. ..	4086	77686	1917	1867	50	1091	531	560	—

VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	<b>29.—LEICESTERSHIRE—</b> <i>continued.</i>									
	<b>410.—Melton Mowbray.</b>	<b>99545</b>	<b>22210</b>	<b>579</b>	<b>545</b>	<b>34</b>	<b>334</b>	<b>171</b>	<b>163</b>	<b>159</b>
1	Melton Mowbray W,F .. ..	45484	13816	384	362	22	218	117	101	—
2	Waltham .. ..	54061	8394	195	183	12	116	54	62	—
	<b>30.—RUTLANDSHIRE.</b>									
	<b>411.—Oakham.</b>	<b>58001</b>	<b>10446</b>	<b>239</b>	<b>228</b>	<b>11</b>	<b>140</b>	<b>73</b>	<b>67</b>	<b>57</b>
1	Oakham W,H .. ..	58001	10446	239	228	11	140	73	67	—
	<b>412.—Uppingham.</b>	<b>50699</b>	<b>10297</b>	<b>178</b>	<b>160</b>	<b>18</b>	<b>132</b>	<b>64</b>	<b>68</b>	<b>54</b>
1	Uppingham W .. ..	19851	5448	101	87	14	73	32	41	—
2	Great Easton .. ..	14208	2286	35	34	1	28	15	13	—
3	Barrowden., .. ..	16640	2563	42	39	3	31	17	14	—
	<b>31.—LINCOLNSHIRE.</b>									
	<b>413.—Stamford.</b>	<b>55690</b>	<b>16521</b>	<b>400</b>	<b>381</b>	<b>19</b>	<b>254</b>	<b>152</b>	<b>102</b>	<b>121</b>
1	Stamford W,H .. ..	23484	12104	305	290	15	212	122	90	—
2	Barnack .. ..	32206	4417	95	91	4	42	30	12	—
	<b>414.—Bourne.</b>	<b>92266</b>	<b>17573</b>	<b>391</b>	<b>363</b>	<b>28</b>	<b>255</b>	<b>151</b>	<b>104</b>	<b>97</b>
1	Corby .. ..	21011	2829	60	56	4	40	23	17	—
2	Aslackby .. ..	26241	4019	85	78	7	53	28	25	—
3	Bourne W., .. ..	34526	7199	162	150	12	112	72	40	—
4	Deeping .. ..	10488	3526	84	79	5	50	28	22	—
	<b>415.—Spalding.</b>	<b>82003</b>	<b>21782</b>	<b>579</b>	<b>544</b>	<b>35</b>	<b>312</b>	<b>155</b>	<b>157</b>	<b>189</b>
1	Pinchbeck .. ..	14460	2830	64	61	3	36	18	18	—
2	Donington .. ..	9983	2290	57	55	2	29	14	15	—
3	Gosberton .. ..	12417	2770	87	86	1	32	14	18	—
4	Spalding W,F,H .. ..	12704	9847	256	228	28	169	89	80	—
5	Moulton .. ..	17406	2790	81	81	—	32	16	16	—
6	Deeping St. Nicholas .. ..	15033	1255	34	33	1	14	4	10	—
	<b>416.—Holbeach.</b>	<b>82426</b>	<b>17612</b>	<b>490</b>	<b>465</b>	<b>25</b>	<b>254</b>	<b>136</b>	<b>118</b>	<b>132</b>
1	Gedney Hill .. ..	13125	1909	45	43	2	26	14	12	—
2	Long Sutton .. ..	35946	8613	247	241	6	126	60	66	—
3	Holbeach W .. ..	33355	7090	198	181	17	102	62	40	—
	<b>417.—Boston.</b>	<b>106453</b>	<b>38349</b>	<b>1014</b>	<b>962</b>	<b>52</b>	<b>624</b>	<b>298</b>	<b>326</b>	<b>358</b>
1	Kirton .. ..	50610	9581	240	228	12	120	62	58	—
2	Benington .. ..	49295	8469	210	203	7	110	50	60	—
3	Boston W,F,H .. ..	6548	20299	564	531	33	394	186	208	—
	<b>418.—Sleaford.</b>	<b>137869</b>	<b>23727</b>	<b>594</b>	<b>558</b>	<b>36</b>	<b>408</b>	<b>207</b>	<b>201</b>	<b>186</b>
1	Billingham .. ..	80790	11133	252	238	14	179	96	83	—
2	Sleaford W,F,L .. ..	57019	12594	342	320	22	229	111	118	—
	<b>419.—Grantham.</b>	<b>105238</b>	<b>33033</b>	<b>832</b>	<b>792</b>	<b>40</b>	<b>501</b>	<b>256</b>	<b>245</b>	<b>277</b>
1	Grantham South .. ..	76233	11091	232	222	10	146	76	70	—
2	Grantham North W,F,H .. ..	29005	21942	600	570	30	355	180	175	—



VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
31.—LINCOLNSHIRE—cont.										
420.—Lincoln.		159761	74670	1880	1777	103	1279	666	613	705
1	Lincoln South West .. ..	74838	12327	278	268	10	194	103	91	—
2	Lincoln Home W,2F,H,2L .. ..	26838	55294	1456	1369	87	998	531	467	—
3	Lincoln North East .. ..	58085	7049	146	140	6	87	32	55	—
421.—Horncastle.		117447	18494	401	374	27	285	137	148	135
1	Wragby .. ..	32674	3561	71	67	4	48	29	19	—
2	Horncastle W,F .. ..	29801	7342	146	128	18	138	62	76	—
3	Tattershall H .. ..	54972	7591	184	179	5	99	46	53	—
422.—Spilsby.		129655	25124	510	484	26	364	173	191	154
1	Stickney .. ..	18796	2505	46	45	1	27	12	15	—
2	Wainfleet .. ..	24635	4546	107	101	6	66	30	36	—
3	Spilsby W,H .. ..	25255	5611	103	94	9	89	45	44	—
4	Burgh F,H .. ..	24394	5682	127	126	1	93	44	49	—
5	Alford .. ..	36575	6780	127	118	9	89	42	47	—
423.—Louth.		159249	28958	591	535	56	425	219	206	232
1	Withern H .. ..	27477	3962	82	75	7	60	27	33	—
2	Louth W,F,H .. ..	39757	13021	257	227	30	204	101	103	—
3	Binbrook .. ..	28405	3344	78	72	6	41	26	15	—
4	Saltfleet .. ..	33632	4366	87	83	4	63	31	32	—
5	Tetney .. ..	29978	4265	87	78	9	57	34	23	—
424a.—Grimsby.		47287	81150	2906	2784	122	1415	774	641	903
1	Great Grimsby W,2F,H .. ..	47287	81150	2906	2784	122	1415	774	641	—
424b.—Caistor.		121084	15476	359	326	33	251	125	126	107
1	Caistor W.. ..	63476	7556	176	156	20	126	65	61	—
2	Market Rasen F,H .. ..	57608	7920	183	170	13	125	60	65	—
425.—Glanford Brigg.		151838	44704	1442	1381	61	676	362	314	372
1	Brigg W .. ..	52001	12165	299	279	20	176	93	83	—
2	Winterton H .. ..	53450	18297	746	715	31	315	177	138	—
3	Barton .. ..	46387	14242	397	387	10	185	92	93	—
426.—Gainsborough.		111441	35821	961	903	58	515	261	254	330
1	Scotter .. ..	32302	3957	92	87	5	44	16	28	—
2	Misterton .. ..	30444	7493	171	158	13	105	55	50	—
3	Gainsborough W,2F .. ..	5057	19232	599	566	33	309	156	153	—
4	Marton H .. ..	43638	5139	99	92	7	57	34	23	—
32.—NOTTINGHAMSHIRE.										
427.—East Retford.		92777	25619	554	515	39	341	167	174	190
1	Gringley .. ..	19354	3019	65	57	8	49	22	27	—
2	Clarbrough W .. ..	24312	6353	132	123	9	88	39	49	—
3	East Retford F,H .. ..	23684	11812	265	248	17	133	71	62	—
4	Tuxford .. ..	25427	4435	92	87	5	71	35	36	—
428.—Worksop.		79946	39210	1556	1496	60	756	417	339	340
1	Worksop 2W,F,H .. ..	20727	16209	535	512	23	335	198	137	—
2	Carlton F .. ..	20446	3161	57	56	1	55	24	31	—
3	Anston .. ..	17442	6318	316	304	12	116	60	56	—
4	Carburton .. ..	21331	13552	648	624	24	250	135	115	—
429.—Mansfield.		57805	81618	3905	3746	159	1677	891	786	903
1	Warsop H .. ..	12008	7064	552	541	11	205	109	96	—
2	Pleasley .. ..	16664	13481	683	655	28	283	139	144	—
3	Blackwell F .. ..	7296	15740	674	652	22	291	149	142	—
4	Sutton in Ashfield .. ..	7723	22818	989	947	42	424	227	197	—
5	Mansfield W,F,H .. ..	7068	21445	970	919	51	459	259	200	—
6	Blidworth .. ..	7046	1070	37	32	5	15	8	7	—

VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
32.—NOTTINGHAMSHIRE —continued.										
430.—Basford.		90315	146747	5112	4924	188	2253	1150	1103	1365
No.										
1	Greasley* .. .. .	25945	42642	1599	1547	52	604	298	306	—
2	Ilkeston F,H .. .. .	8823	39833	1514	1465	49	725	387	338	—
3	Beeston* .. .. .	5865	9908	340	333	7	152	81	71	—
4	Hucknall Torkard* F.. .. .	10014	17015	507	489	18	246	133	113	—
5	Arnold* .. .. .	15885	12058	373	348	25	180	94	86	—
6	Carlton .. .. .	8791	19983	659	626	33	271	125	146	—
7	Wilford .. .. .	14992	5308	120	116	4	75	32	43	—
431.—Nottingham.		10935	239743	6925	6507	418	4711	2394	2317	2403
1	Nottingham South West 3H .. .. .	2870	39502	1077	1033	44	885	484	401	—
2	Nottingham South East .. .. .	867	33693	1024	933	91	556	271	285	—
3	Nottingham North East H,2L .. .. .	1373	66282	1697	1592	105	1093	514	579	—
4	Nottingham North West W,H .. .. .	1284	58380	1541	1486	55	876	428	448	—
5	Bulwell W,w,3F,H .. .. .	4541	41886	1586	1463	123	1301	697	604	—
432.—Southwell.		118468	19114	421	400	21	291	130	161	121
1	Southwell W,F .. .. .	53208	10819	236	228	8	181	79	102	—
2	Kneesall .. .. .	65260	8295	185	172	13	110	51	59	—
433.—Newark.		96810	30871	743	698	45	466	220	246	253
1	North Collingham .. .. .	25260	4322	82	77	5	70	35	35	—
2	Bassingham .. .. .	17176	2132	37	36	1	32	17	15	—
3	Newark W,H .. .. .	6225	16085	418	393	25	255	116	139	—
4	Balderton F .. .. .	15891	3925	121	114	7	54	31	23	—
5	Claypole W .. .. .	32258	4407	85	78	7	55	21	34	—
434.—Bingham.		69231	13753	291	273	18	265	134	131	86
1	Bingham W,L .. .. .	69231	13753	291	273	18	265	134	131	—
33.—DERBYSHIRE.										
435.—Shardlow.		71265	55462	1777	1731	46	732	392	390	526
1	Castle Donington .. .. .	14919	5932	142	137	5	65	28	37	—
2	Melbourne .. .. .	14224	5321	112	105	7	58	26	32	—
3	Shardlow W .. .. .	10963	5477	141	132	9	79	49	30	—
4	Stapleford .. .. .	16043	27959	1062	1044	18	427	218	209	—
5	Spondon F .. .. .	15116	10773	320	313	7	153	71	82	—
436.—Derby.		5640	115763	3177	3054	123	1876	988	888	1008
1	Osmaston .. .. .	1823	8936	334	323	6	104	48	56	—
2	Derby W,F,4H,L .. .. .	3817	106827	2843	2726	117	1772	940	832	—
437.—Belper.		66007	66809	1897	1826	71	927	451	476	578
1	Duffield .. .. .	19186	6382	129	125	4	75	40	35	—
2	Horsley H .. .. .	10705	7735	223	215	8	101	51	50	—
3	Belper W .. .. .	3183	10934	314	296	18	186	90	96	—
4	Ripley F .. .. .	13333	17925	549	534	15	254	117	137	—
5	Alfreton .. .. .	4626	17505	537	516	21	217	107	110	—
6	Wirksworth H .. .. .	14974	6328	145	140	5	94	46	48	—
438.—Ashbourne.		97983	19894	458	430	28	250	137	113	136
1	Ashbourne W,F,H .. .. .	24771	7253	156	146	10	90	55	35	—
2	Mayfield .. .. .	12418	3016	61	59	2	48	26	22	—
3	Calton .. .. .	21041	2797	59	58	1	36	18	18	—
4	Brassington .. .. .	39753	6828	182	167	15	76	38	38	—

\* 430: 1, 3, 4, 5.—On 1st May, 1907, the boundaries of these sub-districts were altered. See page 474. The births and deaths are shown as if the change had taken place at the beginning of the year.



VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
33.—DERBYSHIRE—cont.										
No.	439.—Chesterfield.	93009	132856	4771	4552	219	2232	1206	1026	1300
1	Ashover <i>F</i> .. .. .	24020	24754	843	794	49	353	193	160	—
2	Chesterfield 2 <i>W,3F,H</i> .. .. .	24435	59649	2056	1949	107	1086	602	484	—
3	Bolsover .. .. .	11000	8758	536	518	18	176	91	85	—
4	Eckington <i>F</i> .. .. .	18796	31330	1065	1031	34	497	258	239	—
5	Dronfield <i>F</i> .. .. .	14758	8365	271	260	11	120	62	58	—
440.—Bakewell.										
		104618	33661	846	813	33	512	267	245	253
1	Bakewell <i>W,F</i> .. .. .	55260	11154	261	249	12	159	94	65	—
2	Matlock 3 <i>H</i> .. .. .	19793	14654	367	351	16	218	198	110	—
3	Tideswell .. .. .	29565	7853	218	213	5	135	65	70	—
441.—Chapel en le Frith.										
		83490	26478	700	667	33	391	211	180	198
1	Buxton <i>F,H</i> .. .. .	16119	14880	380	363	17	202	111	91	—
2	Chapel en le Frith <i>W,F,H</i> .. .. .	67371	11598	320	304	16	189	100	89	—
442a.—Glossop.										
		20943	25677	539	513	26	391	189	202	238
1	Glossop <i>W,F,H</i> .. .. .	20943	25677	539	513	26	391	189	202	—
442b.—Hayfield.										
		17952	14432	350	338	12	199	96	103	96
1	Hayfield <i>W</i> .. .. .	17952	14432	350	338	12	199	96	103	—

VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907.

<b>34.—CHESHIRE.</b>										
No.	<b>443.—Stockport.</b>	<b>28466</b>	<b>156308</b>	<b>4111</b>	<b>3979</b>	<b>132</b>	<b>2787</b>	<b>1394</b>	<b>1393</b>	<b>1386</b>
1	Hazel Grove*	8502	13529	275	261	14	195	106	89	—
2	Hyde <i>F</i>	1566	23668	566	542	24	380	200	180	—
3	Bredbury	4889	8060	198	196	2	140	68	72	—
4	Stockport First 2 <i>W,F</i>	2533	45521	1297	1243	54	962	475	487	—
5	Stockport Second <i>H</i>	1161	27679	786	765	21	491	232	259	—
6	Stockport Third <i>F</i>	1798	19632	647	637	10	360	186	174	—
7	Heaton Norris <i>H</i>	1619	9392	139	134	5	96	39	57	—
8	Cheadle <i>H,L</i>	6398	8827	203	201	2	163	88	75	—
<b>444.—Macclesfield.</b>										
1	Prestbury	13666	5117	128	127	1	59	27	32	—
2	Bollington	8308	6562	132	127	5	74	35	39	—
3	Rainow	15597	3527	73	72	1	51	33	18	—
4	Macclesfield† <i>W,F,H,L</i>	2853	29737	612	570	42	630	316	314	—
5	Sutton <i>F</i>	13314	6642	120	112	8	86	43	43	—
6	Gawsworth	17983	2597	41	38	3	24	17	7	—
7	Alderley <i>H</i>	14166	5172	107	101	6	73	33	40	—
<b>445.—Bucklow.</b>										
1	Wilmslow <i>w</i>	14253	11238	232	226	6	128	74	54	—
2	Altrincham 2 <i>F,2H</i>	12849	30955	798	770	28	378	188	190	—
3	Sale 2 <i>F,H</i>	9208	21126	565	544	21	320	143	172	—
4	Lymm <i>F</i>	16532	7469	161	155	6	105	58	47	—
5	Knutsford <i>W,H</i>	22571	8807	201	181	20	150	81	69	—
<b>446.—Runcorn.</b>										
1	Budworth <i>W,2F</i>	24160	10225	287	274	13	199	99	100	—
2	Runcorn <i>F,H</i>	10449	21083	667	652	15	362	187	175	—
3	Frodsham 2 <i>H</i>	15825	8427	224	216	8	105	58	47	—
<b>447.—Northwich.</b>										
1	Weaverham	18131	10265	244	233	11	141	73	68	—
2	Northwich <i>W,3F,H</i>	12148	23570	663	630	33	385	211	174	—
3	Over <i>F,H</i>	18255	13191	362	338	24	189	97	92	—
4	Middlewich	14035	7709	209	202	7	112	61	51	—

\* 443 : 1.—On the 1st March, 1907, Marple (1) and Hazel Grove (9) sub-districts were united and called Hazel Grove (1). The births and deaths are shown as if the change had taken place at the beginning of the year.  
† 444 : 4.—On 1st April, 1907, East Macclesfield (4) and West Macclesfield (5) sub-districts were united and called Macclesfield (4). The births and deaths are shown as if the change had taken place at the beginning of the year.

VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES 1907—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
34.—CHESHIRE—continued.										
No.	448.—Congleton.	50570	32534	853	809	44	497	261	236	259
1	Church Hulme .. .. .	14910	2917	66	60	6	27	14	13	—
2	Congleton W,H .. .. .	13368	13270	339	317	22	211	108	103	—
3	Sandbach W,F .. .. .	22292	16347	448	432	16	259	139	120	—
	449.—Nantwich.	101354	72993	2029	1929	100	956	491	465	595
1	Crewe F,2H .. .. .	33339	53058	1527	1474	53	644	327	317	—
2	Nantwich W,F .. .. .	22003	11191	300	265	35	211	111	100	—
3	Bunbury .. .. .	22113	4122	85	81	4	49	21	28	—
4	Wrenbury .. .. .	23899	4622	117	109	8	52	32	20	—
	450.—Chester.*	101782	69897	1740	1658	82	1147	575	572	654
1	Tattenhall .. .. .	63069	15258	344	326	18	163	78	85	—
2	Chester Castle W .. .. .	12758	23899	619	603	16	302	142	160	—
3	Chester Cathedral W,2F,H,L .. .. .	25955	30740	777	729	48	682	355	327	—
	451.—Wirral.	45573	44316	1445	1400	45	579	311	268	298
1	Neston .. .. .	15380	8698	278	270	8	127	69	58	—
2	Eastham .. .. .	8854	7580	284	281	3	79	43	36	—
3	Bebington W,2F .. .. .	6675	12760	470	447	23	213	116	97	—
4	Woodchurch F,2H .. .. .	14664	15278	413	402	11	160	83	77	—
	452.—Birkenhead.	9240	165171	5509	5332	177	2695	1368	1327	1340
1	Birkenhead F,3H .. .. .	1279	61736	2159	2108	51	1034	522	512	—
2	Tranmere W .. .. .	4612	49856	1587	1507	80	824	439	385	—
3	Wallasey 3F,3H .. .. .	3349	53579	1763	1717	46	837	407	430	—
35.—LANCASHIRE.										
	453.—Liverpool.	1858	147405	4996	4723	273	3759	2094	1665	1972
1	Scotland .. .. .	519	52966	2107	2083	24	897	447	450	—
2	Exchange 2H .. .. .	534	41999	1176	1147	29	864	474	390	—
3	Abercromby W,7H .. .. .	805	52440	1713	1493	220	1998	1173	825	—
	454.—Toxteth Park.	2375	136230	4004	3892	112	2384	1191	1193	962
1	Toxteth Park North West† F,2H ..	238	24733	4004	3892	112	2384	1191	1193	—
2	Toxteth Park South West† W,F ..	375	34861							
3	Toxteth Park Central† H ..	444	46449							
4	Toxteth Park East† W,H ..	1318	30187							
	455.—West Derby.	37242	529684	18354	17888	466	9932	5083	4849	4411
1	Crosby H .. .. .	4762	31220	826	806	20	395	185	210	—
2	Litherland .. .. .	8362	14626	656	643	13	265	133	132	—
3	Fazakerley W,F .. .. .	9444	5350	162	161	1	145	89	56	—
4	Walton 2W,w,F .. .. .	1944	54615	2028	1862	166	1600	815	785	—
5	Bootle F,H .. .. .	1576	53556	2022	1997	25	954	508	446	—
6	Kirkdale 2w,H .. .. .	921	69386	2281	2245	36	1161	621	540	—
7	North Everton w,F .. .. .	303	54075	2084	2061	23	831	433	398	—
8	South Everton W,H .. .. .	390	67394	2239	2181	58	1809	921	888	—
9	West Derby Western .. .. .	675	86694	2782	2728	54	1086	528	558	—
10	West Derby Eastern w,F .. .. .	2936	43856	1548	1517	31	1060	529	531	—
11	Wavertree W,3w,2H .. .. .	5929	43912	1726	1687	39	626	321	305	—
	456.—Prescot.	53084	153648	5211	5043	168	2933	1560	1373	1226
1	Hale .. .. .	8053	3000	91	86	5	28	14	14	—
2	Much Woolton H .. .. .	2181	5822	120	112	8	77	30	47	—
3	Widnes F,H .. .. .	10656	32718	1123	1091	32	549	303	246	—
4	Prescot W,F .. .. .	16902	23498	579	547	32	546	327	219	—
5	St. Helens F,2H } L .. .. .	9415	85251	3186	3101	85	1686	857	829	—
6	Rainford F .. .. .	5877	3359	112	106	6	47	29	18	—

450.—The District of CHESTER comprises the two Poor Law Unions of Tarvin (Tattenhall sub-district) and Chester (Chester Castle and Chester Cathedral sub-districts).

†.54: 1, 2, 3, 4.—On 18th February, 1907, Toxteth Park sub-district was divided into four, viz.: Toxteth Park North West (1), Toxteth Park South West (2), Toxteth Park Central (3), and Toxteth Park East (4). See page 474. The births and deaths for the new sub-districts cannot be shown separately.



VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
35.—LANCASHIRE—cont.										
457.—Ormskirk.		93070	108594	2346	2213	133	1655	804	851	818
No.										
1	Bickerstaffe	11217	3401	82	80	2	36	21	15	—
2	Ormskirk 2W,F,H	574	6857	190	150	40	164	78	86	—
3	Aughton w,F	8705	6046	119	117	2	79	45	34	—
4	Halsall*	18868	4068	93	92	6	55	32	23	—
5	Formby F	14405	21698	442	420	22	292	131	161	—
6	North Meols 2F,6H	10443	49908	918	878	40	771	356	415	—
7	Tarleton	12327	3483	75	65	10	50	22	28	—
8	Lathom* F	16531	13133	422	411	11	208	119	89	—
458.—Wigan.		48408	191239	6351	6089	262	3561	1877	1684	1667
1	Standish	10729	10762	342	327	15	199	107	92	—
2	Aspull	6428	13427	376	362	14	194	97	97	—
3	Wigan W,F,H	2188	60764	2002	1897	105	1359	742	617	—
4	Hindley 3F	6916	51072	1720	1660	60	897	464	433	—
5	Pemberton F	11300	32295	1061	1027	34	555	278	277	—
6	Billinge	4596	4232	138	132	6	43	16	27	—
7	Ashton in Makerfield 2F	6251	18687	712	684	28	314	173	141	—
459.—Warrington.		27934	100012	3531	3438	93	1834	915	919	793
1	Newton in Makerfield F,H,L	5516	25274	854	833	21	342	184	158	—
2	Winwick L	4823	2437	75	74	1	219	76	143	—
3	Sankey F	8688	5149	158	153	5	73	45	28	—
4	Warrington W,F,H	3058	64242	2374	2310	64	1175	594	581	—
5	Rixton W	5849	2910	70	68	2	25	16	9	—
460.—Leigh.		24366	86254	2619	2538	81	1553	749	804	716
1	Lowton	5195	10082	310	304	6	189	88	101	—
2	Culcheth F	10885	16280	466	449	17	269	115	154	—
3	Leigh H	3531	28838	863	843	20	478	243	235	—
4	Atherton W,F	4755	31054	980	942	38	617	303	314	—
461.—Bolton.		46447	257587	6924	6656	268	4378	2215	2163	2309
1	Farnworth W,2F	5016	47556	1368	1295	73	1064	563	501	—
2	South West Bolton 2F,H	4693	34043	991	970	21	710	346	364	—
3	Halliwell	4229	25849	688	669	19	401	203	198	—
4	Horwich F	8817	29461	845	810	35	369	191	178	—
5	Tonge	3978	19718	525	508	17	300	151	149	—
6	Turton H	17335	12355	231	229	2	146	66	80	—
7	Little Bolton	728	45333	1194	1147	47	692	353	339	—
8	Great Bolton and Lever	1651	43272	1082	1028	54	696	342	354	—
462.—Bury.		35052	145569	3367	3240	127	2339	1151	1188	1417
1	Ramsbottom H	9563	16631	342	329	13	226	114	112	—
2	Tottington	2543	6118	148	147	1	74	43	31	—
3	Elton† 2F	3539	15715	341	329	12	220	107	113	—
4	North Bury W,2H	2480	26222	616	587	29	593	300	293	—
5	Heywood F	6070	26905	639	612	27	450	209	241	—
6	South Bury	1366	18325	425	403	22	253	113	140	—
7	Radcliffe† H	3080	24853	605	587	18	377	189	188	—
8	Whitefield†	6411	10800	251	246	5	146	76	70	—
463.—Barton upon Irwell.		24539	114773	3266	3174	92	1780	869	911	1023
1	Worsley w,F	8025	33918	859	843	16	490	238	252	—
2	Barton W,H	10824	40169	1229	1190	39	740	357	383	—
3	Stretford H	5690	40686	1178	1141	37	550	274	276	—
464.—Chorlton.		11712	342643	10317	9831	486	5826	2918	2908	3489
1	Didsbury W	6006	40170	1144	1032	112	1323	714	609	—
2	Ardwick F	4198	151892	5406	5286	120	2357	1164	1193	—
3	Chorlton upon Medlock 4H	647	57894	1258	1114	144	812	411	401	—
4	Hulme	861	92687	2509	2399	110	1334	629	705	—

\* 457 : 4, 8.—On the 1st July, 1907, Scarisbrick sub-district was abolished and its constituent parishes added to Halsall (4) and Lathom (8) sub-districts. See pages 474, 475. The births and deaths are shown as if the change had taken place at the beginning of the year.  
† 462 : 3, 7, 8.—On the 1st April, 1907, the boundaries of these sub-districts were altered. See page 475. The births and deaths are shown as if the change had taken place at the beginning of the year.

VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	<b>35.—LANCASHIRE—<i>cont.</i></b>									
	<b>465.—Salford.</b>	<b>6068</b>	<b>229450</b>	<b>7221</b>	<b>7013</b>	<b>208</b>	<b>4446</b>	<b>2366</b>	<b>2080</b>	<b>2041</b>
1	Pendleton <i>W,H</i> .. .. .	2652	51355	1843	1800	43	1429	806	623	—
2	Broughton <i>H</i> .. .. .	1481	55342	1468	1435	33	708	360	348	—
3	Greengate <i>H</i> .. .. .	696	51961	1610	1571	39	1069	554	515	—
4	Regent Road <i>W,F</i> .. .. .	1239	70792	2300	2207	93	1240	646	594	—
	<b>466.—Manchester.</b>	<b>1646</b>	<b>132316</b>	<b>4179</b>	<b>4058</b>	<b>121</b>	<b>2901</b>	<b>1573</b>	<b>1328</b>	<b>1271</b>
1	Ancoats <i>w,H</i> .. .. .	400	44040	1430	1401	29	934	507	427	—
2	Central <i>W,H</i> .. .. .	748	30012	971	927	44	1067	606	461	—
3	St. George .. .. .	498	58264	1778	1730	48	900	460	440	—
	<b>467.—Prestwich.</b>	<b>11808</b>	<b>196832</b>	<b>6394</b>	<b>6175</b>	<b>219</b>	<b>4346</b>	<b>2295</b>	<b>2051</b>	<b>1857</b>
1	Newton <i>F,H</i> .. .. .	2585	83501	2941	2885	56	1563	769	794	—
2	Cheetham <i>W,w,2H</i> .. .. .	1654	49942	1501	1371	130	1617	914	703	—
3	Failsworth .. .. .	2371	26049	918	904	14	420	216	204	—
4	Blackley .. .. .	2031	24501	780	764	16	347	170	177	—
5	Prestwich <i>F,L</i> .. .. .	3167	12839	254	251	3	399	226	173	—
	<b>468.—Ashton under Lyne.</b>	<b>38267</b>	<b>175063</b>	<b>4537</b>	<b>4360</b>	<b>177</b>	<b>3245</b>	<b>1669</b>	<b>1576</b>	<b>1665</b>
1	Knott Lanes .. .. .	2422	9962	260	246	14	160	83	77	—
2	Mossley .. .. .	5485	23167	573	556	17	343	168	175	—
3	Ashton Town <i>W,F,H</i> .. .. .	1346	43890	1217	1152	65	1008	547	461	—
4	Audenshaw .. .. .	3579	19730	574	560	14	308	152	156	—
5	Denton .. .. .	2594	14934	352	344	8	210	115	95	—
6	Newton .. .. .	1515	9098	224	220	4	154	74	80	—
7	Dukinfield* .. .. .	1405	18929	538	522	16	395	200	195	—
8	Stalybridge* .. .. .	3835	27869	647	614	33	558	283	275	—
9	Mottram .. .. .	16086	7484	152	146	6	109	47	62	—
	<b>469.—Oldham.</b>	<b>17603</b>	<b>215624</b>	<b>5841</b>	<b>5610</b>	<b>231</b>	<b>4191</b>	<b>2094</b>	<b>2097</b>	<b>2198</b>
1	Oldham East <i>F</i> .. .. .	2536	46429	1207	1156	51	787	385	402	—
2	Oldham Central <i>W,F</i> .. .. .	832	45780	1219	1146	73	1148	602	546	—
3	Oldham South <i>H</i> .. .. .	1368	45037	1329	1284	45	924	486	438	—
4	Chadderton <i>F</i> .. .. .	3082	24892	760	740	20	466	226	240	—
5	Middleton .. .. .	4775	25178	591	574	17	411	207	204	—
6	Royton <i>W</i> .. .. .	2145	14881	447	430	17	250	102	148	—
7	Crompton .. .. .	2865	13427	288	280	8	205	86	119	—
	<b>470.—Rochdale.</b>	<b>32532</b>	<b>120433</b>	<b>2782</b>	<b>2635</b>	<b>147</b>	<b>2189</b>	<b>1078</b>	<b>1111</b>	<b>1103</b>
1	Milnrow .. .. .	5198	8241	161	152	9	136	65	71	—
2	Castleton No. 1 .. .. .	886	20507	493	462	31	332	165	167	—
3	Castleton No. 2 <i>F</i> .. .. .	2942	20192	529	514	15	324	143	181	—
4	Spotland and Norden .. .. .	6780	19137	410	390	20	267	115	152	—
5	Wardleworth <i>H</i> .. .. .	767	20272	551	521	30	349	186	163	—
6	Whitworth and Wardle <i>2W</i> .. .. .	8106	20918	427	390	37	598	319	279	—
7	Littleborough <i>F</i> .. .. .	7853	11166	211	206	5	183	85	98	—
	<b>471.—Haslingden.</b>	<b>27278</b>	<b>115223</b>	<b>2679</b>	<b>2591</b>	<b>88</b>	<b>1889</b>	<b>936</b>	<b>953</b>	<b>1117</b>
1	Rawtenstall <i>W,F</i> .. .. .	9535	31053	723	692	31	582	296	286	—
2	Bacup .. .. .	6120	22505	542	521	21	384	190	194	—
3	Haslingden <i>F</i> .. .. .	8196	18543	386	379	7	290	139	151	—
4	Accrington <i>F,H</i> .. .. .	3427	43122	1028	999	29	633	311	322	—
	<b>472.—Burnley.</b>	<b>64899</b>	<b>197429</b>	<b>5459</b>	<b>5186</b>	<b>273</b>	<b>3322</b>	<b>1671</b>	<b>1651</b>	<b>1995</b>
1	East Ward <i>W,2F,H</i> .. .. .	18113	56054	1664	1551	113	1294	669	625	—
2	West Ward <i>F</i> .. .. .	5437	47756	1485	1410	75	725	365	360	—
3	Padiham .. .. .	14123	19430	506	485	21	307	155	152	—
4	Nelson <i>F</i> .. .. .	4273	40104	921	889	32	493	245	248	—
5	Colne <i>F,H</i> .. .. .	16695	32458	850	819	31	487	227	260	—
6	Pendle .. .. .	6258	1627	33	32	1	16	10	6	—

\* 468 : 7, 8.—On 1st October, 1907, Stalybridge sub-district was divided into two, viz.: Dukinfield (7) and Stalybridge (8). See page 475. The births and deaths are shown as if the change had taken place at the beginning of the year.



VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
35.—LANCASHIRE—cont.										
473.—Clitheroe.		117951	22489	517	501	16	294	136	158	201
No	Gisburn .. .. .	28345	2560	48	47	1	33	15	18	—
1	Slaidburn .. .. .	45488	1395	24	23	1	12	9	3	—
2	Chipping .. .. .	19804	2653	54	53	1	32	16	16	—
3	Clitheroe W .. .. .	16881	13747	347	334	13	194	87	107	—
4	Whalley .. .. .	7433	2134	44	44	—	23	9	14	—
5										
474.—Blackburn.		45853	223520	5604	5389	215	3630	1803	1827	2123
1	Billington w .. .. .	5965	2327	48	43	5	36	14	22	—
2	Harwood .. .. .	6912	27199	684	660	24	346	165	181	—
3	Mellor .. .. .	9132	2743	45	45	—	40	19	21	—
4	Blackburn Northern W .. .. .	3276	62972	1579	1514	65	959	451	508	—
5	Blackburn Western .. .. .	1492	27487	767	755	12	450	209	241	—
6	Blackburn Southern 2W,F,H .. .. .	2650	38757	1000	950	50	945	508	437	—
7	Oswaldtwistle .. .. .	5414	20655	540	515	25	308	152	156	—
8	Darwen F .. .. .	11012	41380	941	907	34	546	285	261	—
475.—Chorley.		54441	63001	1742	1689	53	1055	542	513	599
1	Brindle 2F .. .. .	10659	6690	154	150	4	104	48	56	—
2	Leyland .. .. .	10250	11733	324	313	11	208	103	105	—
3	Rivington F .. .. .	9454	6957	177	173	4	91	45	46	—
4	Chorley W,H .. .. .	10915	31404	936	905	31	571	303	268	—
5	Croston .. .. .	13163	6217	151	148	3	81	43	38	—
476.—Preston.		66959	152231	4114	3917	197	2939	1418	1521	1359
1	Longton .. .. .	13561	7879	208	199	9	129	57	72	—
2	East Preston .. .. .	1573	38177	1055	1002	53	630	294	336	—
3	North Preston 2F,2H .. .. .	1083	43260	1300	1240	60	888	434	454	—
4	West Preston H .. .. .	1315	31552	782	755	27	487	213	274	—
5	Walton le Dale 2F .. .. .	9731	12182	333	323	10	188	97	89	—
6	Alston W .. .. .	11485	6490	168	164	4	100	58	42	—
7	Broughton W,H,L .. .. .	28211	12691	268	234	34	519	265	254	—
477.—Fylde.		56799	93697	2351	2235	116	1488	766	722	847
1	Kirkham 2W,F .. .. .	26530	10256	287	263	24	192	95	97	—
2	Lytham 2H .. .. .	8151	14366	274	271	3	213	94	119	—
3	Blackpool F,2H .. .. .	8758	50190	1181	1114	67	810	423	387	—
4	Fleetwood F,H .. .. .	13360	18885	609	587	22	273	154	119	—
478.—Garstang.		60612	11860	268	258	10	148	76	72	75
1	Stalmine .. .. .	13155	3688	111	107	4	52	22	30	—
2	St. Michael .. .. .	16353	2860	54	53	1	30	17	13	—
3	Garstang W .. .. .	31104	5312	103	98	5	66	37	29	—
479.—Lancaster.		63150	67385	1537	1467	70	1293	697	596	562
1	Ellel .. .. .	35397	4061	98	95	3	55	31	24	—
2	Heaton F,H .. .. .	8878	15862	277	263	14	225	112	113	—
3	Lancaster W,F,H,2L .. .. .	3506	40329	1028	982	46	918	502	416	—
4	Warton .. .. .	15369	7133	134	127	7	95	52	43	—
480.—Lunesdale		76267	6948	156	154	2	95	47	48	42
1	Caton .. .. .	21218	2817	61	61	—	42	20	22	—
2	Wray W,F .. .. .	28955	1757	39	39	—	18	10	8	—
3	Tunstall .. .. .	10499	694	15	15	—	14	5	9	—
4	Arkholme .. .. .	15595	1680	41	39	2	21	12	9	—
481.—Ulverston.		140573	42793	898	839	59	593	298	295	331
1	Cartmel .. .. .	29875	6270	120	114	6	75	37	38	—
2	Colton .. .. .	24867	3108	45	44	1	32	17	15	—
3	Ulverston W,F,H .. .. .	8522	12029	251	230	21	191	88	103	—
4	Dalton .. .. .	16877	15278	364	339	25	225	119	106	—
5	West Broughton .. .. .	26864	2884	57	54	3	33	20	13	—
6	Hawkshead .. .. .	33568	3224	61	58	3	37	17	20	—
482.—Barrow in Furness.		11023	57586	1795	1757	38	824	449	375	461
i	Barrow in Furness 2W,3F,H .. .. .	11023	57586	1795	1757	38	824	449	375	—

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1907.

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	<b>36.—WEST RIDING.</b>									
	<b>483.—Sedbergh.</b>	<b>52675</b>	<b>3935</b>	<b>67</b>	<b>65</b>	<b>2</b>	<b>56</b>	<b>28</b>	<b>28</b>	<b>28</b>
1	Sedbergh W .. .. .	20712	2430	36	36	—	30	13	17	—
2	Garsdale .. .. .	11068	429	9	9	—	6	3	3	—
3	Dent .. .. .	20895	1076	22	20	2	20	12	8	—
	<b>484.—Settle.</b>	<b>152009</b>	<b>14319</b>	<b>293</b>	<b>280</b>	<b>13</b>	<b>191</b>	<b>99</b>	<b>92</b>	<b>94</b>
1	Bentham .. .. .	59583	6297	128	126	2	90	47	43	—
2	Settle W .. .. .	35783	5027	99	92	7	64	32	32	—
3	Long Preston .. .. .	16304	2000	51	48	3	28	15	13	—
4	Kirkby Malham .. .. .	22335	719	12	12	—	7	4	3	—
5	Arncliffe .. .. .	18004	276	3	2	1	2	1	1	—
	<b>485.—Skipton.</b>	<b>159262</b>	<b>45261</b>	<b>1152</b>	<b>1105</b>	<b>47</b>	<b>726</b>	<b>361</b>	<b>365</b>	<b>398</b>
1	Kettlewell .. .. .	33147	660	22	21	1	13	8	5	—
2	Gargrave .. .. .	17757	1996	45	41	4	18	7	11	—
3	Barnoldswick F .. .. .	16574	11953	350	336	14	214	106	108	—
4	Kildwick .. .. .	18162	10793	211	202	9	165	79	86	—
5	Skipton W,w,F,H .. .. .	25481	15277	409	393	16	246	129	117	—
6	Addingham .. .. .	20786	3027	67	64	3	44	18	26	—
7	Grassington .. .. .	27355	1555	48	48	—	26	14	12	—
	<b>486.—Pateley Bridge.</b>	<b>75072</b>	<b>8040</b>	<b>175</b>	<b>164</b>	<b>11</b>	<b>106</b>	<b>57</b>	<b>49</b>	<b>50</b>
1	Ramsgill .. .. .	31762	860	20	19	1	8	5	3	—
2	Pateley Bridge W .. .. .	11785	3397	70	67	3	57	31	26	—
3	Thornthwaite .. .. .	14667	1343	33	30	3	18	9	9	—
4	Dacre Banks .. .. .	16858	2440	52	48	4	23	12	11	—
	<b>487.—Ripon.</b>	<b>68607</b>	<b>15529</b>	<b>342</b>	<b>318</b>	<b>24</b>	<b>212</b>	<b>112</b>	<b>100</b>	<b>109</b>
1	Kirkby Malzeard .. .. .	25817	2256	52	50	2	31	13	18	—
2	Ripon W,2F,H .. .. .	25783	11124	249	231	18	155	87	68	—
3	Dishforth .. .. .	17007	2149	41	37	4	26	12	14	—
	<b>488.—Great Ouseburn.</b>	<b>45970</b>	<b>9574</b>	<b>256</b>	<b>246</b>	<b>10</b>	<b>121</b>	<b>63</b>	<b>58</b>	<b>73</b>
1	Boroughbridge .. .. .	14150	2645	52	50	2	35	15	20	—
2	Whixley W .. .. .	19890	2892	75	71	4	41	21	20	—
3	Poppleton 2F .. .. .	11930	4037	129	125	4	45	27	18	—
	<b>489.—Knaresborough.</b>	<b>41249</b>	<b>40504</b>	<b>968</b>	<b>910</b>	<b>58</b>	<b>614</b>	<b>315</b>	<b>299</b>	<b>295</b>
1	Knaresborough W,F .. .. .	18838	7761	217	200	17	147	77	70	—
2	Harrogate 4H .. .. .	22411	32743	751	710	41	467	238	229	—
	<b>490.—Wetherby.</b>	<b>65801</b>	<b>15343</b>	<b>307</b>	<b>291</b>	<b>16</b>	<b>219</b>	<b>113</b>	<b>106</b>	<b>77</b>
1	Wetherby W,F .. .. .	65801	15343	307	291	16	219	113	106	—
	<b>491.—Wharfedale.</b>	<b>71045</b>	<b>57478</b>	<b>1167</b>	<b>1130</b>	<b>37</b>	<b>944</b>	<b>495</b>	<b>449</b>	<b>444</b>
1	Horsforth 4H .. .. .	12159	12587	256	248	8	132	70	62	—
2	Fewston W .. .. .	25360	2893	65	62	3	69	39	30	—
3	Otley F,2L .. .. .	11550	16037	340	333	7	423	229	194	—
4	Ilkley F,3H .. .. .	11643	7933	120	117	3	84	44	40	—
5	Yeadon F .. .. .	10333	18028	386	370	16	236	113	123	—
	<b>492.—Keighley.</b>	<b>36805</b>	<b>77463</b>	<b>1627</b>	<b>1561</b>	<b>66</b>	<b>1112</b>	<b>560</b>	<b>552</b>	<b>651</b>
1	Bingley F,H .. .. .	12774	17383	366	351	15	244	124	120	—
2	Keighley W,H .. .. .	15471	49413	1113	1063	50	742	371	371	—
3	Haworth .. .. .	8560	10667	148	147	1	126	65	61	—
	<b>493.—Todmorden.</b>	<b>40354</b>	<b>42207</b>	<b>804</b>	<b>778</b>	<b>26</b>	<b>629</b>	<b>332</b>	<b>297</b>	<b>337</b>
1	Hebden Bridge .. .. .	27581	16789	277	264	13	217	112	105	—
2	Todmorden W,2F .. .. .	12773	25418	527	514	13	412	220	192	—



IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1907—continued.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
36.—WEST RIDING—cont.										
494.—Saddleworth.		18483	17018	381	372	9	264	127	137	142
No. 1	Springhead .. .. .	1558	4698	146	142	4	76	34	42	—
2	Saddleworth W,F .. ..	16925	12320	235	230	5	188	93	95	—
495.—Huddersfield.		71611	166646	3944	3833	111	2708	1427	1281	1557
1	Slaithwaite .. .. .	11805	9133	230	225	5	130	79	51	—
2	Honley W,2F,H .. .. .	11521	14070	305	299	6	241	118	123	—
3	Holmfirth .. .. .	10919	8585	184	179	5	95	56	39	—
4	Newmill .. .. .	6395	5439	141	136	5	70	39	31	—
5	Kirkburton L .. .. .	8801	11845	297	291	6	210	110	100	—
6	Almondbury F .. .. .	3980	22957	530	521	9	348	187	161	—
7	Kirkheaton .. .. .	5588	6027	142	138	4	89	44	45	—
8	Huddersfield F,2H .. ..	4055	44921	1094	1061	33	796	423	373	—
9	Lockwood W .. .. .	3824	27189	588	562	26	494	270	224	—
10	Golcar .. .. .	4723	16500	433	421	12	235	101	134	—
496.—Halifax.		52720	195136	3492	3362	130	2811	1359	1452	1571
1	Brighouse F .. .. .	9856	33537	670	649	21	456	243	213	—
2	Halifax 2W,F,H .. .. .	2924	70089	1228	1163	65	1239	599	640	—
3	Elland F .. .. .	5785	19824	337	331	6	232	104	128	—
4	Ripponden .. .. .	13240	5779	73	73	—	64	32	32	—
5	Sowerby 2F .. .. .	4751	19343	288	278	10	236	103	133	—
6	Luddenden F .. .. .	5633	5630	86	82	4	68	26	42	—
7	Northowram 2F .. .. .	10481	40934	810	786	24	516	252	264	—
497a.—Bradford.		10802	228625	4690	4455	235	3568	1801	1767	2166
1	Bowling .. .. .	1563	37220	821	792	29	502	241	261	—
2	Bradford East F .. .. .	1834	67599	1462	1395	67	876	440	436	—
3	Bradford West 4H .. ..	5372	71397	1294	1241	53	1096	541	555	—
4	Horton 2W .. .. .	2033	52409	1113	1027	86	1094	579	515	—
497b.—North Bierley.		30492	129067	2663	2585	78	1780	903	877	946
1	Cleckheaton 2F .. .. .	3137	13870	292	287	5	165	77	88	—
2	Drighlington .. .. .	3794	11530	238	232	6	139	73	66	—
3	North Bierley F .. .. .	4255	22151	437	427	10	284	148	136	—
4	Thornton 2W,F .. .. .	6248	13583	246	228	18	277	141	136	—
5	Wilsden .. .. .	2638	3067	54	52	2	46	24	22	—
6	Shipley F,H .. .. .	2182	25573	539	524	15	360	195	165	—
7	Idle .. .. .	2913	16128	374	364	10	208	103	105	—
8	Calverley F .. .. .	2926	8258	179	176	3	108	52	56	—
9	Pudsey .. .. .	2399	14907	304	295	9	193	90	103	—
498.—Hunslet.		12120	83002	2442	2360	82	1304	672	632	732
1	Hunslet* .. .. .	2220	69443	2017	1950	67	1028	517	511	—
2	Templenewsam* .. .. .	3407	2459	87	82	5	47	25	22	—
3	Rothwell* 2W,3F .. ..	6493	11100	338	323	10	229	130	99	—
499.—Holbeck.		2579	33585	1109	1067	42	538	263	275	304
1	Holbeck W .. .. .	2579	33585	1109	1067	42	538	263	275	—
500.—Bramley.		7608	79700	2041	1976	65	1230	622	608	582
1	Bramley .. .. .	2510	17299	458	447	11	235	116	119	—
2	Gildersome .. .. .	992	3073	70	69	1	53	25	28	—
3	Wortley W,H .. .. .	4106	59328	1513	1460	53	942	481	461	—
501.—Leeds.		13961	254536	6734	6366	368	4523	2338	2185	2412
1	South-East Leeds .. ..	853	34299	1211	1154	57	629	306	323	—
2	North Leeds W .. .. .	640	59281	1623	1506	117	1219	702	517	—
3	West Leeds 2H .. .. .	1244	84340	1814	1694	120	1568	791	777	—
4	Kirkstall .. .. .	3185	41561	967	938	29	496	236	260	—
5	Chapelton 2F .. .. .	8039	35055	1119	1074	45	611	303	308	—
502.—Dewsbury.		25564	167643	3855	3710	145	2695	1353	1342	1598
1	Morley F .. .. .	2895	21623	527	507	20	314	166	148	—
2	Batley F,H .. .. .	2039	30321	753	730	23	556	273	283	—
3	Gomersal F .. .. .	3258	12311	274	269	5	156	71	85	—
4	Liversedge .. .. .	2832	23439	549	537	12	316	155	161	—
5	Mirfield F,H .. .. .	3766	17040	332	327	5	270	139	131	—
6	Dewsbury W,H .. .. .	1471	28060	592	539	53	595	309	286	—
7	Soothill F .. .. .	2459	11656	297	283	14	167	91	76	—
8	Ossett F .. .. .	3238	12903	284	276	8	194	92	102	—
9	Thornhill F .. .. .	3606	10290	247	242	5	127	57	70	—

\* 498 : 1, 2, 3.—On 1st November, 1907, Whitkirk sub-district was abolished and its constituent parts divided between Hunslet (1), Templenewsam (a new sub-district) (2), and Rothwell (3). See page 475. The births and deaths are shown as if the change had taken place at the beginning of the year.

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*continued.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
36.—WEST RIDING—cont.										
503.—Wakefield.		41732	112365	3402	3295	107	1952	1026	926	967
No.	Bretton .. .. .	10176	5691	177	173	4	74	38	36	—
1	Sandal F .. .. .	8962	12832	428	419	9	169	95	74	—
2	Horbury* F .. .. .	2289	6900	178	174	4	114	60	54	—
3	Wakefield* W,F,H,L .. .. .	2441	41413	1033	981	52	950	496	454	—
4	Ardsley .. .. .	6541	12350	400	391	9	181	89	92	—
5	Stanley* F,H .. .. .	5165	13406	430	417	13	178	91	87	—
6	Normanton F .. .. .	6158	19773	756	740	16	286	157	129	—
7										
504.—Pontefract.		54103	70258	2650	2554	96	1221	650	571	656
1	Knottingley .. .. .	18142	11959	358	347	11	199	103	96	—
2	Whitley .. .. .	17004	2210	62	57	5	37	18	19	—
3	Pontefract W,2F,H .. .. .	12736	26609	1014	974	40	504	266	238	—
4	Castleford 3F .. .. .	6221	29480	1216	1176	40	481	263	218	—
505.—Hemsworth.		34750	23379	1053	1004	49	498	265	233	192
1	Hemsworth Eastern .. .. .	19412	9528	416	393	23	189	106	83	—
2	Hemsworth Western W,F .. .. .	15338	13851	637	611	26	309	159	150	—
506.—Barnsley.		34957	113518	4567	4343	224	2302	1196	1106	1088
1	Darton .. .. .	11316	15618	704	687	17	310	144	166	—
2	Barnsley W,2F,H .. .. .	9222	56966	2119	1998	121	1218	659	559	—
3	Darfield .. .. .	8818	30108	1277	1206	71	565	295	270	—
4	Worsborough .. .. .	5501	10826	467	452	15	209	98	111	—
507.—Wortley.†		91331	53659	1514	1456	58	1009	563	446	400
1	Cawthorne .. .. .	8974	5070	139	132	7	45	18	27	—
2	High Hoyland .. .. .	4870	3618	80	80	—	52	28	24	—
3	Penistone W,F .. .. .	21265	8740	226	217	9	151	94	57	—
4	Wortley .. .. .	8082	3425	76	75	1	52	34	18	—
5	Ecclesfield W,F,L .. .. .	9368	18324	600	574	26	481	260	221	—
6	Bradfield F .. .. .	38772	14482	393	378	15	228	129	99	—
508.—Ecclesall Bierlow.		23135	179676	5567	5366	201	2882	1477	1405	1516
1	Ecclesall North .. .. .	654	32189	1246	1212	34	532	269	263	—
2	Ecclesall West Central w,2FH .. .. .	7588	42828	1152	1118	34	713	379	334	—
3	Dore .. .. .	5455	2217	56	56	—	30	16	14	—
4	Norton .. .. .	5185	11959	494	474	20	191	105	86	—
5	Ecclesall South W .. .. .	3613	35165	1240	1177	63	700	361	339	—
6	Sharrow .. .. .	275	28323	675	645	30	329	163	166	—
7	Broomhall .. .. .	365	26995	704	684	20	387	184	203	—
509.—Sheffield.		12826	246146	9094	8704	390	5146	2765	2381	2599
1	South Sheffield 2H .. .. .	331	26538	930	894	36	623	328	295	—
2	North Sheffield F,H .. .. .	282	38784	1260	1187	73	914	493	421	—
3	Sheffield Park W .. .. .	2509	25323	846	811	35	429	220	209	—
4	Hillsborough .. .. .	986	11763	513	501	12	242	123	119	—
5	West Brightside 3W .. .. .	2090	40214	1458	1347	111	1139	661	478	—
6	East Brightside H .. .. .	1594	37778	1325	1279	46	640	346	294	—
7	Attercliffe .. .. .	1393	51585	2264	2203	61	941	489	452	—
8	Handsworth .. .. .	3641	14161	498	482	16	218	105	113	—
510.—Rotherham.		50160	111604	4486	4294	192	2173	1148	1025	1105
1	Aston F .. .. .	7468	6818	272	266	6	123	68	55	—
2	South East Rotherham W,2F,H .. .. .	11249	32232	1190	1133	57	665	367	298	—
3	North West Rotherham .. .. .	3931	28016	1160	1115	45	489	245	244	—
4	Rawmarsh F .. .. .	4963	17718	696	667	29	265	139	126	—
5	Wath F .. .. .	9002	24051	945	901	44	533	280	253	—
6	Maltby .. .. .	13547	2769	223	212	11	98	49	49	—

\* 503: 3, 4, 6.—On 1st May, 1907, Alverthorpe sub-district was abolished and its constituent parts divided between Horbury (3), Wakefield (4), and Stanley (6). See page 475. The births and deaths are shown as if the change had taken place at the beginning of the year.

† 507.—The District of WORTLEY comprises the two Poor Law Unions of Penistone (Cawthorne, High Hoyland and Penistone sub-districts) and Wortley (Wortley, Ecclesfield, and Bradfield sub-districts).



IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1907—continued.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total	Legitimate.	Illegitimate.	Total.	Males.	Females.	
36.—WEST RIDING—cont.										
511.—Doncaster.		112734	83832	3002	2885	117	1724	927	797	770
No.	Tickhill <i>W,F</i> .. .. .	20953	10185	335	312	23	253	154	99	—
1	Barmbrough <i>F,2H</i> .. .. .	29633	30762	1551	1504	47	746	404	342	—
2	Doncaster <i>F,H</i> .. .. .	1931	29081	714	677	37	511	259	252	—
3	Campsall .. .. .	26827	5616	172	167	5	83	41	42	—
4	Bawtry .. .. .	33390	8188	230	225	5	131	69	62	—
5										
512.—Thorne.		69566	15722	443	420	23	235	127	108	110
1	Epworth .. .. .	17844	3694	90	88	2	49	27	22	—
2	Thorne <i>W</i> .. .. .	38434	7246	222	206	16	113	56	57	—
3	Crowle .. .. .	13288	4782	131	126	5	73	44	29	—
513.—Goole.		41823	25486	847	790	57	395	204	191	263
1	Swinefleet .. .. .	18192	3411	83	75	8	49	22	27	—
2	Goole <i>W,2F,H</i> .. .. .	10079	17943	644	604	40	300	162	138	—
3	Snaith .. .. .	13552	4132	120	111	9	46	20	26	—
514.—Selby.		56362	16708	472	440	32	233	117	116	118
1	Carlton .. .. .	13040	2205	51	49	2	26	10	16	—
2	Selby <i>W,F,2H</i> .. .. .	25217	11403	354	333	21	160	87	73	—
3	Riccall .. .. .	18105	3100	67	58	9	47	20	27	—
515.—Tadcaster.		72827	29507	889	857	32	475	241	234	186
1	Aberford <i>F</i> .. .. .	29860	19054	644	622	22	318	159	159	—
2	Tadcaster <i>W</i> .. .. .	29945	6541	168	161	7	103	61	42	—
3	Sherburn <i>F</i> .. .. .	13022	3912	77	74	3	54	21	33	—
37.—EAST RIDING (with York).										
516.—York.		80100	92012	2472	2342	130	1642	838	804	779
1	Skelton <i>2F,L</i> .. .. .	13238	3469	53	52	1	166	76	90	—
2	York East <i>W,2H,2L</i> .. .. .	2088	51225	1428	1351	77	966	493	473	—
3	York West .. .. .	1642	26689	746	706	40	336	172	164	—
4	Bishopthorpe .. .. .	6411	1960	41	38	3	28	19	9	—
5	Escrick <i>L</i> .. .. .	23128	3807	100	98	2	67	37	30	—
6	Dunnington <i>F</i> .. .. .	19275	3071	63	59	4	49	25	24	—
7	Flaxton .. .. .	14318	1791	41	38	3	30	16	14	—
517.—Pocklington.		110638	13709	312	284	28	222	113	109	97
1	East Stamford Bridge .. .. .	35044	3473	81	71	10	55	28	27	—
2	Pocklington <i>W</i> .. .. .	42497	5920	128	117	11	98	54	44	—
3	Market Weighton .. .. .	33097	4316	103	96	7	69	31	38	—
518.—Howden.		74856	12274	310	289	21	185	90	95	95
1	Holme .. .. .	11522	1678	38	35	3	25	12	13	—
2	Bubwith .. .. .	16626	1522	35	33	2	18	11	7	—
3	Howden <i>W,F</i> .. .. .	25238	5418	132	122	10	98	47	51	—
4	Wallingfen .. .. .	21470	3656	105	99	6	44	20	24	—
519.—Beverley.		79886	24454	553	516	37	374	194	180	188
1	South Cave .. .. .	20032	3613	73	71	2	34	18	16	—
2	Beverley <i>W,H,L</i> .. .. .	25614	17097	404	374	30	294	149	145	—
3	Lockington .. .. .	22666	2521	50	47	3	29	18	11	—
4	Leven .. .. .	11574	1223	26	24	2	17	9	8	—
520.—Sculcoates.		39113	173307	5926	5715	211	2944	1557	1387	1628
1	Southcoates <i>F</i> .. .. .	5065	22421	849	828	21	353	172	181	—
2	Cottingham <i>L</i> .. .. .	9119	4781	121	118	3	150	94	56	—
3	Ferriby .. .. .	7574	1845	33	32	1	13	10	3	—
4	Hessle <i>W</i> .. .. .	6692	38259	1560	1511	49	611	309	302	—
5	Hedon .. .. .	5325	2007	55	53	2	28	15	13	—
6	Drypool <i>F</i> .. .. .	2708	33897	1220	1188	32	600	336	264	—
7	East Sculcoates <i>W</i> .. .. .	795	27449	942	887	55	612	338	274	—
8	West Sculcoates <i>H</i> .. .. .	1835	42648	1146	1098	48	577	283	294	—

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.							AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS		MARRIAGES.	
									Total.	Legitimate.	Illegitimate.	Total	Males.		Females.
37.—EAST RIDING—cont.															
521.—Hull.							1114	82245	2156	2052	104	1568	821	747	771
No.															
1	Humber <i>H</i> .. .. .						395	30530	606	574	32	628	327	301	—
2	Myton <i>W,2H</i> .. .. .						719	51715	1550	1478	72	940	494	446	—
522.—Patrington.							62425	8593	217	210	7	104	52	52	53
1	Patrington <i>W,H..</i> .. .. .						62425	8593	217	210	7	104	52	52	—
523.—Skirlaugh.							66966	9359	210	194	16	144	70	74	54
1	Humbleton.. .. .						11072	1096	29	29	—	13	5	8	—
2	Skirlaugh <i>W</i> .. .. .						17513	2031	43	40	3	23	13	10	—
3	Aldbrough .. .. .						11989	1320	25	24	1	19	13	6	—
4	Hornsea .. .. .						13578	3637	84	75	9	74	30	44	—
5	Brandesburton .. .. .						12814	1275	29	26	3	15	9	6	—
524.—Driffield.							111423	17754	410	359	51	239	125	114	140
1	Foston .. .. .						17575	2170	46	41	5	32	15	17	—
2	Driffield <i>W,H</i> .. .. .						22776	8705	197	168	29	143	79	64	—
3	Bainton .. .. .						33417	3474	81	76	5	35	16	19	—
4	Langtoft .. .. .						37655	3405	86	74	12	29	15	14	—
525.—Bridlington.							66474	20229	474	436	38	287	145	142	149
1	Skipsea .. .. .						17162	1628	28	28	—	11	5	6	—
2	Bridlington <i>W,F,2H</i> .. .. .						18672	15141	353	329	24	235	123	112	—
3	Hunmanby .. .. .						30640	3460	93	79	14	41	17	24	—
38.—NORTH RIDING.															
526.—Scarborough.							88216	51110	1049	958	91	893	444	449	388
1	Filey .. .. .						14622	4733	97	93	4	66	34	32	—
2	Scarborough <i>W,F,3H..</i> .. .. .						20147	40775	832	756	76	756	375	381	—
3	Hutton Bushell .. .. .						40159	4195	90	84	6	50	22	28	—
4	Sherburn .. .. .						13288	1407	30	25	5	21	13	8	—
527.—Malton.							116056	20454	490	453	37	261	146	115	127
1	Rillington .. .. .						37096	3389	85	79	6	44	24	20	—
2	Westow .. .. .						24026	2349	52	50	2	23	11	12	—
3	Malton <i>W,H</i> .. .. .						19393	10197	274	249	25	141	79	62	—
4	Hovingham .. .. .						13142	1604	35	34	1	22	16	6	—
5	Bulmer .. .. .						22399	2915	44	41	3	31	16	15	—
528.—Easingwold.							74362	9909	213	199	14	123	60	63	76
1	Stillington .. .. .						22218	2189	50	48	2	26	10	16	—
2	Easingwold <i>W,H</i> .. .. .						38051	6226	134	122	12	84	45	39	—
3	Coxwold .. .. .						14093	1494	29	29	—	13	5	8	—
529.—Thirsk.							71650	12710	292	270	22	192	91	101	100
1	Topcliffe .. .. .						24568	2798	71	68	3	34	18	16	—
2	Thirsk <i>W,H</i> .. .. .						26504	8272	185	166	19	138	64	74	—
3	Sutton .. .. .						20578	1640	36	36	—	20	9	11	—
530.—Helmsley.*							113815	9967	217	205	12	147	83	64	54
1	Helmsley <i>W</i> .. .. .						51625	3391	67	62	5	52	26	26	—
2	Oswaldkirk .. .. .						16079	1785	39	38	1	19	12	7	—
3	Kirkby Moorside <i>W</i> .. .. .						46111	4791	111	105	6	76	45	31	—
531.—Pickering.							95930	10059	245	218	27	165	77	88	53
1	Lastingham .. .. .						25206	2077	55	50	5	29	11	18	—
2	Pickering <i>W</i> .. .. .						32952	5466	130	115	15	96	43	53	—
3	Allerston .. .. .						27627	2093	46	39	7	33	19	14	—
4	Lockton .. .. .						10145	423	14	14	—	7	4	3	—



IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1907—continued.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
38.—NORTH RIDING—cont.										
532.—Whitby.		80319	21743	475	452	23	377	190	187	168
No. 1	Egton	38517	3840	101	94	7	73	34	39	—
2	Whitby W,F,H	22263	14425	291	277	14	238	120	118	—
3	Lythe	19539	3478	83	81	2	66	36	30	—
533.—Guisborough.		89879	43420	1446	1378	68	683	375	308	401
1	Loftus F,2H	18277	11199	372	351	21	184	88	96	—
2	Skelton H	7445	9026	343	328	15	139	79	60	—
3	Marske 2F,3H	15380	15212	464	447	17	229	131	98	—
4	Guisborough W,F,H	12825	6286	227	215	12	113	64	49	—
5	Danby	35952	1697	40	37	3	18	13	5	—
534.—Middlesbrough.		22254	139773	5544	5401	143	3290	1828	1462	1429
1	Middlesbrough 3W,F,H,L	7480	92668	3503	3405	98	2157	1223	929	—
2	Ormesby 2F,2H	6786	30326	1406	1374	32	803	438	365	—
3	Thornaby F	7988	16779	635	622	13	330	162	168	—
535.—Stokesley.		79695	11247	255	235	20	148	81	67	83
1	Stokesley W	60291	8972	211	193	18	120	69	51	—
2	Hutton	19404	2275	44	42	2	28	12	16	—
536.—Northallerton.		67153	11590	275	264	11	175	88	87	99
1	Appleton Wiske	21998	2192	40	39	1	37	17	20	—
2	Northallerton W,2F,H	45155	9398	235	225	10	138	71	67	—
537.—Bedale.		60783	8436	213	205	8	103	64	39	47
1	Bedale W	27324	5269	136	129	7	61	38	23	—
2	Masham	33459	3167	77	76	1	42	26	16	—
538.—Leyburn.		80299	6748	185	179	6	95	49	46	46
1	Middleham	41526	2730	95	94	1	38	20	18	—
2	Leyburn W	38773	4018	90	85	5	57	29	28	—
539.—Aysgarth.		81033	4506	83	77	6	70	41	29	33
1	Askrigg W	62977	2390	36	33	3	36	20	16	—
2	Hawes	18056	2116	47	44	3	34	21	13	—
540.—Reeth.		74538	2520	45	42	3	41	16	25	16
1	Muker	38191	1046	19	17	2	15	4	11	—
2	Reeth W	36347	1474	26	25	1	26	12	14	—
541.—Richmond.		81122	11726	275	256	19	192	114	78	73
1	Richmond W,F,H	32236	6213	135	122	13	95	55	40	—
2	Catterick H	20731	2711	69	66	3	58	37	21	—
3	Newsham	16164	990	26	24	2	20	10	10	—
4	Aldbrough	11991	1812	45	44	1	19	12	7	—

X.—NORTHERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907.

<b>39.—DURHAM.</b>										
<b>542.—Darlington.</b>		<b>65704</b>	<b>56209</b>	<b>1738</b>	<b>1648</b>	<b>90</b>	<b>942</b>	<b>449</b>	<b>493</b>	<b>490</b>
1	Hurworth H	35367	6364	157	144	13	124	51	73	—
2	Darlington W,2F,H	7120	46145	1488	1416	72	765	373	392	—
3	Aycliffe	23217	3700	93	88	5	53	25	28	—
<b>543a.—Stockton.</b>		<b>37474</b>	<b>66297</b>	<b>2183</b>	<b>2109</b>	<b>74</b>	<b>1217</b>	<b>659</b>	<b>558</b>	<b>589</b>
1	Stockton 2W,3F,H	37474	66297	2183	2109	74	1217	659	558	—
<b>543b.—Sedgefield.</b>		<b>45243</b>	<b>21530</b>	<b>1015</b>	<b>978</b>	<b>37</b>	<b>631</b>	<b>342</b>	<b>289</b>	<b>208</b>
1	Sedgefield W,F,2L	34147	9865	303	291	12	299	175	124	—
2	Cornforth	11096	11665	712	687	25	332	167	165	—

X.—NORTHERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
39.—DURHAM—cont.												
544.—Hartlepool.				22509	88234	2839	2740	99	1449	760	689	717
No. 1	Hartlepool W,F,2H .. ..			22509	88234	2839	2740	99	1449	760	689	—
545.—Auckland.				64445	94542	3592	3449	143	1798	981	817	992
1	Bishop Auckland W,5F,H .. ..			25637	65753	2609	2494	115	1338	725	613	—
2	Hamsterley .. ..			38808	28789	983	955	28	460	256	204	—
546.—Teesdale.				178139	20354	510	478	32	336	181	155	163
1	Staindrop .. ..			27225	6491	196	180	16	99	54	45	—
2	Barnard Castle W,2F .. ..			60839	7941	194	186	8	158	97	61	—
3	Middleton F .. ..			90075	5922	120	112	8	79	30	49	—
547.—Weardale.				98357	15859	418	385	33	218	113	105	128
1	St. John .. ..			36094	3186	78	71	7	44	21	23	—
2	Stanhope W,H .. ..			37884	5008	117	111	6	80	44	36	—
3	Wolsingham .. ..			24379	7665	223	203	20	94	48	46	—
548.—Lanchester.				67467	83386	3290	3157	133	1501	793	708	813
1	Tanfield F .. ..			10048	30175	1384	1339	45	564	298	266	—
2	Consett F,H .. ..			25568	29775	968	933	35	509	257	252	—
3	Lanchester W,F,H .. ..			31851	23436	938	885	53	428	238	190	—
549.—Durham.				44252	74252	2584	2507	77	1335	704	631	827
1	St. Oswald W,2F,H,L .. ..			28582	53114	1877	1816	61	944	498	446	—
2	St. Nicholas F,H .. ..			15670	21138	707	691	16	391	206	185	—
550.—Easington.				38119	50725	2298	2217	81	1125	584	541	569
1	Wingate W,F .. ..			24884	21046	1074	1027	47	531	278	253	—
2	Dawdon F,H .. ..			13235	29679	1224	1190	34	594	306	288	—
551.—Houghton le Spring.				16360	40847	1678	1621	57	718	406	312	396
1	Houghton le Spring W,2F .. ..			9949	22350	988	957	31	433	253	180	—
2	Hetton le Hole F .. ..			6411	18497	690	664	26	285	153	132	—
552.—Chester le Street.				34620	60552	2532	2444	88	1186	622	564	556
1	Chester le Street W,F .. ..			17345	34745	1403	1350	53	695	363	332	—
2	Harraton .. ..			17275	25807	1129	1094	35	491	259	232	—
553.—Sunderland.				11193	181506	6911	6700	211	3678	1925	1753	1682
1	Sunderland West W,2H .. ..			1724	60202	2107	2027	80	1391	713	678	—
2	Sunderland East .. ..			897	54143	1964	1899	65	1013	546	467	—
3	Sunderland North H .. ..			736	31732	1273	1246	27	579	294	285	—
4	Southwick F .. ..			4098	17326	824	803	21	302	162	140	—
5	Ryhope 2F,L .. ..			3738	18103	743	725	18	393	210	183	—
554.—South Shields.				16496	166844	5645	5419	226	2981	1550	1431	1486
1	South Shields W,3F,H .. ..			10229	107821	3523	3366	157	2680	1078	1002	—
2	Jarrow 3F,2H .. ..			6267	59023	2122	2053	69	901	472	429	—
555.—Gateshead.				26213	173453	6524	6281	243	3191	1633	1468	1596
1	Heworth 2F .. ..			2811	24331	909	880	29	433	213	220	—
2	Gateshead W,F,H .. ..			3005	108024	3784	3636	148	1907	1014	893	—
3	Whickham F .. ..			5914	12852	570	554	16	264	136	128	—
4	Winlaton F .. ..			14483	28246	1261	1211	50	497	270	227	—



X.—NORTHERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—continued.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
40.—NORTHUMBERLAND.										
No.	556.—Newcastle upon Tyne.	7304	233689	7609	7333	273	4336	2396	1940	2247
1	Benwell .. .. .	1739	18316	923	894	29	281	151	130	—
2	St. Andrew F,5H .. .. .	2350	32929	759	742	17	1012	619	393	—
3	Elswick W,H .. .. .	784	59165	1602	1515	87	1083	577	506	—
4	St. Nicholas .. .. .	359	35974	1036	1001	35	570	313	257	—
5	All Saints 2H .. .. .	283	25838	1023	992	31	454	243	211	—
6	Byker .. .. .	1789	61467	2266	2192	74	936	493	443	—
557.—Tynemouth.		38834	168662	6260	6053	207	2961	1540	1421	1536
1	Wallsend 3F .. .. .	2598	30858	1362	1325	37	527	284	243	—
2	Tynemouth W,2F,H .. .. .	4372	51366	1795	1720	75	1001	506	495	—
3	Longbenton 2F,H .. .. .	8969	26879	1067	1031	36	507	272	235	—
4	Whitley F,H .. .. .	9898	21869	743	724	19	350	170	180	—
5	Blyth F,H .. .. .	3552	23409	850	827	23	362	187	175	—
6	Cramlington F .. .. .	9445	14281	443	426	17	214	121	93	—
558.—Castle Ward.		91100	32357	1182	1147	35	586	312	274	320
1	Ponteland W .. .. .	43528	4606	141	132	9	81	47	34	—
2	Gosforth F,L .. .. .	6263	11875	428	418	10	273	151	122	—
3	Newburn 2F .. .. .	7439	12834	544	532	12	193	96	97	—
4	Stamfordham .. .. .	33870	3042	69	65	4	39	18	21	—
559.—Hexham.		205847	34711	864	808	56	497	261	236	238
1	Bywell F .. .. .	50527	13160	380	359	21	183	96	87	—
2	Hexham W,F,H .. .. .	52956	11386	281	261	20	182	98	81	—
3	Allendale .. .. .	51833	4778	99	92	7	65	29	36	—
4	Chollerton .. .. .	50531	5387	104	96	8	67	38	29	—
560.—Haltwhistle.		96323	8502	246	231	15	112	61	51	76
1	Haltwhistle W .. .. .	96323	8502	246	231	15	112	61	51	—
561.—Bellingham.		246530	6341	131	120	11	90	51	39	41
1	Bellingham W .. .. .	182809	3907	70	66	4	48	26	22	—
2	Kirkwhelpington .. .. .	63771	2434	61	54	7	42	25	17	—
562.—Morpeth.		97580	55744	2199	2114	85	995	521	474	551
1	Morpeth W,F,H,L .. .. .	46072	9866	251	234	17	232	131	101	—
2	Bedlington F .. .. .	10138	19083	745	721	24	305	156	149	—
3	Ashington 3F .. .. .	41370	26795	1203	1159	44	458	234	224	—
563.—Alnwick.		99044	23660	601	565	36	364	188	176	194
1	Warkworth .. .. .	30503	11464	320	302	18	185	107	78	—
2	Alnwick W,F,H .. .. .	16985	7385	185	174	11	123	58	65	—
3	Embleton .. .. .	51556	4811	96	89	7	56	23	33	—
564.—Belford.		39619	5198	116	109	7	71	38	33	36
1	Belford W .. .. .	39619	5198	116	109	7	71	38	33	—
565.—Berwick.		53468	19491	478	449	29	314	167	147	123
1	Berwick upon Tweed 2W,F,2H .. .. .	10089	13938	345	322	23	233	126	107	—
2	Norhamshire and Islandshire .. .. .	43379	5553	133	127	6	81	41	40	—
566.—Glendale.		147942	8770	171	164	7	87	39	48	56
1	Ford .. .. .	60946	4200	87	81	6	37	17	20	—
2	Wooler W .. .. .	86996	4570	84	83	1	50	22	28	—
567.—Rothbury.		167874	5994	127	120	7	94	53	41	26
1	Rothbury W,F,H .. .. .	85627	4753	110	105	5	69	37	32	—
2	Elsdon .. .. .	82247	1241	17	15	2	25	16	9	—

X.—NORTHERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.							AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS		MARRIAGES.	
									Total.	Legitimate.	Illegitimate.	Total.	Males.		Females.
41.—CUMBERLAND.															
No.	568.—Alston.						36971	3134	63	57	6	49	22	27	19
1	Alston	W	..	..	..	..	36971	3134	63	57	6	49	22	27	—
569.—Penrith.							188291	22205	484	437	47	356	185	171	152
1	Penrith	W,F,H	..	..	..	..	51175	12395	281	260	21	223	116	107	—
2	Greystoke	H	..	..	..	..	71613	4433	94	83	11	70	37	33	—
3	Kirkoswald	..	..	..	..	..	65503	5377	109	94	15	63	32	31	—
570.—Brampton.							97697	8785	179	164	15	128	61	67	63
1	Hayton	..	..	..	..	..	26180	2143	36	32	4	36	15	21	—
2	Brampton	W	..	..	..	..	22941	4608	101	91	10	57	27	30	—
3	Walton	..	..	..	..	..	48576	2034	42	41	1	35	19	16	—
571.—Longtown.							88475	6676	136	107	29	121	71	50	38
1	Longtown	W	..	..	..	..	88475	6676	136	107	29	121	71	50	—
572.—Carlisle.							69250	62861	1490	1400	90	1151	591	560	455
1	Wetheral	..	..	..	..	..	13346	3556	89	83	6	44	23	21	—
2	St. Cuthbert	2W,L	..	..	..	..	10229	23155	580	542	38	488	243	245	—
3	St. Mary	F,2H	..	..	..	..	1426	25933	637	602	35	500	265	235	—
4	Stanwix	..	..	..	..	..	15319	5522	104	98	6	65	33	32	—
5	Burgh	F	..	..	..	..	9504	1342	21	20	1	24	11	13	—
6	Dalston	..	..	..	..	..	19426	3353	59	55	4	30	16	14	—
573.—Wigton.							138620	22301	522	488	34	333	167	166	176
1	Wigton	W	..	..	..	..	44313	8245	186	170	16	119	57	62	—
2	Abbey Holme	F,H	..	..	..	..	43574	10316	273	256	17	160	87	73	—
3	Caldbeck	..	..	..	..	..	50733	3740	63	62	1	54	23	31	—
574.—Cockermouth.							170355	69536	2017	1927	90	1223	641	587	595
1	Keswick	F,H	..	..	..	..	69408	7487	170	161	9	100	48	52	—
2	Cockermouth	W,H	..	..	..	..	61209	10815	251	229	22	208	109	99	—
3	Workington	2F,H	..	..	..	..	20077	31161	1001	966	35	554	300	254	—
4	Maryport	W,F,H	..	..	..	..	19661	20073	595	571	24	366	184	182	—
575.—Whitehaven.							91083	55717	1656	1583	73	929	490	439	447
1	Harrington	..	..	..	..	..	43727	15154	482	456	26	226	130	96	—
2	Whitehaven	W,2F,H	..	..	..	..	5324	21593	631	607	24	411	209	202	—
3	Egremont	..	..	..	..	..	42032	18970	543	520	23	292	151	141	—
576.—Bootle.							92344	15718	323	311	12	195	103	92	114
1	Muncaster	..	..	..	..	..	44763	2058	29	29	—	24	12	12	—
2	Bootle	W,F,H	..	..	..	..	47581	13660	294	282	12	171	91	80	—
42.—WESTMORLAND.															
577.—East Ward.							185030	13218	279	258	21	168	91	77	83
1	Appleby	F	..	..	..	..	80963	5821	115	105	10	71	36	35	—
2	Kirkby Stephen	W	..	..	..	..	63153	4634	92	84	8	70	38	32	—
3	Orton	..	..	..	..	..	40914	2763	72	69	3	27	17	10	—



X.—NORTHERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—continued.

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	<b>42.—WESTMORLAND— continued.</b>									
	<b>578.—West Ward.</b>	<b>121951</b>	<b>7711</b>	<b>153</b>	<b>141</b>	<b>12</b>	<b>113</b>	<b>60</b>	<b>53</b>	<b>45</b>
1	Morland W .. .. .	63059	4004	65	58	7	56	28	28	—
2	Lowther .. .. .	58892	3707	88	83	5	57	32	25	—
	<b>579.—Kendal.</b>	<b>198349</b>	<b>43480</b>	<b>835</b>	<b>790</b>	<b>45</b>	<b>525</b>	<b>266</b>	<b>259</b>	<b>282</b>
1	Ambleside 3F .. .. .	74262	13596	251	241	10	158	75	83	—
2	Kendal W,F,H .. .. .	3887	14796	324	304	20	202	103	99	—
3	Kirkby Lonsdale W.F .. .. .	67133	5467	97	95	2	53	27	26	—
4	Milnthorpe W,H .. .. .	53067	9621	163	150	13	112	61	51	—

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907.

	<b>43.—MONMOUTHSHIRE.</b>									
	<b>580.—Chepstow.</b>	<b>68548</b>	<b>19246</b>	<b>495</b>	<b>471</b>	<b>24</b>	<b>289</b>	<b>148</b>	<b>141</b>	<b>133</b>
1	Chepstow W,F .. .. .	43914	10597	282	264	18	180	97	83	—
2	Lydney F,H .. .. .	24634	8649	213	207	6	109	51	58	—
	<b>581.—Monmouth.</b>	<b>97016</b>	<b>28240</b>	<b>722</b>	<b>675</b>	<b>47</b>	<b>458</b>	<b>223</b>	<b>235</b>	<b>199</b>
1	West Dean .. .. .	8590	6052	191	184	7	84	39	45	—
2	Coleford .. .. .	15827	9204	249	239	10	110	53	57	—
3	Monmouth W,F,H .. .. .	25783	7495	165	146	19	165	83	82	—
4	Trelleck .. .. .	46816	5489	117	106	11	99	48	51	—
	<b>582.—Abergavenny.</b>	<b>62179</b>	<b>26729</b>	<b>671</b>	<b>642</b>	<b>29</b>	<b>475</b>	<b>245</b>	<b>230</b>	<b>191</b>
1	Llanarth .. .. .	11115	1422	31	30	1	20	13	7	—
2	Llanvihangel .. .. .	21215	1539	22	22	—	15	11	4	—
3	Abergavenny W,F,H,L .. .. .	22936	12014	255	243	12	251	119	132	—
4	Blaenavon H .. .. .	6913	11754	363	347	16	189	102	87	—
	<b>583.—Bedwellty.</b>	<b>27224</b>	<b>81820</b>	<b>4014</b>	<b>3925</b>	<b>89</b>	<b>1827</b>	<b>1023</b>	<b>804</b>	<b>928</b>
1	Aberystroth 2F .. .. .	10980	36806	1770	1742	28	819	460	359	—
2	Tredegar W,F,3H .. .. .	12950	40831	1848	1793	55	869	500	369	—
3	Rock Bedwellty .. .. .	3294	4183	396	390	6	139	63	76	—
	<b>584.—Pontypool.</b>	<b>50856</b>	<b>45379</b>	<b>1808</b>	<b>1774</b>	<b>34</b>	<b>772</b>	<b>422</b>	<b>350</b>	<b>430</b>
1	Llanhilleth .. .. .	2009	5015	280	275	5	105	64	41	—
2	Pontypool 2F,H .. .. .	14128	24783	993	974	19	439	232	207	—
3	Llangibby W .. .. .	16236	12015	440	433	7	189	109	80	—
4	Usk .. .. .	18483	3566	95	92	3	39	17	22	—
	<b>585.—Newport.</b>	<b>90026</b>	<b>115450</b>	<b>4214</b>	<b>4110</b>	<b>104</b>	<b>1935</b>	<b>1052</b>	<b>883</b>	<b>1210</b>
1	Caerleon L .. .. .	30201	5796	140	138	2	97	46	51	—
2	Newport W,2F,H .. .. .	5521	67545	2440	2372	68	1176	644	532	—
3	Rogerstone .. .. .	26574	17905	596	588	8	233	123	110	—
4	Llantarnam .. .. .	8877	6180	241	233	8	103	61	42	—
5	Mynyddislwyn F .. .. .	18853	18024	797	779	18	326	178	148	—

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*continued.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
44.—SOUTH WALES.										
GLAMORGANSHIRE.										
586.—Cardiff.										
		77659	228638	6911	6728	183	3751	2009	1742	2161
No.										
1	Llandaff W,2F .. .. .	29527	17333	604	598	6	240	121	119	—
2	East Cardiff .. .. .	481	52585	1532	1516	16	689	315	374	—
3	Central Cardiff 2F,H .. .. .	3832	54316	1487	1444	43	1059	599	460	—
4	West Cardiff 2W,F .. .. .	2060	57432	1885	1790	95	1180	634	546	—
5	Penarth F .. .. .	4568	14568	354	347	7	144	80	64	—
6	St. Nicholas F,2H .. .. .	37191	32404	1049	1033	16	439	260	179	—
587.—Pontypridd.										
		75387	204824	9026	8799	227	3903	2093	1810	2163
1	Eglwysilan 2F .. .. .	18953	30191	1547	1519	28	568	271	297	—
2	Llanwonno F,H .. .. .	14531	51494	2175	2114	61	1013	546	467	—
3	Llantrisant 2W,2F .. .. .	22463	34171	1437	1386	51	731	397	334	—
4	Ystradyfodwg W,F,2H .. .. .	19440	88968	3867	3780	87	1591	879	712	—
588.—Merthyr Tydfil.										
		75217	135540	5409	5249	160	2698	1443	1255	1246
1	Gelligaer F .. .. .	16772	17242	1024	1004	20	407	212	195	—
2	Lower Merthyr Tydfil F .. .. .	10181	31307	1210	1182	28	538	268	270	—
3	Upper Merthyr Tydfil W,F,H .. .. .	14130	41341	1644	1574	70	1027	578	449	—
4	Aberdare W,F,H .. .. .	34134	45650	1531	1489	42	726	385	341	—
589.—Bridgend.										
		110571	67453	2723	2644	79	1428	794	634	663
1	Maesteg 2F .. .. .	11463	16341	920	898	22	387	195	192	—
2	Ogmore .. .. .	20233	22250	977	955	22	410	225	185	—
3	Cowbridge .. .. .	39871	8014	214	203	11	113	65	48	—
4	Bridgend 2W,F,2H,L .. .. .	39004	20848	612	588	24	518	309	209	—
590.—Neath.										
		107166	71604	2878	2810	68	1348	695	653	715
1	Margam F,H .. .. .	24026	22421	870	849	21	423	215	208	—
2	Neath W,2F .. .. .	43350	30417	1179	1151	28	597	307	290	—
3	Glyncoiwg .. .. .	13927	6452	302	295	7	107	56	51	—
4	Cadoxton W .. .. .	25863	12314	527	515	12	221	117	104	—
591.—Pontardawe.										
		57168	26718	1156	1123	33	456	244	212	244
1	Pontardawe W,2F .. .. .	34969	20933	894	869	25	348	182	166	—
2	Ystradgynlais .. .. .	22199	5785	262	254	8	108	62	46	—
592.—Swansea.										
		32260	119746	4074	3974	100	2146	1140	1006	1349
1	Llandilo Talybont W .. .. .	17657	15001	609	596	13	231	130	101	—
2	Llangafelach .. .. .	5986	33351	1071	1053	18	539	282	257	—
3	Swansea W,F,2H .. .. .	3368	65252	2213	2147	66	1297	686	611	—
4	Llansamlet .. .. .	5249	6142	181	178	3	79	42	37	—
593.—Gower.										
		41109	11727	337	326	11	192	85	107	75
1	Gower Eastern .. .. .	16560	9174	288	281	7	153	67	86	—
2	Gower Western W .. .. .	24549	2553	49	45	4	39	18	21	—
CARMARTHENSHIRE.										
594.—Llanelly.										
		59599	56897	1972	1905	67	925	490	435	504
1	Loughor F .. .. .	8878	10049	371	362	9	150	84	66	—
2	Llanelly W,H .. .. .	9587	30216	955	926	29	498	256	242	—
3	Pembrey .. .. .	18661	9798	345	327	18	156	83	73	—
4	Llannon .. .. .	22473	6834	301	290	11	121	67	54	—



XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—continued.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.					AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
							Total.	Legitimate.	Illegitimate	Total.	Males.	Females.	
44.—SOUTH WALES—cont.													
CARMARTHENSHIRE—cont.													
595.—Llandovery.					133430	9587	186	174	12	150	70	80	57
No. 1	Llanddausant	..	..	..	15230	490	13	13	—	9	6	3	—
2	Llangadock	..	..	..	18633	1578	29	26	3	22	10	12	—
3	Llansadwrn	..	..	..	12009	1234	31	29	2	17	8	9	—
4	Llandingat W	..	..	..	20189	2834	66	61	5	62	30	32	—
5	Llanfairarybryn	..	..	..	22991	997	17	16	1	9	3	6	—
6	Cilycwm	..	..	..	18191	860	10	10	—	10	5	5	—
7	Conwil Caio	..	..	..	26187	1594	20	19	1	21	8	13	—
596.—Llandilofawr.					106556	23693	861	822	39	401	201	200	184
1	Talley	..	..	..	17448	1324	19	19	—	18	11	7	—
2	Llanfynydd	..	..	..	11375	859	20	20	—	5	—	5	—
3	Llangathen..	..	..	..	18597	2163	42	39	3	37	16	21	—
4	Llandilo W	..	..	..	21224	4930	102	91	11	69	35	34	—
5	Llandebie	..	..	..	37912	14417	678	653	25	272	139	133	—
597.—Carmarthen.					165002	33393	784	747	37	577	271	306	263
1	Llangendeirne	..	..	..	47042	9142	288	279	9	152	74	78	—
2	St. Clears	..	..	..	35345	5568	124	112	12	83	39	44	—
3	Carmarthen W,H,L	..	..	..	16250	11921	226	216	10	255	111	144	—
4	Conwil	..	..	..	66365	6762	146	140	6	87	47	40	—
PEMBROKESHIRE.													
598.—Narberth.					124329	17362	400	381	19	266	132	134	97
1	Llanboidy	..	..	..	50803	5630	136	130	6	103	45	58	—
2	Narberth	..	..	..	39625	6385	133	128	5	100	54	46	—
3	Begelly W	..	..	..	33901	5347	131	123	8	63	33	30	—
599.—Pembroke.					62979	31939	686	656	30	455	225	230	238
1	Tenby 2H	..	..	..	28166	9560	210	203	7	143	76	67	—
2	Pembroke W,F,2H	..	..	..	26296	16988	381	362	19	250	118	132	—
3	Roose	..	..	..	8517	5391	95	91	4	62	31	31	—
600.—Haverfordwest.					169810	33123	974	927	47	570	268	302	276
1	Milford F..	..	..	..	32557	10922	396	387	9	153	71	82	—
2	Haverfordwest W,H	..	..	..	40346	9946	211	202	9	157	84	73	—
3	St. David's	..	..	..	45674	5405	153	137	16	107	43	64	—
4	Fishguard	..	..	..	51233	6850	214	201	13	153	70	83	—
CARDIGANSHIRE.													
601.—Cardigan.					86852	15162	278	267	11	306	127	179	89
1	Newport	..	..	..	37853	4189	77	75	2	88	42	46	—
2	Cardigan* W	..	..	..	48999	10973	201	192	9	218	85	133	—
602.—Newcastle in Emlyn.					114784	18135	345	320	25	306	132	174	79
1	Penbryn	..	..	..	25181	4071	67	60	7	79	29	50	—
2	Clydey	..	..	..	20704	2473	37	35	2	44	22	22	—
3	Oenarth W	..	..	..	27437	5445	125	120	5	96	42	54	—
4	Llandyssil	..	..	..	41462	6146	116	105	11	87	39	48	—

\* 601:2.—On the 1st February, 1907, Cardigan (2) and Llandygwydd (3) sub-districts were united and called Cardigan (2). The births and deaths are shown as if the change had taken place at the beginning of the year.

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.					AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
							Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
44.—SOUTH WALES—cont.													
CARDIGANSHIRE—cont.													
603.—Lampeter.					75044	9257	172	162	10	148	74	74	50
No.	1	Llanybyther	..	..	25468	2358	47	44	3	41	17	24	—
	2	Pencarreg	..	..	21480	2281	32	31	1	24	10	14	—
	3	Lampeter W	..	..	14828	3024	48	47	1	58	30	28	—
	4	Llanwenog	..	..	13268	1594	45	40	5	25	17	8	—
604.—Aberayron.					65710	10735	209	191	18	201	74	127	51
	1	Llandysilio..	..	..	34115	5117	107	100	7	89	35	54	—
	2	Llansantffraid W	..	..	31595	5618	102	91	11	112	39	73	—
605.—Aberystwith.					131350	21471	438	417	21	351	140	211	153
	1	Llanrhystyd	..	..	22375	2525	48	45	3	37	16	21	—
	2	Aberystwith W,H	..	..	15366	10899	226	214	12	178	70	108	—
	3	Geneurglynn	..	..	29198	3387	80	79	1	51	23	28	—
	4	Rheidol	..	..	64411	4660	84	79	5	85	31	54	—
606.—Tregaron.					121545	7947	150	138	12	128	61	67	29
	1	Gwnnws	..	..	32175	2264	52	49	3	38	18	20	—
	2	Llangeitho	..	..	22015	2603	51	46	5	43	21	22	—
	3	Tregaron W	..	..	67355	3080	47	43	4	47	22	25	—
BRECKNOCKSHIRE.													
607.—Builth.					138119	8976	206	199	7	122	68	54	70
	1	Llanwrtyd*	..	..	36473	1258	32	31	1	18	10	8	—
	2	Treflis*	..	..	41061	1814	43	41	2	27	13	14	—
	3	Colwyn	..	..	28003	1765	51	50	1	22	15	7	—
	4	Builth W,H	..	..	32582	4139	80	77	3	55	30	25	—
608.—Brecknock.					192397	15633	355	343	12	233	119	114	109
	1	Defynnock H	..	..	81564	3876	93	90	3	56	23	33	—
	2	Brecknock W,F,H	..	..	55814	8113	178	172	6	128	67	61	—
	3	Pencelly	..	..	27211	1356	28	28	—	12	6	6	—
	4	Llangorse	..	..	27808	2288	56	53	3	37	23	14	—
609.—Crickhowell.					53646	19941	665	642	23	360	179	181	225
	1	Cwmdŷ	..	..	9930	826	18	18	—	10	4	6	—
	2	Beaufort F	..	..	6025	5993	237	229	8	120	48	72	—
	3	Llanelly	..	..	5978	9909	337	327	10	166	87	79	—
	4	Crickhowell W	..	..	31713	3213	73	68	5	64	40	24	—
610.—Hay.					88925	9401	187	173	14	171	86	85	57
	1	Talgarth L	..	..	38275	3769	74	71	3	88	47	41	—
	2	Hay W	..	..	50650	5632	113	102	11	83	39	44	—
RADNORSHIRE.													
611.—Knighton.					126159	10895	243	225	18	144	79	65	70
	1	Presteigne	..	..	14545	1950	41	40	1	35	24	11	—
	2	Knighton W	..	..	55223	5927	124	115	9	73	38	35	—
	3	Llanbister	..	..	56391	3018	78	70	8	36	17	19	—
612.—Rhayader.					112501	9346	191	180	11	114	62	52	53
	1	Rhayader F,H	..	..	79262	5328	77	70	7	45	25	20	—
	2	Nantmel W,H	..	..	33239	4018	114	110	4	69	37	32	—

\* 607: 1, 2.—On the 1st June, 1907, the boundary of these sub-districts was altered. See page 475. The births and deaths are shown as if the change had taken place at the beginning of the year. On 1st July, 1907, Abergwessin (2) sub-district was renamed Treflis.



XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—continued.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
45.—NORTH WALES.										
MONTGOMERYSHIRE.										
613.—Machynlleth.		130892	11041	184	166	18	172	81	91	62
No.	Machynlleth W,H .. ..	14973	2564	34	29	5	47	20	27	—
1	Towyn .. ..	42149	4646	65	61	4	60	34	26	—
2	Darowen .. ..	73770	3831	85	76	9	65	27	38	—
614.—Newtown.		176157	21118	466	440	26	301	162	139	129
1	Llanidloes .. ..	68221	6313	162	156	6	109	59	50	—
2	Llanwnnog W .. ..	46436	3864	89	85	4	61	38	23	—
3	Kerry .. ..	26761	2128	57	52	5	25	12	13	—
4	Newtown F,H .. ..	7303	6500	104	97	7	74	38	36	—
5	Tregynon .. ..	27436	2313	54	50	4	32	15	17	—
615.—Forden.		89738	14844	348	321	27	222	125	97	104
1	Montgomery .. ..	34044	4717	116	108	8	76	50	26	—
2	Chirbury W,F .. ..	32954	4188	107	100	7	77	40	37	—
3	Welshpool .. ..	22740	5939	125	113	12	69	35	34	—
616.—Llanfyllin.		195186	16991	362	334	28	257	133	124	78
1	Llanfair .. ..	72812	4496	83	74	9	69	39	30	—
2	Llansantffraid W .. ..	55643	8616	180	167	13	129	67	62	—
3	Llanrhaiadr .. ..	66731	3879	99	93	6	59	27	32	—
FLINTSHIRE.										
617a.—Holywell.		73269	38935	1037	988	49	627	340	287	253
1	Whitford .. ..	19314	7544	186	178	8	114	65	49	—
2	Holywell W .. ..	15267	9311	192	179	13	150	82	68	—
3	Flint .. ..	17715	12071	379	365	14	207	111	96	—
4	Mold H .. ..	20973	10009	280	266	14	156	82	74	—
617b.—Hawarden.		33609	21601	707	682	25	356	185	171	135
1	Hawarden W .. ..	33609	21601	707	682	25	356	185	171	—
DENBIGHSHIRE.										
618.—Wrexham.		60170	70154	2279	2186	93	1122	604	518	540
1	Holt .. ..	21243	5406	129	121	8	86	43	43	—
2	Ruabon H .. ..	15504	21721	715	701	14	360	189	171	—
3	Wrexham W,F,H .. ..	23423	43027	1435	1364	71	676	372	304	—
619.—Ruthin.		99083	12088	223	204	19	177	102	75	75
1	Llanarmon .. ..	19216	2010	37	36	1	31	21	10	—
2	Ruthin W .. ..	18775	3935	84	75	9	67	34	33	—
3	Llanelidan .. ..	23327	2415	37	33	4	39	24	15	—
4	Llanrhaiadr .. ..	27610	2307	48	45	3	27	16	11	—
5	Llandyrnog .. ..	10155	1421	17	15	2	13	7	6	—
620.—St. Asaph.		99243	31046	694	657	37	604	304	300	229
1	St. Asaph W,4H .. ..	29665	16372	375	351	24	301	156	145	—
2	Abergele F,H .. ..	29994	5740	128	121	7	108	42	66	—
3	Denbigh H,2L .. ..	39584	8934	191	185	6	195	106	89	—
621.—Llanrwst.		119813	13170	309	292	17	251	122	129	82
1	Llanrwst W .. ..	41687	6756	164	155	9	129	69	60	—
2	Bettws y Coed .. ..	36355	3624	82	79	3	76	39	37	—
3	Yspytty .. ..	41771	2790	63	58	5	46	14	32	—

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1907—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
45.—NORTH WALES—cont.										
MERIONETHSHIRE.										
622.—Corwen.		127140	16313	364	339	25	252	131	121	103
No.	Corwen W .. .. .	77664	7364	143	124	19	137	70	67	—
1	Llangollen H .. .. .	49476	8949	221	215	6	115	61	54	—
623.—Bala.		98722	5732	104	88	16	114	61	53	33
1	Bala W .. .. .	98722	5732	104	88	16	114	61	53	—
624.—Dolgelly.		152137	14248	258	232	26	213	98	115	78
1	Talyllyn .. .. .	71309	5147	81	74	7	78	33	45	—
2	Barmouth W .. .. .	80828	9101	177	158	19	135	65	70	—
625.—Festiniog.		145709	27955	659	620	39	424	214	210	168
1	Deudraeth W .. .. .	36329	5669	133	117	16	97	53	44	—
2	Festiniog H .. .. .	55624	13805	320	305	15	193	99	94	—
3	Tremadoc .. .. .	53756	8481	206	198	8	134	62	72	—
CARNARVONSHIRE.										
626.—Pwllheli.		93017	21897	479	419	60	376	189	187	121
1	Criccieth .. .. .	30869	6769	128	117	11	92	49	43	—
2	Pwllheli W .. .. .	21010	6980	181	154	27	136	68	68	—
3	Aberdaron .. .. .	22053	3551	74	62	12	60	30	30	—
4	Nevin .. .. .	19085	4597	96	86	10	88	42	46	—
627.—Carnarvon.		88201	42653	998	933	65	747	382	365	243
1	Llandwrog .. .. .	33462	13612	331	316	15	220	112	108	—
2	Llanrug H .. .. .	26301	13844	344	325	19	265	137	128	—
3	Carnarvon W,2F,H .. .. .	12894	12142	251	228	23	206	105	101	—
4	Llanidan .. .. .	15544	3055	72	64	8	56	28	28	—
628.—Bangor.		91276	38655	879	820	59	588	267	321	274
1	Beaumaris .. .. .	40669	12743	275	257	18	177	81	96	—
2	Bangor W,2F,H .. .. .	6528	13539	302	284	18	213	97	116	—
3	Llanfairfechan H .. .. .	11762	3151	82	75	7	30	10	20	—
4	Llanllechid H .. .. .	32317	9222	220	204	16	168	79	89	—
629.—Conway.		50248	34031	786	745	41	497	246	251	259
1	Conway W .. .. .	29076	10182	234	214	20	143	75	68	—
2	Llandudno F,H .. .. .	5269	11477	245	240	5	151	75	76	—
3	Colwyn Bay 2F,H .. .. .	15903	12372	307	291	16	203	96	107	—
ANGLESEY.										
630.—Anglesey.		60873	14257	294	265	29	246	109	137	74
1	Llangefni .. .. .	22125	5034	111	99	12	88	40	48	—
2	Amlwch .. .. .	16970	5306	101	95	6	96	38	58	—
3	Llanfechell W .. .. .	21778	3917	82	71	11	62	31	31	—
631.—Holyhead.		59544	20551	492	462	30	317	153	164	137
1	Bryngwran .. .. .	25352	4858	119	109	10	86	39	47	—
2	Llanddeusant W .. .. .	25558	4272	85	73	12	72	34	38	—
3	Holyhead H .. .. .	8634	11421	288	280	8	159	80	79	—



MARRIAGES ; MODE OF SOLEMNIZATION ; SEASON ;

REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.*	AREA in Statute Acres.†	Enumerated POPULATION, 1901.	TOTAL MARRIAGES.	MARRIAGES.													
				According to the Rites of the Established Church.							Not according to the Rites of the Established Church.						
				Special Licence.	Licence.	Banns.	Superintendent Re- gistrar's Certificate.	Not stated.	TOTAL.	TOTAL.	In Registered Buildings.			Register Office.	Quakers.	Jews.	
											Roman Catholics.	Other Christian Deno- minations.	Before Registrar. Before Authorized Person.				
ENGLAND AND WALES ...	37327479	32527843	276421	21	7601	162947	1755	173	172497	103924	11700	26410	9634	54026	107	1997	
I.—LONDON .. ..	74,817	4,536,429	40551	13	1226	24743	6	4	25992	14559	1595	1402	420	9654	14	1474	
1. LONDON .. ..	74,817	4,536,429	40551	13	1226	24743	6	4	25992	14559	1595	1402	420	9654	14	1474	
II.—SOUTH EASTERN DIV.	3,994,396	3,311,729	25620	1	678	16897	34	32	17642	7978	485	1896	377	5205	4	11	
2. SURREY .. ..	463,555	718,661	5625	—	162	3706	4	10	3882	1743	145	361	59	1178	—	—	
3. KENT .. ..	969,890	935,144	6951	—	126	4683	12	8	4829	2122	110	469	183	1359	—	1	
4. SUSSEX .. ..	938,630	605,785	4332	—	139	2915	6	8	3098	1234	80	343	40	769	2	—	
5. HAMPSHIRE .. ..	1,048,632	768,608	6566	—	191	4028	12	2	4233	2333	130	587	58	1547	1	10	
6. BERKSHIRE .. ..	573,689	283,531	2146	1	60	1535	—	4	1600	546	20	136	37	352	1	—	
III.—SOUTH MIDLAND DIV.	3,246,998	2,181,174	17100	2	396	11568	9	20	11995	5105	249	1335	505	3007	3	6	
7. MIDDLESEX .. ..	178,606	810,306	6934	1	181	4418	2	2	4604	2330	178	426	123	1595	2	6	
8. HERTFORDSHIRE .. ..	446,420	239,760	1691	1	31	1200	—	—	1232	459	16	151	42	250	—	—	
9. BUCKINGHAMSHIRE .. ..	407,045	173,061	1265	—	30	905	—	2	937	328	9	127	37	155	—	—	
10. OXFORDSHIRE .. ..	491,421	186,698	1348	—	39	969	—	6	1014	334	15	105	22	191	1	—	
11. NORTHAMPTONSHIRE .. ..	642,393	348,947	2658	—	46	1737	4	8	1795	863	16	217	169	461	—	—	
12. HUNTINGDONSHIRE .. ..	207,569	46,750	346	—	9	277	—	—	286	60	—	29	5	26	—	—	
13. BEDFORDSHIRE .. ..	307,344	174,972	1403	—	24	996	3	—	1023	380	4	146	69	161	—	—	
14. CAMBRIDGESHIRE .. ..	566,200	200,680	1455	—	36	1066	—	2	1104	351	11	134	38	168	—	—	
IV.—EASTERN DIVISION ..	3,126,688	1,892,299	14299	—	280	9994	7	13	10294	4005	244	1065	363	2325	—	8	
15. ESSEX .. ..	904,386	1,062,645	8544	—	144	5904	5	5	6058	2486	195	599	210	1477	—	5	
16. SUFFOLK .. ..	931,132	361,900	2500	—	59	1764	2	4	1829	671	26	254	48	343	—	—	
17. NORFOLK .. ..	1,291,170	467,754	3255	—	77	2326	—	4	2407	848	23	212	105	505	—	3	
V.—SOUTH WESTERN DIV.	5,023,292	1,913,393	14443	—	574	8344	20	37	8975	5468	157	2261	388	2654	3	5	
18. WILTSHIRE .. ..	809,220	263,944	1998	—	47	1275	1	10	1333	665	22	279	49	315	—	—	
19. DORSETSHIRE .. ..	624,341	199,968	1542	—	47	1064	3	8	1122	420	13	168	16	221	2	—	
20. DEVONSHIRE .. ..	1,633,269	664,697	5204	—	232	2752	3	7	2994	2210	88	628	168	1320	1	5	
21. CORNWALL .. ..	886,384	318,591	2379	—	138	1072	2	3	1215	1164	13	674	100	377	—	—	
22. SOMERSETSHIRE .. ..	1,070,078	466,193	3320	—	110	2181	11	9	2311	1009	21	512	55	421	—	—	
VI.—WEST MIDLAND DIV.	4,051,707	3,679,594	31004	1	568	21366	69	25	22029	8975	746	2187	790	5198	20	34	
23. GLOUCESTERSHIRE .. ..	712,757	648,627	5163	—	139	3103	4	9	3255	1908	71	551	141	1140	3	2	
24. HEREFORDSHIRE .. ..	539,226	112,549	781	—	29	539	2	6	576	205	9	68	9	116	3	—	
25. SHROPSHIRE .. ..	958,667	259,088	1736	1	60	1156	7	1	1225	511	24	188	21	278	—	—	
26. STAFFORDSHIRE .. ..	771,431	1,251,910	10915	—	174	7816	30	—	8022	2893	348	738	321	1477	—	9	
27. WORCESTERSHIRE .. ..	443,262	500,819	4057	—	82	2924	4	3	3013	1044	85	209	133	617	—	—	
28. WARWICKSHIRE .. ..	626,364	906,601	8352	—	84	5826	22	6	5938	2414	209	433	165	1570	14	23	

\* See note \* on page 146.  
† These areas are derived from those published in the Census Reports for 1901. They do not include space occupied by foreshore or tidal water of rivers and creeks.



CIVIL CONDITION ; AGE ; SIGNATURE BY MARK IN REGISTER.

MARRIAGES.												Signed the Marriage Register with Marks.				REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.			
Registered in the Quarter ended the last day of				Contracted between*				Of		Of Persons not of Full Age.									
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Cases in which					
														Both signed.	One signed.				
53017	69782	79129	74493	244451	8674	14931	8365	23296	17039	11238	39195	3970	4770	1174	6392	ENGLAND AND WALES.			
8365	9288	12244	10654	35718	1449	2208	1176	3384	2625	1304	4771	636	929	319	927	I.—LONDON.			
8365	9288	12244	10654	35718	1449	2208	1176	3384	2625	1304	4771	636	929	319	927	1. LONDON.			
4692	6372	7309	7247	22837	830	1337	616	1953	1446	646	3034	260	188	45	358	II.—SOUTH EASTERN.			
1041	1460	1728	1396	5036	148	321	120	441	268	147	575	47	27	10	54	2. SURREY.			
1328	1679	1833	2111	6206	247	329	169	498	416	168	950	79	73	12	128	3. KENT.			
748	1088	1277	1219	3845	131	264	92	356	223	126	469	39	23	5	52	4 SUSSEX.			
1210	1612	1859	1885	5820	252	309	185	494	437	142	817	70	46	13	90	5. HAMPSHIRE.			
365	533	612	636	1930	52	114	50	164	102	63	223	25	19	5	34	6. BERKSHIRE.			
2841	4292	5210	4757	15329	433	906	432	1338	865	618	2056	220	151	42	287	III.—SOUTH MIDLAND.			
1227	1644	2304	1759	6154	199	410	171	581	370	200	770	58	37	11	73	7. MIDDLESEX.			
272	447	516	456	1530	46	81	34	115	80	67	172	32	15	6	35	8. HERTFORDSHIRE.			
226	318	365	356	1138	30	59	38	97	68	35	144	22	4	1	24	9. BUCKINGHAMSH.			
210	352	399	387	1199	31	81	37	118	68	48	140	24	11	5	25	10. OXFORDSHIRE.			
406	737	711	804	2427	55	108	68	176	123	119	384	24	32	5	46	11. NORTHAMPTONSH.			
41	97	92	116	315	9	15	7	22	16	10	55	8	4	1	10	12. HUNTINGDONSH.			
220	353	426	404	1275	28	67	33	100	61	83	191	21	18	4	31	13. BEDFORDSHIRE.			
239	344	397	475	1291	35	85	44	129	79	56	200	31	30	9	43	14. CAMBRIDGESH.			
2767	3310	3774	4448	12669	469	741	420	1161	889	486	1839	237	168	45	315	IV.—EASTERN.			
1674	2017	2490	2363	7528	308	469	239	708	547	248	1073	121	96	25	167	15. ESSEX.			
513	546	524	917	2258	59	116	67	183	126	87	330	52	29	6	69	16. SUFFOLK.			
580	747	760	1168	2883	102	156	114	270	216	151	436	64	43	14	79	17. NORFOLK.			
2798	3780	3834	4031	12708	427	894	414	1308	841	416	1578	220	146	24	318	V.—SOUTH WESTERN.			
348	510	545	595	1768	57	114	59	173	116	55	232	24	24	5	38	18. WILTSHIRE.			
269	418	405	450	1360	40	90	52	142	92	44	164	25	6	1	29	19. DORSETSHIRE.			
1070	1358	1379	1397	4566	176	315	147	462	323	123	561	53	39	6	80	20. DEVONSHIRE.			
529	565	591	694	2062	79	163	75	238	154	101	285	59	49	6	96	21. CORNWALL.			
582	929	914	895	2952	75	212	81	293	156	93	336	59	28	6	75	22. SOMERSETSHIRE.			
5865	7735	8819	8585	27444	897	1638	1025	2663	1922	1380	4404	523	593	159	798	VI.—WEST MIDLAND.			
973	1292	1495	1403	4489	138	361	175	536	313	140	527	74	58	15	102	23. GLOUCESTERSH.			
127	242	209	203	674	29	55	23	78	52	8	64	19	11	2	26	24. HEREFORDSHIRE.			
294	547	435	460	1527	53	99	57	156	110	36	163	30	21	6	39	25. SHROPSHIRE.			
2090	2603	3077	3145	9746	309	498	362	860	671	609	1858	199	236	58	319	26. STAFFORDSHIRE.			
737	1021	1194	1105	3649	100	206	102	308	202	151	499	47	53	8	84	27. WORCESTERSHIRE.			
1644	2030	2409	2269	7359	268	419	306	725	574	436	1293	154	214	70	223	28. WARWICKSHIRE.			

\* Divorced men and women who marry are classified in the Marriage Tables as bachelors and spinsters.



MARRIAGES ; MODE OF SOLEMNIZATION ; SEASON ;

REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.	AREA in Statute Acres.	Enumerated POPULATION, 1901.	TOTAL MARRIAGES.	MARRIAGES.												
				According to the Rites of the Established Church.						Not according to the Rites of the Established Church.						
				Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	In Registered Buildings.			Register Office.	Quakers.	Jews.
											Roman Catholics.	Before Registrar.	Other Christian Denominations. Before Authorized Person.			
VII.—NORTH MIDLAND DIV.	3,495,711	2,042,406	18058	1	411	11544	21	11	11988	6070	270	1755	894	3139	1	11
29. LEICESTERSHIRE ..	550,170	440,932	3650	—	52	2291	4	4	2351	1299	67	393	133	704	—	2
30. RUTLANDSHIRE ..	108,700	20,743	111	—	3	86	—	—	89	22	2	6	—	14	—	—
31. LINCOLNSHIRE ..	1,659,647	492,994	4303	1	114	2898	3	3	3019	1284	45	379	392	555	—	3
32. NOTTINGHAMSHIRE ..	616,287	596,705	5661	—	103	3583	1	3	3690	1971	62	457	219	1227	—	6
33. DERBYSHIRE ..	560,907	491,032	4333	—	139	2686	13	1	2839	1494	94	520	240	639	1	—
VIII.—NORTH WEST'RN DIV.	1,911,104	5,212,156	47000	2	1547	25242	819	8	27618	19382	4718	5254	2738	6420	16	236
34. CHESHIRE ..	611,288	774,638	6368	1	260	3722	25	6	4014	2354	346	706	415	886	—	1
35. LANCASHIRE ..	1,299,816	4,437,518	40632	1	1287	21520	794	2	23604	17028	4372	4548	2323	5534	16	235
IX.—YORKSHIRE DIVISION	3,721,094	3,596,325	31683	1	656	19731	224	13	20625	11058	1277	2997	1924	4694	19	147
36. WEST RIDING ..	1,750,995	2,766,471	24536	—	395	15398	221	7	16021	8515	936	2393	1606	3445	12	123
37. EAST RIDING (with YORK)	692,995	453,936	3954	1	115	2507	2	2	2627	1327	137	269	201	703	3	14
38. NORTH RIDING ..	1,277,104	375,918	3193	—	146	1826	1	4	1977	1216	204	335	117	546	4	10
X.—NORTHERN DIVISION	3,536,522	2,129,051	19125	—	710	8792	431	7	9940	9185	1403	1798	837	5089	25	33
39. DURHAM ..	766,591	1,194,590	11212	—	295	5084	341	—	5720	5492	851	979	562	3073	8	19
40. NORTHUMBERLAND ..	1,291,515	603,119	5444	—	213	2406	32	3	2654	2790	404	574	153	1636	9	14
41. CUMBERLAND ..	973,086	266,933	2059	—	174	1018	57	3	1252	807	141	197	111	353	5	—
42. WESTMORLAND ..	505,330	64,409	410	—	28	284	1	1	314	96	7	48	11	27	3	—
XI.—WELSH DIVISION	5,145,150	2,033,287	17538	—	555	4726	115	3	5399	12139	556	4460	448	6641	2	32
43. MONMOUTHSHIRE ..	395,849	316,864	3091	—	87	1206	3	2	1298	1793	119	683	44	944	—	3
44. SOUTH WALES ..	2,705,274	1,229,143	11270	—	325	2694	87	1	3107	8163	377	2580	329	4847	2	28
Glamorganshire ..	576,537	866,250	8616	—	202	2095	45	1	2343	6273	350	1701	233	3962	2	25
Carmarthenshire ..	464,587	123,570	1008	—	38	169	13	—	220	788	2	288	53	445	—	—
Pembrokeshire ..	357,118	82,424	611	—	36	188	11	—	235	376	12	152	28	184	—	—
Cardiganshire ..	595,285	82,707	451	—	21	67	13	—	101	350	—	147	15	188	—	—
Brecknockshire ..	473,087	53,951	461	—	13	119	5	—	137	324	13	247	—	61	—	3
Radnorshire ..	238,660	20,241	123	—	15	56	—	—	71	52	—	45	—	7	—	—
45. NORTH WALES ..	2,044,027	487,280	3177	—	143	826	25	—	994	2183	60	1197	75	850	—	1
Montgomeryshire ..	591,973	63,994	373	—	18	108	6	—	132	241	1	135	13	92	—	—
Flintshire ..	106,878	60,536	388	—	16	163	1	—	180	208	13	140	8	47	—	—
Denbighshire ..	378,309	126,458	926	—	22	305	4	—	331	535	18	286	21	270	—	—
Merionethshire ..	523,708	64,248	382	—	15	44	2	—	61	321	—	222	21	78	—	—
Carnarvonshire ..	322,742	137,236	897	—	59	180	11	—	250	647	14	304	12	316	—	1
Anglesey ..	120,417	34,808	211	—	13	26	1	—	40	171	14	110	—	47	—	—

CIVIL CONDITION ; AGE ; SIGNATURE BY MARK IN REGISTER—continued.

MARRIAGES.												Signed the Marriage Register with Marks.				REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.			
Registered in the Quarter ended the last day of				Contracted between*				Of		Of Persons not of Full Age.									
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Cases in which					
														Both signed.	One signed.				
3226	4950	4905	4977	16100	495	897	566	1463	1061	1005	3237	222	233	62	331	VII—NORTH MIDLAND.			
633	1002	1038	977	3275	87	178	110	288	197	224	547	42	50	13	66	29. LEICESTERSHIRE.			
17	39	30	25	97	4	6	4	10	8	1	10	3	—	—	3	30. RUTLANDSHIRE.			
745	1337	1092	1129	3809	129	234	131	365	260	187	681	47	37	6	72	31. LINCOLNSHIRE.			
1017	1464	1542	1638	5035	157	272	197	469	354	372	1155	82	94	29	118	32. NOTTINGHAMSH.			
814	1108	1203	1208	3884	118	207	124	331	242	221	844	48	52	14	72	33. DERBYSHIRE.			
9330	12231	14235	11204	41353	1470	2595	1582	4177	3052	2225	6243	582	930	189	1134	VIII.—N. WESTERN.			
1168	1665	1920	1615	5673	157	322	176	538	333	235	740	78	81	19	121	34. CHESHIRE.			
8162	10566	12315	9589	35680	1313	2233	1406	3639	2719	1990	5503	504	849	170	1013	35. LANCASHIRE.			
5915	8256	8942	8570	27979	960	1700	1044	2744	2004	1556	5497	439	622	131	799	IX.—YORKSHIRE.			
4559	6398	7105	6474	21670	710	1308	848	2156	1558	1260	4290	362	504	114	638	36. WEST RIDING.			
744	989	1013	1208	3462	150	224	118	342	268	173	632	38	43	4	73	37. EAST RIDING (with YORK).			
612	869	824	888	2847	100	168	78	246	178	123	575	39	75	13	88	38. NORTH RIDING.			
3865	5251	5194	4815	16910	625	1025	565	1590	1190	883	3696	271	403	74	526	X.—NORTHERN.			
2317	2998	3072	2825	9923	368	579	342	921	710	582	2498	189	271	59	342	39. DURHAM.			
1130	1539	1485	1290	4784	200	295	165	460	365	196	923	56	111	12	143	40. NORTHUMBERLD.			
354	590	521	594	1830	53	129	47	176	100	97	247	26	21	3	41	41. CUMBERLAND.			
64	124	116	106	373	4	22	11	33	15	8	28	—	—	—	—	42. WESTMORLAND.			
3353	4317	4663	5205	15104	619	990	525	1515	1144	719	2840	360	407	84	599	XI.—WELSH.			
568	775	897	851	2729	127	130	105	235	232	179	638	82	80	18	126	43. MONMOUTHSHIRE.			
2195	2690	2956	3429	9878	401	653	338	991	739	494	1973	214	258	49	374	44. SOUTH WALES.			
1699	2080	2316	2521	7537	329	457	293	750	622	421	1666	171	197	37	294	Glamorganshire.			
178	225	246	359	888	24	75	21	96	45	44	116	17	26	6	31	Carmarthensh.			
127	138	137	209	535	18	48	10	58	28	18	91	8	13	4	13	Pembrokeshire.			
79	89	109	174	396	11	37	7	44	18	2	14	4	10	1	12	Cardiganshire.			
92	120	115	134	413	16	27	5	32	21	8	66	13	10	—	23	Brecknockshire.			
20	38	33	32	109	3	9	2	11	5	1	20	1	2	1	1	Radnorshire.			
590	852	810	925	2797	91	207	82	289	173	46	229	64	69	17	99	45. NORTH WALES.			
56	133	85	99	339	7	18	9	27	16	4	22	13	4	1	15	Montgomerysh.			
71	99	108	110	354	9	23	2	25	11	5	29	5	7	3	6	Flintshire.			
171	247	238	270	820	24	57	25	82	49	14	82	21	17	6	26	Denbighshire.			
63	118	93	108	332	8	33	9	42	17	9	25	5	4	1	7	Merionethshire.			
180	207	233	277	772	34	64	27	91	61	12	54	16	26	4	34	Carnarvonshire.			
49	48	53	61	180	9	12	10	22	19	2	17	4	11	2	11	Anglesey.			

\* See note \* on page 209.



ENGLAND AND WALES.—AGES and CONDITIONS of

	MINORS.								FULL				
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	25—	30—	35—	40—
Men .. .. .	—	—	6	71	622	2872	7667	—	95719	94672	35957	14659	7731
Bachelors .. .. .	—	—	6	71	622	2872	7667	—	95538	93196	33022	11165	4120
Widowers .. .. .	—	—	—	—	—	—	—	—	181	1476	2935	3494	3611
Bachelors who married :—													
Spinsters .. .. .	—	—	6	71	622	2864	7645	—	94743	91085	30915	9628	3222
Widows .. .. .	—	—	—	—	—	8	22	—	795	2111	2107	1537	898
Widowers who married :—													
Spinsters .. .. .	—	—	—	—	—	—	—	—	174	1322	2476	2679	2408
Widows .. .. .	—	—	—	—	—	—	—	—	7	154	459	815	1203

ENGLAND AND WALES.—AGES and CONDITIONS of

	MINORS.								FULL				
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	25—	30—	35—	40—
Women .. .. .	1	14	128	1106	5579	12514	19850	3	110568	74605	25037	10853	5787
Spinsters .. .. .	1	14	128	1106	5579	12509	19839	3	110137	72767	21970	7596	3088
Widows.. .. .	—	—	—	—	—	5	11	—	431	1838	3067	3257	2699
Spinsters who married :—													
Bachelors .. .. .	1	13	127	1093	5516	12383	19607	3	107857	69377	18975	5434	1578
Widowers .. .. .	—	1	1	13	63	126	232	—	2280	3390	2995	2162	1510
Widows who married :—													
Bachelors .. .. .	—	—	—	—	—	5	11	—	387	1510	2212	1980	1190
Widowers .. .. .	—	—	—	—	—	—	—	—	44	328	855	1277	1509

the 276,421 MEN who MARRIED in the Year 1907.

AGE.										TOTALS.			
45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wds.	Age not stated.	Minors.	Full Age.	All Ages.	
5031	3566	2391	1575	944	394	121	32	3	2388	11238	265183	276421	Men.
1864	791	308	122	49	19	7	—	—	1686	11238	241887	253125	Bachelors.
3167	2775	2083	1453	895	375	114	32	3	702	—	23296	23296	Widowers.
1293	511	185	80	29	14	5	—	—	1533	11208	233243	244451	Bachelors who married :— Spinsters.
571	280	123	42	20	5	2	—	—	153	30	8644	8674	Widows.
1831	1415	955	624	371	168	45	11	—	452	—	14931	14931	Widowers who married :— Spinsters.
1336	1360	1128	829	524	207	69	21	3	250	—	8365	8365	Widows.

the 276,421 WOMEN who MARRIED in the Year 1907.

AGE.										TOTALS.			
45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wds.	Age not stated.	Minors.	Full Age.	All Ages.	
3631	1998	1110	612	264	87	11	2	—	2661	39195	237226	276421	Women.
1455	594	252	97	32	13	—	—	—	2202	39179	220203	259382	Spinsters.
2176	1404	858	515	232	74	11	2	—	459	16	17023	17039	Widows.
512	153	60	17	6	2	—	—	—	1737	38743	205708	244451	Spinsters who married :— Bachelors.
943	441	192	80	26	11	—	—	—	465	436	14495	14931	Widowers.
687	286	132	53	22	5	1	1	—	192	16	8658	8674	Widows who married :— Bachelors.
1489	1118	726	462	210	69	10	1	—	267	—	8365	8365	Widowers.





SPINSTERS UNDER AGE.										SPINSTERS OF FULL AGE.										Total Bachelors.	Spinsters.							
15—	16—	17—	18—	19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and up-wds.	Not stated.										
BACHELORS UNDER AGE.	15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
	16—	—	2	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	6									
	17—	—	10	24	14	6	7	—	—	—	—	—	—	—	—	—	—	—	71									
	18—	2	9	85	234	73	71	12	—	—	—	—	—	—	—	—	—	—	622									
	19—	—	16	131	620	483	619	53	1	1	—	—	—	—	—	—	—	—	2864									
	20—	1	11	144	838	2201	2331	259	13	3	—	1	—	—	—	—	5	—	7645									
BACHELORS OF FULL AGE.	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Not stated									
	21—	4	56	508	2877	7183	57729	12921	1065	157	28	10	1	—	—	—	—	35	94743									
	25—	7	21	154	747	1871	37849	39313	6345	769	97	16	1	—	—	—	—	99	91085									
	30—	—	2	37	129	301	7339	12941	7628	1502	240	37	7	1	—	—	—	53	30915									
	35—	—	—	6	40	69	1459	2918	2674	1811	397	59	8	—	—	—	—	52	9628									
	40—	—	—	—	8	18	308	667	832	734	428	115	18	1	—	—	—	24	3222									
	45—	—	—	—	2	9	94	201	228	316	242	151	30	6	2	—	7	1293										
	50—	—	—	1	1	2	33	56	96	87	99	72	42	15	2	1	3	511										
	55—	—	—	—	—	—	3	16	18	28	30	33	33	19	2	1	2	185										
	60—	—	—	—	—	—	3	5	6	16	10	9	11	10	6	1	1	80										
	65—	—	—	—	—	—	—	3	6	3	4	5	—	4	3	—	—	29										
	70—	—	—	—	—	—	—	—	—	—	2	4	2	3	1	2	—	14										
	75 and upwards.	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	1	—	5									
	Not stated	—	—	—	—	—	—	12	11	12	6	—	—	—	—	—	—	1455	1533									
Total Spinsters										14	127	1093	5516	12383	19607	3	69377	18975	5434	1578	512	153	60	17	6	2	1737	244451

For the method of reading this table see explanatory note on page 214.



Ages of Persons Married in 1907.

ENGLAND AND WALES.—AGES of 8,674 of the BACHELORS and of 8,674 of the WIDOWS who intermarried in 1907.

WIDOWS UNDER AGE.				WIDOWS OF FULL AGE.										Total Bachelors.	
19—	20—	Not stated.		21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwds.	Not stated.
18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19—	—	—	—	3	2	2	1	—	—	—	—	—	—	—	8
20—	2	—	3	3	12	4	1	—	—	—	—	—	—	—	22
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21—	4	—	172	325	184	72	27	4	1	—	—	—	—	1	795
25—	1	—	142	715	749	370	89	25	6	—	1	—	—	11	2,111
30—	—	—	50	313	780	610	238	80	16	2	1	2	—	14	2,107
35—	—	—	13	105	334	589	337	116	28	3	8	3	—	4	1,537
40—	—	—	3	29	100	213	291	183	51	6	12	6	2	8	898
45—	—	—	—	9	47	83	146	171	82	5	23	5	—	5	571
50—	—	—	—	—	7	25	45	81	68	9	42	9	2	—	280
55—	—	—	—	—	—	3	10	22	26	11	31	11	7	—	123
60—	—	—	—	—	—	2	3	4	6	10	9	3	3	1	42
65—	—	—	—	—	—	—	—	1	2	5	4	5	7	—	20
70—	—	—	—	—	—	—	—	—	—	—	1	2	1	—	5
75—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and upwards.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	1	—	—	—	2	—	—	—	—	—	—	148	153
Bachelors.															8,674
Total Widows															8,674

For the method of reading this table see explanatory note on page 214.

SPINSTERS UNDER AGE.										SPINSTERS OF FULL AGE										Total Widowers.
15—	16—	17—	18—	19—	20—	Not stated.	21-24	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and up-wds.	Not stated.		
WIDOWERS UNDER AGE.	18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Not stated																			
	WIDOWERS OF FULL AGE.																			
21—	—	—	1	3	16	31	86	28	8	1	—	—	—	—	—	—	—	—	174	
25—	—	1	5	21	42	60	565	464	140	19	4	1	—	—	—	—	—	—	1,322	
30—	—	—	—	19	33	78	717	890	550	150	24	9	1	—	—	—	—	5	2,476	
35—	1	—	3	12	18	38	458	873	709	409	130	25	—	—	—	—	—	3	2,679	
40—	—	—	1	5	9	13	235	518	660	516	336	90	14	1	1	—	—	9	2,408	
45—	—	—	1	2	5	3	106	319	420	440	317	169	35	9	3	—	—	2	1,831	
50—	—	—	1	—	1	4	57	144	260	269	306	225	115	22	3	1	—	7	1,415	
55—	—	—	1	1	—	2	27	73	125	196	188	197	90	43	4	1	—	7	955	
60—	—	—	—	—	—	1	17	36	68	102	101	119	85	59	22	8	1	5	624	
65—	—	—	—	—	—	—	3	32	32	35	67	68	64	31	26	8	3	2	371	
70—	—	—	—	—	—	—	3	3	14	17	27	32	30	22	12	5	3	—	168	
75—	—	—	—	—	—	—	1	1	1	7	6	5	4	5	9	3	3	—	45	
80—	—	—	—	—	—	—	—	—	2	—	3	3	2	—	—	—	1	—	11	
85 and upwards. Not stated	—	—	—	—	2	2	5	9	6	1	—	—	—	—	—	—	—	425	—	
Total Spinsters																			14,931	14,931

For the method of reading this table, see explanatory note on page 214.



ENGLAND AND WALES.—AGES of 8,365 of the WIDOWERS and of 8,365 of the WIDOWS who intermarried in 1907.

WIDOWS OF FULL AGE.													WIDOWS UNDER AGE.																	
													19—	20—	Not stated.															
													21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and up-wards.	Not stated.	Total Widowers.				
													21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and up-wards.	Not stated.					
WIDOWERS UNDER AGE.	18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	Not stated																													
	WIDOWERS UNDER AGE.																													
WIDOWERS OF FULL AGE.	21—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7			
	25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	154			
	30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	459			
	35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	815				
	40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	1,203					
	45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1,336					
	50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1,360					
	55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1,128					
	60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	829					
	65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	524					
	70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	267					
	75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	69				
	80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21				
	85 and upwards.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3			
	Not stated																													250
													Widowers.											8,365						
													Widows.											8,365						
													Total Widows..											267						

For the method of reading this table, see explanatory note on page 214.

---

MARRIAGES IN LONDON,  
1907.

---



LONDON.—AGES and CONDITIONS of the 40,551

—	MINORS.								FULL				
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	25—	30—	35—	40—
Men .. .. .	—	—	1	8	74	300	921	—	12909	13884	5621	2532	1351
Bachelors .. .. .	—	—	1	8	74	300	921	—	12896	13716	5273	2044	802
Widowers .. .. .	—	—	—	—	—	—	—	—	13	168	348	488	549
Bachelors who married :—													
Spinsters .. .. .	—	—	1	8	74	299	920	—	12797	13374	4959	1760	628
Widows .. .. .	—	—	—	—	—	1	1	—	99	342	314	284	174
Widowers who married :—													
Spinsters .. .. .	—	—	—	—	—	—	—	—	12	153	294	360	389
Widows .. .. .	—	—	—	—	—	—	—	—	1	15	54	128	160

LONDON.—AGES and CONDITIONS of the 40,551

—	MINORS.								FULL				
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	25—	30—	35—	40—
Women .. .. .	—	3	18	137	632	1472	2508	1	16501	10888	3880	1837	941
Spinsters .. .. .	—	3	18	137	632	1472	2507	1	16448	10584	3385	1306	511
Widows .. .. .	—	—	—	—	—	—	1	—	53	304	495	531	430
Spinsters who married :—													
Bachelors .. .. .	—	3	18	136	622	1450	2478	1	16113	10106	2966	960	287
Widowers .. .. .	—	—	—	1	10	22	29	—	335	478	419	346	224
Widows who married :—													
Bachelors .. .. .	—	—	—	—	—	—	1	—	45	269	363	336	194
Widowers .. .. .	—	—	—	—	—	—	—	—	8	35	132	195	236

## MEN who MARRIED in the Year 1907.

AGE.										TOTALS.			
45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wds.	Age not stated.	Minors.	Full Age.	All Ages.	
926	602	434	271	144	54	21	3	—	495	1304	39247	40551	Men.
432	174	90	33	13	5	3	—	—	382	1304	35863	37167	Bachelors.
494	428	344	238	131	49	18	3	—	113	—	3384	3384	Widowers.
326	128	68	22	8	4	1	—	—	341	1302	34416	35718	Bachelors who married :— Spinsters.
106	46	22	11	5	1	2	—	—	41	2	1447	1449	Widows.
291	245	180	109	65	30	7	1	—	72	—	2208	2208	Widowers who married :— Spinsters.
203	183	164	129	66	19	11	2	—	41	—	1176	1176	Widows.

## WOMEN who MARRIED in the Year 1907.

AGE.										TOTALS.			
45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wds.	Age not stated.	Minors.	Full Age.	All Ages.	
569	322	139	66	30	13	—	—	—	594	4771	35780	40551	Women.
240	121	29	19	9	5	—	—	—	499	4770	33156	37926	Spinsters.
329	201	110	47	21	8	—	—	—	95	1	2624	2625	Widows.
103	36	14	7	3	—	—	—	—	415	4708	31010	35718	Spinsters who married :— Bachelors.
137	85	15	12	6	5	—	—	—	84	62	2146	2208	Widows.
121	40	19	5	3	1	—	—	—	52	1	1448	1449	Widows who married :— Bachelors.
208	161	91	42	18	7	—	—	—	43	—	1176	1176	Widows.





SPINSTERS UNDER AGE.										SPINSTERS OF FULL AGE.										Total Bachelors.	Spinsters.
15—	16—	17—	18—	19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and up- wds.	Not stated.			
BACHELORS UNDER AGE.	15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	16—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1		
	17—	—	1	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8		
	18—	2	3	15	26	4	11	—	—	—	—	—	—	—	—	—	—	—	74		
	19—	—	—	18	78	107	44	7	—	—	—	—	—	—	—	—	—	—	299		
	20—	—	—	20	94	239	265	18	—	—	—	—	—	—	—	—	—	—	920		
BACHELORS OF FULL AGE.	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	21—	—	7	50	265	776	8255	1689	165	39	9	2	—	—	—	—	—	11	12797		
	25—	1	6	17	104	245	5823	5601	904	123	19	1	1	—	—	—	—	28	13374		
	30—	—	1	8	22	50	1292	1973	1188	256	37	10	2	—	—	—	—	14	4959		
	35—	—	—	3	8	12	304	567	447	304	68	8	3	—	—	—	—	14	1760		
	40—	—	—	—	1	4	74	155	161	132	64	21	2	—	—	—	10	628			
	45—	—	—	—	2	2	35	65	59	73	49	30	8	2	—	—	1	326			
	50—	—	—	—	—	1	8	19	30	16	28	16	8	1	—	1	—	128			
	55—	—	—	—	—	—	2	8	5	11	11	9	11	6	2	1	—	68			
	60—	—	—	—	—	—	—	3	2	6	1	2	1	3	3	—	1	22			
	65—	—	—	—	—	—	—	—	3	—	1	2	2	1	1	—	—	8			
	70—	—	—	—	—	—	—	—	—	—	—	2	2	1	1	—	—	4			
	75 and upwards.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1		
	Not stated	—	—	1	—	—	1	—	1	2	—	—	—	—	—	—	—	334	341		
Total Spinsters										Total Bachelors.										35718	35718

For the method of reading this table, see explanatory note on page 214.



LONDON.—AGES of 1,449 of the BACHELORS and of 1,449 of the WIDOWS who intermarried in 1907.

WIDOWS OF FULL AGE																Total Bachelors.	Bachelors.
19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwds.	Not stated.			
BACHELORS UNDER AGE	18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	19—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
	20—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
	Not stated															—	—
																—	—
BACHELORS OF FULL AGE	21—	—	—	20	51	17	6	4	1	—	—	—	—	—	—	—	99
	25—	—	—	15	138	119	53	10	3	—	—	—	—	—	1	—	342
	30—	—	—	5	46	123	93	33	11	—	—	—	—	—	2	—	314
	35—	—	—	4	22	64	116	56	18	3	—	—	—	—	1	—	284
	40—	—	—	1	8	23	36	54	38	7	2	1	—	—	4	—	174
	45—	—	—	—	3	13	24	22	32	6	4	—	—	—	2	—	106
	50—	—	—	—	—	2	5	10	11	11	6	—	—	—	—	—	46
	55—	—	—	—	—	—	3	3	5	8	3	—	—	—	—	—	22
	60—	—	—	—	—	1	—	1	1	2	2	2	1	—	1	—	11
	65—	—	—	—	—	—	—	—	1	—	2	1	1	—	—	—	5
	70—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
	75—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	2
	80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	85 and upwards.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Not stated															41	41
															1,449	Bachelors.	
															52	Widows.	
															1,449		

For the method of reading this table, see explanatory note on page 214.

SPINSTERS UNDER AGE.										SPINSTERS OF FULL AGE.										Total Widowers.	WIDOWERS OF FULL AGE.	WIDOWERS UNDER AGE.		
15—	16—	17—	18—	19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and up-wds.	Not stated.						
18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18—				
19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19—				
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20—				
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Not stated				
21—	—	—	—	—	3	2	7	—	—	—	—	—	—	—	—	—	—	—	—	21—				
25—	—	—	—	4	6	4	75	51	11	2	—	—	—	—	—	—	—	—	—	25—				
30—	—	—	—	3	9	10	89	102	62	14	2	—	—	—	—	—	—	3	—	30—				
35—	—	—	1	1	1	7	72	128	86	48	11	4	—	—	—	—	—	1	—	35—				
40—	—	—	—	2	2	2	48	94	101	88	38	12	1	—	—	—	—	1	—	40—				
45—	—	—	—	—	1	2	14	50	62	80	53	19	8	1	—	—	—	1	—	45—				
50—	—	—	—	—	—	2	16	33	49	43	47	31	19	2	2	—	—	1	—	50—				
55—	—	—	—	—	—	—	6	9	23	44	39	34	21	1	1	—	—	2	—	55—				
60—	—	—	—	—	—	—	6	5	13	13	20	22	15	7	2	2	—	4	—	60—				
65—	—	—	—	—	—	—	—	6	7	7	9	10	17	2	5	1	1	—	—	65—				
70—	—	—	—	—	—	—	2	—	4	6	4	3	4	1	1	2	3	—	—	70—				
75—	—	—	—	—	—	—	—	—	—	1	1	1	—	1	1	1	1	—	—	75—				
80—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	80—				
85 and upwards.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	85 and upwards.				
Not stated	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	71	—	Not stated.				
Total Spinsters										335	478	419	346	224	137	85	15	12	6	5	84	2,208	Widowers.	
										—	—	—	—	—	—	—	—	—	—	—	—	—	2,208	Spinsters.

For the method of reading this table, see explanatory note on page 214.





# DEATHS IN WORKHOUSES, HOSPITALS, LUNATIC ASYLUMS, AND IDIOT ASYLUMS. 1907.

---

The following table shows the numbers of deaths (persons, males, and females) registered during 1907 in Workhouses, Hospitals, Lunatic Asylums and Idiot Asylums of England and Wales. These figures afford the means of correcting, in some measure, the mortality of the districts and sub-districts in which the institutions are situated. The table includes 2,869 institutions; of these 827 are Workhouses, Workhouse Infirmaries, or Workhouse Schools; 1,905 are Hospitals or Infirmaries; and 137 are Lunatic Asylums. The Lunatic Asylums comprise County and Borough Asylums, Lunatic Hospitals, and Idiot Asylums. In these 2,869 institutions 98,276 deaths were registered during the year, or 18·75 per cent. of the total deaths in England and Wales, against 17·61 and 18·19 per cent. in the two preceding years; 52,673 deaths occurred in Workhouses, 35,062 in Hospitals, and 10,541 in Lunatic Asylums. The proportion to total deaths was 10·05 per cent. in Workhouses, 6·69 in Hospitals, and 2·01 in Lunatic Asylums. The proportion of deaths recorded in Workhouses, which had been 9·38 and 9·67 per cent. in 1905 and 1906 respectively, was 10·05 per cent. in 1907.

Information relating to the deaths recorded in many Private Lunatic Asylums, and in a few other institutions, will be found in the notes to the table.

---



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907.

REGISTRATION DIVISIONS AND COUNTIES.		TOTAL NUMBER OF INSTITUTIONS.	TOTAL DEATHS IN ALL INSTITUTIONS.	WORKHOUSES.				HOSPITALS.				LUNATIC ASYLUMS.			
				In- stitutions.	DEATHS.			In- stitutions.	DEATHS.			Number of In- stitutions.	DEATHS.		
					Persons.	Males.	Females.		Persons.	Males.	Females.		Persons.	Males.	Females.
	ENGLAND AND WALES	2869	98276	827	52673	30936	21737	1905	35062	20368	14694	137	10541	5394	15147
No.	I.—LONDON.	236	26676	87	14656	8238	6418	142	11473	6488	4985	7	547	241	306
1	LONDON .. ..	236	26676	87	14656	8238	6418	142	11473	6488	4985	7	547	241	306
	II.—SOUTH EASTERN.	536	10363	120	4857	2839	2018	385	3132	1823	1309	31	2374	1148	1226
2	SURREY .. ..	98	2976	19	1204	716	488	66	615	322	293	13	1157	542	615
3	KENT .. ..	175	2834	35	1322	787	535	133	910	532	378	7	602	316	286
4	SUSSEX .. ..	101	1597	24	822	475	347	74	507	288	219	3	268	122	146
5	HAMPSHIRE ..	119	2215	29	1139	635	504	85	837	526	311	5	239	117	122
6	BERKSHIRE ..	43	741	13	370	226	144	27	263	155	108	3	108	51	57
	III.—SOUTH MIDLAND.	251	5410	79	2667	1529	1138	160	1654	952	702	12	1089	547	542
7	MIDDLESEX ..	76	2265	18	1179	644	535	56	709	383	326	2	377	198	179
8	HERTFORDSHIRE	42	827	13	335	190	145	26	171	97	74	3	321	146	175
9	BUCKINGHAMSH.	22	272	7	161	98	63	14	44	28	16	1	67	36	31
10	OXFORDSHIRE ..	31	439	10	206	134	72	19	173	102	71	2	60	31	29
11	NORTHAMPTONS.	31	683	13	322	193	129	16	264	165	99	2	97	63	34
12	HUNTINGDONSH.	6	94	3	60	33	27	3	34	19	15	—	—	—	—
13	BEDFORDSHIRE ..	23	391	6	165	99	66	16	117	70	47	1	109	48	61
14	CAMERIDGESH. ..	20	439	9	239	138	101	10	142	88	54	1	58	25	33
	IV.—EASTERN.	186	5066	65	3027	1692	1335	108	1220	732	488	13	819	428	391
15	ESSEX .. ..	96	3207	29	1999	1125	874	60	678	396	282	7	530	276	254
16	SUFFOLK .. ..	40	781	15	459	255	204	23	212	132	80	2	110	46	64
17	NORFOLK .. ..	50	1078	21	569	312	257	25	330	204	126	4	179	106	73
	V.—SOUTH WESTERN.	271	3601	80	1725	920	805	180	1245	773	472	11	631	314	317
18	WILTSHIRE .. ..	45	547	17	274	149	125	26	165	91	74	2	108	50	58
19	DORSETSHIRE ..	37	390	12	207	118	89	24	100	62	38	1	83	49	34
20	DEVONSHIRE ..	94	1405	20	642	329	313	69	549	363	186	5	214	101	113
21	CORNWALL .. ..	37	353	14	195	104	91	22	94	59	35	1	64	35	29
22	SOMERSETSHIRE	58	906	17	407	220	187	39	337	198	139	2	162	79	83
	VI.—WEST MIDLAND.	310	10060	92	5049	3022	2027	200	3670	2152	1518	18	1341	678	663
23	GLOUCESTERSH. ..	73	2003	20	857	458	399	50	916	530	386	3	230	110	120
24	HEREFORDSHIRE	18	261	8	155	92	63	9	68	48	20	1	38	17	21
25	SHROPSHIRE ..	36	477	15	277	184	93	20	123	80	43	1	77	31	46
26	STAFFORDSHIRE	80	2933	19	1441	895	546	55	930	559	371	6	562	317	245
27	WORCESTERSH. ..	42	1034	13	596	357	239	26	225	122	103	3	213	93	120
28	WARWICKSHIRE	61	3352	17	1723	1036	687	40	1408	813	595	4	221	110	111

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

REGISTRATION DIVISIONS AND COUNTIES.		TOTAL NUMBER OF INSTITUTIONS.	TOTAL DEATHS IN ALL INSTITUTIONS.	WORKHOUSES.				HOSPITALS.				LUNATIC ASYLUMS.			
				In- stitutions.	DEATHS.			In- stitutions.	DEATHS.			In- stitutions.	DEATHS.		
					Persons.	Males.	Females.		Persons.	Males.	Females.		Persons.	Males.	Females.
No.	VII.—NORTH MIDLAND.	160	4023	51	2186	1413	773	100	1373	810	563	9	464	265	199
29	LEICESTERSHIRE	34	896	13	493	322	171	19	289	153	136	2	114	74	40
30	RUTLANDSHIRE ..	3	29	2	25	16	9	1	4	1	3	—	—	—	—
31	LINCOLNSHIRE ..	46	855	15	481	313	168	28	235	148	87	3	139	76	63
32	NOTTINGHAMSH.	38	1387	11	768	479	289	24	435	253	182	3	184	97	87
33	DERBYSHIRE ..	39	856	10	419	283	136	28	410	255	155	1	27	18	9
	VIII.—NORTH WESTERN.	292	17204	72	10358	6101	4257	210	5590	3165	2425	10	1256	651	605
34	CHESHIRE .. ..	72	1836	14	967	578	389	55	655	364	291	3	214	116	98
35	LANCASHIRE ..	220	15368	58	9391	5523	3868	155	4935	2801	2134	7	1042	535	507
	IX.—YORKSHIRE.	262	8799	75	4493	2790	1703	175	3274	1932	1342	12	1032	567	465
36	WEST RIDING • ..	174	6725	45	3503	2160	1343	124	2549	1475	1074	5	673	372	301
37	EAST RIDING (with York).	35	1355	11	587	364	223	18	451	272	179	6	317	164	153
38	NORTH RIDING ..	53	719	19	403	266	137	33	274	185	89	1	42	31	11
	X.—NORTHERN.	184	4268	45	2131	1373	758	132	1620	1023	597	7	517	306	211
39	DURHAM .. ..	80	2198	16	1298	840	458	60	650	397	253	4	250	150	100
40	NORTHUMBERLD.	57	1518	13	564	358	206	42	760	499	261	2	194	119	75
41	CUMBERLAND ..	34	506	11	236	149	87	22	197	120	77	1	73	37	36
42	WESTMORLAND ..	13	46	5	33	26	7	8	13	7	6	—	—	—	—
	XI.—WELSH.	181	2806	61	1524	1019	505	113	811	518	293	7	471	249	222
43	MONMOUTHSH. ..	30	553	6	294	198	96	22	159	106	53	2	100	39	61
44	SOUTH WALES ..	97	1798	35	947	631	316	59	552	351	201	3	299	171	128
	Glamorganshire ..	57	1476	16	788	528	260	40	491	314	177	1	197	122	75
	Carmarthenshire	8	140	4	50	36	14	3	28	19	9	1	62	25	37
	Pembrokeshire ..	10	48	3	39	23	16	7	9	6	3	—	—	—	—
	Cardiganshire ..	7	32	6	23	10	13	1	9	6	3	—	—	—	—
	Brecknockshire ..	10	87	4	37	26	11	5	10	4	6	1	40	24	16
	Radnorshire.. ..	5	15	2	10	8	2	3	5	2	3	—	—	—	—
45	NORTH WALES ..	54	455	20	283	190	93	32	100	61	39	2	72	39	33
	Montgomeryshire	8	43	4	40	23	17	4	3	2	1	—	—	—	—
	Flintshire .. ..	3	40	2	37	27	10	1	3	2	1	—	—	—	—
	Denbighshire ..	16	230	4	101	71	30	10	57	35	22	2	72	39	33
	Merionethshire ..	6	30	4	28	21	7	2	2	2	—	—	—	—	—
	Carnarvonshire ..	18	97	4	63	39	24	14	34	19	15	—	—	—	—
	Anglesey .. ..	3	15	2	14	9	5	1	1	1	—	—	—	—	—



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.				
			Persons.	Males.	Females.		
I.—LONDON.							
1.—London.							
1a.—PADDINGTON	1. Paddington, North ..	Home of Compassion of Jesus (Home for Dying)	11	5	6		
		{ WORKHOUSE .. .. .	23	16	7		
	2. Paddington, Central ..	{ Infirmary .. .. .	323	170	153		
		Children's Hospital .. .. .	88	48	40		
		Lock Hospital.. .. .	3	—	3		
		St. Mary's Hospital .. .. .	333	208	125		
1b.—KENSINGTON	1. Kensington Town* ..	{ WORKHOUSE .. .. .	3	1	2		
		{ Infirmary .. .. .	535	283	252		
		WORKHOUSE (Mary Place) .. .. .	—	—	—		
		WORKHOUSE Infirmary, Rackham St. (Marylebone)	509	288	221		
		Kensington Dispensary and Children's Hospital..	10	7	3		
		St. Luke's House (Home for Dying) .. .. .	88	35	53		
	2. Brompton .. ..	Kensington General Hospital (late Queen's Jubilee Hospital) .. .. .	23	18	5		
		Consumption Hospital (part of) .. .. .	45	25	20		
	2.—FULHAM ..	1. North Hammersmith	WORKHOUSE (Hammersmith) .. .. .	2	1	1	
			WORKHOUSE Infirmary (Hammersmith) .. .. .	291	178	113	
WORKHOUSE, Children's Receiving Home (Hammersmith) .. .. .			1	1	—		
WORKHOUSE, Children's Receiving Home (Paddington) .. .. .			—	—	—		
St. John's Hospital for Skin Diseases .. .. .			3	2	1		
WORKHOUSE, Kensington and Chelsea Dist. Sch.			—	—	—		
2. South Hammersmith†		West London Hospital .. .. .	285	169	116		
		St. Cyprian's Home for Incurables .. .. .	—	—	—		
3. North West Fulham..		{ WORKHOUSE (Fulham) .. .. .	22	13	9		
		{ Infirmary (do.) .. .. .	410	216	194		
4. North East Fulham‡		Western Fever Hospital (Met. Asy. Bd.) .. .. .	163	81	82		
		5. South Fulham .. .. .	WORKHOUSE School (Elm House) .. .. .	—	—	—	
3.—CHELSEA ..		1. Chelsea, North ..	{ WORKHOUSE (Chelsea) .. .. .	24	13	11	
			{ Infirmary (do.) .. .. .	271	164	107	
	{ WORKHOUSE (St. George, Hanover Square) .. .. .		7	6	1		
	{ Infirmary (do.) .. .. .		408	255	153		
	Cancer Hospital .. .. .		113	54	59		
	Hospital for Women .. .. .		11	—	11		
	Consumption Hospital (part of) .. .. .		46	34	12		
	2. Chelsea, South ..		WORKHOUSE, Casual Ward .. .. .	—	—	—	
	2. Chelsea, South ..	Victoria Hospital (Children) .. .. .	142	80	62		
		Cheyne Hospital (Children) .. .. .	4	2	2		
		4.—ST. GEORGE, HANOVER SQUARE	2. Belgrave .. ..	WORKHOUSE, Wallis's Yard .. .. .	4	4	—
				St. George's Hospital .. .. .	364	213	151
			3. St. Margaret and St. John.	Hospital for Women and Children, Lupus Street	1	—	1
				Station Hospital, Rochester Row .. .. .	2	2	—
				Queen Alexandra Military Hospital, Millbank ..	19	19	—
				Grosvenor Hospital (Women and Children) .. ..	6	—	6
Gordon Hospital for Fistula .. .. .	1			1	—		
Westminster Hospital .. .. .	247			145	102		
Infants' Hospital, Vincent Square§ .. .. .	19			11	8		
5.—WESTMINSTER	1. St. James and St. Anne	WORKHOUSE .. .. .	18	9	9		
		Hospital for Diseases of the Throat .. .. .	4	2	2		
		Home Hospital .. .. .	—	—	—		
		Hospital for Women .. .. .	24	—	24		
		Lock Hospital (Male Branch) .. .. .	3	3	—		
		Hospital for Diseases of the Heart .. .. .	16	10	6		
		Royal Ear Hospital.. .. .	2	2	—		
6.—ST. MARYLEBONE	1. All Souls.. ..	Middlesex Hospital .. .. .	429	215	214		
		All Saints' Home for Incurables .. .. .	2	2	—		
		St. Elizabeth's Home .. .. .	7	—	7		
		London Throat Hospital .. .. .	—	—	—		
		Royal National Orthopædic Hospital.. .. .	—	—	—		
		Medical and Surgical Home .. .. .	—	—	—		
		Ladies' Hospital, Harley Street .. .. .	—	—	—		
		West End Hospital for Paralysis .. .. .	10	8	2		
		2. St. Mary .. ..	{ WORKHOUSE .. .. .	56	33	23	
			{ WORKHOUSE Casual Wards (Houseless Poor Wards) .. .. .	—	—	—	

NOTE.—Whenever a Workhouse and an Infirmary are situated in the same enclosure they are bracketed together in this Table, and are indicated in the Table on pp. 148-207 by a single W.  
 \* 1b: 1.—In St. Joseph's House, 35 deaths occurred during the year.  
 † 2: 2.—In Nazareth House, 23 deaths occurred during the year.  
 ‡ 2: 4.—In Otto House, a private Lunatic Asylum, no death occurred during the year.  
 § 4: 3.—The Infants' Hospital was removed during the year from Hampstead Sub-district (7: 1), which see also.

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.				
			Persons.	Males.	Females.		
1.—London—continued.							
6.—ST. MARYLEBONE—cont.	2. St. Mary—cont. ..	Queen Charlotte's Lying-in Hospital.. ..	49	26	23		
		Home for Consumptive Females .. ..	2	—	2		
		Western Ophthalmic Hospital .. ..	—	—	—		
		Samaritan Free Hospital .. ..	11	—	11		
		Hospital for Epilepsy and Paralysis .. ..	8	4	4		
4. St. John .. ..	Hospital of St. John and St. Elizabeth .. ..		26	15	11		
		7.—HAMPSTEAD ..					
		1. Hampstead .. ..	WORKHOUSE .. ..	95	50	45	
			North Western Fever Hospital (Met. Asy. Bd.) ..	137	73	64	
			St. Peter's Home, Kilburn .. ..	15	—	15	
Hampstead General Hospital .. ..	46		21	25			
Mount Vernon Consumption Hospital .. ..	22		12	10			
Home of Peace for the Dying (Friedenheim) ..	Infants' Hospital* .. ..		107	55	52		
			3	—	3		
		Tudor House Convalescent Home .. ..	—	—	—		
		Hospital and Home for Incurable Children (Northcourt) .. ..	1	—	1		
		London Temperance Hospital .. ..	126	64	62		
8.—ST. PANCRAS ..	1. West St. Pancras ..	St. Saviour's Hospital .. ..	3	—	3		
		WORKHOUSE Infirmary (Central London Sick Asy.)	154	106	48		
		University College Hospital .. ..	309	155	154		
		Home Hospital .. ..	19	8	11		
		Medical and Surgical Home, Fitzroy Square ..	2	2	—		
2. South St. Pancras ..	Oxygen Home .. ..		—	—	—		
		London Skin Hospital .. ..	—	—	—		
		Metropolitan Ear, Nose, and Throat Hospital ..	3	1	2		
		Medical and Surgical Home, Endsleigh Gardens ..	2	1	1		
		Royal Free Hospital .. ..	160	97	63		
Central London Ophthalmic Hospital .. ..	Central London Throat and Ear Hospital .. ..		1	1	—		
			6	5	1		
		British Hospital for Diseases of the Skin .. ..	—	—	—		
		St. Luke's Hostel, Fitzroy Square .. ..	1	1	—		
		WORKHOUSE .. ..	82	57	25		
3. East St. Pancras ..	{ Infirmary, South .. ..		331	186	145		
		Hospital for Women .. ..	31	3	28		
		North-West London Hospital .. ..	13	4	9		
		WORKHOUSE Infirmary (Highgate) .. ..	359	181	178		
		WORKHOUSE (Casual Wards) .. ..	—	—	—		
4. North St. Pancras ..	9.—ISLINGTON ..	1. Tufnell .. ..	WORKHOUSE Infirmary, Highgate Hill .. ..	774	428	346	
			WORKHOUSE, Cornwallis Road .. ..	12	10	2	
			WORKHOUSE, St. John's Road.. ..	147	70	77	
			WORKHOUSE Infirmary (Holborn Union) .. ..	389	244	145	
			Great Northern Central Hospital .. ..	237	131	106	
3. Tollington .. ..	WORKHOUSE Schools .. ..		—	—	—		
		WORKHOUSE (Shoreditch) .. ..	1	1	—		
		Winifred House Convalescent Home .. ..	—	—	—		
		London Fever Hospital .. ..	12	5	7		
		Mildmay Memorial Cottage Hospital .. ..	21	13	8		
6. Islington South East	7. Highbury .. ..	Home for Confirmed Invalids, Aubert Park and Highbury Terrace .. ..	7	—	7		
		Invalid Asylum .. ..	4	—	4		
		10.—HACKNEY ..	1. Stoke Newington† ..	WORKHOUSE (City of London) .. ..	11	9	2
				WORKH. SCHOOL (Shoreditch), Lower Clapton Rd.	—	—	—
				Eastern Fever Hospital (Met. Asy. Bd.) .. ..	179	97	82
Metropolitan Free Hospital .. ..	230			135	95		
German Hospital .. ..	134			80	54		
4. South West Hackney	Salvation Army Maternity Hospital .. ..		19	9	10		
		WORKHOUSE .. ..	20	4	16		
		{ Infirmary .. ..	643	355	288		
		WORKHOUSE Cottage Homes (Branch School) ..	—	—	—		
		WORKHOUSE (West Ham) .. ..	—	—	—		
5. South East Hackney	St. Joseph's Hospice for the Dying .. ..		37	14	23		
		11.—ST. GILES ..					
		1. St. Giles and Bloomsbury.	WORKHOUSE .. ..	55	30	25	
			WORKHOUSE (Casual Ward) .. ..	1	1	—	
			British Lying-in Hospital.. ..	12	3	9	
French Hospital .. ..	39		26	13			
12.—STRAND ..	1. Strand .. ..		WORKHOUSE .. ..	6	4	2	
		Charing Cross Hospital .. ..	226	140	86		
		Royal Westminster Ophthalmic Hospital .. ..	1	1	—		
		St. Peter's Hospital for Stone, &c. .. ..	22	22	—		
		King's College Hospital .. ..	172	96	76		

\* 7: 1.—The Infants' Hospital was removed during the year to St. Margaret and St. John Sub-district (4: 3), which see also.

† 10: 1.—In Northumberland House, a private Lunatic Asylum, 6 deaths, and in St. Ann's House, 31 deaths occurred during the year.

‡ 10: 2.—In Brooke House, a private Lunatic Asylum, 5 deaths occurred during the year.

§ 10: 3.—In the Salvation Army Rescue Home, Lanark House, 1 death occurred during the year.

|| 10: 5.—In the Salvation Army Rescue Home, 27–29 Devonshire Road, 16 deaths occurred during the year.



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
1.—London—continued.					
13.—HOLBORN ..	1. Holborn .. ..	WORKHOUSE (Casual Wards) .. ..	—	—	—
		London Homœopathic Hospital .. ..	83	51	32
		Hospital for Sick Children .. ..	418	241	177
	3. North Clerkenwell ..	National Hospital for Paralysis .. ..	44	29	15
		Alexandra Hospital for Hip Disease (Children) .. ..	6	4	2
		Italian Hospital .. ..	29	18	11
		City Orthopædic Hospital .. ..	—	—	—
		St. Barnabas' Home for Incurables .. ..	2	—	2
		St. Mark's Hospital (Fistula) .. ..	10	8	2
		City of London Lying-in Hospital .. ..	18	6	12
		Royal London Ophthalmic Hospital .. ..	5	4	1
		St. Luke's Lunatic Hospital .. ..	13	4	9
14.—LONDON CITY	1. St. Botolph .. ..	City Police Hospital .. ..	1	1	—
	2. St. Sepulchre and All-hallows.	WORKHOUSE .. ..	7	6	1
		St. Bartholomew's Hospital .. ..	669	398	271
		Billingsgate Mission Hospital .. ..	2	2	—
15.—SHOREDITCH	1. Shoreditch, South ..	Convent Hospital (Children) .. ..	12	5	7
	2. Shoreditch, North West.	{ WORKHOUSE .. ..	1	—	1
		{ Infirmary .. ..	555	301	254
		WORKHOUSE (Holborn) .. ..	274	142	132
		Royal Hospital for Diseases of the Chest .. ..	70	50	20
16.—BETHNAL GREEN	1. Bethnal Green, North East.	WORKHOUSE .. ..	42	28	14
		WORKHOUSE Infirmary .. ..	586	306	280
		City of London Hospital (Diseases of the Chest) .. ..	58	44	14
		North-Eastern Children's Hospital .. ..	243	120	123
	2. Bethnal Green, South West.	Bethnal House Lunatic Asylum .. ..	36	20	16
		Mildmay Mission Hospital .. ..	33	18	15
17.—WHITECHAPEL	2. Mile End New Town	WORKHOUSE Infirmary .. ..	380	242	138
		London Hospital .. ..	1321	762	559
18.—ST. GEORGE IN THE EAST	1. St. George and St. John	{ WORKHOUSE .. ..	4	4	—
		{ Infirmary .. ..	258	152	106
		WORKHOUSE Casual Ward .. ..	1	1	—
19.—STEPNEY ..	1. Shadwell and Ratcliff	WORKHOUSE .. ..	—	—	—
	2. Limehouse .. ..	East London Children's Hospital .. ..	417	208	209
		WORKHOUSE Casual Wards .. ..	—	—	—
20.—MILE END OLD TOWN	1. Mile End Old Town, South Western.	East End Mothers' Home .. ..	16	7	9
	2. Mile End Old Town, North Eastern.	{ WORKHOUSE .. ..	5	3	2
		{ Infirmary (Bancroft Road) .. ..	365	201	164
21.—POPLAR ..	2. Bromley .. ..	WORKHOUSE (Whitechapel), South Grove .. ..	34	16	18
		WORKHOUSE Infirmary (City of London) .. ..	113	65	48
		WORKHOUSE (Stepney) .. ..	104	69	35
		WORKHOUSE Infirm. (Poplar & Stepney Sick Asy.) .. ..	696	408	288
	3. Poplar .. ..	Poplar Hospital .. ..	139	89	50
		WORKHOUSE .. ..	93	62	31
		WORKHOUSE Infirmary (Branch of Poplar and Stepney Sick Asylum) .. ..	14	1	13
22.—SOUTHWARK	1. Christchurch and St. Saviour, Southwark.	WORKHOUSE .. ..	9	9	—
	3. St. George the Martyr, West.	Hospital for Diseases of the Skin .. ..	—	—	—
		Guy's Hospital .. ..	686	414	272
		WORKHOUSE .. ..	20	16	4
	5. Newington, South ..	Evelina Hospital (Children) .. ..	134	74	60
		Royal South London Ophthalmic Hospital .. ..	1	1	—
		Bethlem Royal Lunatic Hospital .. ..	24	13	11
23.—ST. OLAVE (BERMONDSEY).	1. St. Olave .. ..	WORKHOUSE .. ..	56	19	37
	2. Bermondsey .. ..	WORKHOUSE .. ..	9	9	—
		WORKHOUSE Sch. (St. Olave Union Children's Home) .. ..	—	—	—
		WORKHOUSE .. ..	2	2	—
	3. Rotherhithe .. ..	{ WORKHOUSE Infirmary .. ..	426	265	161
		{ WORKHOUSE (Casual Wards) .. ..	—	—	—
		South Wharf Shelters (Met. Asy. Bd.) .. ..	1	—	1

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
1.—London—continued.					
24.—LAMBETH ..	1. Waterloo .. ..	Royal Waterloo Hospital (Women and Children)	47	17	30
		General Lying-in Hospital .. ..	50	16	34
	2. Lambeth Church ..	St. Thomas's Hospital and Home .. ..	695	435	260
	3. Kennington* .. ..	{ WORKHOUSE, Renfrew Road .. ..	125	54	71
		{ Infirmary, Brook Street .. ..	711	381	330
		WORKHOUSE, Princes Road .. ..	1	1	—
	4. Stockwell .. ..	Clapham Maternity Hospital .. ..	25	16	9
	South Western Fever Hospital (Met. Asy. Bd.) ..	105	60	45	
	5. Brixton .. ..	Hospital for Children (Belgrave Hospital) ..	106	60	46
	6. Norwood† .. ..	WORKHOUSE, Elder Road .. ..	—	—	—
		WORKHOUSE Schools .. ..	14	4	10
		British Home for Incurables .. ..	9	4	5
25.—WANDSWORTH	1. East Battersea.. ..	National Anti-Vivisection Hosp., Albert Bridge Rd.	11	6	5
	3. South West Battersea	WORKHOUSE (Branch: Wandsworth), St. James' Rd.	—	—	—
		WORKHOUSE Infirmary (Wandsworth) .. ..	744	386	358
		Bolingbroke Hospital .. ..	69	44	25
	4. Clapham‡ .. ..	The Hostel of God .. ..	56	21	35
		Nightingale Nursing Home .. ..	1	—	1
	5. Streatham§ .. ..	WORKHOUSE (St. Pancras), St. Anne's Home ..	13	13	—
		WORKHOUSE (Chelsea), Fairfield House .. ..	—	—	—
		WORKHOUSE (Wandsworth and Clapham), Tooting Home .. ..	120	59	61
		Fountain Fever Hospital (Met. Asy. Bd.) .. ..	15	8	7
		Grove Fever Hospital (Met. Asy. Bd.) .. ..	145	75	70
		Tooting Bec Imbecile Asylum (Met. Asy. Bd.) ..	265	113	152
		Middlesex County Lunatic Asylum (part of) ..	16	7	9
	6. Springfield .. ..	WORKHOUSE (Intermediate School: Wandsworth and Clapham) .. ..	—	—	—
		WORKHOUSE (Home for Aged and Infirm: Wandsworth and Clapham) .. ..	10	5	5
		Middlesex County Lunatic Asylum (part of) ..	90	45	45
		7. Southfields .. ..	Royal Hospital for Incurables .. ..	11	3
	8. Putney   .. ..	—	—	—	
26.—CAMBERWELL	2. Camberwell, South ..	WORKHOUSE .. ..	155	79	76
		WORKHOUSE (Southwark Infirmary) .. ..	777	464	313
	3. Camberwell, North ..	WORKHOUSE Infirmary .. ..	600	344	256
		Camberwell House Lunatic Asylum .. ..	75	27	48
		Peckham House Lunatic Asylum .. ..	28	12	16
	6. Peckham, South .. ..	WORKHOUSE, Gordon Road .. ..	14	11	3
		WORKHOUSE (St. Olave Union Children's Homes) WORKHOUSE (Camberwell Union Children's Homes) .. ..	—	—	—
27.—GREENWICH..	2. Deptford Central ..	South Eastern Fever Hospital (Met. Asy. Bd.) ..	207	109	98
	4. Greenwich West ..	Miller Memorial Hospital .. ..	29	11	18
		Invalids' Home .. ..	—	—	—
	5. Greenwich East ..	{ WORKHOUSE .. ..	129	64	65
		{ Infirmary .. ..	400	233	167
		WORKHOUSE School .. ..	—	—	—
		Seamen's Hospital .. ..	143	133	10
28.—LEWISHAM ..	1. Eltham .. ..	WORKHOUSE (St. Mary's R.C. School for Boys) ..	1	—	1
		Cottage Hospital .. ..	11	7	4
	2. Lee .. ..	WORKHOUSE, Grove Park (Greenwich) .. ..	6	4	2
		St. John's Hospital .. ..	13	7	6
	3. Lewisham¶ .. ..	{ WORKHOUSE .. ..	35	11	24
		{ Infirmary .. ..	352	206	146
		WORKHOUSE (St. Olave) .. ..	113	38	75
		Park Fever Hospital (Met. Asy. Bd.) .. ..	129	63	66
	4. Sydenham .. ..	Home for Sick Children .. ..	5	4	1
29.—WOOLWICH ..	1. Charlton.. ..	Brook Fever Hospital (Met. Asy. Bd.) .. ..	152	82	70
		Herbert Hospital (Military) .. ..	11	11	—
		Cottage Hospital (Kidbrooke) .. ..	8	7	1
		Garrison Female Hospital .. ..	4	—	4
	2. Woolwich .. ..	Royal Arsenal Infirmary .. ..	5	5	—
		Cottage Hospital .. ..	9	4	5
		Auxiliary Hospital .. ..	2	2	—
		Home for Mothers and Babies .. ..	3	3	—
		WORKHOUSE (Furze Lodge) .. ..	—	—	—
	3. Plumstead West ..	{ WORKHOUSE .. ..	3	3	—
	4. Plumstead East ..	{ Infirmary .. ..	265	153	112
		WORKHOUSE Schools .. ..	—	—	—
	Crole-Wyndham Convalescent Homes .. ..	—	—	—	

\* 24: 3.—In St. Peter's House (Home for Aged Poor), 35 deaths occurred during the year.

† 24: 6.—In Fenstanton, a private Lunatic Asylum, 2 deaths occurred during the year.

‡ 25: 4.—In Clarence Lodge, a private Lunatic Asylum, 1 death occurred during the year.

§ 25: 5.—In Newlands House, a private Lunatic Asylum, no death occurred during the year.

|| 25: 8.—In the Priory, a private Lunatic Asylum, 5 deaths occurred during the year.

¶ 28: 3.—In Flower House, a private Lunatic Asylum, 4 deaths occurred during the year.



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
II.—SOUTH-EASTERN.					
2.—Surrey.					
30.—EPSOM	1. Carshalton	Croydon R.D. Isolation Hospital .. ..	30	13	17
		Small-pox Hosp. (Croydon C.B., Wimbledon M.B., and Penge U.D.) .. ..	—	—	—
		Carshalton Cottage Hospital .. ..	11	6	5
		Sutton Cottage Hospital .. ..	6	4	2
		St. Anthony's Hospital .. ..	7	—	7
		London County Lunatic Asylum, Banstead .. ..	266	112	154
		Belmont Imbecile Asylum (Met. Asy. Bd.) .. ..	37	37	—
	2. Epsom	WORKHOUSE .. ..	108	71	37
		WORKHOUSE (Kensington and Chelsea Dist. Schs.) .. ..	1	1	—
		Epsom and Ewell Cottage Hospital .. ..	2	1	1
		Isolation Hospital (Epsom U.D.) .. ..	1	1	—
		Isolation Hospital (Epsom R.D.; Sutton, Carshalton, and Leatherhead Urban Districts) .. ..	5	4	1
		London County Lunatic Asylum, Manor .. ..	43	—	43
		London County Lunatic Asylum, Horton .. ..	223	99	124
		London County Lunatic Asylum, Long Grove .. ..	40	24	16
		London County Lunatic Asylum, Epileptic Colony .. ..	11	9	2
	3. Leatherhead	Cottage Hospital .. ..	10	8	2
31.—CHERTSEY	1. Walton	Metropolitan Convalescent Asylum .. ..	7	5	2
		Cottage Hospital, Weybridge .. ..	5	2	3
		Cottage Hospital, Walton .. ..	5	3	2
	2. Chertsey	WORKHOUSE .. ..	44	26	18
		Isolation Hospital (Chertsey R.D.) .. ..	3	2	1
32.—GUILDFORD	1. Woking	Victoria Cottage Hospital, Woking .. ..	4	2	2
		St. Peter's Home .. ..	7	—	7
		Small-pox Hospital (Guildford, Godalming, and Woking Joint Hospital Dist.) .. ..	—	—	—
		County Lunatic Asylum, Brookwood .. ..	145	54	91
	3. Albury	Alexandra Hosp. for Hip Disease (Branch) .. ..	—	—	—
	4. Guildford	WORKHOUSE .. ..	96	58	38
		Royal Surrey County Hospital .. ..	71	41	30
		Isolation Hospital (Guildford M.B. and R.D., Godalming M.B., and Woking U.D.) .. ..	9	4	5
	5. Godalming	Meath Home for Epileptic Women and Children .. ..	—	—	—
33.—FARNHAM	1. Frimley	Isolation Hospital (Frimley U.D.) .. ..	1	—	1
		Convalescent Home and Sanatorium (Branch of Brompton Consumption Hospital) .. ..	3	3	—
	2. Aldershot	Military Hospital for Infectious Diseases .. ..	5	4	1
		Aldershot Cottage Hospital .. ..	9	6	3
		Isolation Hospital (Aldershot U.D.) .. ..	5	1	4
	3. Farnham	WORKHOUSE .. ..	85	58	27
		Cottage Hospital .. ..	3	1	2
		Convalescent Home, Hale .. ..	3	1	2
		Crooksbury Sanatorium for Consumption .. ..	5	4	1
	4. Frensham	Isolation Hospital (Farnham U.D. & R.D.) .. ..	2	1	1
		Whitmead Sanatorium (Tuberculosis) .. ..	1	1	—
34.—HAMBLEDON	1. Witley	WORKHOUSE .. ..	26	17	9
		Cottage Hospital, Haslemere .. ..	6	2	4
		Bethlem Convalescent Hospital for the Insane .. ..	—	—	—
35.—DORKING	2. Cranley	Cottage Hospital .. ..	—	—	—
	1. Capel	Village Hospital .. ..	—	—	—
		Ockley Sanatorium (Phthisis) .. ..	4	2	2
	2. Dorking	WORKHOUSE .. ..	25	15	10
		Cottage Hospital .. ..	5	1	4
		Isolation Hospital (Dorking U.D. and R.D.) .. ..	—	—	—
36.—REIGATE	2. Reigate	WORKHOUSE .. ..	69	44	25
		Reigate and Redhill Hospital .. ..	13	10	3
		Mrs. Kitto's Convalescent Home .. ..	1	1	—
		Brabazon Home .. ..	—	—	—
		Earlswood Idiot Asylum .. ..	17	9	8
	3. Horley	Horley Cottage Hospital .. ..	4	3	1
		Infectious Diseases Hospital (Reigate R.D.) .. ..	—	—	—
		Isolation Hospital (Reigate M.B.) .. ..	16	5	11
37.—GODSTONE	1. Godstone	WORKHOUSE .. ..	41	24	17
		Isolation Hospital (Godstone R.D.) .. ..	—	—	—
		Caterham Cottage Hospital .. ..	8	4	4
		Charing Cross Hospital Convalescent Home .. ..	1	1	—
		Caxton Convalescent Home, Limpsfield .. ..	1	1	—
		Conval. Home for Women & Children, Limpsfield .. ..	—	—	—
		Homes for Epileptic Children, Lingfield .. ..	1	—	1
		Convalescent Home, Oxted .. ..	—	—	—
		Caterham Imbecile Asylum (Met. Asy. Bd.) .. ..	145	66	79
		Croydon C.B. Mental Hospital .. ..	56	30	26

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
2.—Surrey—continued.						
38.—CROYDON ..	1. Coulsdon .. ..	London County Lunatic Asylum, Cane Hill .. ..	172	101	71	
	2. South Croydon .. ..	WORKHOUSE Schools (Bermondsey) .. ..	—	—	—	
	3. West Croydon .. ..	Purley Cottage Hospital .. ..	1	—	1	
		WORKHOUSE .. ..	3	1	2	
		WORKHOUSE Infirmary .. ..	339	178	161	
		WORKHOUSE Cottage Homes .. ..	—	—	—	
	4. North Croydon .. ..	Borough Hospital (Infectious Diseases) .. ..	52	25	27	
		General Hospital .. ..	116	67	49	
		Cottage Hospital, Upper Norwood .. ..	17	6	11	
		5. Penge .. ..	WORKHOUSE (North Surrey District Schools) .. ..	2	2	—
	6. Mitcham .. ..	WORKHOUSE (Holborn Union) .. ..	74	51	23	
		WORKHOUSE Industrial Schools (Holborn Union)	1	—	1	
39.—KINGSTON ..	1. Wimbledon .. ..	Atkinson Morley Convalescent Hospital .. ..	5	2	3	
		Wimbledon Cottage Hospital .. ..	11	4	7	
		Wimbledon Isolation Hospital .. ..	11	4	7	
		South Wimbledon and District Cottage Hospital..	17	8	9	
	2. Kingston.. ..	WORKHOUSE .. ..	2	1	1	
		WORKHOUSE Infirmary, Kingston Hill .. ..	215	127	88	
	3. Surbiton .. ..	Kingston Victoria Hospital .. ..	15	7	8	
		Surbiton Cottage Hospital .. ..	8	6	2	
	4. Esher .. ..	Isolation Hospital (Five Urb. Dists. & R.D.) ..	3	1	2	
		Thames Ditton Cottage Hospital .. ..	8	4	4	
	5. Hampton .. ..	East and West Molesey Cottage Hospital .. ..	3	1	2	
		Teddington and Hampton Wick Cottage Hospital	13	4	9	
		Isolation Hospital (Hampton U.D.) .. ..	—	—	—	
	40.—RICHMOND ..	1. Richmond .. ..	Normansfield Idiot Asylum .. ..	2	1	1
			WORKHOUSE .. ..	73	42	31
			Royal Hospital .. ..	50	34	16
		2. Mortlake .. ..	Isolation Hospital (Barnes U.D.) .. ..	5	1	4
3.—Kent.						
41.—BROMLEY ..	1. Bromley .. ..	Bromley and Beckenham Joint Hospital (Inf. Dis.)	13	5	8	
		Bromley Cottage Hospital .. ..	24	13	11	
		Phillips' Memorial Hospital .. ..	6	1	5	
		Lady Margaret Hospital .. ..	5	4	1	
	2. Beckenham .. ..	Cottage Hospital .. ..	9	4	5	
		3. Orpington .. ..	WORKHOUSE .. ..	108	66	42
			Small-pox Hospital (Bromley and Beckenham			
	4. Chislehurst .. ..	Joint Hospital Board) .. ..	—	—	—	
		Sidcup Cottage Hospital .. ..	11	4	7	
			Cray Valley Cottage Hospital .. ..	8	3	5
42.—DARTFORD ..		1. Bexley .. ..	WORKHOUSE (Greenwich Union Children's			
	Homes) .. ..		3	1	2	
	Cottage Hospital, Bexley .. ..		4	1	3	
	Isolation Hospital (Bexley U.D.) .. ..		—	—	—	
	2. Erith* .. ..	Sanatorium, Belvedere (Erith U.D.) .. ..	4	1	3	
		Cottage Hospital, Erith .. ..	9	7	2	
	3. Dartford.. ..	WORKHOUSE .. ..	127	75	52	
		Joyce Green Hospital (Met. Asy. Bd.) .. ..	8	3	5	
		Long Reach Hospital (Met. Asy. Bd.) .. ..	—	—	—	
		Gore Farm Hospital (Met. Asy. Bd.) .. ..	7	4	3	
		Bow Arrow Hosp.(Infect. Dis.,Dartford U.D. & R.D.)	15	9	6	
		Livingstone Cottage Hospital .. ..	10	6	4	
		City of London Lunatic Asylum, Stone .. ..	27	15	12	
		London County Lunatic Asylum, Dartford Heath ..	188	106	82	
		Darenth Imbecile Asylum (Met. Asy. Bd.) .. ..	73	35	38	
	4. Farningham .. ..	Hospital Convalescent Home, Swanley .. ..	—	—	—	
		Kettlewell Conval.Home(St.Bartholomew's Hosp.)	3	3	—	
43.—GRAVESEND..	1. Gravesend .. ..	White Oak Ophthalmia School (Met. Asy. Bd.)† ..	—	—	—	
		WORKHOUSE .. ..	37	22	15	
		WORKHOUSE (Children's Home) .. ..	—	—	—	
		Gravesend Hospital (Bath Street) .. ..	54	31	23	
44.—STROOD ..	1. Northfleet .. ..	Station Hospital .. ..	1	1	—	
		Sanatorium, Denton (Gravesend M.B.) .. ..	—	—	—	
		Sanatorium for Small-pox,Cobham(GravesendM.B.)	—	—	—	
		Strood R.D. Isolation Hospital .. ..	3	3	—	
		Small-pox Hospital (Northfleet U.D.) .. ..	1	1	—	
	2. Strood .. ..	Port of London Hospital .. ..	5	5	—	
WORKHOUSE .. ..		36	21	15		
45.—HOO ..	1. Hoo .. ..	WORKHOUSE .. ..	10	6	4	
		Isolation Hospital (Hoo R.D.) .. ..	4	2	2	

\* 42: 2.—In the Royal Alfred Institution for Aged Seamen, 11 deaths occurred during the year.

† Classed as a hospital in the Summary on p. 228.



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
3.—Kent—continued.					
46.—MEDWAY ..	1. Rochester and Chat-ham.	WORKHOUSE .. .. .	137	68	69
		St. Bartholomew's Hospital .. .. .	97	55	42
		Fort Pitt Hospital (including Auxiliary Hospital)	6	6	—
		St. William's Hosp. (Rochester and Chatham M.B.'s)	25	14	11
		Small Pox Hosp. (Rochester and Chatham M.B.'s)	—	—	—
	2. Gillingham .. ..	Port Sanitary Hospital Ship "Elk" .. .. .	—	—	—
		Infectious Diseases Hospital (Gillingham M.B.) ..	5	3	2
		Military Families Hospital (Lying-in) .. .. .	15	8	7
		Alexandra Hosp. for Small Pox (Gillingham M.B.)	—	—	—
	New Naval Hospital (General and Infectious) ..	46	46	—	
47.—MALLING ..	1. Aylesford* .. ..	WORKHOUSE .. .. .	51	33	18
		Isolation Hospital (Malling R.D.) .. .. .	4	1	3
		Zymotic Military Hospital .. .. .	—	—	—
48.—SEVENOAKS ..	2. Sevenoaks .. ..	WORKHOUSE .. .. .	46	28	18
		Holmesdale Cottage Hospital .. .. .	7	3	4
		Hospital for Hip Diseases .. .. .	—	—	—
	3. Penshurst .. ..	Sevenoaks Urban District Fever Hospital ..	—	—	—
		Isolation Hospital (Joint Parish Councils) ..	1	1	—
49.—TONBRIDGE ..	1. Tunbridge Wells ..	General Hospital .. .. .	50	27	23
		Homœopathic Hospital .. .. .	4	1	3
		Eye and Ear Hospital .. .. .	1	1	—
		Isolation Hospital (Southborough U.D.) ..	1	—	1
	2. Tonbridge† .. ..	WORKHOUSE .. .. .	104	51	53
		Infectious Diseases Hospital (Tonbridge U.D.) ..	2	1	1
		Cottage Hospital .. .. .	3	2	1
	3. Brenchley .. ..	Infectious Diseases Hospital (Tonbridge R.D.) ..	12	6	6
		Small Pox Hospital (Joint Board) .. .. .	—	—	—
50.—MAIDSTONE ..	2. Loose .. ..	WORKHOUSE .. .. .	83	50	33
		WORKHOUSE Schools .. .. .	—	—	—
	3. Maidstone .. ..	Infectious Diseases Hospital (Maidstone R.D.) ..	1	1	—
		Sanatorium (Public Fever Hosp. ; Maidstone M.B.)	2	2	—
		West Kent General Hospital .. .. .	47	26	21
		Kent Ophthalmic Hospital .. .. .	—	—	—
	County Lunatic Asylum, Barming Heath .. ..	180	99	81	
51.—HOLLING-BOURN	1. Hollingbourn .. ..	WORKHOUSE .. .. .	22	12	10
		Hospital for Infectious Dis. (Hollingbourn Union)	—	—	—
52.—CRANBROOK	1. Cranbrook .. ..	WORKHOUSE .. .. .	19	13	6
		Passmore Edwards Conval. Home (Met. Free Hosp.)	—	—	—
		Isolation Hospital (Cranbrook R.D.) .. .. .	1	—	1
	2. Hawkhurst‡ .. ..	Sanatorium, Benenden (Consumption) .. .. .	1	1	—
		Village Hospital .. .. .	1	1	—
53.—TENTERDEN..	1. Tenterden .. ..	WORKHOUSE .. .. .	18	13	5
54.—WEST ASH-FORD	1. Calehill .. ..	WORKHOUSE .. .. .	17	13	4
		Sanatorium (West Ashford R.D.) .. .. .	—	—	—
		Small Pox Hospital (West Ashford R.D.) ..	—	—	—
	2. Ashford .. ..	Cottage Hospital .. .. .	10	3	7
		Sanatorium (Ashford U.D.) .. .. .	1	—	1
55.—EAST ASH-FORD	1. Brabourne .. ..	WORKHOUSE .. .. .	22	14	8
	2. Wye .. ..	Infectious Diseases Hospital (East Ashford R.D.)	—	—	—
		Burton Infectious Dis. Hosp. (Ashford U.D.) ..	—	—	—
56.—BRIDGE ..	1. Chartham .. ..	County Lunatic Asylum .. .. .	128	60	68
	2. Barham .. ..	WORKHOUSE .. .. .	16	10	6
		Sanatorium (Bridge R.D.) .. .. .	1	1	—
57.—CANTERBURY	1. Canterbury .. ..	WORKHOUSE .. .. .	27	16	11
		Kent and Canterbury Hospital .. .. .	72	40	32
		Military Hospital .. .. .	3	3	—
		City of Canterbury Sanatorium .. .. .	2	1	1
		Decker Hut Small-pox Hosp. (City of Canterbury)	—	—	—
		Borough Lunatic Asylum .. .. .	6	1	5
58.—BLEAN.. ..	2. Herne .. ..	WORKHOUSE .. .. .	24	17	7
		St. Anne's Convalescent Home (Met. Asy. Bd.) ..	—	—	—
		Cottage Hospital .. .. .	1	—	1
		West End Isolation Hospital (Blean R.D.) ..	1	—	1
		Isolation Hospital (Herne Bay U.D.) .. .. .	8	6	2
		Railway Servants' Convalescent Home .. .. .	1	1	—
		Passmore Edwards Convalescent Home .. .. .	1	1	—

\* 47: 1.—In West Malling Place, a private Lunatic Asylum, 4 deaths occurred during the year.  
† 49: 2.—In Redlands, a private Lunatic Asylum, 1 death occurred during the year.  
‡ 52: 2.—In Dr. Barnardo's Home, Babies' Castle, 1 death occurred during the year.

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
3.—Kent—continued.					
59.—FAVERSHAM..	2. Faversham .. ..	WORKHOUSE .. ..	45	27	18
		Faversham Cottage Hosp. & Provident Dispensary	6	4	2
	3. Teynham .. ..	Kennaway's Hospital (Faversham M.B.) ..	2	—	2
		{ Infectious Diseases Hospital (Faversham R.D.) ..	5	2	3
		{ Small-pox Hospital (Faversham R.D.) .. ..	—	—	—
60.—MILTON ..	1. Milton .. ..	Isolation Hospital (Faversham M.B.) .. ..	2	2	—
		WORKHOUSE .. ..	51	39	12
		Sittingbourne and Milton Joint Hosp.(KeycolHosp.)	2	2	—
61.—SHEPPEY ..	1. Minster .. ..	Sittingbourne and Milton Small-pox Hospital ..	—	—	—
		WORKHOUSE .. ..	20	11	9
		Military and Garrison Hospital .. ..	3	3	—
		Naval Hospital .. ..	2	2	—
		Small Pox Hospital (Sheppey R.D.) .. ..	—	—	—
62.—THANET ..	1. Minster .. ..	Small Pox Hospital (Queenborough M.B.) .. ..	—	—	—
		WORKHOUSE .. ..	98	51	47
	2. Margate .. ..	WORKHOUSE (West Ham Conval.Home), Dane Hill	11	1	10
		WORKHOUSE (Chateau Belle Vue Infirmary) ..	5	5	—
		WORKHOUSE (Chelsea Home for Conval. Children)	—	—	—
		Royal Sea Bathing Infirmary .. ..	15	5	10
		Cottage Hospital .. ..	13	9	4
		Convalescent Home, Harold Road .. ..	—	—	—
		Victoria Convalescent Home .. ..	4	3	1
		Conval. Home for R.C. Childn., Grosvenor Place ..	10	3	7
		St. Michael's Conval. Home, Westgate-on-Sea ..	—	—	—
		East Cliff Convalescent Home (Met. Asy. Bd.) ..	8	6	2
	3. Broadstairs .. ..	Conval. Home for Children (Churchfield House) ..	—	—	—
		WORKHOUSE (N.Surrey Dis.) Wainwright Con.Ho.	—	—	—
		Thanet Isolation Hospital (Joint Hospital Board)	19	13	6
		Victoria Convalescent Home .. ..	1	1	—
		Metropolitan Convalescent Institution, St. Peter's	—	—	—
		Whittuck Convalescent Home .. ..	—	—	—
		Yarrow Convalescent Home .. ..	1	1	—
	4. Ramsgate .. ..	WORKHOUSE (Cottage Homes) .. ..	—	—	—
		General Hospital and Seamen's Infirmary .. ..	18	11	7
		Club Union Convalescent Home, St. Lawrence ..	4	4	—
		St. Catherine's Hospital .. ..	23	11	12
		St. Martin's Hospital .. ..	—	—	—
		St. Luke's Hospital for Insane (Convalescent Branch)	—	—	—
		WORKHOUSE .. ..	44	32	12
		Cottage Hospital .. ..	—	—	—
63.—EASTRY ..	1. Sandwich .. ..	Sanatorium (Eastry R.D.) .. ..	—	—	—
		Isolation Hospital (Deal M.B. & Walmer U.D.) ..	6	3	3
	4. Deal .. ..	Victoria Cottage Hospital .. ..	2	1	1
		WORKHOUSE .. ..	—	—	—
		Isolation Hospital (Deal M.B. & Walmer U.D.) ..	2	1	1
64.—DOVER ..	1. St. James .. ..	Royal Victoria Hospital .. ..	26	16	10
		Cottage Hospital (Infect. Dis.; Dover M.B.) ..	12	6	6
		Convalescent Home (Morley House) .. ..	1	1	—
	2. St. Mary .. ..	WORKHOUSE .. ..	75	45	30
		Friendly Societies' Convalescent Home .. ..	—	—	—
		Western Heights Hospital (Military) .. ..	3	3	—
65.—ELHAM ..	1. Folkestone .. ..	WORKHOUSE .. ..	—	—	—
		St. Andrew's Convalescent Home .. ..	—	—	—
		Hosp. Shorncliffe Camp (inc. Female Military Hosp.)	9	6	3
		Borough of Folkestone Sanatorium .. ..	4	2	2
		Small-pox Hospital (Folkestone M.B.) .. ..	—	—	—
		Victoria Hospital .. ..	46	23	23
		Farleigh House Home .. ..	4	4	—
		Ontario House Convalescent Home .. ..	—	—	—
		Grosvenor House Home .. ..	11	11	—
		Cheriton Cliff Convalescent Home .. ..	—	—	—
		Lymington House Convalescent Home .. ..	—	—	—
		Sandgate House Convalescent Home .. ..	—	—	—
		Cambridge House Sanatorium (Consumption) ..	6	—	6
		Durnford House Sanatorium (Consumption) ..	4	—	4
		Alfred Bevan Memorial Convalescent Home ..	1	1	—
		WORKHOUSE .. ..	48	34	14
	2. Elham .. ..	Sanatorium (Elham R.D.) .. ..	—	—	—
		Isolation Hospital, Newington (Cheriton U.D.) ..	—	—	—
	3. Hythe .. ..	Isolation Hospital, West Hythe (Sandgate U.D.) ..	—	—	—
		Eversley Convalescent Home .. ..	—	—	—
66.—ROMNEY MARSH	1. New Romney .. ..	WORKHOUSE .. ..	18	13	5
		Isolation Hospital (Romney Marsh R.D.) .. ..	—	—	—
		Convalescent Home, Littlestone .. ..	—	—	—



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
4.—Sussex.					
67.—RYE .. ..	1. Rye .. ..	WORKHOUSE .. ..	17	10	7
68.—HASTINGS ..	1. Ore .. ..	WORKHOUSE .. ..	73	41	32
		Hastings Borough Sanatorium .. ..	3	1	2
		Fairlight Hall Conval. Home (Consumption) .. ..	2	—	—
		Hastings, St. Leonards, and East Sussex Hospital..	49	32	17
		Children's Convalescent Home .. ..	1	—	1
		Buchanan Hospital .. ..	9	4	5
		Eversfield Hospital for Consumption .. ..	8	7	1
		Convalescent Home (Chelsea Hospital for Women)	2	—	2
		Herts Convalescent Home .. ..	1	—	1
		Railway Convalescent Home .. ..	—	—	—
		Metropolitan Convalescent Institution (Branch)..	—	—	—
		Alexandra Home for Chronic Invalids .. ..	2	—	2
69.—BATTLE ..	1. Bexhill* .. ..	Metropolitan Convalescent Institution .. ..	—	—	—
	2. Battle .. ..	WORKHOUSE .. ..	30	15	15
70.—EASTBOURNE	1. Westham .. ..	Infect. Dis. Hospital (Small-pox, Eastbourne M.B.)	—	—	—
		Infectious Diseases Hospital (Eastbourne R.D.) ..	1	—	1
		WORKHOUSE and Infirmary .. ..	58	36	22
		Homœopathic Convalescent Home .. ..	1	—	1
		All Saints Convalescent Hospital, Eastbourne ..	3	2	1
		Borough Sanatorium .. ..	3	3	—
		Military Station Hospital.. ..	—	—	—
		Princess Alice Hospital .. ..	33	17	16
		Leaf Homœopathic Cottage Hospital.. ..	5	1	4
		Medical and Surgical Home .. ..	—	—	—
		Seaside Convalescent Hospital .. ..	—	—	—
		71.—HAILSHAM ..	2. Hellingly .. ..	WORKHOUSE .. ..	15
Victoria Isolation Hospital (Hailsham R.D.) .. ..	—			—	—
		East Sussex County Lunatic Asylum .. ..	101	45	56
72.—TICEHURST ..	1. Ticehurst† .. ..	WORKHOUSE .. ..	28	15	13
	2. Wadhurst .. ..	Isolation Hospital (Ticehurst R.D.) .. ..	—	—	—
73.—UCKFIELD ..	3. Isfield .. ..	Tunbridge Wells Borough Sanatorium .. ..	4	3	1
		WORKHOUSE .. ..	20	10	10
74.—EAST GRINSTEAD	2. East Grinstead .. ..	Cottage Hospital .. ..	—	—	—
		WORKHOUSE .. ..	18	11	7
75.—CUCKFIELD ..	1. Cuckfield .. ..	Queen Victoria Cottage Hospital .. ..	8	5	3
		Sanatorium (East Grinstead U.D. & R.D.) .. ..	2	—	2
76a.—LEWES ..	1. Chailey‡.. ..	WORKHOUSE .. ..	34	19	15
		Eliot Cottage Hospital (Hayward's Heath) .. ..	3	1	2
76b.—NEWHAVEN	2. Hurstpierpoint .. ..	Infectious Diseases Hosp. (Cuckfield R.D.) .. ..	—	—	—
		WORKHOUSE (Lewes) .. ..	30	18	12
77.—BRIGHTON ..	1. Newhaven .. ..	Convalescent Home.. ..	—	—	—
		Newick Cottage Hospital.. ..	—	—	—
78.—STEYNING ..	1. Chailey‡.. ..	Isolation Hospital (Chailey R.D.) .. ..	1	—	1
		Sedgebrook Small-pox Hospital (E. Sussex Ad. Co.)	—	—	—
79.—BRIGHTON ..	2. Lewes .. ..	Brighton Borough Lunatic Asylum .. ..	80	39	41
		WORKHOUSE School (Lewes) .. ..	—	—	—
80.—BRIGHTON ..	2. West Brighton.. ..	Victoria Hospital (Lewes Infirmary) .. ..	8	5	3
		Hospital for Infectious Diseases (Lewes M.B.) ..	—	—	—
81.—BRIGHTON ..	1. East Brighton .. ..	WORKHOUSE (Newhaven) .. ..	9	7	2
		WORKHOUSE (Downlands Convalescent Home) ..	—	—	—
82.—BRIGHTON ..	1. East Brighton .. ..	WORKHOUSE (Brighton Industrial School) .. ..	—	—	—
		Surrey Convalescent Home, Seaford .. ..	—	—	—
83.—BRIGHTON ..	1. East Brighton .. ..	Isolation Hospital (Newhaven U.D.) .. ..	4	3	1
		WORKHOUSE .. ..	270	152	118
84.—BRIGHTON ..	1. East Brighton .. ..	French Convalescent Home .. ..	2	1	1
		Female Convalescent Home .. ..	—	—	—
85.—BRIGHTON ..	2. West Brighton.. ..	Sussex County Hospital .. ..	177	108	69
		Royal Alexandra Hospital for Children .. ..	60	31	29
86.—BRIGHTON ..	2. West Brighton.. ..	Throat and Ear Hospital .. ..	2	—	2
		Brighton and Hove Hospital for Women (Lying-in)	2	—	2
87.—BRIGHTON ..	2. West Brighton.. ..	Sussex Eye Hospital .. ..	—	—	—
		Home for Incurable Children .. ..	4	3	1
88.—BRIGHTON ..	1. Preston .. ..	Brighton C.B. Sanatorium .. ..	22	14	8
		Brighton, Hove, and Preston Dispensary .. ..	9	6	3
89.—BRIGHTON ..	2. Hove§ .. ..	St. Bernard's Invalid Home .. ..	—	—	—
		Charlotte Convalescent Home, Aldrington.. ..	—	—	—
90.—BRIGHTON ..	3. Shoreham .. ..	Jewish Convalescent Home, Hove .. ..	—	—	—
		WORKHOUSE .. ..	74	44	30
		Hangleton Hosp. for Infec. Diseases (Hove M.B.)..	—	—	—

\* 69 : 1.—In Nazareth House, 9 deaths occurred during the year.  
† 72 : 1.—In Ticehurst House, a private Lunatic Asylum, 2 deaths occurred during the year.  
‡ 76a : 1.—In St. George's Retreat, a private Lunatic Asylum, 3 deaths occurred during the year.  
§ 78 : 2.—In St. Joseph's Home (Home for Aged Poor) 10 deaths occurred during the year.

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
4.—Sussex—continued.						
79.—HORSHAM ..	2. North Horsham ..	WORKHOUSE .. .. .	32	19	13	
		Horsham Cottage Hospital .. .. .	7	2	5	
	3. West Horsham ..	Crawley and Horsham Cottage Hospital .. .. .	1	1	—	
		Rudgwick Sanatorium for Consumption .. .. .	1	1	—	
80.—PETWORTH ..	1. Petworth, Northern ..	WORKHOUSE .. .. .	7	5	2	
	2. Petworth, Southern ..	WORKHOUSE .. .. .	6	6	—	
		Cottage Hospital .. .. .	1	—	1	
		Flathurst Cottages: Isol. Hosp. (Petworth R.D.) ..	—	—	—	
81.—THAKEHAM ..	2. Washington .. ..	WORKHOUSE .. .. .	9	7	2	
82.—EAST PRESTON	1. Worthing .. ..	Worthing Hospital .. .. .	8	5	3	
		Swandean Hospital (Inf. Dis.; Worthing M.B.) ..	4	3	1	
		St. Mary's Convalescent Home .. .. .	—	—	—	
		Banting Memorial Convalescent Home .. .. .	—	—	—	
		Home of the Holy Rood (Incurables) .. .. .	3	—	3	
		Medical and Surgical Home .. .. .	—	—	—	
		Friends' Convalescent Home, Worthing .. .. .	—	—	—	
		WORKHOUSE .. .. .	43	27	16	
	2. Littlehampton ..	Rustington Convalescent Home .. .. .	2	2	—	
		Millfield Convalescent Home (M.A.B.) .. .. .	2	—	2	
		Littlehampton and District Cottage Hospital ..	3	—	3	
		Emergency Hospital (Accidents, &c.) .. .. .	1	—	1	
	3. Arundel .. ..					
	83.—WESTHAM- NETT	2. Bognor .. ..	Merchant Taylors' Convalescent Home .. .. .	1	1	—
			Princess Mary Convalescent Home .. .. .	2	—	2
84.—CHICHESTER ..	1. Chichester .. ..	WORKHOUSE .. .. .	28	16	12	
		General Infirmary and Dispensary .. .. .	30	16	14	
		City of Chichester Isolation Hospital .. .. .	—	—	—	
		West Sussex County Lunatic Asylum .. .. .	87	38	49	
85.—MIDHURST ..	1. Midhurst .. ..	WORKHOUSE .. .. .	14	9	5	
		Edward VII. Sanatorium for Consumption .. ..	8	6	2	
86.—WESTBOURNE	1. Westbourne .. ..	WORKHOUSE .. .. .	7	2	5	
		Isolation Hospital (Westbourne R.D.) .. .. .	2	2	—	
5.—Hampshire.						
87.—HAVANT ..	1. Havant* .. ..	WORKHOUSE .. .. .	10	8	2	
		Cottage Hospital, Emsworth .. .. .	3	1	2	
		Havant District Hospital (Infectious Diseases; Havant U.D. and R.D., and Warblington U.D.) ..	2	—	2	
88.—PORTSMOUTH	2. Kingston and East Southsea.	WORKHOUSE .. .. .	—	—	—	
		WORKHOUSE Infirmary .. .. .	391	188	203	
		WORKHOUSE, Children's Homes .. .. .	—	—	—	
		Milton Hospital (Infec. Dis.; Portsmouth C.B.) ..	51	21	30	
		R. M. A. Infirmary .. .. .	2	2	—	
		Women and Children's Hospital (R. M. A.) ..	1	—	1	
		Home for Convalescent Children .. .. .	—	—	—	
		Medical and Surgical Home .. .. .	—	—	—	
		East Southsea Invalid Home .. .. .	—	—	—	
		Rothbury Nursing Home .. .. .	4	3	1	
	3. Portsea and Landport	St. Ronan's Nursing Home .. .. .	—	—	—	
		Portsmouth Borough Lunatic Asylum .. ..	93	41	52	
		Royal Portsmouth, Portsea, and Gosport Hospital	133	80	53	
		Military Families Hospital, Mill Dam .. ..	5	2	3	
		Military Hospital .. .. .	8	8	—	
	4. Portsmouth and Mid- Southsea.†	Eye and Ear Infirmary .. .. .	—	—	—	
		Home of Comfort for Sick and Dying .. ..	13	2	11	
		Medical and Surgical Home .. .. .	4	1	3	
		Alexandra Nursing Home .. .. .	4	1	3	
		Nursing Home, Outram Road .. .. .	2	1	1	
		Home Hospital .. .. .	1	1	—	
	89.—ALVERSTOKE	1. Alverstokey .. ..	WORKHOUSE, (House of Industry) .. .. .	30	16	14
Naval Hospital, Haslar .. .. .			62	62	—	
Military Hospital (Gosport Station) .. .. .			—	—	—	
Isolation Hosp., Elson (Gosport & Alverstokey U.D.)			4	3	1	
90.—FAREHAM ..	1. Fareham .. ..	WORKHOUSE .. .. .	31	21	10	
		Military Hospital, Hilsea .. .. .	—	—	—	
		Isolation Hospital (Fareham R.D.) .. .. .	4	1	3	
		County Lunatic Asylum .. .. .	117	58	59	

\* 87 : 1.—In St. Andrews Home (Home for Deserted Mothers and Children) 2 deaths occurred during the year.

† 88 : 4.—In Nazareth House, 6 deaths occurred during the year.



## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
5.—Hampshire—continued.					
91.—ISLE OF WIGHT	1. Cowes .. ..	Port Sanitary Hospital Ship .. ..	—	—	—
		Frank James Memorial Cottage Hospital .. ..	7	3	4
		<i>Criminal Lunatic Asylum, Parkhurst</i> .. ..	1	1	—
	2. Newport .. ..	WORKHOUSE .. ..	53	30	23
		Military Hospital, Parkhurst .. ..	—	—	—
		<i>Isle of Wight Lunatic Asylum</i> .. ..	28	17	11
	3. Ryde .. ..	Royal Isle of Wight County Hospital .. ..	39	26	13
		Borough Hospital (Infectious Diseases) .. ..	2	2	—
	4. Brading .. ..	Military Hospital, Sandown .. ..	—	—	—
		Isolation Hospital (Sandown U.D. & Shanklin U.D.) .. ..	1	—	1
		Scio House Children's Surgical Hospital .. ..	1	—	1
		Arthur Webster Memorial Hospital, Shanklin .. ..	5	4	1
		Royal National Hospital for Consumption .. ..	12	11	1
		St. Catherine's Home (Consumption) .. ..	3	2	1
		Convalescent Home (Royal Hants County Hosp.) .. ..	—	—	—
Undercliffe Isolation Hospital (Joint Committee)	—	—	—		
92.—LYMINGTON ..	1. Lymington .. ..	WORKHOUSE and Fever Ward .. ..	16	10	6
		Temporary Isolation Hospital (Lymington M.B.) .. ..	—	—	—
	2. Milford .. ..	Milford Cottage Hospital .. ..	—	—	—
93.—CHRISTCHURCH	1. Christchurch .. ..	WORKHOUSE .. ..	65	29	36
		WORKHOUSE Cottage Homes .. ..	—	—	—
		Sanatorium (Consumption) .. ..	3	1	2
		Isolation Hospital (Christchurch R.D.) .. ..	—	—	—
	2. Bournemouth .. ..	Royal National Sanatorium for Consumption .. ..	2	1	1
		Herbert Convalescent Home .. ..	—	—	—
		Firs Convalescent Home (Consumption) .. ..	16	12	4
		Royal Victoria Hospital .. ..	37	22	15
		St. Joseph's Convalescent Home .. ..	3	2	1
		Royal Boscombe & West Hants Hospital .. ..	38	22	16
		Invalids' Cottage Home .. ..	—	—	—
		Hahnemann Home .. ..	—	—	—
		Sanitary Hospital (Bournemouth C.B.) .. ..	7	3	4
		Glenbank Conval. Home (Sunday School Union) .. ..	—	—	—
		Home of Good Hope (Nursing Home) .. ..	9	5	4
Victoria Nurses' Home and Home Hospital .. ..	4	2	2		
94.—RINGWOOD ..	1. Ringwood .. ..	WORKHOUSE .. ..	6	4	2
		Linford Sanatorium (Consumption) .. ..	2	1	1
95.—FORDING-BRIDGE	1. Fordingbridge .. ..	WORKHOUSE .. ..	4	1	3
		Cottage Hospital (Nursing Home) .. ..	—	—	—
96.—NEW FOREST	3. Eling .. ..	WORKHOUSE .. ..	17	10	7
97.—SOUTHAMPTON	1. Southampton .. ..	WORKHOUSE .. ..	37	16	21
		Royal South Hants and Southampton Hospital .. ..	116	71	45
		Eye and Ear Hospital .. ..	—	—	—
Grosvenor House Nursing Home .. ..		14	6	8	
98.—SOUTH STONEHAM	1. St. Mary Extra .. ..	Royal Victoria Hospital, Netley .. ..	45	44	1
		Female Hospital .. ..	—	—	—
		<i>Military Lunatic Hospital, Netley</i> .. ..	—	—	—
	2. South Stoneham .. ..	WORKHOUSE .. ..	69	34	35
		Hospital for Infectious Dis. (South Stoneham R.D.) .. ..	—	—	—
	3. Millbrook .. ..	WORKHOUSE Infirmary (Southampton) .. ..	154	104	50
		Shirley Children's Hospital .. ..	1	1	—
		Isolation Hospital (Southampton C.B.) .. ..	29	12	17
		Hospital Ship, "City of Adelaide" (Sthmptn. C.B.) .. ..	2	2	—
99.—ROMSEY ..	1. Romsey .. ..	WORKHOUSE .. ..	19	11	8
		Romsey Nursing Home and Cottage Hospital .. ..	9	6	3
100.—STOCKBRIDGE	2. Stockbridge .. ..	WORKHOUSE .. ..	12	7	5
101.—WINCHESTER	1. Micheldever .. ..	Diamond Jubilee Hospital (Infectious Diseases; New Winchester R.D.) .. ..	—	—	—
		WORKHOUSE (Winchester) .. ..	47	30	17
	2. Winchester .. ..	Royal Hants County Hospital .. ..	77	41	36
		Victoria Hospital (Inf. Dis.; City of Winchester) .. ..	—	—	—
	4. Hursley .. ..	WORKHOUSE (Hursley) .. ..	4	3	1
102.—DROXFORD ..	3. Hambledon .. ..	WORKHOUSE .. ..	10	8	2
		Shedfield Cottage Hospital .. ..	2	1	1
103.—CATHERINGTON	1. Horndean .. ..	WORKHOUSE .. ..	3	1	2
		Infectious Diseases Hospital (Catherington R.D.) .. ..	—	—	—

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
5.—Hampshire—continued.					
104.—PETERSFIELD	1. Petersfield .. ..	WORKHOUSE .. .. .	11	6	5
		Cottage Hospital .. .. .	1	—	1
		Isolation Hospital (Petersfield U.D. and R.D.) ..	—	—	—
105.—ALRESFORD	2. Alresford .. ..	WORKHOUSE .. .. .	11	10	1
106.—ALTON ..	1. Alton* .. ..	WORKHOUSE .. .. .	30	23	7
		Cottage Hospital .. .. .	5	3	2
		Isolation Hospital (Alton U.D.) .. .. .	3	3	—
		Isolation Hospital, Faringdon (Alton R.D.) ..	2	2	—
		Princess Louise Military Hospital .. .. .	—	—	—
107.—HARTLEY WINTNEY	1. Odiham .. ..	WORKHOUSE (District Schools) .. .. .	—	—	—
		Fleet Cottage Hospital .. .. .	5	3	2
		Connaught Hospital .. .. .	18	18	—
		Cottage Hospital, Yateley .. .. .	—	—	—
108.—BASINGSTOKE	1. Basingstoke .. ..	WORKHOUSE .. .. .	30	19	11
		Cottage Hospital .. .. .	11	5	6
		Basingstoke Borough Infectious Diseases Hospital ..	—	—	—
109.—WHITCHURCH	1. Whitchurch .. ..	WORKHOUSE .. .. .	7	4	3
		Isolation Hospital (Whitchurch R.D.) .. ..	—	—	—
110.—ANDOVER ..	3. Andover .. ..	WORKHOUSE .. .. .	28	19	9
		Cottage Hospital .. .. .	3	—	3
		Isolation Hospital (Pest House ; Andover M.B.) ..	—	—	—
111.—KINGSCLERE	2. Kingsclere .. ..	WORKHOUSE .. .. .	14	8	6
		Isolation Hospital (Kingsclere Union) .. ..	—	—	—
6.—Berkshire.					
112.—NEWBURY ..	1. Newbury .. ..	WORKHOUSE .. .. .	22	14	8
		Newbury District Hospital (General Diseases) ..	11	10	1
		Isolation Hospital (Newbury M.B.) .. ..	—	—	—
		St. Andrew's Home .. .. .	—	—	—
113.—HUNGERFORD	2. Hungerford .. ..	Children's Cottage Hospital .. .. .	—	—	—
		WORKHOUSE .. .. .	16	7	9
114.—FARINGDON	2. Faringdon .. ..	WORKHOUSE .. .. .	22	12	10
		Cottage Hospital .. .. .	2	1	1
115.—ABINGDON ..	2. Abingdon .. ..	WORKHOUSE .. .. .	23	11	12
		Cottage Hospital .. .. .	5	4	1
		Isolation Hospital (Abingdon M.B. and R.D.) ..	1	—	1
		Isolation Hospital (Culham R.D.) .. ..	—	—	—
116.—WANTAGE ..	1. Wantage .. ..	WORKHOUSE .. .. .	13	9	4
		Cottage Hospital .. .. .	5	4	1
117.—WALLING- FORD	1. Cholsey .. ..	WORKHOUSE (Cottage Homes) .. .. .	—	—	—
		County Lunatic Asylum .. .. .	68	24	44
		WORKHOUSE .. .. .	23	11	12
		Cottage Hospital .. .. .	1	—	1
118.—BRADFIELD..	1. Bucklebury .. ..	Isolation Hospital (Wallingford M.B. and R.D., and Crowmarsh R.D.) .. .. .	—	—	—
		WORKHOUSE .. .. .	16	13	3
		2. Tilehurst .. ..	10	5	5
		Park Hospital (Inf. Dis. ; Reading C.B.) .. ..	1	—	1
119.—READING ..	1. St. Mary .. ..	Box Grove Cottage Sanatorium .. .. .	93	47	46
		WORKHOUSE .. .. .	1	—	1
		St. Helena Nursing Home .. .. .	1	—	1
		Royal Berkshire Hospital .. .. .	155	93	62
120.—WOKINGHAM	1. Wokingham .. ..	Borough of Reading Sanatorium (Small-pox) ..	—	—	—
		WORKHOUSE .. .. .	37	30	7
121.—MAIDEN- HEAD	1. Maidenhead .. ..	London Open-Air Sanatorium, Pinewood .. ..	6	5	1
		WORKHOUSE .. .. .	33	23	10
		Cottage Hospital .. .. .	6	3	3
122.—EASTHAMP- STEAD	1. Bracknell .. ..	Infectious Diseases Hospital (Maidenhead M.B.) ..	1	—	1
		WORKHOUSE .. .. .	14	10	4
		Ascot Priory Convalescent Home .. .. .	—	—	—
	2. Sandhurst .. ..	Criminal Lunatic Asylum, Broadmoor .. ..	17	13	4

\* 106 : 1.—In Westbrook House, a private Lunatic Asylum, 1 death occurred during the year.



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907--continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
6.—Berkshire—continued.					
123.—WINDSOR ..	1. Egham .. ..	Cottage Convalescent Home .. ..	2	1	1
		Royal Victoria Cottage Nursing Home .. ..	6	2	4
		Holloway Sanatorium .. ..	23	14	9
	2. Windsor .. ..	WORKHOUSE .. ..	58	39	19
		St. Andrew's Convalescent Hospital .. ..	11	4	7
		Windsor and Eton Royal Infirmary and Dispensary .. ..	36	22	14
		Station Hospital .. ..	1	1	—
		Borough of New Windsor Sanatorium .. ..	—	—	—
		Prince Christian Victor Nursing Home .. ..	2	—	2
III.—SOUTH MIDLAND.					
7.—Middlesex.					
124.—STAINES ..	1. Sunbury* .. ..	WORKHOUSE (West London District School) ..	1	1	—
	2. Staines .. ..	WORKHOUSE .. ..	47	24	23
		Cottage Hospital .. ..	1	1	—
125.—UXBRIDGE ..	1. Hillingdon† .. ..	WORKHOUSE .. ..	50	33	17
		Cottage Hospital .. ..	2	1	1
		Hospital for Inf. Diseases (Uxbridge U.D. & R.D.) .. ..	2	—	2
	2. Uxbridge .. ..	Consumption Hospital (Branch of Mount Vernon Hospital, Hampstead) .. ..	5	3	2
		WORKHOUSE (Marylebone School) .. ..	—	—	—
	3. Hayes‡ .. ..	Cottage Hospital .. ..	1	1	—
		Small-pox Hospital (Uxbridge U.D. & R.D.) .. ..	—	—	—
		Sanatorium (Southall Norwood U.D.) .. ..	2	—	2
		London County Lunatic Asylum, Hanwell .. ..	189	103	86
126.—BRENTFORD	1. Isleworth§ .. ..	WORKHOUSE .. ..	26	13	13
		WORKHOUSE Infirmary .. ..	316	167	149
		WORKHOUSE School .. ..	—	—	—
		Cottage Hospital (Hounslow) .. ..	17	8	9
		Mogden Isolation Hospital (Richmond M.B. and Heston & Isleworth U.D.) .. ..	7	4	3
		Small-pox Hospital (Richmond M.B. and Heston & Isleworth U.D.), Dockwell .. ..	—	—	—
		Military Isolation Hospital, Hounslow Heath .. ..	2	2	—
		St. John's Hospital .. ..	15	7	8
		Cottage Hospital (Inf. Dis.; Twickenham U.D.) .. ..	—	—	—
		Nightingale Nursing Home .. ..	6	4	2
	3. Brentford .. ..	Cottage Hospital, Brentford .. ..	4	3	1
		Cottage Hospital, Ealing .. ..	19	7	12
		Brentford Isolation Hospital .. ..	12	7	5
		Ealing Isolation Hospital .. ..	11	7	4
	4. Chiswick   .. ..	Isolation Hospital (Chiswick U.D.) .. ..	8	5	3
		St. Joseph's Hosp. for Incurable Women and Chil. .. ..	7	—	7
	5. Acton .. ..	WORKHOUSE (Central London District School) .. ..	—	—	—
		St. Joseph's Convalescent Home .. ..	—	—	—
		Acton Cottage Hospital .. ..	13	7	6
		Hanwell Cottage Hospital .. ..	—	—	—
		Acton Isolation Hospital .. ..	12	6	6
127.—HENDON ..	1. Harrow .. ..	Cottage Hospital .. ..	6	4	2
		Isolation Hospital (Harrow on the Hill U.D.) .. ..	3	2	1
	2. Edgware .. ..	St. Mary of Nazareth Home for Incurables (The Priory) .. ..	—	—	—
		Cottage Hospital .. ..	2	1	1
		Small-pox Hospital (Willesden U.D.) .. ..	—	—	—
		Infectious Diseases Hospital (Hendon R.D.) .. ..	2	—	2
	3. Willesden .. ..	WORKHOUSE Infirmary (Willesden) .. ..	162	90	72
		Willesden Cottage Hospital .. ..	17	8	9
		St. Monica's Home .. ..	5	2	3
		Isolation Hospital (Willesden U.D.) .. ..	37	19	18
	4. Hendon .. ..	WORKHOUSE and Schools (Hendon and Willesden) .. ..	47	25	22
		WORKHOUSE (Central London Sick Asylum) .. ..	57	31	26
		Infectious Diseases Hospital (Hendon U.D.) .. ..	—	—	—
128.—BARNET ..	1. South Mimms .. ..	Cottage Hospital .. ..	5	3	2
		Small-pox and Vaccination Hospital .. ..	—	—	—
		Isolation Hospital (Barnet U.D.) .. ..	1	—	1
	2. Barnet .. ..	WORKHOUSE .. ..	47	33	14
		Victoria Cottage Hospital .. ..	11	6	5
		Children's Home Hospital .. ..	—	—	—
	3. Finchley .. ..	Woodside Home for Incurable and Infirm Women .. ..	6	—	6
		Conv. Home of National Hosp. for Pars. and Epily. .. ..	7	3	4
		Isolation Fever Hospital (Finchley U.D.) .. ..	—	—	—
		London County Lunatic Asylum, Colney Hatch .. ..	188	95	93

\* 124 : 1.—In Halliford House, a private Lunatic Asylum, 4 deaths occurred during the year.  
† 125 : 1.—In Moorcroft House (and Laurel Lodge), a private Lunatic Asylum, 7 deaths occurred during the year.  
‡ 125 : 3.—In Hayes Park, Wood End House, Vine Cottage, and Featherstone Hall private Lunatic Asylums, 4 deaths occurred during the year.  
§ 126 : 1.—In Wyke House, a private Lunatic Asylum, 3 deaths occurred during the year.  
|| 126 : 4.—In Chiswick House, a private Lunatic Asylum, 3 deaths occurred during the year.

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907--continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
7.—Middlesex—continued.					
129.—EDMONTON..	1. Hornsey .. ..	Conval. Hospital for Children (Cromwell House)	—	—	—
		Isolation Hos. (Hornsey M.B. and Wood Green U.D.)	18	9	9
	2. Wood Green .. ..	WORKHOUSE (Shoreditch) .. .. .	—	—	—
		Passmore Edwards Hospital .. .. .	27	15	12
	3. West Tottenham ..	North Eastern Fever Hospital (Met. Asy. Bd.)	154	77	77
	4. East Tottenham ..	Prince of Wales General Hosp. (Tottenham Hosp.)	181	119	62
	5. Edmonton .. ..	Home and Hospital for Jewish Incurables ..	6	4	2
		WORKHOUSE .. .. .	334	180	154
		WORKHOUSE (Strand) .. .. .	56	32	24
		WORKHOUSE (Strand Union Industrial Sch.)	—	—	—
		Northern Fever Hospital (Met. Asy. Bd.) ..	8	4	4
		Temp. Isolation Hos. (Small-pox ; Edmonton U.D.)	—	—	—
		Isolation Hospital (Southgate U.D.) .. ..	2	1	1
	6. Enfield .. ..	WORKHOUSE .. .. .	35	14	21
		WORKHOUSE (Chase Farm Schools) .. .. .	1	1	—
		Cottage Hospital .. .. .	14	9	5
		Isolation Hospital (Enfield U.D.) .. .. .	48	24	24
	7. Waltham Abbey ..	Isolation Hospital (Waltham Holy Cross, Chingford, and Buckhurst Hill U.D's.) .. ..	1	—	1
	8. Cheshunt .. ..	Cottage Hospital .. .. .	2	—	2
		Isolation Hospital (Cheshunt U.D.) .. .. .	—	—	—
8.—Hertfordshire.					
130.—WARE ..	3. Ware .. ..	WORKHOUSE .. .. .	31	18	13
131.—BISHOP STORTFORD	1. Stortford .. ..	WORKHOUSE .. .. .	35	15	20
		Isolation Hosp., Gt. Hallingbury (Bishop Stort. U.D.)	1	—	1
		Isolation Hospital, Bishop Stortford (Sawbridge-worth U.D., Hadham R.D., & Stansted R.D.) ..	1	—	1
		Cottage Hospital .. .. .	8	6	2
	3. Braughing .. ..	Children's Home, Much Hadham (Convalescent) ..	1	—	1
132.—ROYSTON ..	1. Buntingford .. ..	WORKHOUSE (Buntingford) .. .. .	8	4	4
		Isolation Hospital (Buntingford R.D.) .. ..	—	—	—
	2. Royston .. ..	Cottage Hospital .. .. .	3	2	1
	3. Melbourn .. ..	WORKHOUSE (Royston) .. .. .	21	11	10
133.—HITCHIN ..	2. Hitchin .. ..	Isolation Hospital (Royston U.D. and Ashwell and Melbourn R.Ds.) .. .. .	1	—	1
		WORKHOUSE .. .. .	41	24	17
		North Herts and South Beds Hospital .. ..	20	9	11
		St. Luke's Home of Rest .. .. .	—	—	—
134.—HERTFORD ..	1. Watton .. ..	Small-pox Hospital (Hertford and Ware Jt. Bd.) ..	—	—	—
		WORKHOUSE .. .. .	23	14	9
		Herts General Infirmary .. .. .	28	20	8
		Hertford and Ware Joint Fever Hospital .. ..	2	1	1
135.—HATFIELD ..	1. Hatfield .. ..	WORKHOUSE (Hatfield) .. .. .	12	12	—
		Chantry House Sanatorium (Consumption) ..	—	—	—
	2. Welwyn .. ..	WORKHOUSE (Welwyn) .. .. .	4	2	2
		Isolation Hospital (Welwyn R.D.) .. .. .	—	—	—
		Memorial Cottage Hospital .. .. .	3	2	1
136.—ST. ALBANS ..	2. St. Albans .. ..	WORKHOUSE and Infirmary .. .. .	41	18	23
		Hospital and Dispensary .. .. .	20	11	9
		Sisters' Hospital (Infectious Diseases) .. ..	3	2	1
		Herts County Lunatic Asylum, Hill End .. ..	37	20	17
		Middlesex County Lunatic Asylum, Napsbury ..	130	64	66
137.—WATFORD ..	1. Bushey .. ..	Cottage Hospital, Bushey Heath .. .. .	4	1	3
		WORKHOUSE .. .. .	79	44	35
	2. Watford .. ..	Watford District Hospital .. .. .	21	12	9
		Isolation Hospital (Watford U.D. & R.D.) .. ..	16	8	8
		Holywell Hosp. (Small-pox) .. .. .	—	—	—
		WORKHOUSE (St. Pancras Schools) .. .. .	—	—	—
	3. Rickmansworth ..	Leavesden Imbecile Asylum (Met. Asy. Bd.) ..	154	62	92
	138.—HEMEL HEMPSTEAD	2. Hemel Hempstead ..	WORKHOUSE .. .. .	22	12
West Herts Infirmary .. .. .			33	18	15
King's College Hospital Convalescent Home ..			—	—	—
Isolation Hospital (Hemel Hempstead R.D.) ..			1	1	—
139.—BERKHAMPSTEAD	1. Berkhamstead ..	WORKHOUSE .. .. .	18	16	2
		Infect. Diseases Hospital (Berkhamstead R.D.) ..	5	4	1
	2. Tring .. ..	Infectious Diseases Hospital (Tring U.D.) .. ..	—	—	—



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
9.—Buckinghamshire.					
140.—AMERSHAM..	2. Chesham .. ..	Cottage Hospital .. ..	4	2	2
		Fever Hospital (Chesham U.D.) .. ..	—	—	—
	3. Amersham .. ..	WORKHOUSE .. ..	32	23	9
	4. Chalfont .. ..	Cottage Hospital .. ..	1	1	—
141.—ETON .. ..	1. Iver .. ..	Cottage Hospital .. ..	—	—	—
	2. Eton .. ..	WORKHOUSE .. ..	34	16	18
		Bell Farm Hospital (Infectious Dis.; Eton U.D.) ..	—	—	—
		Convalescent Home for Children (Fairview) ..	1	1	—
	3. Burnham .. ..	Burnham Isolation Hospital (Eton R.D.) .. ..	—	—	—
142.—WYCOMBE ..	1. Wycombe .. ..	Cottage Hospital .. ..	4	2	2
	2. Marlow .. ..	Cottage Hospital .. ..	3	1	2
		Isolation Hospital, Clay Lane (Wycombe R.D.) ..	2	1	1
		Isolation Hosp., Booker (Chepping Wycombe M.B.)	—	—	—
	4. Stokenchurch ..	WORKHOUSE and School .. ..	38	28	10
143.—AYLESBURY	1. Haddenham .. ..	County Lunatic Asylum .. ..	67	36	31
	2. Aylesbury .. ..	WORKHOUSE .. ..	22	12	10
		Royal Buckinghamshire Hospital .. ..	29	20	9
144.—WINSLOW ..	1. Winslow .. ..	WORKHOUSE .. ..	7	2	5
145.—NEWPORT PAGNELL	2. Newport Pagnell ..	WORKHOUSE .. ..	17	10	7
146.—BUCKINGHAM	1. Buckingham .. ..	WORKHOUSE .. ..	11	7	4
		Nursing Home .. ..	—	—	—
		Isolation Hospital (Buckingham M.B.) .. ..	—	—	—
10.—Oxfordshire.					
147.—HENLEY .. ..	1. Henley .. ..	WORKHOUSE .. ..	18	11	7
		Isolation Hosp. (Henley R.D. and Hambledon R.D.)	3	2	1
		Consumption Sanatorium (Kingswood and Maitland Cottage) ..	—	—	—
	3. Watlington .. ..	Watlington Cottage Hospital .. ..	2	2	—
148.—THAME .. ..	2. Thame .. ..	WORKHOUSE .. ..	19	11	8
		Small-pox Hospital (Thame U.D.) .. ..	—	—	—
		Small-pox Hospital (Thame and Long Crendon Rural Districts)	—	—	—
		White House Infectious Dis. Hosp. (Thame U.D.) ..	—	—	—
149.—HEADINGTON	1. Wheatley .. ..	Small-pox Hospital (City of Oxford).. ..	—	—	—
		Small-pox Hospital (Headington R.D.) .. ..	—	—	—
	2. St. Clement .. ..	WORKHOUSE (Headington) .. ..	21	15	6
		WORKHOUSE (District School), Cowley .. ..	11	9	2
		WORKHOUSE (Oxford) .. ..	26	16	10
		Radcliffe Infirmary .. ..	134	79	55
		National Hospital for Incurables (St. John's) ..	1	—	1
		Oxford Eye Hospital .. ..	2	1	1
		Acland Nursing Home .. ..	7	4	3
		Oxford County and City Lunatic Asylum, Littlemore..	49	22	27
	Warneford Asylum (Lunatic Hospital).. ..	11	9	2	
150.—OXFORD .. ..	1. Oxford .. ..	Corporation Hospital (Infectious Diseases).. ..	4	3	1
151.—BICESTER .. ..	1. Bletchington .. ..	Isolation Hospital (Bicester R.D.) .. ..	—	—	—
	2. Bicester .. ..	WORKHOUSE .. ..	15	9	6
		Sanatorium (Bicester U.D. and R.D.) .. ..	—	—	—
152.—WOODSTOCK	2. Woodstock .. ..	WORKHOUSE .. ..	9	6	3
153.—WITNEY .. ..	3. Witney .. ..	WORKHOUSE .. ..	22	14	8
	4. Burford .. ..	Cottage Hospital .. ..	1	1	—
154.—CHIPPING NORTON	2. Chipping Norton ..	WORKHOUSE .. ..	21	14	7
155.—BANBURY .. ..	4. Banbury.. ..	WORKHOUSE .. ..	44	29	15
		Horton Infirmary .. ..	19	10	9
		Isolation Hospital, Grimsbury (Banbury M.B.) ..	—	—	—
		Isolation Hospital, Neithrop (Banbury M.B.) ..	—	—	—

## Deaths in Workhouses, Hospitals Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
11.—Northamptonshire.					
156.—BRACKLEY ..	1. Brackley .. ..	WORKHOUSE .. .. . Cottage Hospital .. .. .	14 2	7 2	7 —
157.—TOWCESTER	2. Towcester .. ..	WORKHOUSE .. .. .	9	8	1
158.—POTTERSPURY	1. Potterspury .. ..	WORKHOUSE .. .. .	9	7	2
159.—HARDING- STONE	2. Hardingstone .. ..	WORKHOUSE .. .. . Infectious Diseases Hospital (Hardingstone R.D.) Small-pox Hospital (Hardingstone R.D.) .. ..	7 4 —	4 3 —	3 1 —
160.—NORTHAMP- TON	1. St. Giles .. ..	WORKHOUSE .. .. . General Hospital .. .. . St. John's Hospital (Convalescent Home) .. .. St. Andrew's Lunatic Hospital .. .. . County Lunatic Asylum .. .. .	94 139 — 12 85	53 92 — 6 57	41 47 — 6 28
161.—DAVENTRY ..	2. Daventry .. ..	WORKHOUSE .. .. . WORKHOUSE (Cottage Home for Children) .. .. Borough of Daventry Sanatorium .. .. .	19 — 1	13 — —	6 — 1
162.—BRIXWORTH	2. East Brixworth .. ..	WORKHOUSE .. .. . Northampton Borough Hospital (Infect. Dis.) Northampton Borough Consumption Hospital .. ..	14 17 —	8 14 —	6 3 —
163.—WELLING- BOROUGH	1. Wellingborough .. ..	WORKHOUSE .. .. . Epidemic Hospital (Wellingborough U.D.) .. .. Wellingborough Cottage Hospital .. .. .	32 1 8	15 1 4	17 — 4
164.—KETTERING..	2. Kettering .. ..	WORKHOUSE .. .. . Kettering Urban District Hospital (Infect. Dis.) .. .. Kettering and District General Hospital .. .. Small-pox Hospital (Kettering U.D.) .. .. .	42 4 23 —	25 1 15 —	17 3 8 —
165.—THRAPSTON..	1. Thrapston .. ..	WORKHOUSE .. .. .	23	12	11
166.—OUNDLE ..	1. Oundle .. ..	WORKHOUSE .. .. .	12	8	4
167.—PETER- BOROUGH	2. Peterborough .. ..	WORKHOUSE .. .. . Peterborough Infirmary .. .. . Fever Sanatorium (City of Peterborough) .. .. Small-pox Hospital (City of Peterborough) .. ..	47 62 3 —	33 32 1 —	14 30 2 —
12.—Huntingdonshire.					
168.—HUNTINGDON	4. Huntingdon .. ..	WORKHOUSE .. .. . County Hospital .. .. . Spring House (Small-pox; Huntingdon M.B.) .. .. Fever Hospital (Huntingdon M.B.) .. .. .	19 30 — 4	11 16 — 3	8 14 — 1
169.—ST. IVES ..	4. St. Ives .. ..	WORKHOUSE .. .. .	17	7	10
170.—ST. NEOTS ..	2. Kimbolton .. ..	WORKHOUSE .. .. .	24	15	9
13.—Bedfordshire.					
171.—BEDFORD ..	5. Bedford and Kempston*	WORKHOUSE .. .. . Isolation Hospital (Bedford R.D.) .. .. . County Hospital .. .. . Isolation Hospital (Bedford M.B.) .. .. . Sanatorium (Bedford Union) .. .. .	42 — 60 5 1	23 — 37 2 1	19 — 23 3 —
172.—BIGGLESWADE	1. Biggleswade .. .. 2. Stotfold .. ..	WORKHOUSE .. .. . Biggleswade Isolation Hospital (Biggleswade R.D.) Beds, Herts, and Hunts Counties Lunatic Asylum .. ..	30 8 109	20 2 48	10 6 61
173.—AMPTHILL ..	2. Ampthill .. .. 4. Woburn .. ..	WORKHOUSE .. .. . Infectious Diseases Hosp. (Ampthill U.D. & R.D.) Small-pox Hospital (Ampthill U.D. & R.D.) .. .. Woburn Cottage Hospital .. .. . Daneswood Sanatorium for Consumption .. ..	17 1 — 2 —	11 1 — 1 —	6 — — 1 —
175.—LEIGHTON BUZZARD	1. Leighton Buzzard .. ..	WORKHOUSE .. .. . Infectious Diseases Hosp. (Leighton Buzzard U.D.) Grove Infect. Dis. Hosp. (Linslade U.D. & Wing R.D.) Infectious Diseases Hospital, Kensworth Lane (Eaton Bray R.D.) .. .. .	21 2 — — —	12 1 — — —	9 1 — — —

\* 171 : 5.—In Springfield House, a private Lunatic Asylum, 1 death occurred during the year.



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
13.—Bedfordshire—continued.						
176.—LUTON ..	1. Dunstable .. ..	Isolation Hospital (Dunstable M.B., Luton R.D., and Eaton Bray R.D.) .. ..	3	1	2	
	2. Luton .. ..	WORKHOUSE .. ..	55	33	22	
		WORKHOUSE (Children's Homes), Dunstable Road	—	—	—	
		Bute Hospital.. ..	29	20	9	
		Children's Convalescent Home, London Road ..	6	4	2	
		Spittlesea Cottage Hosp. (Inf. Dis.; Luton M.B.) ..	—	—	—	
14.—Cambridgeshire.						
177.—CAXTON ..	1. Caxton .. ..	WORKHOUSE .. ..	17	11	6	
178.—CHESTERTON	2. Fulbourn .. ..	WORKHOUSE .. ..	25	14	11	
		Small-pox Hospital (Cambridge M.B.) .. ..	—	—	—	
		Small-pox Hospital (Chesterton R.D.) .. ..	—	—	—	
		County Lunatic Asylum .. ..	58	25	33	
179.—CAMBRIDGE	1. St. Andrew the Less..	WORKHOUSE .. ..	42	20	22	
		Borough Sanatorium .. ..	3	1	2	
	2. St. Andrew the Great	Addenbrooke's Hospital .. ..	110	69	41	
		Nursing Hostel .. ..	8	5	3	
180.—LINTON ..	2. Linton .. ..	WORKHOUSE .. ..	10	6	4	
181.—NEWMARKET	2. Newmarket .. ..	WORKHOUSE .. ..	55	35	20	
		Infectious Diseases Hospital (Newmarket R.D.) ..	—	—	—	
		Rous Memorial Hospital .. ..	7	4	3	
182.—ELY .. ..	3. Ely .. ..	WORKHOUSE .. ..	30	20	10	
183.—NORTH WITCHFORD	1. Chatteris .. ..	WORKHOUSE .. ..	19	15	4	
	2. March .. ..	Infectious Diseases Hospital (March U.D.) .. ..	—	—	—	
184.—WHITTLESEY	1. Whittlesey .. ..	WORKHOUSE .. ..	8	2	6	
185.—WISBECH ..	2. Wisbech .. ..	WORKHOUSE .. ..	33	15	18	
		North Cambridge Cottage Hospital .. ..	13	8	5	
		Hospital for Infect. Dis. (Wisbech M.B. & R.D.) ..	1	1	—	
IV.—EASTERN.						
15.—Essex.						
186.—WEST HAM..	1. Stratford .. ..	West Ham Hospital.. ..	50	35	15	
	2. Forest Gate .. ..	WORKHOUSE: Forest Gate District Schools (Poplar and Whitechapel Unions)* .. ..	1	1	—	
	3. Plaistow .. ..	Plaistow Fever Hospital (West Ham C.B.) .. ..	120	52	68	
		St. Mary's Children's Hospital .. ..	48	19	29	
		Medical Mission Hospital.. ..	25	7	18	
	4. Canning Town ..	Seamen's Hospital (Branch) .. ..	52	50	2	
	5. South East Ham ..	East Ham Isolation Hospital .. ..	44	24	20	
	6. North East Ham ..	Convalescent Fever Hospital (East Ham M.B.) ..	—	—	—	
		WORKHOUSE (St. George-in-East Industrial Sch.)	2	2	—	
	7. Wanstead† .. ..	Passmore Edwards East Ham Accident Hospital	15	9	6	
	8. South Leyton .. ..	Wanstead Urban District Infectious Dis. Hospital	—	—	—	
		WORKHOUSE .. ..	328	152	176	
	9. North Leyton .. ..	WORKHOUSE (West Ham Union School) .. ..	3	—	3	
		WORKHOUSE Infirmary .. ..	957	545	412	
		WORKHO. (Forest Ho., and Guardians' Cottages)..	1	1	—	
		WORKHOUSE (Bethnal Green School) .. ..	4	2	2	
		Leyton Isolation Hospital .. ..	19	14	5	
	10. Walthamstow ..		Children's and General Hospital .. ..	35	12	23
			Woodford Jubilee Hospital .. ..	8	5	3
			County Lunatic Asylum (Chestnuts Branch) .. ..	5	—	5
187.—EPPING .. ..	1. Chigwell.. ..	Infectious Diseases Hospital (Walthamstow U.D.)	34	22	12	
		Buckhurst Hill Village Hospital .. ..	7	6	1	
		Medical Provident Home .. ..	5	5	—	
		Small-pox Hospital (Chingford U.D.) .. ..	—	—	—	
		Mansfield Convalescent Home .. ..	—	—	—	
	2. Epping .. ..	WORKHOUSE .. ..	32	20	12	
		Infectious Diseases Hospital (Epping R.D.) ..	3	1	2	
188.—ONGAR ..	2. Chipping Ongar ..	WORKHOUSE .. ..	15	7	8	
		WORKHOUSE (Hackney Union School) .. ..	—	—	—	

\* Closed during the year.  
† 185: 7.—In the Infant Orphan Asylum, Wanstead, 1 death occurred during the year.

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
15.—Essex—continued.					
189.—ROMFORD ..	1. Romford.. ..	WORKHOUSE .. ..	116	68	48
		Victoria Cottage Hospital .. ..	3	1	2
		Dagenham Isolation Hosp. (Romford U.D. & R.D.) ..	29	21	8
		Small-pox Hospital (West Ham C.B.) .. ..	—	—	—
		Isolation Hospital (Ilford U.D.) .. ..	14	8	6
		London County Lunatic Asylum, Claybury .. ..	191	83	108
		West Ham Borough Lunatic Asylum .. ..	112	68	44
		Upney Infectious Dis. Hosp. (Barking Town U.D.) ..	7	4	3
		WORKHOUSE (Shoreditch Cottage Homes) .. ..	—	—	—
		County Lunatic Asylum (Harold Court Branch) ..	—	—	—
190.—ORSETT ..	1. Grays .. ..	WORKHOUSE School, Stifford (Stepney Union) ..	—	—	—
		WORKHOUSE Cottage Home, Grays (Whitechapel) ..	—	—	—
		Isolation Hospital (Orsett R.D.) .. ..	4	1	3
		Cottage Hospital .. ..	18	14	4
		WORKHOUSE .. ..	29	14	15
191.—BILLERICAY	1. Brentwood .. ..	WORKHOUSE (Hackney Union Schools), Brentwood ..	—	—	—
		WORKHOUSE (Parish of Poplar Borough), Laindon ..	—	—	—
		WORKHOUSE (Training School: Parish of Poplar Borough), Hutton.. ..	—	—	—
		Cottage Hospital .. ..	4	3	1
		Military Hospital .. ..	2	2	—
		County Lunatic Asylum .. ..	216	121	95
		WORKHOUSE .. ..	33	24	14
		Isolation Hospital (Orsett R.D.) .. ..	1	1	—
		WORKHOUSE .. ..	77	42	35
		Chelmsford and Essex Infirmary .. ..	15	10	5
192.—CHELMSFORD	2. Wickford .. ..	Isolation Hospital (Joint Hospital Board), Galleywood Road ..	—	—	—
		Isolation Hosp. (Joint Hosp. Board), Coval Lane ..	—	—	—
		Isolation Hospital (Joint Hospital Board) .. ..	—	—	—
		WORKHOUSE .. ..	78	43	35
		Hospital for Infectious Diseases, Eastwood (Rochford R.D. and Shoeburyness U.D.) ..	2	2	—
193.—ROCHFORD ..	1. Rochford .. ..	Small-pox Hospital, Eastwood (Shoeburyness U.D. and Rochford R.D.) .. ..	—	—	—
		Southend Victoria Hospital .. ..	20	12	8
		Sanatorium (Southend on Sea M.B.) .. ..	5	1	4
		Small-pox Hospital (Southend on Sea M.B.) ..	—	—	—
		WORKHOUSE .. ..	32	24	8
194.—MALDON ..	2. Maldon .. ..	Sanatorium (Tuberculosis) .. ..	—	—	—
		Heybridge Isolation Hospital (Maldon Joint Hospital Board) .. ..	1	—	1
		Isolation Hospital (Clacton U.D.) .. ..	—	—	—
		Cottage Hospital (Clacton-on-Sea) .. ..	3	2	1
		Essex Convalescent Home .. ..	—	—	—
195.—TENDRING ..	1. Clacton .. ..	Middlesex Hospital Convalescent Home .. ..	1	1	—
		WORKHOUSE .. ..	62	39	23
		Hospital for Infectious Diseases (Harwich M.B.) ..	4	2	2
		Port Sanitary Hospital Ship .. ..	—	—	—
		Convalescent Home (Addenbrooke's Hospital, Cambridge) .. ..	—	—	—
196.—COLCHESTER	1. Colchester First Ward	County Lunatic Asylum (Brunswick House Branch) ..	1	—	1
		WORKHOUSE .. ..	51	32	19
		Essex County Hospital† .. ..	48	30	18
		Station Hospital .. ..	6	6	—
		Military Families' Hospital .. ..	9	5	4
197.—LEXDEN ..	2. Colchester Second Ward	Infectious Diseases Hospital (Colchester M.B.) ..	—	—	—
		Eastern Counties Asylum for Idiots .. ..	5	4	1
		WORKHOUSE .. ..	39	23	16
		Fever Hospital (Halstead U.D.) .. ..	13	8	5
		Cottage Hospital .. ..	4	2	2
198.—HALSTEAD ..	2. Heddingham .. ..	Heddingham Cottage Hospital (Infectious Diseases) ..	—	—	—
		WORKHOUSE .. ..	52	28	24
		Cottage Hospital .. ..	1	—	1
		Joint Hosp. for Inf. Dis. (Braintree U.D. and R.D.) ..	1	1	—
		WORKHOUSE .. ..	44	30	14
199.—BRAINTREE	2. Bocking .. ..	Cottage Hospital .. ..	1	1	—
		Isolation Hospital (Dunmow R.D.) .. ..	1	—	1
		Maternity Home, Great Easton .. ..	—	—	—
		WORKHOUSE .. ..	25	20	5
		Saffron Walden Hospital .. ..	9	5	4
200.—DUNMOW ..	2. Thaxted .. ..	Isolation Hospital (Saffron Walden M.B. & R.D.) ..	—	—	—
		WORKHOUSE .. ..	51	32	19
		Essex County Hospital† .. ..	48	30	18
		Station Hospital .. ..	6	6	—
		Military Families' Hospital .. ..	9	5	4
201.—SAFFRON WALDEN	2. Stanway.. ..	Infectious Diseases Hospital (Colchester M.B.) ..	—	—	—
		Eastern Counties Asylum for Idiots .. ..	5	4	1
		WORKHOUSE .. ..	39	23	16
		Fever Hospital (Halstead U.D.) .. ..	13	8	5
		Cottage Hospital .. ..	4	2	2

\* 189:2.—In Dr. Barnardo's Girls' Village Home (including Infirmary) 17 deaths occurred during the year.

† 193:2.—In Nazareth House 13 deaths occurred during the year.

‡ Formerly called Essex and Colchester Hospital.



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
16.—Suffolk.					
202.—RISBRIDGE ..	1. Haverhill .. ..	WORKHOUSE .. .. . Hospital for Infectious Diseases (Haverhill U.D.) ..	32 —	18 —	14 —
203.—SUDBURY ..	2. Bures .. .. .	East Anglian Sanatorium (Consumption) .. ..	4	1	3
	3. Sudbury .. .. .	WORKHOUSE .. .. .	43	21	22
		St. Leonard's Hospital .. .. .	8	4	4
		Infectious Diseases Hospital (Sudbury M.B.) ..	1	1	—
204.—COSFORD ..	2. Hadleigh .. ..	WORKHOUSE .. .. .	12	9	3
206.—BURY ST. EDMUNDS	1. Bury St. Edmunds ..	WORKHOUSE (Bury St. Edmunds and Thingoe) ..	45	28	17
		Suffolk General Hospital .. .. .	38	30	8
		Sanitary Hospital (Bury St. Edmunds M.B.) ..	—	—	—
207.—MILDENHALL	1. Mildenhall .. ..	WORKHOUSE .. .. .	24	12	12
		Cottage Hospital .. .. .	—	—	—
208.—STOW .. ..	2. Rattlesden .. ..	WORKHOUSE .. .. .	10	5	5
	3. Stowmarket .. ..	Infectious Diseases Hospital (Stowmarket U.D.) ..	—	—	—
209.—HARTISMERE	1. Mendlesham .. ..	WORKHOUSE (Hartismere and Hoxne) .. ..	24	13	11
211.—BOSMERE ..	1. Coddensham .. ..	WORKHOUSE .. .. .	36	22	14
212.—SAMFORD ..	1. Capel St. Mary .. ..	Cottage Hospital, East Bergholt .. .. .	—	—	—
	2. Holbrook .. .. .	WORKHOUSE .. .. .	32	17	15
		Royal Naval Sick Quarters .. .. .	3	3	—
213.—IPSWICH ..	2. Ipswich Eastern ..	WORKHOUSE (Ipswich and Woodbridge) .. ..	96	51	45
		WORKH. School (St. John's Home : Several Unions)	3	2	1
		East Suffolk and Ipswich Hospital .. .. .	82	49	33
		Ipswich Borough Fever Hospital .. .. .	6	3	3
		Ipswich Borough Lunatic Asylum .. .. .	31	12	19
214.—WOODBIDGE	2. Colneis .. .. .	Suffolk Convalescent Home, Walton .. .. .	3	3	—
	3. Woodbridge & Wilford	Infectious Diseases Hospital (Woodbridge U.D.) ..	—	—	—
		County Lunatic Asylum .. .. .	79	34	45
215.—PLOMESGATE	2. Orford .. .. .	WORKHOUSE .. .. .	17	9	8
		The Hospital, Sudbourne .. .. .	—	—	—
216.—BLYTHING ..	1. Westleton .. .. .	WORKHOUSE .. .. .	35	20	15
	2. Halesworth .. ..	Patrick Stead Hospital .. .. .	1	1	—
	3. Wenhaston .. ..	Cottage Hospital .. .. .	3	2	1
217.—WANGFORD	2. Beccles .. .. .	WORKHOUSE .. .. .	15	9	6
		Beccles Hospital .. .. .	7	4	3
		Isolation Hospital (Beccles M.B.) .. .. .	—	—	—
218.—MUTFORD ..	2. Lowestoft .. ..	WORKHOUSE .. .. .	35	19	16
		Lowestoft Hospital .. .. .	48	29	19
		Sanatorium (Lowestoft M.B.) .. .. .	7	1	6
		Convalescent Home .. .. .	—	—	—
		Isolation Hospital (Mutford and Lothingland R.D.)	1	1	—
17.—Norfolk.					
219.—YARMOUTH..	1. Yarmouth Southern	Great Yarmouth Hospital .. .. .	35	25	10
		Royal Naval Lunatic Hospital .. .. .	11	11	—
	2. Yarmouth Northern	WORKHOUSE .. .. .	94	61	33
		Isolation Hospital (Great Yarmouth C.B.) ..	10	3	7
		Convalescent Home for Children .. .. .	—	—	—
	3. Gorleston .. ..	Cottage Hospital .. .. .	2	1	1
		Isolation Hospital for Small-pox and Cholera (Great Yarmouth C.B.) .. .. .	—	—	—
220.—FLEGG ..	2. West Flegg .. ..	WORKHOUSE .. .. .	6	2	4
221.—SMALLBURGH	2. Smallburgh .. ..	WORKHOUSE .. .. .	12	7	5
222.—ERPINGHAM	1. Repps .. .. .	Mundesley Sanatorium for Tuberculosis .. ..	5	3	2
	2. Cromer .. .. .	WORKHOUSE .. .. .	16	12	4
		Cottage Hospital .. .. .	5	2	3
		Fletcher Convalescent Home .. .. .	—	—	—
		Isolation Hospital (Cromer U.D.) .. .. .	—	—	—
	3. Holt .. .. .	Kelling Sanatorium for Consumption .. ..	1	1	—

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
17.—Norfolk—continued.					
223.—AYLSHAM ..	2. Buxton .. ..	WORKHOUSE .. ..	21	11	10
224.—ST. FAITH'S ..	1. St. Faith's .. ..	WORKHOUSE .. ..	7	1	6
		Small-pox Hospital (City of Norwich) .. ..	—	—	—
		Norwich City Lunatic Asylum .. ..	39	17	22
225.—NORWICH ..	1. East Wymer*				
	2. West Wymer† .. ..	WORKHOUSE and Girls' Home .. ..	139	68	71
		Norwich Iron Hospital (Infectious Diseases) .. ..	—	—	—
		Norfolk and Norwich Eye Infirmary .. ..	—	—	—
		Norwich Isolation Hospital .. ..	45	24	21
		Norfolk and Norwich Hospital .. ..	155	97	58
		Jenny Lind Infirmary .. ..	22	14	8
		Bethel Lunatic Hospital .. ..	16	6	4
226.—FOREHOE ..	2. Wymondham .. ..	WORKHOUSE .. ..	17	11	6
227.—HENSTEAD ..	1. Humbleyard .. ..	WORKHOUSE .. ..	15	10	5
228.—BLOFIELD ..	1. Blofield .. ..	WORKHOUSE .. ..	15	9	6
		County Lunatic Asylum .. ..	119	72	47
229.—LODDON ..	1. Aldeby .. ..	All Hallows Hospital .. ..	3	3	—
	2. Loddon .. ..	WORKHOUSE .. ..	16	6	10
230.—DEPWADE ..	1. Harleston .. ..	WORKHOUSE .. ..	34	16	18
	2. Diss .. ..	The Hospital, Diss .. ..	4	1	3
232.—WAYLAND ..	1. Attleborough .. ..	WORKHOUSE .. ..	20	10	10
	2. Watton .. ..	Victoria Cottage Hospital .. ..	—	—	—
233.—MITFORD ..	4. East Dereham .. ..	WORKHOUSE .. ..	23	14	9
234.—WALSINGHAM	2. Walsingham .. ..	WORKHOUSE .. ..	19	8	11
235.—DOCKING ..	2. Snettisham .. ..	WORKHOUSE .. ..	17	13	4
		Convalescent Home .. ..	1	1	—
236.—FREEBRIDGE LYNN	2. Gayton .. ..	WORKHOUSE .. ..	7	2	5
237.—KING'S LYNN	2. South King's Lynn .. ..	WORKHOUSE .. ..	25	13	12
		West Norfolk and Lynn Hospital .. ..	37	25	12
		Fever Hospital (King's Lynn M.B.) .. ..	—	—	—
238.—DOWNHAM ..	2. Downham .. ..	WORKHOUSE (Howdale Home) .. ..	25	16	9
239.—SWAFFHAM	1. Swaffham .. ..	WORKHOUSE .. ..	22	13	9
		Cottage Hospital .. ..	1	1	—
		Isolation Hospital (Swaffham U.D. and R.D.) .. ..	—	—	—
240.—THETFORD ..	2. Thetford .. ..	WORKHOUSE .. ..	19	9	10
		Cottage Hospital .. ..	4	3	1
V.—SOUTH WESTERN.					
18.—Wiltshire.					
241.—SWINDON ..	1. Highworth .. ..	WORKHOUSE .. ..	53	33	20
		Overflow Isolation Hospital (Swindon M.B.) .. ..	—	—	—
	2. Swindon .. ..	G.W.R. Medical Fund Hospital .. ..	7	7	—
		Victoria Hospital .. ..	15	7	8
		Isolation Hospital (Swindon M.B.) .. ..	19	9	10
242.—CRICKLADE ..	1. Wootton Bassett .. ..	Isolation Hospital (Cricklade & Wootton Bassett R.D.) .. ..	—	—	—
	2. Cricklade .. ..	WORKHOUSE .. ..	10	5	5
243.—MALMESBURY	1. Malmesbury Eastern	Convalescent Home for Children .. ..	—	—	—
	2. Malmesbury Western	WORKHOUSE .. ..	20	10	10
		Cottage Hospital .. ..	7	3	4

\* 225 : 1.—In the Great Hospital (an Almshouse) 15 deaths occurred during the year.

† 225 : 2.—In Heigham Hall, a private Lunatic Asylum, no death occurred during the year.



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
18.—Wiltshire—continued.					
244.—CHIPPENHAM	2. Corsham*				
	3. Chippenham .. ..	WORKHOUSE .. .. .	30	4	16
		Cottage Hospital .. .. .	7	3	4
		Isolation Hospital (Chippenham M.B. and R.D.)..	5	3	2
245.—CALNE ..	1. Calne .. .. .	WORKHOUSE .. .. .	6	5	1
		Infectious Diseases Hospital (Calne M.B. & R.D.)..	1	1	—
246.—MARLBOROUGH	1. Marlborough .. ..	WORKHOUSE .. .. .	10	5	5
		Savernake Cottage Hospital .. .. .	14	9	5
		Isolation Hospital (Marlborough M.B. & R.D.) ..	1	—	1
		Small-pox Hospital (Marlborough M.B. and R.D.)	—	—	—
247.—DEVIZES ..	1. Devizes .. .. .	WORKHOUSE .. .. .	20	9	11
		Cottage Hospital .. .. .	8	1	7
		Urban District Hospital for Infectious Diseases ..	—	—	—
		County Lunatic Asylum .. .. .	62	30	32
248.—MELKSHAM..	1. Melksham .. .. .	WORKHOUSE .. .. .	17	11	6
		Cottage Hospital .. .. .	4	1	3
	2. Trowbridge .. ..	Cottage Hospital .. .. .	4	2	2
		Fever Hospital (Trowbridge U.D.) .. .. .	9	7	2
249.—BRADFORD ON AVON	1. Bradford on Avon ..	WORKHOUSE .. .. .	10	6	4
		Winsley Sanatorium for Consumption .. .. .	—	—	—
250.—WESTBURY ..	2. Westbury .. .. .	WORKHOUSE .. .. .	5	4	1
		Westbury Cottage Hospital .. .. .	3	2	1
251.—WARMINSTER	1. Warminster .. ..	WORKHOUSE .. .. .	9	2	7
		Cottage Hospital .. .. .	5	2	3
		Infectious Diseases Hospital (Warminster U.D.) ..	—	—	—
252.—PEWSEY ..	1. Netheravon .. .. .	WORKHOUSE .. .. .	15	8	7
	2. Collingbourne.. ..	Military Families Hospital (Women and Children)	—	—	—
253.—AMESBURY ..	2. Amesbury .. .. .	WORKHOUSE .. .. .	15	7	8
		Station Hospital, Bulford Camp .. .. .	8	8	—
	3. Winterbourne .. ..	Isolation Hospital (City of Salisbury) .. .. .	—	—	—
254.—SALISBURY ..	1. Alderbury†				
	3. Salisbury .. .. .	WORKHOUSE .. .. .	21	11	10
		General Infirmary .. .. .	48	26	22
		Fisherton House Lunatic Asylum.. .. .	46	20	26
255.—WILTON ..	1. Wilton .. .. .	WORKHOUSE .. .. .	15	8	7
256.—TISBURY ..	2. Tisbury .. .. .	WORKHOUSE .. .. .	12	7	5
257.—MERE ..	1. Mere .. .. .	WORKHOUSE .. .. .	6	4	2
19.—Dorsetshire.					
258.—SHAFTESBURY	1. Shaftesbury .. ..	WORKHOUSE .. .. .	9	8	1
		Cottage Hospital .. .. .	—	—	—
259.—STURMINSTER	1. Sturminster .. ..	WORKHOUSE .. .. .	13	7	6
260.—BLANDFORD	1. Milton Abbas .. ..	Milton Abbas Cottage Hospital.. .. .	—	—	—
	2. Blandford .. .. .	WORKHOUSE .. .. .	21	13	8
		Blandford Cottage Hospital .. .. .	7	6	1
		Isolation Hospital (Blandford Forum M.B. and Blandford R.D.) .. .. .	—	—	—
261.—WIMBORNE..	2. Wimborne .. .. .	WORKHOUSE .. .. .	20	15	5
		Victoria Cottage Hospital.. .. .	4	2	2
262.—POOLE ..	1. Canford .. .. .	Infectious Diseases Hospital (Poole M.B. and R.D.)	11	8	3
		Outdoor Sanatorium (Lung Diseases) .. .. .	2	2	—
	2. Poole .. .. .	WORKHOUSE .. .. .	35	16	19
		Cornelia Hospital .. .. .	7	6	1
		St. Mary's Home for Incurables .. .. .	1	—	1
		Borough of Poole Infectious Diseases Hospital ..	—	—	—
263.—WAREHAM ..	1. Swanage .. .. .	Cottage Hospital .. .. .	2	1	1
	3. Wareham .. .. .	WORKHOUSE .. .. .	17	9	8
		Isolation Hospital (Wareham and Purbeck R.D.)..	—	—	—

\* 244: 2.—In Kingsdown House, a private Lunatic Asylum, 5 deaths occurred during the year.

† 247: 2.—In Fiddington House, a private Lunatic Asylum, 1 death occurred during the year.

‡ 254: 1.—In Laverstock House, a private Lunatic Asylum, 1 death occurred during the year.

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
19.—Dorsetshire—continued.						
264.—WEYMOUTH	1. Upway .. ..	Borough Isolation Hospital (Weymouth and Melcombe Regis M.B.) .. ..	2	1	1	
		Isolation Hospital (Weymouth R.D.) .. ..	2	—	2	
	2. Weymouth .. ..	WORKHOUSE .. ..	35	16	19	
		Royal Hospital .. ..	8	4	4	
		County Eye Infirmary .. ..	1	1	—	
		Port Sanitary Hospital (Weymouth and Melcombe Regis, M.B., &c.) .. ..	—	—	—	
	3. Portland.. ..	Princess Christian Hospital (formerly Sanatorium for Women and Children) .. ..	11	4	7	
		Royal Naval Hospital .. ..	12	12	—	
265.—DORCHESTER	1. Dorchester .. ..	WORKHOUSE (Dorchester) .. ..	13	7	6	
		County Hospital .. ..	19	12	7	
	3. Maiden Newton .. ..	Isolation Hospital (Dorchester M.B.) .. ..	—	—	—	
	4. Cerne .. ..	County Lunatic Asylum .. ..	83	49	34	
266.—SHERBORNE	2. Sherborne .. ..	WORKHOUSE .. ..	6	4	2	
		Yeatman Hospital .. ..	19	13	6	
267.—BEAMINSTER	2. Netherbury .. ..	.. ..	6	2	4	
		WORKHOUSE and Infirmary .. ..	11	6	5	
268.—BRIDPORT ..	2. Bridport.. ..	WORKHOUSE .. ..	8	4	4	
		Thomas Cottage Hospital.. ..	5	1	4	
	3. Whitchurch Canon- icum.	Isolation Hospital (Bridport M.B.) .. ..	—	—	—	
20.—Devonshire.						
269.—AXMINSTER	1. Lyme .. ..	Cottage Hospital .. ..	3	2	1	
	2. Axminster .. ..	WORKHOUSE .. ..	11	7	4	
		Cottage Hospital .. ..	1	1	—	
	3. Chardstock .. ..	Temporary Isolation Hospital (Axminster R.D.)..	1	1	—	
270.—HONITON ..	1. Honiton .. ..	WORKHOUSE .. ..	20	9	11	
		Honiton Nursing Home .. ..	1	1	—	
	2. Ottery St. Mary ..	Ottery St. Mary Cottage Hosp. (Paxford House) ..	1	—	1	
		Sidmouth Cottage Hospital .. ..	—	—	—	
271.—ST. THOMAS..	1. East Budleigh .. ..	Budleigh Salterton Cottage Hospital .. ..	1	—	1	
	2. Exmouth .. ..	Exmouth Cottage Hospital (Maud Hospital) ..	8	4	4	
		Exeter Sanatorium .. ..	10	4	6	
	5. Heavitree .. ..	Isolation Hospital (Heavitree U.D.) .. ..	—	—	—	
		Exeter Lunatic Asylum .. ..	39	25	14	
		Wonford House Lunatic Hospital .. ..	10	6	4	
		WORKHOUSE .. ..	38	22	16	
	6. St. Thomas .. ..	.. ..	129	59	70	
	7. Kenton .. ..	County Lunatic Asylum .. ..	—	—	—	
272.—EXETER ..	1. Exeter .. ..	Western Counties Idiot Asylum .. ..	—	—	—	
		WORKHOUSE .. ..	55	32	23	
		Royal Devon and Exeter Hospital .. ..	74	43	31	
		West of England Eye Infirmary .. ..	1	—	1	
273.—NEWTON ABBOT	1. Teignmouth .. ..	Home Hospital .. ..	5	1	4	
		Teignmouth Hospital .. ..	6	2	4	
		Dawlish Cottage Hospital .. ..	6	6	—	
		Isolation Hosp. (Teignmouth Port Sanitary Dist.) ..	—	—	—	
	3. Moreton Hampstead ..	Cottage Hospital .. ..	1	—	1	
	4. Ashburton .. ..	Ashburton and Buckfastleigh Cottage Hospital ..	2	—	—	
		WORKHOUSE .. ..	66	28	38	
	5. Newton Abbot.. ..	Newton Abbot Hospital & Dispensary .. ..	4	3	1	
		Hospital for Infectious Diseases (Newton Abbot U.D. and R.D.) .. ..	5	3	2	
		6. Torquay .. ..	Torbay Hospital .. ..	39	25	14
			Erith House (Institution for Invalid Ladies) ..	—	—	—
	Western Hospital (Incipient Consumption) .. ..		2	2	—	
	Mildmay Home for Consumption ("Smyrna") .. ..		—	—	—	
		Sanatorium (Infectious Dis. ; Torquay M.B.) .. ..	2	1	1	
		Hospital for Children (Rosehill) .. ..	1	1	—	
		St. Luke's Convalescent Home .. ..	—	—	—	
		St. Raphael's Convalescent Home .. ..	1	—	1	
		St. Barnabas Home (Incurables) .. ..	11	10	1	
		Isolation Hospital (Torquay M.B.) .. ..	—	—	—	
		Ockenden Convalescent Home (Branch of Devon and Exeter Hospital) .. ..	—	—	—	
.. ..		.. ..	.. ..	.. ..		



## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
20.—Devonshire—continued.					
274.—TOTNES ..	1. Paignton.. ..	Cottage Hospital .. ..	7	5	2
		Isolation Hospital (Paignton U.D.) .. ..	—	—	—
	2. Brixham.. ..	Cottage Hospital .. ..	5	3	2
		S.S. "Mayfly" Infectious Diseases Hosp. (Totnes & Dartmouth Port Sanitary Authority) .. ..	—	—	—
	3. Dartmouth .. ..	Cottage Hospital .. ..	2	1	1
	4. Totnes .. ..	WORKHOUSE .. ..	34	21	13
		Cottage Hospital .. ..	1	1	—
	6. Ugborough .. ..	Devon and Cornwall Sanatorium (Consumption) .. ..	—	—	—
		<i>Plymouth Borough Lunatic Asylum</i> .. ..	36	11	25
275.—KINGSBRIDGE	3. West Alvington .. ..	WORKHOUSE .. ..	14	8	6
	4. Kingsbridge .. ..	Kingsbridge Cottage Hospital .. ..	1	—	1
276.—PLYMPTON ST. MARY	2. Plympton* .. ..	WORKHOUSE .. ..	8	5	3
		House of Rest for Convalescents .. ..	—	—	—
		Convalescent Home, Tamerton Foliot .. ..	—	—	—
277.—PLYMOUTH ..	1. Plymouth, North† .. ..	WORKHOUSE and Infirmary .. ..	165	83	82
		South Devon and East Cornwall Hospital .. ..	118	78	40
		Royal Eye Infirmary .. ..	2	1	1
		Devon and Cornwall Ear and Throat Hospital .. ..	—	—	—
		Pearns Convalescent Home .. ..	—	—	—
	2. Plymouth, South-East .. ..	Borough Hospital (Infectious Diseases) .. ..	11	5	6
	3. " South-West .. ..	Homœopathic Hospital .. ..	6	3	3
		Hospital Ship "Pique" (Port Sanitary Authority) .. ..	—	—	—
		Hospital Ship "Maude" (Plymouth C.B.) .. ..	—	—	—
278.—EAST STONE- HOUSE	1. East Stonehouse .. ..	WORKHOUSE .. ..	19	10	9
		Royal Naval Hospital .. ..	63	63	—
279.—DEVONPORT	1. St. Aubyn .. ..	Hospital for Soldiers' Wives and Children .. ..	3	1	2
		Royal Albert Hospital and Eye Infirmary .. ..	58	35	23
	2. Stoke .. ..	WORKHOUSE .. ..	97	37	60
		Devonport Borough Hospital (Infectious Diseases) .. ..	—	—	—
		Small-pox Hospital (Devonport C.B.) .. ..	—	—	—
	3. Tamar .. ..	Military Hospital (Station Hospital) .. ..	13	13	—
280.—TAVISTOCK ..	2. Tavistock .. ..	WORKHOUSE .. ..	20	10	10
		Cottage Hospital .. ..	13	5	8
281.—OKEHAMPTON	1. Bratton Clovelly .. ..	Winsford Cottage Hospital .. ..	—	—	—
	3. Okehampton .. ..	WORKHOUSE .. ..	9	7	2
	4. Chagford .. ..	Dartmoor Sanatorium for Consumption .. ..	1	1	—
282.—CREDITON ..	3. Crediton .. ..	WORKHOUSE .. ..	7	5	2
283.—TIVERTON ..	3. Tiverton .. ..	WORKHOUSE .. ..	14	8	6
		Infirmary and Dispensary .. ..	10	7	3
		Isolation Hospital (Tiverton M.B. and R.D.) .. ..	1	1	—
284.—SOUTH MOL- TON	2. South Molton .. ..	WORKHOUSE .. ..	10	7	3
		Cottage Hospital .. ..	1	1	—
285.—BARNSTAPLE	1. Barnstaple .. ..	WORKHOUSE .. ..	25	13	12
		North Devon Infirmary .. ..	24	15	9
	2. Lynton .. ..	Lynton Cottage Hospital .. ..	1	—	1
	4. Ilfracombe .. ..	Tyrrell Cottage Hospital .. ..	10	7	3
		Bickleighscombe Isolation Hos. (Ilfracombe U.D.) .. ..	—	—	—
		Hospital Ship "Nymphen" (Port Sanitary Authority) .. ..	—	—	—
286.—TORRINGTON	4. Great Torrington .. ..	WORKHOUSE .. ..	12	6	6
		Cottage Hospital .. ..	2	1	1
287.—BIDEFORD ..	1. Bideford .. ..	WORKHOUSE .. ..	14	8	6
		Infirmary and Dispensary .. ..	10	4	6
		Infectious Diseases Hospital (Bideford M.B.) .. ..	—	—	—
288.—HOLSWORTHY	2. Holsworthy .. ..	WORKHOUSE .. ..	4	3	1

\* 276 : 2.—In Plympton House, a private Lunatic Asylum, 2 deaths occurred during the year.

† 277 : 1.—In St. Joseph's House 6 deaths occurred during the year.

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
21.—Cornwall.					
289.—STRATTON ..	2. Stratton .. ..	WORKHOUSE .. .. .	3	1	2
		Cottage Hospital .. .. .	1	—	1
290.—CAMELFORD	2. Camelford .. ..	WORKHOUSE .. .. .	2	1	1
291.—LAUNCESTON	3. Launceston .. ..	WORKHOUSE .. .. .	11	6	5
		Launceston Infirmary and Rowe Dispensary ..	1	1	—
292.—ST. GERMANS	1. Antony .. ..	WORKHOUSE .. .. .	11	7	4
	3. Saltash .. ..	St. Barnabas Cottage Hospital .. .. .	1	1	—
293.—LISKEARD ..	2. Liskeard .. ..	WORKHOUSE .. .. .	10	6	4
		Cottage Hospital .. .. .	11	7	4
		Cottage Hospital (Fowey Port Sanitary Authority)	—	—	—
294.—BODMIN ..	3. Bodmin .. ..	WORKHOUSE .. .. .	5	3	2
		East Cornwall Hospital .. .. .	—	—	—
		County Lunatic Asylum .. .. .	64	35	29
295.—ST. COLUMB..	2. St. Columb .. ..	WORKHOUSE .. .. .	4	2	2
		Infectious Diseases Hospital (Newquay U.D.) ..	—	—	—
296.—ST. AUSTELL	1. Fowey .. ..	Cottage Hospital .. .. .	2	2	—
	2. St. Austell .. ..	WORKHOUSE .. .. .	35	18	17
297.—TRURO ..	3. St. Agnes .. ..	Temporary Infectious Diseases Hospital (R.D.) ..	—	—	—
		Epiphany Convalescent Hospital .. .. .	1	1	—
		WORKHOUSE .. .. .	24	15	9
		Infectious Diseases Hospital (City of Truro)	—	—	—
		Royal Cornwall Infirmary .. .. .	28	18	10
298.—FALMOUTH ..	2. Falmouth .. ..	WORKHOUSE .. .. .	9	8	1
		Sailors' Home and Infirmary .. .. .	8	8	—
		Swanpool Hospital (Port Sanitary Authority)	—	—	—
		Convalescent Home, Penjerrick .. .. .	1	—	1
		Cottage Hospital .. .. .	4	2	2
299.—HELSTON ..	2. Helston .. ..	WORKHOUSE .. .. .	15	7	8
300.—REDRUTH ..	2. Redruth .. ..	West Cornwall Miners' Hospital .. .. .	14	11	3
		West Cornwall Women's Hospital .. .. .	7	—	7
		WORKHOUSE .. .. .	39	18	21
		Isolation Hospital (Redruth R.D.) .. .. .	—	—	—
301.—PENZANCE ..	4. Penzance .. ..	Infectious Diseases Hospital (Camborne U.D.) ..	—	—	—
		WORKHOUSE .. .. .	27	12	15
		West Cornwall Infirmary and Dispensary .. ..	15	8	7
		Isolation Hospital, Alverton (Penzance M.B.)	—	—	—
302.—ISLES OF SCILLY	1. Isles of Scilly .. ..	WORKHOUSE (St. Mary's Parish Poor House) ..	—	—	—
22.—Somersetshire.					
303.—WILLITON ..	1. Minehead .. ..	Isolation Hosp., Hendon Cottage (Minehead, U.D.)	—	—	—
	2. Dunster .. ..	Village Hospital .. .. .	1	—	1
	3. Williton .. ..	WORKHOUSE .. .. .	16	12	4
304.—DULVERTON	1. Dulverton .. ..	WORKHOUSE .. .. .	5	1	4
305.—WELLINGTON	2. Milverton .. ..	Cottage Hospital .. .. .	2	1	1
	3. Wellington .. ..	WORKHOUSE .. .. .	13	7	6
		Cottage Hospital .. .. .	4	3	1
306.—TAUNTON ..	3. Taunton .. ..	WORKHOUSE .. .. .	29	15	14
		Taunton and Somerset Hospital .. .. .	75	46	29
		Sanitary Hospital (Taunton M.B. & R.D.) .. ..	4	2	2
	4. Bishop's Lydeard ..	County Lunatic Asylum, Cotford .. .. .	73	35	38
307.—BRIDGWATER	2. Bridgwater .. ..	WORKHOUSE .. .. .	31	17	14
		Bridgwater Hospital .. .. .	35	17	18
		Infectious Diseases Hospital (Bridgwater M.B.) ..	—	—	—
	3. Huntspill .. ..	Edington Cottage Hospital .. .. .	—	—	—



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907--continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
22.—Somersetshire—continued.					
308.—LANGPORT ..	1. Somerton .. ..	WORKHOUSE .. .. .	10	5	5
309.—CHARD ..	3. Chard .. ..	WORKHOUSE .. .. .	13	6	7
	4. Crewkerne .. ..	Crewkerne Hospital.. .. .	6	5	1
310.—YEOVIL ..	4. Yeovil .. ..	WORKHOUSE .. .. .	19	13	6
		District Hospital .. .. .	7	5	2
311.—WINCANTON	2. Milborne Port .. ..	Isolation Hospital (Yeovil M.B.) .. .. .	—	—	—
		Merthyr Guest Hospital .. .. .	6	5	1
		WORKHOUSE and Infirmary .. .. .	27	14	13
312.—FROME ..	2. Frome .. ..	Wincanton Hospital .. .. .	—	—	—
		WORKHOUSE .. .. .	28	17	11
		Frome Victoria Hospital .. .. .	12	7	5
313.—SHEPTON MALLET	1. Shepton Mallet .. ..	Infectious Diseases Hospital (Frome U.D.) .. .. .	—	—	—
		WORKHOUSE .. .. .	17	8	9
314.—WELLS ..	1. Wells .. ..	Shepton Mallet District Hosp. (General Diseases) .. .. .	4	2	2
		WORKHOUSE .. .. .	15	12	3
315.—AXBRIDGE ..	1. Axbridge .. ..	Cottage Hospital .. .. .	5	4	1
		County Lunatic Asylum .. .. .	89	44	45
		Sir George Bowles Hospital, Butleigh .. .. .	—	—	—
		St. Saviour's Isolation Hospital (Glastonbury M.B. and Street U.D.) .. .. .	—	—	—
		WORKHOUSE .. .. .	37	18	19
316.—CLUTTON ..	1. Harptree .. ..	St. Michael's Home (Consumption) .. .. .	11	4	7
		WORKHOUSE .. .. .	2	2	—
		Royal West of England Sanatorium .. .. .	21	10	11
		Weston super Mare Hospital .. .. .	3	—	3
		Infectious Diseases Hosp. (Weston super Mare U.D.) .. .. .	—	—	—
317.—BATH ..	2. Bathwick .. ..	Children's Convalescent Home .. .. .	16	8	8
		WORKHOUSE .. .. .	2	2	—
		Nordrach upon Mendip Sanatorium for Phthisis, &c. .. .. .	6	3	3
		Cottage Hospital, Paulton .. .. .	—	—	—
318.—KEYNSHAM..	3. Keynsham† .. ..	Isolation Hospital (Midsomer Norton U.D.) .. .. .	—	—	—
		Statutory Hospital (Infect. Dis. ; City of Bath) .. .. .	6	6	—
		WORKHOUSE .. .. .	106	51	55
		Royal United Hospital .. .. .	119	71	48
		Royal Mineral Water Hospital .. .. .	2	1	1
		Homœopathic Hospital .. .. .	—	—	—
		Eye Infirmary .. .. .	—	—	—
		Lansdown Grove Hospital .. .. .	1	1	—
		Medical and Surgical Home .. .. .	—	—	—
		5. Batheaston*	—	—	—
319.—LONG ASHTON	1. Long Ashton .. ..	WORKHOUSE .. .. .	14	9	5
		Clevedon Cottage Hospital .. .. .	2	1	1
	2. Yatton .. ..	Christ Church Convalescent Homes .. .. .	1	—	1
		Isolation Hospital (Clevedon U.D.) .. .. .	—	—	—
VI.—WEST MIDLAND.					
23.—Gloucestershire.					
320.—BRISTOL ..	1. Bedminster .. ..	WORKHOUSE .. .. .	11	7	4
		Isolation Hospital (Keynsham R.D.) .. .. .	—	—	—
		Isolation Hospital (City of Bristol) .. .. .	—	—	—
	2. Clifton .. ..	Orthopædic Hosp. and Home for Crippled Children .. .. .	49	27	22
		Victoria Jubilee Convalescent Home .. .. .	2	—	2
	3. Bristol Central .. ..	Bristol Royal Infirmary .. .. .	—	—	—
		Eye Hospital .. .. .	284	156	128
		Royal Hospital for Sick Children and Women .. .. .	—	—	—
		Bristol General Hospital (part of) .. .. .	65	34	31
		Bristol General Hospital (part of) .. .. .	135	89	46
		Fever Hospital .. .. .	—	—	—
		Hospital Ship "Margarida" (Port Sanitary Auth.) .. .. .	—	—	—
6. St. George .. ..	St. George Emergency Isolation Hospital .. .. .	—	—	—	

\* 317: 5.—In Bailbrook House, a private Lunatic Asylum, no death occurred during the year.  
† 318: 3.—In Brislington House, a private Lunatic Asylum, 5 deaths occurred during the year.

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
23.—Gloucestershire—continued.					
320.—BRISTOL—cont.	7. Stapleton .. ..	WORKHOUSE, Stapleton .. ..	178	94	84
		WORKHOUSE, Eastville .. ..	279	144	135
		WORKHOUSE Isolation Branch (Broom Hill)	—	—	—
		Castle Hill Nursing Home .. ..	2	1	1
		Cossham Memorial Hospital .. ..	16	8	8
	8. Ashley .. ..	<i>Bristol Lunatic Asylum</i> .. ..	119	57	62
		Lock Hospital .. ..	—	—	—
		Station Hospital .. ..	3	3	—
	9. Westbury on Trym ..	WORKHOUSE .. ..	10	—	10
		Avonmouth Cottage Hospital .. ..	1	1	—
322.—CHIPPING SODBURY	1. Winterbourne .. ..	Hambrook Village Hospital .. ..	2	2	—
	2. Chipping Sodbury .. ..	Infectious Dis. Hospital (Chipping Sodbury R.D.)	—	—	—
	5. Iron Acton* .. ..	WORKHOUSE .. ..	20	11	9
323.—THORNBURY	1. Almondsbury .. ..	Memorial Institute Hospital .. ..	1	1	—
	2. Thornbury .. ..	WORKHOUSE .. ..	22	14	8
	3. Berkeley .. ..	Cottage Hospital .. ..	3	3	—
		Port Sanitary Hospital .. ..	—	—	—
324.—DURSLEY ..	2. Dursley .. ..	WORKHOUSE .. ..	10	5	5
		Hospital for Infectious Diseases (Dursley Union)..	—	—	—
325.—WESTBURY ON SEVERN	1. Newnham .. ..	WORKHOUSE .. ..	19	13	6
	2. East Dean .. ..	Inf. Dis. Hosp. (East Dean & United Parishes R.D.)	1	1	—
326.—NEWENT ..	1. Newent .. ..	WORKHOUSE .. ..	12	9	3
327.—GLOUCESTER	1. Barnwood .. ..	St. Lucy's Hospital for Children .. ..	20	10	10
		City of Gloucester Isolation Hospital .. ..	5	3	2
		City of Gloucester Small-pox Hospital .. ..	—	—	—
		<i>County Lunatic Asylum</i> { <i>Wotton</i> .. ..	85	43	42
		{ <i>Barnwood</i> .. ..	17	5	12
		<i>Barnwood House Lunatic Hospital</i> .. ..	9	5	4
		WORKHOUSE and Union Hospital .. ..	62	34	28
		WORKHOUSE (Branch, Ladybellegate Lodge)	—	—	—
		St. Lucy's Home .. ..	2	—	2
	2. Gloucester Northern	General Infirmary .. ..	107	67	40
		Port Sanitary Hospital .. ..	—	—	—
328.—WHEATEN- HURST	2. Frampton .. ..	WORKHOUSE .. ..	10	6	4
329.—STROUD ..	1. Stonehouse .. ..	Isolation Hospital (Stroud Joint Hosp. Bd.) ..	3	3	—
	2. Painswick .. ..	Cotswold Sanatorium for Consumption .. ..	8	8	—
	3. Bisley .. ..	Small-pox Hospital (Stroud Joint Hospital Board)	—	—	—
	4. Stroud .. ..	WORKHOUSE .. ..	39	19	20
330.—TETBURY ..	2. Tetbury .. ..	General Hospital .. ..	18	11	7
		WORKHOUSE .. ..	6	3	3
		Cottage Hospital .. ..	4	1	3
331.—CIRENCESTER	2. Cirencester .. ..	WORKHOUSE .. ..	36	24	12
		Cottage Hospital .. ..	7	3	4
		Hosp. for Contagious Dis. (Cirencester U.D. & R.D.)	1	—	1
		Small-pox Hospital (Cirencester U.D. & R.D.) ..	—	—	—
	3. Fairford† .. ..	Cottage Hospital .. ..	5	3	2
332.—NORTHLEACH	1. Bibury .. ..	WORKHOUSE .. ..	21	13	8
		Isolation Hospital (Northleach R.D.)..	1	1	—
		Small-pox Hospital (Northleach R.D.) ..	—	—	—
333.—STOW ON THE WOLD	1. Bourton on the Water	Cottage Hospital .. ..	—	—	—
	2. Stow on the Wold ..	WORKHOUSE .. ..	8	4	4
334.—WINCHCOMB	1. Guiting .. ..	WORKHOUSE .. ..	11	5	6
		Cottage Hospital .. ..	2	1	1
		Isolation Hospital (Winchcomb R.D.) ..	5	2	3
335.—CHELTENHAM	2. Cheltenham .. ..	WORKHOUSE .. ..	95	49	46
		General Hospital and Dispensary .. ..	63	38	25
		Home for Sick Children (Belmont House) ..	2	1	1
		Delancey Hosp. for Infect. Dis. (Cheltenham M.B.)	8	5	3
		Eye, Ear, and Throat Free Hospital .. ..	2	2	—
336.—TEWKESBURY	1. Tewkesbury .. ..	WORKHOUSE .. ..	19	11	8
		Rural Hospital (Tewkesbury General Hospital)	6	2	4
		Isolation Hospital (Tewkesbury M.B.) ..	1	—	1
		Isolation Hosp., Tredington (Tewkesbury R.D.) ..	—	—	—

\* 322: 5.—In Northwoods, a private Lunatic Asylum, 3 deaths occurred during the year.

† 331: 3.—In The Retreat, Fairford, a private Lunatic Asylum, 2 deaths occurred during the year.



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907 *continued.*

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
24.—Herefordshire.					
337.—LEDBURY ..	1. Ledbury.. ..	WORKHOUSE .. ..	20	14	6
		Cottage Hospital .. ..	3	2	1
338.—ROSS .. ..	2. Ross .. ..	WORKHOUSE .. ..	34	16	18
		Cottage Hospital .. ..	8	6	2
339.—HEREFORD..	3. Burghill.. ..	County and City Lunatic Asylum .. ..	38	17	21
		WORKHOUSE (Hereford) .. ..	35	16	19
	4. Hereford City ..	General Hospital .. ..	49	36	13
		Infectious Diseases Hospital (Hereford City)	2	—	2
	6. Kentchurch .. ..	Victoria Eye and Ear Infirmary .. ..	—	—	—
		WORKHOUSE (Dore) .. ..	7	6	1
340.—WEOBLEY ..	1. Weobley.. ..	WORKHOUSE .. ..	12	9	3
341.—BROMYARD..	1. Bromyard .. ..	Cottage Hospital .. ..	1	—	1
		WORKHOUSE .. ..	15	13	2
	3. Brockhampton ..	Isolation Hospital (Bromyard U.D. & R.D.)	—	—	—
342.—LEOMINSTER	1. Leominster .. ..	WORKHOUSE .. ..	14	7	7
		Cottage Hospital .. ..	1	1	—
343.—KINGTON ..	3. Kington .. ..	WORKHOUSE .. ..	18	11	7
		Victoria Cottage Hospital .. ..	4	3	1
25.—Shropshire.					
344.—LUDLOW ..	2. Ludlow .. ..	WORKHOUSE .. ..	18	15	3
		Cottage Hospital .. ..	6	5	1
		Infectious Diseases Hospital (Small-pox : Ludlow M.B. & R.D.).. ..	—	—	—
345.—CLUN .. ..	1. Clun .. ..	St. Katharine's Cottage Hospital .. ..	—	—	—
		2. Bishops Castle ..	WORKHOUSE .. ..	12	8
346.—CHURCH STRETTON	1. Church Stretton*	WORKHOUSE .. ..	6	4	2
347.—CLEOBURY MORTIMER	1. Cleobury Mortimer ..	WORKHOUSE .. ..	11	8	3
348.—BRIDGNORTH	2. Bridgnorth .. ..	WORKHOUSE .. ..	21	14	7
		South Salop and Bridgnorth Infirm. and Dispensy. Borough Hospital (Infectious Diseases) .. ..	4	1	3
			—	—	—
349.—SHIFNAL ..	2. Shifnal .. ..	WORKHOUSE .. ..	14	10	4
		Cottage Hospital .. ..	2	1	1
350.—MADELEY ..	2. Madeley .. ..	WORKHOUSE .. ..	19	11	8
		Forester Hospital (Much Wenlock) .. ..	2	2	—
	3. Broseley .. ..	Forester Hospital (Broseley) .. ..	4	3	1
		Small-pox Hospital (Wenlock M.B.) .. ..	—	—	—
351.—ATCHAM ..	1. Condover .. ..	WORKHOUSE .. ..	65	49	16
		Salop Infirmary .. ..	84	52	32
	2. St. Mary .. ..	Isolation Hospital (Shrewsbury M.B.) .. ..	—	—	—
		Salop Eye, Ear, and Throat Hospital.. ..	4	4	—
	3. St. Chad .. ..	Salop and Montgomery Counties Lunatic Asylum ..	77	31	46
352.—OSWESTRY ..	3. Oswestry .. ..	WORKHOUSE (House of Industry) .. ..	32	17	15
		Cottage Hospital .. ..	4	4	—
353.—ELLESMERE	3. Ellesmere .. ..	WORKHOUSE .. ..	14	13	1
		Ellesmere Cottage Hospital .. ..	2	1	1
	4. Baschurch†				
354.—WEM .. ..	1. Wem .. ..	WORKHOUSE .. ..	9	8	1
355.—WHITCHURCH	1. Whitchurch .. ..	WORKHOUSE .. ..	16	9	7
		Cottage Hospital .. ..	10	6	4
356.—MARKET DRAYTON	2. Market Drayton ..	WORKHOUSE .. ..	12	7	5
		Cottage Hospital .. ..	1	1	—
		Isolation Hosp. (Drayton R.D. & Blore Heath R.D.)	—	—	—
357.—WELLINGTON	1. Ercall Magna .. ..	Convalescent Home (Co-operative Wholesale Soc.)	—	—	—
		2. Wellington .. ..	WORKHOUSE .. ..	17	7

\* 346: 1.—In Grove House and Stretton House, two private Lunatic Asylums, 2 deaths occurred during the year.  
† 353: 4.—In Boreatton Park, a private Lunatic Asylum, no death occurred during the year.

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
25.—Shropshire—continued.					
358.—NEWPORT ..	1. Newport.. ..	WORKHOUSE .. .. .	11	4	7
		Small-pox Hospital (Wellington Union) .. ..	—	—	—
		Infectious Diseases Hospital (Newport U.D. & R.D.)	—	—	—
26.—Staffordshire.					
359.—STAFFORD ..	1. Stafford .. ..	WORKHOUSE .. .. .	32	24	8
		Staffordshire General Infirmary .. .. .	50	25	25
		Infectious Diseases Hospital (Stafford R.D.) ..	—	—	—
		Isolation Hospital (Stafford M.B.) .. .. .	—	—	—
		Sister Dora Convalescent Hospital .. .. .	—	—	—
		County Lunatic Asylum .. .. .	171	104	67
		Lunatic Hospital, Coton Hill .. .. .	8	4	4
360.—STONE ..	1. Stone .. ..	WORKHOUSE .. .. .	21	13	8
		St. Mary's Hospital (Convent Hospital) .. ..	5	—	5
	2. Eccleshall .. ..	Infectious Diseases Hospital (Stone U.D. & R.D.)..	1	1	—
361.—NEWCASTLE UNDER LYME	2. Newcastle under Lyme.	WORKHOUSE and Infirmary .. .. .	60	45	15
		Infect. Diseases Hosp.(Newcastle under Lyme M.B.)	2	2	—
362.—WOLSTANTON	1. Wolstanton .. ..	Bradwell Sanatorium (Burslem M.B., Tunstall U.D., and Wolstanton R.D.) .. .. .	3	1	2
	2. Tunstall .. ..	WORKHOUSE .. .. .	111	71	40
	3. Burslem .. ..	Haywood Hospital .. .. .	19	12	7
		Isolation Hospital (Burslem M.B.) .. .. .	15	8	7
363.—STOKE UPON TRENT	2. Stoke upon Trent ..	WORKHOUSE .. .. .	245	164	81
		North Staffordshire Infirmary .. .. .	173	106	67
	4. Longton .. ..	Longton Cottage Hospital.. .. .	17	11	6
	5. Stoke Rural .. ..	Joint Hospital, Bucknall (Infect. Dis.; Hanley C.B., Fenton U.D., Stoke upon Trent M.B. and R.D.) ..	45	21	24
364.—LEEK .. ..	1. Norton .. ..	Infectious Diseases Hospital (Leek R.D.) .. ..	—	—	—
		Joint Hosp., Bagnall (Small-pox; N. Staffs. J.H.B.)	—	—	—
	2. Biddulph .. ..	Fever Hospital (Biddulph U.D.) .. .. .	—	—	—
	3. Leek .. ..	WORKHOUSE .. .. .	26	14	12
		Cottage Hospital .. .. .	8	2	6
		Fever Hospital (Leek U.D.) .. .. .	1	—	1
365.—CHEADLE ..	2. Ipstones .. ..	County Lunatic Asylum, Cheddleton .. .. .	112	71	41
	4. Cheadle .. ..	WORKHOUSE .. .. .	20	14	6
		Hospital for Infectious Diseases (Cheadle R.D.) ..	1	1	—
366.—UTTOXETER..	1. Uttoxeter .. ..	WORKHOUSE .. .. .	16	6	10
367.—BURTON UPON TRENT	2. Repton .. ..	Isolation Hospital (Repton R.D.) .. .. .	3	2	1
		Derby County Lunatic Asylum .. .. .	108	59	49
	4. Burton upon Trent ..	WORKHOUSE .. .. .	80	51	29
		Burton upon Trent Infirmary .. .. .	53	38	15
		Barton under Needwood Cottage Hospital ..	3	1	2
		Borough Hospital (Infectious Diseases) .. ..	9	3	6
368.—TAMWORTH..	1. Tamworth .. ..	WORKHOUSE .. .. .	27	20	7
		Cottage Hospital .. .. .	8	5	3
		Isolation Hospital (Tamworth M.B. and R.D.) ..	8	5	3
369.—LICHFIELD ..	1. Lichfield .. ..	WORKHOUSE .. .. .	49	29	20
		Hammerwich and District Cottage Hospital ..	5	4	1
		County Lunatic Asylum, Burntwood .. .. .	163	79	84
	2. Rugeley .. ..	Cottage Hospital, Yoxall .. .. .	1	1	—
		District Hospital .. .. .	4	3	1
		Cottage Hospital (Levett Convalescent Home) ..	—	—	—
		Isolation Hospital (City of Lichfield and R.D.) ..	—	—	—
370.—CANNOCK ..	2. Cannock .. ..	WORKHOUSE .. .. .	43	24	19
		Accident Home .. .. .	4	3	1
		Infectious Diseases Hospital (Cannock U.D. & R.D.)	4	2	2
371.—WOLVER- HAMPTON	3. Wombourn .. ..	WORKHOUSE (Seisdon) .. .. .	9	—	9
		Infectious Diseases Hospital (Seisdon R.D.) ..	2	2	—
	4. Wolverhampton Western.	Hospital for Women .. .. .	1	—	1
		Wolverhampton Eye Infirmary .. .. .	3	2	1
		Victoria Nursing Institution .. .. .	9	3	6
	5. Wolverhampton Eastern.	Wolverhampton and Staffordshire General Hosp.	224	143	81
		Borough Hospital (Infectious Diseases) .. ..	19	9	10



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
26.—Staffordshire—continued.					
371.—WOLVERHAMPTON—cont.	6. Willenhall .. ..	WORKHOUSE (Cottage Home) .. ..	2	1	1
		WORKHOUSE (Homes for the Poor) .. ..	224	133	91
	7. Bilston .. ..	Isolation Hospital (Willenhall U.D.) .. ..	9	3	6
		Fever Hospital (Bilston U.D.) .. ..	6	3	3
Small-pox Hosp. (S. Staffs. Jt. Small-pox Hosp. Bd.)		—	—	—	
372.—WALSALL ..	1. Darlaston .. ..	Infectious Diseases Hospital (Darlaston U.D.) ..	1	1	—
		Small-pox Hospital (Walsall C.B.) .. ..	—	—	—
	2. Bloxwich .. ..	WORKHOUSE .. ..	128	81	47
	3. Walsall .. ..	Walsall and District Cottage Hospital .. ..	49	34	15
Epidemic Hospital (Walsall C.B.) .. ..		2	1	1	
373.—WEST BROMWICH	1. Handsworth .. ..	Fever Hospital (Aston Union) .. ..	6	4	2
		Small-pox Hospital (Aston Manor M.B.) .. ..	—	—	—
		Birmingham City Lunatic Asylum (Branch) ..	—	—	—
	2. Oldbury .. ..	Hospital for Infectious Diseases (Oldbury U.D.) ..	—	—	—
	3. West Bromwich S.W.	West Bromwich District Hosp. (General Diseases)	70	44	26
	4. West Bromwich N.E.	WORKHOUSE .. ..	207	121	86
		WORKHOUSE (W. Bromwich & Walsall Ind. Sch.)	1	—	1
		Infect. Diseases Hospital (West Bromwich Union)	13	8	5
374.—DUDLEY ..	5. Wednesbury .. ..	Isolation Hospital (Small-pox ; Wednesbury M.B.)	—	—	—
	1. Rowley Regis .. ..	Tividale Infectious Diseases Hosp. (Rowley Regis U.D.)	1	1	—
	2. Tipton .. ..	Infectious Diseases Hospital (Tipton U.D.) .. ..	2	—	2
	3. Sedgley .. ..	WORKHOUSE .. ..	140	84	56
		Guest Hospital .. ..	68	42	26
		Infectious Diseases Hospital (Dudley C.B.) .. ..	3	2	1
27.—Worcestershire.					
375.—STOURBRIDGE	1. Halesowen .. ..	Isol. Hosp. (Stourbridge & Halesowen Hosp. Com.)	4	3	1
		Corbett Hospital .. ..	18	13	5
	2. Stourbridge .. ..	WORKHOUSE .. ..	96	71	25
		Infectious Diseases Hospital (Brierley Hill U.D. and Quarry Bank U.D.) .. ..	3	—	3
376.—KIDDERMINSTER	3. Kidderminster .. ..	WORKHOUSE .. ..	73	41	32
		Infirmery .. ..	28	14	14
		Infect. Diseases Hospital (Kidderminster M.B.) ..	1	—	1
377.—TENBURY ..	1. Tenbury .. ..	WORKHOUSE .. ..	7	1	6
		St. Mary's Cottage Hospital, Burfont .. ..	2	1	1
378.—MARTLEY ..	1. Martley .. ..	WORKHOUSE .. ..	16	10	6
		Isolation Hospital (Malvern U.D.) .. ..	2	—	2
	2. Leigh .. ..	Knightwick Sanatorium for Consumption .. ..	—	—	—
379.—WORCESTER	1. Worcester .. ..	WORKHOUSE .. ..	92	50	42
		WORKHOUSE Cottage Homes .. ..	—	—	—
		Worcester General Infirmary .. ..	95	53	42
		Ophthalmic Hospital .. ..	—	—	—
		City Hospital (Infectious Diseases) .. ..	9	5	4
380.—UPTON ON SEVERN	1. Malvern .. ..	Rural or Malvern Hospital .. ..	8	5	3
		County Lunatic Asylum .. ..	127	52	75
	2. Upton on Severn .. ..	WORKHOUSE .. ..	31	16	15
381.—EVESHAM ..	1. Evesham .. ..	Isolation Hospital (Upton on Severn R.D.) .. ..	—	—	—
		WORKHOUSE .. ..	29	20	9
		Cottage Hospital .. ..	3	3	—
382.—PERSHORE ..	2. Pershore .. ..	Sanatorium (Evesham M.B. and R.D.) .. ..	4	3	1
		WORKHOUSE .. ..	11	4	7
		Cottage Hospital .. ..	3	1	2
383.—DROITWICH	2. Droitwich .. ..	Scarlet Fever Hospital (Persore R.D.) .. ..	1	1	—
		City of Worcester Small-pox Hospital .. ..	—	—	—
		WORKHOUSE .. ..	13	8	5
384.—BROMSGROVE	1. Bromsgrove .. ..	St. John's Hospital .. ..	—	—	—
		WORKHOUSE .. ..	32	21	11
		Blackwell Sanatorium (Convalescent Home) ..	—	—	—
		Cottage Hospital .. ..	9	7	2
	3. Tardebigg .. ..	Isolation Hosp. (Bromsgrove U.D. & Redditch U.D.)	11	5	6
		County Lunatic Asylum (Barnsley Hall) .. ..	17	9	8
		Smallwood Hospital, Redditch .. ..	5	2	3

\* 375 : 3—In Ashwood House, a private Lunatic Asylum, 3 deaths occurred during the year,

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
27.—Worcestershire—continued.						
335.—KINGS NOR- TON.	1. Kings Norton .. ..	WORKHOUSE and Infirmary .. .. .	196	115	81	
		WORKHOUSE Cottage Homes .. .. .	—	—	—	
		Fever Hospital (Kings Norton & Northfield U.D.)	13	4	9	
		Convalescent Hosp. for Children (Moseley Hall) ..	4	2	2	
	3. Harborne* .. ..	<i>Birmingham City Lunatic Asylum, Rubery Hill</i> ..	69	32	37	
Smethwick and Oldbury Joint Isolation Hospital		2	—	2		
28.—Warwickshire.						
336.—BIRMINGHAM	1. Lady Wood .. ..	Children's Hospital .. .. .	146	85	61	
		WORKHOUSE .. .. .	41	18	23	
	2. All Saints .. ..	WORKHOUSE Infirmary .. .. .	773	462	311	
		City Hospital (Infectious Diseases) .. .. .	97	49	48	
	3. St. George .. ..	<i>City Lunatic Asylum, Winson Green</i> .. .. .	107	57	50	
		General Hospital .. .. .	546	318	228	
	4. St. Martin .. ..	Hospital, 70, Newhall Street .. .. .	5	4	1	
		Queen's Hospital .. .. .	215	134	81	
		Skin and Urinary Hospital .. .. .	2	2	—	
		Homœopathic Hospital .. .. .	14	7	7	
		Eye Hospital .. .. .	1	—	1	
		Royal Orthopædic and Spinal Hospital .. .. .	4	3	1	
		Ear and Throat Hospital .. .. .	6	5	1	
	337.—ASTON .. ..	2. Bordesley .. ..	Emergency Small-pox Hospital (City of Birm'ham)	—	—	—
			WORKHOUSE .. .. .	536	317	219
5. Erdington .. ..		WORKHOUSE Cottage Homes .. .. .	—	—	—	
		Jaffray Hospital .. .. .	14	10	4	
		Infectious Diseases Hospital (Aston Manor M.B. and Sutton Coldfield M.B.) .. .. .	—	—	—	
		City Hospital (Infectious Diseases) .. .. .	88	47	41	
338.—MERIDEN ..	1. Coleshill .. ..	<i>Birmingham City Lunatic Asylum (Branch of)</i> ..	—	—	—	
		WORKHOUSE (Marston Green Homes) .. .. .	—	—	—	
339.—ATHERSTONE	2. Meriden .. ..	WORKHOUSE .. .. .	16	13	3	
		WORKHOUSE .. .. .	—	—	—	
390.—NUNEATON..	1. Nuneaton .. ..	WORKHOUSE .. .. .	8	6	2	
		Isolation Hospital (Atherstone R.D.) .. .. .	—	—	—	
391.—FOLESHILL ..	1. Foleshill .. ..	WORKHOUSE .. .. .	16	9	7	
		Nuneaton General Hospital .. .. .	15	9	6	
		Isolation Hosp. (Nuneaton and Chilvers Coton U.D.)	1	1	—	
392.—COVENTRY ..	1. St. John .. ..	WORKHOUSE .. .. .	15	12	3	
		Infectious Diseases Hospital (Foleshill R.D.) ..	3	1	2	
392.—COVENTRY ..	2. Holy Trinity .. ..	WORKHOUSE .. .. .	110	73	37	
		Pinley Isolation Hospital (City of Coventry) ..	—	—	—	
		Coventry and Warwick Hospital .. .. .	82	46	36	
393.—RUGBY .. ..	1. Rugby .. ..	City Hospital (Infectious Diseases) .. .. .	5	5	—	
		WORKHOUSE .. .. .	22	15	7	
		Hospital of St. Cross .. .. .	38	24	14	
394.—SOLIHULL ..	1. Solihull .. ..	Rugby Urban District Hospital (Infect. Diseases) ..	—	—	—	
		WORKHOUSE .. .. .	34	21	13	
		Birmingham and Midland Hospital for Women ..	20	—	20	
		Hospital for Women (Convalescent Home) .. ..	—	—	—	
		Infectious Dis. Hosp. (Solihull and Yardley R.D.'s)	4	2	2	
		Children's Convalescent Home .. .. .	—	—	—	
395.—WARWICK ..	2. Knowle .. ..	<i>Midland Counties Idiot Asylum</i> .. .. .	4	1	3	
		WORKHOUSE .. .. .	62	36	26	
		Cottage Hospital .. .. .	—	—	—	
		Heathcote Hosp. for Infect. Dis. (Warwick Union)	10	4	6	
		<i>County Lunatic Asylum</i> .. .. .	110	52	58	
		Warneford Hospital .. .. .	51	34	17	
396.—STRATFORD ON AVON	2. Stratford on Avon ..	Midland Counties Home for Incurables .. .. .	14	7	7	
		WORKHOUSE and Infirmary .. .. .	41	28	13	
		Joint Infect. Dis. Hosp. (Stratford on Avon M.B. & R.D.)	—	—	—	
		BelleVue Small-pox H. (Stratford on Avon M.B. & R.D.)	—	—	—	
		Stratford on Avon Hospital .. .. .	15	9	6	
397.—ALCESTER ..	2. Alcester .. ..	Nursing Home and Children's Hospital .. .. .	1	—	1	
		WORKHOUSE .. .. .	21	13	8	
		Sanatorium (Alcester Union) .. .. .	1	—	1	

\* 385 : 3.—In St. Joseph's Home (Home for Aged Poor), 32 deaths occurred during the year.

† 396 : 3.—In Glendossill and Hurst House, a private Lunatic Asylum, 3 deaths occurred during the year.



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females
28.—Warwickshire—continued.					
398.—SHIPSTON ON STOUR	2. Shipston on Stour ..	WORKHOUSE .. .. .	20	8	12
		Ellen Badger Cottage Hospital, Shipston on Stour ..	4	3	1
		Moreton in the Marsh Cottage Hospital .. ..	6	4	2
		Isolation Hos.(Brailes R.D. & Shipston on Stour R.D.) ..	—	—	—
		Todenham Isolation Hosp.(Camden R.D.) .. ..	—	—	—
399.—SOUTHAM ..	1. Southam.. ..	WORKHOUSE .. .. .	8	5	3
VII.—NORTH MIDLAND.					
29.—Leicestershire.					
400.—LUTTERWORTH	1. Lutterworth .. ..	WORKHOUSE .. .. .	15	11	4
		Cottage Hospital .. .. .	2	2	—
401.—MARKET HARBOURGH	1. Market Harborough..	WORKHOUSE .. .. .	19	13	6
402.—BILLESDON..	1. Billesdon .. ..	WORKHOUSE .. .. .	13	10	3
		WORKHOUSE Infirmary (Leicester) .. .. .	291	186	105
403.—BLABY ..	1. Wigston .. ..	WORKHOUSE (Leicester Cottage Homes) .. ..	—	—	—
		Isolation Hosp. (Wigston Magna U.D. & Blaby R.D.) ..	5	1	4
		2. Enderby.. ..	17	7	10
404.—HINCKLEY ..	2. Hinckley .. ..	WORKHOUSE .. .. .	23	15	8
		Cottage Hospital .. .. .	6	3	3
		3. Earl Shilton .. ..	2	1	1
405.—MARKET BOSWORTH	1. Market Bosworth ..	WORKHOUSE .. .. .	13	7	6
		2. Ibstock .. ..	—	—	—
406.—ASHBY DE LA ZOUCH	3. Ashby de la Zouch ..	WORKHOUSE .. .. .	30	22	8
		Cottage Hospital .. .. .	3	1	2
		Infect. Diseases Hospital (Ashby de la Zouch U.D.) ..	—	—	—
		Moirs Infect. Diseases Hosp. (Ashby Wolds, U.D.) ..	1	—	1
		4. Whitwick .. ..	1	1	—
407.—LOUGHBOROUGH	1. Loughborough.. ..	WORKHOUSE .. .. .	26	17	9
		General Hospital .. .. .	17	10	7
		Isolation Hospital (Loughborough M.B.) .. ..	1	1	—
408.—BARROW UPON SOAR	2. Quorndon .. ..	Cottage Hospital .. .. .	1	1	—
		Charnwood Forest Adult Convalescent Home .. ..	1	—	1
		3. Rothley .. ..	14	10	4
		Hospital for Infect. Diseases (Leicester C.B.) .. ..	50	24	26
409.—LEICESTER ..	1. North West Leicester	Small-pox Hospital (Leicestershire C.C.) .. ..	—	—	—
		Cottage Hospital .. .. .	1	1	—
		Leicester and Leicestershire Dis. Maternity Hosp. ..	2	1	1
		2. North East Leicester	11	9	2
		WORKHOUSE .. .. .	59	33	26
	3. South Leicester ..	Leicester Borough Lunatic Asylum .. .. .	193	104	89
		General Infirmary .. .. .	55	41	14
410.—MELTON MOWBRAY	1. Melton Mowbray ..	Leicester and Rutland Counties Lunatic Asylum ..	21	15	6
		WORKHOUSE .. .. .	3	2	1
30.—Rutlandshire.					
411.—OAKHAM ..	1. Oakham .. ..	WORKHOUSE .. .. .	12	10	2
		Oakham and District Cottage Hospital .. ..	4	1	3
412.—UPPINGHAM	1. Uppingham .. ..	WORKHOUSE .. .. .	13	6	7
31.—Lincolnshire.					
413.—STAMFORD ..	1. Stamford .. ..	WORKHOUSE .. .. .	11	8	3
		Stamford and Rutland General Infirmary .. ..	25	18	7
414.—BOURNE ..	3. Bourne .. ..	WORKHOUSE .. .. .	16	8	8
415.—SPALDING ..	4. Spalding .. ..	WORKHOUSE and Infirmary .. .. .	28	20	8
		Johnson Hospital .. .. .	5	3	2
		Isolation Hospital (Spalding U.D.) .. ..	1	—	1
416.—HOLBEACH ..	3. Holbeach .. ..	WORKHOUSE .. .. .	33	28	—

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
31.—Lincolnshire—continued.					
417.—BOSTON ..	3. Boston .. ..	WORKHOUSE .. .. .	55	28	27
		Boston Hospital .. .. .	19	11	8
		Fever Hospital, Skirbeck (Boston M.B. and R.D.) ..	8	5	3
418.—SLEAFORD ..	2. Sleaford .. ..	WORKHOUSE .. .. .	32	17	15
		Small-pox Hospital (Sleaford U.D.) .. .. .	—	—	—
		County Lunatic Asylum (Kesteven) .. .. .	27	12	15
419.—GRANTHAM ..	2. Grantham North ..	WORKHOUSE .. .. .	29	18	11
		Grantham Hospital .. .. .	16	9	7
		Infectious Diseases Hospital (Grantham M.B.) ..	—	—	—
420.—LINCOLN ..	2. Lincoln Home ..	WORKHOUSE .. .. .	59	37	22
		County Hospital .. .. .	60	41	19
		Sanatorium for Small-pox (City of Lincoln) ..	—	—	—
		City Hospital (Infectious Dis., City of Lincoln)	18	11	7
		County Lunatic Asylum (Lindsey and Holland)	104	58	46
		Lincoln Lunatic Hospital (The Lawn) .. .. .	8	6	2
421.—HORNCASTLE	2. Horncastle .. ..	WORKHOUSE .. .. .	27	14	13
		Infectious Diseases Hospital (Horncastle U.D.) ..	—	—	—
	3. Tattershall .. ..	Alexandra Bromo-Iodine Hospital .. .. .	—	—	—
422.—SPILSBY ..	3. Spilsby .. .. .	WORKHOUSE .. .. .	14	9	5
		Grace Swan Cottage Hospital, Handleby .. ..	2	2	—
	4. Burgh .. .. .	Isolation Hospital (Skegness U.D.) .. .. .	—	—	—
		Nottingham and Notts Convalescent Home ..	—	—	—
423.—LOUTH ..	1. Witheren .. .. .	Mablethorpe Convalescent Home .. .. .	—	—	—
	2. Louth .. .. .	WORKHOUSE .. .. .	21	13	8
		Hospital and Dispensary .. .. .	7	3	4
		Cottage Hospital (Infectious Dis., Louth M.B.) ..	—	—	—
424a.—GRIMSBY ..	1. Great Grimsby ..	WORKHOUSE (Grimsby) .. .. .	74	56	18
		Grimsby and District Hospital .. .. .	54	33	21
		Small-pox Hospital (Grimsby C.B.) .. .. .	—	—	—
		Corporation Fever Hospital (Grimsby C.B.) ..	15	7	8
424b.—CAISTOR ..	1. Caistor .. .. .	WORKHOUSE .. .. .	25	15	10
	2. Market Rasen ..	Cottage Hospital .. .. .	—	—	—
		Isolation Hospital (Market Rasen U.D. and Caistor R.D.) .. .. .	—	—	—
425.—GLANFORD BRIGG	1. Brigg .. .. .	WORKHOUSE .. .. .	29	21	8
		Frodingham Cottage Hospital .. .. .	1	1	—
426.—GAINSBOROUGH	3. Gainsborough ..	WORKHOUSE .. .. .	28	21	7
		Infectious Diseases Hospital (Gainsborough U.D.)	—	—	—
	4. Marton .. .. .	Infectious Diseases Hospital (Gainsborough R.D.)	—	—	—
		Reynard Cottage Hospital .. .. .	4	4	—
32.—Nottinghamshire.					
427.—EAST RETFORD	2. Clarborough .. ..	WORKHOUSE .. .. .	17	10	7
		Cottage Hospital .. .. .	4	2	2
		Fever Hospital (East Retford M.B.) .. .. .	1	—	1
428.—WORKSOP ..	1. Worksop .. .. .	WORKHOUSE .. .. .	1	1	—
		WORKHOUSE Infirmary .. .. .	38	28	10
		Victoria Hospital .. .. .	7	5	2
		Small-pox Hospital (Worksop U.D., Blyth and Cuckney R.D.) .. .. .	—	—	—
	2. Carlton .. .. .	Isolation Hospital (Worksop U.D., Blyth and Cuckney R.D.) .. .. .	4	1	3
429.—MANSFIELD	1. Warsop .. .. .	Mansfield Woodhouse District Hospital .. ..	9	3	6
		Small-pox Hosp. (Skegby R.D. and Blackwell R.D.)	—	—	—
	3. Blackwell .. .. .	WORKHOUSE .. .. .	18	50	18
		Infectious Diseases Hosp. (Mansfield M.B.) ..	—	—	—
		Accident Hospital .. .. .	11	7	4
430.—BASFORD ..	2. Ilkeston .. .. .	Cottage Hospital .. .. .	7	3	4
		Infectious Diseases Hospital (Ilkeston M.B.) ..	6	4	2
	4. Hucknall Torkard ..	Temporary Small-pox Hospital (Joint Hospital Board) .. .. .	—	—	—



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.				
			Persons.	Males.	Females.		
32.—Nottinghamshire—continued.							
431.—NOTTINGHAM	1. Nottingham West.	South General Hospital .. .. .	283	177	106		
		Hospital for Women .. .. .	8	—	8		
	Children's Hospital .. .. .	32	20	12			
	Nottingham Lunatic Hospital (The Coppice) .. .. .	4	2	2			
	Samaritan Hospital for Women .. .. .	—	—	—			
	432.—SOUTHWELL	1. Southwell .. .. .	WORKHOUSE .. .. .	—	—	—	
		433.—NEWARK ..	3. Newark .. .. .	WORKHOUSE Infirmary .. .. .	36	21	15
			Hospital and Dispensary .. .. .	17	13	4	
	4. Balderton .. .. .		Isolation Hospital (Newark M.B.) .. .. .	—	—	—	
	5. Claypole .. .. .	WORKHOUSE .. .. .	—	—	—		
	434.—BINGHAM ..	1. Bingham .. .. .	WORKHOUSE .. .. .	7	5	2	
			County Lunatic Asylum .. .. .	83	50	33	
	33.—Derbyshire.						
435.—SHARDLOW ..	3. Shardlow .. .. .	5. Spondon .. .. .	WORKHOUSE .. .. .	24	19	5	
		Draycott Isolation Hospital (Shardlow R.D.) .. .. .	11	7	4		
436.—DERBY ..	2. Derby .. .. .	WORKHOUSE .. .. .	117	77	40		
		Derbyshire Royal Infirmary .. .. .	194	119	75		
		Hospital for Sick Children .. .. .	41	27	14		
		Borough Isolation Hospital .. .. .	9	4	5		
		Derbyshire Women's Hospital .. .. .	3	—	3		
		Nightingale Home (Royal Derby Nursing Asso.) .. .. .	6	3	3		
		Derby Borough Lunatic Asylum .. .. .	27	18	9		
437.—BELPER ..	2. Horsley .. .. .	3. Belper .. .. .	Convalescent Home, Holbrook .. .. .	—	—	—	
		WORKHOUSE .. .. .	67	44	23		
		4. Ripley .. .. .	Isolation Hospital (Belper Joint Hospital District) .. .. .	11	6	5	
		6. Wirksworth .. .. .	Cottage Hospital .. .. .	3	2	1	
438.—ASHBOURNE	1. Ashbourne .. .. .	WORKHOUSE .. .. .	9	4	5		
		Ashbourne Cottage Hospital .. .. .	3	2	1		
439.—CHESTERFIELD	1. Ashover .. .. .	Temporary Small-pox Hospital (Ashbourne U.D. and R.D., and Mayfield R.D.) .. .. .	—	—	—		
		Isolation Hosp. (S. District of Chesterfield Union) .. .. .	7	5	2		
	2. Chesterfield .. .. .	WORKHOUSE .. .. .	118	82	36		
		WORKHOUSE (Chesterfield Union Schools) .. .. .	—	—	—		
		Chesterfield and N. Derbyshire Hosp. and Disp. .. .. .	71	46	25		
		Newbold Small-pox Hospital (Chesterfield Joint Hospital Committee) .. .. .	—	—	—		
		Penmore Isolation Hospital (Chesterfield Joint Hospital Committee) .. .. .	6	4	2		
		Spital Lane Small-pox Hospital (North Derbyshire Hospital Committee) .. .. .	—	—	—		
	4. Eckington .. .. .	Isolation Hosp. (N. Derbyshire Hosp. Committee) .. .. .	2	2	—		
	5. Dronfield .. .. .	Isolation Hosp. (N. Derbyshire Hosp. Committee) .. .. .	4	2	2		
440.—BAKEWELL ..	1. Bakewell .. .. .	WORKHOUSE .. .. .	27	21	6		
		Temporary Isolation Hospital (Bakewell U.D.) .. .. .	—	—	—		
	2. Matlock .. .. .	Smedley's Memorial Hospital .. .. .	1	1	—		
		Whitworth Hospital .. .. .	12	6	6		
441.—CHAPEL EN LE FRITH	1. Buxton* .. .. .	Derby and Derbyshire Convalescent Home .. .. .	—	—	—		
		Devonshire Hospital .. .. .	8	8	—		
		Sanatorium (Buxton U.D.) .. .. .	—	—	—		
		2. Chapel en le Frith .. .. .	WORKHOUSE .. .. .	19	13	6	
442a.—GLOSSOP ..	1. Glossop .. .. .	High Peak Isol. Hos. (New Mills U.D. & Fairfield U.D.) .. .. .	4	1	3		
		General Hospital, Birchinlee .. .. .	1	1	—		
		WORKHOUSE and Infirmary .. .. .	28	15	13		
		Wood's Hospital .. .. .	8	5	4		
442b.—HAYFIELD ..	1. Hayfield .. .. .	Gamesley Infectious Diseases Hospital (Glossop M.B. and Glossop Dale R.D.) .. .. .	4	4	—		
		WORKHOUSE .. .. .	10	8	2		

\* 441: 1.—In Wye House, a private Lunatic Asylum, 3 deaths occurred during the year.

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
VIII.—NORTH-WESTERN.					
34.—Cheshire.					
443.—STOCKPORT..	2. Hyde .. ..	Infectious Diseases Hospital (Hyde M.B.) .. ..	14	9	5
	4. Stockport First ..	WORKHOUSE .. ..	20	9	11
		WORKHO. Infirm. (Stepping Hill Poor Law Hosp.)	268	145	123
		Corporation Hospital (Fever) .. ..	14	9	5
	5. Stockport Second ..	Stockport Infirmary .. ..	77	38	39
	6. Stockport Third ..	Whitehill Hosp. for Infect. Dis. (Stockport C.B.) ..	—	—	—
	7. Heaton Norris ..	Northern Counties Hospital for Incurables ..	6	3	3
	8. Cheadle .. ..	Barnes Convalescent Hospital .. ..	21	12	9
444.—MACCLESFIELD		Manchester Royal Lunatic Hospital (including St. Anne's Hospital) .. ..	37	25	12
	4. Macclesfield .. ..	WORKHOUSE .. ..	85	54	31
		General Infirmary .. ..	45	26	19
		Macclesfield Borough Isolation Hospital .. ..	3	1	2
		County Lunatic Asylum, Parkside .. ..	82	41	41
	5. Sutton .. ..	Small-pox Hospital (Macclesfield R.D.) .. ..	—	—	—
	7. Alderley .. ..	Convalescent Homes (Beh. of Ancoats Hosp.) ..	—	—	—
	445.—BUCKLOW ..	1. Wilmslow .. ..	WORKHOUSE, Styal Cottage Homes (Chorlton) ..	—	—
2. Altrincham .. ..		Lloyd's Fever Hospital (Altrincham U.D.) ..	3	2	1
		Altrincham Hospital .. ..	30	17	13
		Consump. Hosp. (Beh. of Manch. Consump. Hosp.)	3	1	2
		Small-pox Hospital (Altrincham U.D.) .. ..	—	—	—
3. Sale .. ..		Small-pox Hospital (Bucklow Joint Hosp. Board)	—	—	—
		Sanatorium (City of Manchester) .. ..	5	1	4
		Ashton upon Mersey Nursing Institution ..	—	—	—
4. Lymm .. ..		Infectious Diseases Hospital (Lymm U.D.) ..	—	—	—
5. Knutsford .. ..		WORKHOUSE .. ..	47	26	21
	David Lewis Manchester Epileptic Colony ..	10	4	6	
446.—RUNCORN ..	1. Budworth .. ..	WORKHOUSE .. ..	26	19	7
		Small-pox Hospital (Runcorn R.D.) .. ..	—	—	—
		Isolation Hospital (Runcorn R.D.) .. ..	1	—	1
	2. Runcorn .. ..	Infectious Diseases Hospital (Runcorn U.D.) ..	1	1	—
		Victoria Cottage Hospital .. ..	9	5	4
	3. Frodsham .. ..	San. for Consum. (Beh. of Livpl. Hosp. for Consum.)	—	—	—
	Crossley San. (Beh. of Manch. Consump. Hosp.) ..	7	6	1	
447.—NORTHWICH	2. Northwich .. ..	WORKHOUSE .. ..	31	22	9
		Winnington Hospital (Victoria Infirmary) ..	13	9	4
		Small-pox Hospital (Northwich U.D.) .. ..	—	—	—
		Small-pox Hospital, Marbury (Northwich R.D.) ..	—	—	—
		Infect. Dis. Hosp., Leftwich (Northwich U.D. and R.D., Middlewich U.D., and Winsford U.D.) ..	9	4	5
	3. Over .. ..	Albert Infirmary .. ..	9	7	2
		Infectious Diseases Hospital (Winsford U.D.) ..	—	—	—
448.—CONGLETON	2. Congleton .. ..	WORKHOUSE (Casual Ward) .. ..	—	—	—
		Cottage Hospital .. ..	7	3	4
	3. Sandbach .. ..	WORKHOUSE .. ..	36	20	16
	Small-pox Hospital (Sanitary Areas in Congleton Union) .. ..	—	—	—	
449.—NANTWICH ..	1. Crewe .. ..	The Hospice (Accident Hospital, L. & N. W. Ry.) ..	4	4	—
		Memorial Cottage Hospital .. ..	20	5	15
		Isolation Hospital (Crewe M.B.) .. ..	7	2	5
	2. Nantwich .. ..	WORKHOUSE and Infirmary .. ..	52	34	18
		Isolation Hospital (Nantwich U.D. and R.D.) ..	3	2	1
450.—CHESTER ..	2. Chester Castle ..	WORKHOUSE (Tarvin Union) .. ..	6	4	2
	3. Chester Cathedral ..	WORKHOUSE (Chester Union) .. ..	92	54	38
		Isolation Hospital (City of Chester) .. ..	24	14	10
		General Infirmary .. ..	107	66	41
		Small-pox Hospital (City of Chester) .. ..	—	—	—
		County Lunatic Asylum .. ..	95	50	45
451.—WIRRAL ..	3. Bebington .. ..	WORKHOUSE .. ..	38	25	13
		Liverpool Port Sanitary Hospital .. ..	1	—	1
		Wirral Joint Hospital (Infectious Diseases; Urban and Rural Dist. in Wirral Registration Dist.) ..	5	4	1
	4. Woodchurch .. ..	Children's Convalescent Home .. ..	9	6	3
		Greasby Hospital (Small-pox; Urban and Rural Districts in Wirral Registration District) ..	—	—	—
		Queen Victoria Memorial Cottage Hospital ..	5	2	3



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

			DEATHS.			
DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	Persons.	Males.	Females.	
34.--Cheshire--continued.						
452--BIRKENHEAD	1. Birkenhead .. ..	Borough Hospital (General Hospital) .. ..	59	34	25	
		Lying-in Hospital .. ..	7	2	5	
	2. Tranmere .. ..	Wirral Children's Hospital .. ..	34	22	12	
		Infect. Diseases Hosp. (Birkenhead C.B.) .. ..	20	8	12	
	3. Wallasey .. ..	WORKHOUSE and Infirmary .. ..	266	166	100	
		Victoria Central Hospital.. ..	44	24	20	
		Cottage Hospital, Wallasey .. ..	5	2	3	
		Convalescent Home .. ..	—	—	—	
		Mill Lane Fever Hospital (Wallasey U.D.) .. ..	14	9	5	
		N. Meade House (Overflow F. Hosp., Wallasey U.D.) .. ..	—	—	—	
35.--Lancashire.						
453.--LIVERPOOL..	2. Exchange .. ..	St. Paul's Eye and Ear Hospital .. ..	1	—	1	
		Northern Hospital .. ..	220	152	68	
	3. Abercromby .. ..	WORKHOUSE and Infirmary .. ..	991	649	342	
		Royal Infirmary .. ..	289	172	117	
		Children's Infirmary .. ..	118	65	53	
		Hospital for Consumption and Chest Diseases .. ..	9	6	3	
		Lying-in Hospital .. ..	19	11	8	
		Eye and Ear Infirmary .. ..	4	2	2	
		Hahnemann Hospital .. ..	12	6	6	
		Cancer Hospital .. ..	—	—	—	
	454.--TOXTETH PARK.	1. Toxteth Park, North West	City Hospital, Grafton Street (Infectious Diseases) .. ..	32	18	14
			Royal Southern Hospital .. ..	179	112	67
2. Toxteth Park, South West.		Samaritan Hospital for Women .. ..	2	—	2	
		WORKH., Hosp. for Epilep. &c., Livpl. Wk. (Dingle Mt.) .. ..	—	—	—	
		City Hospital, Park Hill (Infectious Diseases) .. ..	83	38	45	
		Home for Female Incurables .. ..	6	—	6	
3. Toxteth Park, Central	WORKHOUSE .. ..	399	211	188		
	4. Toxteth Park, East*..	Turner Memorial Home of Rest for Males .. ..	6	6	—	
455.--WEST DERBY	1. Crosby .. ..	Park House Convalescent Institution .. ..	1	—	1	
		WORKHOUSE (Cottage Homes) .. ..	1	1	—	
	3. Fazakerley .. ..	Liverpool City Infectious Diseases Hospital .. ..	79	49	30	
		WORKHOUSE .. ..	717	377	340	
	4. Walton† .. ..	WORKH. (Epileptic Home), Belmont Grove.. ..	—	—	—	
		WORKH. (Test Ho., Lvpl. & W. Derby), Belmont Rd. .. ..	116	72	44	
	5. Bootle .. ..	Infectious Diseases Hospital (City of Liverpool) .. ..	—	—	—	
		Bootle Borough Hospital (Accident and General) .. ..	69	44	25	
	6. Kirkdale.. ..	Bootle Corporation Hospital (Infectious Diseases) .. ..	32	21	11	
		WORKHOUSE (Liverpool Branch, Aged Men) .. ..	2	2	—	
	7. North Everton.. ..	WORKHOUSE (Kirkdale Home, Liverpool Branch) .. ..	23	11	12	
		Stanley Hospital .. ..	133	88	45	
	8. South Everton .. ..	WORKH. (Lvpl. Beh., Mitford Ho.; Infirm Women) .. ..	2	—	2	
		City Hospital North (Netherfield Hosp.; Inf. Dis.) .. ..	101	58	43	
	10. West Derby Eastern†	WORKHOUSE Infirmary (Mill Road Hospital) .. ..	797	433	364	
		Hospital for Women .. ..	35	—	35	
	11. Wavertree .. ..	WORKHOUSE Infirmary (Liverpool) .. ..	362	164	198	
		City Hospital East (Infectious Diseases) .. ..	60	34	26	
	456.--PRESCOT ..	2. Much Woolton .. ..	WORKHOUSE (Lvpl. Beh., Grove Mt. Conval. Home) .. ..	11	4	7
			WORKHOUSE (Lvpl. Cottage Homes for Children) .. ..	—	—	—
		3. Widnes .. ..	WORKHOUSE (Casual Wards) .. ..	—	—	—
			WORKHOUSE Schools (Toxteth Park) .. ..	—	—	—
		4. Prescott .. ..	Accident Hospital .. ..	2	1	1
Children's Rest (Home for Incurable Children) .. ..			3	1	2	
457.--ORMSKIRK ..		2. Ormskirk .. ..	Liverpool Convalescent Institution .. ..	1	1	—
	Accident Hospital .. ..		7	5	2	
	3. Widnes .. ..	Widnes Infectious Diseases Hospital .. ..	3	1	2	
		WORKHOUSE .. ..	222	160	62	
	4. Prescott .. ..	Sanatorium (Whiston R.D.) .. ..	2	—	2	
		County Lunatic Asylum (part of), Rainhill .. ..	73	45	28	
	5. St. Helens .. ..	St. Helens Hospital .. ..	80	50	30	
		Providence Hospital .. ..	58	32	26	
	6. Rainford .. ..	Fever Hospital (St. Helens C.B.) .. ..	48	23	25	
		County Lunatic Asylum (part of), Rainhill .. ..	92	59	33	
458.--ORMSKIRK ..	2. Ormskirk .. ..	Infectious Diseases Hospital (Rainford U.D.) .. ..	1	—	1	
		—	—	—		
	3. Ormskirk .. ..	WORKHOUSE .. ..	85	50	35	
		WORKHOUSE Schools .. ..	—	—	—	
4. Ormskirk .. ..	Infectious Diseases Hospital (Ormskirk U.D.) .. ..	3	1	2		
	Cottage Hospital .. ..	2	1	1		

\* 454: 4.—In St. Augustine's Home, 19 deaths, and in the House of Providence (Rescue Home) 5 deaths occurred during the year.  
† 455: 4.—In St. Joseph's House, 37 deaths occurred during the year.  
‡ 455: 10.—In Tue Brook Villa, a private Lunatic Asylum, 11 deaths occurred during the year.

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
35.—Lancashire—continued.					
457.—ORMSKIRK —cont.	3. Aughton .. ..	WORKHOUSE (Convalescent Branch, Livpl. Wkho.)	—	—	—
		Isolation Hospital (West Lancashire R.D.) ..	4	3	1
	5. Formby* .. ..	Hospital for Infectious Dis. (Birkdale U.D.) ..	3	1	2
	6. North Meols .. ..	Convalescent Hospital .. ..	—	—	—
		Southport Infirmary and Local Dispensary ..	45	23	22
		Small-pox Hospital (Southport C.B.) ..	—	—	—
		Southport Borough Cottage Hospital (Infect. Dis.)	6	1	5
		Hydropathic Hospital .. ..	2	2	—
		Children's Sanatorium .. ..	1	1	—
		Convalescent Home (Provident Society) ..	3	2	1
		Bradstock Locket Home for Cripples ..	1	1	—
	8. Lathom .. ..	Small-pox Hospital (Ormskirk U.D., and Lathom and Burscough U.D.) .. ..	—	—	—
458.—WIGAN ..	3. Wigan .. ..	WORKHOUSE .. ..	141	90	51
		Royal Albert Edward Infirmary .. ..	109	70	39
		Wigan Borough Sanatorium .. ..	22	11	11
	4. Hindley .. ..	Infectious Diseases Hosp. (Ince in Makerfield U.D.)	2	1	1
		Hindley U.D. Small-pox and Fever Hospital ..	2	1	1
		Sanatorium (Abram U.D.) .. ..	3	1	2
	5. Pemberton .. ..	Cottage Hospital for Infect. Dis. (Wigan C.B.) ..	1	1	—
	7. Ashton in Makerfield	Hospital for Infect. Dis. (Ashton in Makerfield U.D.)	6	4	2
		Small-pox Hospital (Ashton in Makerfield U.D.) ..	—	—	—
459.—WARRINGTON	1. Newton in Makerfield	Cottage Hospital .. ..	7	6	1
		Old Wint Hospital (Small-pox; St. Helens C.B.) ..	—	—	—
		Haydock Lodge Lunatic Asylum .. ..	16	7	9
	2. Winwick .. ..	County Lunatic Asylum, Winwick Hall .. ..	194	63	131
	3. Sankey .. ..	Sanatorium (Small-pox; Warrington C.B.) ..	—	—	—
	4. Warrington .. ..	WORKHOUSE .. ..	159	89	70
		Warrington Infirmary and Dispensary .. ..	42	26	16
		Infectious Diseases Hospital (Warrington C.B.)	24	15	9
	5. Rixton .. ..	WORKHOUSE (Padgate Industrial School) ..	—	—	—
460.—LEIGH ..	2. Culcheth .. ..	Small-pox Hospital (Leigh Joint Hospital Board)	—	—	—
	3. Leigh .. ..	Leigh Infirmary .. ..	19	13	6
	4. Atherton .. ..	WORKHOUSE and Infirmary .. ..	99	65	34
		Leigh M.B. Sanatorium .. ..	24	18	6
461.—BOLTON ..	1. Farnworth .. ..	WORKHOUSE .. ..	323	206	117
		Fever Hospital (Farnworth, Little Hulton, and Little Lever Urban Districts) .. ..	11	3	8
		Temporary Small-pox Hospital (Farnworth, Little Hulton, and Little Lever Urban Districts)	—	—	—
	2. South West Bolton ..	Western Fever Hospital (Bolton C.B.) .. ..	18	8	10
		Eastern Fever Hospital (Bolton C.B.) .. ..	13	5	8
		Infirmary and Dispensary .. ..	142	85	57
	4. Horwich .. ..	Fall Birch Infectious Diseases Hospital (Horwich, Westhoughton, and Blackrod Urban Districts) ..	16	6	10
	6. Turton .. ..	Blair Convalescent Hospital .. ..	—	—	—
462.—BURY ..	1. Ramsbottom .. ..	Memorial Cottage Hospital .. ..	12	5	7
	3. Elton .. ..	Florence Nightingale Hosp. (Infect. Dis.; Bury C.B. and Radcliffe U.D.) .. ..	19	10	9
		Small-pox Hosp. (Joint Hosp. Com., incl. Bury C.B.)	—	—	—
	4. North Bury .. ..	WORKHOUSE .. ..	183	108	75
		Bury Dispensary and Hospital .. ..	46	26	20
		Robinson Kay Home and Hospital for Incurables	5	—	5
	5. Heywood .. ..	Infectious Diseases Hospital (Heywood M.B.) ..	—	—	—
	7. Radcliffe .. ..	Bealey Memorial Convalescent Hospital .. ..	1	1	—
8. Whitefield†					
463.—BARTON UPON IRWELL	1. Worsley .. ..	WORKHOUSE (Industrial Schools; Manchester) ..	—	—	—
		Small-pox Hospital (Worsley U.D. and Swinton and Pendlebury U.D.) .. ..	—	—	—
	2. Barton .. ..	WORKHOUSE and Infirmary .. ..	138	68	70
		Eccles and Patricroft Hospital .. ..	3	1	2
464.—CHORLTON ..	3. Stretford .. ..	Cottage Hospital, Urmston .. ..	3	2	1
464.—CHORLTON ..	1. Didsbury .. ..	WORKHOUSE and Schools .. ..	935	525	410
	2. Ardwick .. ..	Isolation Hospital (Gorton U.D.) .. ..	2	2	—
	3. Chorlton upon Medlock†	Manchester Southern Hosp. (Women and Childn.)	10	6	4
		Royal Eye Hospital .. ..	1	—	1
		Maternity Hospital (Branch of Southern Hospital)	—	—	—
		Cancer Hospital (temporary) .. ..	42	17	25

\* 457: 5.—In Shaftesbury House, a private Lunatic Asylum, 7 deaths occurred during the year.

† 462: 8.—In Overdale, a private Lunatic Asylum, no death occurred during the year.

‡ 464: 3.—In the Home of the Little Sisters of the Poor, 30 deaths occurred during the year.



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
35.—Lancashire—continued.					
465.—SALFORD ..	1. Pendleton .. ..	WORKHOUSE Infirmary (Hope Hospital) .. ..	556	350	206
		Children's Hospital .. ..	137	79	58
		Bethesda Home for Incurable Children .. ..	2	2	—
		Salford Royal Hospital .. ..	195	121	74
		WORKHOUSE .. ..	20	12	8
466.—MANCHESTER	1. Ancoats .. ..	Ladywell Sanatorium (Salford C.B.) .. ..	161	73	88
		WORKHOUSE (Chorlton and Manchester Casual Ward and Test House) .. ..	—	—	—
		Ardwick and Ancoats Hospital.. ..	207	123	84
		WORKHOUSE .. ..	—	—	—
		Royal Infirmary and Dispensary .. ..	586	365	221
467.—PRESTWICH..	2. Central .. ..	St. Mary's Hospital (Women and Children).. ..	96	31	65
		Lock Hospital.. ..	—	—	—
		Ear Hospital .. ..	9	2	7
		Eye and Ear Hospital (St. John's Street) .. ..	1	—	1
		Hospital for Skin Diseases .. ..	1	—	1
468.—ASHTON UNDER LYNE	1. Newton*.. ..	Monsall Fever Hospital (City of Manchester) ..	164	69	95
		Clayton Vale Hosp. (Phthisis; City of Manchester)	15	8	7
		WORKHOUSE (Manchester) .. ..	826	527	299
		WORKHOUSE (Prestwich) .. ..	229	112	117
		Northern Hospital .. ..	72	20	52
469.—OLDHAM ..	2. Cheetham .. ..	Jewish Hospital .. ..	14	8	6
		Drinkwater Park Hosp. (Sm.-pox; Salford C.B., &c.)	—	—	—
		County Lunatic Asylum .. ..	253	146	107
		WORKHOUSE .. ..	227	130	97
		District Infirmary .. ..	73	49	24
470.—ROCHDALE..	3. Ashton Town ..	Borough Hospital (Infectious Diseases) .. ..	3	—	3
		Small-pox Hospital (Oldham C.B.) .. ..	—	—	—
		WORKHOUSE .. ..	405	249	156
		Westhulme Hospital (Infect. Dis.; Oldham C.B.) ..	13	9	4
		Infirmary .. ..	112	71	41
471.—HASLINGDEN	3. Oldham South ..	Cinder Hill Small-pox Hospital (Chadderton U.D.)	—	—	—
		WORKHOUSE Branch (Fir Bank Children's Hosp.)	—	—	—
		6. Royton .. ..	—	—	—
		Marland Hospital (Infectious Diseases; Rochdale C.B. and Middleton M.B.) .. ..	20	5	15
		Infirmary and Dispensary .. ..	58	39	19
472.—BURNLEY ..	5. Wardleworth ..	WORKHOUSE .. ..	252	156	96
		WORKHOUSE Cottage Homes .. ..	—	—	—
		Isolation Hospital (Littleborough U.D., Milnrow U.D., and Wardle U.D.).. ..	2	2	—
		7. Littleborough ..	—	—	—
		WORKHOUSE .. ..	101	65	36
473.—CLITHEROE..	1. Rawtenstall ..	Small-pox Hospital (Rawtenstall M.B.) .. ..	—	—	—
		Clod Small-pox Hospital (Haslingden M.B.) ..	—	—	—
		Small-pox Hospital (Accrington M.B.) .. ..	—	—	—
		Victoria Cottage Hospital .. ..	33	18	15
		WORKHOUSE .. ..	325	195	130
474.—BLACKBURN	1. East Ward .. ..	Sanatorium (Burnley C.B. and R.D., Brierfield U.D., and Padiham U.D.) .. ..	25	10	15
		Isolation Hospital, Briercliffe Road, (Small-pox Observation Cases, Burnley C.B.) .. ..	—	—	—
		Victoria Hospital .. ..	91	54	37
		Small-pox Hospital (Burnley C.B. & R.D., Brierfield U.D., and Padiham U.D.) .. ..	—	—	—
		Small-pox Hospital (Nelson M.B.) .. ..	—	—	—
475.—BURNLEY ..	2. West Ward .. ..	Cottage Hospital .. ..	5	3	2
		Small-pox Hospital (Colne M.B.) .. ..	—	—	—
		4. Nelson† .. ..	—	—	—
		5. Colne .. ..	—	—	—
		WORKHOUSE .. ..	25	15	10
476.—BURNLEY ..	4. Clitheroe .. ..	WORKHOUSE .. ..	25	15	10
		WORKHOUSE .. ..	—	—	—
		WORKHOUSE, Epileptic Colony (Chorlton and Manchester) .. ..	5	2	3
		WORKHOUSE Cottage Homes .. ..	—	—	—
		WORKHOUSE .. ..	239	148	91
477.—BLACKBURN	4. Blackburn Northern	WORKHOUSE Cottage Homes .. ..	—	—	—
		Blackburn and East Lancashire Infirmary.. ..	117	74	43
		Fever Hospital (Blackburn C.B.) .. ..	25	10	15
		6. Blackburn Southern..	—	—	—
		Bull Hill Hospital for Infect. Dis. (Darwen M.B.)	1	1	—
478.—BLACKBURN	8. Darwen .. ..	WORKHOUSE .. ..	—	—	—
		WORKHOUSE .. ..	—	—	—
		WORKHOUSE .. ..	—	—	—
		WORKHOUSE .. ..	—	—	—
		WORKHOUSE .. ..	—	—	—

\* 467: 1.—In the Home for Aged Poor, Culcheth Hall, 46 deaths occurred during the year  
† 472: 4.—In Marsden Hall, a private Lunatic Asylum, 2 deaths occurred during the year.

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
35.—Lancashire—continued.					
475.—CHORLEY ..	1. Brindle .. ..	Small-pox Hosp., Hoghton (Blackburn C.B.) ..	—	—	—
		Isolation Hospital (Withnell U.D.) .. ..	—	—	—
	3. Rivington .. ..	Infectious Diseases Hospital (Chorley M.B., Chorley R.D. Adlington U.D., and Leyland U.D.)	2	2	—
	4. Chorley .. ..	WORKHOUSE .. ..	43	30	13
		Rawcliffe Hospital .. ..	22	11	11
476.—PRESTON ..	3. North Preston ..	Royal Infirmary (including Harris Infect. Wards)	102	50	52
		Holme Slack Small-pox Hospital (Preston M.B.)..	—	—	—
		Nurses Home and Preston Private Hospital ..	6	3	3
		Isolation Hospital (Preston C.B.) .. ..	9	5	4
	4. West Preston ..	St. Joseph's Hospital .. ..	6	1	5
	5. Walton le Dale ..	Bradkirk Small-pox Hosp. (Walton le Dale U.D.)..	—	—	—
		Infectious Diseases Hosp. (Walton le Dale U.D.) ..	—	—	—
	6. Alston .. ..	WORKHOUSE .. ..	9	8	1
	7. Broughton .. ..	WORKHOUSE .. ..	222	117	105
		Military Hospital (Garrison Hospital) .. ..	2	2	—
		County Lunatic Asylum, Whittingham .. ..	167	82	85
477.—FYLDE ..	1. Kirkham .. ..	{ WORKHOUSE .. ..	53	30	23
		{ WORKHOUSE, Children's Home .. ..	—	—	—
		Moss Side Fever Hospital (Joint Hospital Board)	4	2	2
	2. Lytham .. ..	Cottage Hospital .. ..	4	—	4
		Abraham Ormerod Convalescent Home .. ..	—	—	—
	3. Blackpool .. ..	Sanatorium (Blackpool C.B.) .. ..	15	5	10
		Victoria Hospital .. ..	38	25	13
		Co-operative Convalescent Home .. ..	1	1	—
	4. Fleetwood .. ..	Fleetwood Cottage Hospital .. ..	11	7	4
		Small-pox Hospital (Joint Hospital Board) ..	—	—	—
478.—GARSTANG ..	3. Garstang .. ..	WORKHOUSE .. ..	3	3	—
479.—LANCASTER	2. Heaton .. ..	Sanatorium (Morecambe M.D.) .. ..	1	—	1
		Queen Victoria Cottage Hospital .. ..	8	4	4
	3. Lancaster .. ..	WORKHOUSE .. ..	54	34	20
		Infirmary and Dispensary .. ..	41	22	19
		Luneside Hospital (Inf. Dis.; Lancaster M.B.) ..	4	3	1
		County Lunatic Asylum, Lancaster Moor .. ..	222	117	105
		Royal Albert Asylum for Idiots .. ..	25	16	9
480.—LUNESDALE	2. Wray .. ..	WORKHOUSE .. ..	1	1	—
		Small-pox Hospital, Hornby (Lunesdale R.D.) ..	—	—	—
481.—ULVERSTON	3. Ulverston .. ..	WORKHOUSE .. ..	27	11	16
		Cottage Hospital .. ..	7	4	3
		High Carley Sanatorium (Ulverston Jt. Hosp. Bd)	—	—	—
482.—BARROW IN FURNESS	1. Barrow in Furness ..	WORKHOUSE and Infirmary .. ..	63	43	20
		WORKHOUSE Grouped Cottage Homes .. ..	—	—	—
		North Lonsdale Hospital .. ..	43	31	12
		Small-pox Hospital (Barrow in Furness C.B.) ..	—	—	—
		Cholera Hospital (Barrow in Furness C.B.) ..	—	—	—
		Infectious Dis. Hosp. (Barrow in Furness C.B.) ..	1	1	—
IX.—YORKSHIRE.					
36.—West Riding.					
483.—SEDBERGH ..	1. Sedbergh .. ..	WORKHOUSE .. ..	2	2	—
484.—SETTLE ..	2. Settle .. ..	WORKHOUSE and Fever Hospital .. ..	13	10	3
485.—SKIPTON ..	3. Barnoldswick ..	Isolation Hospital (Barnoldswick U.D.) .. ..	—	—	—
	5. Skipton .. ..	WORKHOUSE and Infirmary (Skipton Union) ..	33	21	12
		WORKHOUSE Infirmary, Consumption Sana- torium (Bradford).. ..	1	1	—
		Joint Fever Hospital (Skipton U.D., Silsden U.D., and Skipton R.D.).. ..	5	4	1
		Skipton and District Cottage Hospital .. ..	7	5	2
486.—PATELEY BRIDGE	2. Pateley Bridge ..	WORKHOUSE .. ..	14	10	4
487.—RIPON ..	2. Ripon .. ..	WORKHOUSE .. ..	20	13	7
		Dispensary and Cottage Hospital .. ..	4	3	1
		Infectious Diseases Hosp. (Ripon R.D. & Wath R.D.)	—	—	—
		Small-pox Hospital (Ripon R.D. and Wath R.D.)	—	—	—
488.—GREAT OUSEBURN	2. Whixley .. ..	WORKHOUSE .. ..	4	3	1
	3. Poppleton .. ..	Fever Hospital (Great Ouseburn R.D.) .. ..	1	1	—
		Small-pox Isolation Hospital (Great Ouseburn R.D.)	—	—	—



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
36.—West Riding—continued.					
489.—KNARES-BOROUGH	1. Knaresborough	WORKHOUSE ..	23	9	14
		Inf. Dis. Hosp. (Harrogate M.B. & Knaresborough U.D. & R.D.) ..	9	5	4
	2. Harrogate	Royal Bath Hospital and Rawson Conv. Home ..	1	1	—
		Harrogate Infirmary ..	42	23	19
		Home for Incurables ..	6	2	4
		Heatherdene Convalescent Home ..	—	—	—
490.—WETHERBY	1. Wetherby	WORKHOUSE ..	2	2	—
		Isolation Hospital (Wetherby R.D.) ..	2	—	2
491.—WHARFE-DALE	1. Horsforth	Convalescent Home..	—	—	—
		Ida Hospital (connected with Leeds Gen. Infirmary)	4	3	1
		Woodlands Convalescent Home (Branch of Bradford Royal Infirmary) ..	2	2	—
		Springfield Convalescent Home (Leeds Workpeople Hospital Fund) ..	—	—	—
		WORKHOUSE ..	35	21	14
	2. Fewston	WORKHOUSE ..	7	3	4
		Fever Hospital (Otley U.D.) ..	180	94	86
	3. Otley	West Riding Lunatic Asylum, Menston ..	32	20	12
		West Riding Lunatic Asylum, Scalebor Park ..	—	—	—
	4. Ilkley	Semon Convalescent Home (Brad. Corp.) ..	—	—	—
		Cottage Hospital (Infect. Diseases; Ilkley U.D.)	—	—	—
		Ilkley Hospital and Convalescent Home ..	1	—	1
Ilkley Coronation Hospital		2	1	1	
5. Yeadon	Small-pox Hosp. (Wharfedale Jnt. Hosp. Comm.)	—	—	—	
492.—KEIGHLEY ..	1. Bingley	Cottage Hospital	8	6	2
		Joint Inf. Dis. Hosp. (Keighley M.B. & Bingley U.D.)	13	8	5
	2. Keighley	WORKHOUSE and Infirmary ..	92	54	38
		Victoria Hospital ..	28	15	13
493.—TODMORDEN	2. Todmorden	WORKHOUSE ..	43	27	16
		Small-pox Hospital (Urban & Rural Districts in Todmorden Reg. Dist. and Bacup M.B.) ..	—	—	—
		Fielden Hospital (Infectious Diseases; Urban & Rural Dists. in Todmorden Reg. Dist.) ..	4	4	—
494.—SADDLE-WORTH	2. Saddleworth	WORKHOUSE ..	9	3	6
		Small-pox Hosp., Runninghill (Saddleworth U.D.)	—	—	—
495.—HUDDERS-FIELD	2. Honley	WORKHOUSE ..	32	19	13
		Convalescent Home..	—	—	—
		Moor Top Small-pox Hosp. (Colne & Holme Jt. Bd.)	—	—	—
		Isolation Hospital (Colne & Holme Jt. Bd.) ..	19	6	13
	5. Kirkburton	West Riding Lunatic Asylum (Storches Hall) ..	36	25	11
	6. Almondbury	Huddersfield Sanatorium, Dalton ..	16	11	5
	8. Huddersfield	Huddersfield Infirmary ..	138	84	54
		Birkby Fever Hospital (Huddersfield C.B.) ..	—	—	—
	9. Lockwood	Nursing Home, Trinity Street ..	4	3	1
		WORKHOUSE and Fever Hospital ..	119	76	43
496.—HALIFAX ..	1. Brighouse	Brighouse Joint Hospital (Infectious Diseases; Halifax R.D. and three Urban Districts) ..	4	—	4
		WORKHOUSE ..	8	2	6
	2. Halifax	WORKHOUSE Infirmary (Poor Law Hospital) ..	231	130	101
		Royal Halifax Infirmary ..	126	77	49
		Borough Fever Hospital ..	15	10	5
		Hollin Heys Hosp. (Inf. Dis.; five Urban Districts)	—	—	—
	5. Sowerby	Cottage Hospital (Inf. Dis.; Sowerby Bridge U.D.)	1	—	1
	6. Luddenden	Small-pox Hospital (Sowerby U.D.) ..	—	—	—
		Infectious Diseases Hospital (Halifax C.B., Luddenden Foot U.D. and Midgley U.D.) ..	—	—	—
	7. Northowram	Infectious Diseases Hospital (Queensbury U.D.) ..	—	—	—
		Small-pox Hospital (Halifax C.B.) ..	—	—	—
497a.—BRADFORD	2. Bradford East	Fever Hospital (City of Bradford) ..	39	23	16
		Bradford Royal Infirmary ..	212	118	94
	3. Bradford West	Royal Eye and Ear Hospital ..	9	6	3
		Hospital for Sick Children of the Poor ..	53	25	28
		St. Catherine's Home for Incurables ..	19	1	18
	4. Horton	WORKHOUSE ..	471	281	190
	WORKHOUSE, Children's Homes ..	1	—	1	
497b.—NORTH BIERLEY	1. Cleckheaton	North Bierley Joint Inf. Dis. Hosp. (City of Bradford, Hunsworth U.D., and Cleckheaton U.D.) ..	4	3	1
		Small-pox Hospital (Cleckheaton U.D.) ..	—	—	—
	3. North Bierley	Small-pox Hospital (City of Bradford) ..	—	—	—

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
36.—West Riding—continued.					
497b.—NORTH BIERLEY—cont.	4. Thornton .. ..	WORKHOUSE .. .. .	107	65	42
		WORKHOUSE Cottage Homes for Children .. ..	—	—	—
		Inf. Dis. Hosp. (City of Bradford & Clayton U.D.) ..	2	1	1
	6. Shipley .. ..	Salt's Hospital, Saltaire .. .. .	4	2	2
		Stonybridge Hospital (Infect. Dis.; Shipley U.D.) ..	3	2	1
	8. Calverley .. ..	Calverley Joint Inf. Dis. Hosp. (City of Bradford, Pudsey M.B., Calverley U.D. & Farsley U.D.) ..	1	1	—
498.—HUNSLET ..	3. Rothwell .. ..	WORKHOUSE .. .. .	60	39	21
		WORKHOUSE, Children's Homes .. .. .	—	—	—
		Small-pox Hospital (Rothwell U.D.) .. .. .	—	—	—
		Small-pox Hospital (Hunslet R.D.) .. .. .	—	—	—
		Isolation Hospital (Rothwell U.D., Methley U.D. and Hunslet R.D.) .. .. .	1	1	—
499.—HOLBECK ..	1. Holbeck .. ..	WORKHOUSE .. .. .	33	22	11
500.—BRAMLEY ..	3. Wortley .. ..	WORKHOUSE .. .. .	77	40	37
		Hospital for Consumption .. .. .	24	18	6
501.—LEEDS ..	2. North Leeds .. ..	WORKHOUSE and Infirmary .. .. .	476	293	183
	3. West Leeds* .. ..	General Infirmary .. .. .	475	299	176
		Hospital for Women and Children .. .. .	40	9	31
	5. Chapeltown .. ..	City Small-pox Hospital (Killingbeck) .. .. .	—	—	—
		City of Leeds Fever Hospital (Seacroft) .. ..	120	68	52
502.—DEWSBURY..	1. Morley .. ..	Infectious Diseases Hospital (Morley M.B.) ..	1	1	—
	2. Batley .. ..	District Hospital .. .. .	17	10	7
		Isolation Hospital (Batley M.B.) .. .. .	—	—	—
	3. Gomersal .. ..	Oakwell Isolation Hospital (Joint Board) .. ..	—	—	—
	5. Mirfield .. ..	Memorial Cottage Hospital .. .. .	5	4	1
		Crossley Infectious Diseases Hosp.(Liversedge U.D. and Mirfield U.D.) .. .. .	2	—	2
	6. Dewsbury .. ..	WORKHOUSE .. .. .	138	73	65
		Dewsbury District General Infirmary .. .. .	38	24	14
	7. Soothill .. ..	Infect. Dis. Hosp. (Dewsbury Joint Hosp. Board)	4	2	2
	8. Ossett .. ..	Small-pox Hospital (Ossett M.B.) .. .. .	—	—	—
	9. Thornhill .. ..	Small-pox Isolation Hospital (Thornhill U.D.) ..	—	—	—
503.—WAKEFIELD	2. Sandal .. ..	Isolation Hospital (Sandal Magna U.D.) .. ..	—	—	—
	3. Horbury .. ..	Small-pox Hospital, Addington (Horbury U.D.) ..	—	—	—
	4. Wakefield .. ..	WORKHOUSE .. .. .	95	61	34
		Clayton Hospital & Wakefield General Dispensary ..	68	37	31
		Fever Hospital (City of Wakefield) .. .. .	5	2	3
		West Riding Lunatic Asylum, Wakefield .. ..	259	142	117
	6. Stanley .. ..	Isolation Hospital (Ardley U.D. & Wakefield R.D.)	2	1	1
	Stanley Cottage Hospital .. .. .	—	—	—	
	7. Normanton .. ..	Small-pox Hospital (Normanton U.D.) .. .. .	—	—	—
504.—PONTEFRACT	3. Pontefract .. ..	WORKHOUSE .. .. .	57	34	23
		Joint Isolation Hospital (Pontefract M.B. and R.D. and Knottingley U.D.) .. .. .	4	3	1
		General Dispensary and Infirmary .. .. .	4	2	2
		Small-pox Hospital (Featherstone U.D.) .. .. .	—	—	—
	4. Castleford .. ..	Infectious Diseases Hospital (Whitwood U.D.) ..	—	—	—
		Isolation Hospital (Methley U.D.) .. .. .	—	—	—
		Red Hill Isolation Hospital (Castleford U.D.) ..	—	—	—
505.—HEMSWORTH	2. Hemsworth Western	WORKHOUSE .. .. .	19	16	3
		Infectious Diseases Hospital (Hemsworth R.D.) ..	3	2	1
506.—BARNSELY ..	2. Barnsley .. ..	WORKHOUSE .. .. .	105	70	35
		Beckett's Hospital and Dispensary .. .. .	69	40	29
		Kendray Hospital (Barnsley M.B.) .. .. .	29	14	15
		Small-pox Hospital (Barnsley M.B.) .. .. .	—	—	—
507.—WORTLEY ..	3. Penistone .. ..	WORKHOUSE (Penistone) .. .. .	14	12	2
		Infect. Dis. Hosp. (Penistone Hospital District) ..	—	—	—
	5. Ecclesfield .. ..	WORKHOUSE (Wortley) .. .. .	24	18	6
		Infectious Diseases Hospital (Wortley R.D.) .. ..	4	—	4
		West Riding Lunatic Asylum, Wadsley .. ..	166	91	75
	6. Bradfield .. ..	Isolation Hospital (Stocksbridge U.D.) .. .. .	—	—	—
508.—ECCLESALL BIERLOW	2. Ecclesall West Cen- tral.	WORKHOUSE Cottage Homes (Sheffield) .. ..	—	—	—
		Lodge Moor Hosp. (Infect. Dis.; City of Sheffield)	108	59	49
		Crimicar Lane Hosp. (Sm.-pox; City of Sheffield)	—	—	—
		Children's Hospital .. .. .	41	28	13

\* 501 : 3.—In the Little Sisters' Home (Consort Terrace Hospital), 40 deaths occurred during the year.



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
36.—West Riding—continued.					
508.—ECCLESALL BIERLOW—cont.	5. Ecclesall South .. ..	WORKHOUSE .. .. .	248	155	93
509.—SHEFFIELD..	1. South Sheffield .. ..	Royal Hospital .. .. .	194	128	66
		Jessop Hospital for Women .. .. .	47	6	41
	2. North Sheffield .. ..	Royal Infirmary .. .. .	259	160	99
		Fever Hospital (City of Sheffield) .. .. .	—	—	—
	3. Sheffield Park .. ..	WORKHOUSE (Children's Homes) .. .. .	—	—	—
	5. West Brightside .. ..	WORKHOUSE .. .. .	98	61	37
		WORKHOUSE Infirmary (Union Hospital) .. .. .	525	331	194
510.—ROTHERHAM		WORKHOUSE (Children's Homes) .. .. .	—	—	—
	6. East Brightside .. ..	Children's Hospital (Wicker) .. .. .	1	—	1
	1. Aston .. ..	Isolation Hospital (Rotherham R.D., Handsworth U.D.) and Kiveton Park R.D.) .. .. .	8	4	4
	2. South East Rotherham	WORKHOUSE .. .. .	107	70	37
		Hospital and Dispensary .. .. .	58	35	23
		Small-pox Hospital (Rotherham C.B.) .. .. .	—	—	—
		Isolation Hospital (Rotherham C.B.) .. .. .	7	1	6
511.—DONCASTER	3. North West Rotherham*				
	4. Rawmarsh .. ..	Fever Hospital (Rawmarsh U.D.) .. .. .	2	1	1
	5. Wath .. ..	Temporary Infec. Dis. Hospital (Rotherham R.D.) .. .. .	10	6	4
	1. Tickhill .. ..	WORKHOUSE .. .. .	93	65	28
		Small-pox Hospital (Doncaster M.B.) .. .. .	—	—	—
	2. Barmbrough .. ..	Montague Cottage Hospital .. .. .	16	11	5
		Infectious Diseases Hospital (Mexborough U.D. and Doncaster R.D.) .. .. .	8	5	3
512.—THORNE ..		Fullerton Hospital (Accidents) .. .. .	5	4	1
		Royal Infirmary and Dispensary .. .. .	38	23	15
		Carr House Hosp. for Infect. Dis. (Doncaster M.B.) .. .. .	2	2	—
	2. Thorne .. ..	WORKHOUSE .. .. .	15	10	5
513.—GOOLE ..	2. Goole .. ..	WORKHOUSE .. .. .	30	22	8
		Fever Hospital (Goole U.D.) .. .. .	7	1	6
		Small-pox Hospital (Goole U.D.) .. .. .	—	—	—
		Cottage Hospital .. .. .	4	3	1
514.—SELBY ..	2. Selby .. ..	WORKHOUSE .. .. .	9	5	4
		Gateforth Hall Sanatorium (Tuberculosis) .. .. .	2	—	2
		Brook Cottage Hospital .. .. .	—	—	—
515.—TADCASTER..		Isolation Hospital (Selby U.D. and R.D.) .. .. .	2	2	—
	1. Aberford .. ..	Cliffe Isolation Hospital (Tadcaster R.D.) .. .. .	—	—	—
	2. Tadcaster .. ..	WORKHOUSE .. .. .	20	14	6
	3. Sherburn .. ..	Small-pox Hospital (Joint Hospital Board) .. .. .	—	—	—
37.—East Riding (with York).					
516.—YORK.. ..	1. Skelton .. ..	York Infectious Hospital .. .. .	8	4	4
		York Small-pox Hospital .. .. .	—	—	—
		North Riding Lunatic Asylum .. .. .	122	54	68
	2. York East† .. ..	WORKHOUSE .. .. .	131	84	47
		Military Hospital .. .. .	4	4	—
		County Hospital .. .. .	92	53	39
		York Lunatic Hospital (Bootham Park Asylum) .. .. .	5	3	2
		The Retreat (Lunatic Hospital) .. .. .	14	6	8
	5. Escrick .. ..	York City Lunatic Asylum .. .. .	29	17	12
	6. Dunnington .. ..	Muncaster House (Convalescent Branch of York City Fever Hospital) .. .. .	—	—	—
517.—POCKLINGTON	2. Pocklington .. ..	WORKHOUSE .. .. .	8	5	3
518.—HOWDEN ..	3. Howden .. ..	WORKHOUSE .. .. .	18	10	8
		Isolation Hospital (Howden R.D.) .. .. .	1	—	1
519.—BEVERLEY ..	2. Beverley .. ..	WORKHOUSE .. .. .	24	13	11
		Cottage Hospital .. .. .	4	2	2
		East Riding Lunatic Asylum .. .. .	51	24	27
520.—SCULCOATES	1. Southcoates .. ..	Evan Fraser Hospital (Small-pox,&c., City of Hull) .. .. .	4	2	2
	2. Cottingham .. ..	Hull City Lunatic Asylum .. .. .	96	60	36
	4. Hessle .. ..	WORKHOUSE (Cottage Homes) .. .. .	—	—	—
	6. Drypool .. ..	Sanatorium (City of Hull) .. .. .	42	32	10
	7. East Sculcoates .. ..	WORKHOUSE .. .. .	181	109	72
	8. West Sculcoates .. ..	Hospital for Women and Orthopædics .. .. .	6	—	6

\* 510: 3.—In Thundercliffe Grange, a private Lunatic Asylum, no death occurred during the year.  
† 516: 2.—In the Pleasaunce, a private Lunatic Asylum, 3 deaths occurred during the year.

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
37.—East Riding—continued.					
521.—HULL.. ..	1. Humber .. ..	Royal Infirmary .. ..	219	133	86
	2. Myton .. ..	WORKHOUSE .. ..	189	122	67
522.—PATRINGTON	1. Patrington .. ..	Victoria Hospital for Sick Children .. ..	63	37	26
		Marine Hospital (R.N.) .. ..	—	—	—
		WORKHOUSE .. ..	3	—	3
		(Hull and East Riding Convalescent Home Sanatorium (Consumption) .. ..	—	—	—
523.—SKIRLAUGH	2. Skirlaugh .. ..	WORKHOUSE .. ..	3	1	2
524.—DRIFFIELD ..	2. Driffeld .. ..	WORKHOUSE .. ..	21	14	7
		Cottage Hospital .. ..	—	—	—
525.—BRIDLINGTON	2. Bridlington .. ..	WORKHOUSE .. ..	9	6	3
		Lloyd Hospital .. ..	6	4	2
		St. Anne's Convalescent Home .. ..	2	1	1
		Sanatorium (Bridlington M.B.) .. ..	—	—	—
38.—North Riding.					
526.—SCAR-BOROUGH	2. Scarborough .. ..	WORKHOUSE .. ..	71	41	30
		Scarborough Hospital and Dispensary .. ..	40	27	13
		Royal Northern Sea Bathing Infirmary .. ..	1	1	—
		Cottage Hospital .. ..	—	—	—
		Sanatorium (Scarborough M.B.) .. ..	3	1	2
527.—MALTON ..	3. Malton .. ..	WORKHOUSE .. ..	24	15	9
528.—EASINGWOLD	2. Easingwold .. ..	Malton, Norton and District Cottage Hospital .. ..	—	—	—
		WORKHOUSE .. ..	7	4	3
529.—THIRSK ..	2. Thirsk .. ..	St. Monica's Cottage Hospital .. ..	1	1	—
		WORKHOUSE .. ..	8	6	2
		Lambert Memorial Hospital .. ..	2	—	2
530.—HELMSLEY ..	1. Helmsley .. ..	WORKHOUSE (Helmsley) .. ..	10	7	3
		3. Kirkby Moorside .. ..	5	3	2
531.—PICKERING ..	2. Pickering .. ..	WORKHOUSE (Kirkby Moorside) .. ..	9	7	2
532.—WHITBY ..	2. Whitby .. ..	WORKHOUSE .. ..	6	2	4
		Infectious Diseases Hospital (Whitby U.D.) .. ..	4	2	2
		Cottage Hospital, Whitby .. ..	2	1	1
533.—GUIS-BOROUGH	1. Loftus .. ..	Cleveland Cottage Hospital .. ..	—	—	—
		Miners' Hospital, Skinningrove .. ..	1	1	—
		Isolation Hospital (Loftus U.D.) .. ..	—	—	—
		Miners' Hospital (Skelton and Brotton) .. ..	—	—	—
	2. Skelton .. ..	Convalescent Home, Saltburn .. ..	—	—	—
		Convalescent Home, Coatham .. ..	—	—	—
		Miners' Hospital, Marske .. ..	—	—	—
		Fever Hospital (Redcar U.D.) .. ..	—	—	—
	3. Marske .. ..	Sanatorium for Small-pox (Redcar U.D., Saltburn by the Sea U.D. and Guisborough R.D.) .. ..	—	—	—
		WORKHOUSE .. ..	13	9	4
		Hospital for Iron Miners .. ..	1	1	—
		Sanatorium (Guisborough U.D.) .. ..	—	—	—
534.—MIDDLES-BROUGH	1. Middlesbrough*	WORKHOUSE .. ..	211	147	64
		WORKHOUSE (Cottage Homes) .. ..	—	—	—
		WORKHOUSE (Children's Hospital) "Broomlands" .. ..	3	1	2
		North Riding Infirmary .. ..	86	57	29
	2. Ormesby.. ..	Middlesbrough Borough Sanatorium .. ..	28	15	13
		Middlesbrough Borough Lunatic Asylum .. ..	42	31	11
		North Ormesby Cottage Hospital .. ..	59	37	22
		Eston Hospital .. ..	16	14	2
	3. Thornaby .. ..	Eston Urban District Sanatorium .. ..	3	3	—
		Fever Hospital (Ormesby U.D.) .. ..	—	—	—
		Small-pox Hosp. (Middlesbrough C.B.) .. ..	—	—	—
		535.—STOKESLEY..	1. Stokesley .. ..	WORKHOUSE .. ..	5
536.—NORTHALL- LERTON	2. Northallerton .. ..	WORKHOUSE .. ..	12	7	5
		Rutson Hospital .. ..	3	3	—
		Fever Hospital, Northallerton (Northallerton Union) .. ..	—	—	—
		Fever Hospital, Romanby (Northallerton U.D.) .. ..	—	—	—

\* 534, 1.—In Nazareth House, 4 deaths occurred during the year.



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION	DEATHS.				
			Persons.	Males.	Females.		
38.—North Riding—continued.							
537.—BEDALE ..	1. Bedale .. ..	WORKHOUSE .. ..	7	4	3		
538.—LEYBURN ..	2. Leyburn .. ..	WORKHOUSE .. ..	2	1	1		
539.—AYSGARTH ..	1. Askrigg .. ..	WORKHOUSE .. ..	2	2	—		
540.—REETH ..	2. Reeth .. ..	WORKHOUSE .. ..	—	—	—		
541.—RICHMOND ..	1. Richmond .. ..	WORKHOUSE .. ..	8	6	2		
		Cottage Hospital (Infect. Dis.; Richmond M.B.) ..	—	—	—		
	2. Catterick .. ..	Victoria Cottage Hospital .. ..	4	1	3		
		St. John of God's Hospital .. ..	20	20	—		
X.—NORTHERN.							
39.—Durham.							
542.—DARLINGTON	1. Hurworth* .. ..	Ropner Convalescent Home .. ..	—	—	—		
	2. Darlington .. ..	WORKHOUSE .. ..	42	30	12		
		Darlington Hospital .. ..	47	29	18		
		Borough Hospital (Darlington Fever Hospital) ..	9	2	7		
		Small-pox Hospital (Darlington M.B.) .. ..	—	—	—		
543a.—STOCKTON ..	1. Stockton.. ..	WORKHOUSE .. ..	105	74	31		
		WORKHOUSE Cottage Homes .. ..	—	—	—		
		Stockton and Thornaby Hospital .. ..	46	29	17		
		Floating Hospital (Port Sanitary Authority)	—	—	—		
		Infectious Dis. Hospital (Stockton on Tees M.B.) ..	12	7	5		
543b.—SEDFIELD	1. Sedgfield .. ..	Small-pox Hospital (Stockton on Tees M.B.) ..	—	—	—		
		WORKHOUSE .. ..	8	6	2		
		Isolation Hospital (Sedgfield R.D.) .. ..	3	2	1		
		County Lunatic Asylum .. ..	184	112	72		
		County Lunatic Asylum (Trimdon House Branch) ..	—	—	—		
544.—HARTLEPOOL	1. Hartlepool .. ..	WORKHOUSE .. ..	117	78	39		
		Hartlepoons Hospital .. ..	25	17	8		
		Port Sanitary Hospital .. ..	3	—	3		
		Cameron Hospital .. ..	38	22	16		
545.—AUCKLAND ..	1. Bishop Auckland ..	WORKHOUSE .. ..	61	45	16		
		Inf. Dis. Hosp., Helmington Row (Joint Board) ..	6	4	2		
		Inf. Dis. Hosp., Tindale Crescent (Joint Board) ..	6	5	1		
		Small-pox Hospital (Joint Board) .. ..	—	—	—		
		Inf. Dis. Hosp. (Bishop Auckland U.D.) .. ..	1	—	1		
		Inf. Dis. Hos., Merrington Lane (Spennymoor U.D.)	2	2	—		
		Lady Eden Cottage Hospital .. ..	9	9	—		
546.—TEESDALE ..	2. Barnard Castle ..	WORKHOUSE .. ..	24	20	4		
		Infectious Diseases Hospital (Barnard Castle U.D.)	—	—	—		
	3. Middleton .. ..	Infectious Diseases Hospital (Barnard Castle R.D.)	—	—	—		
		Infec. Dis. Hos. (Barnard Castle & Startforth R.D.'s)	—	—	—		
547.—WEARDALE..	2. Stanhope .. ..	WORKHOUSE .. ..	6	2	4		
		Horn Hall Sanatorium for Phthisis .. ..	—	—	—		
548.—LANCHESTER	1. Tanfield .. ..	Tanfield Infec. Dis. Hos. (Lanchester Jnt. Hos. Brd.)	9	6	3		
	2. Consett .. ..	Fever Hosp, Leadgate (Lanchester Jnt. Hosp. Brd.)	1	—	1		
		Infirmery (Consett Iron Co.) .. ..	2	2	—		
	3. Lanchester .. ..	WORKHOUSE .. ..	45	32	13		
		Langley Park Isol. Hos. (Lanchester Jnt. Hos. Brd.)	3	2	1		
549.—DURHAM ..	1. St. Oswald .. ..	Maiden Law Phthisical Sanatorium (Lanchester Joint Hospital Board)† .. ..	4	4	—		
		WORKHOUSE .. ..	47	25	22		
		County Hospital and Infirmery .. ..	51	36	15		
		Houghall Infectious Dis. Hospital (Durham R.D.)	4	2	2		
		Brandon Fever Hosp. (Brandon & Byshottles U.D.)	—	—	—		
	2. St. Nicholas .. ..	County Lunatic Asylum (Branch), Newton Hall ..	1	1	—		
		Sherburn Hospital .. ..	8	4	4		
		Fever Hospital (City of Durham) .. ..	1	1	—		
		550.—EASINGTON..	1. Wingate .. ..	WORKHOUSE .. ..	40	24	16
				Infectious Diseases Hospital (Easington R.D.) ..	1	1	—
2. Dawdon .. ..	Seaham Harbour Infirmery .. ..			1	1	—	
		Fever Hospital (Seaham Harbour U.D.) .. ..	—	—	—		

\*542: 1.—In Dinsdale Park and Middleton Hall, two private Lunatic Asylums, 7 deaths occurred during the year.  
† Formerly Maiden Law Small-pox Hospital.





Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
40.—Northumberland—continued.					
559.—HEXHAM ..	1. Bywell .. .. . 2. Hexham .. .. .	Isolation Hospital (Hexham R.D.) .. .. .	—	—	—
		WORKHOUSE .. .. .	20	13	7
		Isolation Hospital (Hexham U.D.) .. .. .	—	—	—
		Corbridge Cottage Hospital .. .. .	2	—	2
560.—HALTWHISTLE	1. Haltwhistle .. ..	WORKHOUSE .. .. .	6	5	1
561.—BELLINGHAM	1. Bellingham .. ..	WORKHOUSE .. .. .	5	5	—
562.—MORPETH ..	1. Morpeth .. .. .  2. Bedlington .. .. 3. Ashington .. ..	WORKHOUSE .. .. .	14	10	4
		Victoria Cottage Hospital .. .. .	2	1	1
		Infectious Diseases Hospital (Morpeth M.B.) .. .. .	—	—	—
		County Lunatic Asylum .. .. .	95	52	43
		Infectious Diseases Hospital (Bedlingtonshire U.D.) .. .. .	—	—	—
		Isolation Hospital (Ashington U.D.) .. .. .	—	—	—
		Isolation Hospital (Newbiggin by the Sea U.D.) .. .. .	—	—	—
563.—ALNWICK ..	2. Alnwick .. .. .	Isolation Hospital (Morpeth R.D.) .. .. .	—	—	—
		WORKHOUSE .. .. .	13	9	4
		Alnwick Infirmary .. .. .	2	2	—
		Infectious Diseases Hosp. (Alnwick U.D.) .. .. .	2	1	1
564.—BELFORD ..	1. Belford .. .. .	WORKHOUSE .. .. .	2	2	—
565.—BERWICK ..	1. Berwick upon Tweed	WORKHOUSE .. .. .	16	12	3
		WORKHOUSE Cottage Home .. .. .	—	—	—
		Berwick Dispensary and Infirmary .. .. .	13	11	2
		Military Hospital .. .. .	1	1	—
		Port Hosp. (Infect. Dis.: Berwick upon Tweed M.B.) .. .. .	—	—	—
566.—GLENDALE ..	2. Wooler .. .. .	WORKHOUSE .. .. .	1	—	1
567.—ROTHBURY ..	1. Rothbury .. .. .	WORKHOUSE .. .. .	2	2	—
		Isolation Hospital (Rothbury U.D. and R.D.) .. .. .	1	—	1
		Coquetdale Cottage Hospital .. .. .	3	3	—
41.—Cumberland.					
568.—ALSTON ..	1. Alston .. .. .	WORKHOUSE .. .. .	1	—	1
569.—PENRITH ..	1. Penrith .. .. .  2. Greystoke .. ..	WORKHOUSE .. .. .	18	10	8
		Fever Hospital (Penrith Union) .. .. .	3	—	3
		Penrith Cottage Hospital .. .. .	6	3	3
		Blencathea Sanatorium (Consumption) .. .. .	6	3	3
570.—BRAMPTON ..	2. Brampton .. ..	WORKHOUSE .. .. .	5	3	2
571.—LONGTOWN ..	1. Longtown .. ..	WORKHOUSE .. .. .	—	—	—
572.—CARLISLE ..	2. St. Cuthbert .. ..  3. St. Mary .. .. .  5. Burgh .. .. .	WORKHOUSE (Fuse Hill) .. .. .	64	42	22
		WORKHOUSE (School), Harraby Hill .. .. .	—	—	—
		Cumberland and Westmorland Lunatic Asylum .. .. .	73	37	36
		Cumberland Infirmary .. .. .	90	54	36
		Border Counties Home for Incur. (Strathclyde Ho.) .. .. .	1	—	1
		Fever Hosp. or House of Recovery (Private Com.) .. .. .	6	2	4
		Small-pox Hospital (City of Carlisle M.B.) .. .. .	—	—	—
573.—WIGTON ..	1. Wigton .. .. . 2. Abbey Holme .. ..	WORKHOUSE .. .. .	18	13	5
		Silloth Convalescent Institution .. .. .	1	1	—
		Infectious Diseases Hosp. (Holme Cultrum U.D.) .. .. .	—	—	—
574.—COCKER- MOUTH	1. Keswick .. .. . 2. Cockermouth .. .. 3. Workington .. ..  4. Maryport .. .. .	Mary Hewetson Hospital .. .. .	5	4	1
		Whinlatter Infectious Dis. Hosp. (Keswick U.D.) .. .. .	—	—	—
		WORKHOUSE .. .. .	53	28	25
		Nursing Home .. .. .	4	3	1
		Workington Infirmary .. .. .	20	16	4
		Ellerbeck Hosp. for Infect. Dis. (Workington M.B.) .. .. .	9	5	4
		Merchants' Quay Hospital (Port San. Author.) .. .. .	—	—	—
		WORKHOUSE (School and Casual Ward) .. .. .	—	—	—
		Fever Hospital (Maryport U.D.) .. .. .	—	—	—
		Victoria Cottage Hospital .. .. .	6	4	2
575.—WHITEHAVEN	2. Whitehaven .. ..	WORKHOUSE .. .. .	69	46	23
		Whitehaven and West Cumberland Infirmary .. .. .	33	19	14
		Bransty Fever Hospital (Whitehaven Port & M.B.) .. .. .	4	3	1
		Galemire Hospital (four Urban Dists. and R.D.) .. .. .	1	1	—
576.—BOOTLE ..	2. Bootle .. .. .	WORKHOUSE .. .. .	8	7	1
		Hodbarrow Hospital, Steel Green .. .. .	1	1	—
		Infectious Diseases Hospital (Millom U.D.) .. .. .	1	1	—

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
42.—Westmorland.					
577.—EAST WARD	1. Appleby .. ..	Infectious Diseases Hospital (Appleby M.B., East Westmorland R.D. & West Ward R.D.) .. ..	—	—	—
	2. Kirkby Stephen .. ..	WORKHOUSE .. .. .	5	4	1
578.—WEST WARD	1. Morland .. ..	WORKHOUSE .. .. .	4	3	1
579.—KENDAL ..	1. Ambleside .. ..	Infectious Diseases Hospital (Ambleside U.D.) ..	—	—	—
		Infectious Diseases Hospital (Windermere U.D.) ..	—	—	—
		Infectious Diseases Hospital (Grasmere U.D.) ..	—	—	—
	2. Kendal .. ..	WORKHOUSE .. .. .	13	13	—
		Memorial Hospital .. .. .	12	6	6
		Sanatorium (Kendal M.B.) .. .. .	1	1	—
	3. Kirkby Lonsdale ..	WORKHOUSE (Vagrant Ward) .. .. .	—	—	—
		Small-pox Hospital (Kendal M.B. and South Westmorland R.D.) .. .. .	—	—	—
	4. Milnthorpe .. ..	WORKHOUSE .. .. .	11	6	5
		Westmorland Consumption Sanatorium .. ..	—	—	—
XI.—WELSH.					
43.—Monmouthshire.					
580.—CHEPSTOW ..	1. Chepstow .. ..	WORKHOUSE .. .. .	25	18	7
		Infectious Diseases Hospital (Joint Hospital Board)	—	—	—
	2. Lydney .. ..	Cottage Hospital .. .. .	2	1	1
Isolation Hospital (Lydney R.D.) .. .. .		—	—	—	
581.—MONMOUTH	3. Monmouth .. ..	WORKHOUSE .. .. .	25	18	7
		General Hospital and Dispensary .. .. .	6	3	3
		Fever Hospital (Monmouth M.B.) .. .. .	1	1	—
582.—ABERGAVENNY	3. Abergavenny .. ..	WORKHOUSE .. .. .	18	12	6
		Cottage Hospital .. .. .	5	4	1
		Sanatorium (Abergavenny M.B. & R.D.) .. ..	—	—	—
		Monmouth County Lunatic Asylum .. .. .	85	33	52
	4. Blaenavon .. ..	The Hospital .. .. .	1	1	—
583.—BEDWELLTY	1. Aberystruth .. ..	Isolation Hospital (Nantyglo and Blaina U.D.) ..	1	—	1
		Isolation Hospital (Abertillery U.D.) .. ..	1	1	—
		WORKHOUSE (including Children's Homes) .. ..	58	40	18
		Fever Hospital (Tredegar U.D.) .. .. .	2	1	1
	2. Tredegar .. ..	Cottage Hospital, Tredegar .. .. .	6	5	1
		Cottage Hospital (Works Hospital), Ebbw Vale ..	—	—	—
		Rhymney Cottage Hospital, Bedwellty .. ..	2	2	—
		Isolation Hospital (Bedwellty U.D.) .. .. .	1	—	1
584.—PONTYPOOL..	2. Pontypool .. ..	Isolation Hospital (Abersychan U.D.) .. ..	2	2	—
		Pontypool and District Hospital .. .. .	21	15	6
		Hanbury Temporary Isol. Hosp. (Pontypool U.D.)*	1	—	1
	3. Llangibby .. ..	WORKHOUSE .. .. .	31	19	12
585.—NEWPORT ..	1. Caerleon .. ..	Borough Lunatic Asylum (Newport C.B.) .. ..	15	6	9
		WORKHOUSE .. .. .	137	91	46
	2. Newport .. ..	Newport and Monmouthshire Hospital .. ..	83	58	25
		Port Sanitary Hospital (Mendelgief Hospital) ..	—	—	—
		Allt-yr-yn Infect. Dis. Hospital (Newport C.B.) ..	24	12	12
	5. Mynyddislwyn ..	"Goverra" Infectious Dis. Hosp. (Abercarn U.D.)	—	—	—
44.—South Wales.					
Glamorganshire.					
586.—CARDIFF ..	1. Llandaff .. ..	WORKHOUSE (Ely Schools) .. .. .	2	—	2
		Temp. Isol. Hosp. (Llandaff and Dinas Powis R.D.)*	4	—	4
		Ely Isol. Hosp. (Llandaff and Dinas Powis R.D.) ..	3	—	3
	3. Central Cardiff†	Glamorganshire and Monmouthshire Infirmary ..	189	129	60
		Royal Hamadryad Seamen's Hospital .. ..	24	24	—
		Port Sanitary Hospital .. .. .	—	—	—
	4. West Cardiff .. ..	WORKHOUSE .. .. .	358	227	131
		WORKHOUSE (Cottage Homes) .. .. .	—	—	—
		Sanatorium (City of Cardiff) .. .. .	37	19	18
	5. Penarth .. ..	Isolation Hospital (Penarth U.D.) .. .. .	4	2	2
	6. St. Nicholas .. ..	Barry Cottage Hospital (Accidents) .. .. .	3	3	—
		Voluntary Hospital (General Diseases) .. ..	5	4	1
		Sanatorium (Barry U.D.) .. .. .	1	1	—

\* Closed during the year.

† 586 : 3,—In Nazareth House, 14 deaths occurred during the year.



Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
44.—South Wales—continued.						
Glamorganshire—continued.						
587.—PONTYPRIDD	1. Eglwysilan .. ..	Small-pox Hospital (Caerphilly U.D.) .. ..	—	—	—	
		Small-pox Hospital (Pontypridd U.D.) .. ..	—	—	—	
	2. Llanwonno .. ..	Infectious Diseases Hospital (Mountain Ash U.D.)	1	—	1	
		Cottage Hospital .. ..	3	3	—	
	3. Llantrisant .. ..	WORKHOUSE .. ..	89	64	25	
		WORKHOUSE (Cottage Homes for Children)	—	—	—	
	4. Ystradyfodwg... ..	Infectious Diseases Hospital (Pontypridd U.D.) ..	4	2	2	
		Infectious Diseases Hospital (Pontypridd R.D.) ..	1	1	—	
		WORKHOUSE (Union Homes for Aged) .. ..	8	8	—	
		Porth Cottage Hospital .. ..	1	—	1	
		Rhondda Fever Hospital .. ..	13	5	8	
		Ferndale Workmen's General Hospital .. ..	—	—	—	
588.—MERTHYR TYDFIL		1. Gelligaer .. ..	Penybank Fever Hosp. (Gelligaer and Rhigos R.D.)	3	1	2
			Mardy Fever Hospital (Merthyr Tydfil M.D.) ..	9	3	6
	WORKHOUSE .. ..		149	103	46	
	2. Lower Merthyr Tydfil	General Hospital .. ..	31	18	13	
		Fever Hospital, Merthyr (Merthyr Tydfil M.B.) ..	—	—	—	
		Fever Hospital, Dowlais (Merthyr Tydfil M.B.)* ..	2	—	2	
	4. Aberdare .. ..	WORKHOUSE (Industrial School) .. ..	—	—	—	
		Aberdare Cottage Hospital .. ..	7	5	2	
		Infectious Diseases Hospital (Aberdare U.D.) ..	4	1	3	
	589.—BRIDGEND ..	1. Maesteg .. ..	Small-pox Hospital (Maesteg U.D.) .. ..	—	—	—
			Isolation Hosp. for Infect. Dis. (Joint Committee)	1	1	—
		4. Bridgend .. ..	WORKHOUSE .. ..	36	33	3
WORKHOUSE Cottage Homes .. ..			1	1	—	
Cottage Hospital .. ..			2	1	1	
South Wales Convalescent Home .. ..			—	—	—	
Small-pox Hospital (Joint Committee) .. ..			—	—	—	
590.—NEATH ..	1. Margam .. ..	Glamorgan County Lunatic Asylum ("Parc Gwyllt and Angleton") .. ..	197	122	75	
			—	—	—	
	2. Neath .. ..	Sanatorium (Margam U.D.) .. ..	—	—	—	
		Cottage Hospital .. ..	1	—	1	
	4. Cadoxton .. ..	WORKHOUSE .. ..	27	22	5	
591.—PONTARDAWE	1. Pontardawe .. ..	Isolation Hospital, Cimla (Neath R.D.) .. ..	—	—	—	
		Infectious Diseases Hospital (Neath M.B.) .. ..	1	1	—	
	3. Swansea .. ..	WORKHOUSE Cottage Homes .. ..	—	—	—	
		WORKHOUSE .. ..	5	4	1	
		Ystalyfera Small-pox Hosp. (Pontardawe R.D.) ..	—	—	—	
592.—SWANSEA ..	1. Llandilo Talybont ..	Pontardawe Isolation Hospital (Jt. Hosp. Comm.)	—	—	—	
			—	—	—	
	3. Swansea .. ..	WORKHOUSE Cottage Home .. ..	—	—	—	
		WORKHOUSE .. ..	108	65	43	
		Swansea Hospital .. ..	126	83	43	
593.—GOWER ..	2. Gower Western ..	Borough Hospital (Infectious Diseases) .. ..	6	4	2	
		Swansea and S. Wales Nursing Institute .. ..	5	3	2	
		WORKHOUSE .. ..	5	1	4	
Carmarthenshire.						
594.—LLANELLY ..	1. Loughor .. ..	Garngoch Fever Hospital (Swansea R.D.) .. ..	2	2	—	
		WORKHOUSE .. ..	20	16	4	
	2. Llanelly .. ..	Llanelly Hospital .. ..	16	8	8	
595.—LLANDOVERY	4. Llandingat .. ..	WORKHOUSE .. ..	4	2	2	
596.—LLANDILO-FAWR	4. Llandilo .. ..	WORKHOUSE .. ..	11	11	—	
597.—CARMARTHEN	3. Carmarthen .. ..	WORKHOUSE .. ..	15	7	8	
		County and Borough General Infirmary .. ..	10	9	1	
		Carmarthen, Cardigan & Pembroke Jnt. Co.'s Lun. Asy.	62	25	37	

\* Closed June 1907.

## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
44.—South Wales—continued.					
Pembrokeshire.					
598.—NARBERTH ..	3. Begelly .. ..	WORKHOUSE .. .. .	4	2	2
599.—PEMBROKE ..	1. Tenby .. ..	Pembroke Infirmary and Dispensary .. ..	2	1	1
		Cottage Hospital .. .. .	2	2	—
	2. Pembroke .. ..	WORKHOUSE .. .. .	18	10	8
		Military Station Hospital .. .. .	1	1	—
		Royal Naval Hospital .. .. .	—	—	—
600.—HAVERFORD- WEST		Isolation Hospital (Pembroke M.B.) .. ..	—	—	—
	1. Milford .. ..	Hospital (Contag. Dis.; Port Sanitary Authority)	—	—	—
	2. Haverfordwest ..	WORKHOUSE .. .. .	17	11	6
		Pembrokeshire and Haverfordwest Infirmary ..	4	2	2
Cardiganshire.					
601.—CARDIGAN ..	2. Cardigan .. ..	WORKHOUSE .. .. .	8	2	6
602.—NEWCASTLE IN EMLYN	3. Cenarth .. ..	WORKHOUSE .. .. .	3	—	3
603.—LAMPETER ..	3. Lampeter .. ..	WORKHOUSE .. .. .	1	1	—
604.—ABERAYRON	2. Llansantffraid ..	WORKHOUSE .. .. .	4	2	2
605.—ABERYST- WITH	2. Aberystwith .. ..	WORKHOUSE .. .. .	4	4	—
		Aberystwith and Cardigan General Infirmary ..	9	6	3
606.—TREGARON ..	3. Tregaron .. ..	WORKHOUSE .. .. .	3	1	2
Brecknockshire.					
607.—BUILTH ..	4. Builth .. ..	WORKHOUSE .. .. .	3	3	—
		Cottage Hospital .. .. .	1	—	1
608.—BRECKNOCK	1. Defynnock .. ..	Cray Hospital (Swansea C.B. Waterworks) ..	—	—	—
	2. Brecknock .. ..	WORKHOUSE .. .. .	15	12	3
		County and Borough Infirmary .. .. .	8	4	4
		Infectious Diseases Hospital (Brecknock U.D.) ..	—	—	—
609.—CRICK- HOWELL	2. Beaufort .. ..	Fever Hospital (Ebbw Vale U.D.) .. .. .	1	—	1
	4. Crickhowell .. ..	WORKHOUSE .. .. .	10	6	4
610.—HAY .. ..	1. Talgarth .. ..	Brecon and Radnor Lunatic Asylum .. .. .	40	24	16
	2. Hay .. ..	WORKHOUSE .. .. .	9	5	4
Radnorshire.					
611.—KNIGHTON ..	2. Knighton .. ..	WORKHOUSE .. .. .	4	3	1
612.—RHAYADER ..	1. Rhayader .. ..	Elan Village Acc. Hosp. (Birmingham Water Wrks.)	—	—	—
		Elan Valley Inf. Dis. Hosp. (Birmingham Water Works)	—	—	—
	2. Nantmel .. ..	WORKHOUSE .. .. .	6	5	1
		Llandrindod Wells Cottage Hospital .. .. .	5	2	3
45.—North Wales.					
Montgomeryshire.					
613.—MACHYNL- LETH	1. Machynlleth .. ..	WORKHOUSE .. .. .	6	3	3
		Londonderry Cottage Hospital .. .. .	1	1	—
614.—NEWTOWN ..	2. Llanwnog .. ..	WORKHOUSE .. .. .	12	6	6
	4. Newtown .. ..	Montgomery Infirmary .. .. .	2	1	1
		Small-pox Hos. (Newtown & Llanllwchaiarn U.D.)	—	—	—
615.—FORDEN ..	2. Chirbury .. ..	WORKHOUSE .. .. .	17	9	8
		Forden Isolation Hospital (Montgomery M.B., Forden R.D. and Chirbury R.D.) .. .. .	—	—	—
616.—LLANFYLLIN	2. Llansantffraid ..	WORKHOUSE .. .. .	5	5	—



## Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1907—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
45.—North Wales—continued.					
Flintshire.					
7a.—HOLYWELL	2. Holywell .. ..	WORKHOUSE .. ..	29	21	8
	4. Mold .. ..	Cottage Hospital .. ..	3	2	1
617b.—HAWARDEN	1. Hawarden .. ..	WORKHOUSE .. ..	8	6	2
Denbighshire.					
618.—WREXHAM ..	2. Ruabon .. ..	Accident Hospital .. ..	2	2	—
	3. Wrexham .. ..	WORKHOUSE .. ..	60	47	13
		Infirmery and General Dispensary .. ..	23	14	9
		Sanitary Hospital (Wrexham M.B. & R.D.) .. ..	9	6	3
619.—RUTHIN ..	2. Ruthin .. ..	WORKHOUSE .. ..	10	5	5
620.—ST. ASAPH ..	1. St. Asaph .. ..	WORKHOUSE .. ..	23	13	10
		Women's Convalescent Home .. ..	—	—	—
		Royal Alexandra Hospital (Rhyl) .. ..	9	4	5
		Hendre Hosp. (tem. Bch. of Royal Alexandra Hosp.) .. ..	—	—	—
		Men's Convalescent Institution .. ..	4	4	—
	2. Abergele .. ..	Walsall Convalescent Hospital .. ..	—	—	—
		Isolation Hospital (Rhyl U.D.) .. ..	—	—	—
	3. Denbigh .. ..	Denbigh Infirmary .. ..	10	5	5
		North Wales Counties Lunatic Asylum .. ..	72	39	33
		Dyffryn Aled Lunatic Hospital (Branch of Manchester Royal Lunatic Hospital) .. ..	—	—	—
621.—LLANRWST ..	1. Llanrwst .. ..	WORKHOUSE .. ..	8	6	2
Merionethshire.					
622.—CORWEN ..	1. Corwen .. ..	WORKHOUSE .. ..	5	5	—
	2. Llangollen .. ..	Cottage Hospital .. ..	2	2	—
623.—BALA ..	1. Bala .. ..	WORKHOUSE .. ..	3	2	1
624.—DOLGELLY ..	2. Barmouth .. ..	WORKHOUSE .. ..	8	5	3
625.—FESTINIOG ..	1. Deudraeth .. ..	WORKHOUSE .. ..	12	9	3
	2. Festiniog .. ..	Oakley's Hospital .. ..	—	—	—
Carnarvonshire.					
626.—PWLLELI ..	2. Pwllheli .. ..	WORKHOUSE .. ..	8	3	5
627.—CARNARVON	2. Llanrug .. ..	Dinorwic Quarry Hospital .. ..	4	4	—
	3. Carnarvon .. ..	WORKHOUSE .. ..	15	11	4
		Cottage Hospital .. ..	2	1	1
		Infectious Diseases Hospital (Carnarvon M.B.) .. ..	1	1	—
		Small-pox Hospital (Gwyrfa R.D.) .. ..	—	—	—
628.—BANGOR ..	2. Bangor .. ..	WORKHOUSE and Fever Hospital .. ..	20	11	9
		Carnarvon and Anglesey Infirmary .. ..	9	5	4
		Bangor Borough Hospital for Infectious Diseases .. ..	2	—	2
		Beaumaris Port Hospital Ship .. ..	—	—	—
	3. Llanfairfechan .. ..	Heath Convalescent Home .. ..	—	—	—
	4. Llanllechid .. ..	Penrhyn Hospital .. ..	1	1	—
629.—CONWAY ..	1. Conway .. ..	WORKHOUSE .. ..	20	14	6
	2. Llandudno .. ..	Cottage Hospital, Llandudno .. ..	5	4	1
		Infectious Diseases Hospital (Llandudno U.D.) .. ..	—	—	—
	3. Colwyn Bay .. ..	Cottage Hospital .. ..	9	3	6
		Small-pox Hosp. (Colwyn Bay and Colwyn U.D.) .. ..	—	—	—
		Inf. Dis. Hosp. (Colwyn Bay and Colwyn U.D.) .. ..	1	—	1
Anglesey.					
630.—ANGLESEY ..	3. Llanfechell .. ..	WORKHOUSE .. ..	2	2	—
631.—HOLYHEAD ..	2. Llanddeusant .. ..	WORKHOUSE .. ..	12	7	5
	3. Holyhead .. ..	Stanley Hospital .. ..	1	1	—

DEATHS  
OF  
PERSONS, MALES, AND FEMALES,  
AT DIFFERENT AGES,  
IN REGISTRATION DIVISIONS AND COUNTIES,  
1907.

---



ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1907—in REGISTRATION DIVISIONS and COUNTIES.

REGISTRATION DIVISIONS.		TOTAL DEATHS.	AGES AT DEATH.																	85 and up-wards		
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	
No. I.	ENGLAND AND WALES.	{ P. 524221 M. 269259 F. 254962 }	53723	19562	29693	107978	30036	11988	7656	5595	163253	12609	7068	9701	11695	28615	37032	46506	61819	74544	55652	15727
			33933	10802	16191	60926	15514	6126	3907	2669	89142	6207	3459	4936	6031	14855	19654	25368	32819	36174	24520	6094
			24790	8760	13502	47052	14522	5862	3749	2926	74111	6402	3609	4765	5664	13760	17378	21138	29000	38370	31132	9633
No. II.	LONDON	{ P. 70012 M. 35939 F. 34073 }	7598	2625	4142	14365	4572	1365	1132	773	22707	1635	825	1137	1447	3893	5677	7099	8257	8920	6345	1970
			4384	1469	2159	8012	2343	968	601	355	12279	817	394	593	753	2039	3137	3967	4456	4294	2545	635
			3214	1156	1983	6353	2229	897	531	418	10428	868	431	594	694	1824	2540	3132	3801	4626	3800	1335
No. III.	SOUTH EASTERN	{ P. 47533 M. 24179 F. 23354 }	4477	1240	1835	7552	1717	731	502	401	10903	1030	688	853	1122	2826	3417	4217	5707	7643	6799	2328
			2649	689	1034	4372	881	364	253	198	6068	479	323	445	608	1515	1852	2229	2982	3888	3063	927
			1828	551	801	3180	836	367	249	203	4835	551	365	408	514	1311	1565	1988	2725	3955	3736	1401
No. IV.	SOUTH MIDLAND	{ P. 31226 M. 15851 F. 15375 }	3295	939	1379	5613	1355	589	420	310	8287	743	407	543	650	1575	2013	2484	3515	4984	4480	1545
			1903	520	780	3203	732	286	221	163	4605	391	201	265	348	798	1068	1338	1823	2431	1974	609
			1392	419	599	2410	623	303	199	147	3682	352	206	278	302	777	945	1146	1692	2553	2506	936
No. V.	SOUTH EASTERN	{ P. 27988 M. 14157 F. 13831 }	3067	935	1435	5437	1343	602	362	301	8045	734	400	499	544	1357	1793	2152	3023	4054	4039	1348
			1763	510	757	3030	679	314	187	146	4356	341	194	249	289	706	934	1131	1601	1970	1830	556
			1304	425	678	2407	664	288	175	155	3689	393	206	250	255	651	859	1021	1422	2084	2209	792
No. VI.	SOUTH WESTERN	{ P. 28416 M. 14121 F. 14295 }	2397	664	970	4031	937	395	288	190	5841	586	376	549	623	1513	1813	2227	3294	5034	4869	1691
			1395	391	538	2324	499	201	156	84	3264	309	179	276	313	790	983	1177	1667	2396	2128	639
			1002	273	432	1707	438	194	132	106	2577	277	197	273	310	723	830	1050	1627	2638	2741	1052

REGISTRATION DIVISIONS.		TOTAL DEATHS.	AGES AT DEATH.																				
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1--	2--	3--	4--	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 and upwards.	
No. VI.	WEST MIDLAND ..	{ P. M. F. }	58578	7042	2311	3323	12676	3264	1236	819	638	18633	1398	775	980	1229	2967	4060	4979	6592	8491	6687	1787
			30134	4011	1244	1799	7054	1705	652	393	315	10124	682	391	506	645	1602	2143	2716	3454	4150	3028	693
			28444	3031	1037	1524	5622	1559	584	421	323	8509	716	384	474	584	1365	1917	2263	4341	3659	1094	
No. VII.	NORTH MIDLAND ..	{ P. M. F. }	32666	4090	1493	1935	7488	1797	739	479	376	10879	839	441	612	709	1631	1901	2451	3521	4629	3916	1137
			16882	2391	796	1070	4257	931	367	233	189	5977	420	211	302	365	812	955	1347	1879	2273	1857	484
			15784	1699	607	925	3231	866	372	246	187	4902	419	230	310	344	819	946	1104	1642	2356	2059	653
No. VIII.	NORTH WESTERN ..	{ P. M. F. }	93054	10226	3947	6146	20319	6292	2420	1534	1061	31626	2276	1271	1729	2124	5319	7137	9431	12020	12439	6550	1132
			47579	5927	2143	3365	11435	3216	1246	793	504	17194	1109	628	883	1086	2666	3720	5070	5839	6264	4317	2691
			45475	4299	1804	2781	8884	3076	1174	741	557	14432	1167	643	846	1038	2653	3417	4361	5756	6600	3859	703
No. IX.	YORKSHIRE ..	{ P. M. F. }	61260	6893	2367	3789	13049	3942	1596	936	702	20235	1474	827	1134	1320	3282	4155	5510	7634	8781	5624	1234
			31858	3936	1341	2128	7465	2052	806	506	311	11140	730	404	592	640	1749	2133	3013	4152	4317	2485	503
			29402	2397	1026	1661	5584	1890	790	490	391	9145	744	423	512	680	1533	2022	2497	3482	4464	3139	731
No. X.	NORTHERN ..	{ P. M. F. }	38019	5161	1584	2481	9226	2785	1041	665	483	14200	1060	541	819	969	2130	2535	3097	4206	4724	3043	695
			20077	2953	839	1325	5117	1442	512	320	223	7614	534	278	425	500	1072	1351	1780	2343	2419	1479	282
			17942	2208	745	1156	4109	1343	529	345	260	6586	526	263	394	469	1058	1184	1317	1863	2305	1564	413
No. XI.	WELSH ..	{ P. M. F. }	35469	4477	1547	2198	8222	2032	774	459	360	11847	784	517	796	953	2122	2531	2859	4050	4845	3300	860
			18482	2561	860	1236	4657	1034	410	239	181	6521	395	256	403	484	1076	1378	1600	2198	2397	1440	337
			16987	1916	637	962	3565	998	364	220	179	5326	389	261	396	474	1046	1153	1259	1852	2448	1860	523



ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1907—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.		TOTAL DEATHS	AGES AT DEATH.																			
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and up-wards.
No. 1	I.—LONDON.	P. 70012 .. { M. 35939 F. 34073	7598	2625	4142	14365	4572	1865	1132	773	22707	1685	825	1187	1447	3893	5677	7099	8257	8920	6345	1970
	4384 3214		1469 1156	2159 1983	8012 6353	2343 2229	968 897	601 531	355 418	12279 10428	817 868	394 431	593 594	753 694	2069 1824	3137 2540	3987 3132	4456 3801	4294 4626	2545 3800	635 1335	
2	II.—SOUTH EASTERN.	P. 10522 .. { M. 5303 F. 5219	1024	299	420	1743	332	153	103	72	2403	220	144	193	236	652	886	1029	1329	1702	1296	432
	600 424		169 130	239 181	1008 735	173 159	75 78	59 44	30 42	1345 1058	101 119	72 72	101 92	136 100	326 326	478 408	548 481	687 642	817 885	535 761	157 275	
3	KENT ..	P. 13122 .. { M. 6791 F. 6331	1319	354	559	2232	581	223	153	130	3319	325	219	264	325	784	892	1106	1435	1968	1851	634
	782 537		204 150	324 235	1310 922	316 265	115 108	73 80	70 60	1884 1435	152 173	105 114	140 124	168 157	431 353	471 421	599 507	750 685	957 1011	868 983	266 368	
4	SUSSEX	P. 8535 .. { M. 4206 F. 4329	668	211	266	1145	255	123	79	55	1657	146	113	124	183	452	566	758	1141	1477	1434	484
	399 269		112 99	150 116	661 484	128 127	60 63	41 38	24 31	914 743	72 74	47 66	59 65	105 78	238 214	305 261	386 372	565 576	692 785	625 809	198 286	
5	HAMP-SHIRE	P. 11512 .. { M. 5918 F. 5594	1144	277	454	1875	431	178	135	108	2727	258	153	211	291	726	828	1001	1344	1834	1590	549
	662 482		147 130	243 211	1052 823	211 220	91 87	68 67	57 51	1479 1248	123 135	70 83	110 101	158 133	409 317	451 377	515 486	746 598	902 932	728 862	227 322	
6	BERK-SHIRE	P. 3842 .. { M. 1961 F. 1881	322	99	136	557	118	54	32	36	797	81	59	61	87	212	245	323	458	662	628	229
	206 116		57 42	78 58	341 216	53 65	23 31	12 20	17 19	446 351	31 50	28 30	35 26	41 46	111 101	147 98	181 142	234 224	320 342	307 321	79 150	

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1907—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES	TOTAL DEATHS.	AGES AT DEATH.																			
		0-3 Mths.	3-6 Mths.	6-12 Mths	Total under 1 Year.	1--	2--	3--	4--	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 and up- wards.
III.—SOUTH MIDLAND.																					
No. 7 MIDDLE- SEX ..	P. 11982 M. 6024 F. 5958	1550	468	704	2722	670	326	220	152	4090	318	140	160	239	625	816	1061	1285	1597	1236	415
8 HERTFORD- SHIRE ..	P. 3481 M. 1720 F. 1761	281	81	115	477	121	52	33	24	707	80	36	56	66	171	251	268	417	640	591	198
9 BUCKING- HAMSHIRE	P. 2284 M. 1153 F. 1131	223	59	74	356	101	31	28	25	541	53	31	47	48	103	127	164	280	417	347	126
10 OXFORD- SHIRE ..	P. 2728 M. 1441 F. 1287	234	55	91	380	60	29	26	21	516	44	46	58	59	139	155	178	322	521	527	163
11 NORTH- AMPTON- SHIRE ..	P. 4591 M. 2392 F. 2199	469	133	166	768	172	61	40	32	1073	98	74	108	111	249	297	365	531	772	681	232
12 HUNTING- DONSHIRE	P. 652 M. 329 F. 323	53	8	18	79	17	7	7	4	114	25	10	14	12	26	31	34	72	114	146	54
		262	81	87	430	90	29	22	18	589	44	38	53	56	127	161	202	289	400	321	102
		207	52	79	338	82	32	18	14	484	54	36	55	55	122	136	163	292	372	360	130
		25	5	11	41	10	5	6	1	63	10	7	6	5	15	18	19	39	61	62	24
		28	3	7	38	7	2	1	3	51	15	3	8	7	11	13	15	33	53	84	30



ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1907—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.	TOTAL DEATHS.	AGES AT DEATH.																			85 and up- wards.
		0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
No. 13																					
III.—SOUTH MIDLAND— <i>continued.</i>																					
BEDFORD- SHIRE .. { P. M. F.	2620 1340 1280	243 153 90	75 46 29	98 59 39	416 258 158	117 61 56	41 21 20	37 22 15	32 19 13	643 381 262	62 33 29	41 19 22	58 30 28	45 25 20	116 60 56	152 74 78	196 104 92	290 140 150	458 214 244	425 198 227	134 62 72
CAM- BRIDGE- SHIRE .. { P. M. F.	2888 1452 1436	242 134 108	69 33 27	113 63 50	415 230 185	97 62 35	42 19 23	29 17 12	29 10 10	603 338 265	63 35 28	29 11 18	42 19 23	70 38 32	146 69 77	184 96 83	218 123 95	318 159 159	465 241 224	527 232 295	223 91 132
IV.—EASTERN.																					
ESSEX .. { P. M. F.	15658 7914 7744	1835 1040 795	574 301 273	958 509 449	3367 1850 1517	933 460 473	432 224 208	234 129 125	215 103 112	5201 2766 2435	466 217 249	229 113 116	273 139 134	320 176 144	314 427 387	1085 555 530	1278 674 604	1706 904 802	2011 959 1052	1758 767 991	517 217 300
SUFFOLK .. { P. M. F.	5364 2744 2620	523 306 217	139 84 55	206 119 87	868 509 359	194 104 90	75 39 36	61 34 27	34 16 18	1232 702 530	120 56 64	78 34 44	95 48 47	101 54 47	243 126 117	325 158 167	380 214 166	595 310 285	888 427 461	970 480 490	337 135 202
NORFOLK .. { P. M. F.	6966 3499 3467	709 417 292	222 125 97	271 129 142	1202 671 531	216 115 101	95 51 44	47 24 23	52 27 25	1612 888 724	148 68 80	93 47 46	131 62 69	123 59 64	300 153 147	383 221 162	494 243 251	722 387 335	1155 584 571	1311 583 728	494 204 290

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1907—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.	TOTAL DEATHS.	AGES AT DEATH.																			85 and up- wards.
		0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
No. 18 V.—SOUTH WESTERN. WILT- SHIRE .. { P. M. F.	3784 1830 1954	317 165 152	79 46 33	125 77 48	521 288 233	118 60 58	61 30 31	57 29 28	24 7 17	781 414 367	89 40 49	45 21 24	65 32 33	85 35 50	186 81 105	225 114 111	275 141 134	451 230 221	686 337 349	691 305 386	205 80 125
No. 19 DORSET- SHIRE .. { P. M. F.	2896 1546 1350	225 137 88	54 28 26	69 40 29	348 205 143	77 44 33	35 20 15	23 13 10	20 10 10	593 292 211	62 40 22	33 21 12	65 36 29	70 46 24	158 92 66	164 96 68	224 124 100	360 202 158	524 25 271	532 254 278	201 90 111
No. 20 DEVON- SHIRE .. { P. M. F.	10290 5144 5146	886 511 375	276 163 113	382 212 170	1544 886 658	386 211 175	154 73 81	104 55 49	76 38 38	2264 1263 1001	200 106 94	164 74 90	200 105 95	222 111 111	587 330 257	677 353 324	828 452 376	1165 578 587	1716 797 919	1670 740 930	597 235 362
No. 21 CORN- WALL .. { P. M. F.	4854 2364 2490	407 237 170	104 56 48	168 97 71	679 390 289	161 82 79	53 25 28	39 23 16	24 14 10	956 534 422	103 60 43	54 25 29	96 46 50	107 57 50	282 141 141	324 178 146	392 213 179	548 257 291	860 407 453	819 334 485	313 112 201
No. 22 SOMERSET- SHIRE .. { P. M. F.	6592 3237 3355	562 345 217	151 98 63	226 112 114	939 555 384	195 102 93	92 53 33	65 36 29	46 15 31	1337 761 576	132 63 69	80 38 42	123 57 66	139 64 75	300 146 154	423 242 181	508 247 261	770 400 370	1248 602 646	1157 495 662	375 122 253



ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1907—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.		TOTAL DEATHS.	AGES AT DEATH.																			85 and up- wards.
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
No. 23	VI.—WEST MIDLAND.  GLOUCES- TERSHIRE.	P. 9434 M. 4586 F. 4848	876	231	390	1497	303	130	86	85	2101	203	154	188	220	460	676	793	1165	1599	1431	444
			501	118	195	814	156	71	51	41	1133	100	87	87	121	235	352	404	588	721	589	169
			375	113	195	683	147	59	35	44	968	103	67	101	99	225	324	389	577	878	842	275
24	HEREFORD- SHIRE ..	P 1685 M. 869 F. 816	126	36	53	215	39	25	7	7	293	30	18	27	24	71	101	129	202	343	324	123
			77	21	31	129	20	17	2	3	171	11	9	11	12	36	51	75	117	174	154	48
			49	15	22	86	19	8	5	4	122	19	9	16	12	35	50	54	85	169	170	75
25	SHROP- SHIRE ..	P. 3770 M. 1950 F. 1820	342	91	138	571	111	46	31	24	783	85	52	72	87	175	222	275	422	738	680	179
			185	57	70	312	66	22	16	14	430	44	26	40	52	90	113	151	216	366	345	77
			157	34	68	259	45	24	15	10	353	41	26	32	35	85	109	124	206	372	335	102
26	STAFFORD- SHIRE ..	P. 21252 M. 11190 F. 10062	2910	1002	1451	5363	1475	546	349	271	8014	543	273	336	450	1064	1451	1770	2300	2841	1826	394
			1663	542	797	3002	756	290	171	136	4355	279	127	175	226	582	772	995	1229	1424	852	174
			1247	460	654	2361	719	256	178	135	3649	264	146	161	224	482	679	775	1071	1417	974	220
27	WORCES- TERSHIRE	P. 7407 M. 3721 F. 3686	861	256	381	1498	396	123	96	65	2178	166	79	103	149	363	489	614	872	1129	996	269
			495	142	206	843	201	66	40	28	1178	83	35	57	71	172	240	324	454	557	453	97
			366	114	175	655	195	57	56	37	1000	83	44	46	78	191	249	290	418	572	543	172
28	WARWICK- SHIRE ..	P. 15030 M. 7818 F. 7212	1927	695	910	3532	940	366	250	186	5274	371	199	254	299	834	1121	1398	1631	1841	1430	378
			1090	364	500	1954	506	186	118	93	2857	165	107	136	163	487	615	767	850	908	635	128
			837	331	410	1578	434	180	132	93	2417	206	92	118	136	347	506	631	781	933	795	250

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1907—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.	TOTAL DEATHS.	AGES AT DEATH.																			
		0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.
No. 29 VIL.-NORTH MIDLAND LEICES- TERSHIRE	P. 3233 3023 M. F.	755 442 313	264 150 114	341 185 156	1360 777 583	263 139 124	130 61 69	77 34 43	66 32 34	1896 1043 853	150 86 64	79 32 47	138 61 77	152 76 76	355 173 182	385 205 180	463 239 224	687 378 309	934 470 464	793 376 417	224 94 130
No. 30 RUTLAND- SHIRE	P. 137 135 M. F.	23 14 9	12 7 5	2 1 1	37 22 15	3 3 —	1 1 —	2 — 2	— — —	43 26 17	9 6 3	2 1 1	6 3 3	1 — 1	11 4 7	14 7 7	19 13 6	22 10 12	57 25 32	71 37 34	17 5 12
No. 31 LINCOLN- SHIRE	P. 4072 3746 M. F.	831 491 340	280 157 123	409 222 187	1520 870 650	351 179 172	139 74 65	95 50 45	73 46 27	2178 1219 959	191 93 98	120 67 53	146 80 66	198 103 95	355 168 187	411 205 206	558 326 232	840 466 374	1213 605 608	1181 555 626	427 185 242
No. 32 NOTTING- HAMSHIRE	P. 5503 5257 M. F.	1483 872 611	536 300 236	824 451 373	2843 1623 1220	756 375 381	312 152 160	185 88 97	152 70 82	4248 2308 1940	264 126 138	129 57 72	191 88 103	208 109 99	536 270 266	653 315 338	789 413 376	1085 554 531	1238 627 661	1085 518 567	284 118 166
No. 33 DERBY- SHIRE	P. 3937 3623 M. F.	998 572 426	311 182 129	419 211 208	1728 965 763	424 235 189	157 79 78	120 61 59	85 41 44	2514 1381 1133	225 109 116	111 54 57	131 70 61	150 77 73	374 197 177	438 223 215	622 356 266	887 471 416	1137 546 591	786 371 415	185 82 103





REGISTRATION COUNTIES.		TOTAL DEATHS.	AGES AT DEATH.																			
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
No. 40	X.—NORTHERN —continued. NORTHUMBERLAND	{ P. 10507 M. 5627 F. 4880	1321	439	602	2362	673	296	181	145	3657	297	161	212	269	649	781	910	1179	1352	831	209
			743	248	323	1314	351	158	92	67	1982	161	82	115	146	369	425	535	637	694	391	90
			578	191	279	1048	322	138	89	78	1675	136	79	97	123	280	356	375	542	658	440	119
41	CUMBERLAND	{ P. 4490 M. 2331 F. 2159	499	146	212	857	208	71	66	45	1247	106	69	92	115	216	310	429	552	695	532	127
			290	68	114	472	103	33	36	16	660	54	40	47	52	103	166	237	321	348	247	56
			209	78	98	385	105	38	30	29	587	52	29	45	63	113	144	192	231	347	285	71
42	WESTMORLAND	{ P. 806 M. 417 F. 389	73	20	17	110	15	11	7	4	147	10	13	8	13	48	48	79	98	158	140	44
			42	9	6	57	10	4	4	2	77	3	6	3	5	22	23	42	52	83	80	21
			31	11	11	53	5	7	3	2	70	7	7	5	8	26	25	37	46	75	60	23
43	XI.—WELSH. MONMOUTHSHIRE	{ P. 5756 M. 3113 F. 2643	816	255	433	1504	426	147	85	66	2228	139	87	117	131	321	401	473	607	734	426	92
			468	137	260	865	224	79	43	32	1243	69	55	65	79	163	231	280	336	369	187	36
			348	118	173	639	202	68	42	34	985	70	32	52	52	158	170	193	271	365	239	56
44	SOUTH WALES	{ P. 21850 M. 11361 F. 10489	2909	1041	1468	5418	1384	529	304	249	7884	507	324	519	608	1341	1626	1735	2437	2687	1743	439
			1648	572	808	3028	697	279	157	126	4287	264	155	251	298	698	897	974	1304	1303	740	190
			1261	469	660	2390	687	250	147	123	3597	243	169	268	310	643	729	761	1133	1384	1003	249
45	NORTH WALES	{ P. 7863 M. 4008 F. 3855	752	251	297	1300	222	98	70	45	1735	138	106	160	219	460	504	651	1006	1424	1131	329
			445	151	168	764	113	52	39	23	991	62	46	84	107	215	250	346	558	725	513	111
			307	100	129	536	109	46	31	22	744	76	60	76	112	245	254	305	448	699	618	218



ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1907—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.	TOTAL DEATHS.	AGES AT DEATH.												Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up-wards.
		0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—																
No. 44																									
SOUTH WALES.																									
GLAMOR-GANSHIRE {P. M. F.	15922 8503 7419	2319 1322 997	868 489 379	1233 687 546	4420 2498 1922	1176 591 585	452 243 209	257 132 125	209 104 105	6514 3568 2946	399 212 187	229 111 118	358 181 177	426 207 219	970 533 437	1231 693 538	1302 749 553	1744 978 766	1658 799 859	918 393 525	173 79 94				
CARMAR-THEN-SHIRE {P. M. F.	2053 1032 1021	238 125 113	37 47 40	104 58 46	429 230 199	97 54 43	30 18 12	17 8 9	16 9 7	589 319 270	43 16 27	31 16 15	69 30 39	71 43 28	132 59 73	147 82 65	158 89 69	245 126 119	301 141 160	198 82 116	69 29 40				
PEM-BROKE-SHIRE {P. M. F.	1291 625 666	130 69 61	28 15 13	52 25 27	210 109 101	39 19 20	17 10 7	10 5 5	10 6 4	286 149 137	21 13 8	26 9 17	29 18 11	34 16 18	80 41 39	82 42 40	81 45 36	154 66 88	263 131 132	175 74 101	60 21 39				
CARDI-GANSHIRE {P. M. F.	1440 608 832	97 60 37	30 9 21	39 18 21	166 87 79	25 11 14	14 2 12	8 4 4	4 3 1	217 107 110	20 10 10	20 9 11	41 15 26	47 15 32	92 34 58	97 41 56	111 48 63	157 63 94	287 132 155	267 99 168	84 35 49				
BRECK-NOCK-SHIRE {P. M. F.	836 452 434	100 56 44	25 11 14	36 18 18	161 85 76	39 17 22	16 6 10	8 5 3	7 4 3	231 117 114	18 10 8	14 8 6	14 5 9	28 15 13	54 25 29	56 29 27	71 37 34	102 48 54	127 73 54	132 66 66	39 19 20				
RADNOR-SHIRE {P. M. F.	258 141 117	25 16 9	3 1 2	4 2 2	32 19 13	8 5 3	— — —	4 3 1	3 — 3	47 27 20	6 3 3	4 2 2	8 2 6	2 2 —	13 6 7	13 10 3	12 6 6	35 23 12	51 27 24	53 26 27	14 7 7				







1907.

---

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE  
IN ENGLAND AND WALES  
AND IN LONDON.

---

CAUSES OF DEATH IN REGISTRATION COUNTIES.

---

DEATHS FROM SEVERAL CAUSES IN REGISTRATION  
DIVISIONS, COUNTIES, AND DISTRICTS.

---

VIOLENT DEATHS.

---



ENGLAND AND WALES.—SUMMARY of CAUSES of DEATH, 1907—MALES.

MALES. CAUSES OF DEATH.		AGES AT DEATH.													ALL AGES.				
		AGES AT DEATH.																	
		0—5 Months.	6—12 Months.	1—6 Months.	1 Year.	1—2 Years.	2—3 Years.	3—4 Years.	Total under 5 Years.	5—10 Years.	10—15 Years.	15—20 Years.	20—25 Years.	25—35 Years.		35—45 Years.	45—55 Years.	55—65 Years.	65—75 Years.
ALL CAUSES ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
A.*—GENERAL DISEASES ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B.*—DISEASES OF PARTICULAR ORGANS:—																			
I. DISEASES OF NERVOUS SYSTEM..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
II. " " ORGANS OF SPECIAL SENSE ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
III. " " HEART..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
IV. " " BLOOD VESSELS ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
V. " " RESPIRATORY SYSTEM ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
VI. " " DIGESTIVE SYSTEM ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
VII. " " LYMPH: & DUCTLESS GLANDS	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
VIII. " " URINARY SYSTEM..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
IX. " " GENERATIVE SYSTEM ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
X. " " PREGNANCY AND CHILD BIRTH	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
XI. " " LOCOMOTOR SYSTEM ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
XII. " " THE SKIN ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
C.*—OTHER SPECIFIED DISEASES ..																			
D.*—CAUSES ILL-DEFINED OR NOT SPECIFIED.																			
E.*—VIOLENT DEATHS..																			

\* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.

FEMALES. CAUSES OF DEATH.		AGES AT DEATH.												ALL AGES.										
		0-4 Years.						5-19 Years.																
		0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-2	2-3	3-4	4-5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and upwards.
ALL CAUSES	.. .. .	254962	24790	8760	13502	47052	14522	5862	3749	2926	74111	6402	3809	4765	5664	13760	17378	21138	29000	38370	31132	9633		
A.*—GENERAL DISEASES	.. .. .	114139	14012	4266	8893	27171	10758	4468	2876	2121	47394	4472	2221	3125	3622	8382	9054	9359	10458	10071	5099	882		
B.*—DISEASES OF PARTICULAR ORGANS:—																								
I. DISEASES OF NERVOUS SYSTEM..	.. .. .	15287	2838	1175	1137	5150	957	391	199	180	6877	426	276	277	256	667	998	1142	1430	1643	1089	226		
II. " ORGANS OF SPECIAL SENSE ..	.. .. .	580	29	36	71	136	47	26	19	10	238	67	66	53	23	31	28	29	16	18	9	2		
III. " HEART.. .. .	.. .. .	26703	2	1	7	10	23	27	16	32	108	254	477	493	474	1173	2182	3635	5754	7611	3929	613		
IV. " BLOOD VESSELS .. .. .	.. .. .	16140	2	3	3	8	12	6	4	5	35	9	15	34	53	231	654	1815	3424	5160	3856	854		
V. " RESPIRATORY SYSTEM .. .. .	.. .. .	25119	1719	1118	1708	4545	1507	426	261	190	6329	241	50	51	86	280	641	1334	3224	5826	5027	1430		
VI. " DIGESTIVE SYSTEM .. .. .	.. .. .	13266	962	858	845	2665	510	146	118	110	3549	395	238	313	396	775	1220	1580	1834	1736	1029	201		
VII. " LYMPH: & DUCTLESS GLANDS ..	.. .. .	728	5	4	12	21	12	10	3	2	48	12	14	29	37	80	115	130	138	101	24	—		
VIII. " URINARY SYSTEM .. .. .	.. .. .	6917	11	13	22	46	55	39	25	27	192	96	72	128	190	533	901	1171	1502	1371	677	84		
IX. " GENERATIVE SYSTEM .. .. .	.. .. .	1114	6	1	2	9	2	3	1	2	17	2	6	18	39	172	265	226	167	127	68	7		
X. " PREGNANCY AND CHILD BIRTH ..	.. .. .	2055	—	—	—	—	—	—	—	—	—	—	—	56	286	954	736	23	—	—	—	—		
XI. " LOCOMOTOR SYSTEM .. .. .	.. .. .	392	12	3	8	23	8	9	5	8	53	31	35	27	15	25	41	44	53	41	23	4		
XII. " THE SKIN .. .. .	.. .. .	686	172	25	26	223	21	4	3	7	258	2	3	2	4	11	15	35	72	126	125	33		
C.*—OTHER SPECIFIED DISEASES		.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
D.*—CAUSES ILL-DEFINED OR NOT SPECIFIED.		25919	4329	1054	625	6008	327	43	18	10	6406	24	11	4	11	27	55	89	397	4044	9722	5129		
E.*—VIOLENT DEATHS.. .. .		5917	691	203	143	1037	283	264	201	222	2007	371	125	155	172	419	473	526	531	495	475	168		

\* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.



ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1907—MALES.

Note.—The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.												Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		0—3 Months.	3—6 Months.	6—12 Months.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Small-pox { Vaccinated Not Vaccinated Doubtful	2 1 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 298.  
† *i.e.*, deaths stated to be so caused.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.																		
		0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5-10-	10-15-	15-20-	20-25-	25-35-	35-45-	45-55-	55-65-	65-75-	75-85 and upwards.
		Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.
Small-pox { Vaccinated .. Not Vaccinated .. Doubtful ..	1 3 5	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
Cow-pox and other effects of Vaccination	52	6	2	3	5	13	3	1	3	47	4	—	6	9	—	—	—	—	—	—
Chicken-pox ..	6047	23	83	1106	1212	2392	1012	564	377	5557	434	17	12	—	—	3	2	—	1	—
Measles (Morbilli) ..	22	3	—	4	7	7	—	2	5	21	1	97	39	36	16	2	1	—	—	—
German Measles ..	1576	3	12	44	54	165	242	274	217	957	408	—	1	4	2	1	—	—	—	—
Scarlet Fever ..	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Plague ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ..	4826	69	44	76	189	64	41	28	24	346	70	55	1	90	247	355	448	755	1219	232
Whooping-cough ..	5754	543	576	1429	2548	1740	665	374	232	5559	180	11	2	1	2	2	5	9	11	4
Mumps ..	64	2	1	2	5	306	2	5	2	14	5	2	2	13	32	13	13	10	2	—
Diphtheria ..	2947	8	8	80	96	8	374	441	420	1637	1020	170	37	4	2	1	1	1	—	—
Cerebro-spinal Fever ..	60	1	3	3	7	1	9	3	1	28	8	9	8	120	3	1	93	41	14	—
Pyrexia* (origin uncertain)	20	1	1	2	4	1	1	3	1	10	1	1	—	—	2	1	—	—	—	—
Enteric Fever ..	971	—	—	2	2	8	8	13	12	43	83	97	119	223	137	—	—	—	—	—
Asiatic Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ..	92	18	25	10	53	2	1	6	2	64	1	3	1	4	5	5	2	3	4	—
Infective Enteritis, Epidemic Diarrhoea ..	2319	359	626	773	1758	388	42	20	13	2221	15	2	2	5	8	10	31	67	125	13
Diarrhoea (not otherwise defined) ..	2348	398	569	553	1520	268	50	18	12	1868	19	4	6	10	18	31	15	18	149	47
Dysentery ..	109	14	5	10	15	3	1	1	2	19	2	1	3	9	17	15	4	5	10	2
Tetanus ..	50	—	1	—	15	1	—	—	—	19	—	—	—	6	4	3	—	2	—	—
Malaria ..	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rabies, Hydrophobia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever) ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis ..	706	294	127	68	489	26	1	2	—	518	1	5	3	39	53	39	26	11	3	1
Gonorrhoea ..	19	3	—	—	3	—	—	—	—	3	—	—	2	4	6	3	—	—	—	—

Note.—For continuation of this Table, see page 299.  
† i.e., deaths stated to be so caused.  
\* Called Simple Continued Fever previous to 1901.



ENGLAND AND WALES.—CAUSES of DEATH at different Periods of Life, 1907—MALES—continued from page 296.

MALES.	ALL AGES.	AGES AT DEATH.													85 and upwards.					
		CAUSES OF DEATH.																		
		0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5-10-	10-15-	15-20-	20-25-		25-35-	35-45-	45-55-	55-65-	65-75-
Puerperal Septicæmia, Puerp. Septic Intoxication..	212	31	34	1	189	122	59	1	38	23	18	23	30	44	38	20	15	8	2	1
Puerperal Pyæmia ..	3341	1080	1175	124	4935	2636	798	396	174	23	33	93	157	439	578	567	527	338	101	9
Phlegmasia Alba Dolens ..	11237	2	316	762	1396	893	358	208	141	2	1	42	32	116	191	310	489	513	272	57
Puerperal Fever (not otherwise defined) ..	11833	66	15	13	94	4	2	2	2	2	309	283	372	1010	1363	1652	1632	1316	651	100
Infective Endocarditis ..	541	28	6	6	40	8	1	9	2	12	3	8	10	35	53	73	76	104	51	19
Pneumonia { Lobar ..	273	6	14	2	8	4	2	1	2	19	8	12	11	24	29	43	39	24	8	2
{ Broncho- ..	93	51	1	10	75	7	3	1	5	9	10	9	3	5	11	11	12	9	1	8
{ Epidemic ..	471	4	1	1	6	1	1	1	2	2	4	6	18	22	50	64	81	68	53	1
{ Not defined ..	19	2	1	1	2	1	1	1	3	3	6	1	1	3	1	2	2	17	1	2
Erysipelas ..	136	2	1	1	2	4	1	1	3	10	10	1	13	12	22	23	20	20	2	1
Septicæmia, Septic Intoxication (not Puerperal) ..	11299	11	33	97	141	161	86	67	42	497	151	561	1021	2525	2641	2073	1209	421	55	2
Pyæmia (not Puerperal) ..	11348	9	9	32	50	62	22	29	17	180	84	135	644	2688	2565	2142	1271	441	38	3
Phlegmon, Carbuncle (not Anthrax) ..	3090	69	198	491	758	583	338	244	182	2105	482	193	108	54	41	19	7	4	—	—
Phagedæna ..	1787	117	205	251	573	279	138	78	52	1120	141	106	70	58	79	67	38	14	—	—
Other Infective Processes ..	531	86	107	119	312	112	33	16	7	480	21	15	3	3	3	2	1	—	—	—
Tuberculous Meningitis ..	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculous Peritonitis ..	957	5	12	30	47	24	30	25	18	144	63	86	91	113	95	109	78	39	8	2
Tabes Mesenterica ..	2117	98	138	222	458	298	111	72	50	989	173	118	125	104	159	139	79	37	6	1
Lupus ..	9	3	1	1	5	—	1	—	—	6	1	1	1	—	—	—	—	—	—	—
Tubercle of other Organs ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
General Tuberculosis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrophula ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parasitic Diseases ..	139	90	7	5	102	7	3	1	—	113	3	—	1	3	5	7	4	3	—	—
Starvation ..	15	3	—	—	3	—	—	—	—	3	—	—	—	1	2	2	1	4	2	—
Scurvy ..	21	1	3	6	10	2	—	—	2	14	—	—	1	3	—	1	1	1	1	—
Alcoholism, Delirium Tremens ..	1328	—	—	—	—	—	—	—	—	—	—	—	—	164	374	404	265	91	15	—

Note.—For continuation of this Table, see page 300.

FEMALES.	ALL AGES.	AGES AT DEATH.													85 and upwards					
		0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-2	2-3	3-4	Total under 5 Years	5-10	10-15	20	25	35		45	55	65	75	
Puerperal Septicæmia, Puerp. Septic Intoxication..	1056				1	1	1	1	4	9	15	39	46	60	38	24	18	5	3	
Puerperal Pyæmia ..	111				118	124	49	24	345	51	43	62	90	209	265	308	281	108		
Phlegmasia Alba Dolens ..	84				3754	2495	790	361	7607	281	61	31	41	115	175	411	606	417		
Puerperal Fever (not otherwise defined)	214																			
Infective Endocarditis ..	261	1			1	1	1													
{ Lobar ..	2044	16			118	124	49	24	345	51	43	62	90	209	265	308	281	108	17	
{ Broncho- ..	10080	779			3754	2495	790	361	7607	281	61	31	41	115	175	411	606	417	85	
{ Epidemic ..	4																			
Pneumonia ..	8426	231	241	621	1093	719	314	190	2436	274	128	182	222	557	785	1030	1158	673	153	
Erysipelas ..	492	75	20	23	118	8	5	2	134	2	3	3	4	19	47	60	97	66	6	
Septicæmia, Septic Intoxication (not Puerperal) ..	169	22	1	6	29	9	2	2	48	13	14	2	7	13	25	13	13	4	2	
Pyæmia (not Puerperal) ..	69	16	3	4	23	2			25	2	6	3	2	7	8	6	5		8	
Phlegmon, Carbuncle (not Anthrax) ..	302	50	7	10	67	6	5	3	84	9	4	3	7	13	20	47	42	33		
Phagedæna ..	10	2			2	2		1	5	1										
Other Infective Processes ..	77							2	4	2	2	3	4	15	9	7	14	3		
Pulmonary Tuberculosis (Tuberculous Phthisis) ..	8089	4	30	100	134	135	67	45	433	221	284	764	905	1985	1648	547	237	43	2	
Phthisis (not otherwise defined) ..	9123	3	14	27	44	44	27	19	151	156	356	925	1124	2371	1844	667	305	51	3	
Tuberculous Meningitis ..	2795	44	139	392	575	490	328	212	1782	502	218	117	60	66	31	6	2			
Tuberculous Peritonitis ..	1745	83	155	219	457	242	94	61	907	181	112	90	84	145	107	36	14	2		
Tabes Mesenterica ..	438	47	85	99	231	89	28	29	388	25	7	2	5	3	4	2	1	1		
Lupus ..	50									1	2	3	3	7	6	8	6	6	1	
Tubercle of other Organs ..	752	8	6	19	33	27	17	15	101	70	52	87	61	111	96	45	39	23	3	
General Tuberculosis ..	1944	54	100	200	354	225	121	75	824	183	135	144	116	194	157	55	33	10	1	
Scrofula ..	19	3	1	1	5	3	1		9	2			1		2		1	2		
Parasitic Diseases ..	102	58	6	3	67	6	2	3	81	2	1		2	5	2	4				
Starvation ..	6				1															
Scurvy ..	20	1	1	9	12	2	2	1	17						1	1	3	1		
Alcoholism, Delirium Tremens ..	873	2											2				56		11	

Note.—For continuation of this Table, see page 301.



ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1907—MALES—continued from page 298.

MALES.	ALL AGES.	AGES AT DEATH.											Total under 1 Year.	6-12 Months.	3-6 Months.	0-2 Months.	1-	2-	3-	4-	Total under 5 Years.	5-10-15-20-25-35-45-55-65-75-85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		0-2 Months.	3-6 Months.	6-12 Months.	1-	2-	3-	4-	Total under 5 Years.	5-10-15-20-25-35-45-55-65-75-85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Opium, Morphia-habit	5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

Note.—For continuation of this Table, see page 302.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.																		
		0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—10—	10-15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Opium, Morphia-habit	7	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	3	1	—	1
Industrial Poisoning:—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
By Lead	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
" Phosphorus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
" Arsenic and other Metals	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever, Acute Rheumatism	1057	2	1	1	4	2	10	17	37	110	185	149	97	145	116	108	68	33	9	3
Rheumatism of Heart	234	—	—	—	—	—	—	—	—	11	12	13	10	23	19	36	40	44	23	10
Chronic Rheumatism	268	—	—	—	—	—	—	—	—	—	—	1	1	4	8	19	51	107	67	11
Rheumatoid Arthritis, Rheumatic Gout	682	—	—	—	—	—	—	—	—	1	—	—	—	7	31	69	185	251	127	11
Gout	88	—	—	—	—	—	—	—	—	—	—	—	—	1	3	5	17	33	24	5
Carcinoma	10715	—	—	2	2	—	—	—	2	2	—	5	16	265	1196	2342	2887	2607	1226	167
Sarcoma	813	—	—	2	5	—	—	—	43	17	32	28	33	97	99	140	148	118	51	7
Cancer, Malignant Disease (not otherwise defined)	7018	—	—	—	—	—	—	1	4	5	1	5	12	164	661	1362	1962	1930	821	91
Rickets	552	18	41	139	198	77	19	6	541	8	1	1	—	1	—	—	—	—	—	2
Purpura	157	23	1	9	33	8	4	3	59	11	10	9	10	7	8	8	15	6	12	1
Hæmophilia, Hæmorrhagic Diathesis	46	22	2	26	26	1	1	—	29	2	3	2	—	5	—	1	2	—	1	1
Anæmia, Leucoeythæmia	1186	8	6	22	22	17	8	7	62	16	18	49	42	137	177	217	260	169	38	1
Diabetes Mellitus	1622	—	—	—	—	1	3	6	12	25	26	44	43	135	140	203	438	420	120	16
Premature Birth	8013	7893	96	24	8013	—	—	—	8013	—	—	—	—	—	—	—	—	—	—	—
Congenital Hydrocephalus	150	45	27	30	102	6	5	2	141	6	—	—	—	1	—	2	—	—	—	—
Other Congenital Defects	1973	1601	155	77	1833	14	14	4	1918	18	18	10	6	2	1	—	—	—	—	—
Injury at Birth	331	331	—	—	331	—	—	—	331	—	—	—	—	—	—	—	—	—	—	—
Atelectasis	638	638	—	—	638	—	—	—	638	—	—	—	—	—	—	—	—	—	—	—
Want of Breast-Milk	322	183	86	53	322	—	—	—	322	—	—	—	—	—	—	—	—	—	—	—
Teething	919	2	82	426	510	36	1	—	919	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 303.



ENGLAND AND WALES.—CAUSES of DEATH at different Periods of Life, 1907—MALES—continued from page 300.

MALES.	ALL AGES.	AGES AT DEATH.															85 and upwards.			
		CAUSES OF DEATH.																		
		0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-		45-	55-	65-
Meningitis, Inflammation of Brain	2880	164	243	497	904	492	206	164	101	1867	261	143	111	64	109	110	88	68	40	16
Softening of Brain	1158	—	—	—	—	—	2	—	—	2	—	—	3	2	13	40	106	256	433	264
General Paralysis of Insane	1775	—	—	—	—	—	—	—	—	—	1	2	15	14	193	625	510	263	117	32
Insanity (not Puerperal)	960	1	—	2	3	2	4	5	3	17	8	10	9	20	46	77	83	153	306	194
Chorea	38	—	—	—	—	—	1	2	9	3	8	8	3	—	1	2	3	1	5	4
Epilepsy	1458	16	9	18	43	20	9	2	—	90	39	73	94	143	232	201	201	171	145	62
Convulsions	6545	3968	1072	820	5860	448	121	58	21	6508	33	1	—	—	—	1	2	—	—	—
Laryngismus Stridulus	191	30	20	57	107	36	14	8	12	177	14	—	—	—	—	—	—	—	—	—
Locomotor Ataxy	461	—	—	—	—	—	—	—	—	—	—	—	—	—	15	78	123	152	74	17
Paraplegia, Diseases of Cord	1030	1	3	11	15	10	8	11	8	52	20	12	23	23	72	114	149	262	212	85
Neuritis, Peripheral, Poly-Neuritis	140	—	—	—	—	1	1	—	—	2	14	24	18	18	69	87	63	45	30	6
Brain Tumour (not Specific)	383	—	—	1	1	3	3	4	2	13	12	13	18	13	38	63	140	279	424	248
Other Diseases of Nervous System	1382	10	10	23	43	23	5	5	7	83	12	13	18	13	38	63	140	279	424	248
Otitis, Mastoid Disease	601	16	31	55	102	59	28	20	14	223	69	50	61	48	63	41	20	13	9	4
Epistaxis, Diseases of Nose	27	5	2	—	7	2	1	1	—	11	—	—	3	—	4	1	1	3	1	—
Ophthalmia, Diseases of Eye	26	10	—	6	16	1	—	—	—	17	1	—	1	—	2	1	—	—	2	1
Valvular Disease, Endocarditis (not Infective)	7454	—	—	1	1	6	4	9	11	31	103	161	258	164	475	737	1180	1666	1795	776
Pericarditis	273	2	3	3	8	4	4	2	1	19	25	23	22	16	20	39	33	40	26	10
Hypertrophy of Heart	149	—	—	—	—	—	—	—	—	—	1	—	5	3	6	6	24	46	42	17
Angina Pectoris	612	—	—	—	—	—	—	—	—	—	1	—	1	—	9	36	106	185	205	65
Dilatation of Heart	1742	—	—	—	—	1	7	1	1	3	4	3	5	7	48	109	223	497	567	32
Fatty Degeneration of Heart	1124	—	—	—	—	—	—	—	—	—	1	1	1	3	25	60	171	326	387	14
Syncope, Heart Disease (not specified)	12911	—	—	2	2	18	8	5	10	43	76	138	189	177	464	958	1785	3215	3782	234
Cerebral Haemorrhage, Cerebral Embolism	7403	1	1	1	3	4	6	2	2	17	4	10	15	25	114	316	856	1781	2479	1525
Apoplexy, Hemiplegia	3847	—	—	—	—	5	—	2	—	7	2	3	6	7	39	127	416	912	1353	861
Aneurysm	941	—	—	—	—	—	—	—	—	—	—	1	2	5	70	219	256	248	113	25
Senile Gangrene	783	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	76	274	334
Embolism, Thrombosis (not Cerebral)	231	—	—	1	1	1	1	4	1	9	2	5	3	4	7	27	40	61	42	29
Phlebitis	46	—	—	—	—	—	—	—	—	1	1	2	—	—	2	6	8	9	8	7
Varicose Veins	33	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	9	9	8	3
Other Diseases of Blood Vessels	1530	—	—	—	—	—	—	—	—	—	—	—	1	4	10	34	139	327	550	372

Note.—For continuation of this Table see page 304.

FEMALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.													Total under 1 Year.	6-12 Months.	3-6 Months.	0-3 Months.	85 and upwards		
			1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—						65—	75—
	Meningitis, Inflammation of Brain	2549	102	192	426	720	423	219	119	115	1596	242	151	103	53	96	103	74	70	42	16	3
	Softening of Brain	1121	—	—	—	—	—	—	—	—	—	—	—	—	—	15	26	106	236	395	286	55
	General Paralysis of Insane	557	—	—	—	—	—	—	—	—	—	—	—	—	—	67	155	125	94	60	37	3
	Insanity (not Puerperal)	1249	—	—	—	—	—	—	—	—	—	—	—	—	—	56	109	169	233	300	238	74
	Chorea	117	—	—	—	—	—	—	—	—	—	—	—	—	—	6	2	4	1	10	—	—
	Epilepsy	1342	9	5	6	20	12	9	6	6	53	27	36	22	7	222	226	205	163	137	60	10
	Convulsions	5017	2692	951	647	4290	472	127	53	29	4971	39	42	75	102	—	—	—	—	—	—	—
	Laryngismus Stridulus	124	22	14	25	61	22	11	6	12	112	12	—	—	—	—	—	—	—	—	—	—
	Locomotor Ataxy	123	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Paraplegia, Diseases of Cord	953	—	—	—	—	—	—	—	—	—	—	—	—	—	8	18	36	37	21	1	—
	Neuritis, Peripheral, Poly-Neuritis	335	—	—	—	—	—	—	—	—	—	—	—	—	—	76	109	143	212	216	82	1
	Brain Tumour (not Specific)	370	—	—	—	—	—	—	—	—	—	—	—	—	—	31	98	82	81	29	8	—
	Other Diseases of Nervous System	1430	8	8	21	37	15	7	6	3	68	12	10	21	14	40	89	122	236	410	335	73
	Otitis, Mastoid Disease	507	14	32	66	112	45	23	18	9	207	64	61	49	22	28	24	26	12	11	3	—
	Epistaxis, Diseases of Nose	39	4	—	3	7	1	1	1	1	11	2	3	3	1	3	3	2	3	3	4	1
	Ophthalmia, Diseases of Eye	34	11	4	2	17	1	2	—	—	20	1	2	1	—	—	1	1	1	4	2	1
	Valvular Disease, Endocarditis (not Infective)	8872	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pericarditis	208	2	1	4	7	10	8	10	14	43	136	258	274	245	568	876	1311	1766	2158	1074	163
	Hypertrophy of Heart	75	—	—	—	—	—	—	—	—	—	—	—	—	—	14	15	22	26	30	6	1
	Angina Pectoris	330	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	7	18	28	16	1
	Dilatation of Heart	1778	—	—	—	—	—	—	—	—	—	—	—	—	—	4	17	50	85	108	57	4
	Fatty Degeneration of Heart	1359	—	—	—	—	—	—	—	—	—	—	—	—	—	38	90	211	398	645	312	60
	Syncope, Heart Disease (not specified)	14081	—	—	—	—	—	—	—	—	—	—	—	—	—	25	100	203	380	398	221	23
			—	—	—	—	—	—	—	—	—	—	—	—	—	524	1079	1831	3081	4244	2243	361
	Cerebral Haemorrhage, Cerebral Embolism	9140	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Apoplexy, Hemiplegia	4718	1	2	1	4	6	5	2	3	19	6	11	19	23	119	383	1109	2053	2914	2057	427
	Aneurysm	199	—	—	—	—	—	—	—	—	—	—	—	—	—	34	167	549	1002	1556	1151	233
	Senile Gangrene	662	—	—	—	—	—	—	—	—	—	—	—	—	—	8	26	45	44	51	20	—
	Embolism, Thrombosis (not Cerebral)	285	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phlebitis	84	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Varicose Veins	70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Blood Vessels	982	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 305.



ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1907—MALES—continued from page 302.

MALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.												85 and upwards.						
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—15—	20—		25—	35—	45—	55—	65—	75—
Laryngitis .. .. .	633	19	15	50	84	117	84	78	66	429	96	11	3	3	15	14	19	19	19	1
Membranous Laryngitis (not Diphtheritic)	18	—	—	1	1	3	1	3	4	12	6	—	—	—	—	—	—	—	—	—
Croup (not Spasmodic nor Membranous)	196	—	—	22	26	54	23	35	31	169	26	1	—	—	—	—	—	—	—	—
Other Diseases of Larynx and Trachea	22	3	—	—	3	1	2	—	—	6	2	—	—	1	3	4	3	1	1	—
Bronchitis .. .. .	20423	2205	1453	2020	5678	1358	330	125	72	7563	97	28	41	30	189	435	1218	2752	4271	3116
Emphysema, Asthma .. .. .	1041	1	1	—	2	4	1	3	2	12	2	1	2	5	36	81	179	297	305	106
Pleurisy .. .. .	733	3	5	14	22	49	23	13	8	115	22	15	19	25	46	110	104	122	104	45
Fibroid Disease of Lung .. .. .	490	—	—	—	—	1	—	—	—	1	—	4	—	1	36	77	118	150	82	12
Other Diseases of Respiratory System	1297	134	76	91	301	67	16	11	5	400	13	12	14	14	59	67	113	153	192	186
Tonsillitis, Quinsy .. .. .	206	7	1	13	21	25	22	8	13	89	39	16	7	8	16	6	7	7	6	4
Dis. of Mouth, Pharynx, Esophagus (not Specific)	254	84	15	29	128	30	13	8	10	189	7	5	3	1	4	136	145	122	10	8
Gastric Ulcer .. .. .	655	384	255	177	816	83	38	—	16	5	1	1	16	21	91	58	80	119	91	24
Gastritis, Gastric Catarrh .. .. .	1592	38	16	8	62	9	—	3	—	74	6	8	6	13	23	27	30	38	181	86
Other Diseases of Stomach (not Malignant)	477	2	2	6	10	1	—	2	—	13	4	5	13	19	79	94	100	80	52	30
Ulceration of Intestines .. .. .	1910	488	394	375	1257	182	46	23	13	1521	20	15	9	14	32	42	39	73	95	16
Enteritis (not Epidemic) .. .. .	1337	375	287	289	951	152	27	14	11	1155	23	12	5	7	6	18	18	36	26	27
Gastro-enteritis .. .. .	1161	2	—	1	3	3	11	14	12	43	134	174	187	123	173	102	104	72	30	19
Appendicitis, Perityphlitis .. .. .	702	26	30	16	72	14	2	2	3	93	4	4	4	8	21	42	82	146	170	104
Hernia .. .. .	1314	51	106	132	289	33	16	15	11	364	44	24	52	36	66	91	121	170	196	134
Intestinal Obstruction .. .. .	131	8	5	5	18	4	—	1	2	25	1	4	—	2	4	10	16	23	30	15
Other Diseases of Intestines .. .. .	308	22	11	—	38	11	5	3	17	74	26	20	15	18	31	23	22	27	33	18
Peritonitis (not Puerperal) .. .. .	2070	—	—	—	—	—	—	1	1	2	4	—	4	6	85	324	531	676	353	82
Cirrhosis of Liver .. .. .	850	5	9	12	26	5	4	4	—	43	13	7	12	14	62	78	125	200	193	86
Other Diseases of Liver and Gall Bladder	186	7	7	7	21	7	1	—	—	29	2	—	—	4	7	18	33	38	28	20
Other Diseases of Digestive System .. .. .																				

Note.—For continuation of this Table, see page 306.

FEMALES.	CAUSES OF DEATH.	AGES AT DEATH.															ALL AGES.				
		AGES AT DEATH.																			
		0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5-10	10-15	15-20	20-25	25-35	35-45		45-55	55-65	65-75	75 and upwards.
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
..	Laryngitis	18	18	35	71	71	48	59	64	313	92	8	3	5	7	14	4	10	13	8	2
..	Membranous Laryngitis (not Diphtheritic)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	Croup (not Spasmodic nor Membranous)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	Other Diseases of Larynx and Trachea	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	Bronchitis	1592	1031	1571	4194	1296	320	147	78	6035	85	21	21	37	143	419	1066	2785	5282	4596	1291
..	Emphysema, Asthma	2	..	3	5	6	1	1	..	13	5	4	2	3	41	58	95	154	193	99	14
..	Pleurisy	4	4	8	16	30	11	9	11	77	14	8	14	24	51	74	60	93	97	68	19
..	Fibroid Disease of Lung	..	..	..	..	..	..	1	..	1	..	..	1	2	10	17	37	54	35	9	..
..	Other Diseases of Respiratory System..	103	63	72	238	64	16	7	6	331	10	6	10	15	26	59	69	126	204	246	114
..	Tonsillitis, Quinsy	2	2	6	10	9	9	7	14	49	56	19	8	7	9	4	14	5	7	7	..
..	Dis. of Mouth, Pharynx, Œsophagus (not Specific)	69	15	18	102	22	..	16	10	159	14	8	4	3	7	10	14	15	12	12	2
..	Gastric Ulcer	227	210	156	593	105	28	2	..	5	39	17	9	175	237	216	154	125	61	27	2
..	Gastritis, Gastric Catarrh	34	24	11	69	6	2	2	..	79	7	2	3	1	53	72	106	144	224	180	57
..	Other Diseases of Stomach (not Malignant)	..	..	..	..	..	..	1	..	3	6	2	13	14	14	28	24	32	42	31	12
..	Ulceration of Intestines	..	..	..	..	..	..	..	16	1248	31	13	13	14	38	48	42	38	26	9	..
..	Enteritis (not Epidemic)	341	300	331	972	203	41	18	..	858	33	10	5	9	17	31	21	42	50	76	14
..	Gastro-enteritis..	224	240	215	679	127	26	9	19	37	112	117	100	81	105	89	64	52	37	10	4
..	Appendicitis, Perityphlitis	2	2	1	6	..	6	..	2	8	..	..	2	1	9	64	153	235	216	125	21
..	Hernia	803	..	..	..	..	..	..	10	180	27	15	27	20	64	103	130	179	270	206	28
..	Intestinal Obstruction	834	40	74	140	11	8	11	..	21	3	2	2	2	8	16	16	16	25	16	10
..	Other Diseases of Intestines	1249	7	19	19	1	..	1	3	59	44	16	13	27	42	52	35	36	43	18	4
..	Peritonitis (not Puerperal)	389	5	10	31	7	2	10	..	8	2	5	2	5	76	319	567	487	278	76	8
..	Cirrhosis of Liver	1833	..	..	1	3	9	1	1	43	11	3	5	14	47	105	167	296	273	183	24
..	Other Diseases of Liver and Gall Bladder	1171	1	6	17	7	4	5	1	35	4	..	4	6	6	13	20	33	44	24	7
..	Other Diseases of Digestive System	196	4	7	20	7	..	3	1	..	..	..	..	..	..	..	..	..	..	..	..

Note.—For continuation of this Table, see page 307.



ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1907—MALES—continued from page 304.

MALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.												Total under 1 Year.	Total under 5 Years	85 and upwards.																
			0—3 Months.	3—6 Months.	6—12 Months.	1—	2—	3—	4—	5—	10—15—	20—	25—	35—				45—	55—	65—	75—												
..	Diseases of Spleen ..	21	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
..	Other Diseases of Lymphatic System ..	227	9	7	20	9	2	5	1	—	—	7	59	18	13	12	13	27	29	312	249	106	1	—	—	—	—	—	—	—	—		
..	Diseases of Thyroid Body ..	72	1	—	—	1	—	1	—	—	—	2	5	2	3	4	6	9	11	1535	1396	484	23	—	—	—	—	—	—	—	—		
..	Diseases of Supra Renal Capsules ..	83	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16	17	363	813	709	154	—	—	—	—	—	—	—	—		
..	Acute Nephritis, Uræmia ..	1844	18	20	27	55	27	43	23	213	74	50	58	69	166	229	293	6	3	115	102	39	25	—	—	—	—	—	—	—	—		
..	Chronic Bright's Disease, Albuminuria ..	5573	2	5	4	11	5	1	5	37	37	43	45	74	281	573	1026	14	15	37	48	23	42	—	—	—	—	—	—	—	—		
..	Calculus (not Biliary) ..	198	—	—	1	1	1	1	1	8	5	4	6	7	13	15	31	9	363	813	709	154	—	—	—	—	—	—	—	—	—		
..	Diseases of Bladder and of Prostate ..	2203	—	2	—	—	—	—	—	4	2	3	5	6	12	33	99	16	96	115	102	39	7	—	—	—	—	—	—	—	—		
..	Other Diseases of Urinary System ..	470	4	1	—	—	—	—	—	6	—	—	—	8	30	59	96	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
..	Ovarian Tumour (not Malignant) ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
..	Other Diseases of Ovary ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
..	Uterine Tumour (not Malignant) ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
..	Other Diseases of Uterus and Vagina ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
..	Disorders of Menstruation ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
..	Other Diseases of Gener. & Mamm. Organs ..	48	13	1	1	—	1	1	—	17	—	—	—	1	3	3	3	—	9	—	—	—	—	—	—	—	—	—	—	—	—	—	
..	Abortion, Miscarriage ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
..	Puerperal Mania ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
..	Puerperal Convulsions ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
..	Placenta Prævia, Flooding ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
..	Other Accidents of Pregnancy and Childbirth ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
..	Caries, Necrosis ..	205	2	1	2	5	3	8	6	25	23	15	21	9	36	17	18	17	21	17	3	—	—	—	—	—	—	—	—	—	—	—	
..	Arthritis, Periostitis ..	139	8	2	8	18	4	2	4	31	14	17	15	4	4	9	11	13	13	13	10	1	—	—	—	—	—	—	—	—	—	—	
..	Other Diseases of Locomotor System ..	149	4	—	3	7	—	—	7	23	22	30	18	2	8	10	12	10	13	10	1	—	—	—	—	—	—	—	—	—	—	—	—
..	Ulcer, Bed-sore ..	144	2	2	—	4	—	1	—	5	3	—	—	—	2	2	8	50	21	17	3	—	—	—	—	—	—	—	—	—	—	—	
..	Eczema ..	164	74	23	30	127	—	—	—	139	1	—	—	—	—	—	3	13	1	1	1	—	—	—	—	—	—	—	—	—	—	—	
..	Pemphigus ..	123	106	7	3	116	—	—	—	116	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
..	Other Diseases of the Skin ..	129	76	1	6	83	—	—	—	88	—	—	—	—	5	—	—	13	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 308.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.													85 and upwards.					
		0—5 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—		35—	45—	55—	65—	75—
		Months.	Months.	Months.	1—	2—	3—	4—	5 Years.	5—	10—	15—	20—	25—		35—	45—	55—	65—	75—
Diseases of Spleen ..	29	—	—	—	2	2	—	4	1	1	2	4	4	3	3	3	4	—	—	
Other Diseases of Lymphatic System ..	153	—	11	19	9	6	1	36	9	9	6	5	19	12	16	18	18	5	—	
Diseases of Thyroid Body ..	455	—	1	2	2	2	—	8	2	3	16	23	49	78	97	95	67	17	—	
Diseases of Supra Renal Capsules ..	91	—	—	—	—	—	—	—	—	1	5	5	8	22	14	22	12	2	—	
Acute Nephritis, Uræmia ..	1591	10	12	32	40	33	22	149	63	38	60	64	192	235	238	255	212	77	8	
Chronic Bright's Disease, Albuminuria ..	4869	1	6	10	12	3	5	32	26	34	63	115	298	622	897	1172	1057	495	58	
Calculus (not Biliary) ..	80	—	—	—	—	—	—	—	1	—	1	3	9	8	13	15	20	10	—	
Diseases of Bladder and of Prostate ..	238	—	3	1	1	1	—	5	1	—	1	2	15	8	8	37	62	83	16	
Other Diseases of Urinary System ..	139	—	1	1	2	2	—	6	5	—	3	6	19	28	15	23	20	12	2	
Ovarian Tumour (not Malignant) ..	357	—	—	—	—	—	1	1	—	1	3	5	41	57	63	77	69	35	5	
Other Diseases of Ovary ..	51	—	—	—	1	—	—	1	—	—	1	2	8	15	13	5	4	2	—	
Uterine Tumour (not Malignant) ..	327	—	—	—	—	—	—	—	—	—	—	2	29	90	94	62	32	17	1	
Other Diseases of Uterus and Vagina ..	319	—	2	5	1	3	2	11	2	—	10	24	85	88	40	22	22	14	1	
Disorders of Menstruation ..	50	—	—	—	—	—	—	—	—	5	4	5	8	14	14	—	—	—	—	
Other Diseases of Gener. & Mamm. Organs ..	10	4	—	4	—	—	—	4	—	—	—	1	1	1	2	1	—	—	—	
Abortion, Miscarriage ..	192	—	—	—	—	—	—	—	—	—	3	8	45	46	—	—	—	—	—	
Puerperal Mania ..	70	—	—	—	—	—	—	—	—	—	2	8	39	21	—	—	—	—	—	
Puerperal Convulsions ..	449	—	—	—	—	—	—	—	—	—	32	12	190	97	5	—	—	—	—	
Placenta Prævia, Flooding ..	608	—	—	—	—	—	—	—	—	—	8	38	266	286	10	—	—	—	—	
Other Accidents of Pregnancy and Childbirth ..	826	—	—	—	—	—	—	—	—	—	11	107	414	286	8	—	—	—	—	
Caries, Necrosis ..	177	1	—	1	1	5	3	15	9	11	14	11	16	21	25	23	21	10	1	
Arthritis, Periostitis ..	110	9	6	18	3	2	1	24	11	13	5	—	4	10	6	16	12	7	2	
Other Diseases of Locomotor System ..	105	2	2	4	4	2	2	14	11	11	8	—	5	10	13	14	8	6	1	
Ulcer, Bed-sore ..	341	4	1	5	4	1	—	11	—	2	1	1	4	12	23	59	102	101	25	
Eczema ..	123	41	20	78	11	1	1	94	1	—	—	—	2	1	2	4	11	5	2	
Pemphigus ..	100	80	3	86	2	—	1	90	—	—	—	—	1	1	1	1	3	3	—	
Other Diseases of the Skin ..	122	47	5	54	4	2	1	63	1	1	1	2	4	1	9	8	10	16	6	

Note.—For continuation of this Table, see page 309.



ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1907—MALES—continued from page 306.

MALES.	CAUSES OF DEATH.	AGES AT DEATH.													85 and upwards							
		ALL AGES.	0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-2	2-3	3-4	4-5 Years	5-10	10-15	20-	25-		35-	45-	55-	65-	75-		
OTHER SPECIFIED DISEASES.																						
CAUSES ILL-DEFINED OR NOT SPECIFIED.																						
Atrophy, Debility	..	8340	6939	1252	658	7949	278	57	8	5	8297	2	1	1	2	1	10	11	14	3153	7347	3153
Old Age	..	13917	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy, Ascites, Anasarca	..	60	2	1	—	3	—	—	—	—	4	—	—	—	—	—	2	6	10	2	27	9
Tumour	..	33	—	—	—	—	1	—	1	—	2	—	—	—	—	—	8	11	21	6	3	2
Abscess	..	151	22	13	18	53	9	2	2	—	66	3	1	5	3	10	11	14	3	3	6	—
Hæmorrhage	..	16	—	—	—	—	—	—	—	—	—	—	—	—	—	1	5	4	3	3	—	—
Sudden Death (cause unascertained)	..	11	—	1	—	1	2	—	—	—	3	—	—	—	—	1	2	1	3	3	1	—
Other ill-defined causes	..	421	68	16	6	90	10	4	3	6	109	7	6	5	3	10	45	87	72	39	12	4
Causes not specified	..	111	33	6	—	39	1	—	2	2	44	1	—	—	1	4	15	10	15	15	12	2
VIOLENT DEATHS.																						
In Mines and Quarries	..	1084	—	1	—	—	—	—	—	—	—	—	—	—	—	—	166	111	24	1	—	—
Vehicles and Horses	..	2197	—	—	—	—	—	—	—	—	—	—	—	—	—	—	313	266	136	54	—	—
Ships, Boats, and Docks (not Drowning)	..	246	—	—	—	—	—	—	—	—	—	—	—	—	—	—	51	32	13	3	—	—
Building Operations	..	243	—	—	—	—	—	—	—	—	—	—	—	—	—	—	58	31	15	—	—	—
Machinery	..	237	—	—	—	—	—	—	—	—	—	—	—	—	—	—	40	16	6	—	—	—
Weapons and Implements	..	79	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	7	1	—	—	—
Burns and Scalds	..	1103	17	11	51	79	185	246	157	82	749	98	13	12	38	29	33	42	23	1	—	—
Poisons, Poisonous Vapours	..	329	3	4	6	13	20	7	5	5	50	11	8	11	16	42	36	25	12	12	1	—
Drowning	..	1838	17	—	2	19	39	52	40	34	184	194	126	114	140	300	195	100	28	28	1	—
Suffocation	..	1039	652	191	74	917	17	7	6	1	948	8	4	2	2	9	14	12	10	10	—	—
Falls	..	1460	3	4	9	16	32	24	17	17	106	65	47	32	44	114	176	220	212	212	—	—
Weather Agencies	..	127	1	—	—	1	1	1	2	1	6	2	1	8	5	12	17	24	24	10	—	—
Otherwise, or not stated	..	863	106	4	2	112	13	12	12	7	156	39	40	57	65	100	122	80	57	22	8	—
Battle	..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Homicide	..	139	31	7	4	42	4	3	2	3	54	5	—	1	9	15	18	7	5	1	78	—
Suicide	..	2632	—	—	—	—	—	—	—	—	—	—	—	53	114	400	636	501	309	—	—	—
Execution	..	9	—	—	—	—	—	—	—	—	—	—	—	—	—	3	4	1	—	—	—	—

ENGLAND AND WALES.—CAUSES of DEATH at different Periods of Life, 1907—FEMALES—continued from page 307.

FEMALES.		AGES AT DEATH.														Total under 1 Year.	AGES AT DEATH.														Total under 5 Years	AGES AT DEATH.														Total under 85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
		ALL AGES.					0-3 Months.	3-6 Months.	6-12 Months.	1-2	2-3	3-4	4-5	5-10	10-15		15-20	20-25	25-35	35-45	45-55	55-65	65-75	75-85																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
CAUSES OF DEATH.		OTHER SPECIFIED DISEASES.																				CAUSES ILL-DEFINED OR NOT SPECIFIED.																				VIOLENT DEATHS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Atrophy, Debility	..	6267	4210	1022	601	5833	303	34	15	6	6191	11	3	1	—	—	3	26	16	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—





SUPPLEMENTARY TABLE.—ENGLAND AND WALES, 1907.—DEATHS certified as from INFECTIVE PROCESSES.\*—FEMALES.

FEMALES. CAUSES OF DEATH.		AGES AT DEATH.																85 and upwards.		
		ALL AGES.																		
		0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
Infective Diseases of	Brain ..	109	1	3	8	12	7	4	3	27	10	11	5	7	15	15	5	13	1	—
	Middle Ear ..	416	7	20	46	73	31	15	9	149	58	55	46	20	23	23	23	10	8	1
	Blood Vessels ..	49	—	—	—	—	—	—	1	2	—	—	—	1	4	6	5	13	11	6
	Larynx..	3	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—
	Pleura ..	150	1	1	6	8	22	7	8	54	9	5	9	10	16	19	11	12	3	2
	Lung ..	201	3	5	12	20	23	4	4	63	12	8	10	8	21	26	20	16	16	1
	Tonsil ..	67	—	1	2	3	2	3	3	16	19	7	4	3	3	3	9	1	2	—
	Mouth and Pharynx ..	91	3	1	3	7	13	9	9	44	12	5	3	1	3	6	8	5	4	—
	Stomach and Intestines ..	1155	2	6	6	14	2	10	19	52	91	88	126	145	160	173	119	105	71	23
	Peritoneum ..	27	3	—	1	4	—	1	1	7	6	1	1	2	2	5	—	3	—	—
	Liver ..	147	—	—	—	—	2	1	—	3	2	1	1	5	9	17	31	38	26	13
Infective Processes	Kidney..	80	—	—	—	—	—	2	1	3	4	—	3	3	7	16	12	17	8	6
	Bladder and Prostate ..	26	—	—	—	—	—	—	—	1	—	—	—	2	4	3	2	5	6	2
	Uterus and Ovary ..	259	2	1	1	4	1	—	2	9	2	1	6	22	58	82	45	17	9	8
	Bone ..	61	2	—	1	3	3	2	1	11	7	11	5	—	3	9	4	7	2	2
	Joints ..	66	4	1	2	7	3	—	—	11	8	12	5	1	3	5	2	9	5	4
	Other parts of the body ..	69	9	3	6	18	6	1	2	30	3	6	4	3	3	2	8	4	6	—
	Ulcer ..	86	1	—	1	2	2	—	1	5	—	1	—	—	1	5	10	25	27	12
	Abscess ..	142	41	8	7	56	6	—	1	66	5	1	3	5	5	9	12	7	17	10
	Pelvic Cellulitis ..	29	—	—	—	—	—	—	—	—	—	—	1	3	11	3	5	4	2	—
	Others..	48	—	—	—	—	—	2	2	4	2	2	2	1	4	6	9	3	12	3
	Total ..	3281	79	50	102	231	124	61	67	558	251	215	234	242	355	434	349	314	236	93

\* The infections of Tuberculosis, Syphilis, Lobar Pneumonia, and Diarrhoea (all forms) are excluded from this Table.



LONDON.—SUMMARY of CAUSES of DEATH, 1907.—MALES.

MALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.														85 and upwards.					
		0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1- 2- 3- 4- 5- 10- 15- 20- 25- 35- 45- 55- 65- 75-	Total under 5 Years														
		0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1- 2- 3- 4- 5- 10- 15- 20- 25- 35- 45- 55- 65- 75-	Total under 5 Years														
ALL CAUSES..	35,939	4,384	1,469	2,159	8,012	2,343	968	601	355	12,279	817	394	593	753	2,069	3,137	3,967	4,456	4,294	2,545	635
A.*--GENERAL DISEASES ..	18,908	2,655	783	1,492	4,930	1,868	773	482	273	8,326	544	181	300	438	1,325	1,859	2,109	1,927	1,273	507	69
B.*--DISEASES OF PARTICULAR ORGANS:--																					
I. DISEASES OF NERVOUS SYSTEM ..	1,643	321	90	130	541	90	38	15	22	706	27	25	30	25	75	117	127	181	193	109	28
II. " " ORGANS OF SPECIAL SENSE..	132	5	8	8	21	11	4	6	4	46	18	6	14	12	14	14	2	3	3	—	—
III. " " HEART ..	2,764	1	—	2	3	4	2	3	3	15	41	56	86	50	161	279	436	624	690	285	41
IV. " " BLOOD VESSELS ..	1,654	—	—	—	—	4	1	—	1	6	1	4	2	4	41	125	228	376	522	283	62
V. " " RESPIRATORY SYSTEM ..	3,287	348	174	231	753	182	59	29	13	1,036	16	7	16	13	58	142	269	477	693	447	113
VI. " " DIGESTIVE SYSTEM ..	1,921	190	158	162	510	85	25	13	12	645	51	43	50	45	113	179	256	263	185	74	17
VII. " " LYMPH : & DUCTLESS GLANDS	54	2	—	2	4	1	1	3	—	9	4	2	8	1	1	8	5	11	5	—	—
VIII. " " URINARY SYSTEM ..	1,609	2	2	—	4	9	6	11	1	31	18	13	16	30	63	159	258	388	392	212	29
IX. " " GENERATIVE SYSTEM ..	9	1	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	1	3	3	—
X. " " PREGNANCY AND CHILD BIRTH	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. " " LOCOMOTOR SYSTEM ..	84	2	—	5	7	7	—	1	2	17	10	10	8	4	5	4	10	8	6	2	—
XII. " " THE SKIN ..	74	39	5	4	48	1	—	1	—	50	1	—	—	1	1	1	1	4	9	4	2
C.*--OTHER SPECIFIED DISEASES ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*--CAUSES ILL-DEFINED OR NOT SPECIFIED.	1,935	601	192	89	832	21	6	1	—	910	1	—	1	1	1	2	5	17	196	542	259
E.*--VIOLENT DEATHS ..	1,865	217	57	34	308	60	53	36	24	481	85	47	62	79	211	247	261	176	124	77	15

\* The grouping in this Summary is for convenience of tabling merely : it must not be regarded as a classification.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.																	85 and upwards.		
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—		65—	75—
		3,214	1,156	1,983	6,353	2,229	897	531	418	10,428	868	431	594	694	1,824	2,540	3,132	3,801		4,626	3,800
ALL CAUSES..	34,073	1,973	625	1,427	4,025	1,788	734	441	320	7,308	632	235	361	419	1,099	1,386	1,494	1,507	1,370	690	144
A.*—GENERAL DISEASES ..	16,645																				
B.*—DISEASES OF PARTICULAR ORGANS :—																					
I. DISEASES OF NERVOUS SYSTEM ..	1,465	211	94	108	413	92	31	22	21	579	39	33	29	35	67	96	100	137	166	146	38
II. " ORGANS OF SPECIAL SENSE..	101	3	7	10	20	10	8	2	—	40	17	6	6	2	10	5	8	1	6	—	—
III. " HEART ..	3,222	2	—	1	3	5	6	2	8	24	51	88	96	74	166	301	446	619	836	435	86
IV. " BLOOD VESSELS ..	1,782	—	—	1	1	1	—	1	—	3	—	3	3	8	29	75	216	378	504	444	119
V. " RESPIRATORY SYSTEM..	3,618	242	114	194	550	178	55	24	17	824	15	6	4	9	54	93	204	471	849	820	269
VI. " DIGESTIVE SYSTEM ..	1,936	142	118	143	403	62	19	12	17	513	43	31	44	57	125	192	272	271	207	150	31
VII. " LYMPH : & DUCTLESS GLANDS	94	1	—	3	4	2	2	—	1	9	4	3	4	7	10	20	13	8	10	6	—
VIII. " URINARY SYSTEM ..	1,155	—	—	—	—	4	5	2	3	14	12	9	21	23	75	157	214	260	229	123	18
IX. " GENERATIVE SYSTEM..	208	1	1	—	2	1	—	—	—	3	—	2	1	4	37	62	52	24	17	5	1
X. " PREGNANCY AND CHILDBIRTH	193.	—	—	—	—	—	—	—	—	—	—	—	2	26	91	72	2	—	—	—	—
XI. " LOCOMOTOR SYSTEM ..	64	2	3	3	8	2	1	2	3	16	6	2	5	—	4	8	9	4	6	2	2
XII. " THE SKIN ..	95	27	3	3	33	4	1	—	—	38	1	—	1	—	1	—	6	8	13	20	7
C.*—OTHER SPECIFIED DISEASES ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECIFIED.	2,525	448	144	65	657	29	1	2	1	690	2	—	—	1	1	1	3	28	331	875	593
E.*—VIOLENT DEATHS..	970	162	47	25	234	51	34	21	27	367	46	13	17	29	55	72	93	85	82	84	27

\* The grouping in this Summary is for convenience of tabling merely : it must not be regarded as a classification.



LONDON.—CAUSES OF DEATH at different Periods of Life, 1907—MALES.

*Note*—The figures in this Table differ in some cases from those published in the Annual Summary. These differences are due (1) to corrections made in the Tables of the Annual Summary, but not in those of this Report, for Deaths occurring in Public Institutions (*see* Note on p. 6 of Annual Summary); and (2) to alterations in classification owing to further information furnished by the Certifying Medical Practitioners after the publication of the figures in the Annual Summary; and, further, the two tables do not relate precisely to the same period.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

MALES		ALL AGES.		AGES AT DEATH.												Total under 5 Years	4--	3--	2--	1--	Total under 1 Year.	6-12 Months.	3-6 Months.	0-3 Months.	85 and upwards																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
				5--	10--	15--	20--	25--	35--	45--	55--	65--	75--																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
CAUSES OF DEATH.	Small-pox { Vaccinated Not Vaccinated Doubtful	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	

*Note*.—For continuation of this Table, *see* page 316. \* Called Simple Continued Fever previous to 1901. † *i.e.*, deaths stated to be so caused.

LONDON.—CAUSES OF DEATH at different Periods of Life, 1907—FEMALES.

*Note.*—The figures in this Table differ in some cases from those published in the Annual Summary. These differences are due (1) to corrections made in the Tables of the Annual Summary, but not in those of this Report, for Deaths occurring in Public Institutions (*see* Note on p. 6 of Annual Summary); and (2) to alterations in classification owing to further information furnished by the Certifying Medical Practitioners after the publication of the figures in the Annual Summary; and, further, the two tables do not relate precisely to the same period.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.																												
		0-3 Months.				3-6 Months.				6-12 Months.		Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5-10-	10-15-	15-20-	20-25-	25-35-	35-45-	45-55-	55-65-	65-75-	75-85 and upwards.			
		0-3	3-6	6-12	12-18																									
Small-pox { Vaccinated Not Vaccinated Doubtful	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	.. .. ..	
Cow-pox and other effects of Vaccination	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Chicken-pox	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Measles (Morbilli)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
German Measles	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Scarlet Fever	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Typhus	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Plague	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Relapsing Fever	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Influenza	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Whooping-cough	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Mumps	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Diphtheria	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Cerebro-spinal Fever	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Pyæmia* (origin uncertain)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Enteric Fever	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asiatic Cholera	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Diarrhoea due to Food†	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Infective Enteritis, Epidemic Diarrhoea	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Diarrhoea (not otherwise defined)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Dysentery	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Tetanus	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Malaria	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rabies, Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Glanders	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Anthrax (Splenic Fever)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Syphilis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Gonorrhoea	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

NOTE.—For continuation of this Table, *see* page 317.

\* Called Simple Continued Fever previous to 1901

† *i.e.*, deaths stated to be so caused.



LONDON.—CAUSES OF DEATH at different Periods of Life, 1907—MALES—continued from page 314.

MALES, CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.																	85 and upwards.	
		0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5-10-	10-15-	15-20-	20-25-	25-35-	35-45-	45-55-	55-65-		65-75-
Puerperal Septicæmia, Puerp. Septic Intoxication																				
Puerperal Pyæmia .. .. .																				
Phlegmasia Alba Dolens .. .. .																				
Puerperal Fever (not otherwise defined)																				
Infective Endocarditis .. .. .	75	5	2	1	1	24	9	4	1	2	16	14	9	3	6	1	8	17	38	1
{ Lobar .. .. .	514	202	182	360	744	459	138	68	31	1440	69	102	96	89	50	1	15	50	17	8
{ Broncho- .. .. .	1791										13	36	36	76	91		4	91	38	
{ Epidemic .. .. .																				
{ Not defined .. .. .	1679	64	47	117	228	145	66	23	20	482	107	194	256	234	196		37	196	108	17
Erysipelas .. .. .	90	15	4	6	25	—	1	—	1	27	2	9	12	13	14		—	14	7	4
Septicæmia, Septic Intoxication (not Puerperal) .. .. .	32	4	—	—	4	2	—	4	—	10	3	4	4	5	1		1	1	—	—
Pyæmia (not Puerperal) .. .. .	14	1	—	—	2	2	—	—	—	4	2	1	2	—	—		—	—	—	—
Phlegmon, Carbuncle (not Anthrax)	96	12	2	1	15	1	—	—	—	16	3	10	15	22	14		4	14	9	2
Phagedæna .. .. .	6	1	1	1	3	—	—	—	1	4	1	—	—	—	—		—	—	—	—
Other Infective Processes .. .. .	13	—	—	—	—	2	—	—	—	2	2	—	2	1	3		—	—	—	—
Pulmonary Tuberculosis (Tuberculous Phthisis) .. .. .	2756	2	10	23	35	35	18	18	8	114	550	710	581	324	114		581	324	114	1
Phthisis (not otherwise defined) .. .. .	1262	1	—	5	6	8	3	2	2	21	256	311	289	157	51		289	157	51	—
Tuberculous Meningitis .. .. .	529	14	36	81	131	104	76	42	33	386	13	4	4	—	—		4	—	—	—
Tuberculous Peritonitis .. .. .	202	15	31	29	75	36	19	11	4	145	5	7	7	2	—		7	2	—	—
Tabes Mesenterica .. .. .	45	6	11	13	30	9	4	1	1	45	—	—	—	—	—		—	—	—	—
Lupus .. .. .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—
Tubercle of other Organs .. .. .	134	—	1	4	6	3	9	7	1	26	1	12	19	6	1		12	6	1	—
General Tuberculosis .. .. .	345	24	20	33	77	73	21	16	8	195	22	23	27	10	5		27	10	5	—
Serofula .. .. .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—
Parasitic Diseases .. .. .	13	5	1	—	6	—	—	—	—	6	2	3	1	1	—		1	—	—	—
Starvation .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—
Scurvy .. .. .	3	—	—	1	1	—	—	—	—	—	—	—	—	—	—		—	—	—	—
Alcoholism, Delirium Tremens .. .. .	249	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—

Note.—For continuation of this Table, see page 318.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.												85 and upwards.						
		0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5-10-	10-15-	15-20-		20-25-	25-35-	35-45-	45-55-	55-65-	65-75-
		Months.	Months.	Months.	1 Year.					5 Years.										
Puerperal Septicæmia, Puerp. Septic Intoxication	130																			
Puerperal Pyæmia .. .. .	17																			
Phlegmasia Alba Dolens .. .. .	4																			
Puerperal Fever (not otherwise defined)	14																			
Infective Endocarditis .. .. .	79	1	6	14	21	23	8	1	2	5	11	15	19	11	8	2	46	1		
(Lobar .. .. .)	312	1		14	21	23			62	7	6	10	26	35	44	49	20			
Broncho- .. .. .	1634	151	133	345	629	429	130	37	1270	32	7	10	14	21	38	67	84	66		
Pneumonia .. .. .																				
Epidemic .. .. .	1364	53	37	110	200	118	53	16	418	42	18	22	76	121	151	159	189	119		
Not defined .. .. .	97	15	3	6	24	7	1		32			1	4	6	10	10	15	19		
Erysipelas .. .. .	23	2		2	4		1		6	1		1	2	4	1	3	3			
Septicæmia, Septic Intoxication (not Puerperal) .. .. .	11	3	1		4				4	1			1	3	1	1				
Pyæmia (not Puerperal) .. .. .	55	7	2	1	10	3			13	2	1	1	3	2	5	11	5	10		
Phlegmon, Carbuncle (not Anthrax) .. .. .																				
Phagedæna .. .. .																				
Other Infective Processes .. .. .	4							1	1		1				2					
Pulmonary Tuberculosis (Tuberculous Phthisis) .. .. .	1579	1	10	26	37	31	9	10	100	41	133	133	350	345	246	127	52	10	1	
Phthisis (not otherwise defined) .. .. .	918		2	2	4	5	1	1	15	15	70	81	215	209	155	86	40	3	1	
Tuberculous Meningitis .. .. .	509	8	32	72	112	105	65	40	363	100	6	5	7	3	1	2				
Tuberculous Peritonitis .. .. .	197	8	20	23	51	28	12	8	108	32	10	11	12	7	7		2			
Tubes Mesenterica .. .. .	32	3	8	11	22	4	3	1	30	2										
Lupus .. .. .	13																			
Tubercle of other Organs .. .. .	119	1	1	1	3	7	5	1	19	17	16	6	12	10	10	7	9	1		
General Tuberculosis .. .. .	299	7	25	41	73	59	26	8	182	31	13	13	20	11	12	5	2	2		
Scrophula .. .. .	1																	1		
Parasitic Diseases .. .. .	15	5		1	6	1			7			2	1	1	1	3				
Starvation .. .. .	1				1															
Scurvy .. .. .	4			1	1		1		2											
Alcoholism, Delirium Tremens .. .. .	255																	1		
																		15	5	

Note.—For continuation of this Table, see page 319.



LONDON.—CAUSES OF DEATH at different Periods of Life, 1907—MALES—continued from page 316.

MALES.	ALL AGES.	AGES AT DEATH.											Total under 1 Year.	6—12 Months.	3—6 Months.	0—2 Months.	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Opium, Morphia-habit	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Industrial Poisoning:—	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
By Lead ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
" Phosphorus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
" Arsenic and other Metals ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever, Acute Rheumatism	117	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism of Heart ..	29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chronic Rheumatism	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatoid Arthritis, Rheumatic Gout	40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gout ..	89	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Carcinoma ..	1255	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Sarcoma ..	191	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cancer, Malignant Disease (not otherwise defined)	738	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rickets ..	107	2	11	33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Purpura ..	21	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmophilia, Hæmorrhagic Diathesis ..	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Anæmia, Leucocythæmia ..	89	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes Mellitus ..	214	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Birth ..	1342	1332	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Congenital Hydrocephalus	31	10	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Congenital Defects ..	339	286	24	13	2	323	4	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Injury at Birth ..	78	78	—	—	—	78	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atelectasis ..	158	158	—	—	—	158	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk ..	68	41	21	6	—	68	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Teething ..	76	—	9	36	—	45	28	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

Note.—For continuation of this Table, see page 320.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.												Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.																																																																																																																																																																																																																																																																																																																																					
		0—3 Months.	3—6 Months.	6—12 Months.																																																																																																																																																																																																																																																																																																																																																															
Opium, Morphia-habit Industrial Poisoning :— By Lead .. .. . " Phosphorus .. .. . " Arsenic and other Metals ..	2 .. .. .. ..	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— —

Note.—For continuation of this Table, see page 321.



LONDON.—CAUSES OF DEATH at different Periods of Life, 1907—MALES—continued from page 318.

MALES.	CAUSES OF DEATH.	AGES AT DEATH.														Total under 5 Years	4—	3—	2—	1—	Total under 1 Year.	6—12 Months.	3—6 Months.	0—3 Months.	ALL AGES.
Meningitis, Inflammation of Brain	302	18	21	70	109	54	26	12	11	212	19	11	16	5	13	10	7	—	25	65	75	85 and upwards.			
Softening of Brain	76	—	—	—	—	—	1	—	—	1	1	—	2	1	—	4	3	15	29	9	—	—			
General Paralysis of Insane	110	—	—	—	—	2	—	—	—	—	—	—	—	—	—	29	22	29	9	—	—	—			
Insanity (not Puerperal)	106	—	—	—	—	—	—	—	—	3	—	1	2	—	4	9	8	13	37	16	—	—			
Chorea	5	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	1	1	—	—			
Epilepsy	143	1	1	—	2	2	—	—	—	6	1	5	5	11	14	20	23	21	21	13	—	—			
Convulsions	446	238	64	47	409	24	8	2	3	446	1	5	—	—	—	—	—	—	—	—	—	—			
Laryngismus Stridulus	17	2	3	8	13	2	—	—	2	17	—	—	—	—	—	—	—	—	—	—	—	—			
Locomotor Ataxy	77	—	—	—	—	—	—	—	—	—	—	—	—	—	2	12	21	24	14	—	—	—			
Paraplegia, Diseases of Cord	134	—	—	—	—	—	—	—	—	—	3	2	1	4	10	14	16	41	27	3	—	—			
Neuritis, Peripheral, Poly-Neuritis	11	—	—	—	—	—	—	—	—	—	2	—	—	—	—	3	3	1	3	4	—	—			
Brain Tumour (not Specific)	53	—	—	—	—	—	—	—	—	2	2	3	2	4	15	8	9	3	4	52	—	—			
Other Diseases of Nervous System	163	2	1	4	7	6	1	2	2	16	—	2	1	—	4	8	15	27	52	34	—	—			
Otitis, Mastoid Disease	123	2	8	6	16	11	4	4	41	17	6	14	12	13	13	1	1	3	3	—	—	—			
Epistaxis, Diseases of Nose	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Ophthalmia, Diseases of Eye	8	3	—	2	5	—	—	—	5	1	—	—	—	—	1	—	—	—	—	—	—	—			
Valvular Disease, Endocarditis (not Infective)	1095	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Pericarditis	53	1	—	1	1	3	1	1	4	7	21	8	49	31	77	139	185	243	214	94	10	—			
Hypertrophy of Heart	35	—	—	—	—	—	—	—	—	—	—	—	—	—	2	10	6	5	5	1	—	—			
Angina Pectoris	69	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	8	5	13	1	—	—			
Dilatation of Heart	212	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	15	17	22	10	1	—			
Fatty Degeneration of Heart	211	—	—	—	—	—	—	—	—	—	—	—	—	—	10	20	36	56	57	26	4	—			
Syncope, Heart Disease (not specified)	1089	—	—	—	—	1	—	1	4	12	23	29	14	14	62	94	149	247	301	134	20	—			
Cerebral Hæmorrhage, Cerebral Embolism..	833	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Apoplexy, Hemiplegia	272	—	—	—	—	2	—	—	3	1	2	—	2	2	19	55	112	212	272	127	27	—			
Aneurysm	211	—	—	—	—	—	—	—	2	1	1	—	1	1	3	3	33	52	99	67	11	—			
Senile Gangrene	79	—	—	—	—	—	—	—	—	—	—	—	—	—	16	51	60	52	25	32	4	—			
Embolism, Thrombosis (not Cerebral)	30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	9	29	6	1	—			
Phlebitis	5	—	—	—	—	—	—	—	—	—	—	—	—	—	1	5	4	9	6	1	1	—			
Varicose Veins	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	1	1	1	—			
Other Diseases of Blood Vessels..	221	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			

Note.—For continuation of this Table, see page 322.

LONDON: CAUSES OF DEATH at different periods of life, 1907—FEMALES—continued from page 319.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.												85 and upwards					
		Total under 5 Years																	
		0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	5	10-	15-	20-		25-	35-	45-	55-	65-
Meningitis, Inflammation of Brain	308	13	27	64	104	59	23	15	14	215	22	16	12	10	7	4	3	2	2
Softening of Brain	83	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
General Paralysis of Insane	42	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity (not Puerperal)	137	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	118	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	329	192	63	35	290	26	6	2	3	327	5	1	6	13	26	13	14	6	3
Laryngismus Stridulus	12	3	1	3	7	2	—	—	—	11	2	—	—	—	—	—	—	—	—
Locomotor Ataxy	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Paraplegia, Diseases of Cord	119	—	1	—	1	1	—	—	—	3	1	2	2	—	2	4	5	18	1
Neuritis, Peripheral, Poly-Neuritis	53	—	—	—	—	—	—	—	—	1	—	—	—	—	6	11	35	2	—
Brain Tumour (not Specific)	52	—	—	—	—	—	—	—	—	1	4	3	3	4	9	8	1	1	—
Other Diseases of Nervous System	180	2	2	6	10	4	—	2	—	16	1	3	5	3	11	19	37	44	13
Otitis, Mastoid Disease	91	1	7	8	16	9	7	2	—	34	17	5	6	2	4	8	5	—	—
Epistaxis, Diseases of Nose	3	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
Ophthalmia, Diseases of Eye	7	2	—	2	4	1	—	—	—	5	—	—	—	—	—	—	—	—	—
Valvular Disease, Endocarditis (not Infective)	1295	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pericarditis	59	2	—	—	2	3	2	—	2	10	26	48	68	42	145	190	280	153	30
Hypertrophy of Heart	20	—	—	—	—	—	—	—	—	9	9	7	3	2	4	6	9	2	—
Angina Pectoris	43	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dilatation of Heart	246	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fatty Degeneration of Heart	243	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syncope, Heart Disease (not specified)	1317	—	—	1	1	—	1	—	3	5	15	32	23	29	114	175	365	186	38
Cerebral Haemorrhage, Cerebral Embolism.	1008	—	—	1	1	—	—	—	—	2	—	2	1	3	46	138	232	284	57
Apoplexy, Hemiplegia	404	—	—	—	—	—	—	—	—	—	—	1	—	1	12	50	91	124	28
Aneurysm	42	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	8	10	—
Senile Gangrene	85	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	30	2	—
Embolism, Thrombosis (not Cerebral)	32	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	2	38	8
Phlebitis	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	3	1
Varicose Veins.	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—
Other Diseases of Blood Vessels.	197	—	—	—	—	1	—	—	—	1	—	—	—	—	2	1	1	—	24

Note.—For continuation of this Table, see page 323.





FEMALES. CAUSES OF DEATH.	AGES AT DEATH.																ALL AGES.
	0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-4	4-5 Years.	5-10	10-15	15-20	20-25	25-35	35-45	45-55	55-65	65-75	75 and upwards.	
Laryngitis	4	—	2	6	5	6	4	5	26	3	1	1	—	1	—	—	
Membranous Laryngitis (not Diphtheritic)	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Croup (not Spasmodic nor Membranous)	—	—	2	3	2	1	—	—	11	—	—	—	—	—	—	—	
Other Diseases of Larynx and Trachea	—	—	1	1	—	—	—	—	2	—	—	—	—	—	—	—	
Bronchitis	223	107	180	510	146	40	17	5	718	7	69	168	414	774	749	232	
Emphysema, Asthma	—	—	2	2	1	—	—	—	3	1	8	15	28	28	18	4	
Pleurisy	1	—	1	3	12	4	1	1	21	3	12	10	13	14	9	6	
Fibroid Disease of Lung	—	—	—	—	—	—	—	—	—	—	—	3	6	5	3	—	
Other Diseases of Respiratory System	14	5	6	25	12	2	1	—	42	—	3	7	11	27	41	27	
Tonsillitis, Quinsy	1	—	1	2	1	2	3	1	9	7	—	6	2	—	1	—	
Dis. of Mouth, Pharynx, Oesophagus (not Specific)	4	2	3	9	5	2	2	1	19	3	2	1	2	5	1	—	
Gastric Ulcer	—	—	1	1	—	—	—	—	1	1	—	—	—	—	—	—	
Gastritis, Gastric Catarrh	23	17	10	50	5	3	1	1	60	1	32	30	21	10	6	6	
Other Diseases of Stomach (not Malignant)	11	6	4	21	1	—	—	—	23	1	10	10	10	16	13	1	
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	1	13	8	7	3	5	—	
Enteritis (not Epidemic)	53	47	60	160	26	4	3	2	197	2	4	2	11	11	10	1	
Gastro-enteritis	39	34	45	118	18	3	—	1	140	2	3	2	5	7	3	2	
Appendicitis, Perityphilitis	—	—	1	1	—	—	—	—	9	17	19	11	12	3	3	—	
Hernia	—	—	—	—	—	—	—	—	1	20	7	23	40	30	18	5	
Intestinal Obstruction	4	9	15	28	2	2	—	—	35	5	20	16	29	32	28	8	
Other Diseases of Intestines	—	—	2	7	—	—	—	—	2	1	3	6	3	4	4	2	
Peritonitis (not Puerperal)	5	1	1	—	1	—	—	—	8	4	2	4	6	5	2	1	
Cirrhosis of Liver	—	—	—	—	2	—	—	—	16	60	123	41	78	41	19	2	
Other Diseases of Liver and Gall Bladder	1	1	—	2	1	—	—	—	7	14	21	32	37	32	31	2	
Other Diseases of Digestive System	1	—	—	1	—	1	—	—	2	1	1	6	5	4	3	1	

Note.—For continuation of this Table, see page 325.



LONDON.—CAUSES OF DEATH at different Periods of Life, 1907—MALES—continued from page 322.

MALES.	ALL AGES.	AGES AT DEATH.														85 and upwards.				
		CAUSES OF DEATH.																		
		0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-		35-	45-	55-	65-
Diseases of Spleen .. .. .	3	2	—	2	4	1	—	—	8	4	2	5	1	—	1	3	3	6	2	—
Other Diseases of Lymphatic System ..	34	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Diseases of Thyroid Body .. .. .	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of Supra Renal Capsules ..	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Acute Nephritis, Uræmia .. .. .	231	1	2	—	3	6	5	11	26	11	4	8	13	16	24	41	42	27	16	3
Chronic Bright's Disease, Albuminuria	935	—	—	—	—	2	1	—	3	4	7	5	13	39	112	167	276	218	80	11
Calculus (not Biliary) .. .. .	41	—	—	—	—	1	—	—	1	3	1	1	3	1	4	10	3	9	5	—
Diseases of Bladder and of Prostate ..	312	—	—	—	—	—	—	—	—	—	—	—	—	—	3	20	50	116	106	14
Other Diseases of Urinary System ..	90	1	—	—	1	—	—	—	1	—	1	2	1	7	16	20	17	22	5	1
Ovarian Tumour (not Malignant) ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Ovary .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Tumour (not Malignant) ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Uterus and Vagina ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of Menstruation .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Dis. of Gener. & Mamm. Organs	9	1	—	—	1	—	—	—	1	—	—	—	—	—	1	—	1	3	3	—
Abortion, Miscarriage .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Mania .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Convulsions .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Placenta Prævia, Flooding .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Accidents of Pregnancy and Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Caries, Necrosis .. .. .	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis, Periostitis .. .. .	33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Locomotor System ..	29	2	—	—	4	4	—	—	8	2	4	4	2	2	4	3	4	2	1	—
Ulcer, Bed-sore .. .. .	17	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Eczema .. .. .	18	12	2	1	15	—	—	—	16	—	—	—	—	—	—	—	—	—	—	—
Pemphigus .. .. .	17	13	2	2	17	—	—	—	17	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of the Skin .. .. .	22	14	—	1	15	1	—	—	16	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 323.

FEMALES. CAUSES OF DEATH.		AGES AT DEATH.														ALL AGES.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Diseases of Spleen .. .. .	..	..	..	..	3	31	54	6	—	4	2	—	—	—	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 327





LONDON.—CAUSES of DEATH at different Periods of Life, 1907—FEMALES—continued from page 325.

[illegible]



SUPPLEMENTARY TABLE.—LONDON, 1907.—DEATHS certified as from INFECTIVE PROCESSES.\*—MALES.

MALES. CAUSES OF DEATH.		ALL AGES.	AGES AT DEATH.												85 and upwards																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1- 2-	2- 3-	3- 4-	Total under 5 Years	5-10-	10-15-	15-20-	20-25-		25-35-	35-45-	45-55-	55-65-	65-75-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Infective Diseases of	Brain .. ..	46			6	7	2	1		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

\* The infections of Tuberculosis, Syphilis, Lobar Pneumonia, and all forms of Diarrhoea are excluded from this Table.

SUPPLEMENTARY TABLE.—LONDON, 1907.—DEATHS certified as from INFECTIVE PROCESSES.\*—FEMALES.

FEMALES. CAUSES OF DEATH.		AGES AT DEATH.														85 and upwards				
		ALL AGES.																		
		0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years	5-10	10-15	20-	25-	35-		45-	55-	65-	75-
Infective Diseases of	Brain .. ..	1	1	4	6	2	-	1	-	9	5	2	1	3	5	-	3	-	-	
	Middle Ear ..	1	4	7	12	7	6	2	-	27	17	3	5	2	8	8	1	4	-	
	Blood Vessels ..	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	2	3	-	
	Pleura .. ..	-	1	1	2	11	4	1	-	18	2	1	1	3	2	3	2	1	-	
	Lung .. ..	1	1	4	6	10	4	1	1	22	4	1	1	2	4	2	6	2	1	
	Tonsil .. ..	-	-	1	1	-	2	1	-	4	5	1	2	1	-	5	1	-	-	
	Mouth and Pharynx ..	-	-	-	-	3	1	2	1	7	2	1	-	1	1	1	1	1	-	
	Stomach and Intestines ..	-	2	2	4	1	2	3	5	15	17	15	26	32	35	29	22	14	10	
	Peritoneum .. ..	2	-	-	2	-	-	-	-	2	1	-	-	-	1	-	-	-	-	
	Liver .. ..	-	-	-	-	1	-	-	-	1	-	-	-	-	1	5	7	4	6	
Infective Processes..	Kidney .. ..	-	-	-	-	-	-	1	2	2	1	-	2	3	2	4	4	2	2	
	Bladder and Prostate ..	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	3	-	-	
	Uterus and Ovary ..	1	1	-	2	1	-	-	-	3	-	-	-	3	15	20	6	2	1	
	Bone .. ..	1	-	1	2	-	1	1	1	5	1	-	-	-	-	2	1	-	-	
	Joints .. ..	1	1	2	4	-	-	-	-	4	2	2	2	-	1	1	1	2	1	
	Other parts of the body ..	2	-	2	4	4	1	-	1	10	1	1	-	1	2	4	-	1	-	
	Ulcer .. ..	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	2	1	
	Abscess .. ..	6	1	-	7	2	-	-	-	9	1	-	-	1	-	1	1	3	3	
	Pelvic Cellulitis ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
	Others .. ..	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	
Total .. ..		16	12	24	52	42	22	13	12	141	59	27	41	52	79	89	65	39	30	1

\* The infections of Tuberculosis, Syphilis, Lobar Pneumonia, and all forms of Diarrhoea are excluded from this Table.



SUMMARY of CAUSES of DEATH in REGISTRATION COUNTIES, 1907.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	Males.	Females.	Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
					Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES .. .. .	269259	254962	35939	34073	5303	5219	6791	6331	4206	4329	5918	5594	1961	1881
A.*--GENERAL DISEASES .. .. .	124308	114139	18908	16645	2470	2364	3098	2900	1876	1875	2715	2495	802	760
B.*--DISEASES OF PARTICULAR ORGANS :--														
I. DISEASES OF NERVOUS SYSTEM .. .. .	18401	15287	1643	1465	456	414	480	338	269	264	341	316	122	99
II. " " ORGANS OF SPECIAL SENSE..	654	580	132	101	6	4	12	14	4	4	10	12	3	2
III. " " HEART .. .. .	24265	26703	2764	3222	499	669	669	741	487	561	633	651	221	257
IV. " " BLOOD VESSELS .. .. .	14814	16140	1654	1782	362	349	400	426	278	309	387	376	137	146
V. " " RESPIRATORY SYSTEM .. .. .	24853	25119	3287	3618	407	398	503	538	304	357	428	446	149	160
VI. " " DIGESTIVE SYSTEM .. .. .	13435	13266	1921	1936	266	254	319	295	195	237	275	283	117	95
VII. " " LYMPH : & DUCTLESS GLANDS	403	728	54	94	9	13	10	24	10	16	12	15	7	7
VIII. " " URINARY SYSTEM .. .. .	10288	6917	1609	1155	235	167	290	176	193	119	275	165	76	45
IX. " " GENERATIVE SYSTEM .. .. .	48	1114	9	208	2	22	2	30	1	17	—	32	—	7
X. " " PREGNANCY AND CHILD BIRTH	—	2055	—	193	—	34	—	27	—	18	—	46	—	17
XI. " " LOCOMOTOR SYSTEM .. .. .	493	392	84	64	11	14	16	13	4	10	9	17	8	1
XII. " " THE SKIN .. .. .	560	686	74	95	6	10	17	15	5	14	16	13	7	5
C.*--OTHER SPECIFIED DISEASES .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*--CAUSES ILL-DEFINED OR NOT SPECIFIED.	23060	25919	1935	2525	294	376	623	664	390	454	520	605	201	240
E.*--VIOLENT DEATHS .. .. .	13677	5917	1865	970	280	131	352	130	190	74	297	122	111	40

\* The grouping in this Summary is for convenience of tabling merely : it must not be regarded as a classification.

CAUSES OF DEATH.		DIVISION III. SOUTH MIDLAND COUNTIES.												Cambridge-shire.	
		Middlesex.		Hertford-shire.		Buckingham-shire.		Oxfordshire.		Northampton-shire.		Hunting-donshire.		Bedford-shire.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES .. .. .	..	6024	5958	1720	1761	1153	1131	1441	1287	2392	2199	329	323	1340	1280
A.*—GENERAL DISEASES .. .. .	..	3186	2900	678	737	457	474	531	509	1041	888	130	121	561	507
B.*—DISEASES OF PARTICULAR ORGANS:—															
I. DISEASES OF NERVOUS SYSTEM .. ..	..	419	339	124	108	88	50	108	78	162	113	15	10	101	73
II. " " ORGANS OF SPECIAL SENSE..	..	14	12	1	5	—	3	1	3	2	8	2	2	6	2
III. " " HEART .. .. .	..	454	541	207	223	113	135	163	140	237	235	29	40	116	181
IV. " " BLOOD VESSELS .. .. .	..	297	383	106	128	98	86	111	89	174	152	25	24	96	93
V. " " RESPIRATORY SYSTEM.. ..	..	490	581	158	181	99	106	128	134	186	252	31	32	132	143
VI. " " DIGESTIVE SYSTEM .. ..	..	296	310	98	88	48	45	79	70	108	121	16	14	49	48
VII. " " LYMPH: & DUCTLESS GLANDS	..	9	14	3	3	1	7	3	2	1	6	1	—	2	2
VIII. " " URINARY SYSTEM .. ..	..	187	157	66	56	41	37	84	32	97	44	17	7	53	37
IX. " " GENERATIVE SYSTEM .. ..	..	2	20	1	11	—	6	—	8	—	11	—	1	1	4
X. " " PREGNANCY AND CHILDBIRTH	..	—	49	—	12	—	2	—	9	—	14	—	1	—	9
XI. " " LOCOMOTOR SYSTEM .. ..	..	6	4	1	2	3	—	3	3	2	5	—	—	1	3
XII. " " THE SKIN .. .. .	..	22	25	6	4	—	8	2	4	7	2	—	2	2	—
C.*—OTHER SPECIFIED DISEASES .. ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECIFIED.		373	500	183	175	136	143	166	180	264	289	45	64	165	157
E.*—VIOLENT DEATHS.. .. .	..	269	123	88	27	69	29	62	26	111	59	18	5	55	21
														68	26

\* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.



SUMMARY of CAUSES of DEATH in REGISTRATION COUNTIES, 1907—continued.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.				DIVISION V. SOUTH WESTERN COUNTIES.											
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.		Cornwall.		Somersetshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES .. .. .	7914	7744	2744	2620	3499	3467	1830	1954	1546	1350	5144	5146	2364	2490	3237	3355
A.*—GENERAL DISEASES .. .. .	3855	3715	1075	1042	1408	1410	699	763	625	528	2082	1996	924	894	1239	1299
B.*—DISEASES OF PARTICULAR ORGANS :—																
I. DISEASES OF NERVOUS SYSTEM .. ..	495	436	172	134	245	196	133	105	94	74	353	295	145	139	204	166
II. " " ORGANS OF SPECIAL SENSE ..	15	13	6	3	5	6	3	3	4	2	4	9	6	4	8	10
III. " " HEART.. .. .	624	709	297	331	373	377	179	243	183	169	543	666	267	344	390	464
IV. " " BLOOD VESSELS .. .. .	373	495	164	169	238	259	136	159	103	109	353	384	131	217	222	242
V. " " RESPIRATORY SYSTEM .. ..	771	746	199	209	284	275	159	182	119	123	513	540	230	192	290	333
VI. " " DIGESTIVE SYSTEM .. ..	356	353	142	115	162	161	121	95	76	71	231	267	102	121	175	183
VII. " " LYMPH : & DUCTLESS GLANDS	12	24	6	8	2	8	2	6	2	8	9	17	5	7	4	8
VIII. " " URINARY SYSTEM .. ..	294	209	118	82	131	63	93	57	73	34	256	122	125	68	159	96
IX. " " GENERATIVE SYSTEM .. ..	—	21	1	12	1	9	—	9	—	9	—	30	—	11	—	16
X. " " PREGNANCY AND CHILD BIRTH	—	53	—	15	—	26	—	15	—	8	—	35	—	19	—	18
XI. " " LOCOMOTOR SYSTEM .. ..	8	9	6	3	13	4	2	4	1	1	6	10	2	6	6	3
XII. " " THE SKIN .. .. .	13	28	6	11	4	13	3	4	5	1	10	14	2	12	6	12
C.*—OTHER SPECIFIED DISEASES .. ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECI- FIED.	726	771	411	436	493	598	233	269	193	195	518	665	296	416	341	439
E.*—VIOLENT DEATHS.. .. .	372	162	141	50	140	62	67	40	68	18	266	96	129	40	193	66

\* The grouping in this Summary is for convenience of tabling merely : it must not be regarded as a classification.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.								PART OF DIVISION VII. NORTH MIDLAND COUNTIES.									
	Gloucester-shire.		Hereford-shire.		Shropshire		Stafford-shire.		Worcestershire.		Warwickshire.		Leicestershire.		Rutland-shire.		Lincoln-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES .. .. .	4586	4848	869	816	1950	1820	11190	10062	3721	3686	7818	7212	3233	3023	137	135	4072	3746
A.*—GENERAL DISEASES .. .. .	1965	1942	355	327	761	705	4970	4361	1603	1549	3638	3211	1392	1311	52	41	1717	1605
B.*—DISEASES OF PARTICULAR ORGANS:—																		
I. DISEASES OF NERVOUS SYSTEM.. ..	322	317	37	57	113	103	904	728	226	182	522	444	231	182	11	7	297	221
II. " " ORGANS OF SPECIAL SENSE ..	12	10	1	—	1	2	23	27	11	6	15	19	6	13	—	—	11	7
III. " " HEART .. .. .	494	632	118	122	226	252	891	893	364	410	652	681	315	333	19	16	407	373
IV. " " BLOOD VESSELS .. .. .	282	388	85	72	127	148	501	545	224	250	394	433	178	184	6	16	274	272
V. " " RESPIRATORY SYSTEM .. ..	409	508	59	60	144	128	1192	1009	362	385	692	669	318	294	17	15	352	359
VI. " " DIGESTIVE SYSTEM .. .. .	231	243	44	36	119	108	547	556	211	209	450	418	145	163	6	8	199	181
VII. " " LYMPH: & DUCTLESS GLANDS	10	14	1	3	1	6	14	28	5	24	7	17	6	13	—	—	7	15
VIII. " " URINARY SYSTEM .. ..	206	137	41	15	81	51	322	233	149	87	290	189	122	68	3	1	142	75
IX. " " GENERATIVE SYSTEM .. ..	—	19	1	3	1	8	3	36	—	8	—	25	—	13	—	2	—	14
X. " " PREGNANCY AND CHILD BIRTH	—	28	—	7	—	14	—	86	—	21	—	48	—	20	—	—	—	28
XI. " " LOCOMOTOR SYSTEM .. ..	10	7	2	4	3	—	27	17	2	7	15	14	5	4	—	—	5	2
XII. " " THE SKIN .. .. .	8	10	4	—	2	7	16	29	12	17	15	21	11	13	—	1	16	10
C.*—OTHER SPECIFIED DISEASES .. ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECIFIED.	406	485	85	102	257	243	1234	1251	378	440	733	798	338	363	17	25	444	516
E.*—VIOLENT DEATHS.. .. .	231	108	36	8	114	45	546	263	174	91	395	225	166	49	6	3	201	68

\* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.



SUMMARY of CAUSES of DEATH in REGISTRATION COUNTIES, 1907—continued.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N.W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Nottinghamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES .. .. .	5503	5257	3937	3623	6239	5993	41340	39482	24106	22490	4005	3704	3747	3208	11702	10514
A.*—GENERAL DISEASES .. .. .	2582	2494	1691	1577	2815	2600	19904	17991	11116	10107	1753	1649	1893	1543	5420	5012
B.*—DISEASES OF PARTICULAR ORGANS:—																
I. DISEASES OF NERVOUS SYSTEM .. ..	369	312	311	237	466	564	2835	2403	1739	1426	335	231	252	209	982	737
II. " " ORGANS OF SPECIAL SENSE..	14	4	8	14	14	7	96	93	75	58	11	10	6	8	26	24
III. " " HEART .. .. .	445	488	360	369	674	687	3328	3904	2212	2429	391	361	281	331	950	900
IV. " " BLOOD VESSELS .. .. .	251	290	218	224	347	388	2021	2299	1456	1567	265	235	215	213	606	572
V. " " RESPIRATORY SYSTEM .. ..	577	516	386	374	502	564	4395	4543	2453	2278	347	365	272	277	1107	1024
VI. " " DIGESTIVE SYSTEM .. .. .	278	278	173	192	321	293	2111	2081	1080	1082	167	167	176	144	532	482
VII. " " LYMPH: & DUCTLESS GLANDS	13	10	7	12	2	24	65	108	44	56	6	11	2	7	10	12
VIII. " " URINARY SYSTEM .. .. .	138	110	126	85	221	171	1458	1054	936	666	123	90	138	71	272	225
IX. " " GENERATIVE SYSTEM .. ..	1	26	—	20	1	23	7	181	7	92	2	20	—	6	1	33
X. " " PREGNANCY AND CHILD BIRTH	—	46	—	34	—	64	—	339	—	208	—	33	—	26	—	131
XI. " " LOCOMOTOR SYSTEM .. ..	10	6	5	1	7	7	76	63	50	35	5	7	5	2	26	13
XII. " " THE SKIN .. .. .	14	14	14	9	7	17	78	84	50	51	7	10	7	6	22	23
C.*—OTHER SPECIFIED DISEASES .. ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECIFIED.	524	526	423	407	567	639	3043	3326	1683	1939	355	415	316	291	1096	1115
E.*—VIOLENT DEATHS .. .. .	287	137	215	68	295	145	1923	1013	1205	496	238	100	184	74	652	211

\* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.						PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
	Cumber- land.		Westmor- land.		Monmouth- shire.		South Wales.		Glamorgan- shire.		Carmarthen- shire.		Pembroke- shire.		Cardigan- shire.		Brecknock- shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES .. .. .	2331	2159	417	389	3113	2643	11361	10489	8503	7419	1032	1021	625	666	608	832	452	434
A.*—GENERAL DISEASES .. .. .	997	917	140	149	1425	1180	4956	4714	3833	3503	405	410	250	233	234	337	177	184
B.*—DISEASES OF PARTICULAR ORGANS:—																		
I. DISEASES OF NERVOUS SYSTEM.. ..	120	127	24	29	265	197	1030	876	783	632	101	115	44	39	53	53	45	31
II. " " ORGANS OF SPECIAL SENSE ..	10	7	1	—	10	5	26	17	22	15	1	1	1	—	2	—	—	1
III. " " HEART.. ..	261	266	63	60	244	233	983	953	669	572	97	114	84	98	76	115	39	39
IV. " " BLOOD VESSELS .. ..	148	159	32	33	131	130	521	635	341	391	66	73	40	53	41	78	23	30
V. " " RESPIRATORY SYSTEM .. ..	176	161	26	17	308	269	1032	932	810	701	87	75	43	49	40	56	46	38
VI. " " DIGESTIVE SYSTEM .. ..	142	120	17	21	156	166	608	569	464	403	51	57	30	42	32	38	23	21
VII. " " LYMPH: & DUCTLESS GLANDS	2	8	1	1	5	4	11	29	9	18	2	5	—	1	—	2	—	3
VIII. " " URINARY SYSTEM.. ..	83	39	25	12	79	49	382	263	231	176	67	31	32	23	32	19	15	12
IX. " " GENERATIVE SYSTEM .. ..	1	11	—	—	—	10	2	36	2	25	—	8	—	1	—	2	—	—
X. " " PREGNANCY AND CHILD BIRTH	—	23	—	9	—	32	—	134	—	101	—	9	—	12	—	6	—	5
XI. " " LOCOMOTOR SYSTEM .. ..	5	1	3	—	8	1	18	15	14	11	2	2	1	—	—	2	1	—
XII. " " THE SKIN .. ..	6	9	2	—	5	4	25	40	20	30	1	1	2	3	2	3	—	3
C.*—OTHER SPECIFIED DISEASES .. ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECI- FIED.	266	263	61	42	272	308	996	1059	686	678	81	103	67	97	78	109	59	58
E.*—VIOLENT DEATHS .. .. .	114	48	22	16	205	55	771	217	619	163	71	17	31	15	18	12	24	9

\* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.



SUMMARY of CAUSES of DEATH in REGISTRATION COUNTIES, 1907—continued.

CAUSES OF DEATH.	PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.															
	Radnorshire.		North Wales.		Montgomery-shire.		Flintshire.		Denbigh-shire.		Merioneth-shire.		Carnarvon-shire.		Anglesey.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES .. .. .	141	117	4008	3855	501	451	525	458	1132	1022	504	499	1084	1124	262	301
A.*—GENERAL DISEASES .. .. .	57	47	1668	1573	173	160	196	175	513	419	227	215	460	490	99	114
B.*—DISEASES OF PARTICULAR ORGANS:—																
I DISEASES OF NERVOUS SYSTEM.. .. .	4	6	334	267	40	28	34	27	106	77	34	42	92	66	28	27
II. , , ORGANS OF SPECIAL SENSE ..	—	—	9	3	—	—	—	2	3	1	3	—	1	—	2	—
III. , , HEART.. .. .	18	15	460	460	66	54	58	46	110	124	60	66	132	131	34	39
IV. , , BLOOD VESSELS .. .. .	10	10	282	325	28	35	44	38	83	95	34	50	68	86	25	21
V. , , RESPIRATORY SYSTEM .. .. .	6	13	312	326	42	40	42	37	99	94	48	36	65	92	16	27
VI. , , DIGESTIVE SYSTEM .. .. .	8	8	196	206	18	19	28	27	47	52	29	22	60	67	14	19
VII. , , LYMPH: & DUCTLESS GLANDS	—	—	2	11	1	2	—	1	1	3	—	1	—	4	—	—
VIII. , , URINARY SYSTEM .. .. .	5	2	196	104	25	18	17	13	45	20	14	14	76	25	19	14
IX. , , GENERATIVE SYSTEM .. .. .	—	—	—	12	—	—	—	2	—	5	—	1	—	4	—	—
X. , , PREGNANCY AND CHILD BIRTH	—	1	—	47	—	6	—	7	—	15	—	3	—	15	—	1
XI. , , LOCOMOTOR SYSTEM .. .. .	—	—	5	6	—	—	2	1	—	—	—	—	3	3	—	2
XII. , , THE SKIN .. .. .	—	—	11	9	1	—	2	2	3	3	1	2	4	2	—	—
C.*—OTHER SPECIFIED DISEASES .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECIFIED.	25	14	370	444	80	81	70	73	80	99	32	42	87	114	21	35
E.*—VIOLENT DEATHS.. .. .	8	1	163	62	27	8	32	7	42	15	22	5	36	25	4	2

\* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.





CAUSES OF DEATH in REGISTRATION COUNTIES, 1907—continued.

CAUSES OF DEATH.		DIVISION III. SOUTH MIDLAND COUNTIES.												Cambridge-shire.	
		Middlesex.		Hertford-shire.		Buckingham-shire.		Oxfordshire.		Northampton-shire.		Hunting-donshire.		Bedford-shire.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox { Vaccinated .. Not vaccinated .. Doubtful ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Cow-pox and other effects of Vaccination	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Chicken-pox ..	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..
Measles (Morbilli) ..	..	146	115	20	22	1	19	6	3	40	33	4	1	21	13
German Measles ..	..	..	..	..	..	..	..	..	..	20	15	2	2	3	4
Scarlet Fever ..	..	96	89	9	6	2	6	3	..	..	..	..	..	..	..
Typhus ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Plague ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Relapsing Fever ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Influenza ..	..	103	125	47	43	22	38	30	36	44	39	11	12	20	21
Whooping-cough ..	..	148	198	28	29	8	22	9	16	14	32	..	41	32	41
Mumps ..	..	3	2	14	15	10	14	12	10	14	9	5	6	25	22
Diphtheria ..	..	89	92	..	..	..	..	1	..	2	..	..	..	..	..
Cerebro-spinal Fever ..	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..
Pyrexia* (origin uncertain) ..	..	2	2	..	..	..	..	..	..	..	..	..	..	..	..
Enteric Fever ..	..	21	22	4	3	2	1	2	2	7	7	1	1	5	7
Asiatic Cholera ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Diarrhoea due to Food† ..	..	3	3	1	..	1	1	..	1	2	..	..	..	..	..
Infective Enteritis, Epidemic Diarrhoea	..	67	53	2	3	1	2	3	2	7	9	1	2	10	8
Diarrhoea (not otherwise defined) ..	..	91	52	6	11	3	4	8	9	16	13	1	3	13	8
Dysentery ..	..	5	11	..	..	..	..	..	1	2	..	..	..	1	1
Tetanus ..	..	..	3	..	1	1	1	1	..	4	1	..	..	..	..
Malaria ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rabies, Hydrophobia ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Glanders ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Anthrax (Splenic Fever) ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Syphilis ..	..	16	16	1	2	1	1	1	2	1	6	1	2	2	1
Gonorrhoea ..	..	..	..	..	..	..	..	..	..	2	..	..	..	4	..

Note.—For continuation of this Table, see page 345.

\* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.						DIVISION V. SOUTH WESTERN COUNTIES.							
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.		Cornwall.	
	Males.		Males.		Males.		Males.		Males.		Males.		Males.	
	Females.		Females.		Females.		Females.		Females.		Females.		Females.	
Small-pox { Vaccinated Not Vaccinated Doubtful	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Cow-pox and other effects of Vaccination	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Chicken-pox ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Measles (Morbilli) ..	169	2	46	38	8	12	46	35	12	8	125	94	38	42
German Measles ..	4	5	..	1	..	..	..	..	..	..	8	13	5	3
Scarlet Fever ..	95	66	5	6	9	8	9	6	2	..	..	..	..	..
Typhus ..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
Plague ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Relapsing Fever ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Influenza ..	118	140	43	48	77	81	58	67	61	65	107	127	48	50
Whooping-cough ..	223	280	56	57	58	67	13	23	3	6	36	60	24	30
Mumps ..	3	1	1	..	..	2	..	..	..	..	1	2	..	..
Diphtheria ..	129	159	10	16	36	50	17	28	26	18	31	31	17	11
Cerebro-spinal Fever ..	1	3	..	..	..	..	..	..	..	..	..	..	..	..
Pyrexia* (origin uncertain)	1	..	..	..	..	..	..	..	..	..	..	..	..	..
Enteric Fever ..	27	19	10	7	19	10	9	3	10	2	21	17	8	7
Asiatic Cholera ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Diarrhoea due to Food† ..	4	4	..	..	6	4	..	..	1	..	4	2	..	..
Infective Enteritis, Epidemic Diarrhoea	152	118	5	3	15	23	1	..	6	2	26	20	10	8
Diarrhoea (not otherwise defined)	72	46	20	9	43	29	9	8	3	11	42	53	32	22
Dysentery ..	7	17	1	..	1	..	4	1	3	2	3	5	1	4
Tetanus ..	6	4	3	1	5	2	2	1	1	1	8	1	1	1
Malaria ..	2	..	1	..	..	..	..	..	..	..	2	..	..	..
Rabies, Hydrophobia ..	..	..	..	..	..	..	..	..	..	..	1	..	..	..
Glanders ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Anthrax (Splenic Fever) ..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
Syphilis ..	37	20	13	5	15	11	3	3	..	2	25	12	4	4
Gonorrhoea ..	1	2	..	..	..	..	..	..	..	..	1	..	..	1

Note.—For continuation of this Table, see page 346.

\* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.



CAUSES of DEATH in REGISTRATION COUNTIES, 1907—continued.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES										PART OF DIVISION VII. NORTH MIDLAND COUNTIES.			
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcestershire.		Warwickshire.		Leicestershire.	
	Males.		Males.		Males.		Males.		Males.		Males.		Males.	
	Females.		Females.		Females.		Females.		Females.		Females.		Females.	
Small-pox { Vaccinated Not Vaccinated Doubtful	1													
Cow-pox and other effects of Vaccination														
Chicken-pox	1		15	14	28	31	425	1	119	86	4	230	49	55
Measles (Morbilli)	55		2	3	5	4	93		19	30		55	19	32
German Measles	2													
Scarlet Fever	19													
Typhus														
Plague														
Relapsing Fever														
Influenza...	107		40	39	69	68	117	166	60	65	85	86	48	96
Whooping-cough	23			4	21	10	178	155	53	77	102	139	26	87
Mumps	1		8	8	23	14	116	112	31	29	87	86	1	44
Diphtheria	65			1	2		4	2	2		4	2	32	2
Cerebro-spinal Fever													1	1
Pyæmia* (origin uncertain)...			4	2	7	1	49	70	19	17	53	30	10	26
Enteric Fever	17													
Asiatic Cholera														
Diarrhoea due to Food†	1			1		1	10	9	1	3	5	3		
Infective Enteritis, Epidemic Diarrhoea	29				3	11	92	128	12	15	114	88	27	18
Diarrhoea (not otherwise defined)	43		4	4	9	11	138	179	27	24	86	67	32	45
Dysentery	2					1	5	8	2		3	5		1
Tetanus	7				3		2	3	5		1	2		1
Malaria	3							1	1					
Rabies, Hydrophobia														
Glanders														
Anthrax (Splenic Fever)														
Syphilis	13		1	2	4	2	32	43	11	4	32	17	10	17
Gonorrhœa	1											1		

Note.—For continuation of this Table, see page 347.

\* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Nottinghamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox { Vaccinated Not Vaccinated Doubtful	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Cow-pox and other effects of Vaccination	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Chicken-pox ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Measles (Morbilli) ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
German Measles ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Scarlet Fever ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Typhus ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Plague ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Relapsing Fever ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Influenza..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Whooping-cough ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Mumps ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Diphtheria ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Cerebro-spinal Fever ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Pyrexia* (origin uncertain) ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Enteric Fever ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asiatic Cholera ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Diarrhoea due to Food† ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Infective Enteritis, Epidemic Diarrhoea ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Diarrhoea (not otherwise defined) ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Dysentery ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Tetanus ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Malaria ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rabies, Hydrophobia ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Glanders ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Anthrax (Splenic Fever) ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Syphilis ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Gonorrhoea ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

Note.—For continuation of this Table, see page 348.

\* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.



CAUSES OF DEATH in REGISTRATION COUNTIES, 1907—continued.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.													
	Cumber- land.		Westmor- land.		Monmouth- shire.		South Wales.		Glamorgan- shire.		Carmarthen- shire.		Pembroke- shire.		Cardigan- shire.		Brecknock- shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox { Vaccinated .. Not Vaccinated .. Doubtful ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Cow-pox and other effects of Vaccination	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Chicken-pox ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Measles (Morbilli)	60	52	4	1	92	71	324	286	310	269	1	3	5	1	4	1	2	5
German Measles	2	2	..	..	22	18	43	36	1	35	2	..	..	..	..	..	1	1
Scarlet Fever ..	11	15	1	..	..	..	..	..	38	..	..	..	..	..	..	..	..	..
Typhus ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Plague ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Relapsing Fever	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Influenza ..	29	42	14	17	57	55	195	203	132	130	18	13	6	12	21	27	12	18
Whooping-cough	18	45	4	..	35	49	174	248	140	203	22	23	6	12	4	9	2	1
Mumps ..	..	..	1	..	1	..	7	3	7	3	15	11	3	4	3	4	7	8
Diphtheria ..	9	17	1	2	41	33	98	97	70	70	15	11	1	4	1	4	1	1
Cerebro-spinal Fever	1	1	..	..	1	..	1	1	1	..	..	..	..	..	..	..	..	..
Pyrexia* (origin uncertain)	1	1	..	..	..	..	2	53	54	37	8	9	4	2	1	..	6	5
Enteric Fever ..	17	3	1	2	38	14	72	53	54	37	8	9	4	2	1	..	6	5
Asiatic Cholera ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Diarrhoea due to Food†	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Infective Enteritis, Epidemic Diarrhoea	10	11	..	..	27	29	128	99	120	94	1	1	4	1	1	1	2	3
Diarrhoea (not otherwise defined)	13	13	..	3	33	11	116	112	99	89	4	4	7	12	3	2	2	4
Dysentery ..	1	1	..	..	5	..	4	2	3	1	1	..	..	..	..	..	..	..
Tetanus ..	..	..	..	..	..	..	6	1	5	..	..	..	..	..	..	..	..	..
Malaria ..	..	..	..	..	..	..	4	..	4	..	..	..	..	..	..	..	..	..
Rabies, Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Glanders ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Anthrax (Splenic Fever)	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..
Syphilis ..	9	9	..	..	6	5	25	18	24	15	..	2	..	1	1	..	..	..
Gonorrhoea ..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..

Note.—For continuation of this Table, see page 349.

\* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1907—continued.

PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.																	
CAUSES OF DEATH.	Radnorshire.		North Wales.		Montgomery-shire.		Flintshire.		Denbigh-shire.		Merioneth-shire.		Carnarvon-shire.		Anglesey.		
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
Small-pox { Vaccinated Not Vaccinated Doubtful	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
Cow-pox and other effects of Vaccination	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
Chicken-pox ..	..	..	..	..	1	..	..	2	..	..	..	..	..	3	..	8	
Measles (Morbili) ..	2	..	19	15	..	..	7	..	..	..	2	..	..	..	8	..	
German Measles ..	..	..	..	..	..	..	4	1	5	..	2	2	..	1	..	..	
Scarlet Fever ..	..	..	11	5	..	..	..	..	..	..	..	..	..	..	..	..	
Typhus ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
Plague ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
Relapsing Fever ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
Influenza.. ..	6	3	133	135	19	15	10	15	47	35	8	17	43	47	6	2	
Whooping-cough ..	..	..	51	51	4	2	13	6	15	15	16	18	2	8	1	..	
Mumps ..	..	..	28	35	1	2	1	9	11	9	3	5	1	1	2	..	
Diphtheria ..	..	..	4	2	1	1	5	..	2	1	..	..	6	8	..	..	
Cerebro-spinal Fever ..	..	..	1	..	2	..	..	1	4	2	1	..	..	..	..	..	
Pyæmia* (origin uncertain)	..	..	18	4	..	..	..	..	..	..	..	..	..	..	..	..	
Enteric Fever ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
Asiatic Cholera ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
Diarrhoea due to Food†	..	..	..	..	1	1	..	1	15	8	2	3	5	1	1	2	
Infective Enteritis, Epidemic Diarrhoea	..	..	23	14	4	2	6	2	8	11	4	1	11	10	..	..	
Diarrhoea (not otherwise defined)	1	1	33	28	..	..	..	..	..	..	..	..	..	..	..	..	
Dysentery ..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	
Tetanus ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
Malaria ..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	
Rabies, Hydrophobia ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
Glanders ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
Anthrax (Splenic Fever)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
Syphilis ..	..	..	9	4	..	..	..	..	4	1	1	1	3	2	1	..	
Gonorrhoea ..	..	..	..	2	..	..	..	..	..	2	..	..	..	..	..	..	

Note.—For continuation of this Table, see page 350.

\* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.



CAUSES of DEATH in REGISTRATION COUNTIES, 1907—continued from page 337.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.							
	Males.	Females.	Males.	Females.	Surrey.		Kent.		Sussex.		Hampshire.	
					Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Puerperal Septicæmia, Puerp. Septic Intoxication	—	1056	—	130	—	21	—	14	—	13	—	8
Puerperal Pyæmia .. .. .	—	111	—	17	—	2	—	4	—	6	—	3
Phlegmasia Alba Dolens .. .. .	—	84	—	4	—	1	—	3	—	1	—	2
Puerperal Fever (not otherwise defined)	—	214	—	14	—	2	—	2	—	4	—	2
Infective Endocarditis .. .. .	212	261	75	79	5	9	6	7	3	6	4	2
{ Lobar .. .. .	3341	2044	514	312	73	56	74	48	32	23	42	7
{ Broncho- .. .. .	11237	10080	1791	1634	187	140	244	188	124	123	151	57
{ Epidemic .. .. .	2	4	—	—	—	—	—	—	—	—	—	—
Pneumonia .. .. .	11833	8436	1679	1364	211	196	253	177	161	127	203	—
Erysipelas .. .. .	541	492	90	97	15	10	14	19	6	3	14	—
Septicæmia, Septic Intoxication (not Puerperal) .. .. .	273	169	32	23	13	6	2	4	7	—	9	—
Pyæmia (not Puerperal) .. .. .	93	69	14	11	4	2	3	1	3	5	7	—
Phlegmon, Carbuncle (not Anthrax) .. .. .	471	302	96	55	16	12	14	10	10	5	17	—
Phagedæna .. .. .	19	10	6	—	1	2	1	—	—	5	—	—
Other Infective Processes .. .. .	136	77	13	4	1	1	3	2	—	2	9	—
Pulmonary Tuberculosis (Tuberculous Phthisis) .. .. .	11299	8069	2756	1579	321	204	333	265	166	122	324	48
Phthisis (not otherwise defined) .. .. .	11348	9123	1262	918	209	151	282	239	244	208	243	54
Tuberculous Meningitis .. .. .	3090	2795	529	509	54	64	67	50	45	47	56	15
Tuberculous Peritonitis .. .. .	1787	1745	202	197	29	28	48	37	16	15	27	6
Tuberculous Mesenterica .. .. .	531	438	45	32	8	4	8	12	5	2	9	2
Lupus .. .. .	28	50	3	13	—	2	2	—	1	1	—	—
Tubercle of other Organs .. .. .	957	752	134	119	17	19	26	32	18	11	21	4
General Tuberculosis .. .. .	2117	1944	345	299	33	26	51	55	39	36	41	13
Scrofula .. .. .	9	19	1	1	—	—	—	—	—	—	—	—
Parasitic Diseases .. .. .	139	102	13	15	1	2	1	1	3	—	2	1
Starvation .. .. .	15	6	—	1	1	—	—	—	—	—	—	—
Scurvy .. .. .	21	20	3	4	—	—	1	1	—	1	1	—
Alcoholism, Delirium Tremens .. .. .	1328	873	249	255	19	22	30	19	22	14	33	3

Note.—For continuation of this Table, see page 351.

DIVISION III.  
SOUTH MIDLAND COUNTIES.

CAUSES OF DEATH.	Middlesex.		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.		Bedfordshire.		Cambridgeshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Puerperal Septicæmia, Puerp. Septic Intoxication	—	30	—	8	—	2	—	8	—	6	—	—	—	5	—	10
Puerperal Pyæmia .. .. .	—	3	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Phlegmasia Alba Dolens .. .. .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Fever (not otherwise defined) .. .. .	—	4	—	1	—	1	—	—	—	3	—	—	—	1	—	1
Infective Endocarditis .. .. .	5	5	—	2	—	1	—	3	—	1	—	—	—	2	—	4
Lobar .. .. .	68	50	27	12	10	2	6	3	2	9	2	—	1	15	1	9
Broncho- .. .. .	330	253	43	46	42	48	41	37	53	61	6	—	26	31	39	33
Epidemic .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not defined .. .. .	302	216	—	52	—	34	—	—	102	—	—	—	44	39	—	—
Erysipelas .. .. .	11	8	3	3	4	1	49	32	8	55	11	—	4	1	55	33
Septicæmia, Septic Intoxication (not Puerperal) .. .. .	5	5	3	—	4	1	2	3	3	5	2	—	4	1	5	2
Pyæmia (not Puerperal) .. .. .	5	1	—	—	—	1	5	3	3	1	—	—	1	—	—	3
Phlegmon, Carbuncle (not Anthrax) .. .. .	17	11	6	1	—	1	2	—	6	2	—	—	3	—	—	—
Phagedæna .. .. .	—	—	—	2	—	—	3	1	1	—	—	—	—	—	—	1
Other Infective Processes .. .. .	—	2	1	2	—	—	—	—	1	2	—	—	—	—	—	4
Pulmonary Tuberculosis (Tuberculous Phthisis) .. .. .	292	211	67	71	37	31	42	45	84	52	8	—	49	39	55	46
Phthisis (not otherwise defined) .. .. .	240	192	54	59	49	27	59	43	139	106	12	—	69	47	55	42
Tuberculous Meningitis .. .. .	77	57	8	17	7	12	11	12	30	21	2	—	9	7	14	17
Tuberculous Peritonitis .. .. .	41	25	10	7	7	6	4	6	17	17	4	—	4	7	7	10
Tabes Mesenterica .. .. .	14	5	2	2	—	1	—	1	7	3	—	—	1	—	1	1
Lupus .. .. .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
Tubercle of other Organs .. .. .	14	14	9	3	1	—	6	—	7	9	1	—	3	4	7	4
General Tuberculosis .. .. .	54	36	6	8	10	5	12	8	16	12	2	—	6	10	9	9
Scrophula .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parasitic Diseases .. .. .	6	—	—	—	1	—	1	1	2	2	—	—	2	—	1	—
Starvation .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scurvy .. .. .	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Alcoholism, Delirium Tremens .. .. .	24	16	6	4	2	1	3	1	6	5	2	—	6	1	5	3

Note.—For continuation of this Table, see page 352.



CAUSES of DEATH in REGISTRATION COUNTIES, 1907—continued from page 339.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.				DIVISION V. SOUTH WESTERN COUNTIES.							
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Puerperal Septicæmia, Puerp. Septic Intoxication	—	24	—	5	—	12	—	5	—	7	—	14
Puerperal Pyæmia .. .. .	—	2	—	—	—	1	—	1	—	—	—	4
Phlegmasia Alba Dolens .. .. .	—	2	—	—	—	1	—	1	—	—	—	4
Puerperal Fever not otherwise defined)	—	11	—	1	—	6	—	—	—	1	—	4
Infective Endocarditis .. .. .	6	6	3	1	2	4	1	1	1	2	6	2
{ Lobar .. .. .	71	52	21	8	23	15	4	15	11	1	27	35
{ Broncho- .. .. .	318	332	63	61	94	83	35	39	39	28	170	156
Pneumonia .. .. .	—	—	—	—	—	—	—	—	—	—	—	—
{ Epidemic .. .. .	—	—	—	—	—	—	—	—	—	—	—	—
{ Not defined .. .. .	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas .. .. .	314	252	83	71	102	82	63	43	73	41	184	149
Septicæmia, Septic Intoxication (not Puerperal)	23	21	9	11	15	12	—	2	2	3	11	8
Pyæmia (not Puerperal) .. .. .	18	13	5	1	7	5	—	1	—	—	5	3
Phlegmon, Carbuncle (not Anthrax)	4	4	1	1	2	3	—	—	2	—	1	3
Phagedæna .. .. .	18	15	5	1	3	6	1	4	2	2	7	8
Other Infective Processes .. .. .	—	—	1	—	—	—	2	—	1	—	—	—
{ .. .. .	6	1	1	4	—	—	—	—	—	1	3	2
Pulmonary Tuberculosis (Tuberculous Phthisis) .. .. .	321	238	60	61	82	84	47	59	44	34	190	170
{ Phthisis (not otherwise defined) .. .. .	374	270	126	134	162	134	68	55	82	53	209	167
Tuberculous Meningitis .. .. .	122	110	23	38	34	26	14	18	16	12	38	35
Tuberculous Peritonitis .. .. .	39	43	8	11	26	25	14	7	5	6	27	33
Tabes Mesenterica .. .. .	20	14	3	—	4	3	—	2	1	1	4	1
Lupus .. .. .	2	1	—	—	1	2	—	—	—	—	—	—
Tubercle of other Organs .. .. .	23	19	11	14	14	7	7	8	11	6	27	18
General Tuberculosis .. .. .	75	75	41	30	22	22	10	19	14	8	43	46
Scrofula .. .. .	—	—	—	1	—	—	—	—	—	—	—	3
Parasitic Diseases .. .. .	5	4	1	4	6	2	—	—	—	1	4	—
Starvation .. .. .	3	—	—	—	1	2	—	—	—	—	—	—
Scurvy .. .. .	1	—	—	—	—	—	—	—	—	—	—	—
Alcoholism, Delirium Tremens .. .. .	28	23	8	4	10	7	6	—	1	2	20	14

Note.—For continuation of this Table, see page 353.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.								PART OF DIVISION VII. NORTH MIDLAND COUNTIES.									
	Gloucester- shire.		Hereford- shire.		Shropshire.		Stafford- shire.		Worcestershire.		Warwickshire.		Leicestershire.		Rutland- shire.		Lincoln- shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Puerperal Septicæmia, Puerp. Septic Intoxication	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Puerperal Pyæmia .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Phlegmasia Alba Dolens .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Puerperal Fever (not otherwise defined)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Infective Endocarditis .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
{ Lobar .. .. .	7	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
{ Broncho- .. .. .	38	35	15	1	11	7	3	55	44	1	8	4	2	2	2	1	2	2
{ Epidemic .. .. .	150	134	22	23	61	57	480	385	143	130	345	306	14	108	118	18	25	18
{ Not defined .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Pneumonia .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Erysipelas .. .. .	172	142	39	31	90	53	454	323	165	123	343	242	118	78	118	7	127	82
Septicæmia, Septic Intoxication (not Puerperal)	8	9	1	1	1	1	23	22	13	6	17	11	7	5	7	11	11	9
Pyæmia (not Puerperal) .. .. .	3	3	2	..	2	1	4	4	6	..	11	7	4	4	4	3	3	3
Phlegmon, Carbuncle (not Anthrax)	2	1	1	..	..	..	..	2	1	..	4	2	..	..	..	..	..	..
Phagedæna .. .. .	7	8	2	2	1	..	18	7	6	3	14	6	9	1	9	..	3	5
Other Infective Processes .. .. .	..	..	..	..	..	..	..	2	2	4	..	1	..	..	..	..	..	..
Pulmonary Tuberculosis (Tuberculous Phthisis)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Phthisis (not otherwise defined) .. .. .	217	158	34	17	47	44	343	224	110	104	224	154	93	103	161	94	178	86
Tuberculous Meningitis .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Tuberculous Peritonitis .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Tuberculous Mesenterica .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Lupus .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Tubercle of other Organs .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
General Tuberculosis .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Scrofula .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Parasitic Diseases .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Starvation .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Scurvy .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Alcoholism, Delirium Tremens .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

Note.—For continuation of this Table, see page 354.



CAUSES of DEATH in REGISTRATION COUNTIES, 1907—continued from page 341.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.					
	Notting- hamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.		Northum- berland.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Puerperal Septicæmia, Puerp. Septic Intoxication	—	31	—	10	—	21	179	—	114	—	—	17	—	11	—	—	18	—
Puerperal Pyæmia .. .. .	—	—	—	1	—	1	12	—	14	—	—	3	—	4	—	—	1	—
Phlegmasia Alba Dolens .. .. .	—	3	—	1	—	2	14	—	8	—	—	1	—	—	—	—	2	—
Puerperal Fever (not otherwise defined)	—	3	—	—	—	4	50	—	26	—	—	3	—	—	—	—	4	—
Infective Endocarditis .. .. .	2	2	4	1	5	8	25	9	20	—	—	4	—	2	4	1	4	—
{ Lobar .. .. .	60	42	32	16	99	48	781	280	173	24	25	25	129	52	175	63	36	—
{ Broncho- .. .. .	269	263	133	144	227	213	2019	1119	945	133	126	133	187	160	483	223	181	—
{ Epidemic .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia .. .. .	213	177	167	117	325	219	2004	1040	660	180	110	—	243	139	617	222	151	—
Erysipelas .. .. .	15	13	9	6	12	7	60	42	38	13	6	—	10	3	14	6	11	—
Septicæmia, Septic Intoxication (not Puerperal)	9	3	4	2	7	4	26	20	16	3	2	—	1	5	7	5	—	—
Pyæmia (not Puerperal) .. .. .	—	—	3	—	1	2	11	6	11	2	1	—	—	2	1	—	—	—
Phlegmon, Carbuncle (not Anthrax)	9	4	4	2	10	5	39	32	26	6	5	—	4	2	16	9	—	—
Phagedæna .. .. .	—	—	—	—	—	1	1	2	2	—	—	—	—	—	—	1	—	—
Other Infective Processes .. .. .	3	1	—	1	4	3	30	12	8	1	1	—	3	—	3	10	1	—
Pulmonary Tuberculosis (Tuberculous Phthisis)	183	148	98	83	200	127	1836	1009	639	122	98	—	106	91	204	230	157	—
Phthisis (not otherwise defined) .	212	172	174	121	261	233	1815	905	731	177	172	—	143	99	572	272	233	—
Tuberculous Meningitis .. .. .	55	44	44	30	87	63	520	278	289	36	23	—	41	30	169	86	72	—
Tuberculous Peritonitis .. .. .	36	34	26	33	55	41	350	161	174	27	22	—	18	19	133	44	46	—
Tabes Mesenterica .. .. .	10	9	6	8	22	16	103	42	35	7	7	—	18	19	59	23	19	—
Lupus .. .. .	1	—	—	—	—	2	4	—	2	—	2	—	1	—	1	—	—	—
Tubercle of other Organs .. .. .	16	14	13	14	10	14	143	86	71	11	6	—	15	7	45	22	20	—
General Tuberculosis .. .. .	44	34	32	42	59	39	287	177	164	32	25	—	34	29	94	41	34	—
Scrophula .. .. .	—	—	—	—	—	—	2	1	1	1	—	—	—	—	—	—	1	—
Parasitic Diseases .. .. .	2	3	—	1	6	3	30	12	9	—	1	—	4	1	1	4	1	—
Starvation .. .. .	1	—	1	—	—	—	3	2	1	—	—	—	—	—	1	—	—	—
Scurvy .. .. .	—	—	—	2	—	1	4	2	1	—	—	—	—	—	2	—	—	—
Alcoholism, Delirium Tremens ..	15	17	21	8	26	18	344	93	44	17	6	—	16	8	42	24	12	—

Note.—For continuation of this Table, see page 355.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.													
	Cumber- land.		Westmor- land.		Monmouth- shire.		South Wales.		Glamorgan- shire.		Carmarthen- shire.		Pembroke- shire.		Cardigan- shire.		Brecknock- shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Puerperal Septicæmia, Puerp. Septic Intoxication																		
Puerperal Pyæmia .. .. .		2																
Phlegmasia Alba Dolens .. .. .																		
Puerperal Fever (not otherwise defined)																		
Infective Endocarditis .. .. .																		
{ Lobar .. .. .	1	6			1	3	6	8	5	7	1	5	2	1	7	1	4	
{ Broncho- .. .. .	42	11	4		53	21	136	63	110	52	10	32	25	1	9	1	5	
{ Epidemic .. .. .	66	73	8	11	214	149	602	493	496	400	52	52	26	19	19	15	19	
{ Not defined .. .. .	135	92	13	5	209	109	523	335	419	270	31	26	26	14	17	23	6	
Erysipelas .. .. .		3		2	6	5	17	17	10	15				2	6	1	1	
Septicæmia, Septic Intoxication (not Puerperal)																		
Pyæmia (not Puerperal) .. .. .	2		1		4		19	5	17	2					1	1	1	
Phlegmon, Carbuncle (not Anthrax)																		
Phagedæna .. .. .	3	2	2		5		21	6	18	5	1	1	1					
Other Infective Processes .. .. .					4		5	1	1	4								
Pulmonary Tuberculosis (Tuberculous Phthisis)	47	43	6	6	69	62	350	366	245	218	33	48	23	18	39	68	5	11
Phthisis (not otherwise defined) .. .. .	101	99	18	15	108	90	442	467	303	295	50	68	32	28	40	45	15	22
Tuberculous Meningitis .. .. .	18	20	2	5	28	25	144	114	109	75	15	18	7	6	4	7	4	4
Tuberculous Peritonitis .. .. .	19	16	2	1	11	19	70	64	50	48	8	6	6	4	4	5	1	1
Tabes Mesenterica .. .. .	5	4			4	6	19	24	14	20	2	2		2	1		2	
Lupus .. .. .	1	1					1	2		2								
Tubercle of other Organs .. .. .	7	10	1	1	10	6	42	23	28	14	6		2		3	7	3	1
General Tuberculosis .. .. .	12	7	2	3	13	18	84	80	50	54	11	9	11	4	6	6	5	6
Scrofula .. .. .					2	1	2	3	1	1				1			1	1
Parasitic Diseases .. .. .	1	1					2	3	2	3								
Starvation .. .. .																		
Scurvy .. .. .																		
Alcoholism, Delirium Tremens .. .. .	18	1	2	1	12	6	46	17	36				4		1		2	

Note.—For continuation of this Table, see page 356.



CAUSES OF DEATH in REGISTRATION COUNTIES, 1907—continued from page 343.

CAUSES OF DEATH.	PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
	Radnorshire.		North Wales.		Montgomery-shire.		Flintshire.		Denbigh-shire.		Merioneth-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Puerperal Septicæmia, Puerp. Septic Intoxication	—	—	—	22	—	2	6	—	—	—	—	—
Puerperal Pyæmia .. .. .	—	—	—	1	—	1	—	—	—	—	—	—
Phlegmasia Alba Dolens .. .. .	—	—	—	2	—	—	1	—	—	—	—	—
Puerperal Fever (not otherwise defined)	—	—	—	1	—	—	—	—	—	—	—	—
Infective Endocarditis .. .. .	—	—	1	2	—	2	—	—	—	—	—	—
Lobar .. .. .	2	—	34	17	1	4	—	—	16	4	—	—
Broncho- .. .. .	1	—	119	91	11	5	9	6	49	26	8	4
Epidemic .. .. .	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia .. .. .	—	—	—	—	—	—	—	—	—	—	—	—
Not defined .. .. .	7	5	168	102	11	6	23	14	59	37	38	26
Erysipelas .. .. .	—	—	5	2	—	—	—	—	2	2	3	4
Septicæmia, Septic Intoxication (not Puerperal)	—	—	1	4	—	1	—	1	1	—	—	—
Pyæmia (not Puerperal) .. .. .	—	—	—	1	—	—	—	—	—	—	—	—
Phlegmon, Carbuncle (not Anthrax)	—	—	5	2	—	—	—	—	—	—	—	—
Phagedæna .. .. .	—	—	—	—	—	—	—	—	—	—	—	—
Other Infective Processes .. .. .	—	—	3	1	—	—	—	—	—	—	—	—
Pulmonary Tuberculosis (Tuberculous Phthisis)	5	3	111	98	10	12	11	6	21	15	42	34
Phthisis (not otherwise defined) .. .. .	2	9	241	232	27	21	28	27	57	53	81	84
Tuberculous Meningitis .. .. .	5	4	33	41	5	4	5	4	6	13	11	14
Tuberculous Peritonitis .. .. .	1	—	20	32	1	6	2	1	6	8	6	9
Tuberculous Mesenterica .. .. .	—	—	13	7	—	—	1	—	6	3	4	1
Lupus .. .. .	—	—	—	1	—	1	—	—	—	—	—	—
Tubercle of other Organs .. .. .	—	1	18	16	3	2	—	3	5	3	7	5
General Tuberculosis .. .. .	1	1	39	30	5	3	1	—	9	5	12	9
Scrofula .. .. .	—	—	—	—	—	—	—	—	—	—	—	—
Parasitic Diseases .. .. .	—	—	3	1	1	—	—	—	1	—	1	1
Starvation .. .. .	—	—	—	—	—	—	—	—	—	—	—	—
Scurvy .. .. .	—	—	1	—	1	—	—	—	—	—	—	—
Alcoholism, Delirium Tremens .. .. .	—	—	12	9	3	1	2	—	5	3	2	5

Note.—For continuation of this Table, see page 357.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	London.		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
Opium, Morphia-habit	5	7	2	2	—	—	—	—	1	—	—	—	—	—
Industrial Poisoning:—														
By Lead	89	3	12	—	3	—	4	—	1	—	3	—	2	—
" Phosphorus	1	—	—	—	—	—	—	—	—	—	—	—	—	—
" Arsenic and other Metals	1	—	—	—	—	—	—	—	—	—	1	—	—	—
Rheumatic Fever. Acute Rheumatism	967	1057	117	161	25	16	19	27	16	22	23	12	4	10
Rheumatism of Heart	181	234	29	22	1	5	2	3	2	7	4	—	1	1
Chronic Rheumatism	172	268	12	19	3	1	4	3	1	3	3	7	1	1
Rheumatoid Arthritis, Rheumatic Gout	239	682	40	80	15	22	9	22	11	15	6	22	5	3
Gout	362	88	89	16	15	5	10	3	9	4	16	2	5	1
Carcinoma	6895	10715	1255	1656	184	298	216	354	145	263	195	269	77	95
Sarcoma	1034	813	191	135	26	26	21	22	23	22	26	23	8	7
Cancer, Malignant Disease (not otherwise defined)	5270	7018	738	924	96	160	166	202	138	199	149	184	50	61
Rickets	707	552	107	75	6	8	15	11	10	7	13	10	6	7
Purpura	145	157	21	23	3	8	2	5	2	1	4	1	1	1
Hæmophilia, Hæmorrhagic Diathesis	57	46	2	5	4	2	3	2	1	—	1	3	—	—
Anæmia, Leucocythæmia	1004	1186	89	110	19	26	24	18	20	18	23	22	8	11
Diabetes Mellitus	1738	1622	214	183	43	39	48	46	45	47	49	39	21	17
Premature Birth	10206	8013	1342	1024	202	183	251	200	129	85	254	179	65	39
Congenital Hydrocephalus	179	150	31	19	1	1	8	2	1	—	4	2	1	—
Other Congenital Defects	2547	1973	339	258	58	31	69	43	32	33	50	54	24	10
Injury at Birth	485	331	78	66	12	7	10	5	12	1	5	5	5	4
Atelectasis	915	638	158	104	27	17	12	8	12	7	20	14	7	4
Want of Breast-milk	434	322	68	41	19	11	14	9	4	8	9	3	1	1
Teething	1169	919	76	69	19	13	16	11	11	8	26	26	6	6

Note.—For continuation of this Table see page 358.





*Note.*—For continuation of this Table, see page 360.



CAUSES OF DEATH in REGISTRATION COUNTIES, 1907—continued from page 347.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.										PART OF DIVISION VII. NORTH MIDLAND COUNTIES.							
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcestershire.		Warwickshire.		Leicestershire.		Rutland-shire.		Lincoln-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Opium, Morphia-habit .. .. .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Industrial Poisoning:—																		
By Lead .. .. .	2	—	—	—	3	1	6	1	—	—	4	—	—	—	—	3	—	—
" Phosphorus .. .. .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
" Arsenic and other Metals.. ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever, Acute Rheumatism .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
<i>Rheumatism of Heart</i> .. .. .	20	28	1	3	4	8	31	45	10	29	29	29	10	9	13	8	1	8
Chronic Rheumatism .. .. .	3	7	2	1	1	3	10	3	2	5	5	5	1	1	4	1	5	1
Rheumatoid Arthritis, <i>Rheumatic Gout</i> .. .. .	1	3	1	2	2	2	5	11	2	7	7	23	4	9	7	11	2	11
Gout .. .. .	8	3	3	—	4	1	14	4	8	14	14	5	6	—	7	2	2	2
Carcinoma .. .. .	151	231	24	40	60	94	180	280	91	203	203	308	104	146	104	164	164	164
Sarcoma .. .. .	24	18	2	3	7	2	28	21	18	38	38	27	2	13	17	8	8	8
Cancer, Malignant Disease (not otherwise defined)	109	152	20	30	46	57	194	252	70	116	116	168	65	91	113	133	133	133
Rickets .. .. .	8	13	1	1	3	3	18	21	6	23	23	14	8	10	14	12	12	12
Purpura .. .. .	3	1	1	1	1	1	7	5	3	6	6	5	2	2	1	3	—	—
Hæmophilia, Hæmorrhagic Diathesis.. .. .	1	—	—	—	—	—	3	1	—	1	1	3	1	—	1	1	10	10
Anæmia, Leucoeythæmia .. .. .	14	15	9	6	5	11	33	52	19	30	30	28	8	12	18	18	18	18
Diabetes Mellitus .. .. .	32	40	6	5	11	16	68	49	20	48	48	37	19	23	28	33	33	33
Premature Birth .. .. .	180	148	25	18	53	58	476	396	156	334	334	283	154	118	165	96	96	96
Congenital Hydrocephalus .. .. .	4	5	1	—	2	—	9	6	2	—	—	6	6	—	4	2	2	2
Other Congenital Defects .. .. .	58	37	8	3	16	15	108	78	38	69	69	66	33	25	37	32	32	32
Injury at Birth .. .. .	8	7	1	1	2	—	19	9	7	11	11	7	8	7	12	12	12	12
Atelectasis .. .. .	13	12	—	—	5	—	34	28	10	18	18	17	7	7	6	6	6	6
Want of Breast-milk.. .. .	6	2	4	2	—	—	21	15	4	5	5	14	4	3	24	20	20	20
Teething .. .. .	13	11	3	—	2	5	42	31	14	29	29	22	14	13	24	20	20	20

Note.—For continuation of this Table, see page 361.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Notting- hamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Opium, Morphia-habit	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Industrial Poisoning:—	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
By Lead ..	..	..	1	..	2	..	11	1	5	..	..	..	2	..	1	..
" Phosphorus ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" Arsenic and other Metals ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rheumatic Fever, Acute Rheumatism	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rheumatism of Heart ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Chronic Rheumatism ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rheumatoid Arthritis, Rheumatic Gout	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Gout ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Carcinoma ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Sarcoma ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Cancer, Malignant Disease (not otherwise defined)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rickets ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Purpura ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Hæmophilia, Hæmorrhagic Diathesis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Anæmia, Leucocythæmia ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Diabetes Mellitus ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Premature Birth ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Congenital Hydrocephalus	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Other Congenital Defects ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Injury at Birth ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Atelectasis ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Want of Breast-milk ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Teething ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

Note.—For continuation of this Table, see page 362.



CAUSES of DEATH in REGISTRATION COUNTIES, 1907—continued from page 349.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.													
	Cumber- land.		Westmor- land.		Monmouth- shire.		South Wales.		Glamorgan- shire.		Cardmarthen- shire.		Pembroke- shire.		Cardigan- shire.		Brecknock- shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Opium, Morphia-habit Industrial Poisoning— By Lead .. .. " Phosphorus .. " Arsenic and other Metals..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	1	—	—	—	—	—	5	—	4	—	—	—	—	—	1	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—									

Note.—For continuation of this Table, see page 363.

PART OF DIVISION XI.  
MONMOUTHSHIRE AND WALES.

## CAUSES OF DEATH.

	Radnorshire.		North Wales.		Montgomery-shire.		Flintshire.		Denbigh-shire.		Merioneth-shire.		Carnarvon-shire.		Anglesey.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Opium, Morphia-habit	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Poisoning:—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
By Lead	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
" Phosphorus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
" Arsenic and other Metals	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever, Acute Rheumatism	1	13	19	13	3	3	2	—	4	6	3	1	7	3	—	—
<i>Rheumatism of Heart.</i>	—	8	5	4	—	—	1	—	—	1	3	—	1	—	—	—
Chronic Rheumatism	1	4	5	4	1	—	—	—	2	2	1	—	1	—	1	—
Rheumatoid Arthritis, <i>Rheumatic Gout</i>	—	14	3	14	2	1	—	—	1	4	—	—	—	2	—	—
Gout	—	3	1	3	—	—	—	—	—	—	—	—	—	—	—	—
Carcinoma	7	171	100	171	11	19	10	21	34	48	18	22	25	50	2	11
Sarcoma	—	1	11	12	1	—	2	—	3	1	1	3	4	8	—	—
Cancer, Malignant Disease (not otherwise defined)	3	154	125	154	15	18	13	9	31	38	19	16	34	56	13	17
Rickets	—	10	11	10	—	4	—	—	8	—	1	1	2	4	—	1
Purpura	—	2	—	2	—	—	—	—	—	—	—	—	—	1	—	—
Hæmophilia, Hæmorrhagic Diathesis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anæmia, Leucocythæmia	1	21	23	21	4	2	2	3	8	8	1	—	8	7	—	—
Diabetes Mellitus	2	28	29	28	6	5	1	1	—	7	1	3	9	11	4	1
Premature Birth	4	71	95	71	12	9	16	15	31	20	12	11	19	15	5	1
Congenital Hydrocephalus	—	2	2	2	—	—	—	—	1	2	1	—	—	—	—	—
Other Congenital Defects	3	19	39	19	3	—	8	5	10	6	6	3	10	4	2	1
Injury at Birth	1	4	4	4	1	1	—	1	2	—	—	—	1	1	—	—
Atelectasis	—	9	9	4	—	—	1	2	6	—	1	—	—	1	—	—
Want of Breast-milk	—	8	7	8	—	1	2	2	2	1	1	1	—	—	—	—
Teething	—	13	18	13	1	—	1	—	7	3	1	3	6	7	2	1

Note.—For continuation of this Table, see page 364.



## CAUSES OF DEATH IN REGISTRATION COUNTIES, 1907—continued from page 351.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	Males.	Females.	Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
					Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	2880	2549	302	308	47	49	69	43	41	25	39	58	10	11
Softening of Brain	1158	1121	76	83	32	40	36	35	25	28	31	40	13	10
General Paralysis of Insane	1775	557	110	42	145	55	82	14	37	13	49	13	21	9
Insanity (not Puerperal)	960	1249	106	137	12	56	14	17	33	52	10	14	10	13
Chorea	38	117	5	15	2	1	2	3	—	4	1	3	—	1
Epilepsy	1458	1342	143	118	54	50	41	48	28	25	35	33	7	10
Convulsions	6545	5017	446	329	63	56	120	83	31	37	104	86	37	17
Laryngismus Stridulus	191	124	17	12	6	4	8	2	2	2	5	5	—	—
Locomotor Ataxy	431	123	77	17	12	5	9	1	6	3	11	3	2	2
Paraplegia, Diseases of Cord	1030	953	134	119	18	16	33	20	18	21	19	22	10	12
Neuritis, Peripheral, Poly-Neuritis	140	335	11	53	—	8	—	5	2	1	1	4	1	5
Brain Tumour (not Specific)	383	370	53	52	9	11	16	12	5	15	7	10	3	4
Other Diseases of Nervous System	1382	1430	163	180	56	63	50	55	41	38	29	25	8	5
Otitis, Mastoid Disease	601	507	123	91	5	4	12	12	4	4	9	12	3	—
Epistaxis, Diseases of Nose	27	39	1	3	—	—	—	1	—	—	1	—	—	—
Ophthalmia, Diseases of Eye	26	34	8	7	—	—	—	—	—	—	—	—	—	2
Valvular Disease, Endocarditis (not Infective)	7454	8872	1095	1295	183	300	234	253	144	186	195	215	60	70
Pericarditis	273	208	53	59	5	6	5	8	8	8	6	2	1	1
Hypertrophy of Heart	149	75	35	20	7	3	2	2	1	1	4	1	—	1
Angina Pectoris	612	330	69	43	17	5	17	8	14	9	13	7	10	3
Dilatation of Heart	1742	1778	212	245	52	51	44	57	33	48	40	46	13	20
Fatty Degeneration of Heart	1124	1359	211	243	37	58	30	29	24	29	40	37	6	7
Syncope, Heart Disease (not specified)	12911	14081	1089	1317	198	246	337	384	263	280	335	343	131	155
Cerebral Hæmorrhage, Cerebral Embolism	7403	9140	833	1008	158	197	204	245	141	174	200	236	78	92
Apoplexy, Hemiplegia	3847	4718	272	404	65	58	76	108	67	84	76	80	30	25
Aneurysm	941	199	211	42	34	4	39	5	14	4	49	4	5	1
Senile Gangrene	783	662	79	85	18	12	22	18	12	10	19	16	8	6
Embolism, Thrombosis (not Cerebral)	231	285	30	32	10	9	9	9	5	10	7	10	1	4
Phlebitis	46	84	5	7	2	2	—	4	1	3	1	2	—	4
Varicose Veins	33	70	3	7	1	2	—	1	1	1	—	—	—	1
Other Diseases of Blood Vessels	1530	982	221	197	74	65	50	36	37	23	35	28	15	13

Note.—For continuation of this Table, see page 365.

DIVISION III.  
SOUTH MIDLAND COUNTIES.

CAUSES OF DEATH.

	Middlesex.		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.		Bedfordshire.		Cambridgeshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	61	63	13	10	9	3	11	6	31	16	2	1	11	8	4	14
Softening of Brain	23	26	17	17	6	8	8	7	14	10	2	—	11	13	13	4
General Paralysis of Insane	60	12	28	9	8	2	12	2	19	6	—	1	11	5	9	3
Insanity (not Puerperal)	48	63	5	8	6	3	18	29	4	19	—	—	3	2	8	7
Chorea	2	2	—	—	—	—	2	—	—	3	—	2	—	—	—	—
Epilepsy	31	23	15	20	16	5	11	2	9	10	4	—	9	5	8	11
Convulsions	104	85	20	23	15	13	17	13	41	20	1	—	32	19	14	19
Laryngismus Stridulus	4	—	1	1	2	1	1	—	3	2	1	—	—	—	2	2
Locomotor Ataxy	14	5	2	4	4	—	3	—	1	2	—	—	4	—	—	—
Paraplegia, Diseases of Cord	30	24	7	4	7	6	8	—	11	9	—	—	6	7	11	6
Neuritis, Peripheral, Poly-Neuritis	3	6	1	2	—	—	1	—	—	—	—	—	—	—	1	1
Brain Tumour (not Specific)	9	2	5	3	1	3	1	7	—	—	—	—	—	—	1	3
Other Diseases of Nervous System	30	28	10	10	14	6	15	6	24	20	2	3	10	12	12	16
Otitis, Mastoid Disease	13	11	1	5	—	—	1	2	2	7	2	2	5	2	5	1
Epistaxis, Diseases of Nose	1	1	—	—	—	—	—	—	—	1	—	—	1	—	1	—
Ophthalmia, Diseases of Eye	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Valvular Disease, Endocarditis (not Infective)	166	188	75	77	39	45	54	40	56	70	7	7	39	48	50	62
Pericarditis	6	2	5	1	1	1	—	1	4	—	—	—	2	1	1	—
Hypertrophy of Heart	6	6	2	3	1	—	2	1	—	—	—	—	—	—	—	—
Angina Pectoris	10	10	3	2	—	1	5	2	3	4	—	—	5	1	—	2
Dilatation of Heart	40	28	10	10	9	16	11	10	8	13	1	1	10	14	6	6
Fatty Degeneration of Heart	56	60	8	12	2	12	13	7	11	11	5	2	5	14	4	6
Syncope, Heart Disease (not specified)	170	247	104	118	61	60	78	79	155	137	15	30	55	103	67	74
Cerebral Hemorrhage, Cerebral Embolism	159	218	55	62	39	42	63	60	94	83	6	6	47	46	54	59
Apoplexy, Hemiplegia	63	111	26	42	32	36	13	13	46	57	6	5	28	32	27	23
Aneurysm	27	9	5	—	8	1	11	1	6	1	2	1	—	—	1	1
Senile Gangrene	11	16	8	8	9	2	12	5	18	6	3	6	9	8	3	2
Embolism, Thrombosis (not Cerebral)	5	3	2	3	—	—	—	2	—	2	—	—	2	—	—	2
Phlebitis	2	—	—	—	—	1	—	1	—	1	—	—	—	—	—	1
Varicose Veins	—	3	1	—	—	—	—	1	—	1	—	—	—	—	—	1
Other Diseases of Blood Vessels	30	23	9	14	10	4	12	5	10	1	8	5	8	5	8	5

Note.—For continuation of this Table, see page 366.



CAUSES OF DEATH in REGISTRATION COUNTIES, 1907—continued from page 353.

CAUSES OF DEATH.	DIVISION IV EASTERN COUNTIES.						DIVISION V. SOUTH WESTERN COUNTIES.					
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain ..	85	75	27	10	16	20	17	11	11	16	49	26
Softening of Brain ..	31	41	13	9	20	30	15	18	7	4	24	36
General Paralysis of Insane ..	77	23	10	3	27	5	19	3	11	3	42	19
Insanity (not Puerperal) ..	13	24	5	15	12	13	4	9	4	6	20	26
Chorea ..	2	1	3	—	1	1	—	2	—	1	2	4
Epilepsy ..	58	54	20	20	24	19	11	15	7	8	33	33
Convulsions ..	140	110	41	28	80	48	29	16	24	14	102	75
Laryngismus Stridulus ..	3	2	1	—	2	2	2	—	1	1	3	2
Locomotor Ataxy ..	9	5	5	1	8	4	7	—	4	—	13	2
Paraplegia, Diseases of Cord ..	27	31	21	17	13	14	7	11	8	7	28	28
Neuritis, Peripheral, Poly-Neuritis ..	3	13	1	5	2	—	1	2	—	—	2	3
Brain Tumour (not Specific) ..	9	12	5	4	5	5	6	1	4	2	9	6
Other Diseases of Nervous System ..	38	45	20	22	35	35	20	17	13	12	26	36
Otitis, Mastoid Disease ..	12	11	5	1	5	6	3	2	2	2	4	9
Epistaxis, Diseases of Nose ..	2	2	1	1	—	—	—	—	—	—	—	—
Ophthalmia, Diseases of Eye ..	1	—	—	1	—	—	—	1	2	—	—	—
Valvular Disease, Endocarditis (not Infective) ..	159	216	93	93	132	119	41	74	55	43	150	191
Pericarditis ..	11	6	4	2	2	3	—	3	1	—	4	6
Hypertrophy of Heart ..	3	2	2	1	2	—	—	1	1	1	3	2
Angina Pectoris ..	16	8	7	10	13	7	9	2	5	8	13	5
Dilatation of Heart ..	32	48	20	21	21	11	9	19	8	6	26	39
Fatty Degeneration of Heart ..	28	30	12	15	7	12	9	10	3	6	32	51
Syncope, Heart Disease (not specified) ..	375	399	159	189	196	225	111	134	110	108	315	372
Cerebral Hæmorrhage, Cerebral Embolism ..	198	297	77	87	82	132	74	90	45	56	192	227
Apoplexy, Hemiplegia ..	80	132	31	52	65	81	33	50	25	32	71	114
Aneurysm ..	24	5	5	3	13	4	7	2	9	—	30	3
Senile Gangrene ..	26	25	28	8	27	13	10	7	4	4	10	13
Embolism, Thrombosis (not Cerebral) ..	4	8	1	6	6	—	—	6	1	4	9	5
Phlebitis ..	1	2	1	1	—	1	1	1	—	2	2	1
Varicose Veins ..	1	2	1	1	1	2	1	—	1	1	1	3
Other Diseases of Blood Vessels ..	39	24	20	12	44	22	10	3	18	10	38	18

Note.—For continuation of this Table, see page 367.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.						PART OF DIVISION VII. NORTH MIDLAND COUNTIES.											
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcestershire.		Warwickshire.		Leicestershire.		Rutland-shire.		Lincoln-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	43	50	2	5	13	16	134	135	46	37	106	89	29	24	—	1	38	31
Softening of Brain	22	39	3	3	7	4	38	47	16	11	30	25	9	6	—	2	34	17
General Paralysis of Insane	31	8	1	—	10	6	67	15	16	7	55	19	26	5	—	—	29	14
Insanity (not Puerperal)	41	43	1	—	5	9	109	100	9	11	36	52	9	11	1	—	8	18
Chorea	—	3	—	—	—	—	—	7	—	1	1	4	—	—	—	—	—	2
Epilepsy	39	47	7	9	10	11	66	57	27	25	42	37	23	12	3	—	19	14
Convulsions	75	69	12	14	32	28	356	258	67	52	163	126	90	71	2	—	111	76
Laryngismus Stridulus	2	4	—	—	1	—	7	3	—	1	4	5	—	1	—	—	3	2
Locomotor Ataxy	3	2	1	—	4	—	26	2	6	2	9	3	9	4	2	—	4	—
Paraplegia, Diseases of Cord	22	22	5	7	12	6	40	32	10	11	25	24	11	16	1	—	19	16
Neuritis, Peripheral, Poly-Neuritis	2	9	—	—	3	3	6	18	3	4	5	13	4	4	1	—	3	2
Brain Tumour (not Specific)	13	8	2	2	4	2	14	14	5	6	11	10	3	9	—	1	4	7
Other Diseases of Nervous System	29	33	4	15	12	18	41	40	21	14	35	37	18	18	1	1	25	22
Otitis, Mastoid Diseases	10	8	1	—	1	2	20	24	10	5	14	18	6	11	—	—	10	4
Epistaxis, Diseases of Nose	2	2	—	—	—	—	3	3	1	1	1	1	—	1	—	—	1	—
Ophthalmia, Diseases of Eye	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
Valvular Disease, Endocarditis (not Infective)	158	195	36	32	63	77	211	234	100	98	165	176	86	101	9	4	136	128
Pericarditis	4	2	—	—	2	2	13	3	2	4	13	5	2	3	—	—	3	1
Hypertrophy of Heart	1	1	1	1	1	—	2	3	—	—	2	—	1	—	—	—	2	—
Angina Pectoris	12	5	4	—	3	3	17	5	8	8	11	9	5	3	—	—	9	8
Dilatation of Heart	28	30	17	7	11	9	64	57	25	25	36	68	19	12	—	2	19	14
Fatty Degeneration of Heart	33	36	8	6	9	10	35	17	19	17	27	32	7	14	1	1	30	17
Syncope, Heart Disease (not specified)	258	363	52	76	137	151	549	574	210	258	398	391	195	200	9	9	208	205
Cerebral Hæmorrhage, Cerebral Embolism.	147	242	47	46	70	91	257	310	113	158	217	267	86	92	4	5	130	143
Apoplexy, Hemiplegia.	62	90	24	22	26	42	138	178	61	65	92	117	52	57	2	8	88	97
Aneurysm	19	7	2	—	3	2	25	6	12	5	21	3	6	1	—	—	13	3
Senile Gangrene	15	18	6	1	14	5	31	24	17	9	23	17	12	9	—	1	14	3
Embolism, Thrombosis (not Cerebral)	7	5	—	—	3	1	9	9	1	6	4	6	6	6	—	1	5	3
Phlebitis	—	2	—	—	—	1	1	4	2	2	—	—	—	4	—	—	1	4
Varicose Veins	1	4	—	—	—	1	2	1	1	1	2	1	—	—	—	—	1	2
Other Diseases of Blood Vessels	31	20	6	3	11	5	38	13	17	5	35	22	16	15	—	—	22	11

Note.—For continuation of this Table, see page 368.



CAUSES OF DEATH in REGISTRATION COUNTIES, 1907—continued from page 355.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Notting- hamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		Durham.		Northum- berland.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain ..	48	54	54	33	81	59	547	505	299	243	57	45	166	154	67	58
Softening of Brain ..	16	14	23	22	27	32	169	144	138	113	21	17	59	38	23	20
General Paralysis of Insane ..	30	19	11	5	47	8	260	85	123	96	42	10	65	14	45	12
Insanity (not Puerperal) ..	15	18	12	12	16	19	125	136	73	96	7	13	34	33	6	12
Chorea ..	2	4	—	3	1	1	—	9	4	14	—	2	1	7	1	2
Epilepsy ..	18	22	26	19	37	32	201	204	104	105	16	12	48	44	35	34
Convulsions ..	188	106	145	109	161	129	1071	884	712	536	123	82	455	332	178	131
Laryngismus Stridulus ..	—	8	6	1	9	4	40	18	19	15	14	—	14	8	4	2
Locomotor Ataxy ..	6	3	5	1	8	4	59	17	33	10	7	3	28	8	8	2
Paraplegia, Diseases of Cord ..	17	15	13	12	33	20	137	138	76	77	2	11	37	42	20	19
Neuritis, Peripheral, Poly-Neuritis ..	2	15	1	1	2	6	29	68	12	35	7	5	11	10	11	11
Brain Tumour (not Specific) ..	9	8	4	1	9	8	49	48	27	40	11	6	12	9	6	3
Other Diseases of Nervous System ..	18	26	11	18	35	42	148	147	119	104	34	31	54	38	20	27
Otitis, Mastoid Disease ..	13	4	8	13	13	7	90	77	70	49	9	9	23	23	17	21
Epistaxis, Diseases of Nose ..	1	—	—	—	1	—	2	10	2	5	1	1	1	1	—	—
Ophthalmia, Diseases of Eye ..	—	—	—	1	—	—	4	6	3	4	1	2	2	—	—	2
Valvular Disease, Endocarditis (not Infective)	122	176	100	101	197	197	937	1307	702	936	119	122	287	301	205	183
Pericarditis ..	4	2	2	—	4	7	33	30	21	14	3	4	10	3	3	7
Hypertrophy of Heart ..	7	3	1	1	3	—	23	9	4	3	3	1	5	3	2	1
Angina Pectoris ..	19	5	7	5	24	8	77	38	57	30	18	5	18	15	16	5
Dilatation of Heart ..	22	18	23	14	77	60	331	379	185	138	24	27	38	33	24	28
Fatty Degeneration of Heart ..	23	33	8	19	24	37	92	131	90	122	34	16	22	34	13	16
Syncope, Heart Disease (not specified) ..	248	251	219	229	345	378	1835	2010	1153	1185	190	186	570	511	287	261
Cerebral Hæmorrhage, Cerebral Embolism..	120	148	113	123	168	212	1042	1313	702	903	126	128	285	306	148	167
Apoplexy, Hemiplegia ..	75	103	70	75	92	113	583	711	434	473	73	71	218	216	110	91
Aneurysm ..	17	4	8	2	18	7	94	20	53	13	26	6	30	6	19	2
Senile Gangrene ..	13	9	5	10	17	19	74	78	80	68	21	12	24	19	10	13
Embolism, Thrombosis (not Cerebral)	5	3	3	4	6	5	26	44	22	19	4	8	5	7	5	4
Phlebitis ..	1	1	3	—	5	3	3	7	6	5	—	1	1	—	—	1
Varicose Veins ..	—	1	1	—	—	1	5	9	—	8	—	1	1	—	—	2
Other Diseases of Blood Vessels ..	20	21	15	10	41	28	194	117	159	78	15	8	40	16	19	10

Note.—For continuation of this Table, see page 369.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.													
	Cumber- land.		Westmor- land.		Monmouth- shire.		South Wales.		Glamorgan- shire.		Carmarthen- shire.		Pembroke- shire.		Cardigan- shire.		Brecknock- shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	24	16	—	4	38	28	110	93	87	64	7	14	4	2	5	4	7	7
Softening of Brain	11	10	5	7	9	12	21	23	12	14	2	3	3	2	2	2	2	—
General Paralysis of Insane	6	5	2	—	12	8	66	17	47	10	10	1	1	2	4	4	4	—
Insanity (not Puerperal)	6	8	3	—	3	2	64	90	54	65	4	12	—	—	1	3	4	2
Chorea	—	1	—	—	2	—	3	4	3	2	—	1	—	5	—	5	6	3
Epilepsy	11	10	—	4	12	23	55	45	32	24	9	10	3	3	1	—	—	1
Convulsions	32	32	12	8	14	102	590	508	466	399	58	63	25	17	27	17	10	2
Laryngismus Stridulus	—	2	—	—	2	1	7	4	6	2	—	—	—	—	1	—	—	1
Locomotor Ataxy	1	4	—	—	7	—	15	1	8	—	3	1	2	2	2	3	—	—
Paraplegia, Diseases of Cord	15	13	—	2	8	6	35	32	27	19	1	4	2	2	3	—	2	—
Neuritis, Peripheral, Poly-Neuritis	—	9	1	—	—	1	8	5	7	5	—	—	1	—	—	—	—	—
Brain Tumour (not Specific)	—	3	—	—	6	3	22	13	16	9	1	—	1	—	3	3	1	—
Other Diseases of Nervous System	12	14	1	4	17	11	34	41	18	19	6	5	2	7	4	6	2	4
Otitis, Mastoid Disease	9	6	1	—	10	3	22	14	19	13	1	1	1	—	1	—	—	—
Epistaxis, Diseases of Nose	1	1	—	—	—	1	2	2	1	1	—	—	—	—	1	—	—	1
Ophthalmia, Diseases of Eye	—	—	—	—	—	1	—	1	2	1	—	—	—	—	—	—	—	—
Valvular Disease, Endocarditis (not Infective)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Pericarditis	54	98	20	18	67	84	232	248	165	148	24	32	12	14	18	39	9	13
Hypertrophy of Heart	1	2	—	—	2	—	14	4	8	3	5	1	—	—	1	—	—	—
Angina Pectoris	3	—	1	—	2	—	6	1	4	—	1	1	—	—	1	—	—	—
Dilatation of Heart	15	4	2	—	3	4	22	14	13	10	2	—	5	3	2	1	2	1
Fatty Degeneration of Heart	9	6	4	1	15	11	84	52	71	36	6	6	—	4	4	3	3	2
Syncope, Heart Disease (not specified)	9	11	2	—	8	13	33	42	21	30	4	7	1	1	4	3	3	1
	170	145	34	41	147	121	592	592	387	345	55	68	66	76	50	69	22	22
Cerebral Haemorrhage, Cerebral Embolism	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Apoplexy, Hemiplegia	69	92	18	17	53	62	256	323	153	202	32	38	25	24	20	37	19	19
Aneurysm	50	48	10	10	51	53	170	230	123	144	21	26	9	15	15	34	1	7
Senile Gangrene	6	2	—	—	6	2	25	6	24	6	—	—	—	—	—	—	—	—
Embolism, Thrombosis (not Cerebral)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Phlebitis	11	6	1	2	7	2	13	25	5	17	3	4	2	2	1	2	1	2
Varicose Veins	1	4	—	1	5	3	2	16	6	5	—	3	—	4	—	—	—	—
Other Diseases of Blood Vessels	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	10	3	3	3	8	6	47	29	28	12	10	1	3	8	4	3	1	2

Note.—For continuation of this Table, see page 370.



## CAUSES OF DEATH in REGISTRATION COUNTIES, 1907—continued from page 357.

CAUSES OF DEATH.	PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
	Radnorshire.		North Wales.		Montgomery-shire.		Flintshire.		Denbigh-shire.		Merioneth-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain ..	—	2	36	35	4	4	8	8	11	5	3	6
Softening of Brain ..	—	—	17	19	3	3	2	2	9	2	1	5
General Paralysis of Insane ..	—	1	8	2	2	2	—	—	3	—	—	—
Insanity (not Puerperal) ..	—	1	19	28	1	1	—	—	8	—	—	—
Chorea ..	—	—	—	4	—	—	—	—	—	—	—	—
Epilepsy ..	—	1	29	15	—	—	—	—	2	—	—	—
Convulsions ..	—	1	165	113	9	3	10	12	42	35	20	13
Larvngismus Stridulus ..	—	—	1	3	—	—	—	—	—	—	—	—
Locomotor Ataxy ..	—	—	7	1	—	—	—	—	—	—	—	—
Paraplegia, Diseases of Cord ..	—	—	20	11	2	—	4	—	7	2	2	—
Neuritis, Peripheral, Poly-Neuritis ..	—	—	6	—	1	—	—	—	1	—	1	—
Brain Tumour (not Specific) ..	—	—	1	4	—	—	—	—	1	—	—	—
Other Diseases of Nervous System ..	2	—	26	32	5	7	1	1	11	10	2	6
Otitis, Mastoid Disease ..	—	—	9	3	—	—	—	2	3	1	—	—
Epistaxis, Diseases of Nose ..	—	—	—	—	—	—	—	—	—	—	—	—
Ophthalmia, Diseases of Eye ..	—	—	—	—	—	—	—	—	—	—	—	—
Valvular Disease, Endocarditis (not Infective) ..	4	2	142	154	15	16	19	13	27	37	23	26
Pericarditis ..	—	—	3	—	—	—	1	—	1	—	—	—
Hypertrophy of Heart ..	—	—	2	2	—	—	—	1	2	—	—	—
Angina Pectoris ..	—	—	10	5	3	1	—	—	3	—	—	—
Dilatation of Heart ..	2	1	24	24	5	1	7	3	—	7	5	4
Fatty Degeneration of Heart ..	—	—	15	30	3	1	1	2	6	10	31	26
Syncope, Heart Disease (not specified) ..	12	12	264	245	40	35	30	27	71	69	—	—
Cerebral Hæmorrhage, Cerebral Embolism..	7	3	128	173	16	21	16	14	31	53	20	33
Apoplexy, Hemiplegia ..	1	4	104	125	7	12	21	20	33	34	7	13
Aneurysm ..	—	—	7	2	1	—	—	—	2	1	2	1
Senile Gangrene ..	—	—	9	8	3	—	—	—	2	1	2	1
Embolism, Thrombosis (not Cerebral) ..	—	—	3	4	—	—	2	1	1	1	—	—
Phlebitis ..	—	—	1	1	—	—	—	—	1	—	—	—
Varicose Veins ..	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Blood Vessels ..	1	3	30	12	1	1	5	1	13	4	3	2

Note.—For continuation of this Table, see page 371.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.							
	Males.	Females.	Males.	Females.	Surrey.		Kent.		Sussex.		Hampshire.	
					Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Laryngitis .. .. .	633	479	54	33	7	9	17	10	10	8	11	10
Membranous Laryngitis (not Diphtheritic)	18	11	—	1	2	—	—	1	—	—	—	—
Croup (not Spasmodic nor Membranous)	196	175	5	12	1	—	2	2	5	1	1	3
Other Diseases of Larynx and Trachea	22	21	2	3	—	—	—	—	—	—	—	—
Bronchitis .. .. .	20423	21781	2766	3171	320	327	405	457	288	290	341	378
Emphysema, Asthma .. .. .	1041	681	154	115	22	18	35	24	17	15	23	12
Pleurisy .. .. .	733	589	114	106	19	12	13	15	12	19	11	14
Fibroid Disease of Lung .. .. .	490	166	33	17	8	5	10	3	4	2	3	4
Other Diseases of Respiratory System	1297	1216	159	160	28	26	21	26	21	22	33	25
Tonsillitis, Quinsy .. .. .	206	185	28	31	3	6	10	4	—	1	3	4
Dis. of Mouth, Pharynx, Œsophagus (not Specific)	254	260	35	40	5	3	4	5	3	9	3	7
Gastric Ulcer .. .. .	655	1120	121	169	14	22	14	21	10	17	11	27
Gastritis, Gastric Catarrh .. .. .	1592	1675	128	135	20	22	30	30	11	23	14	28
Other Diseases of Stomach (not Malignant)	282	275	29	44	5	5	14	7	3	3	11	2
Ulceration of Intestines .. .. .	477	244	94	44	10	4	6	5	12	7	15	5
Enteritis (not Epidemic) .. .. .	1910	1777	272	247	32	25	36	28	14	10	43	38
Gastro-enteritis .. .. .	1337	1113	197	168	29	21	20	21	30	18	16	16
Appendicitis, Perityphlitis .. .. .	1161	808	210	155	31	14	25	19	12	19	33	27
Hernia .. .. .	702	834	108	127	12	9	28	23	15	17	13	19
Intestinal Obstruction .. .. .	1314	1249	189	188	26	33	40	36	15	32	28	28
Other Diseases of Intestines	131	137	24	27	2	3	3	2	1	2	4	4
Peritonitis (not Puerperal) .. .. .	308	389	23	41	6	6	3	7	4	4	5	8
Cirrhosis of Liver .. .. .	2070	1833	330	346	48	49	58	44	43	38	43	39
Other Diseases of Liver and Gall Bladder	850	1171	103	150	18	29	24	36	17	23	28	27
Other Diseases of Digestive System .. .. .	186	196	30	24	5	3	4	7	5	5	5	4

Note.—For continuation of this Table, see page 372.





CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.						DIVISION V. SOUTH WESTERN COUNTIES.					
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Laryngitis .. .. .	15	10	4	8	4	5	3	3	1	3	14	12
Membranous Laryngitis (not Diphtheritic)	1	—	—	—	—	—	—	—	—	—	—	—
Croup (not Spasmodic nor Membranous)	3	3	—	1	4	1	2	2	2	2	4	2
Other Diseases of Larynx and Trachea	647	651	174	172	227	227	123	155	92	101	406	450
Bronchitis .. .. .	..	..	..	..	..	..	..	..	..	..	..	..
Emphysema, Asthma .. .. .	30	23	11	7	12	10	15	6	10	2	24	17
Pleurisy .. .. .	19	14	2	6	14	4	6	3	5	3	25	14
Fibroid Disease of Lung .. .. .	7	3	1	4	5	3	2	4	—	—	10	5
Other Diseases of Respiratory System	44	42	7	12	18	24	9	9	9	11	30	38
Tonsillitis, Quinsy .. .. .	4	3	—	—	1	2	—	2	2	2	5	2
Dis. of Mouth, Pharynx, Oesophagus (not Specific)	4	9	1	6	4	5	3	1	—	—	4	8
Gastric Ulcer .. .. .	17	24	10	12	3	18	5	7	2	5	17	25
Gastritis, Gastric Catarrh .. .. .	44	42	13	16	26	25	21	10	5	10	25	46
Other Diseases of Stomach (not Malignant) .. .. .	10	9	—	—	4	3	3	3	1	5	4	5
Ulceration of Intestines .. .. .	15	5	3	2	2	2	6	3	3	4	8	6
Enteritis (not Epidemic) .. .. .	51	47	12	11	15	10	9	12	10	5	25	27
Gastro-enteritis .. .. .	40	32	12	5	12	12	10	4	8	4	14	13
Appendicitis, Perityphilitis .. .. .	22	17	22	8	12	5	7	4	9	5	13	14
Hernia .. .. .	12	17	11	10	13	10	10	6	10	2	17	22
Intestinal Obstruction .. .. .	39	34	17	17	16	18	15	18	10	1	4	4
Other Diseases of Intestines .. .. .	5	3	3	2	2	2	1	2	1	5	7	5
Peritonitis (not Puerperal) .. .. .	7	10	4	2	6	4	1	1	3	4	4	4
Cirrhosis of Liver .. .. .	57	68	17	15	33	26	23	12	12	9	36	34
Other Diseases of Liver and Gall Bladder	22	25	15	11	11	15	6	9	5	22	16	12
Other Diseases of Digestive System .. .. .	7	8	2	2	2	4	1	4	3	—	2	3

Note.—For continuation of this Table, see page 374.



CAUSES of DEATH in REGISTRATION COUNTIES, 1907—continued from page 361.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.										PART OF DIVISION VII. NORTH MIDLAND COUNTIES.							
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcestershire.		Warwickshire.		Leicestershire.		Rutland-shire.		Lincoln-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Laryngitis .. .. .	5	2	2	—	6	2	23	18	9	7	16	6	5	3	2	—	7	3
Membranous Laryngitis (not Diphtheritic)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup (not Spasmodic nor Membranous)	4	3	1	—	3	1	8	14	2	2	6	4	6	5	—	6	2	5
Other Diseases of Larynx and Trachea	335	439	49	52	115	105	1006	919	310	346	581	588	279	267	10	15	287	306
Bronchitis .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Emphysema, Asthma .. .. .	14	24	4	—	8	4	50	17	11	10	29	18	9	3	—	15	9	9
Pleurisy .. .. .	12	10	—	—	3	3	24	13	7	10	22	14	6	7	1	9	11	11
Fibroid Disease of Lung .. .. .	4	1	—	1	3	—	32	3	5	2	12	7	2	1	1	3	3	4
Other Diseases of Respiratory System	33	28	3	7	6	13	49	22	18	8	25	31	11	10	3	22	21	21
Tonsillitis, Quinsy .. .. .	1	3	3	—	2	3	7	12	4	4	6	4	2	5	—	5	1	1
Dis. of Mouth, Pharynx, Œsophagus (not Specific)	3	6	—	—	2	—	11	9	4	3	7	3	—	4	—	6	7	7
Gastric Ulcer .. .. .	7	17	5	6	5	6	17	53	7	13	28	28	5	10	—	8	18	18
Gastritis, Gastric Catarrh .. .. .	24	24	4	6	15	21	75	66	25	32	46	53	11	16	—	20	21	21
Other Diseases of Stomach (not Malignant)	8	11	1	2	—	3	8	4	6	4	12	6	3	1	—	6	5	5
Ulceration of Intestines .. .. .	11	17	—	2	5	—	15	3	3	3	12	9	9	1	—	6	2	2
Enteritis (not Epidemic) .. .. .	25	28	18	6	18	12	89	81	36	38	87	80	21	35	1	19	14	19
Gastro-enteritis .. .. .	21	14	15	1	15	13	47	31	24	21	27	17	18	13	—	14	17	7
Appendicitis, Perityphilitis .. .. .	28	19	8	1	5	7	31	30	11	8	48	31	5	6	—	17	15	15
Hernia .. .. .	22	18	4	—	10	6	25	37	11	24	51	26	19	12	1	22	23	23
Intestinal Obstruction .. .. .	20	31	8	5	—	12	53	37	11	—	4	4	4	1	—	—	2	2
Other Diseases of Intestines .. .. .	2	1	—	—	—	—	5	2	3	3	12	19	3	7	—	5	10	10
Peritonitis (not Puerperal) .. .. .	4	14	1	1	4	3	15	18	7	28	58	76	20	21	2	37	13	13
Cirrhosis of Liver .. .. .	43	28	25	5	25	13	94	83	38	21	18	35	16	11	—	12	12	12
Other Diseases of Liver and Gall Bladder	9	18	4	—	4	8	28	68	15	21	18	35	3	6	—	4	2	2
Other Diseases of Digestive System	3	4	1	—	1	1	5	12	2	1	8	5	3	6	—	4	2	2

Note.—For continuation of this Table, see page 375.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Nottinghamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Laryngitis	9	5	9	8	17	10	102	89	54	50	12	6	12	8	50	47
Membranous Laryngitis (not Diphtheritic)	—	—	1	—	—	—	3	2	—	2	—	—	1	—	—	—
Croup (not Spasmodic nor Membranous)	5	1	2	1	6	5	39	33	11	17	2	1	2	16	13	16
Other Diseases of Larynx and Trachea	—	—	—	—	1	1	6	1	3	3	—	—	—	—	1	—
Bronchitis	512	475	310	343	403	491	3681	3959	2062	2026	277	315	214	235	913	851
Emphysema, Asthma	16	7	17	3	27	18	123	90	96	47	12	7	13	7	39	31
Pleurisy	8	9	10	7	19	14	147	116	57	41	11	5	9	8	32	24
Fibroid Disease of Lung	7	4	12	3	6	2	71	31	73	9	6	1	3	2	13	4
Other Diseases of Respiratory System	20	15	25	9	23	23	223	222	100	83	27	30	18	14	46	51
Tonsillitis, Quinsy	4	2	5	1	5	4	34	32	10	14	1	2	3	4	14	11
Dis. of Mouth, Pharynx, Oesophagus (not Specific)	7	3	4	4	6	5	51	52	23	16	—	2	6	5	10	7
Gastric Ulcer	18	19	7	20	15	29	92	161	41	102	11	14	6	14	19	43
Gastritis, Gastric Catarrh	40	34	23	21	43	34	293	320	120	132	29	17	28	29	97	79
Other Diseases of Stomach (not Malignant)	4	6	3	2	9	8	35	37	28	28	3	5	5	6	8	6
Ulceration of Intestines	3	4	5	2	13	5	62	38	33	19	6	3	6	1	12	5
Enteritis (not Epidemic)	42	43	18	26	40	36	366	306	169	136	17	14	23	14	85	72
Gastro-enteritis	30	28	13	10	23	26	222	170	93	82	17	21	16	16	83	52
Appendicitis, Perityphlitis	26	15	15	17	24	24	172	111	99	63	16	10	7	6	22	22
Hernia	9	13	14	9	17	21	81	160	44	74	12	10	9	7	22	25
Intestinal Obstruction	25	21	23	12	35	22	192	178	110	101	13	22	10	6	47	41
Other Diseases of Intestines	3	4	1	4	5	5	18	14	12	19	3	1	1	—	1	2
Peritonitis (not Puerperal)	—	6	5	10	13	13	66	56	24	36	1	9	3	5	23	12
Cirrhosis of Liver	46	48	29	27	62	34	258	288	174	131	26	28	31	19	57	60
Other Diseases of Liver and Gall Bladder	17	27	5	22	18	21	141	166	82	113	12	8	22	12	26	39
Other Diseases of Digestive System	4	2	3	5	3	6	28	22	18	16	—	1	—	4	2	6

Note.—For continuation of this Table, see page 376.



CAUSES OF DEATH in REGISTRATION COUNTIES, 1907—continued from page 363.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.													
	Cumber-land.		Westmor-land.		Monmouth-shire.		South Wales.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardigan-shire.		Brecknock-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Laryngitis .. .. .	1	—	1	1	3	2	45	26	36	21	3	1	2	1	—	2	4	1
Membranous Laryngitis (not Diphtheritic)	—	1	—	—	1	—	1	1	1	1	—	—	—	—	—	—	—	—
Croup (not Spasmodic nor Membranous)	—	2	—	3	3	—	24	12	18	9	1	1	—	—	—	2	4	—
Other Diseases of Larynx and Trachea	140	144	19	10	263	242	810	785	643	598	63	65	41	40	29	42	29	28
Bronchitis .. .. .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Emphysema, Asthma .. .. .	5	4	1	3	15	2	54	32	43	23	10	2	—	3	1	1	3	3
Pleurisy .. .. .	3	3	1	1	2	4	23	18	19	9	—	3	—	—	5	2	—	1
Fibroid Disease of Lung .. .. .	17	4	2	1	2	1	22	11	13	4	4	1	—	4	2	2	—	—
Other Disease of Respiratory System ..	10	3	2	2	19	15	51	45	35	34	6	2	—	1	2	8	—	5
Tonsillitis, Quinsy .. .. .	3	1	—	—	3	1	9	5	6	3	2	—	—	—	—	2	1	—
Dis. of Mouth, Pharynx, Oesophagus (not Specific)	9	10	3	3	2	1	11	15	7	9	3	2	2	6	1	2	—	2
Gastric Ulcer .. .. .	30	29	—	2	42	42	115	58	15	31	5	9	4	3	4	8	2	—
Gastritis, Gastric Catarrh .. .. .	1	2	—	—	2	2	20	12	14	9	2	2	—	1	—	7	2	—
Other Diseases of Stomach (not Malignant)	5	4	2	—	—	2	15	9	10	7	2	2	2	3	2	1	2	—
Ulceration of Intestines .. .. .	22	13	2	1	22	34	106	95	85	71	10	14	4	3	5	2	2	4
Enteritis (not Epidemic) .. .. .	16	13	1	4	20	19	42	57	64	36	12	10	1	2	2	4	2	5
Gastro-enteritis .. .. .	17	9	4	1	11	7	29	21	29	16	3	1	2	1	5	2	2	1
Appendicitis, Perityphlitis .. .. .	7	4	1	1	9	8	25	29	18	19	2	4	3	4	1	1	1	—
Hernia .. .. .	9	11	2	4	10	7	43	54	33	37	2	2	3	7	2	3	3	—
Intestinal Obstruction .. .. .	—	1	—	1	2	—	6	—	4	—	—	—	—	—	—	—	—	—
Other Diseases of Intestines .. .. .	3	3	—	1	2	2	15	16	12	13	1	—	1	2	—	2	1	—
Peritonitis (not Puerperal) .. .. .	13	10	2	—	14	21	58	48	40	36	3	—	7	6	3	3	3	3
Cirrhosis of Liver .. .. .	4	7	—	—	5	9	29	40	23	27	—	7	2	3	1	—	—	—
Other Diseases of Liver and Gall Bladder	2	1	—	—	4	3	7	10	4	8	2	—	—	—	—	—	—	—
Other Diseases of Digestive System ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

Note.—For continuation of this Table, see page 371.

PART OF DIVISION XI.  
MONMOUTHSHIRE AND WALES

CAUSES OF DEATH.	Radnorshire.		North Wales.		Montgomery-shire.		Flintshire.		Denbigh-shire.		Merioneth-shire.		Carnarvon-shire.		Anglesey.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Laryngitis .. .. .	—	—	11	6	—	—	1	1	4	—	3	2	2	—	1	1
Membranous Laryngitis (not Diphtheritic)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup (not Spasmodic nor Membranous)	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Larynx and Trachea	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—
Bronchitis .. .. .	5	12	217	263	31	35	29	31	67	78	30	28	48	71	12	20
Emphysema, Asthma .. .. .	—	—	18	7	1	—	1	1	8	1	2	—	5	4	1	1
Pleurisy .. .. .	—	—	9	13	—	—	3	—	4	5	1	—	1	5	—	2
Fibroid Disease of Lung .. .. .	—	—	25	5	5	—	3	—	7	2	7	—	3	2	—	—
Other Diseases of Respiratory System	—	1	31	30	4	4	5	3	9	8	5	5	6	7	2	3
Tonsillitis, Quinsy .. .. .	—	—	3	2	—	—	1	—	1	—	—	—	1	—	—	—
Dis. of Mouth, Pharynx, Œsophagus (not Specific)	1	—	21	20	4	—	1	—	4	1	—	—	3	6	—	—
Gastric Ulcer .. .. .	—	2	27	34	6	5	3	2	6	6	2	—	9	10	1	2
Gastritis, Gastric Catarrh .. .. .	1	1	3	7	—	—	—	1	1	1	—	—	2	—	2	3
Other Diseases of Stomach (not Malignant)	—	—	4	2	—	—	—	3	—	—	—	—	4	—	—	1
Ulceration of Intestines .. .. .	—	—	25	30	2	—	—	1	8	11	—	—	4	10	—	—
Enteritis (not Epidemic) .. .. .	—	1	24	19	1	4	5	2	2	2	—	2	12	7	2	1
Gastro-enteritis .. .. .	—	—	4	12	—	2	—	6	2	2	—	—	1	6	—	—
Appendicitis, Perityphlitis .. .. .	—	—	10	15	—	—	—	2	2	2	—	—	1	7	—	—
Hernia .. .. .	—	—	19	16	—	—	1	3	9	2	1	1	4	6	—	—
Intestinal Obstruction .. .. .	1	2	3	2	2	—	1	1	2	1	—	—	2	5	—	—
Other Diseases of Intestines	—	—	7	4	—	—	1	—	2	—	—	—	6	2	—	—
Peritonitis (not Puerperal) .. .. .	—	—	20	20	1	—	1	—	1	—	—	—	2	2	—	—
Cirrhosis of Liver .. .. .	—	—	20	18	2	—	5	—	1	—	—	—	6	4	—	—
Other Diseases of Liver and Gall Bladder	2	—	20	18	—	—	2	3	6	7	—	—	5	4	1	—
Other Diseases of Digestive System .. .. .	1	—	4	2	—	—	—	—	3	—	—	—	1	2	—	—

Note.—For continuation of this Table, see page 378.



## CAUSES OF DEATH in REGISTRATION COUNTIES, 1907—continued from page 365.

CAUSES OF DEATH.	ENGLAND AND WALES		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	London.		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
Diseases of Spleen .. .. .	21	29	3	3	—	1	1	1	—	—	—	1	1	1
Other Diseases of Lymphatic System ..	227	153	34	31	8	3	7	6	1	1	6	2	3	3
Diseases of Thyroid Body .. .. .	72	455	9	54	—	6	1	15	1	13	2	9	—	5
Diseases of Supra Renal Capsules .. ..	83	91	8	6	1	3	1	2	1	2	4	3	—	—
Acute Nephritis, Uræmia .. .. .	1814	1591	231	189	29	29	35	32	34	22	33	28	8	8
Chronic Bright's Disease, Albuminuria	5573	4839	935	876	128	130	160	130	108	80	161	132	38	34
Calculus (not Biliary) .. .. .	198	80	41	15	1	3	9	3	3	5	3	—	1	—
Diseases of Bladder and of Prostate ..	2203	238	312	41	63	4	71	6	39	9	60	2	27	1
Other Diseases of Urinary System .. ..	470	139	90	34	14	1	15	5	9	3	18	3	2	2
Ovarian Tumour (not Malignant) .. ..	—	357	—	66	—	7	—	12	—	7	—	7	—	1
Other Diseases of Ovary .. .. .	—	51	—	10	—	—	—	1	—	—	—	2	—	1
Uterine Tumour (not Malignant) .. ..	—	327	—	50	—	5	—	8	—	5	—	9	—	1
Other Diseases of Uterus and Vagina ..	—	319	—	77	—	9	—	7	—	1	—	13	—	2
Disorders of Menstruation .. .. .	—	50	—	4	—	—	—	2	—	3	—	1	—	—
Other Dis. of Gener. and Mamm. Organs	48	10	9	1	2	1	2	—	1	1	—	—	—	—
Abortion, Miscarriage .. .. .	—	102	—	8	—	2	—	3	—	1	—	4	—	1
Puerperal Mania .. .. .	—	70	—	5	—	2	—	2	—	1	—	1	—	—
Puerperal Convulsions .. .. .	—	449	—	24	—	7	—	3	—	6	—	9	—	4
Placenta Prævia, Flooding .. .. .	—	608	—	67	—	8	—	7	—	5	—	13	—	4
Other Accidents of Pregnancy and Childbirth	—	826	—	89	—	15	—	12	—	5	—	19	—	8
Caries, Necrosis .. .. .	205	177	22	25	2	6	9	7	2	6	3	5	2	1
Arthritis, Periostitis .. .. .	139	110	33	21	3	5	2	2	1	1	3	3	4	—
Other Diseases of Locomotor System ..	149	105	29	18	6	3	5	4	1	3	3	9	2	—
Ulcer, Bed-sore .. .. .	144	341	17	47	3	7	2	6	2	5	9	6	3	2
Eczema .. .. .	164	123	18	13	3	1	8	2	1	2	3	5	2	1
Pemphigus .. .. .	123	100	17	11	—	—	3	2	—	3	3	—	2	—
Other Diseases of the Skin .. .. .	129	122	22	24	—	2	4	5	—	4	1	2	—	—

Note.—For continuation of this Table, see page 379.

CAUSES OF DEATH.		DIVISION III. SOUTH MIDLAND COUNTIES.											
		Middlesex.		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Diseases of Spleen .. .. .	..	—	1	—	—	—	—	—	—	—	—	—	—
Other Diseases of Lymphatic System ..	..	5	4	2	—	1	—	—	—	—	—	—	—
Diseases of Thyroid Body .. .. .	..	3	9	1	1	—	3	—	—	—	—	—	—
Diseases of Supra Renal Capsules ..	..	1	—	—	—	—	1	—	—	1	—	—	—
Acute Nephritis, Uræmia .. .. .	..	24	21	2	7	3	5	5	4	13	7	—	2
Chronic Bright's Disease, Albuminuria	..	113	128	42	44	23	30	56	24	51	34	—	4
Calculus (not Biliary) .. .. .	..	—	1	—	3	—	—	4	—	2	2	—	—
Diseases of Bladder and of Prostate ..	..	42	6	18	2	13	1	15	3	28	1	—	—
Other Diseases of Urinary System ..	..	8	1	4	—	—	1	4	1	3	—	—	—
Ovarian Tumour (not Malignant) ..	..	—	6	—	7	—	3	—	3	—	5	—	1
Other Diseases of Ovary .. .. .	..	—	1	—	—	—	—	—	—	—	—	—	—
Uterine Tumour (not Malignant) ..	..	—	11	—	3	—	1	—	5	—	3	—	—
Other Diseases of Uterus and Vagina ..	..	—	2	—	—	—	—	—	—	—	—	—	—
Disorders of Menstruation .. .. .	..	—	—	—	1	—	2	—	—	—	—	—	—
Other Dis. of Gener. and Mamm. Organs	..	2	—	1	—	—	—	—	—	—	—	—	—
Abortion, Miscarriage .. .. .	..	—	3	—	—	—	—	—	1	—	—	—	—
Puerperal Mania .. .. .	..	—	3	—	1	—	—	—	—	—	—	—	—
Puerperal Convulsions .. .. .	..	—	7	—	4	—	—	—	—	—	—	—	—
Placenta Prævia, Flooding .. .. .	..	—	14	—	2	—	1	—	3	—	5	—	—
Other Accidents of Pregnancy and Childbirth	..	—	22	—	5	—	—	—	5	—	4	—	—
Caries, Necrosis .. .. .	..	4	2	1	1	—	—	3	2	2	3	—	—
Arthritis, Periostitis .. .. .	..	1	1	—	—	—	—	—	—	—	—	—	—
Other Diseases of Locomotor System ..	..	1	1	—	1	—	—	—	1	—	—	—	—
Ulcer, Bed-sore .. .. .	..	4	13	3	1	—	4	1	3	1	—	—	—
Eczema .. .. .	..	4	1	—	—	—	2	—	1	3	—	—	—
Pemphigus .. .. .	..	6	5	1	3	—	1	—	—	—	—	—	—
Other Diseases of the Skin .. .. .	..	8	6	2	—	—	1	1	—	—	—	—	—

Note. — For continuation of this Table, see page 380.



CAUSES of DEATH in REGISTRATION COUNTIES, 1907—continued from page 367.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.						DIVISION V. SOUTH WESTERN COUNTIES.					
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Diseases of Spleen .. .. .	1	2	1	1	1	1	—	—	—	—	—	—
Other Diseases of Lymphatic System ..	6	4	3	—	—	1	—	—	—	—	—	—
Diseases of Thyroid Body .. .. .	4	12	—	5	—	2	—	—	—	—	—	—
Diseases of Supra Renal Capsules ..	1	6	2	2	1	4	—	—	—	—	—	—
Acute Nephritis, Uræmia .. .. .	44	44	16	23	15	13	12	15	9	27	41	27
Chronic Bright's Disease, Albuminuria	169	154	61	52	47	44	57	39	42	86	123	86
Calculus (not Biliary) .. .. .	6	—	4	3	8	—	1	1	1	1	1	1
Diseases of Bladder and of Prostate ..	58	9	32	3	50	4	19	2	17	4	79	4
Other Diseases of Urinary System ..	17	2	5	1	11	2	4	—	4	4	12	4
Ovarian Tumour (not Malignant) ..	—	5	—	4	—	4	—	1	—	9	—	9
Other Diseases of Ovary .. .. .	—	—	—	1	—	2	—	1	—	3	—	3
Uterine Tumour (not Malignant) ..	—	7	—	3	—	1	—	5	—	13	—	4
Other Diseases of Uterus and Vagina ..	—	7	—	3	—	—	—	2	—	3	—	1
Disorders of Menstruation .. .. .	—	1	—	1	—	2	—	—	—	2	—	—
Other Dis. of Gener. and Mamm. Organs	—	1	1	—	1	—	—	—	—	—	—	—
Abortion, Miscarriage .. .. .	—	5	—	1	—	2	—	—	—	1	—	1
Puerperal Mania .. .. .	—	1	—	2	—	3	—	1	—	1	—	1
Puerperal Convulsions .. .. .	—	9	—	3	—	4	—	5	—	6	—	2
Placenta Prævia, Flooding .. .. .	—	17	—	4	—	7	—	4	—	11	—	6
Other Accidents of Pregnancy and Childbirth	—	21	—	5	—	10	—	5	—	16	—	9
Caries, Necrosis .. .. .	2	3	2	2	7	1	1	2	—	6	3	2
Arthritis, Periostitis .. .. .	3	2	2	—	1	2	—	—	—	1	1	—
Other Diseases of Locomotor System ..	3	4	2	1	5	—	—	2	—	3	—	1
Ulcer, Bed-sore .. .. .	3	16	3	7	—	6	1	3	1	6	2	7
Eczema .. .. .	2	7	2	1	—	2	1	—	—	4	—	1
Pemphigus .. .. .	5	1	1	2	—	1	1	1	—	2	—	1
Other Diseases of the Skin .. .. .	3	4	—	1	2	4	—	—	—	2	—	3

Note.—For continuation of this Table, see page 381.

## CAUSES OF DEATH in REGISTRATION COUNTIES, 1907—continued from page 368.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.								PART OF DIVISION VII. NORTH MIDLAND COUNTIES.									
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcestershire.		Warwickshire.		Leicestershire.		Rutland-shire.		Lincoln-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Diseases of Spleen .. .. .	1	3	—	1	—	—	10	1	2	—	2	—	5	—	—	—	—	—
Other Diseases of Lymphatic System ..	3	7	—	2	—	6	3	23	5	3	3	12	—	10	—	—	3	7
Diseases of Thyroid Body .. .. .	1	4	—	—	—	—	1	2	15	2	1	2	—	2	—	—	2	6
Diseases of Supra Renal Capsules .. ..	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Acute Nephritis, Uræmia .. .. .	35	34	6	2	7	4	60	58	17	60	48	22	15	2	—	—	20	15
Chronic Bright's Disease, Albuminuria ..	110	91	20	11	47	39	167	165	99	63	147	125	56	47	2	—	58	54
Calculus (not Biliary) .. .. .	1	1	1	1	5	1	9	2	2	—	8	3	4	1	—	—	5	—
Diseases of Bladder and of Prostate ..	47	3	7	1	21	4	75	5	17	6	66	9	36	2	1	—	54	4
Other Diseases of Urinary System .. ..	13	8	7	—	1	3	11	3	8	1	9	4	4	3	—	—	5	2
Ovarian Tumour (not Malignant) .. ..	—	5	—	2	—	4	—	13	—	1	—	—	—	3	—	—	—	4
Other Diseases of Ovary .. .. .	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Uterine Tumour (not Malignant) .. ..	—	7	—	1	—	3	—	11	4	2	—	5	—	4	2	—	—	6
Other Diseases of Uterus and Vagina ..	—	3	—	—	—	1	—	11	2	1	—	8	—	6	—	—	—	2
Disorders of Menstruation .. .. .	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1
Other Dis. of Gener. and Mamm. Organs ..	—	1	1	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—
Abortion, Miscarriage .. .. .	—	2	—	—	—	1	—	4	1	2	—	1	—	1	—	—	—	1
Puerperal Mania .. .. .	—	1	—	—	—	—	—	2	2	9	—	1	—	1	—	—	—	2
Puerperal Convulsions .. .. .	—	7	—	—	—	2	—	17	9	3	—	11	—	4	—	—	—	7
Placenta Prævia, Flooding .. .. .	—	5	—	1	—	4	—	35	7	6	—	14	—	7	—	—	—	5
Other Accidents of Pregnancy and Childbirth ..	—	13	—	6	—	7	—	28	6	—	—	21	—	7	—	—	—	13
Caries, Necrosis .. .. .	5	4	—	1	1	—	11	1	5	7	7	2	—	1	—	—	—	2
Arthritis, Periostitis .. .. .	2	2	2	1	2	—	7	9	1	1	6	4	—	1	—	—	3	—
Other Diseases of Locomotor System ..	3	1	—	2	—	—	9	7	—	—	2	3	—	2	—	—	—	—
Ulcer, Bed-sore .. .. .	2	8	2	—	2	6	2	17	4	10	5	11	6	7	—	—	6	6
Eczema .. .. .	2	—	—	—	—	—	4	5	3	3	3	3	1	1	—	—	3	1
Pemphigus .. .. .	1	—	1	—	—	1	5	5	2	2	4	4	3	1	—	—	4	2
Other Diseases of the Skin .. .. .	3	—	1	—	—	—	5	2	3	2	3	3	1	5	—	—	3	1

Note.—For continuation of this Table, see page 382.



CAUSES OF DEATH in REGISTRATION COUNTIES, 1907—continued from page 369.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Notting- hamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Diseases of Spleen .. .. .	—	9	—	2	—	5	3	5	3	2	1	—	—	1	1	1
Other Diseases of Lymphatic System ..	—	3	—	8	—	21	18	21	12	37	3	—	—	—	6	5
Diseases of Thyroid Body .. .. .	—	1	—	3	—	70	9	70	9	5	—	—	—	—	3	14
Diseases of Supra Renal Capsules ..	—	1	—	3	—	12	14	12	5	—	2	—	—	—	2	1
Acute Nephritis, Uræmia .. .. .	22	22	21	22	49	30	377	341	164	23	21	27	22	67	55	40
Chronic Bright's Disease, Albuminuria ..	58	82	74	53	128	126	757	653	477	63	64	71	46	146	128	105
Calculus (not Biliary) .. .. .	4	2	3	1	1	6	27	5	6	2	2	—	1	2	—	—
Diseases of Bladder and of Prostate ..	45	3	25	3	34	7	237	37	15	28	7	34	—	7	40	7
Other Diseases of Urinary System ..	9	1	3	1	9	2	60	18	4	—	—	6	2	3	3	5
Ovarian Tumour (not Malignant) .. ..	—	7	—	9	—	8	—	55	31	—	—	—	—	10	—	1
Other Diseases of Ovary .. .. .	—	2	—	2	—	3	—	5	6	—	—	—	—	—	—	—
Uterine Tumour (not Malignant) ..	—	8	—	6	—	7	—	46	22	—	—	—	—	10	—	—
Other Diseases of Uterus and Vagina ..	—	7	—	3	—	5	—	66	29	—	—	—	—	8	—	8
Disorders of Menstruation .. .. .	—	1	—	1	—	—	7	8	4	—	2	—	—	4	—	—
Other Dis. of Gener. and Mamm. Organs ..	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
Abortion, Miscarriage .. .. .	—	—	—	2	—	2	—	17	16	—	—	—	—	4	—	4
Puerperal Mania .. .. .	—	1	—	1	—	4	—	10	5	—	—	—	—	4	—	—
Puerperal Convulsions .. .. .	—	9	—	14	—	23	—	68	55	—	—	—	—	42	—	9
Placenta Prævia, Flooding .. .. .	—	17	—	13	—	21	—	108	46	—	—	—	—	34	—	11
Other Accidents of Pregnancy and Childbirth ..	—	17	—	14	—	21	—	136	86	—	—	—	—	47	—	20
Caries, Necrosis .. .. .	4	4	2	1	4	2	38	30	20	1	2	2	—	6	3	2
Arthritis, Periostitis .. .. .	5	—	—	—	3	4	19	16	11	2	2	—	—	3	1	1
Other Diseases of Locomotor System ..	1	—	—	—	—	1	—	17	4	—	—	—	—	4	—	—
Ulcer, Bed-sore .. .. .	2	9	5	2	2	7	21	33	29	—	—	—	—	7	1	5
Eczema .. .. .	6	2	3	2	3	5	24	16	9	—	—	—	—	10	2	1
Pemphigus .. .. .	1	—	6	1	1	2	15	22	8	—	—	—	—	2	2	—
Other Diseases of the Skin .. .. .	5	3	—	4	1	3	18	13	5	—	—	—	—	4	4	1

Note.—For continuation of this Table, see page 383.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.													
	Cumber- land.		Westmor- land.		Monmouth- shire.		South Wales.		Glamorgan- shire.		Carmarthen- shire.		Pembroke- shire.		Cardigan- shire.		Brecknock- shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Diseases of Spleen ..	1	3	1	—	4	2	6	2	5	1	1	—	—	1	—	—	—	1
Other Diseases of Lymphatic System ..	1	4	—	—	—	—	17	9	—	4	—	—	—	—	—	—	—	2
Diseases of Thyroid Body ..	—	1	—	—	1	—	5	4	—	—	—	—	—	—	—	—	—	—
Diseases of Supra Renal Capsules ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Acute Nephritis, Uræmia ..	22	7	1	1	22	19	103	90	80	71	15	7	4	5	2	4	1	3
Chronic Bright's Disease, Albuminuria ..	42	30	16	10	32	27	183	161	94	95	37	24	23	17	15	15	12	8
Calculus (not Biliary) ..	1	—	—	—	3	—	4	3	4	2	—	—	5	1	—	—	—	—
Diseases of Bladder and of Prostate ..	15	1	8	1	19	2	76	6	40	5	13	—	—	—	14	—	2	1
Other Diseases of Urinary System ..	3	1	—	—	3	1	16	3	13	3	2	—	—	—	1	—	—	—
Ovarian Tumour (not Malignant) ..	—	4	—	—	—	2	—	11	—	4	—	6	—	—	—	—	—	—
Other Diseases of Ovary ..	—	1	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—
Uterine Tumour (not Malignant) ..	—	2	—	—	—	3	—	12	—	10	—	1	—	—	—	—	—	—
Other Diseases of Uterus and Vagina ..	—	2	—	—	—	4	—	8	—	8	—	—	—	—	—	—	—	—
Disorders of Menstruation ..	—	1	—	—	—	1	—	3	—	2	—	—	—	—	—	—	—	—
Other Dis. of Gener. and Mamm. Organs ..	1	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Abortion, Miscarriage ..	—	1	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Puerperal Mania ..	—	—	—	—	—	—	—	5	—	3	—	—	—	—	—	—	—	—
Puerperal Convulsions ..	—	6	—	1	—	5	—	39	—	32	—	—	—	4	—	—	—	2
Placenta Prævia, Flooding ..	—	7	—	4	—	11	—	38	—	31	—	—	—	2	—	—	—	3
Other Accidents of Pregnancy and Childbirth ..	—	9	—	3	—	16	—	51	—	34	—	5	—	6	—	—	—	—
Caries, Necrosis ..	1	1	1	—	2	—	10	6	8	5	2	1	—	—	—	—	—	—
Arthritis, Periostitis ..	—	—	—	—	5	—	6	7	5	6	—	—	—	—	—	—	—	—
Other Diseases of Locomotor System ..	4	—	2	—	1	—	2	2	1	—	—	—	1	—	—	—	—	—
Ulcer, Bed-sore ..	—	5	1	—	—	3	6	15	4	9	—	—	1	1	1	3	—	2
Eczema ..	2	—	—	—	4	—	10	10	8	8	—	—	1	2	—	—	—	—
Pemphigus ..	2	1	1	—	—	—	—	4	—	4	—	—	—	—	—	—	—	—
Other Diseases of the Skin ..	2	3	—	—	1	1	9	11	8	9	1	—	—	—	—	—	—	1

Note.—For continuation of this Table, see page 384.



CAUSES of DEATH in REGISTRATION COUNTIES, 1907—continued from page 371.

CAUSES OF DEATH.	PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
	Radnorshire.		North Wales.		Montgomery-shire.		Flintshire.		Denbigh-shire.		Merioneth-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Diseases of Spleen .. .. .	—	—	—	1	—	—	—	—	—	1	—	—
Other Diseases of Lymphatic System ..	—	—	—	2	—	—	—	—	—	—	—	—
Diseases of Thyroid Body .. ..	—	—	1	7	—	—	1	—	1	—	—	—
Diseases of Supra Renal Capsules .. ..	—	—	1	1	1	—	—	—	—	—	—	—
Acute Nephritis, Uræmia .. .. .	1	27	32	27	6	4	7	6	9	6	2	3
Chronic Bright's Disease, Albuminuria ..	2	69	112	69	11	13	5	13	25	9	10	10
Calculus (not Biliary) .. .. .	—	—	2	1	—	—	—	—	1	1	—	—
Diseases of Bladder and of Prostate .. ..	2	4	44	4	7	1	—	—	10	1	6	1
Other Diseases of Urinary System .. ..	—	3	6	3	1	—	1	1	—	1	1	—
Ovarian Tumour (not Malignant) .. .. .	—	—	—	6	—	—	1	3	—	—	—	—
Other Diseases of Ovary .. .. .	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Tumour (not Malignant) .. .. .	—	—	—	5	—	—	1	2	—	1	—	—
Other Diseases of Uterus and Vagina .. ..	—	—	—	1	—	—	—	—	—	—	—	—
Disorders of Menstruation .. .. .	—	—	—	—	—	—	—	—	—	—	—	—
Other Dis. of Gener. and Mamm. Organs ..	—	—	—	—	—	—	—	—	—	—	—	—
Abortion, Miscarriage .. .. .	—	—	—	2	—	—	1	—	—	—	—	—
Puerperal Mania .. .. .	—	—	—	2	—	—	1	—	—	—	—	—
Puerperal Convulsions .. .. .	—	—	—	11	—	2	2	5	—	2	—	—
Placenta Prævia, Flooding .. .. .	—	—	—	13	—	1	1	4	—	1	—	—
Other Accidents of Pregnancy and Childbirth ..	—	—	—	19	—	3	2	6	—	—	—	1
Caries, Necrosis .. .. .	—	—	3	4	—	—	2	—	—	—	—	1
Arthritis, Periostitis .. .. .	—	—	—	1	—	—	—	—	—	—	—	1
Other Diseases of Locomotor System .. ..	—	—	2	1	—	—	1	—	—	—	—	—
Ulcer, Bed-sore .. .. .	—	—	4	4	—	—	—	2	—	—	2	—
Eczema .. .. .	—	—	2	3	—	—	1	1	—	—	1	—
Pemphigus .. .. .	—	—	3	2	—	—	—	—	3	—	—	—
Other Diseases of the Skin .. .. .	—	—	2	—	1	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 385.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	Males.	Females.	Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
					Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
OTHER SPECIFIED DISEASES.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8340	6267	896	678	96	48	163	114	93	69	122	90	49	33
	13917	19001	1001	1806	193	318	437	524	292	374	381	503	138	200
	60	65	4	6	1	1	3	1	1	3	4	2	3	1
	33	60	4	7	2	2	1	3	1	2	2	2	—	—
	151	142	27	20	—	2	2	1	2	2	2	—	—	—
	16	19	—	1	—	3	—	—	—	1	1	1	—	—
	11	8	—	—	—	—	—	—	—	—	1	2	—	—
	421	291	1	3	1	—	10	13	—	1	1	2	4	1
	111	66	2	4	1	2	7	8	1	2	2	3	7	2
VIOLENT DEATHS.	1084	—	337	72	54	17	44	9	1	7	2	7	21	3
	2197	349	17	—	—	—	13	—	33	—	45	—	—	—
	246	1	62	—	—	—	6	—	1	—	15	—	—	—
	243	—	21	—	2	—	3	—	3	—	2	—	1	—
	237	8	6	—	1	—	4	1	—	—	—	—	2	—
	79	12	—	1	2	—	—	—	—	—	—	1	2	—
	1103	1507	152	184	15	19	16	17	5	13	16	21	5	1
	329	216	71	41	8	5	1	6	7	4	7	2	3	5
	1888	367	161	28	36	12	62	18	20	4	51	4	27	1
	1039	864	277	203	11	17	26	17	13	6	19	23	1	2
	1460	1270	283	235	30	17	42	28	26	18	33	35	9	12
	127	27	1	1	4	1	4	3	3	1	3	—	2	1
	863	268	81	45	34	4	34	11	8	4	22	6	13	1
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2	126	26	19	7	4	5	3	1	—	7	3	—	—
	139	901	369	141	76	35	92	17	61	17	73	20	24	7
	2632	—	1	—	—	—	—	—	—	—	—	—	1	—
9	1	—	—	—	—	—	—	—	—	—	—	—	—	





CAUSES of DEATH in REGISTRATION COUNTIES, 1907—continued from page 374.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.				DIVISION V. SOUTH WESTERN COUNTIES.											
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.		Cornwall.		Somersetshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
OTHER SPECIFIED DISEASES.																
CAUSES ILL-DEFINED OR NOT SPECIFIED.																
Atrophy, Debility	246	187	109	72	120	107	45	46	43	24	97	88	67	43	68	51
Old Age	476	576	282	354	340	471	182	223	146	167	400	563	215	357	263	378
Dropsy, Ascites, Anasarca	4	3	5	—	—	3	—	—	1	—	1	—	1	—	—	2
Tumour	—	1	—	—	—	—	—	—	—	2	5	2	—	4	4	2
Abscess	—	3	3	1	—	—	1	—	—	—	1	1	—	2	—	5
Hæmorrhage	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Sudden Death (cause unascertained)	—	—	—	—	2	—	—	—	2	1	9	7	7	8	3	1
Other ill-defined causes	—	—	5	7	20	11	4	—	—	—	—	1	—	—	—	—
Causes not specified	—	—	—	—	10	3	1	—	—	—	3	1	4	1	1	—
VIOLENT DEATHS.																
In Mines and Quarries	2	—	—	—	—	—	1	—	—	—	4	—	19	—	2	—
Vehicles and Horses	47	10	15	2	22	3	21	3	9	2	50	6	19	1	26	4
Ships, Boats, and Docks (not Drowning)	17	—	2	—	—	—	—	—	4	—	14	—	4	—	—	—
Building Operations	2	—	—	—	1	—	—	—	—	—	3	—	—	—	—	—
Machinery	3	—	3	—	1	—	1	—	2	1	—	—	—	—	3	—
Weapons and Implements	3	—	1	—	1	—	1	—	3	—	2	—	—	—	1	—
Burns and Scalds	18	30	7	4	13	15	5	1	3	4	8	14	4	10	14	13
Poisons, Poisonous Vapours	16	4	5	5	3	1	2	3	1	—	5	2	1	1	4	2
Drowning	68	6	25	5	26	3	10	5	18	4	44	5	35	2	33	7
Suffocation	37	38	16	6	3	3	1	4	4	4	14	13	12	6	21	7
Falls	31	31	16	17	10	14	1	6	5	1	30	28	12	10	22	17
Weather Agencies	1	1	3	—	—	1	1	1	—	—	3	1	1	—	7	—
Otherwise, or not stated	27	18	13	3	20	8	2	5	5	—	25	8	3	1	16	3
Battle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Homicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	8	2	—	—	3	2	—	—	1	2	1	2	3	2	1	3
Execution	92	22	35	8	37	12	16	6	14	—	63	17	25	7	40	10





CAUSES of DEATH in REGISTRATION COUNTIES, 1907—continued from page 376.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.					
	Notting- hamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.		North- berland.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
OTHER SPECIFIED DISEASES.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	255	196	155	104	184	135	1303	953	683	494	126	96	116	86	530	424	205	177
	255	321	257	299	371	495	1558	2251	948	1394	218	309	180	196	540	667	274	399
	4	4	—	1	2	1	5	8	9	8	1	1	1	—	—	—	1	1
	1	—	—	—	—	1	21	4	6	6	1	1	—	2	—	—	1	1
	2	1	5	—	3	3	4	11	10	16	2	2	1	2	9	8	1	3
	—	—	1	—	—	1	—	2	1	2	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5	2	5	2	5	3	147	95	16	16	5	6	18	4	12	12	5	3
	2	2	—	1	2	—	4	2	9	2	2	—	—	1	4	3	4	3
VIOLENT DEATHS.	55	—	31	—	3	—	107	—	154	—	—	—	18	—	152	—	44	—
	48	9	43	3	54	3	296	52	179	26	29	6	30	1	76	17	42	3
	—	—	—	—	11	—	44	—	1	—	9	1	6	—	34	—	8	—
	4	—	1	—	7	—	60	—	34	—	4	—	3	—	8	—	1	—
	2	—	6	—	9	—	56	2	32	1	3	—	3	—	12	1	2	—
	1	1	5	—	1	—	7	—	2	1	—	—	1	—	1	—	1	2
	19	38	18	18	25	44	200	306	104	137	19	28	20	22	56	83	31	32
	8	8	5	2	3	7	42	41	22	14	9	5	5	3	7	3	5	2
	36	7	21	4	74	9	251	51	146	37	62	9	29	5	82	9	46	7
	18	19	8	5	9	18	174	156	66	57	21	15	5	9	24	23	10	14
18	26	23	15	26	35	242	238	136	100	26	9	23	17	77	44	19	11	
—	1	—	—	3	—	7	1	11	2	2	—	—	1	7	2	5	5	1
Otherwise, or not stated	12	1	6	4	11	5	95	33	76	21	13	3	15	2	24	5	66	6
Battle	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Homicide	6	4	2	3	8	2	11	12	12	15	4	3	1	3	5	4	4	2
Suicide	60	23	45	14	51	22	330	123	229	85	37	21	24	12	87	20	39	17
Execution	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—





CAUSES OF DEATH.	PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.														Anglesey.	
	Radnorshire.		North Wales.		Montgomeryshire.		Flintshire.		Denbighshire.		Merionethshire.		Carnarvonshire.		Males.	Females.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
OTHER SPECIFIED DISEASES.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5	4	101	67	12	13	14	11	34	18	8	5	26	17	7	3
	19	9	240	354	61	65	43	51	41	76	22	37	60	94	13	31
	—	—	—	3	—	1	—	—	—	1	1	—	—	—	—	1
	—	—	1	—	—	—	—	—	1	3	—	—	—	—	—	—
	—	—	2	4	1	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	1	22	14	5	—	13	11	2	1	1	—	1	2	—	—
	—	—	4	2	1	1	—	—	2	—	—	—	—	1	1	—
CAUSES ILL-DEFINED OR NOT SPECIFIED.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIOLENT DEATHS.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	1	—	31	6	1	—	8	1	8	2	4	—	10	3	1	—
	—	—	28	—	7	—	2	—	12	—	2	—	4	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
OTHER SPECIFIED DISEASES.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIOLENT DEATHS.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	1	—	31	6	1	—	8	1	8	2	4	—	10	3	1	—
	—	—	28	—	7	—	2	—	12	—	2	—	4	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
OTHER SPECIFIED DISEASES.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIOLENT DEATHS.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	1	—	31	6	1	—	8	1	8	2	4	—	10	3	1	—
	—	—	28	—	7	—	2	—	12	—	2	—	4	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
OTHER SPECIFIED DISEASES.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIOLENT DEATHS.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	1	—	31	6	1	—	8	1	8	2	4	—	10	3	1	—
	—	—	28	—	7	—	2	—	12	—	2	—	4	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
OTHER SPECIFIED DISEASES.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIOLENT DEATHS.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	1	—	31	6	1	—	8	1	8	2	4	—	10	3	1	—
	—	—	28	—	7	—	2	—	12	—	2	—	4	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
OTHER SPECIFIED DISEASES.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—		



DEATHS from SEVERAL CAUSES, and INQUEST CASES in the Year 1907, in REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS.

REGISTRATION DIVISIONS.		CAUSES OF DEATH. (See Note.)																				ALL CAUSES.				
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	<i>Pyrexia</i> ,* of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	<i>Phthisis</i> , not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	<i>Tuberc. Mesenterica</i> .	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
ENGLAND AND WALES.	Persons ..	10	12625	3220	24	9257	10255	5732	39	2344	10658	19368	20471	5885	3532	969	5876	31745	3125	2439	46967	42204	3520	19594	264362	36474
	Males	6	6578	1644	13	4431	4501	2785	19	1373	5790	11299	11348	3090	1787	531	3111	13199	1745	1148	26413	20423	—	13677	134348	
	Females ..	4	6047	1576	11	4826	5754	2947	20	971	4868	8069	9123	2795	1745	438	2765	18546	1380	1291	20554	21781	3520	5917	130014	
LONDON.	Persons ..	70012																								
	Males	55939	1808	549	—	933	1783	768	5	201	1470	4335	1262	529	202	45	483	2184	326	146	3984	2766	—	1865	15647	7127
	Females ..	34073	971	283	—	438	772	382	2	116	780	2756	918	509	197	32	432	2715	269	183	3310	3171	358	970	15657	3298
S. EASTERN.	Persons ..	47533	695	171	1	1257	797	551	6	204	690	2100	1874	478	243	62	543	3705	360	200	3434	3015	244	1727	25172	
	Males	24179	359	91	1	575	351	284	2	107	374	1227	1039	233	127	33	267	1520	204	97	1898	1429	—	1230	12748	
	Females ..	23354	336	80	—	682	446	287	4	97	316	873	835	245	116	29	276	2185	156	103	1536	1586	244	497	12424	
S. MIDLAND.	Persons ..	31226	489	266	—	673	601	359	4	95	475	1137	1207	306	174	38	298	2370	213	149	2475	2405	199	1056	16237	1969
	Males	15851	271	140	—	321	250	180	2	45	262	634	677	158	94	25	163	997	123	69	1392	1077	—	740	8231	
	Females ..	15375	218	126	—	352	351	179	2	50	213	503	530	148	80	13	135	1373	90	80	1083	1328	199	316	8006	
EASTERN.	Persons ..	27988	456	189	1	507	741	400	1	92	579	846	1200	353	152	44	360	1909	238	140	2045	2098	159	927	14551	1688
	Males	14157	223	109	1	238	337	175	1	56	326	463	662	179	73	27	189	811	129	58	1089	1048	—	653	7310	
	Females ..	13831	233	80	—	269	404	225	—	36	253	383	538	174	79	17	171	1098	109	82	956	1050	159	274	7241	
S. WESTERN.	Persons ..	28416	446	59	—	752	313	248	1	85	332	938	1070	229	130	15	326	1989	151	108	1815	2137	169	983	16120	1904
	Males	14121	244	33	—	348	131	124	—	55	174	485	604	118	63	8	153	814	79	57	971	979	—	723	7958	
	Females ..	14295	202	26	—	404	182	124	1	30	158	453	466	111	67	7	173	1175	72	51	844	1158	169	260	8162	

NOTE.—The Total Deaths in each Registration Division, County, District, and sub-district will be found at pp. 146-207. For Tables showing in greater detail the causes of death of Males and Females in England and Wales, in London and in Counties, see pp. 294-385.  
\* Called Simple Continued Fever previous to 1901.

Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Divisions, Counties, and Districts—continued.

## CAUSES OF DEATH.

REGISTRATION DIVISIONS.		ALL CAUSES.	CAUSES OF DEATH.																				Inquests.					
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
DIV. VI.	W. MIDLAND.	58578	1	1702	413	—	—	1039	798	639	—	275	1205	1676	2271	483	405	103	624	3352	307	257	4910	4845	370	2236	30667	3741
	Persons ..																											
	Males ..	30134	—	864	212	—	170	527	354	326	—	170	665	975	1320	252	205	53	335	1381	180	118	2772	2396	—	1496	15533	
	Females ..	28444	1	838	201	—	105	512	444	313	—	105	540	701	951	231	200	50	289	1971	127	139	2138	2449	370	740	15134	
DIV. VII.	N. MIDLAND.	32666	—	827	215	—	—	596	622	384	2	183	634	893	1323	317	234	51	414	1904	178	119	2593	2804	215	1200	16958	1947
	Persons ..																											
	Males ..	16882	—	425	95	—	106	278	280	182	1	106	340	469	729	179	113	25	219	766	107	64	1407	1398	—	875	8824	
	Females ..	15784	—	402	120	—	77	318	342	202	1	77	294	424	594	138	121	26	195	1138	71	55	1186	1406	215	325	8134	
DIV. VIII.	N. WESTERN.	93054	1	2461	714	18	532	1125	2102	924	4	302	2359	3418	3714	1083	751	225	909	4623	431	476	9679	8534	686	3376	44909	6007
	Persons ..																											
	Males ..	47579	1	1252	334	9	302	555	949	448	1	302	1269	2036	2076	607	405	125	505	1807	231	224	5455	4084	—	2218	22686	
	Females ..	45475	—	1209	380	9	230	570	1153	476	3	230	1090	1382	1638	476	346	100	404	2816	200	252	4224	4450	686	1158	22223	
DIV. IX.	YORKSHIRE.	61260	1	1746	341	—	309	1070	1153	686	6	309	1597	2065	2227	697	421	128	667	3447	320	293	5726	5129	470	2297	30464	4379
	Persons ..																											
	Males ..	31858	—	932	193	—	176	513	514	325	3	176	886	1237	1225	355	206	67	360	1376	166	134	3336	2553	—	1627	15674	
	Females ..	29402	1	814	148	—	133	557	639	361	3	133	711	828	1002	342	215	61	307	2071	154	159	2390	2576	470	670	14790	
DIV. X.	NORTHERN.	33019	—	1188	168	4	169	527	737	441	5	169	651	904	1825	516	407	153	429	1772	155	173	3558	2720	293	1484	19740	2125
	Persons ..																											
	Males ..	20077	—	602	78	2	112	253	303	212	3	112	345	487	963	275	193	87	226	812	87	84	2051	1403	—	1111	10383	
	Females ..	17942	—	586	90	2	57	274	434	229	2	57	306	417	862	241	209	66	203	960	68	89	1507	1317	293	373	9357	
DIV. XI.	WELSH.	35469	3	807	135	—	199	778	608	332	5	199	666	1056	1580	385	216	73	391	1775	177	195	3438	2380	357	1473	18240	2289
	Persons ..																											
	Males ..	18482	2	435	76	—	128	385	260	167	4	128	369	530	791	205	101	36	211	731	113	97	2058	1290	—	1139	9354	
	Females ..	16987	1	372	59	—	71	393	348	165	1	71	297	526	789	180	115	37	180	1044	64	98	1380	1290	357	334	8336	



Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.	ALL CAUSES.	CAUSES OF DEATH.																	Inquests.							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhea and Dysentery.	Pulmonary Tubercu- losis, Tubercu- lous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tuberculosis Mesenterica.	All other Tubercu- lous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
1	I.—LONDON.	—	1808	549	—	933	1783	768	5	201	1470	4335	2180	1038	399	77	915	4899	595	329	7294	5937	358	2835	31304	7127
	LONDON.	—	971	283	—	438	772	382	2	116	780	2756	1262	529	202	45	483	2184	326	146	3984	2766	—	1865	15647	
	Males ..	—	837	266	—	495	1011	386	3	85	690	1579	918	509	197	32	432	2715	269	183	3310	3171	358	970	15657	
2	II.—Sth. EASTERN.	—	78	51	1	255	186	131	3	22	186	525	360	118	57	12	97	790	97	47	863	647	60	411	5525	830
	SURREY.	—	47	22	1	109	81	55	1	17	101	321	209	54	29	8	50	306	55	26	471	320	—	280	2740	
	Males ..	—	31	29	—	146	105	76	2	5	85	204	151	64	28	4	47	484	42	21	392	327	60	131	2785	
3	KENT.	2	286	81	—	290	302	111	1	89	176	598	521	117	85	20	166	981	86	51	985	862	50	482	6780	773
	Persons ..	1	152	45	—	127	135	55	—	48	95	333	282	67	48	8	79	403	43	21	571	405	—	352	3521	
	Males ..	1	134	36	—	163	167	56	1	41	81	265	239	50	37	12	87	578	43	30	414	457	50	130	3259	
4	SUSSEX.	—	48	18	—	279	115	64	—	21	113	288	452	92	31	7	106	790	50	47	590	528	39	264	4593	545
	Persons ..	—	23	12	—	131	49	35	—	12	56	166	244	45	16	5	58	306	29	18	317	238	—	190	2256	
	Males ..	—	25	6	—	148	66	29	—	9	57	122	208	47	15	2	48	484	21	29	273	290	39	74	2337	
5	HAMPSHIRE.	2	244	17	—	320	141	175	1	62	174	558	426	125	57	18	139	846	95	39	750	719	63	419	6122	922
	Persons ..	2	121	12	—	155	67	94	1	27	99	324	243	56	27	9	62	370	60	27	396	341	—	297	3128	
	Males ..	—	123	5	—	165	74	81	—	35	75	234	183	69	30	9	77	476	35	12	354	378	63	122	2994	
6	BERKSHIRE.	—	39	4	—	113	53	70	1	10	41	131	115	26	13	5	35	298	32	16	246	259	32	151	2152	228
	Persons ..	—	16	—	—	53	19	25	—	3	23	83	61	11	7	3	18	135	17	5	143	125	—	111	1103	
	Males ..	—	23	4	—	60	34	45	—	7	18	48	54	15	6	2	17	163	15	11	103	134	32	40	1049	
	Females ..	—																								

Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.	ALL CAUSES.	CAUSES OF DEATH.																				Inquests.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tuberculosis.	Tuberculosis.	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
7	III.—STH. MIDLAND.																										
	MIDDLESEX.																										
	Persons .. ..	11982	261	185	—	228	346	181	4	43	285	503	432	134	66	19	118	807	75	68	1219	875	87	392	5654	869	
	Males .. ..	6024	146	96	—	103	148	89	2	21	166	292	240	77	41	14	68	314	43	30	700	375	—	269	2790		
	Females .. ..	5958	115	89	—	125	198	92	2	22	119	211	192	57	25	5	50	493	32	38	519	500	87	123	2864		
8	HERTFORDSH.																										
	Persons .. ..	3481	42	15	—	90	57	29	—	7	23	138	113	25	17	4	26	307	23	11	236	273	21	115	1909	187	
	Males .. ..	1720	20	9	—	47	28	14	—	4	9	67	54	8	10	2	15	118	13	7	125	134	—	88	948		
	Females .. ..	1761	22	6	—	43	29	15	—	3	14	71	59	17	7	2	11	189	10	4	111	139	21	27	961		
9	BUCKINGHAMS.																										
	Persons .. ..	2284	41	8	—	60	30	24	—	3	12	68	76	19	13	1	16	182	14	13	180	173	6	98	1247	171	
	Males .. ..	1153	22	2	—	22	8	10	—	2	5	37	49	7	7	—	11	69	10	7	96	82	—	69	638		
	Females .. ..	1131	19	6	—	38	22	14	—	1	7	31	27	12	6	1	5	113	4	6	84	91	6	29	609		
10	OXFORDSHIRE.																										
	Persons .. ..	2728	9	3	—	66	25	22	—	4	24	87	102	23	10	1	32	242	24	10	168	228	19	88	1541	160	
	Males .. ..	1441	6	3	—	30	9	12	—	2	11	42	59	11	4	—	18	98	13	6	96	110	—	62	849		
	Females .. ..	1287	3	—	—	36	16	10	—	2	13	45	43	12	6	1	14	144	11	4	72	118	19	26	692		
11	NORTHAMPTNS.																										
	Persons .. ..	4591	73	35	—	83	46	23	—	14	49	136	245	51	34	10	45	340	32	16	295	384	23	170	2487	253	
	Males .. ..	2392	40	20	—	44	14	14	—	7	27	84	139	30	17	7	23	163	21	9	170	161	—	111	1291		
	Females .. ..	2199	33	15	—	39	32	9	—	7	22	52	106	21	17	3	22	177	11	7	125	223	23	59	1196		
12	HUNTINGDONS.																										
	Persons .. ..	652	5	4	—	23	—	11	—	2	7	16	26	7	6	—	8	49	6	4	32	53	1	23	369	47	
	Males .. ..	329	4	2	—	11	—	5	—	1	3	8	12	2	4	—	3	28	4	—	20	25	—	18	180		
	Females .. ..	323	1	2	—	12	—	6	—	1	5	8	14	5	2	—	5	21	2	—	12	28	1	5	189		



REGISTRATION COUNTIES.	ALL CAUSES.	CAUSES OF DEATH.																	Inquests.							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tuberculosis Mesenterica.	All other Tuber- culous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever. Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
13 BEDFORDSH.	2620	—	34	7	—	41	73	47	—	12	40	88	116	16	11	1	23	189	17	13	165	233	16	76	1402	142
	1340	—	21	3	—	20	32	25	—	5	24	49	69	9	4	1	9	89	11	6	80	107	—	55	721	
	1280	—	13	4	—	21	41	22	—	7	16	39	47	7	7	—	14	100	6	7	85	126	16	21	681	
14 CAMBRIDGESH.	2888	—	24	9	—	82	24	22	—	10	35	101	97	31	17	2	30	254	22	14	180	186	26	94	1628	140
	1452	—	12	5	—	44	11	11	—	3	18	55	55	14	7	1	16	118	8	4	105	83	—	68	814	
	1436	—	12	4	—	38	13	11	—	7	17	46	42	17	10	1	14	136	14	10	75	103	26	26	814	
15 ESSEX.	15658	—	352	161	1	258	503	288	1	46	420	559	644	232	82	34	195	935	135	87	1339	1298	92	534	7462	973
	7914	—	169	95	1	118	223	129	1	27	235	321	374	122	39	20	100	397	75	30	703	647	—	372	3716	
	7744	—	183	66	—	140	280	159	—	19	185	238	270	110	43	14	95	538	60	57	636	651	92	162	3746	
16 SUFFOLK.	5364	—	84	11	—	91	113	26	—	17	38	121	260	61	19	3	97	400	44	25	307	346	21	191	3089	330
	2744	—	46	5	—	43	56	10	—	10	26	60	126	23	8	3	52	183	25	11	167	174	—	141	1575	
	2620	—	38	6	—	48	57	16	—	7	12	61	134	38	11	—	45	217	19	14	140	172	21	50	1514	
17 NORFOLK.	6966	—	20	17	—	158	125	86	—	29	121	166	296	60	51	7	68	574	59	28	399	454	46	202	4000	385
	3499	—	8	9	—	77	58	36	—	19	65	82	162	34	26	4	37	231	29	17	219	227	—	140	2019	
	3467	—	12	8	—	81	67	50	—	10	56	84	134	26	25	3	31	343	30	11	180	227	46	62	1981	

Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.	ALL CAUSES.	CAUSES OF DEATH.																			Inquests.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tubercu- culosis, Tubercu- lous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tuberc Mesenterica.	All other Tubercu- lous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
18	V.—STH. WESTERN. WILTSHIRE. Persons .. .. Males .. .. Females .. ..	3784 1830 1954	81 46 35	15 9 6	— — —	125 58 67	36 13 23	45 17 28	— — —	12 9 3	23 14 9	106 47 59	123 68 55	32 14 18	21 14 7	2 — 2	44 17 27	305 122 183	15 6 9	14 7 7	199 102 97	278 123 155	22 — 22	107 67 40	2179 1077 1102	219
19	DORSETSHIRE. Persons .. .. Males .. .. Females .. ..	2896 1546 1350	20 12 8	2 2 —	— — —	126 61 65	9 3 6	44 26 18	— — —	12 10 2	25 10 15	78 44 34	135 82 53	28 16 12	11 5 6	2 1 1	39 25 14	188 80 108	17 8 9	14 9 5	193 123 70	193 92 101	17 — 17	86 68 18	1657 869 788	142
20	DEVONSHIRE. Persons .. .. Males .. .. Females .. ..	10290 5144 5146	219 125 94	21 8 13	— — —	234 107 127	36 36 60	62 31 31	— — —	38 21 17	155 75 80	360 190 170	376 209 167	73 38 35	60 27 33	5 4 1	140 70 70	675 291 384	61 33 28	41 21 20	723 382 341	856 406 450	61 — 61	362 266 96	5672 2804 2868	732
21	CORNWALL. Persons .. .. Males .. .. Females .. ..	4854 2364 2490	80 38 42	8 5 3	— — —	98 48 50	54 24 30	28 17 11	1 — 1	15 8 7	54 38 16	185 109 76	225 133 92	45 21 24	15 8 7	3 — 3	56 22 34	329 129 200	22 14 8	15 7 8	250 132 118	297 131 166	34 — 34	169 129 40	2871 1351 1520	343
22	SOMERSETSH. Persons .. .. Males .. .. Females .. ..	6592 3237 3355	46 23 23	13 9 4	— — —	169 74 95	118 55 63	69 33 36	— — —	8 7 1	75 37 38	209 95 114	211 112 99	51 29 22	23 9 14	3 3 —	47 19 28	492 192 300	36 18 18	24 13 11	450 232 218	513 227 286	35 — 35	259 193 66	3741 1857 1884	468



REGISTRATION COUNTIES.	ALL CAUSES.	CAUSES OF DEATH.																		Inquests.						
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tubercu- losis, Tubercu- lous Phtisis.	Phtisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tubes Mesenterica.	All other Tubercu- lous Diseases.	Cancer.	Septic Diseases (not Puerperal).		Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
23	VI.—WEST MID- LAND.																									
	<b>GLOUCESTERS.</b>																									
	Persons ..	1	107	35	—	244	59	126	—	23	146	375	320	75	52	12	88	685	59	58	671	774	52	339	5133	749
	Males ..	—	55	19	—	107	23	65	—	17	75	217	168	44	25	6	39	284	30	23	360	335	—	231	2463	
	Females ..	1	52	16	—	137	36	61	—	6	71	158	152	31	27	6	49	401	29	35	311	439	52	108	2670	
24	<b>HEREFORDSH.</b>																									
	Persons ..	—	29	6	—	79	4	16	—	6	9	51	55	10	10	1	12	119	14	7	131	101	13	44	968	79
	Males ..	—	15	3	—	40	—	8	—	4	4	34	24	5	5	—	7	46	10	3	76	49	—	36	500	
	Females ..	—	14	3	—	39	4	8	—	2	5	17	31	5	5	1	5	73	4	4	55	52	13	8	468	
25	<b>SHROPSHIRE.</b>																									
	Persons ..	—	59	9	—	137	31	37	—	8	26	91	144	34	22	4	32	266	9	16	279	220	21	159	2166	250
	Males ..	—	28	5	—	69	21	23	—	7	12	47	79	21	11	2	19	113	5	5	162	115	—	114	1092	
	Females ..	—	31	4	—	68	10	14	—	1	14	44	65	13	11	2	13	153	4	11	117	105	21	45	1074	
26	<b>STAFFORDSH.</b>																									
	Persons ..	—	851	196	—	283	333	228	—	119	569	567	775	175	166	48	231	955	95	89	1815	1925	146	809	10877	1366
	Males ..	—	426	103	—	166	155	112	—	70	324	343	427	91	80	25	130	402	50	41	1051	1006	—	516	5642	
	Females ..	—	425	93	—	117	178	116	—	49	245	224	348	84	86	23	101	553	45	48	764	919	146	263	5235	
27	<b>WORCESTERSH.</b>																									
	Persons ..	—	205	49	—	125	130	60	—	36	84	214	257	52	46	12	87	467	43	23	647	656	39	265	3910	403
	Males ..	—	119	19	—	60	53	31	—	19	42	110	151	26	26	7	47	179	29	12	352	310	—	174	1955	
	Females ..	—	86	30	—	65	77	29	—	17	42	104	106	26	20	5	40	288	14	11	235	346	39	91	1955	
28	<b>WARWICKSH.</b>																									
	Persons ..	—	451	118	—	171	241	172	—	83	371	378	720	137	109	26	174	860	87	64	1367	1169	99	620	7613	894
	Males ..	—	221	63	—	85	102	87	—	53	208	224	471	65	58	13	93	357	56	34	771	581	—	395	3881	
	Females ..	—	230	55	—	86	139	85	—	30	163	154	249	72	51	13	81	503	31	30	596	588	99	225	3732	

Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.		CAUSES OF DEATH.																				ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
29	VIL.—NORTH MIDLAND.																										
	LEICESTERSH.	6256	91	54	—	90	48	57	—	19	110	196	297	82	56	8	100	421	34	21	454	546	37	215	3320	435	
	Persons .. ..	3233	49	19	—	48	26	32	—	10	59	93	161	47	21	3	60	171	22	11	254	279	—	166	1702		
	Females .. ..	3023	42	35	—	42	22	25	—	9	51	103	136	35	35	5	40	250	12	10	200	267	37	49	1618		
30	RUTLANDSH.	272	—	—	—	6	1	5	—	1	4	5	7	1	1	—	3	14	2	1	21	25	—	9	166	14	
	Persons .. ..	137	—	—	—	4	1	3	—	1	1	1	4	1	1	—	2	9	—	—	12	10	—	6	81		
	Females .. ..	135	—	—	—	2	—	2	—	—	3	4	3	—	—	—	1	5	2	—	9	15	—	3	85		
31	LINCOLNSH.	7818	101	69	—	213	178	96	—	39	121	180	340	61	48	10	101	539	44	26	485	593	49	269	4256	424	
	Persons .. ..	4072	55	32	—	96	87	44	—	26	64	94	178	32	29	6	51	234	23	17	267	287	—	201	2249		
	Females .. ..	3746	46	37	—	117	91	52	—	13	57	86	162	29	19	4	50	305	21	9	218	306	49	68	2007		
32	NOTTINGHAMSH.	10760	459	45	—	181	265	111	—	79	294	331	384	99	70	19	109	517	62	32	1024	987	83	424	5185	610	
	Persons .. ..	5503	224	23	—	77	110	51	—	40	159	183	212	55	36	10	61	197	38	16	542	512	—	287	2670		
	Females .. ..	5257	235	22	—	104	155	60	—	39	135	148	172	44	34	9	48	320	24	16	482	475	83	137	2515		
33	DERBYSHIRE.	7560	176	47	—	106	130	115	2	45	105	181	295	74	59	14	101	413	36	39	609	653	46	283	4031	464	
	Persons .. ..	3937	97	21	—	53	56	52	1	29	57	98	174	44	26	6	45	155	24	20	332	310	—	215	2122		
	Females .. ..	3623	79	26	—	53	74	63	1	16	48	83	121	30	33	8	56	258	12	19	277	343	46	68	1909		



REGISTRATION COUNTIES.		ALL CAUSES.	CAUSES OF DEATH																Inquests.							
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.		Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.
34	VIII.—NORTH WESTERN. CHESHIRE.	12232 Persons .. .. Males .. .. Females.. ..	— 279 155 124	85 42 43	1 1 —	159 83 76	237 103 134	156 79 77	1 1 —	58 31 27	200 105 95	327 200 127	494 261 233	150 87 63	96 55 41	38 22 16	124 69 55	762 285 477	69 39 30	51 20 31	1131 651 480	894 403 491	92 — 92	440 295 145	6388 3252 3136	914
35	LANCASHIRE.	80822 Persons .. .. Males .. .. Females.. ..	1 2182 1097 1085	629 292 337	17 8 9	966 472 494	1865 846 1019	768 369 399	3 — 3	474 271 203	2159 1164 995	3091 1836 1255	3220 1815 1405	933 520 413	655 350 305	187 103 84	785 436 349	3861 1522 2339	362 192 170	425 204 221	8548 4804 3744	7640 3681 3959	594 — 594	2936 1923 1013	38521 19434 19087	5093
36	IX.—YORKSHIRE WEST RIDING.	46596 Persons .. .. Males .. .. Females.. ..	— 1233 640 593	300 169 131	— — —	713 348 365	898 408 490	473 219 254	4 2 2	228 125 103	1313 725 588	1648 1009 639	1636 905 731	567 278 289	335 161 174	77 42 35	504 266 238	2599 1021 1578	244 123 121	236 105 131	4218 2440 1778	4088 2062 2026	370 — 370	1701 1205 496	23211 11853 11358	3236
37	E. RIDING (WITH YORK).	7709 Persons .. .. Males .. .. Females.. ..	1 252 137 115	20 13 7	— — —	165 70 95	146 58 88	102 55 47	1 1 —	38 23 15	159 94 65	220 122 98	349 177 172	59 36 23	49 27 22	14 7 7	77 44 33	464 181 283	44 25 19	25 15 10	598 337 261	592 277 315	57 — 57	338 238 100	3939 2068 1871	682
38	NORTH RIDING.	6955 Persons .. .. Males .. .. Females.. ..	— 261 155 106	21 11 10	— — —	192 95 97	109 48 61	111 51 60	1 — 1	43 28 15	125 67 58	197 106 91	242 143 99	71 41 30	37 18 19	37 18 19	86 50 36	384 174 210	32 18 14	32 14 18	910 559 351	449 214 235	43 — 43	258 184 74	3314 1753 1561	461
39	X.—NORTHERN. DURHAM.	22216 Persons .. .. Males .. .. Females.. ..	— 819 403 416	97 43 54	4 2 2	296 154 142	435 176 259	270 129 141	2 1 1	112 75 37	461 239 222	415 204 211	1087 572 515	313 169 144	279 133 146	102 59 43	266 140 126	895 404 491	79 45 34	105 49 56	2221 1275 946	1764 913 851	181 — 181	863 652 211	11150 5865 5285	1155

REGISTRATION COUNTIES.		ALL CAUSES.		CAUSES OF DEATH.																	Inquests.							
				Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tubercu- losis, Tubercu- lous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tabes Mesenterica.	All other Tubercu- lous Diseases.	Cancer.			Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.
40	X.—NORTHERN—cont. NORTHUMBRL.	Persons .. Males .. Females..	10507 5627 4880	—	252	44	—	129	235	142	2	34	139	387	505	158	90	42	118	519	53	38	877	643	69	421	5610	718
				—	135	23	—	56	105	73	1	19	82	230	272	86	44	23	63	242	32	21	508	331	—	323	2958	
				—	117	21	—	73	130	69	1	15	57	157	233	72	46	19	55	277	21	17	369	312	69	98	2652	
41	CUMBERLAND.	Persons .. Males .. Females..	4490 2331 2159	—	112	26	—	71	63	26	1	20	48	90	200	38	35	9	38	289	18	27	419	284	32	162	2482	207
				—	60	11	—	29	18	9	1	17	24	47	101	18	19	5	20	135	7	14	243	140	—	114	1299	
				—	52	15	—	42	45	17	—	3	24	43	99	20	16	4	18	154	11	13	176	144	32	48	1183	
42	WESTMORL.	Persons .. Males .. Females..	806 417 389	—	5	1	—	31	4	3	—	3	3	12	33	7	3	—	7	69	5	3	41	29	11	38	498	45
				—	4	1	—	14	4	1	—	1	—	6	18	2	2	—	3	31	3	—	25	19	—	22	261	
				—	1	—	—	17	—	2	—	2	3	6	15	5	1	—	4	38	2	3	16	10	11	16	237	
XI.—WELSH.																												
43	MONMOUTHSH.	Persons .. Males .. Females..	5756 3113 2643	—	163	40	—	112	84	74	1	52	101	131	198	53	30	10	50	218	34	19	755	505	53	260	2813	393
				—	92	22	—	57	35	41	1	38	61	69	108	28	11	4	25	79	24	13	476	263	—	205	1461	
				—	71	18	—	55	49	33	—	14	40	62	90	25	19	6	25	139	10	6	279	242	53	55	1352	
44	SOUTH WALES.	Persons .. Males .. Females..	21850 11361 10489	3	610	79	—	398	422	195	3	125	465	716	909	258	134	43	237	984	116	131	2152	1595	231	988	11056	1571
				2	324	43	—	195	174	98	2	72	250	350	442	144	70	19	129	416	74	60	1261	810	—	771	5655	
				1	286	36	—	203	248	97	1	53	215	366	487	114	64	24	108	568	42	71	891	785	231	217	5401	
45	NORTH WALES.	Persons .. Males .. Females..	7863 4008 3855	—	34	16	—	268	102	63	1	22	100	209	473	74	52	20	104	573	27	45	531	480	73	225	4371	325
				—	19	11	—	133	51	28	1	18	58	111	241	33	20	13	57	236	15	24	321	217	—	163	2238	
				—	15	5	—	135	51	35	—	4	42	98	232	41	32	7	47	337	12	21	210	263	73	62	2133	





Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.	ALL CAUSES	CAUSES OF DEATH.																	Inquests.							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyæmia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tæbes Mesenterica.	All other Tuber- culous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
NORTH WALES. MONTGOMERY- SHIRE.	952	—	1	—	—	34	6	3	—	2	8	22	48	9	7	—	14	64	4	6	38	66	9	35	576	51
	501	—	1	—	—	19	4	1	—	2	5	10	27	5	1	—	8	27	—	3	23	31	—	27	307	
	451	—	—	—	—	15	2	2	—	—	3	12	21	4	6	—	6	37	4	3	15	35	9	8	269	
FLINTSHIRE.	983	—	9	5	—	25	19	14	—	6	9	17	55	9	3	1	4	55	2	6	58	60	14	39	573	59
	525	—	7	4	—	10	13	5	—	5	6	11	28	5	2	1	1	25	—	3	35	29	—	32	303	
	458	—	2	1	—	15	6	9	—	1	3	6	27	4	1	—	3	30	2	3	23	31	14	7	270	
DENBIGHSHIRE.	2154	—	2	7	—	82	30	20	—	6	42	36	110	19	14	9	22	155	8	11	190	145	24	57	1165	88
	1132	—	—	5	—	47	15	11	—	4	23	21	57	6	6	6	14	68	4	4	124	67	—	42	608	
	1022	—	2	2	—	35	15	9	—	2	19	15	53	13	8	3	8	87	4	7	66	78	24	15	557	
MERIONETHSHIRE.	1003	—	2	3	—	25	34	8	—	1	10	45	59	9	5	4	21	79	2	10	67	58	6	27	528	39
	504	—	2	2	—	8	16	3	—	1	6	21	32	3	1	2	9	38	2	6	47	30	—	22	253	
	499	—	—	1	—	17	18	5	—	—	4	24	27	6	4	2	12	41	—	4	20	28	6	5	275	
CARNARVONSHIRE.	2208	—	4	1	—	90	10	14	1	7	28	76	165	25	15	5	33	177	11	11	143	119	19	61	1193	81
	1084	—	1	—	—	43	2	6	1	6	17	42	81	11	6	4	19	63	9	8	76	48	—	36	605	
	1124	—	3	1	—	47	8	8	—	1	11	34	84	14	9	1	14	114	2	3	67	71	19	25	588	
ANGLESEY.	563	—	16	—	—	12	3	4	—	—	3	13	36	3	8	1	10	43	—	1	35	32	1	6	336	7
	262	—	8	—	—	6	1	2	—	—	1	6	16	3	4	—	6	15	—	—	16	12	—	4	162	
	301	—	8	—	—	6	2	2	—	—	2	7	20	—	4	1	4	28	—	—	19	20	1	2	174	



Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Districts.  
I.—LONDON.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				Inquests.				
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabes Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
1.—LONDON.																										
No.																										
1a	PADDINGTON ..	2156	35	2	—	52	52	13	—	7	49	79	69	39	16	2	21	193	12	14	211	151	14	93	1032	194
1b	KENSINGTON ..	2842	31	—	—	73	86	6	—	15	33	205	120	31	15	—	27	272	24	9	238	297	10	82	1278	198
2	*FUL- (HAMMERSMITH ..	1789	55	1	—	16	31	8	—	7	21	88	48	18	10	2	15	127	16	7	197	151	8	86	877	188
3	HAM (FULHAM ..	1862	74	38	—	34	71	96	—	13	76	121	60	18	4	3	24	126	22	7	187	162	17	40	749	162
3	CHELSEA ..	1691	43	1	—	18	27	2	—	3	33	195	20	27	9	—	23	204	23	7	207	109	6	40	694	114
4	ST. GEORGE HANR. SQ.	1627	19	1	—	34	22	8	—	6	37	69	47	19	14	5	24	153	23	13	161	108	11	93	760	166
5	WESTMINSTER ..	238	1	—	—	4	2	—	—	—	1	5	6	1	1	—	—	20	2	1	23	30	4	15	122	34
6	ST. MARYLEBONE ..	1777	15	3	—	36	35	6	—	2	19	70	35	20	7	1	19	263	13	5	153	125	22	61	867	165
7	HAMPSTEAD ..	1060	23	63	—	19	15	42	—	4	8	119	20	14	7	2	8	101	6	4	80	56	2	38	429	67
8	ST. PANCRAS ..	3639	87	1	—	36	75	15	—	4	45	232	162	44	15	1	46	261	29	14	394	287	14	168	1709	385
9	ISLINGTON ..	4983	142	8	—	80	125	11	—	7	81	399	146	71	18	7	64	324	29	17	591	479	20	139	2225	453
10	HACKNEY ..	3658	74	65	—	56	81	31	—	30	95	203	136	50	14	3	51	268	32	18	370	307	26	187	1711	445
11	ST. GILES ..	296	1	—	—	3	4	—	—	1	1	21	23	—	2	1	2	10	2	3	24	24	2	15	157	36
12	STRAND ..	537	1	—	—	2	2	1	—	1	7	16	1	10	4	—	13	75	8	2	51	19	—	53	271	83
13	HOLBORN ..	1757	48	—	—	14	84	14	—	3	80	69	63	57	22	2	50	76	12	9	191	149	5	65	744	189
14	LONDON CITY ..	890	5	1	—	4	13	14	—	4	9	27	11	25	4	—	24	84	26	2	108	25	3	114	387	179
15	SHOREDITCH ..	2200	111	—	—	23	92	2	—	—	57	177	72	28	12	4	26	86	16	7	181	270	7	95	934	295
16	BETHNAL GREEN ..	2195	74	4	—	18	57	4	—	8	55	216	47	61	21	3	39	111	20	2	257	203	8	94	893	251
17	WHITECHAPEL ..	2214	39	1	—	7	23	21	2	9	36	132	33	54	24	2	40	179	34	6	281	101	33	141	1016	360
18	ST. GEORGE IN THE EAST ..	694	36	—	—	11	9	1	—	—	31	60	17	11	3	1	25	27	4	—	73	92	1	26	266	123
19	STEPNEY ..	994	44	3	—	9	93	14	—	2	37	44	13	41	15	1	35	23	13	4	104	59	1	58	381	146
20	MILE END OLD TOWN ..	1338	30	1	—	16	23	4	—	4	37	84	33	19	4	2	15	70	6	9	158	123	7	34	659	183
21	POPLAR ..	2903	89	5	—	32	60	14	—	8	89	191	65	46	17	3	20	131	24	9	290	368	7	159	1276	503
22	SOUTHWARK ..	3061	105	—	—	30	101	22	—	5	94	68	127	60	11	5	53	147	26	17	494	278	14	167	1237	375
23	ST. OLAVE (BERMONDSEY)	1860	46	2	—	15	48	3	—	2	38	162	59	27	22	2	32	105	12	13	247	197	5	73	750	198
24	LAMBETH ..	4925	110	45	—	44	108	70	—	11	97	322	156	62	43	8	38	377	40	32	489	396	34	171	2272	358
25	WANDSWORTH ..	5800	135	74	—	108	181	87	1	11	109	275	197	55	20	3	64	424	34	40	530	446	42	167	2797	471
26	CAMBERWELL ..	4245	126	3	—	48	115	15	—	7	72	341	175	48	18	6	42	285	33	18	445	400	12	116	1920	278
27	GREENWICH ..	2883	107	70	—	27	59	106	1	21	65	159	115	33	11	1	35	143	24	21	270	231	11	110	1183	239
28	LEWISHAM..	1988	29	77	—	21	52	46	1	7	28	92	48	22	10	3	22	140	18	10	149	163	6	64	990	143
29	WOOLWICH ..	1690	73	80	—	43	37	42	1	9	30	94	56	27	6	4	18	194	12	9	149	131	6	51	718	146

\* 2.—The District of FULHAM comprises the two Poor Law Parishes of HAMMERSMITH and FULHAM.

Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Districts—continued.  
II.—SOUTH EASTERN COUNTIES.

REGISTRATION DISTRICTS.	ALL CAUSES.	CAUSES OF DEATH.																Inquests.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.		Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
2.—SURREY.																										
No.																										
30	1382	—	4	10	1	16	9	26	—	2	20	86	58	8	8	1	17	77	17	—	119	76	9	36	782	54
31	438	—	3	1	—	15	6	10	—	1	6	25	15	5	7	—	8	39	2	2	28	26	2	26	211	38
32	954	—	1	3	—	29	7	9	—	1	12	36	35	7	6	1	13	74	13	1	77	59	6	34	531	54
33	772	—	10	6	—	12	20	9	—	3	11	41	26	—	5	1	3	45	11	8	54	50	6	35	410	59
34	271	—	—	—	—	14	3	—	—	2	2	7	11	—	2	—	—	19	5	1	14	14	2	13	159	23
35	243	—	3	—	—	3	1	—	—	—	—	11	21	3	—	1	—	25	1	2	14	19	2	7	128	8
36	517	—	2	6	—	29	2	12	2	—	3	26	16	10	5	1	4	37	2	1	45	28	3	15	268	35
37	530	—	2	1	—	14	4	—	—	—	4	30	31	3	3	1	6	42	4	1	57	20	2	6	299	18
38	2944	—	13	15	—	68	57	49	—	4	81	162	76	32	14	2	23	220	29	18	272	204	15	97	1493	262
39	1775	—	35	8	—	31	67	11	—	8	34	73	51	29	6	2	15	164	12	9	138	117	8	87	870	186
40	696	—	5	1	—	24	10	5	1	1	11	28	20	15	1	2	6	48	1	4	45	34	5	55	374	93
3.—KENT.																										
41	1007	—	11	5	—	22	22	14	1	2	15	41	26	14	2	—	11	99	10	3	81	66	6	26	530	61
42	1348	—	19	24	—	19	34	10	—	4	27	69	58	8	9	7	21	82	10	3	143	80	1	43	677	81
43	405	—	6	—	—	9	4	5	—	5	10	8	19	2	—	1	2	27	8	1	30	32	2	31	203	52
44	490	—	21	3	—	15	13	6	—	2	7	—	21	2	1	—	—	39	2	—	47	41	2	23	231	35
45	60	—	1	2	—	1	—	—	—	2	1	—	5	1	1	—	—	3	—	—	4	5	—	4	29	5
46	1437	—	52	15	—	13	26	7	—	32	15	91	44	14	11	5	13	96	10	11	104	100	8	60	712	86
47	422	—	14	2	—	11	11	4	—	1	4	22	18	—	3	—	4	30	4	1	51	33	4	8	197	8
48	385	—	6	—	—	20	9	1	—	1	3	12	11	4	1	1	3	29	—	1	26	21	1	20	215	23
49	987	—	25	4	—	50	43	20	—	2	7	28	49	6	7	1	11	79	8	7	59	50	5	29	497	42
50	991	—	32	1	—	15	40	3	—	4	19	58	38	7	4	—	18	54	6	3	87	66	2	40	494	47
51	173	—	2	—	—	4	3	—	—	—	1	1	10	—	3	—	—	9	—	1	13	16	1	4	105	6
52	166	—	—	—	—	6	—	1	—	2	2	5	5	—	1	—	1	17	—	—	9	9	—	4	104	9
53	118	—	—	—	—	2	1	—	—	—	—	3	2	—	1	—	—	9	1	—	10	9	—	8	72	12
54	273	—	6	—	—	6	19	—	—	1	4	8	13	3	4	—	3	17	1	—	15	17	—	10	145	15
55	178	—	6	—	—	2	—	—	—	—	—	6	9	2	—	1	5	7	—	—	12	14	—	1	111	5
56	257	—	1	1	—	8	—	—	—	—	—	22	10	4	—	—	4	17	1	—	31	14	—	2	138	8
57	321	—	12	6	—	7	3	2	—	3	—	15	20	4	7	—	1	39	2	2	19	13	4	15	149	40
58	337	—	7	6	—	6	6	4	—	1	2	12	11	3	3	—	6	25	2	2	19	14	—	15	193	22



Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Districts—continued.  
II.—SOUTH EASTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																	ALL CAUSES.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
3.—KENT—cont.																											
No.	FAVERSHAM	—	15	7	—	12	23	4	—	3	3	5	16	3	4	—	4	27	—	—	2	14	27	3	13	170	15
59	MILTON	—	—	—	—	11	18	1	—	3	4	13	10	2	5	—	4	21	—	—	—	28	25	1	10	182	23
60	SHEPPEY	—	36	1	—	19	—	2	—	1	—	14	7	—	1	—	6	21	—	5	3	71	64	—	31	132	18
61	THANET	—	—	—	—	13	13	17	—	5	—	58	59	16	6	—	24	82	—	—	—	—	—	—	—	513	45
62																											
63	EASTRY	—	3	—	—	8	6	3	—	8	5	11	24	5	3	—	7	27	—	4	4	21	32	2	18	249	24
64	DOVER	—	—	7	—	8	2	6	—	2	7	31	19	8	5	—	8	57	—	4	4	42	53	2	26	328	44
65	ELHAM	—	5	3	—	10	5	1	—	1	15	57	16	13	3	—	6	63	—	7	—	29	40	6	31	352	45
66	ROMNEY MARSH	—	—	1	—	3	—	—	—	1	2	—	1	—	—	—	1	5	—	1	—	3	6	—	1	52	2
4.—SUSSEX.																											
67	RYE	—	1	—	—	2	3	—	—	—	—	3	3	4	—	—	2	12	—	1	3	11	17	—	3	78	4
68	HASTINGS	—	3	—	—	47	14	4	—	—	7	44	55	11	3	—	8	102	—	6	4	69	53	—	16	436	39
69	BATTLE	—	1	1	—	29	5	2	—	1	—	8	26	8	—	—	6	24	—	1	—	22	27	3	8	166	13
70	EASTBOURNE	—	—	1	—	24	6	4	—	—	17	30	18	2	3	—	5	57	—	7	—	38	36	4	17	336	35
71	HAILSHAM	—	—	2	—	13	—	1	—	2	3	4	18	—	1	—	7	23	—	3	—	31	16	2	4	168	15
72	TICEHURST	—	1	1	—	2	—	5	—	—	5	10	9	—	1	—	1	16	—	3	—	6	13	—	6	113	11
73	UCKFIELD	—	—	2	—	12	—	2	—	—	—	12	6	4	—	—	1	22	—	1	—	15	21	—	7	193	17
74	EAST GRINSTEAD	—	—	1	—	6	1	2	—	—	4	4	12	—	1	—	2	19	—	—	2	14	12	4	7	114	18
75	UCKFIELD	—	1	1	—	10	4	1	—	—	—	3	20	4	2	—	4	27	—	—	2	25	14	12	12	173	22
76a	LEWES	—	—	—	—	2	13	3	—	3	1	9	35	3	1	—	3	30	—	1	4	24	16	3	8	226	23
76b	NEWHAVEN	—	1	—	—	2	1	—	—	1	—	1	3	3	—	—	—	7	—	—	2	20	6	2	11	54	20
77	BRIGHTON	—	12	—	—	43	30	6	—	2	36	35	106	31	6	1	31	142	—	13	7	131	117	5	49	822	132
78	STEYNING	—	18	3	—	57	22	17	—	4	17	44	49	9	5	2	10	114	—	4	7	79	61	2	41	591	74
79	HORSHAM	—	4	2	—	5	4	—	—	1	2	14	25	—	1	—	6	40	—	—	2	18	21	3	17	193	27
80	PETWORTH	—	—	—	—	—	—	2	—	—	—	3	1	—	—	—	3	12	—	—	—	6	4	—	4	64	8
81	THAKEHAM	—	—	—	—	—	3	—	—	—	1	4	1	4	—	—	1	7	—	—	—	1	4	—	8	73	12
82	EAST PRESTON	—	4	—	—	22	7	5	—	2	8	21	21	4	3	—	6	64	—	3	3	27	43	4	22	335	25
83	WESTHAMPTON	—	1	1	—	8	1	1	—	—	1	5	20	2	1	—	—	21	—	1	1	18	16	1	6	135	11
84	CHICHESTER	—	—	1	—	7	—	—	—	—	—	14	8	—	—	—	—	31	—	—	—	21	8	—	7	173	14
85	MIDHURST	—	—	—	—	5	—	—	—	—	1	18	9	1	1	—	4	11	—	1	—	7	10	—	8	101	12
86	WESTBOURNE	—	—	—	—	1	—	5	—	4	2	2	2	—	1	—	2	9	—	—	—	7	14	—	3	49	3

REGISTRATION DISTRICTS.		ALL CAUSES.	CAUSES OF DEATH.																	Inquests.							
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyæmia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
5.—HAMPSHIRE.																											
No. 87	HAVANT ..	139	—	4	—	12	2	2	—	3	3	4	2	1	1	—	—	3	13	1	—	7	8	1	2	70	7
88	PORTSMOUTH ..	340†	172	—	79	58	62	—	31	60	152	120	45	26	4	35	195	21	21	8	215	239	18	142	1716	280	
89	ALVERSTOKE ..	419	3	1	15	1	3	—	8	7	32	8	12	2	4	2	36	—	36	—	3	30	28	2	17	205	35
90	FAREHAM ..	398	11	1	11	4	7	—	3	2	28	11	2	—	—	10	21	—	21	1	5	32	14	1	5	233	15
91	ISLE OF WIGHT ..	1142	6	3	34	16	33	—	1	8	81	43	10	2	1	16	100	6	100	6	5	67	64	8	39	599	89
92	LYMINGTON ..	190	—	1	8	3	1	—	—	1	7	7	3	1	—	—	14	4	14	4	—	21	13	2	6	98	13
93	CHRISTCHURCH ..	1006	—	1	35	2	9	—	—	11	79	56	14	6	—	15	79	14	79	14	3	65	44	5	38	529	71
94	RINGWOOD ..	91	—	—	1	—	—	—	—	3	4	2	3	—	—	—	11	2	11	2	—	8	8	—	3	46	8
95	FORDINGBRIDGE ..	91	2	—	6	—	1	—	—	2	—	9	—	—	—	—	7	3	7	3	—	3	8	—	3	47	4
96	NEW FOREST ..	165	—	—	5	—	3	—	—	1	—	13	1	—	—	3	12	—	12	—	—	6	11	7	7	98	11
97	SOUTHAMPTON ..	900	3	—	17	6	4	—	1	35	29	27	9	5	8	16	63	8	63	8	4	59	68	3	46	484	142
98	SOUTH STONEHAM ..	1175	6	3	20	13	26	—	7	23	70	47	6	10	—	16	94	8	94	8	5	78	79	4	31	627	82
99	ROMSEY ..	161	9	—	17	3	7	—	—	—	2	5	1	—	—	1	9	3	9	3	2	9	9	1	9	77	18
100	STOCKBRIDGE ..	78	1	—	1	1	—	—	—	—	1	4	1	—	—	—	4	—	4	—	1	4	3	—	—	57	1
101	*WINCHES-TER { CHESTER HURSLEY	466	10	—	15	10	1	—	—	4	8	17	4	—	—	3	49	5	49	5	1	37	29	1	13	259	35
		39	2	—	3	—	2	—	—	—	3	1	1	—	—	—	1	—	1	—	1	—	1	—	1	23	2
102	DROXFORD ..	131	7	—	4	1	1	—	—	2	2	1	—	—	—	1	11	1	11	1	1	3	6	—	8	82	11
103	CATHERINGTON ..	40	1	—	—	—	—	—	—	—	1	—	—	1	—	1	4	—	4	—	—	—	3	—	2	25	7
104	PETERSFIELD ..	148	2	—	6	3	—	—	—	1	9	—	—	—	—	2	9	2	9	2	1	10	6	—	5	81	13
105	ALRESFORD ..	91	—	1	2	2	1	—	—	1	—	6	—	—	—	1	7	1	7	1	—	5	8	—	1	55	2
106	ALTON ..	235	—	—	3	4	8	—	1	2	4	16	1	—	—	2	16	2	16	2	2	11	19	3	8	135	15
107	HARTLEY WINTNEY ..	348	7	—	7	9	2	—	2	5	17	12	3	1	—	2	32	6	32	6	1	33	16	2	9	182	17
108	BASINGSTOKE ..	260	—	—	6	2	1	—	2	1	5	3	2	1	—	4	23	1	23	1	1	23	12	7	10	155	17
109	WHITCHURCH ..	56	—	—	2	—	—	—	—	—	2	2	1	—	—	1	6	—	6	—	—	2	4	—	1	35	3
110	ANDOVER ..	230	—	1	9	—	—	—	—	—	15	2	3	—	—	1	18	6	18	6	—	18	11	—	6	137	12
111	KINGSCLERE ..	109	1	—	2	1	1	—	—	1	—	7	—	—	—	3	7	—	7	—	—	4	8	—	7	67	12
6.—BERKSHIRE.																											
112	NEWBURY ..	290	7	—	15	1	1	—	—	2	11	9	2	—	—	1	14	2	14	2	2	10	23	2	9	179	12
113	HUNGERFORD ..	223	1	—	7	1	4	—	1	2	4	8	—	1	—	2	19	—	19	—	—	8	13	—	9	142	15
114	FARINGDON ..	188	5	—	15	—	2	—	—	1	4	3	—	—	—	2	12	—	12	—	—	18	9	—	8	107	10

\* 101.—The District of WINCHESTER comprises the two Poor Law Unions of WINCHESTER and HURSLEY.



Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Districts—continued.

II.—SOUTH EASTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		ALL CAUSES.		CAUSES OF DEATH.																									
				Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisists.	Phtisists, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.	
No.	6.—BERKSHIRE—continued.	222	220	200	239	222	1033	246	314	168	497	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
115	ABINGDON ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
116	WANTAGE ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
117	WALLINGFORD ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
118	BRADFELD ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
119	READING ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
120	WOKINGHAM ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
121	MAIDENHEAD ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
122	EASTHAMPTON ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
123	WINDSOR ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

III.—SOUTH MIDLAND COUNTIES.

7.—MIDDLESEX.																											
No.																											
124	STAINES ..	—	4	2	—	13	14	10	—	1	13	12	20	5	3	—	2	27	4	—	2	27	40	1	17	223	25
125	UXBRIDGE ..	—	7	1	—	24	12	9	—	—	24	44	36	2	6	—	5	43	43	7	2	69	59	4	26	409	39
126	BRENTFORD ..	—	67	28	—	92	53	32	1	—	7	143	100	25	16	—	25	205	205	7	15	311	210	20	92	1384	146
127	*HENDON { HENDON ..	—	13	4	—	7	14	7	—	1	40	28	32	8	1	1	4	68	68	4	3	48	58	5	35	339	55
128	WILLESDEN { WILLESDEN ..	—	45	19	—	27	76	18	2	5	40	62	57	19	7	5	10	90	90	10	9	178	121	17	37	691	92
129	BARNET ..	—	18	3	—	23	20	4	—	2	17	61	32	13	5	—	9	68	68	7	5	85	72	4	28	473	61
130	EDMONTON ..	—	107	128	—	84	157	101	1	25	92	153	155	52	28	—	8	306	306	36	32	501	315	36	157	2144	451
8.—HERTFORDSH.																											
No.																											
131	WARE ..	—	—	—	—	6	2	—	—	—	2	8	15	—	1	—	2	27	27	2	—	16	29	1	13	140	18
132	BISHOP STORTFORD ..	—	—	—	—	7	4	—	—	—	1	8	4	—	1	—	3	34	34	3	2	18	30	1	7	175	8
133	†ROYSTON { BUNTINGFORD ..	—	—	—	—	2	—	—	—	—	1	—	2	—	—	—	—	6	6	—	—	7	7	—	4	38	5
134	ROYSTON { ROYSTON ..	—	—	—	—	14	8	2	—	—	1	—	5	—	1	—	—	26	26	—	—	11	8	—	10	116	13
135	HITCHIN ..	—	—	—	—	9	4	2	—	2	5	7	7	6	3	—	1	34	34	1	2	27	35	2	13	244	20
136	HERTFORD ..	—	—	—	—	2	3	1	—	—	1	12	9	—	2	—	—	19	19	—	—	25	11	2	6	125	12
137	†HATFIELD { HATFIELD ..	—	—	—	—	2	1	—	—	—	2	—	1	—	1	—	—	6	6	—	—	5	5	—	7	45	9
138	WELWYN ..	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	2	2	—	—	1	1	—	2	24	2
139	ST. ALBANS ..	—	4	—	—	20	—	1	—	—	—	30	14	—	4	—	—	41	41	3	2	42	24	5	8	337	21
140	WATFORD ..	—	17	5	—	17	20	18	—	1	5	51	29	8	4	—	9	63	63	9	4	59	81	6	32	434	56
141	HEMEL HEMPSTEAD ..	—	3	—	—	7	2	3	—	—	1	8	10	4	—	—	2	28	28	3	—	19	16	2	8	117	14
142	BERKHAMPTON ..	—	2	—	—	4	8	2	—	3	1	6	5	—	—	—	1	21	21	—	—	12	26	1	5	114	9

\* 127.—The District of HENDON comprises the Poor Law Union of HENDON and the Poor Law Parish of WILLESDEN.  
† 132.—The District of ROYSTON comprises the two Poor Law Unions of BUNTINGFORD and ROYSTON.  
† 135.—The District of HATFIELD comprises the two Poor Law Unions of HATFIELD and WELWYN.

III.—SOUTH MIDLAND COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																ALL CAUSES.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyæmia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.		Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.



Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Districts—continued.  
III.—SOUTH MIDLAND COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																		ALL CAUSES.						
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabes Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).		Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.

IV.—EASTERN COUNTIES.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.															ALL CAUSES.										
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.		All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
15.—ESSEX.																											
No.	WEST HAM..	8396	291	113	1	96	369	178	1	26	322	323	359	141	43	20	96	432	78	53	863	790	47	278	3476	619	
186	EPHING ..	393	2	17	—	10	3	20	—	3	2	7	14	6	1	—	3	32	4	4	2	23	24	17	201	21	
187	ONGAR ..	136	—	—	—	2	1	1	—	—	1	8	5	2	2	—	1	15	15	2	1	3	8	4	81	8	
188	ROMFORD ..	1624	—	21	—	26	43	43	—	4	56	62	76	21	21	5	31	79	12	8	11	164	100	40	790	96	
189	ORSETT ..	474	11	4	—	7	24	7	—	1	11	12	20	7	2	—	4	25	2	2	1	49	33	40	204	46	
190	BILLERICAY ..	439	6	—	—	6	1	3	—	—	1	15	17	3	—	—	3	14	5	5	3	29	28	16	287	22	
191	CHELMSFORD ..	484	2	1	—	9	3	7	—	2	—	16	14	9	1	—	5	38	6	6	1	25	34	17	292	23	
192	ROCHFORD..	914	12	1	—	12	23	11	—	7	14	40	44	18	4	4	11	70	9	9	6	47	55	34	488	41	
193	MALDON ..	296	—	—	—	11	6	3	—	1	1	14	8	4	1	—	—	23	6	6	—	16	19	7	170	6	
194	TENDRING ..	671	1	—	—	16	7	9	—	2	—	15	24	8	1	—	14	44	2	2	—	40	49	27	403	23	
195	COLCHESTER ..	517	1	—	—	16	10	1	—	—	3	22	18	4	2	3	10	35	1	1	1	23	57	15	288	28	
196	LEXDEN ..	294	—	—	—	7	6	—	—	—	2	7	10	1	—	1	3	25	—	—	—	17	34	12	164	11	
197	HALSTEAD ..	193	—	—	—	1	3	2	—	—	3	1	13	—	—	—	2	24	3	3	2	10	12	8	112	8	
198	BRAINTREE ..	350	—	—	—	7	—	—	—	—	1	8	11	4	5	1	3	37	1	1	12	20	8	8	227	9	
199	DUNMOW ..	248	—	—	—	3	—	2	—	—	3	7	9	3	—	—	—	19	1	1	11	22	8	8	155	8	
200	SAFFRON WALDEN ..	226	9	—	—	29	4	1	—	—	—	2	2	1	—	—	4	23	23	1	1	7	13	3	124	4	
16.—SUFFOLK.																											
No.	RISBRIDGE..	242	4	—	—	6	1	2	—	—	1	7	5	5	2	—	5	21	3	3	3	6	28	1	11	131	12
202	SUDBURY ..	402	1	2	—	4	2	2	—	—	2	15	22	4	2	—	12	29	3	3	2	19	29	5	246	8	
203	COSFORD ..	218	1	—	—	4	7	—	—	1	—	7	7	—	2	—	5	14	4	4	—	10	14	5	139	9	
204	THINGOE ..	163	—	—	—	1	1	—	—	—	—	2	9	—	1	—	2	14	1	1	—	5	10	4	109	6	
205	BURY ST. EDMUNDS ..	285	—	—	—	1	13	—	—	—	—	4	12	2	—	1	4	24	5	5	4	13	16	9	175	16	
206	MILDENHALL ..	140	1	—	—	2	—	—	—	—	1	1	10	2	—	1	—	8	—	—	—	2	15	3	94	3	
207	STOW ..	242	7	—	—	3	5	4	—	1	3	2	12	4	—	—	—	11	11	—	—	13	16	7	152	12	
208	HARTISMERE*	308	2	—	—	12	4	—	—	1	4	3	21	2	—	—	1	27	6	6	2	13	27	16	167	24	
209	HOXNE* (Dissolved July 1907).	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
210	BOSMERE ..	217	1	—	—	1	—	4	—	—	3	5	7	2	—	—	3	17	3	3	—	9	14	—	11	137	19
211	SAMFORD ..	157	—	—	—	6	1	—	—	—	11	1	8	1	—	—	3	9	1	1	—	11	11	5	96	6	
212	IPSWICH ..	1149	36	1	—	20	27	8	—	4	11	39	64	13	1	1	30	99	8	8	7	91	71	52	559	101	

The deaths are shown as if \* 209, 210.—On 1st July, 1907, HOXNE Registration District was dissolved and its component parts added to HARTISMERE (209) Registration District.

the change had taken place at the beginning of the year.



Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Districts—continued.  
IV.—EASTERN COUNTIES—continued.

REGISTRATION DISTRICTS.	ALL CAUSES.	CAUSES OF DEATH.																	Inquests.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
16.—SUFFOLK —continued.																											
No.																											
214	WOODBRIDGE ..	379	—	1	—	7	10	4	—	1	3	9	18	5	4	—	—	12	21	—	1	23	25	—	13	227	21
215	PLOMESGATE ..	245	—	2	—	11	4	—	—	—	—	1	7	—	—	—	5	5	13	13	—	16	16	1	12	153	24
216	BLVINGH ..	359	—	3	—	8	6	—	—	2	3	9	23	6	2	—	4	4	29	29	2	24	22	8	206	14	
217	WANGFORD ..	206	—	2	—	1	16	—	—	—	3	4	5	7	1	—	2	2	13	13	—	10	6	6	122	14	
218	MUTFORD ..	652	—	25	3	4	16	1	—	6	5	12	30	6	5	—	9	51	51	5	2	42	26	4	24	376	41
17.—NORFOLK.																											
219	YARMOUTH ..	792	—	1	6	13	22	5	—	5	23	20	22	6	6	3	9	48	48	8	2	44	47	3	39	460	66
220	FLEGG ..	159	—	11	—	2	4	—	—	—	—	4	7	1	—	—	2	8	8	2	1	7	19	1	3	84	5
221	SMALLBURGH ..	253	—	—	—	3	8	1	—	—	1	3	6	—	2	—	1	26	26	2	1	6	19	2	8	164	15
222	ERPINGHAM ..	305	—	3	1	8	3	4	—	—	3	14	19	6	3	—	—	25	25	3	—	13	11	2	7	180	10
223	AYLSHAM ..	230	—	—	—	3	2	4	—	—	4	12	7	—	1	—	—	1	15	—	2	15	19	1	8	136	9
224	ST. FAITH'S ..	196	—	—	—	3	10	—	—	—	—	2	7	—	5	—	2	17	17	2	2	7	13	1	6	119	12
225	NORWICH ..	1777	—	2	2	27	42	46	—	12	56	49	88	25	22	—	31	160	160	14	6	111	128	9	44	903	120
226	FOREHOE ..	176	—	—	1	1	—	1	—	1	—	4	5	3	—	—	2	17	17	4	2	14	8	5	5	103	12
227	HENSTEAD ..	134	—	—	—	2	1	1	—	—	—	3	2	2	—	—	1	11	11	—	1	9	9	3	4	85	9
228	BLOFIELD ..	251	—	—	—	1	—	2	—	—	1	—	28	—	1	1	1	15	15	14	—	13	11	—	3	160	9
229	LODDON ..	175	—	—	—	2	2	7	—	1	1	1	5	1	—	—	2	11	11	2	2	6	12	1	7	112	12
230	DEPWADE ..	341	—	—	1	17	1	1	—	—	3	13	3	1	2	—	—	30	30	1	2	27	13	4	9	213	16
231	GUILTCROSS ..	(Dissolved 1902).																									
232	WAYLAND ..	197	—	—	—	10	2	2	—	3	2	9	4	—	—	1	—	17	17	2	—	6	15	—	4	120	7
233	MITFORD ..	331	—	—	3	6	2	2	—	2	2	7	14	4	—	—	3	33	33	—	1	17	12	—	11	207	19
234	WALSINGHAM ..	248	—	—	1	3	15	—	—	1	5	9	2	3	—	—	—	22	22	2	—	16	18	3	4	140	6
235	DOCKING ..	258	—	—	—	16	5	4	—	—	7	2	17	—	1	—	1	16	16	—	2	22	17	2	7	139	8
236	FREEBRIDGE LYNN ..	134	—	—	—	4	1	1	—	1	2	1	8	3	2	—	—	11	11	—	—	9	6	1	3	81	5
237	KING'S LYNN ..	290	—	—	—	9	1	1	—	—	2	7	15	3	—	—	—	27	27	—	—	29	35	2	13	144	20
238	DOWNHAM ..	267	—	1	—	6	1	—	—	1	4	4	9	1	—	—	4	30	30	—	2	10	16	1	7	168	11
239	SWAFFHAM ..	166	—	—	—	3	—	—	—	—	2	2	13	1	1	—	4	11	11	1	1	2	15	3	3	105	5
240	THETFORD ..	286	—	2	1	19	3	1	—	—	3	—	15	—	—	1	—	24	24	2	1	16	11	3	7	177	9

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																ALL CAUSES.																	
		Small-pox.	Measles	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhoid Mesenterica.	All other Tuberculous Diseases.			Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.							
<b>18.—WILTSHIRE.</b>																																			
No.																																			
241	SWINDON ..	—	51	9	—	12	17	11	—	4	2	42	46	15	2	—	—	10	55	2	1	50	66	5	24	482	49								
242	CRICKLADE ..	—	1	—	—	12	—	2	—	—	2	7	7	1	—	—	—	1	12	2	—	13	5	6	6	82	9								
243	MALMESBURY ..	—	—	—	—	4	—	2	—	—	—	8	10	—	—	—	—	4	28	1	—	4	20	13	6	115	14								
244	CHIPPENHAM ..	—	3	3	—	9	2	2	—	2	—	6	1	6	—	—	—	—	10	—	3	11	13	—	13	203	28								
245	CALNE ..	—	—	—	—	2	—	1	—	—	1	2	1	—	—	—	—	—	13	—	1	3	6	1	5	82	4								
246	MARLBOROUGH ..	—	1	1	—	3	1	—	—	—	—	2	1	—	—	—	—	1	13	—	—	4	—	—	—	56	5								
247	DEVIZES ..	—	—	—	—	14	3	—	—	—	5	5	10	1	3	—	—	5	28	1	1	18	22	—	7	169	15								
248	MELKSHAM ..	—	6	1	—	5	1	12	—	2	2	6	6	1	3	—	—	2	16	—	1	10	12	—	4	167	17								
249	BRADFORD ON AVON ..	—	—	—	—	6	—	4	—	—	1	3	1	—	—	—	—	1	13	—	2	3	12	—	2	59	5								
250	WESTBURY ..	—	3	—	—	2	—	4	—	—	—	1	2	—	—	—	—	1	11	—	1	9	17	—	4	87	9								
251	WARMINSTER ..	—	—	—	—	5	3	1	—	—	—	—	3	1	—	—	—	1	13	—	1	11	21	—	5	88	8								
252	PEWSEY ..	—	—	—	—	19	—	3	—	—	1	—	5	—	—	—	—	1	9	—	—	—	12	—	6	80	14								
253	AMESBURY ..	—	2	—	—	3	—	—	—	3	—	—	5	—	—	—	—	3	13	—	1	9	4	—	3	72	9								
254	SALISBURY ..	—	7	1	—	19	1	1	—	—	4	21	6	—	2	—	—	9	35	—	1	29	35	—	13	257	21								
255	WILTON ..	—	2	—	—	8	3	—	—	—	—	1	5	1	1	—	—	1	6	—	—	3	6	—	5	77	6								
256	TISBURY ..	—	2	—	—	1	—	1	—	—	—	1	6	1	1	—	—	1	18	—	1	9	11	—	2	67	5								
257	MERE ..	—	—	—	—	1	—	—	—	—	1	—	2	1	—	—	—	1	13	1	—	4	3	—	1	36	1								
<b>19.—DORSET-SHIRE.</b>																																			
258	SHAFTESBURY ..	—	1	—	—	11	3	—	—	1	—	2	2	2	1	1	—	4	14	1	—	4	10	—	5	103	8								
259	STURMINSTER ..	—	—	—	—	14	—	2	—	—	—	—	5	—	—	—	—	1	12	—	—	6	15	—	5	85	11								
260	BLANDFORD ..	—	—	—	—	10	—	1	—	—	2	6	12	—	2	—	—	4	10	—	2	8	11	—	3	104	8								
261	WIMBORNE ..	—	1	—	—	12	2	4	—	1	2	21	12	4	2	—	—	5	13	—	3	17	21	—	6	137	7								
262	POOLE ..	—	2	1	—	11	1	21	—	5	7	2	19	2	1	—	—	10	35	—	4	24	32	—	12	268	23								
263	WAREHAM..	—	—	—	—	5	1	—	—	1	1	2	9	1	—	—	—	2	13	—	—	12	12	—	4	132	8								
264	WEYMOUTH ..	—	10	1	—	17	—	9	—	1	3	21	40	12	2	2	1	8	30	—	1	46	20	—	23	287	34								
265	*DORCH- { DORCHESTER	—	1	—	—	18	—	6	—	—	6	5	14	—	—	—	—	4	27	5	1	46	23	—	9	181	11								
266	ESTER { CERNE ..	—	2	—	—	5	—	—	—	—	—	6	1	—	—	—	—	—	4	—	—	7	3	—	1	53	4								
267	SHERBORNE ..	—	3	—	—	13	—	—	—	1	—	6	1	—	—	—	—	—	8	2	—	11	15	—	6	110	11								
268	BEAMINSTER ..	—	—	—	—	7	—	—	—	—	—	4	1	—	—	—	—	—	3	—	—	4	9	—	5	74	10								
269	BRIDPORT ..	—	—	—	—	3	—	1	—	1	—	7	14	1	—	—	—	1	19	—	2	8	22	—	7	123	7								

\* 265.—The District of DORCHESTER comprises the two Poor Law Unions of DORCHESTER and CERNE.



Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Districts—continued.  
V.—SOUTH WESTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																	ALL CAUSES.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.			Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
20.—DEVON-SHIRE.																											
No.																											
269	AXMINSTER ..	—	—	—	—	4	3	1	—	—	1	13	6	2	—	—	—	—	12	1	1	10	15	—	7	137	13
270	HONITON ..	—	—	—	—	3	16	4	—	—	—	18	3	4	—	—	—	2	23	4	—	31	33	—	10	179	
271	ST. THOMAS ..	—	—	—	—	25	9	4	—	5	11	30	51	8	—	—	—	9	73	9	—	83	85	—	33	503	
272	EXETER ..	—	—	—	—	16	4	—	—	—	—	15	29	9	—	—	—	14	41	6	1	43	82	—	13	336	
273	NEWTON ABBOT..	—	—	—	—	33	5	11	—	5	15	43	38	5	8	—	—	14	101	7	8	72	98	—	51	661	
274	TOTNES ..	—	—	—	—	8	9	—	—	—	4	26	24	2	4	—	—	10	35	4	2	38	45	—	26	385	
275	KINGSBRIDGE ..	—	—	—	—	4	2	1	—	2	3	3	9	3	1	—	—	12	23	3	2	9	19	—	11	125	
276	PLYMPTON ST. MARY	—	—	—	—	7	10	6	—	1	5	3	9	1	2	—	—	5	25	—	1	14	22	—	10	144	
277	PLYMOUTH ..	—	—	—	—	26	11	14	—	8	40	85	71	13	12	1	—	19	113	14	7	115	162	—	62	965	
278	EAST STONEHOUSE	—	—	—	—	4	1	—	—	3	15	20	7	—	2	—	—	6	7	1	1	14	37	—	15	168	
279	DEVONPORT ..	—	—	—	—	11	9	11	—	7	35	35	32	8	8	2	—	17	62	5	6	86	97	—	38	561	
280	TAVISTOCK ..	—	—	—	—	4	1	3	—	—	—	9	24	3	—	—	—	12	18	—	2	32	20	—	15	209	
281	OKEHAMPTON ..	—	—	—	—	6	1	—	—	—	—	15	9	2	—	—	—	9	9	1	2	9	11	—	8	146	
282	CREDITON ..	—	—	—	—	11	1	1	—	—	2	6	1	3	1	—	—	2	11	—	2	19	35	—	6	126	
283	TIVERTON ..	—	—	—	—	13	7	2	—	—	3	4	13	1	1	—	—	5	34	4	1	23	16	—	16	227	
284	SOUTH MOLTON ..	—	—	—	—	7	—	1	—	3	1	2	7	1	1	—	—	2	9	—	—	17	10	—	6	128	
285	BARNSTAPLE ..	—	—	—	—	32	—	2	—	3	5	10	25	3	2	—	—	3	46	1	—	42	30	—	19	366	
286	TORRINGTON ..	—	—	—	—	10	2	—	—	—	2	7	6	2	3	—	—	4	4	—	—	12	12	—	4	100	
287	BIDEFORD ..	—	—	—	—	6	4	—	—	—	2	15	3	3	3	1	—	5	17	—	3	46	17	—	6	137	
288	HOLSORTHY ..	—	—	—	—	4	4	1	—	—	—	1	9	—	—	—	—	4	12	1	1	8	10	—	6	69	
21.—CORNWALL.																											
289	STRATTON ..	—	—	—	—	4	1	—	—	1	1	—	4	1	1	—	—	4	9	—	—	9	10	—	3	63	
290	CAMELFORD ..	—	—	—	—	4	—	—	—	—	1	—	5	2	—	—	—	—	4	—	—	9	5	—	1	62	
291	LAUNCESTON ..	—	—	—	—	10	7	1	—	1	2	5	13	2	—	—	—	2	14	3	—	16	9	—	7	119	
292	ST. GERMANS ..	—	—	—	—	12	—	5	1	2	4	7	12	3	—	—	—	6	25	—	1	17	22	—	10	158	
293	LISKEARD ..	—	—	—	—	9	10	6	—	—	2	15	14	5	1	—	—	4	24	2	2	20	23	—	13	208	
294	BODMIN ..	—	—	—	—	6	1	—	—	1	2	18	9	4	1	—	—	2	14	—	1	21	15	—	11	198	
295	ST. COLUMB ..	—	—	—	—	8	3	1	—	—	2	8	11	4	—	—	—	1	16	—	—	10	16	—	9	140	
296	ST. AUSTELL ..	—	—	—	—	6	8	1	—	—	10	8	23	5	1	—	—	7	29	5	—	23	44	—	20	301	
297	TRURO ..	—	—	—	—	9	11	1	—	—	—	29	18	4	4	—	—	7	40	2	—	17	30	—	11	326	





Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Districts—continued.  
VI.—WEST MIDLAND COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																	ALL CAUSES.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
<b>23.—GLOUCESTERSHIRE—cont.</b>																											
No.	DURSLEY ..	1	5	1	—	4	—	2	—	—	1	1	6	2	—	—	—	—	12	—	—	11	14	1	5	77	9
324	WESTBURY ON SEVERN ..	—	4	—	—	18	—	10	—	—	2	2	3	—	—	—	—	—	8	—	—	20	18	2	13	22	5
326	NEWENT ..	—	—	2	—	2	—	3	—	—	—	40	46	12	—	—	—	19	5	—	—	10	11	1	4	82	66
327	GLOUCESTER ..	—	28	2	—	13	3	7	—	—	—	3	3	—	—	—	—	2	76	—	—	82	89	4	48	60	8
328	WHEATENHURST ..	—	—	—	—	12	—	—	—	—	—	26	18	—	—	—	—	6	10	—	—	7	10	—	3	296	40
329	STROUD ..	—	4	—	—	46	—	4	—	—	2	5	—	8	—	—	—	1	39	—	—	19	34	—	21	40	4
330	TETBURY ..	—	8	—	—	2	—	—	—	—	1	9	—	—	—	—	—	—	10	—	—	5	18	—	3	166	10
331	CIRENCESTER ..	—	2	—	—	14	3	1	—	—	2	1	7	—	—	—	—	—	25	—	—	18	9	—	2	74	7
332	NORTHLEACH ..	—	1	—	—	5	2	3	—	—	—	1	2	—	—	—	—	—	3	—	—	10	7	—	1	60	3
333	STOW ON THE WOLD ..	—	—	1	—	4	—	10	—	—	—	6	—	1	—	—	—	—	9	—	—	1	6	—	2	74	4
334	WINCHOMB ..	—	2	—	—	5	—	9	—	—	—	27	25	7	—	—	—	9	83	—	—	5	7	—	4	499	53
335	CHELTEHAM ..	—	2	—	—	24	10	3	—	—	8	—	6	1	—	—	—	9	12	—	—	6	7	—	27	106	7
336	TEWKESBURY ..	—	15	1	—	5	—	—	—	—	3	9	7	1	—	—	—	1	12	—	—	7	7	—	3	—	—
<b>24.—HEREFORDSHIRE.</b>																											
337	LEDBURY ..	—	2	—	—	5	—	2	—	2	—	9	4	1	—	—	—	1	24	—	—	4	6	—	3	100	7
338	ROSS ..	—	2	—	—	16	—	8	—	1	—	2	11	1	—	—	—	1	15	—	—	26	20	—	7	129	10
339	*HEREFORD { HEREFORD	—	21	2	—	8	2	1	—	1	—	16	24	3	—	—	—	3	35	—	—	45	38	—	17	349	34
340	WOEBLY ..	—	3	—	—	8	—	1	—	—	—	3	3	—	—	—	—	1	5	—	—	11	6	—	4	64	5
341	BROMYARD ..	—	1	—	—	11	—	—	—	—	2	4	3	—	—	—	—	2	6	—	—	8	3	—	3	50	6
342	LEOMINSTER ..	—	—	1	—	9	—	3	—	—	1	6	—	2	—	—	—	2	14	—	—	16	19	—	2	79	8
343	KINGTON ..	—	—	—	—	15	—	—	—	1	2	6	4	—	—	—	—	2	16	—	—	9	3	—	4	121	4
		—	—	—	—	7	—	—	—	—	2	6	6	2	—	—	—	2	14	—	—	12	76	—	4	76	4
<b>25.—SHROPSHIRE.</b>																											
344	LUDLOW ..	—	—	—	—	5	—	2	—	1	1	11	11	4	2	—	—	1	27	—	—	16	11	—	10	120	16
345	CLUN ..	—	—	—	—	3	—	1	—	—	—	8	8	1	—	—	—	1	8	—	—	8	7	—	2	72	5
346	CHURCH STRETTON ..	—	—	—	—	3	—	1	—	—	—	—	1	—	—	—	—	1	9	—	—	10	7	—	3	40	4
347	CLEOBURY MORTIMER ..	—	—	—	—	1	—	3	—	—	—	—	3	—	—	—	—	—	6	—	—	8	10	—	3	72	7
348	BRIDGNORTH ..	—	—	—	—	12	—	1	—	—	—	2	4	1	—	—	—	—	20	—	—	20	13	—	6	117	7
349	SHIFNAL ..	—	2	—	—	3	1	1	—	—	—	1	5	—	—	—	—	—	12	—	—	11	9	—	7	89	11

\* 339.—The District of HEREFORD comprises the two Poor Law Unions of HEREFORD and DORE.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																ALL CAUSES.									
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.			Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
25.—SHROPSHIRE—continued.																											
No.																											
350	MADELEY ..	..	..	..	..	19	5	2	..	1	—	17	15	4	1	1	3	24	1	1	32	21	3	6	188	16	
351	ATCHAM ..	..	..	..	..	26	2	9	..	1	5	18	40	4	9	1	7	51	3	3	58	45	6	59	492	78	
352	OSWESTRY ..	..	..	..	..	12	1	4	..	3	1	11	12	5	2	—	4	19	3	3	27	25	4	16	246	22	
353	ELLESMERE ..	..	..	..	..	16	2	2	..	—	1	3	6	2	—	—	4	10	1	1	7	15	1	10	118	12	
354	WEM ..	..	..	..	..	7	2	—	..	—	1	2	6	—	—	—	—	11	—	—	6	9	—	2	82	6	
355	WHITCHURCH ..	..	..	..	..	2	3	5	..	—	1	3	1	—	1	—	1	10	10	—	10	12	1	13	112	21	
356	MARKET DRAYTON ..	..	..	..	..	8	2	1	..	1	4	4	8	6	—	—	3	24	24	—	13	14	—	5	122	6	
357	WELLINGTON ..	..	..	..	..	15	2	4	..	—	4	6	19	3	2	—	6	22	22	—	44	11	1	10	196	22	
358	NEWPORT ..	..	..	..	..	5	—	1	..	—	5	2	5	1	2	—	—	13	13	—	9	11	2	7	100	17	
26.—STAFFORDSHIRE.																											
359	STAFFORD ..	..	..	..	..	6	—	1	..	1	3	27	50	—	1	—	7	43	3	3	49	28	3	23	379	38	
360	STONE ..	..	..	..	..	13	13	4	..	—	10	6	21	1	1	—	3	26	26	2	11	20	2	14	175	19	
361	NEWCASTLE UN. LYME ..	..	..	..	..	6	13	4	..	2	39	42	61	24	6	—	5	23	23	2	4	24	7	18	332	30	
362	WOLSTANTON ..	..	..	..	..	10	52	30	..	6	110	92	104	42	38	5	28	48	12	6	172	172	12	72	982	111	
363	*STOKE UPON TRENT ..	..	..	..	..	28	65	36	..	18	6	21	24	6	3	—	43	127	15	10	295	326	28	127	1495	228	
364	*LEEK ..	..	..	..	..	12	6	6	..	1	6	21	24	6	3	—	8	35	35	2	8	64	37	25	386	49	
365	CHEADLE ..	..	..	..	..	11	10	4	..	—	5	39	13	4	—	—	7	20	20	2	2	27	26	13	279	25	
366	UTTOXETER ..	..	..	..	..	4	1	—	..	—	1	9	8	—	3	—	1	19	19	1	17	13	3	12	102	15	
367	BURTON UPON TRENT ..	..	..	..	..	18	16	14	..	8	18	52	65	9	12	2	12	73	73	7	116	103	10	46	668	61	
368	TAMWORTH ..	..	..	..	..	7	1	5	..	1	11	7	11	2	4	1	4	12	12	2	32	24	1	13	184	21	
369	LICHFIELD ..	..	..	..	..	12	5	5	..	—	10	16	53	5	2	1	5	34	34	2	46	27	5	24	429	36	
370	CANNOCK ..	..	..	..	..	14	3	7	..	—	10	10	23	6	5	1	7	38	38	3	53	58	6	26	310	37	
371	+WOLVERHAMPTON { SEISDON.. WOLVERHAMPTON	..	..	..	..	1	4	3	..	2	3	1	11	—	—	—	1	12	12	1	9	17	4	7	142	15	
372	WALSALL ..	..	..	..	..	59	32	43	..	13	90	86	56	16	17	5	27	134	13	2	210	286	19	80	1339	201	
373	WEST BROMWICH ..	..	..	..	..	18	47	6	..	17	93	31	109	28	7	4	32	76	8	9	189	181	10	83	949	147	
374	DUDLEY ..	..	..	..	..	38	18	32	..	17	69	57	94	16	16	12	23	131	18	14	215	284	16	123	1397	181	
						26	59	28	..	33	88	63	56	14	34	10	19	104	9	12	286	235	13	103	1329	152	

\* 363, 364.—On 1st March, 1907, the boundary between these districts was altered. The deaths are included in the figures for the district in which they were registered.  
† 371.—The District of WOLVERHAMPTON comprises the two Poor Law Unions of SEISDON and WOLVERHAMPTON.



REGISTRATION DISTRICTS.		CAUSES OF DEATH.																	Inquests.							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhoid Fever.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
<b>27.—WORCESTER-SHIRE.</b>																										
No.																										
375	STOURBRIDGE ..	1418	66	5	—	21	11	18	—	15	18	36	42	6	12	3	14	62	9	4	145	153	5	55	748	69
376	KIDDERMINSTER ..	592	4	2	—	12	18	1	—	1	14	23	13	7	8	1	1	42	1	1	31	55	2	22	333	34
377	TENBURY ..	91	2	—	—	2	—	1	—	—	2	2	4	—	1	—	—	9	—	—	4	6	—	1	56	5
378	MARTLEY ..	144	—	2	—	3	—	—	—	—	2	3	4	2	1	—	2	13	3	3	7	8	1	4	84	13
379	WORCESTER ..	869	24	—	—	13	27	7	—	5	9	31	26	7	5	6	16	56	5	6	76	65	6	30	453	58
380	UPTON ON SEVERN ..	481	4	—	—	4	3	2	—	1	—	20	25	2	1	—	7	27	3	3	31	32	3	17	296	32
381	EVEESHAM ..	237	10	2	—	3	4	1	—	1	2	8	8	1	2	—	4	20	3	—	10	26	1	8	123	15
382	PERSHORE ..	172	—	1	—	1	2	—	—	1	1	1	10	2	—	—	—	12	—	—	13	13	—	6	108	12
383	DROITWICH ..	276	11	1	—	13	5	4	—	1	1	6	9	3	—	3	6	22	2	—	12	16	3	19	140	22
384	BROMSGROVE ..	494	20	10	—	6	14	5	—	1	2	22	17	6	3	—	5	26	4	—	39	41	1	19	252	26
385	KINGS NORTON ..	2603	64	26	—	47	42	21	—	10	33	62	99	16	10	4	32	178	15	6	279	241	17	84	1317	117
<b>28.—WARWICK-SHIRE.</b>																										
No.																										
386	BIRMINGHAM ..	4984	155	9	—	45	66	92	—	49	131	133	254	49	35	8	59	254	44	13	521	419	29	271	2348	333
387	ASTON ..	4822	189	87	—	27	136	31	—	16	138	105	249	43	48	10	51	248	18	27	466	436	33	145	2319	229
388	MERIDEN ..	147	17	1	—	—	—	3	—	1	2	5	6	1	1	—	2	10	—	—	10	9	—	6	89	11
389	ATHERSTONE ..	231	17	2	—	3	2	1	—	1	5	7	7	3	1	—	3	12	12	2	22	14	2	9	116	13
390	NUNEATON ..	439	14	1	—	4	8	3	—	—	12	18	6	8	4	4	9	13	3	2	43	36	3	24	224	34
391	FOLESHILL ..	287	14	2	—	1	2	3	—	5	12	8	6	—	3	—	1	19	—	2	22	24	5	16	142	25
392	COVENTRY ..	1157	20	4	—	12	4	10	—	3	36	24	83	12	8	—	10	46	2	4	86	47	10	51	673	90
393	RUGBY ..	444	8	—	—	14	1	—	—	2	5	9	12	4	2	—	7	39	2	2	26	28	1	20	261	29
394	SOLIHULL ..	735	19	5	—	23	16	18	—	4	15	24	22	8	2	1	9	52	2	5	69	40	8	21	372	33
395	WARWICK ..	896	2	5	—	15	2	9	—	1	8	12	47	6	4	—	12	80	11	4	48	55	4	31	540	50
396	STRATFORD ON AVON ..	279	2	1	—	7	—	—	—	1	3	8	10	—	1	—	5	26	1	1	13	21	2	8	170	16
397	ALCESTER ..	262	8	1	—	8	—	—	—	—	1	11	7	—	—	—	2	25	1	1	18	17	1	4	158	11
398	SHIPSTON ON STOUR ..	214	3	—	—	10	3	2	—	2	1	10	6	1	—	—	2	22	1	1	7	12	—	9	122	13
399	SOUTHAM ..	133	—	—	—	2	—	—	—	—	2	4	5	1	—	—	2	14	—	—	6	11	1	5	79	7

REGISTRATION DISTRICTS.		ALL CAUSES.															CAUSES OF DEATH.											
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.		
<b>29.—LEICESTER-SHIRE.</b>																												
No.	152	1	1	—	—	5	—	5	—	—	4	9	2	1	—	—	6	11	4	—	—	8	18	1	4	77	8	
400	239	1	1	—	—	6	—	—	—	—	—	7	10	1	—	—	2	30	—	1	—	18	21	—	12	140	20	
401	379	4	4	—	—	7	—	—	—	—	—	4	41	1	—	—	3	36	—	2	—	27	34	—	19	221	10	
402	325	10	—	1	—	1	—	—	—	—	—	13	14	2	3	—	10	15	—	2	—	25	31	3	9	162	27	
403	323	—	—	5	—	8	—	—	—	—	—	8	12	3	3	—	3	20	—	1	—	31	25	4	19	188	16	
404	240	—	1	2	—	3	—	—	—	1	7	4	6	4	6	1	1	16	—	—	—	16	31	1	12	133	22	
405	624	2	2	—	—	15	—	—	—	1	7	20	21	12	3	—	12	32	—	4	2	49	51	2	21	325	34	
406	494	2	2	—	—	6	—	—	—	1	8	11	21	5	6	—	9	28	—	2	1	26	57	2	16	258	23	
407	374	3	3	—	—	5	7	—	—	1	5	6	20	4	3	—	6	21	—	2	6	20	20	1	10	186	23	
408	2752	58	58	—	—	23	15	—	—	5	76	110	134	44	35	5	45	182	—	13	2	193	235	18	95	1446	221	
409	331	9	9	—	—	11	4	—	—	2	1	4	16	3	3	—	1	30	—	2	2	17	27	2	13	184	22	
410																												
<b>30.—RUTLAND-SHIRE.</b>																												
411	140	—	—	—	—	3	1	—	—	1	—	1	3	1	—	—	—	11	3	—	—	16	9	—	3	89	5	
412	132	—	—	—	—	3	—	—	—	—	4	4	4	—	1	—	3	—	—	2	1	5	16	—	6	77	9	
<b>31.—LINCOLNSH.</b>																												
413	254	—	—	—	—	6	3	—	—	—	1	6	9	—	2	—	4	19	—	1	1	13	20	1	7	157	16	
414	255	—	—	1	—	5	5	—	—	—	7	4	13	2	—	—	1	21	2	2	1	19	24	—	10	139	10	
415	312	—	—	2	—	7	2	—	—	1	—	4	16	1	3	—	3	23	3	3	—	18	28	—	6	180	13	
416	254	—	—	1	—	12	3	—	—	—	—	4	11	4	2	1	6	45	—	3	3	36	16	1	15	141	30	
417	624	—	—	9	—	10	13	—	—	—	16	21	21	2	6	—	4	35	23	2	1	16	59	—	21	351	15	
418	408	—	1	4	—	11	10	—	—	1	10	12	11	4	2	1	11	24	24	6	7	23	26	4	10	239	23	
419	501	—	3	—	—	18	10	—	—	3	13	42	61	6	1	—	20	92	24	11	—	80	49	15	21	279	78	
420	1279	—	1	30	—	28	21	19	—	4	2	4	26	10	6	—	12	28	28	—	7	17	17	1	3	686	6	
421	285	—	1	2	—	9	6	—	—	2	1	4	13	1	1	—	3	32	32	—	—	12	22	1	6	182	14	
422	364	—	2	—	—	16	4	—	—	1	5	5	14	3	1	—	5	33	32	1	1	16	50	—	17	228	20	
423	425	—	3	—	—	17	10	—	—	—	39	34	21	5	1	—	20	82	33	8	3	136	82	—	57	688	19	
424a	1415	—	59	14	—	22	44	14	—	18	2	3	64	12	11	3	2	15	7	—	—	20	46	5	26	348	39	
424b	251	—	—	—	—	8	10	8	—	1	12	13	26	—	6	—	9	40	15	4	—	52	20	6	26	153	12	
425	676	—	20	2	—	18	26	4	—	4	1	3	26	10	6	—	10	27	40	1	2	28	54	15	258	20		
426	515	—	8	—	—	26	11	8	—	1	13	16	21	5	—	—	10	27	—	1	2	—	—	—	—	—	—	—



Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Districts—continued.

VII.—NORTH MIDLAND COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																ALL CAUSES.									
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.		Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
32.—NOTTINGHAMSHIRE.																											
No.	EAST RETFORD ..	—	5	4	—	5	7	1	—	1	2	3	16	5	1	—	—	5	22	—	1	24	20	3	15	201	19
427	WORKSOP ..	—	32	17	—	14	29	3	—	1	32	21	32	11	5	1	1	8	32	2	4	94	68	6	32	312	35
428	MANSFIELD ..	—	103	7	—	14	37	13	—	17	46	30	55	14	8	3	18	55	55	8	9	203	138	17	61	826	65
429	BASFORD ..	—	105	9	—	49	49	42	—	17	43	72	73	22	13	6	31	99	99	8	9	223	186	20	91	1086	113
430	NOTTINGHAM ..	—	204	6	—	50	135	45	—	41	162	179	161	45	37	9	34	236	42	14	410	478	32	185	2206	320	
431	SOUTHWELL ..	—	4	—	—	14	2	4	—	1	4	6	8	—	—	—	4	30	—	—	20	32	1	12	152	17	
432	NEWARK ..	—	6	1	—	18	4	4	—	—	5	13	19	1	5	—	6	26	2	—	29	46	4	18	261	30	
433	BINGHAM ..	—	—	1	—	17	2	2	—	—	3	7	20	1	1	—	3	17	17	—	21	19	—	10	141	11	
33.—DERBYSHIRE.																											
435	SHARDLOW ..	—	11	2	—	10	25	23	—	—	6	21	31	8	2	—	1	15	33	3	6	44	80	4	29	429	40
436	DERBY ..	—	80	4	—	24	25	52	—	17	28	43	89	16	24	1	1	19	117	14	9	96	170	6	63	979	183
437	BELPER ..	—	18	11	—	10	9	16	—	10	9	21	29	7	7	3	10	57	9	4	88	87	4	23	500	37	
438	ASHBOURNE ..	—	—	—	—	5	3	2	—	1	1	6	10	1	—	2	3	3	93	1	2	17	13	1	9	164	11
439	CHESTERFIELD ..	—	58	—	—	25	51	15	—	14	54	53	81	24	18	6	31	93	93	1	8	228	175	21	95	1159	98
440	BAKEWELL ..	—	1	3	—	14	2	4	—	2	1	19	16	1	2	—	9	25	22	2	46	60	60	1	23	280	37
441	CHAPEL EN LE FRITH ..	—	4	4	—	14	2	1	—	—	1	5	10	8	5	—	5	32	32	1	2	42	18	4	23	203	35
442a	GLOSSOP ..	—	3	8	—	3	10	—	—	1	4	8	19	6	—	—	8	34	34	2	1	27	42	3	8	198	14
442b	HAYFIELD ..	—	1	1	—	1	4	2	—	—	1	5	10	3	1	—	1	1	13	—	1	21	8	2	5	119	9

VIII.—NORTH WESTERN COUNTIES.

34.—CHESHIRE.																											
No																											
443	STOCKPORT ..	—	38	25	—	27	67	25	—	13	59	99	109	41	13	4	44	119	19	13	283	257	14	79	1439	202	
444	MACCLESFIELD ..	—	6	6	—	13	24	6	—	3	9	26	51	8	7	2	7	71	3	2	85	61	4	31	576	69	
445	BUCKLOW ..	—	18	11	—	23	17	5	—	5	14	27	37	13	7	4	9	82	3	3	105	87	8	44	559	87	
446	RUNCORN ..	—	44	6	—	13	11	18	—	13	8	17	17	8	8	6	5	42	6	3	61	44	4	26	315	41	
447	NORTHWICH ..	—	10	4	—	4	30	20	—	1	8	16	21	10	7	2	2	50	6	8	66	57	17	40	446	78	
448	CONGLETON ..	—	3	4	—	11	4	10	—	—	2	5	21	6	3	1	5	42	42	3	60	32	4	25	253	47	

Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Districts—continued.  
VIII.—NORTH WESTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																	Inquests.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
ALL CAUSES.																											
34.—CHESHIRE— <i>continued.</i>																											
No.	NANTWICH	956	2	12	—	17	16	8	—	3	13	14	31	11	16	—	7	69	4	2	80	86	3	45	517	83	
449	*CHESTER { TARVIN	163	—	—	—	3	3	4	—	1	2	1	4	3	—	—	—	17	—	—	8	9	2	9	97	9	
450	WIRRAL	984	15	1	—	18	19	23	1	3	22	36	49	13	14	—	11	74	5	—	79	49	10	20	520	40	
451	BIRKENHEAD	579	8	2	—	5	14	6	—	2	8	26	24	11	5	—	6	43	4	1	34	33	4	24	318	44	
452		2695	135	18	—	25	32	31	—	14	59	60	130	26	16	19	28	153	19	14	270	179	22	97	1348	214	
35.—LANCASHIRE.																											
453	LIVERPOOL	3759	81	5	—	14	85	7	—	14	206	82	256	47	26	5	41	163	24	11	420	344	19	220	1689	393	
454	TOXTETH PARK	2384	54	53	—	18	45	32	—	14	75	83	95	23	16	7	19	130	40	10	253	193	15	108	4708	169	
455	WEST DERBY	9932	188	94	17	61	252	95	—	76	364	388	434	107	52	22	104	509	10	38	983	1000	66	334	1327	548	
456	PRESCOT	2933	186	12	—	64	78	15	—	23	74	93	105	45	32	9	17	108	18	12	114	260	27	115	1327	140	
457	ORMSKIRK	1655	25	11	—	41	13	14	—	7	7	40	85	20	12	3	19	112	11	11	114	147	6	53	903	62	
458	WIGAN	3561	182	17	—	27	102	45	1	44	152	93	78	48	55	6	42	112	14	25	469	300	32	136	1581	215	
459	WARRINGTON	1834	80	14	—	28	19	24	1	7	62	83	80	18	32	14	10	78	7	10	169	154	14	59	871	74	
460	LEIGH	1553	35	16	—	19	63	19	—	24	75	57	40	22	19	10	17	49	7	11	162	160	11	54	683	88	
461	BOLTON	4373	299	54	—	65	86	48	—	42	112	155	102	52	29	14	24	175	23	24	412	382	41	145	2094	287	
462	BURY	2339	62	8	—	32	42	19	—	12	30	53	118	19	21	3	17	125	5	3	187	278	25	86	1194	146	
463	BARTON UPON IRWELL	1780	28	4	—	18	50	8	—	4	23	56	75	25	13	5	21	118	13	14	194	153	17	57	884	105	
464	CHORLTON	5826	126	19	—	76	203	32	1	19	146	346	181	74	62	12	58	319	16	16	730	519	19	143	2640	351	
465	SALFORD	4446	105	71	—	59	143	82	—	29	136	273	147	80	48	5	53	174	18	14	559	390	23	163	1869	369	
466	MANCHESTER	2901	53	10	—	44	62	14	—	4	118	86	83	32	33	7	27	150	11	11	369	279	19	295	1219	479	
467	PRESTWICH	4346	79	79	—	46	82	67	—	21	99	446	97	31	28	2	35	192	25	17	518	449	33	94	1906	211	
468	ASHTON UNDER LYNE	3245	187	42	—	29	72	16	—	12	61	60	138	37	15	5	34	146	9	22	281	343	17	118	1600	208	
469	OLDHAM	4191	78	28	—	39	98	44	—	9	82	158	203	50	24	6	36	208	17	37	421	462	38	112	2041	215	
470	ROCHDALE	2189	37	12	—	27	39	28	—	9	15	56	103	22	24	2	19	128	11	12	206	185	20	80	1154	124	
471	HASLINGDEN	1889	25	4	—	34	26	19	—	11	30	34	84	22	7	3	24	93	10	18	176	207	19	56	987	109	
472	BURNLEY	3322	10	32	—	28	55	33	—	15	86	147	124	43	32	16	37	133	20	25	397	350	37	113	1589	215	
473	CLITHEROE	294	3	1	—	4	4	1	—	2	3	9	7	9	1	—	—	15	15	—	1	22	22	4	9	177	19
474	BLACKBURN	3630	67	25	—	68	69	33	—	25	54	85	147	23	22	21	30	180	16	26	368	389	42	107	1832	188	
475	CHORLEY	1055	46	1	—	12	16	15	—	1	13	34	32	14	10	3	6	49	7	4	111	71	8	41	561	48	

\* 450.—The District of CHESTER comprises the two Poor Law Unions of TARVIN and CHESTER.



Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Districts--continued.  
VIII.—NORTH WESTERN COUNTIES—continued.

REGISTRATION DISTRICTS.	CAUSES OF DEATH.																								ALL CAUSES.	
	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	<i>Pyrexia</i> , of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	<i>Phthisis</i> , not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	<i>Tuberculosis Mesenterica</i> .	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.		Inquests.
<b>35.—LANCASHIRE</b>																										
—continued.																										
No. 476	PRESTON ..	27	9	—	43	78	23	—	19	76	61	175	33	20	1	34	157	11	19	359	240	17	85	1452	121	
477	FYLDE ..	3	8	—	25	7	11	—	15	14	20	87	17	7	4	11	103	6	10	127	103	7	57	843	77	
478	GARSTANG ..	1	—	—	3	—	—	—	—	—	5	5	—	1	—	—	—	9	2	16	11	4	6	83	9	
479	LANCASTER ..	57	—	—	27	38	5	—	8	21	32	73	10	6	1	22	53	8	5	118	81	3	41	684	63	
480	LUNESDALE ..	2	—	—	1	—	—	—	—	—	2	4	—	—	—	—	10	10	2	6	5	—	—	—	58	7
481	ULVERSTON ..	14	—	—	19	13	2	—	2	9	26	23	—	—	—	10	34	1	1	29	46	4	16	336	19	
482	BARROW IN FURNESS	37	—	—	25	25	13	—	6	15	23	39	5	4	1	18	29	2	4	59	57	7	30	425	34	

IX.—YORKSHIRE.

36.—W. RIDING.																																							
No.	483	484	485	486	487	488											489	490	491	492	493	494											495	496	497a	497b	498	499	
	SEDBERGH..	SETTLE ..	SKIPTON ..	PATELEY BRIDGE	RIPON ..	GREAT OUSEBURN											KNARESBOROUGH	WETHERBY	WHARFEDALE	KEIGHLEY..	TODMORDEN	SADDLEWORTH											HUDDERSFIELD	HALIFAX ..	BRADFORD..	NORTH BIERLEY	HUNSLET ..	HOLBECK ..	
	56	191	726	106	212	121											614	219	944	1112	629	264											2708	2811	3568	1780	1304	538	
	..	..	..	..	..	..											..	..	..	..	..	..	..											..	..	..	..	..	..
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—											—	—	—	—	—	—
	—	—	—	—	—	—											—	—	—	—	—	—	—																

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																ALL CAUSES.									
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhoid Malaria.	All other Tuberculous Diseases.			Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
<b>36.—W. RIDING—continued.</b>																											
No.		1230	16	2	—	19	37	8	—	4	11	39	62	12	10	8	17	74	7	11	95	105	9	48	636	118	
500	BRAMLEY ..	4523	49	52	—	63	73	54	—	24	100	254	133	46	29	5	58	290	30	23	437	393	34	190	2186	463	
501	LEEDS ..	2695	42	10	—	69	22	28	1	13	55	87	104	39	9	3	33	179	12	17	240	259	25	84	1364	201	
502	DEWSBURY ..	1952	28	5	—	27	25	13	—	4	42	77	125	27	15	5	20	74	9	11	211	170	18	70	976	161	
503	WAKEFIELD ..	1221	50	3	—	14	21	12	—	2	78	43	43	10	10	2	21	45	6	6	85	168	6	40	560	74	
504	PONTEFRAC ..	498	53	2	—	9	16	11	—	2	11	7	11	2	8	1	5	14	14	1	51	52	7	21	218	38	
505	HEMSWORTH ..	2302	200	19	—	28	64	17	1	22	109	33	47	41	20	4	17	88	13	14	214	257	27	112	955	187	
506	BARNLEY ..	248	11	—	—	7	8	12	—	2	5	9	6	3	1	—	3	15	5	1	18	18	3	8	127	15	
507	*WORTLEY { PENISTONE	761	23	11	—	20	10	15	—	4	10	47	18	9	4	—	3	36	5	3	89	41	6	26	380	29	
508	WORTLEY { WORTLEY	2882	125	91	—	31	43	24	—	23	121	159	52	47	34	1	15	181	10	16	235	249	18	57	1347	110	
509	ECCLESALL BIERLOW ..	5146	274	13	—	41	119	32	—	21	338	212	84	77	25	6	42	234	29	19	533	462	22	226	2314	350	
510	SHEFFIELD ..	2173	109	20	—	23	62	20	—	10	98	50	60	18	24	3	27	90	10	6	236	174	22	100	1011	117	
511	ROTHERHAM ..	1724	85	7	—	35	60	9	—	7	69	50	39	10	17	—	17	85	8	3	164	170	12	75	799	97	
512	DONCASTER ..	235	3	2	—	6	4	—	—	1	6	17	15	2	—	—	4	12	12	—	9	13	4	11	148	15	
513	THORNE ..	395	—	3	—	2	5	7	—	—	1	5	7	1	5	—	3	15	16	2	33	24	1	24	222	48	
514	GOOLE ..	233	—	1	—	7	3	7	—	—	3	12	8	3	2	—	7	16	3	3	8	12	1	9	143	21	
515	SELBY ..	475	11	—	—	12	10	7	—	1	14	12	14	3	1	—	12	25	5	5	45	50	3	13	234	28	
<b>37.—E. RIDING (with York).</b>																											
516	YORK ..	1642	23	3	—	50	18	16	—	11	43	32	120	19	4	5	9	99	11	3	144	114	16	59	843	130	
517	POCKLINGTON ..	222	14	—	—	7	2	2	—	1	1	5	3	1	1	—	—	13	13	—	13	23	—	4	150	15	
518	HOWDEN ..	185	7	—	—	7	7	2	—	1	3	5	3	1	—	—	—	10	10	—	6	14	—	12	101	14	
519	BEVERLEY ..	374	13	1	—	14	5	2	—	2	2	12	12	4	—	—	5	20	20	4	20	13	2	9	228	26	
520	SCULCOATES ..	2944	142	12	—	47	73	52	—	15	76	86	150	20	25	1	29	170	14	14	247	220	23	111	1422	238	
521	HULL ..	1568	40	3	—	12	35	15	1	2	28	61	39	11	10	4	23	89	11	9	129	159	8	111	768	188	
522	PATRINGTON ..	104	—	—	—	4	—	2	—	—	1	2	3	—	—	—	2	12	—	—	1	9	—	7	61	10	
523	SKIRLAUGH ..	144	1	1	—	2	—	3	—	—	3	4	3	—	1	—	3	9	12	1	6	14	—	7	80	12	
524	DRIFFIELD ..	239	3	—	—	8	1	3	—	4	1	11	3	—	3	1	1	24	2	2	15	12	—	9	139	24	
525	BRIDLINGTON ..	287	9	—	—	14	3	6	—	—	2	6	8	2	1	—	5	18	18	2	17	14	—	9	167	25	
<b>38.—N. RIDING.</b>																											
526	SCARBOROUGH ..	893	41	2	—	37	16	5	—	2	15	20	32	8	1	2	5	73	5	5	83	42	5	29	462	63	
527	MALTON ..	261	—	—	—	11	2	—	—	2	2	17	8	4	1	1	—	21	3	3	26	16	3	8	130	14	
528	EASINGWOLD ..	123	—	—	—	9	—	—	—	—	—	4	3	—	—	—	—	14	—	—	3	12	1	4	71	12	

\* 507.—The District of WORTLEY comprises the two Poor Law Unions of PENISTONE and WORTLEY.



Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Districts--continued.

IX.—YORKSHIRE—continued.

CAUSES OF DEATH.

REGISTRATION DISTRICTS.		ALL CAUSES.														ALL other Causes.														Inquests.
No.	38.—N. RIDING— continued.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Pithis.	Pithis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.				
529	THIRSK	—	4	2	—	19	—	4	—	1	1	1	8	—	1	—	—	2	10	1	3	13	12	2	6	102	12			
530	*HELMSLEY { HELMSLEY { KIRKBY { MOORSIDE	—	1	1	—	7	1	—	—	—	—	3	—	—	2	—	—	—	6	1	—	3	2	—	2	40	3			
531	PICKERING	—	1	—	—	2	5	—	—	—	2	—	3	—	—	—	—	—	4	—	1	4	8	—	—	50	4			
532	WHITBY	—	—	—	—	7	2	—	—	—	4	—	6	—	—	—	—	—	16	—	—	27	16	—	—	96	4			
533	GUISBOROUGH	—	—	—	—	8	3	—	—	2	6	1	9	—	—	—	3	24	34	2	2	67	30	13	13	228	19			
534	MIDDLESBROUGH	—	—	2	—	17	9	19	—	1	4	10	29	8	6	2	14	48	118	17	4	67	62	39	39	328	52			
535	STOKESLEY	—	—	11	—	40	63	67	1	31	88	114	108	44	23	23	48	12	12	17	8	613	207	17	128	1339	224			
536	NORTHALLERTON	—	—	1	—	13	2	2	—	—	1	2	6	4	—	—	—	5	10	—	—	13	6	4	4	79	6			
537	BEDALE	—	—	—	—	8	4	2	—	—	—	2	4	—	—	—	—	1	9	1	1	7	11	4	4	109	10			
538	LEYBURN	—	—	—	—	4	—	2	—	—	—	2	5	—	—	—	—	1	11	—	5	7	2	5	5	59	11			
539	AYSARTH	—	—	—	—	2	1	1	—	—	—	—	5	—	—	—	—	—	12	—	—	6	4	1	3	62	11			
540	REETH	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	1	2	—	2	4	—	1	21	4			
541	RICHMOND	—	1	—	—	5	1	1	—	—	2	11	7	1	1	—	—	5	9	—	—	23	17	6	6	100	8			

X.—NORTHERN COUNTIES.

39.—DURHAM.		ALL CAUSES.														All other Causes.					Inquests.					
No.	DARLINGTON	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Pithis.	Pithis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.	
542	STOCKTON ..	1217	36	21	5	33	8	6	7	12	9	51	22	10	8	11	51	51	2	5	71	86	10	35	489	42
543a	SEDGEFIELD	631	38	38	17	2	10	7	6	32	4	53	3	19	4	24	54	54	3	3	140	85	4	47	599	74
544	HARTLEPOOL	1449	5	21	5	34	12	3	6	26	26	60	35	26	1	27	70	70	1	11	164	134	9	71	684	32
545	AUCKLAND	1798	33	43	25	43	15	13	3	20	77	20	35	18	14	30	61	61	1	7	165	161	18	68	875	106
546	TEESDALE..	336	9	7	33	1	3	—	—	5	21	4	6	2	—	4	17	17	2	1	23	11	—	11	211	76
547	WEARDALE	218	7	7	7	1	2	1	1	11	11	4	2	2	—	2	12	12	1	1	15	13	1	7	129	7
548	LANCASTER	1501	15	15	15	24	26	11	11	12	12	62	31	15	16	10	54	54	1	6	181	97	17	60	751	70
549	DURHAM ..	1335	16	16	16	18	52	5	5	27	27	54	8	21	9	11	55	55	2	6	107	89	10	53	678	74
550	EASINGTON	1125	59	59	10	41	24	6	6	10	10	37	15	31	4	14	24	24	—	3	90	60	7	23	391	59
551	HOUGHTON LE SPRING	718	18	11	11	11	14	3	3	12	12	24	6	14	5	18	49	49	7	6	126	49	20	50	637	33
552	CHESTER LE STREET	1186	47	23	23	3	28	15	15	25	31	31	24	14	9	36	145	145	15	16	414	386	27	154	1773	243
553	SUNDERLAND	3678	27	27	54	54	83	46	38	75	179	46	38	9	36	42	119	119	16	13	287	212	23	129	1482	161
554	SOUTH SHIELDS	2981	72	15	64	64	47	21	21	80	184	46	36	7	42	28	131	131	7	13	288	246	24	88	1536	110
555	GATESHEAD	3101	138	4	17	76	80	12	12	67	67	188	36	38	18	28	131	131	7	13	288	246	24	88	1536	110

\* 530.—The District of HELMSLEY comprises the two Poor Law Unions of HELMSLEY and KIRKBY MOORSIDE.

Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Districts—continued.

X.—NORTHERN COUNTIES—continued.

REGISTRATION DISTRICTS.		ALL CAUSES.	CAUSES OF DEATH.																	Inquests.							
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
40.—NORTHUMBRIA.																											
No.	NEWCASTLE UPON TYNE	4336	—	119	8	—	35	121	28	—	3	41	214	181	61	36	11	50	249	19	16	418	311	25	187	2203	398
556	TYNEMOUTH ..	2961	—	82	26	—	27	69	60	—	21	42	86	144	50	23	17	25	113	17	8	240	173	21	100	1617	151
557	CASTLE WARD ..	586	—	20	4	—	13	5	13	—	3	16	36	22	6	3	—	4	26	1	—	46	47	4	19	299	24
558	HEXHAM ..	497	—	—	1	—	7	5	7	—	3	10	14	33	7	6	4	7	29	—	2	32	17	3	21	288	29
559	HALTWHISTLE ..	112	—	—	—	—	1	2	4	—	—	1	2	5	2	—	—	2	6	—	1	6	2	1	4	74	5
560	BELLINGHAM ..	90	—	1	1	—	3	—	—	—	—	—	—	6	—	—	—	2	6	—	—	8	6	1	3	51	3
561	MORPETH ..	995	—	18	2	—	10	21	16	2	5	21	15	75	17	11	7	18	34	6	5	79	48	9	41	535	51
562	ALNWICK ..	364	—	6	1	—	9	3	7	—	—	4	9	17	9	5	1	4	15	3	2	12	13	1	13	230	13
563	BELFORD ..	71	—	—	—	—	1	1	—	—	—	—	2	4	1	—	—	—	6	1	—	6	4	—	5	40	6
564	BERWICK ..	314	—	6	—	—	14	4	5	—	—	—	4	12	4	—	2	—	22	4	3	16	13	—	21	168	30
565	GLENDALE ..	87	—	—	—	—	2	4	1	—	—	—	3	2	1	1	—	2	7	—	1	9	5	—	—	48	1
566	ROTHBURY..	94	—	—	—	—	7	—	1	—	—	—	1	4	—	—	—	1	6	—	—	5	4	7	—	57	7
41.—CUMBERLAND.																											
568	ALSTON ..	49	—	—	1	3	3	3	—	—	—	—	1	3	1	—	—	—	3	3	1	2	2	1	—	30	1
569	PENRITH ..	356	—	7	—	9	4	4	7	—	—	—	10	14	—	6	—	3	29	1	1	36	20	—	12	193	19
570	BRAMPTON..	128	—	4	—	5	1	1	—	—	—	1	—	5	2	2	—	4	11	—	—	5	6	6	2	80	2
571	LONGTOWN ..	121	—	—	—	4	2	—	—	—	—	—	—	4	—	1	—	13	13	—	3	8	9	—	1	70	1
572	CARLISLE ..	1151	—	58	7	—	14	18	4	1	—	10	22	56	16	9	5	9	83	7	7	101	44	5	38	638	50
573	WIGTON ..	333	—	6	1	2	2	—	—	2	2	1	6	11	4	2	1	7	22	2	4	23	19	3	11	206	11
574	COCKERMOUTH ..	1238	—	30	8	—	10	20	8	—	15	10	32	46	7	5	1	7	68	4	8	151	79	9	50	680	61
575	WHITEHAVEN ..	929	—	6	9	—	16	14	6	—	2	21	15	50	7	10	—	7	48	3	3	73	92	8	40	497	51
576	BOOTLE ..	195	—	1	—	—	8	1	1	—	1	3	2	11	1	—	—	—	12	—	—	20	14	2	8	108	11
42.—WESTMORLAND.																											
577	EAST WARD ..	168	—	1	—	7	—	—	1	—	1	2	4	5	1	—	—	1	14	1	1	8	3	3	8	110	9
578	WEST WARD ..	113	—	4	—	5	—	—	1	—	2	—	1	3	1	1	—	1	16	2	2	3	6	1	5	60	7
579	KENDAL ..	525	—	—	1	19	4	—	1	—	—	—	7	25	5	2	—	5	39	2	2	30	20	9	25	328	29



Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Districts—continued.  
XI.—MONMOUTHSHIRE AND WALES.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																	ALL CAUSES.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.			Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
43.—MONMOUTH-SHIRE.																											
No.																											
580	CHEPSTOW..	—	5	1	—	9	12	3	—	—	1	9	10	—	1	—	1	12	—	5	1	23	25	3	10	163	21
581	MONMOUTH	—	1	4	—	17	8	9	—	—	3	16	14	4	1	—	6	31	5	3	3	27	49	2	24	237	40
582	ABERGAVENNY	—	3	—	—	9	5	7	—	—	1	10	20	6	3	—	6	20	5	5	1	51	34	2	15	270	21
583	BEDWELLTY	—	60	8	—	19	31	26	1	26	27	40	41	11	13	7	14	30	7	—	300	181	25	83	857	111	
584	PONTYPOOL	—	26	3	—	13	8	4	—	10	16	14	27	13	3	2	7	41	30	3	116	70	7	37	363	41	
585	NEWPORT ..	—	68	23	—	45	20	25	—	13	53	42	86	19	9	1	16	84	14	5	238	146	14	91	923	159	
44.—SOUTH WALES.																											
GLAMORGANSHIRE.																											
586	CARDIFF ..	2	195	29	—	55	77	30	—	20	74	87	202	51	31	9	35	195	33	29	381	248	30	183	1755	334	
587	PONTYPRIDD	1	181	15	—	65	77	34	1	35	132	95	129	25	25	5	28	107	19	27	494	335	66	184	1823	254	
588	MERTHYR TYDFIL	—	93	17	—	39	31	35	—	16	79	60	71	32	14	10	39	113	14	19	315	243	24	133	1301	194	
589	BRIDGEND ..	—	79	3	—	23	28	8	—	5	22	58	37	10	6	2	10	48	6	5	161	91	13	67	746	110	
590	NEATH ..	—	16	—	—	24	69	10	—	4	37	52	38	22	7	2	9	57	2	9	120	98	16	83	670	130	
591	PONTARDAWE	—	—	—	—	18	12	7	—	3	9	10	13	5	4	3	1	12	1	7	30	37	8	22	254	31	
592	SWANSEA ..	—	15	6	—	23	48	14	—	7	52	91	101	33	11	3	27	106	16	9	238	177	14	103	1062	194	
593	GOWER ..	—	—	—	—	15	1	2	—	1	3	10	7	6	—	—	1	11	11	2	18	12	6	7	90	12	
CARMARTHENSHIRE.																											
594	LLANELLY..	—	6	2	—	16	34	9	—	6	5	23	47	16	2	1	13	44	1	10	87	67	8	60	468	69	
595	LLANDOVERY	—	—	—	—	—	4	1	—	—	4	14	5	2	—	—	3	12	—	—	6	13	1	2	85	3	
596	LLANDILOFAWR	—	2	—	—	6	1	3	1	6	4	16	24	6	2	2	4	17	1	1	30	19	3	15	238	21	
597	CARMARTHEN	—	—	—	—	9	6	13	—	5	1	28	42	9	10	1	6	30	2	1	33	29	3	11	338	24	
PEMBROKESHIRE.																											
598	NARBERTH..	—	—	2	—	3	1	—	—	2	2	11	20	2	4	—	4	17	1	—	18	11	3	11	156	22	
599	PEMBROKE	—	1	—	—	8	1	3	—	3	7	16	17	6	4	1	8	22	1	2	38	31	9	15	260	20	
600	HAVERFORDWEST	—	7	—	—	7	16	4	—	1	14	14	23	5	2	1	6	37	1	3	38	39	5	20	327	31	

## XI.—MONMOUTHSHIRE AND WALES—continued.

## Causes of Death, 1907.

421

REGISTRATION DISTRICTS.		ALL CAUSES.	CAUSES OF DEATH.																									
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhoid Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.	
<b>44.—SOUTH WALES—cont.</b>																												
CARDIGANSHIRE.																												
No.	CARDIGAN .. ..	306	—	—	—	5	1	—	—	—	—	20	18	2	2	2	—	—	31	1	1	9	9	—	7	199	16	
601	NEWCASTLE IN EMLYN	306	—	—	10	—	—	—	—	—	3	33	16	1	1	1	—	5	9	3	1	11	17	4	7	183	17	
602	LAMPETER .. ..	148	—	—	3	—	—	—	—	—	—	11	9	3	1	—	—	7	17	2	—	8	8	1	4	66	6	
603	ABERYARON .. ..	201	—	—	—	—	—	—	1	—	2	12	7	1	1	—	—	4	11	—	—	9	6	2	7	132	12	
604	ABERYSTWITH .. ..	351	—	—	—	16	8	—	—	—	3	23	24	1	1	—	1	4	17	—	—	26	26	1	5	189	6	
605	TREGARON .. ..	128	—	1	—	7	4	3	—	—	—	8	11	3	1	—	—	3	4	4	—	4	5	—	—	72	1	
606			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
BRECKNOCKSHIRE.																												
607	BUILTH .. ..	122	—	—	2	1	—	1	—	1	—	3	4	1	—	—	—	7	4	2	1	7	5	3	4	76	6	
608	BRECKNOCK .. ..	233	—	—	6	—	—	—	—	—	7	1	15	2	2	—	—	4	20	1	1	19	11	4	11	130	20	
609	CRICKHOWELL .. ..	360	—	6	—	15	—	11	—	9	7	10	7	4	—	—	—	6	9	2	—	35	30	3	15	188	22	
610	HAY .. ..	171	—	1	7	1	1	2	—	1	1	2	11	1	—	—	—	—	13	1	—	11	11	2	3	102	4	
RADNORSHIRE.																												
611	KNIGHTON .. ..	144	—	2	3	—	—	—	—	—	—	8	6	5	—	—	—	1	17	—	—	12	10	—	7	73	10	
612	RHAYADER .. ..	114	—	—	6	—	—	—	—	—	3	—	5	4	1	—	—	2	4	1	1	4	7	2	2	73	2	
<b>45.—NORTH WALES.</b>																												
MONTGOMERYSHIRE.																												
613	MACHYNLETH .. ..	172	—	—	10	2	1	—	—	—	4	8	11	2	2	—	—	4	15	—	—	10	6	1	4	88	7	
614	NEWTOWN .. ..	301	—	—	4	1	—	—	—	1	1	6	19	—	1	—	—	5	19	—	2	12	23	4	6	192	12	
615	FORDEN .. ..	222	—	—	12	3	—	—	—	—	—	2	8	—	2	—	—	—	13	2	—	11	14	1	12	138	15	
616	LLANFYLLIN .. ..	257	—	—	8	—	—	—	—	—	2	7	10	2	2	—	—	—	17	2	—	5	23	3	13	158	17	



Deaths from several Causes, and Inquest Cases in the Year 1907, in Registration Districts—continued.

XI.—MONMOUTHSHIRE AND WALES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.			Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
45.—NORTH WALES—cont.																											
FLINTSHIRE.																											
No.																											
617a	HOLYWELL	—	2	2	—	11	8	11	—	4	5	14	35	4	1	1	2	2	31	2	5	42	36	8	24	379	35
617b	HAWARDEN	—	7	3	—	14	11	3	—	2	4	3	20	5	2	—	2	2	24	—	1	16	24	6	15	194	24
DENBIGHSHIRE.																											
618	WREXHAM	—	1	6	—	32	19	7	—	4	30	23	35	13	7	2	13	57	2	7	104	108	14	36	602	56	
619	RUTHIN	—	—	—	—	10	—	1	—	—	—	1	13	2	2	—	1	21	—	—	14	7	6	6	97	9	
620	St. ASAPH	—	1	—	—	36	4	6	—	1	8	8	44	3	5	—	6	65	—	2	47	15	12	13	335	18	
621	LLANRWST	—	—	—	—	—	7	6	—	1	4	4	18	1	—	2	2	22	—	2	25	15	3	3	131	5	
MERIONETHSHIRE.																											
622	CORWEN	—	—	1	—	2	4	2	—	—	3	2	14	3	2	1	4	16	—	6	12	15	13	2	150	15	
623	BALA	—	—	—	—	8	8	—	—	1	—	7	10	1	—	—	1	3	—	—	9	19	2	2	53	2	
624	DOIGELLY	—	—	—	—	5	5	—	—	—	1	12	9	1	—	—	4	25	—	3	17	5	3	3	116	7	
625	FESTINOG	—	2	1	—	16	17	6	—	—	6	24	26	4	3	3	12	35	—	1	29	19	9	9	209	15	
CARNARVONSHIRE.																											
626	PWLLHELI	—	—	—	—	11	—	2	1	—	3	5	36	1	5	1	4	29	—	2	19	18	6	7	226	15	
627	CARNARVON	—	1	—	—	15	2	6	—	4	12	44	52	8	5	2	19	64	—	4	43	48	3	22	389	29	
628	BANGOR	—	—	—	—	38	2	4	—	1	2	11	48	7	2	—	7	43	—	1	31	30	7	16	334	19	
629	CONWAY	—	3	1	—	26	6	2	—	2	11	16	29	9	3	2	3	41	—	4	50	23	3	16	244	18	
ANGLESEY.																											
630	ANGLESEY	—	5	—	—	2	3	1	—	—	1	5	20	2	5	1	2	18	—	—	13	13	—	2	153	2	
631	HOLYHEAD	—	11	—	—	10	—	3	—	—	2	8	16	1	3	—	8	25	—	1	22	19	4	4	183	5	

---

VIOLENT DEATHS.

---



VIOLENT DEATHS, 1907.

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at DIFFERENT PERIODS OF LIFE, in the YEAR 1907.—Males.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.																		85 and upwards.	
			Total under 5 Years.																			
			0 Months.	1-3 Months.	3-6 Months.	6-12 Months.	1 Year.	1-2	2-3	3-4	Total under 5 Years.	5-10	10-15	15-20	20-25	25-35	35-45	45-55	55-65	65-75		
			799	215	146	1160	329	385	272	185	2331	574	414	628	686	1376	1377	1295	1085	675	375	99
1	TOTAL .. .. .	10895																				
	MINES, QUARRIES, &c.—																					
	(a) Coal Mines .. ..	949	—	—	—	—	—	—	—	—	—	—	35	138	118	220	186	138	95	19	—	—
	(b) Other Mines .. ..	37	—	—	—	—	—	—	—	—	—	—	—	3	10	10	3	8	2	1	—	—
	(c) Quarries, Excavations .. ..	98	—	—	—	—	—	—	—	—	—	—	—	4	8	20	27	20	14	4	1	—
2	VEHICLES AND HORSES—																					
	(a) Railways .. ..	804	—	—	—	—	—	5	1	2	8	23	22	64	88	171	143	137	95	36	14	3
	(b) Other Vehicles mechanically propelled .. ..	275	—	—	—	—	2	3	9	4	18	45	29	18	12	41	40	22	35	12	2	1
	(c) Horse drawn vehicles and horses .. ..	539	—	—	—	1	9	15	10	20	55	43	30	23	20	58	86	82	70	44	21	4
	(d) Other and undefined vehicles .. ..	579	—	—	—	2	10	13	9	9	43	36	33	51	40	89	84	72	66	44	17	4
3	SHIPS, BOATS, DOCKS, &c. (excluding drowning) .. ..	246	—	—	—	—	—	—	—	—	—	—	4	18	25	53	51	50	32	13	—	—
4	BUILDING OPERATIONS .. ..	243	—	—	—	—	—	—	—	—	—	—	—	8	20	40	58	68	31	15	3	—
5	MACHINERY .. ..	237	—	—	—	—	—	—	3	2	5	3	15	47	34	37	34	40	16	6	—	—
6	WEAPONS AND IMPLEMENTS .. ..	79	—	—	—	—	1	—	1	1	3	4	7	17	6	12	10	12	7	1	—	—
7	BURNS, SCALDS, EXPLOSIONS (not in Mines, Ships, &c.) .. ..	1103	17	11	51	79	185	246	157	82	749	98	13	12	13	48	38	29	33	42	23	5
8	POISONS AND POISONOUS VAPOURS .. ..	329	3	4	6	13	20	7	5	5	50	11	8	11	16	42	65	52	36	25	12	1
9	DROWNING .. ..	1888	17	—	2	19	39	52	40	34	184	134	126	114	140	300	269	236	195	100	28	2
10	SUFFOCATION .. ..	1039	652	191	74	917	17	7	6	1	948	8	4	3	2	9	10	14	18	12	10	1
11	FALLS .. ..	1460	3	4	9	16	32	24	17	17	106	65	47	32	44	114	140	176	236	220	212	68
12	WEATHER AGENCIES .. ..	127	1	—	—	1	1	1	2	1	6	2	1	8	5	12	16	17	24	24	10	2
13	OTHERWISE OR NOT STATED .. ..	863	106	4	2	112	13	12	12	7	156	39	40	57	65	100	117	122	80	57	22	8

ENGLAND AND WALES.—DEATHS from ACCIDENT and NEGLIGENCE at different Periods of Life, in the Year 1907.—**Males**—continued.











ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at different Periods of Life, in the Year 1907.—Males—continued.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH													85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			Total under 1 Year.			Total under 5 Years.								75—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
			0—3 Months.	3—6 Months.	6—12 Months.		1—	2—	3—	4—	5—	10—	15—		20—		25—	35—	45—	55—	65—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
8	POISONS AND POISONOUS VAPOURS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				



ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at different Periods of Life, in the Year 1907.—Males—continued.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.													85 and up-ward.					
			0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-2	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-		35-	45-	55-	65-	75-
POISONS, &c.—cont.																					
	Paraldehyde ..	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	Sulphonol ..	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	Veronal ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Narcotic ( <i>kind not stated</i> ) ..	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Atropine ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Belladonna ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Strychnia ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Alcohol ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Paraffin ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Mushrooms ..	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Metal Polish ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sheep Dip ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Liniment ..	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Weed Killer ..	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sting of Insect ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Carbon Dioxide ..	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Carbon Monoxide ..	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Coal Gas ..	32	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Chlorine ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sewer Gas ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sulphuretted Hydrogen ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Producer Gas ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fumes from Kiln ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Gas, Fumes ( <i>kind not stated</i> ) ..	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Others or kind not stated</i> ..	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
DROWNING.																					
	Bathing ..	99	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sliding and Skating ..	31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Shipwreck ..	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Boat upset, Fall overboard ..	152	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Collision ..	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Otherwise, or not stated how</i> ..	723	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>“Found” (open verdict)</i> ..	849	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.												Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.						
			Total under 1 Year.			1—	2—	3—	4—	5—	10—	15—	20—	25—													35—	45—	55—	65—	75—	85 and upwards.
			0—3 Months.	3—6 Months.	6—12 Months.																											
10	SUFFOCATION.	In Bed ..	825	573	174	59	806	11	2	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		Food, or other Foreign Body ..	98	25	10	6	41	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		Smothered by Heavy Substance ..	10	54	7	—	70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		Otherwise, or not stated how ..	106	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		FALLS.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
11	Diving ..	From Window ..	60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		Down Stairs ..	341	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		In Room ..	77	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		Otherwise, or not stated how ..	979	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		WEATHER AGENCIES.	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
12	Lightning ..	Sunstroke ..	36	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		Gelatio and Exposure to Cold ..	79	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		OTHERWISE OR NOT STATED.	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		Swallowing Foreign Body ..	144	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		Fall of Heavy Substance on ..	41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
13	Blow ..	Fighting, Wrestling, &c. ..	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		Fracture ..	104	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		Injury by Bull or Cow ..	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		Injury by Horse other than those in sec. 2 (c) ..	62	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		Injuries by Other Animals ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		Football ..	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		Cricket Ball ..	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		Strain ..	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
		Electric Shock ..	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
		Operation* ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
		Needle in Heart ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
		Other Wounds (not by Weapons or Implements)	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
		Strangulation ..	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
			Neglect ..	97	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
			Accident (not otherwise described)	299	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
Violence (cause or kind not stated)	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							

\* When a person dies from an operation performed on account of any disease or injury the nature of which is stated in the certificate, the death is classed under that disease or injury, unless it is certified to have been directly caused by the administration of an Anæsthetic (see under heading "Poisons and Poisonous Vapours," page 429).



ENGLAND AND WALES--DEATHS FROM ACCIDENT AND NEGLIGENCE AT DIFFERENT PERIODS OF LIFE, in the YEAR 1907.--Females.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.													85 and up-wards.						
			0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1--	2--	3--	4--	Total under 5 Years.	5--	10--	15--	20--		25--	35--	45--	55--	65--	75--
			664	200	141	1005	278	259	200	222	1964	366	117	96	97		226	250	329	387	429	461
2	TOTAL .. .. .	4889																				
	VEHICLES AND HORSES--																					
	(a) Railways .. .. .	56	—	—	—	—	2	1	—	2	5	5	3	1	2	5	7	9	10	4	5	—
	(b) Other vehicles mechanically propelled	90	—	—	—	—	1	3	3	7	14	12	4	—	4	4	7	12	16	11	6	—
	(c) Horse drawn vehicles and horses ..	92	—	1	—	1	13	10	5	4	33	9	2	1	3	3	6	6	11	12	6	—
	(d) Other and undefined vehicles .. ..	111	—	—	2	2	7	10	6	8	33	11	2	10	2	9	5	9	10	12	8	—
3	SHIPS, BOATS, DOCKS, &c. (excluding drowning) .. .. .	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
5	MACHINERY .. .. .	8	—	—	—	—	—	—	—	—	—	2	—	2	1	—	2	1	—	—	—	—
6	WEAPONS AND IMPLEMENTS .. .. .	12	—	—	—	—	1	2	1	—	4	4	—	—	1	2	—	1	—	—	—	—
7	BURNS, SCALDS, EXPLOSIONS .. .. .	1507	6	14	47	67	171	169	150	178	735	251	63	36	33	52	43	57	75	82	64	16
8	POISONS AND POISONOUS VAPOURS ..	216	3	3	1	7	8	5	7	1	28	14	8	8	11	45	38	21	21	14	5	3
9	DROWNING .. .. .	367	12	—	1	13	19	26	10	6	74	18	15	28	28	58	48	53	28	10	6	1
10	SUFFOCATION .. .. .	864	558	178	70	806	15	3	2	2	828	3	2	2	—	4	4	7	5	7	2	—
11	FALLS .. .. .	1270	2	2	10	14	32	19	7	9	81	20	13	4	7	29	74	127	186	252	335	142
12	WEATHER AGENCIES .. .. .	27	—	1	—	1	1	—	—	1	3	1	—	—	2	1	4	8	1	5	2	—
13	OTHERWISE OR NOT STATED .. .. .	268	83	1	10	94	8	11	9	4	126	16	5	4	2	14	12	18	24	20	22	5

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.													85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
			Total under 1 Year.			Total under 5 Years.	Total under 5 Years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
			0-3 Months.	3-6 Months.	6-12 Months.		1-1	2-2	3-3	4-4	5-5	10-10	15-15	20-20	25-25		35-35	45-45	55-55	65-65	75-75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
2	VEHICLES AND HORSES.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		</





ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at different Periods of Life, in the Year 1907.—Females—continued.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.																		85 and up-wards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
			0-3 Months.			3-6 Months.			6-12 Months.			Total under 1 Year.	Total under 5 Years.					1-	2-	3-		4-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							





No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.													85 and up-wards.				
			0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-2-	2-3-	3-4-	Total under 5 Years.	5-10-	10-15-	15-20-	20-25-	25-35-		35-45-	45-55-	55-65-	65-75-
11	FALLS.	27 436 149 658	—	—	—	—	2	3	1	1	1	2	1	5	3	3	2	1	1	1
			1	1	1	7	4	—	—	1	4	—	—	12	39	74	108	87	77	21
			1	1	3	5	18	8	7	42	15	10	5	—	29	47	64	138	202	28
			1	1	3	5	18	8	7	42	15	10	5	—	29	47	64	138	202	92
			1	1	3	5	18	8	7	42	15	10	5	—	29	47	64	138	202	92
12	WEATHER AGENCIES.	8 19	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
			1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED.	15 18 13 50  1 3 3 3 2 1 10  6 74 63 6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

\* See note \* page 431.



ENGLAND AND WALES.—DEATHS from **Suicide** at DIFFERENT PERIODS OF LIFE IN  
the YEAR 1907.—**Males.**

No.	METHOD OF SUICIDE.	ALL AGES.	AGES AT DEATH.											
			5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
	TOTAL .. .. .	2632	—	5	53	114	400	527	636	501	309	78	9	
2	VEHICLES AND HORSES ..	146	—	—	8	12	30	38	28	20	9	1	—	
6	WEAPONS AND IMPLE- MENTS	727	—	—	10	34	116	161	156	138	82	28	2	
7	BURNS, SCALDS, EXPLOSIONS	7	—	—	—	—	1	4	1	1	—	—	—	
8	POISONS AND POISONOUS VAPOURS	355	—	1	12	13	63	87	83	66	25	5	—	
9	DROWNING .. .. .	512	—	1	8	24	86	104	130	86	59	12	2	
10	SUFFOCATION .. .. .	750	—	2	13	25	84	111	206	166	113	27	3	
11	FALLS .. .. .	49	—	—	—	3	8	7	13	8	7	3	—	
13	OTHERWISE OR NOT STATED	86	—	1	2	3	12	15	19	16	14	2	2	
2	VEHICLES AND HORSES.													
	On Railways.. .. .	140	—	—	8	12	30	37	26	17	9	1	—	
	Motor Omnibus .. .. .	1	—	—	—	—	—	—	1	—	—	—	—	
	Motor Van .. .. .	1	—	—	—	—	—	—	1	—	—	—	—	
	Motor Vehicle (not otherwise described) .. .. .	1	—	—	—	—	—	—	—	1	—	—	—	
	Steam Roller.. .. .	1	—	—	—	—	—	1	—	—	—	—	—	
	Cart .. .. .	1	—	—	—	—	—	—	—	1	—	—	—	
	Tramcar .. .. .	1	—	—	—	—	—	—	—	1	—	—	—	
6	WEAPONS AND IMPLEMENTS													
	Gun-shot Wound .. .. .	225	—	—	8	24	45	45	52	27	20	4	—	
	By Knife .. .. .	502	—	—	2	10	71	116	104	111	62	24	2	
7	BURNS, SCALDS, EXPLOSIONS													
	Conflagration .. .. .	1	—	—	—	—	—	1	—	—	—	—	—	
	Setting fire to Clothes .. .. .	1	—	—	—	—	—	1	—	—	—	—	—	
	Burn (not stated how) .. .. .	2	—	—	—	—	—	2	—	—	—	—	—	
	Scald (not stated how) .. .. .	1	—	—	—	—	—	—	1	—	—	—	—	
	Explosion of Gas .. .. .	1	—	—	—	—	1	—	—	—	—	—	—	
	" (not stated how) .. .. .	1	—	—	—	—	—	—	—	1	—	—	—	
8	POISONS AND POISONOUS VAPOURS.													
	Arsenic .. .. .	4	—	—	—	1	1	—	—	2	—	—	—	
	Phosphorus .. .. .	2	—	—	—	—	—	—	1	1	—	—	—	
	Ammonia .. .. .	7	—	—	—	—	1	3	—	1	1	1	—	
	Corrosive Acid .. .. .	1	—	—	—	—	—	—	1	—	—	—	—	
	Hydrochloric Acid.. .. .	46	—	—	2	—	8	9	13	8	6	—	—	
	Nitric Acid .. .. .	3	—	—	—	—	—	1	1	1	—	—	—	
	Sulphuric Acid .. .. .	3	—	—	—	—	1	1	1	—	—	—	—	
	Iodide of Mercury .. .. .	1	—	—	—	—	—	—	—	1	—	—	—	
	Chloride of Mercury .. .. .	1	—	—	—	—	—	1	—	—	—	—	—	
	Chloride of Antimony .. .. .	1	—	—	—	—	—	—	1	—	—	—	—	
	Potassium Bichromate .. .. .	3	—	—	—	—	—	1	—	1	1	—	—	
	Potassium Cyanide .. .. .	26	—	—	1	1	3	10	9	1	1	—	—	
	Potassium Oxalate.. .. .	1	—	—	—	—	—	1	—	—	—	—	—	
	Acetic Acid .. .. .	1	—	—	—	—	—	1	—	—	—	—	—	
	Carbolic Acid .. .. .	39	—	1	2	—	9	8	11	5	3	—	—	
	Oxalic Acid .. .. .	38	—	—	—	—	8	11	10	6	3	—	—	
	Prussic Acid .. .. .	31	—	—	1	2	5	9	5	6	3	—	—	
	Chloral .. .. .	1	—	—	—	1	—	—	—	—	—	—	—	
	Chlorodyne .. .. .	2	—	—	—	—	1	—	—	1	—	—	—	
	Chloroform .. .. .	1	—	—	—	—	—	—	—	1	—	—	—	
	Opium, Laudanum, Morphia .. .. .	40	—	—	1	—	12	10	7	9	—	1	—	
	Nicotine .. .. .	2	—	—	—	1	—	—	1	—	—	—	—	
	Nicotine and Camphor .. .. .	1	—	—	—	—	—	1	—	—	—	—	—	
	Narcotic (kind not stated) .. .. .	2	—	—	—	—	—	—	1	1	—	—	—	
	Belladonna .. .. .	2	—	—	—	—	—	—	—	1	1	—	—	
	Strychnia, Nux Vomica .. .. .	7	—	—	1	—	1	1	1	3	—	—	—	
	Vermin Killer .. .. .	5	—	—	—	1	1	—	2	1	—	—	—	
	Yew Leaves .. .. .	1	—	—	—	—	1	—	—	—	—	—	—	
	Carbon Monoxide .. .. .	2	—	—	—	—	—	1	—	1	—	—	—	
	Coal Gas .. .. .	45	—	—	—	5	5	8	13	8	4	2	—	
	Nitro Benzine .. .. .	1	—	—	—	—	—	—	—	—	1	—	—	
	Liniment .. .. .	1	—	—	—	—	—	1	—	—	—	—	—	
	Sheep Dip .. .. .	1	—	—	—	—	—	—	—	1	—	—	—	
	Kind not stated .. .. .	33	—	—	4	1	6	9	5	6	1	1	—	
9	DROWNING .. .. .	512	—	1	8	24	86	104	130	86	59	12	2	
10	SUFFOCATION.													
	By Hanging .. .. .	747	—	2	13	25	84	110	204	166	113	27	3	
	Calico in Mouth .. .. .	2	—	—	—	—	—	1	1	—	—	—	—	
	Not stated how .. .. .	1	—	—	—	—	—	—	1	—	—	—	—	
11	FALLS.													
	Jumping from Height .. .. .	49	—	—	—	3	8	7	13	8	7	3	—	
13	OTHERWISE OR NOT STATED													
	Electric Shock .. .. .	1	—	—	—	—	—	—	—	1	—	—	—	
	Otherwise or not stated .. .. .	85	—	1	2	3	12	15	19	15	14	2	2	

ENGLAND AND WALES.—DEATHS from Suicide at DIFFERENT PERIODS OF LIFE in  
the YEAR 1907.—Females.

No.	METHOD OF SUICIDE.	ALL AGES.	AGES AT DEATH.										
			5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upward
	TOTAL .. .. .	901	—	5	55	65	168	207	191	132	63	14	1
2	VEHICLES AND HORSES ..	19	—	1	—	1	9	4	4	—	—	—	—
6	WEAPONS AND IMPLE- MENTS .. .. .	123	—	—	1	3	26	34	25	19	12	2	1
7	BURNS, SCALDS, EXPLOSIONS	7	—	—	—	1	3	—	1	1	1	—	—
8	POISONS AND POISONOUS VAPOURS .. .. .	240	—	1	18	21	44	59	51	35	11	—	—
9	DROWNING .. .. .	282	—	2	34	31	56	54	60	30	12	3	—
10	SUFFOCATION .. .. .	169	—	1	1	6	17	42	38	38	20	6	—
11	FALLS .. .. .	36	—	—	1	—	8	8	5	7	4	3	—
13	OTHERWISE OR NOT STATED	25	—	—	—	2	5	6	7	2	3	—	—
	VEHICLES AND HORSES.												
2	(a) On Railways:— Run over on Line .. ..	18	—	1	—	1	9	3	4	—	—	—	—
	Live Rail .. .. .	1	—	—	—	—	—	1	—	—	—	—	—
6	WEAPONS AND IMPLE- MENTS.												
	Gun-shot Wound .. .. .	7	—	—	1	1	1	1	2	1	—	—	—
	By Knife .. .. .	116	—	—	—	2	25	33	23	18	12	2	1
7	BURNS, SCALDS, EXPLOSIONS												
	Setting fire to Clothes .. ..	4	—	—	—	—	1	—	1	1	1	—	—
	Burn (not stated how) .. ..	3	—	—	—	1	2	—	—	—	—	—	—
8	POISONS AND POISONOUS VAPOURS.												
	Lead .. .. .	1	—	—	—	—	—	—	1	—	—	—	—
	Mercury .. .. .	1	—	—	—	—	—	—	—	1	—	—	—
	Phosphorus .. .. .	4	—	—	1	1	—	—	1	1	—	—	—
	Ammonia .. .. .	8	—	—	—	—	2	3	2	1	—	—	—
	Caustic Alkali .. .. .	1	—	—	—	—	—	1	—	—	—	—	—
	Boracic Acid .. .. .	1	—	—	—	—	1	—	—	—	—	—	—
	Corrosive Acid .. .. .	1	—	—	—	—	—	1	—	—	—	—	—
	Hydrochloric Acid .. .. .	37	—	—	4	4	6	8	6	8	1	—	—
	Nitric Acid .. .. .	1	—	—	—	—	—	—	—	1	—	—	—
	Sulphuric Acid .. .. .	2	—	—	—	—	—	1	1	—	—	—	—
	Bichloride of Mercury .. ..	2	—	—	—	1	—	1	—	—	—	—	—
	Cyanide of Mercury .. .. .	1	—	—	—	—	—	—	—	1	—	—	—
	Copper Sulphate .. .. .	1	—	—	—	—	—	—	—	—	1	—	—
	Potassium Bichromate .. ..	1	—	—	1	—	—	—	—	—	—	—	—
	Potassium Cyanide .. .. .	4	—	—	—	1	1	—	2	—	—	—	—
	Acetic Acid .. .. .	2	—	—	—	—	—	—	1	1	—	—	—
	Carbolic Acid .. .. .	54	—	—	6	6	12	16	10	2	2	—	—
	Oxalic Acid .. .. .	43	—	—	2	6	8	11	9	4	3	—	—
	Prussic Acid .. .. .	2	—	—	—	—	1	—	—	—	1	—	—
	Chlorodyne .. .. .	1	—	—	—	—	—	1	—	—	—	—	—
	Chloroform .. .. .	1	—	—	—	—	1	—	—	—	—	—	—
	Cocaine .. .. .	1	—	—	—	—	—	1	—	—	—	—	—
	Opium, Laudanum, Morphia ..	20	—	—	—	—	2	3	9	4	2	—	—
	Nicotine .. .. .	1	—	—	—	—	1	—	—	—	—	—	—
	Narcotic (kind not stated) ..	1	—	—	—	—	—	—	1	—	—	—	—
	Belladonna .. .. .	1	—	—	—	—	—	1	—	—	—	—	—
	Strychnia, Nux Vomica .. ..	6	—	—	1	1	—	4	—	—	—	—	—
	Coal Tar .. .. .	1	—	—	—	—	—	—	—	1	—	—	—
	Disinfectant .. .. .	2	—	—	—	—	1	—	—	1	—	—	—
	Liniment .. .. .	2	—	—	1	—	1	—	—	—	—	—	—
	Vermin Killer .. .. .	1	—	—	—	—	—	—	—	1	—	—	—
	Coal Gas .. .. .	18	—	—	—	—	3	4	5	6	—	—	—
	Kind not stated .. .. .	17	—	1	2	1	4	3	3	2	1	—	—
9	DROWNING .. .. .	282	—	2	34	31	56	54	60	30	12	3	—
10	SUFFOCATION.												
	By Hanging .. .. .	168	—	1	1	6	17	42	38	37	20	6	—
	Not stated how .. .. .	1	—	—	—	—	—	—	—	1	—	—	—
11	FALLS.												
	Jumping from Height .. ..	36	—	—	1	—	8	8	5	7	4	3	—
13	OTHERWISE OR NOT STATED	25	—	—	—	2	5	6	7	—	3	—	—



ENGLAND AND WALES.—DEATHS from **Murder** at DIFFERENT PERIODS of LIFE in  
the YEAR 1907.—**Males.**

No.	METHOD OF MURDER.	ALL AGES.	AGES AT DEATH.																		85 and up- wards.
			0-3 Months.	3-6 Months.	6-12 Months.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
	TOTAL .. ..	66	27	3	2	2	2	2	2	40	4	—	—	3	3	7	3	4	1	1	—
6	WEAPONS AND IM- PLEMENTS .. ..	20	2	—	—	1	1	1	—	5	4	—	—	3	1	4	—	1	1	1	—
8	POISONS AND POISONOUS VAPOURS .. ..	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—
9	DROWNING .. ..	7	3	1	1	—	—	1	1	7	—	—	—	—	—	—	—	—	—	—	—
10	SUFFOCATION.. ..	5	5	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED.. ..	32	17	2	1	1	—	—	1	22	—	—	—	—	2	3	3	2	—	—	—
6	WEAPONS AND IM- PLEMENTS.																				
	Gun-shot Wound ..	3	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—
	By Knife .. ..	14	2	—	—	1	1	1	—	5	4	—	—	1	—	2	—	1	1	—	—
	„ Hammer .. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	„ Pick .. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	„ Sword .. ..	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
8	POISONS AND POISONOUS VAPOURS.																				
	Laudanum .. ..	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Prussic Acid .. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
9	DROWNING .. ..	7	3	1	1	—	—	1	1	7	—	—	—	—	—	—	—	—	—	—	—
10	SUFFOCATION.																				
	Not stated how .. ..	5	5	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED.																				
	Blow, Kick .. ..	4	1	—	—	—	—	—	—	1	—	—	—	—	1	1	1	—	—	—	—
	Fracture .. ..	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	Strangulation .. ..	9	7	—	—	1	—	—	1	9	—	—	—	—	—	—	—	—	—	—	—
	Decapitation .. ..	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Neglect .. ..	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Murder (not otherwise described).. ..	15	6	1	1	—	—	—	—	8	—	—	—	—	1	2	2	2	—	—	—

ENGLAND AND WALES.—DEATHS from **Murder** at DIFFERENT PERIODS OF LIFE in  
the YEAR 1907 — **Females.**

No.	METHOD OF MURDER.	ALL AGES.	AGES AT DEATH.																		
			0-3 Months.	3-6 Months.	6-12 Months.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and up-wards.
	TOTAL .. ..	82	21	1	2	4	3	—	—	31	4	2	4	8	10	10	5	6	2	—	—
6	WEAPONS AND IM- PLEMENTS .. ..	18	1	—	—	—	—	—	—	1	1	—	2	3	4	2	3	2	—	—	—
7	BURNS, SCALDS, EX- PLOSIONS .. ..	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
8	POISONS AND POISON- OUS VAPOURS ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
9	DROWNING .. ..	11	1	1	1	3	2	—	—	8	3	—	—	—	—	—	—	—	—	—	—
10	SUFFOCATION.. ..	5	4	—	—	—	—	—	—	4	—	—	—	—	—	1	—	—	—	—	—
12	WEATHER AGENCIES	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED .. ..	43	13	—	1	—	1	—	—	15	—	2	2	5	6	7	1	3	2	—	—
6	WEAPONS AND IM- PLEMENTS.																				
	Gun-shot Wound ..	5	—	—	—	—	—	—	—	—	—	—	—	2	1	1	1	—	—	—	—
	By Knife .. ..	11	1	—	—	—	—	—	—	1	1	—	2	1	3	1	1	1	—	—	—
	„ Hammer .. ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
7	BURNS, SCALDS, EX- PLOSIONS.																				
	Burn (not stated how) ..	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
8	POISONS AND POISON- OUS VAPOURS.																				
	Prussic Acid .. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
9	DROWNING .. ..	11	1	1	1	3	2	—	—	8	3	—	—	—	—	—	—	—	—	—	—
10	SUFFOCATION.																				
	Not stated how .. ..	5	4	—	—	—	—	—	—	4	—	—	—	—	—	1	—	—	—	—	—
12	WEATHER AGENCIES.																				
	Exposure to cold ..	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED.																				
	Blow, Kick .. ..	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
	Fracture .. ..	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Strangulation .. ..	13	6	—	—	—	1	—	—	7	—	2	1	2	—	1	—	—	—	—	—
	Attempt to procure abortion:—																				
	By operation ..	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
	Navel Hæmorrhage ..	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	Murder (not otherwise described) .. ..	23	4	—	1	—	—	—	—	5	—	—	1	1	5	5	1	3	2	—	—



ENGLAND AND WALES.—DEATHS from **Manslaughter** at DIFFERENT PERIODS OF LIFE in  
the YEAR 1907.—**Males.**

No.	METHOD OF MANSLAUGHTER.	ALL AGES.	AGES AT DEATH.																		
			0-3 Months.	3-6 Months.	6-12 Months.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and up- wards.
	TOTAL .. ..	73	4	4	2	2	1	—	1	14	1	—	1	6	12	17	15	3	4	—	—
2	VEHICLES AND HORSES .. ..	11	—	—	—	—	—	—	—	—	—	—	1	2	1	2	2	2	1	—	—
6	WEAPONS AND IM- PLEMENTS .. ..	3	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—
7	BURNS, SCALDS, EX- PLOSIONS .. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
9	DROWNING .. ..	2	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
10	SUFFOCATION .. ..	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED .. ..	54	2	4	1	2	1	—	1	11	1	—	—	3	10	14	12	1	2	—	—
2	VEHICLES AND HORSES.																				
	Railway Collision ..	3	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—
	Motor Car .. ..	6	—	—	—	—	—	—	—	—	—	—	1	—	—	2	1	1	1	—	—
	Wagonette.. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Cycle .. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
6	WEAPONS AND IM- PLEMENTS.																				
	Gun-shot Wound ..	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	By Knife .. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
7	BURNS, SCALDS, EX- PLOSIONS.																				
	Burn (not stated how) ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
9	DROWNING .. ..	2	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
10	SUFFOCATION.																				
	Not stated how .. ..	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED.																				
	Blow, Kick .. ..	16	—	—	—	—	1	—	—	1	—	—	—	—	2	5	6	1	1	—	—
	Bite .. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Fracture .. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Fight .. ..	5	—	—	—	—	—	—	—	—	—	—	—	1	2	2	—	—	—	—	—
	Starvation.. ..	4	1	2	—	1	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—
	Neglect .. ..	5	—	2	—	1	—	—	1	4	1	—	—	—	—	—	—	—	—	—	—
	Manslaughter (not other- wise described) .. ..	16	1	—	1	—	—	—	—	2	—	—	—	1	3	6	3	—	1	—	—
	Justifiable Homicide ..	6	—	—	—	—	—	—	—	—	—	—	—	1	3	1	1	—	—	—	—

ENGLAND AND WALES.—DEATHS from **Manslaughter** at DIFFERENT PERIODS OF LIFE in  
the YEAR 1907.—**Females.**

No.	METHOD OF MANSLAUGHTER.	ALL AGES.	AGES AT DEATH.																		
			0-3 Months.	3-6 Months.	6-12 Months.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and up- wards.
	TOTAL .. ..	44	6	2	—	1	2	1	—	12	1	1	—	2	15	5	1	6	1	—	—
2	VEHICLES AND HORSES .. ..	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
7	BURNS AND SCALDS .. ..	3	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—
8	POISONS .. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
10	SUFFOCATION.. ..	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
11	FALLS .. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
13	OTHERWISE OR NOT STATED .. ..	35	4	2	—	1	2	1	—	10	1	—	—	2	13	4	—	4	1	—	—
2	VEHICLES AND HORSES.																				
	Motor Car .. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Horse Dray .. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
7	BURNS AND SCALDS.																				
	Burn by Lamp .. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Burn (not stated how) .. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Scald (not stated how) .. ..	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
8	POISONS.																				
	Belladonna .. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
10	SUFFOCATION.																				
	Not stated how .. ..	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
11	FALLS.																				
	Thrown downstairs .. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
13	OTHERWISE OR NOT STATED.																				
	Blow, Kick .. ..	5	—	2	—	—	—	—	—	2	—	—	—	—	—	1	—	1	1	—	—
	Fracture .. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	Navel Hæmorrhage .. ..	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Starvation .. ..	4	1	—	—	1	1	1	—	4	—	—	—	—	—	—	—	—	—	—	—
	Attempt to procure Abortion:—																				
	By Drugs .. ..	6	—	—	—	—	—	—	—	—	—	—	—	2	2	2	—	—	—	—	—
	By Operation .. ..	7	—	—	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—
	Not stated how .. ..	2	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
	Neglect.....	3	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—
	Manslaughter (not otherwise described) .. ..	6	—	—	—	—	1	—	—	1	1	—	—	—	2	1	—	1	—	—	—



## INDEX OF REGISTRATION DISTRICTS.

The following Index furnishes a reference to the *Number* of each REGISTRATION DISTRICT, according to the topographical arrangement adopted in the Tables of Abstracts contained in the Report.\* Districts having compound names are placed alphabetically according to the initial letter of the word spoken first locally: thus, East Ashford will be found under the letter E, and *not* under A.

*For names of Towns such as Accrington, Queenborough, &c., which are not found in this "Index of Registration Districts," see the "Index of Registration Sub-districts" (pp. 448-458) and "Index of Urban Districts" (pp. 459-469).*

## A

Aberayron, 604.  
 Abergavenny, 582.  
 Aberystwith, 605.  
 Abingdon, 115.  
 Alcester, 397.  
 Alnwick, 563.  
 Alresford, 105.  
 Alston, 568.  
 Alton, 106.  
 Alverstoke, 89.  
 Amersham, 140.  
 Amesbury, 253.  
 Ampthill, 173.  
 Andover, 110.  
 Anglesey, 630.  
 Ashbourne, 438.  
 Ashby de la Zouch, 406.  
 Ashton under Lyne, 468.  
 Aston, 387.  
 Atcham, 351.  
 Atherstone, 389.  
 Auckland, 545.  
 Axbridge, 315.  
 Axminster, 269.  
 Aylesbury, 143.  
 Aylsham, 223.  
 Aysgarth, 539.

## B

Bakewell, 440.  
 Bala, 623.  
 Banbury, 155.  
 Bangor, 628.  
 Barnet, 128.  
 Barnsley, 506.  
 Barnstaple, 285.  
 Barrow in Furness, 482.  
 Barrow upon Soar, 408.  
 Barton upon Irwell, 463.  
 Basford, 430.  
 Basingstoke, 108.  
 Bath, 317.  
 Battle, 69.

Beamister, 267.  
 Bedale, 537.  
 Bedford, 171.  
 Bedwellty, 583.  
 Belford, 564.  
 Bellingham, 561.  
 Belper, 437.  
 Berkhamstead, 139.  
 Berwick, 565.  
 Bethnal Green, 16.  
 Beverley, 519.  
 Bicester, 151.  
 Bideford, 287.  
 Biggleswade, 172.  
 Billericay, 191.  
 Billesdon, 402.  
 Bingham, 434.  
 Birkenhead, 452.  
 Birmingham, 386.  
 Bishop Stortford, 131.  
 Blaby, 403.  
 Blackburn, 474.  
 Blandford, 260.  
 Blean, 58.  
 Blofield, 228.  
 Blything, 216.  
 Bodmin, 294.  
 Bolton, 461.  
 Bootle, 576.  
 Bosmere, 211.  
 Boston, 417.  
 Bourne, 414.  
 Brackley, 156.  
 Bradfield, 118.  
 Bradford on Avon, 249.  
 Bradford, 497*a*.  
 Braintree, 199.  
 Bramley, 500.  
 Brampton, 570.  
 Brecknock, 608.  
 Brentford, 126.  
 Bridge, 56.  
 Bridgend, 589.  
 Bridgnorth, 348.  
 Bridgwater, 307.  
 Bridlington, 525.  
 Bridport, 268.  
 Brighton, 77.  
 Bristol, 320.  
 Brixworth, 162.  
 Bromley, 41.  
 Bromsgrove, 384.  
 Bromyard, 341.

Buckingham, 146.  
 Bucklow, 445.  
 Builth, 607.  
 Burnley, 472.  
 Burton upon Trent, 367.  
 Bury, 462.  
 Bury St. Edmunds, 206.

## C

Caistor, 424*b*.  
 Calne, 245.  
 Camberwell, 26.  
 Cambridge, 179.  
 Camelford, 290.  
 Cannock, 370.  
 Canterbury, 57.  
 Cardiff, 586.  
 Cardigan, 601.  
 Carlisle, 572.  
 Carmarthen, 597.  
 Carnarvon, 627.  
 Castle Ward, 558.  
 Catherington, 103.  
 Caxton, 177.  
 Chapel en le Frith, 441.  
 Chard, 309.  
 Cheadle, 365.  
 Chelmsford, 192.  
 Chelsea, 3.  
 Cheltenham, 335.  
 Chepstow, 580.  
 Chertsey, 31.  
 Chester, 450.  
 Chesterfield, 439.  
 Chester le Street, 552.  
 Chesterton, 178.  
 Chichester, 84.  
 Chippenham, 244.  
 Chipping Norton, 154.  
 Chipping Sodbury, 322.  
 Chorley, 475.  
 Chorlton, 464.  
 Christchurch, 93.  
 Church Stretton, 346.  
 Cirencester, 331.  
 Cleobury Mortimer, 347.  
 Clitheroe, 473.  
 Clun, 345.

\* Thus, the number of Births, Illegitimate Births, Deaths, and Marriages in Aberayron District may be ascertained by referring to the "Abstract of Births, Deaths, and Marriages," district number 604, which will be found on page 205.

Clutton, 316.  
 Cockermouth, 574.  
 Colchester, 196.  
 Congleton, 448.  
 Conway, 629.  
 Corwen, 622.  
 Cosford, 204.  
 Coventry 392.  
 Cranbrook, 52.  
 Crediton, 282.  
 Crickhowell, 609.  
 Cricklade, 242.  
 Croydon, 38.  
 Cuckfield, 75.

## D

Darlington, 542.  
 Dartford, 42.  
 Daventry, 161.  
 Depwade, 230.  
 Derby, 436.  
 Devizes, 247.  
 Devonport, 279.  
 Dewsbury, 502.  
 Docking, 235.  
 Dolgelly, 624.  
 Doncaster, 511.  
 Dorchester, 265.  
 Dorking, 35.  
 Dover, 64.  
 Downham, 238.  
 Driffild, 524.  
 Droitwich, 383.  
 Droxford, 102.  
 Dudley, 374.  
 Dulverton, 304.  
 Dunmow, 200.  
 Durham, 549.  
 Dursley, 324.

## E

Easington, 550.  
 Easingwold, 528.  
 East Ashford, 55.  
 Eastbourne, 70.  
 East Grinstead, 74.  
 Easthampstead, 122.  
 East Preston, 82.  
 East Retford, 427.  
 Eastry, 63.  
 East Stonehouse, 278.  
 East Ward, 577.  
 Ecclesall Bierlow, 508.  
 Edmonton, 129.  
 Elham, 65.  
 Ellesmere, 353.  
 Ely, 182.  
 Epping, 187.  
 Epsom, 30.  
 Erpingham, 222.  
 Eton, 141.  
 Evesham, 381.  
 Exeter, 272.

## F

Falmouth, 298.  
 Fareham, 90.  
 Faringdon, 114.  
 Farnham, 33.  
 Faversham, 59.  
 Festiniog, 625.  
 Flegg, 220.  
 Foleshill, 391.  
 Forden, 615.  
 Fordingbridge, 95.  
 Forehoe, 226.  
 Freebridge Lynn, 236.  
 Frome, 312.  
 Fulham, 2.  
 Fylde, 477.

## G

Gainsborough, 426.  
 Garstang, 478.  
 Gateshead, 555.  
 Glanford Brigg, 425.  
 Glendale, 566.  
 Glossop, 442*a*.  
 Gloucester, 327.  
 Godstone, 37.  
 Goole, 513.  
 Gower, 593.  
 Grantham, 419.  
 Gravesend, 43.  
 Great Ouseburn, 488.  
 Greenwich, 27.  
 Grimsby, 424*a*.  
 Guildford, 32.  
 Guisborough, 533.

## H

Hackney, 10.  
 Hailsham, 71.  
 Halifax, 496.  
 Halstead, 198.  
 Haltwhistle, 560.  
 Hambledon, 34.  
 Hampstead, 7.  
 Hardingstone, 159.  
 Hartismere, 209.  
 Hartlepool, 544.  
 Hartley Wintney, 107.  
 Haslingden, 471.  
 Hastings, 68.  
 Hatfield, 135.  
 Havant, 87.  
 Haverfordwest, 600.  
 Hawarden, 617*b*.  
 Hay, 610.  
 Hayfield, 442*b*.  
 Headington, 149.  
 Helmsley, 530.  
 Helston, 299.  
 Hemel Hempstead, 138.

Hemsworth, 505.  
 Hendon, 127.  
 Henley, 147.  
 Henstead, 227.  
 Hereford, 339.  
 Hertford, 134.  
 Hexham, 559.  
 Hinckley, 404.  
 Hitchin, 133.  
 Holbeach, 416.  
 Holbeck, 499.  
 Holborn, 13.  
 Hollingbourn, 51.  
 Holsworthy, 288.  
 Holyhead, 631.  
 Holywell, 617*a*.  
 Honiton, 270.  
 Hoo, 45.  
 Horncastle, 421.  
 Horsham, 79.  
 Houghton le Spring, 551.  
 Howden, 518.  
 Huddersfield, 495.  
 Hull, 521.  
 Hungerford, 113.  
 Hunslet, 498.  
 Huntingdon, 168.

## I

Ipswich, 213.  
 Isle of Wight, 91.  
 Isles of Scilly, 302.  
 Islington, 9.

## K

Keighley, 492.  
 Kendal, 579.  
 Kensington, 1*b*.  
 Kettering, 164.  
 Keynsham, 318.  
 Kidderminster, 376.  
 Kingsbridge, 275.  
 Kingsclere, 111.  
 King's Lynn, 237.  
 Kings Norton, 385.  
 Kingston, 39.  
 Kington, 343.  
 Knaresborough, 489.  
 Knighton, 611.

## L

Lambeth, 24.  
 Lampeter, 603.  
 Lancaster, 479.  
 Lanchester, 548.  
 Langport, 308.  
 Launceston, 291.  
 Ledbury, 337.  
 Leeds, 501.  
 Leek, 364.



Leicester, 409.  
 Leigh, 460.  
 Leighton Buzzard, 175.  
 Leominster, 342.  
 Lewes, 76*a*.  
 Lewisham, 28.  
 Lexden, 197.  
 Leyburn, 538.  
 Lichfield, 369.  
 Lincoln, 420.  
 Linton, 180.  
 Liskeard, 293.  
 Liverpool, 453.  
 Llandilofawr, 596.  
 Llandovery, 595.  
 Llanelly, 594.  
 Llanfyllin, 616.  
 Llanrwst, 621.  
 Loddon, 229.  
 London City, 14.  
 Long Ashton, 319.  
 Longtown, 571.  
 Loughborough, 407.  
 Louth, 423.  
 Ludlow, 344.  
 Lunesdale, 480.  
 Luton, 176.  
 Lutterworth, 400.  
 Lymington, 92.

## M

Macclesfield, 444.  
 Machynlleth, 613.  
 Madeley, 350.  
 Maidenhead, 121.  
 Maidstone, 50.  
 Maldon, 194.  
 Malling, 47.  
 Malmesbury, 243.  
 Malton, 527.  
 Manchester, 466.  
 Mansfield, 429.  
 Market Bosworth, 405.  
 Market Drayton, 356.  
 Market Harborough, 401.  
 Marlborough, 246.  
 Martley, 378.  
 Medway, 46.  
 Melksham, 248.  
 Melton Mowbray, 410.  
 Mere, 257.  
 Meriden, 388.  
 Merthyr Tydfil, 588.  
 Middlesbrough, 534.  
 Midhurst, 85.  
 Mildenhall, 207.  
 Mile End Old Town, 20.  
 Milton, 60.  
 Mitford, 233.  
 Monmouth, 581.  
 Morpeth, 562.  
 Mutford, 218.

## N

Nantwich, 449.  
 Narberth, 598.  
 Neath, 590.  
 Newark, 433.  
 Newbury, 112.  
 Newcastle in Emlyn, 602.  
 Newcastle under Lyne, 361.  
 Newcastle upon Tyne, 556.  
 Newent, 326.  
 New Forest, 96.  
 Newhaven, 76*b*.  
 Newmarket, 181.  
 Newport (Monmouth), 585.  
 Newport (Salop), 358.  
 Newport Pagnell, 145.  
 Newton Abbot, 273.  
 Newtown, 614.  
 Northallerton, 536.  
 Northampton, 160.  
 North Bierley, 497*b*.  
 Northleach, 332.  
 Northwich, 447.  
 North Witchford, 183.  
 Norwich, 225.  
 Nottingham, 431.  
 Nuneaton, 390.

## O

Oakham, 411.  
 Okehampton, 281.  
 Oldham, 469.  
 Ongar, 188.  
 Ormskirk, 457.  
 Orsett, 190.  
 Oswestry, 352.  
 Oundle, 166.  
 Oxford, 150.

## P

Paddington, 1*a*.  
 Pateley Bridge, 486.  
 Patrington, 522.  
 Pembroke, 599.  
 Penrith, 569.  
 Penzance, 301.  
 Pershore, 382.  
 Peterborough, 167.  
 Petersfield, 104.  
 Petworth, 80.  
 Pewsey, 252.  
 Pickering, 531.  
 Plomesgate, 215.  
 Plymouth, 277.  
 Plympton St. Mary, 276.  
 Pocklington, 517.  
 Pontardawe, 591.  
 Pontefract, 504.  
 Pontypool, 584.  
 Pontypridd, 587.  
 Poole, 262.

Poplar, 21.  
 Portsmouth, 88.  
 Potterspury, 158.  
 Prescott, 456.  
 Preston, 476.  
 Prestwich, 467.  
 Pwllheli, 626.

## R

Reading, 119.  
 Redruth, 300.  
 Reeth, 540.  
 Reigate, 36.  
 Rhayader, 612.  
 Richmond (Surrey), 40.  
 Richmond (Yorks), 541.  
 Ringwood, 94.  
 Ripon, 487.  
 Risbridge, 202.  
 Rochdale, 470.  
 Rochford, 193.  
 Romford, 189.  
 Romney Marsh, 66.  
 Romsey, 99.  
 Ross, 338.  
 Rothbury, 567.  
 Rotherham, 510.  
 Royston, 132.  
 Rugby, 393.  
 Runcorn, 446.  
 Ruthin, 619.  
 Rye, 67.

## S

Saddleworth, 494.  
 Saffron Walden, 201.  
 St. Albans, 136.  
 St. Asaph, 620.  
 St. Austell, 296.  
 St. Columb, 295.  
 St. Faith's, 224.  
 St. George Hanover Sq., 4.  
 St. George in the East, 18.  
 St. Germans, 292.  
 St. Giles, 11.  
 St. Ives, 169.  
 St. Marylebone, 6.  
 St. Neots, 170.  
 St. Olave (Bermondsey), 23.  
 St. Pancras, 8.  
 St. Thomas, 271.  
 Salford, 465.  
 Salisbury, 254.  
 Samford, 212.  
 Scarborough, 526.  
 Sculcoates, 520.  
 Sedbergh, 483.  
 Sedgefield, 543*b*.  
 Selby, 514.  
 Settle, 484.  
 Sevenoaks, 48.  
 Shaftesbury, 258.  
 Shardlow, 435.

Sheffield, 509.  
 Sheppey, 61.  
 Shepton Mallet, 313.  
 Sherborne, 266.  
 Shifnal, 349.  
 Shipston on Stour, 398.  
 Shoreditch, 15.  
 Skipton, 485.  
 Skirlaugh, 523.  
 Sleaford, 418.  
 Smallburgh, 221.  
 Solihull, 394.  
 Southam, 399.  
 Southampton, 97.  
 South Molton, 284.  
 South Shields, 554.  
 South Stoneham, 98.  
 Southwark, 22.  
 Southwell, 432.  
 Spalding, 415.  
 Spilsby, 422.  
 Stafford, 359.  
 Staines, 124.  
 Stamford, 413.  
 Stepney, 19.  
 Steyning, 78.  
 Stockbridge, 100.  
 Stockport, 443.  
 Stockton, 543*a*.  
 Stokesley, 535.  
 Stoke upon Trent, 363.  
 Stone, 360.  
 Stourbridge, 375.  
 Stow, 208.  
 Stow on the Wold, 333.  
 Strand, 12.  
 Stratford on Avon, 396.  
 Stratton, 289.  
 Strood, 44.  
 Stroud, 329.  
 Sturminster, 259.  
 Sudbury, 203.  
 Sunderland, 553.  
 Swaffham, 239.  
 Swansea, 592.  
 Swindon, 241.

## T

Tadcaster, 515.  
 Tamworth, 368.  
 Taunton, 306.  
 Tavistock, 280.  
 Teesdale, 546.  
 Tenbury, 377.  
 Tendring, 195.  
 Tenterden, 53.

Tetbury, 330.  
 Tewkesbury, 336.  
 Thakeham, 81.  
 Thame, 148.  
 Thanet, 62.  
 Thetford, 240.  
 Thingoe, 205.  
 Thirsk, 529.  
 Thornbury, 323.  
 Thorne, 512.  
 Thrapston, 165.  
 Ticehurst, 72.  
 Tisbury, 256.  
 Tiverton, 283.  
 Todmorden, 493.  
 Tonbridge, 49.  
 Torrington, 286.  
 Totnes, 274.  
 Towcester, 157.  
 Toxteth Park, 454.  
 Tregaron, 606.  
 Truro, 297.  
 Tynemouth, 557.

## U

Uckfield, 73.  
 Ulverston, 481.  
 Uppingham, 412.  
 Upton on Severn, 380.  
 Uttoxeter, 366.  
 Uxbridge, 125.

## W

Wakefield, 503.  
 Wallingford, 117.  
 Walsall, 372.  
 Walsingham, 234.  
 Wandsworth, 25.  
 Wangford, 217.  
 Wantage, 116.  
 Ware, 130.  
 Wareham, 263.  
 Warminster, 251.  
 Warrington, 459.  
 Warwick, 395.  
 Watford, 137.  
 Wayland, 232.  
 Weardale, 547.  
 Wellingborough, 163.  
 Wellington (Salop), 357.  
 Wellington (Somerset), 305.

Wells, 314.  
 Wem, 354.  
 Weobley, 340.  
 West Ashford, 54.  
 Westbourne, 86.  
 West Bromwich, 373.  
 Westbury, 250.  
 Westbury on Severn, 325.  
 West Derby, 455.  
 West Ham, 186.  
 Westhampnett, 83.  
 Westminster, 5.  
 West Ward, 578.  
 Wetherby, 490.  
 Weymouth, 264.  
 Wharfedale, 491.  
 Wheatenhurst, 328.  
 Whitby, 532.  
 Whitechurch (Hants), 109.  
 Whitechurch (Salop), 355.  
 Whitechapel, 17.  
 Whitehaven, 575.  
 Whittlesey, 184.  
 Wigan, 458.  
 Wigton, 573.  
 Williton, 303.  
 Wilton, 255.  
 Wimborne, 261.  
 Wincanton, 311.  
 Winchcomb, 334.  
 Winchester, 101.  
 Windsor, 123.  
 Winslow, 144.  
 Wirral, 451.  
 Wisbech, 185.  
 Witney, 153.  
 Wokingham, 120.  
 Wolstanton, 362.  
 Wolverhampton, 371.  
 Woodbridge, 214.  
 Woodstock, 152.  
 Woolwich, 29.  
 Worcester, 379.  
 Worksop, 428.  
 Wortley, 507.  
 Wrexham, 618.  
 Wycombe, 142.

## Y

Yarmouth, 219.  
 Yeovil, 310.  
 York, 516.

In consequence of numerous alterations in districts since the numerical arrangement, 1 to 623, was adopted in the Abstracts for the year 1847, the districts were re-numbered consecutively from 1 to 630 in the Abstracts for the year 1881. Since that date the districts of Woburn (174), Hoxne (210), Guilteross (231), and Barton Regis (321) have been dissolved and eight new Registration Districts have been formed, the District of Kensington having been divided into Paddington (1*a*) and Kensington (1*b*), the District of Lewes into Lewes (76*a*) and Newhaven (76*b*), the District of Caistor into Grimsby (424*a*) and Caistor (424*b*), the District of Glossop into Glossop (442*a*) and Hayfield (442*b*), the District of Chester into Chester (450) and Hawarden (617*b*), the District of Bradford into Bradford (497*a*) and North Bierley (497*b*), the District of Stockton into Stockton (543*a*) and Sedgefield (543*b*), and the District of Anglesey into Anglesey (630) and Holyhead (631).



## INDEX OF REGISTRATION SUB-DISTRICTS.

In this arrangement the principle is adopted of placing the Sub-Districts (or Registrars' Districts) having *compound names* in alphabetical order according to the initial letter of the word spoken first locally; thus, East Grinstead will be found under the letter E, and not as "Grinstead, East"; St. James under the letter S, and not as "James, St." The number against each Sub-District, in the third column, refers to its numerical place in the Tables of Abstracts; thus Abbey Holme (573; 2) is the 2nd Sub-District of Wigton District (No. 573).

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	
A			Ancoats .....	Manchester ..	466 ; 1	Bampton ....	Witney .....	153 ; 2	
			Andover .....	Andover .....	110 ; 3	Banbury ....	Banbury .....	155 ; 4	
			Anston .....	Worksop .....	428 ; 3	Bangor .....	Bangor .....	628 ; 2	
			Antony .....	St. Germans ..	292 ; 1	Barham .....	Bridge .....	56 ; 2	
			Appleby .....	East Ward .....	577 ; 1	Barking Town	Romford .....	189 ; 3	
			Appleton .....	Northallerton	536 ; 1	Barnbrough..	Doncaster ....	511 ; 2	
			Wiske.			Barmouth ....	Dolgelly .....	624 ; 2	
			Ardleigh .....	Tendring .....	195 ; 5	Barnack .....	Stamford .....	413 ; 2	
			Ardsley .....	Wakefield ....	503 ; 5	Barnard Castle	Teesdale .....	546 ; 2	
			Ardwick .....	Chorlton .....	464 ; 2	Barnet .....	Barnet .....	128 ; 2	
			Arkholme ....	Lunesdale ....	480 ; 4	Barnoldswick	Skipton .....	485 ; 3	
			Arncliffe .....	Settle .....	484 ; 5	Barnsbury ....	Islington .....	9 ; 5	
			Arnold .....	Basford .....	430 ; 5	Barnsley .....	Barnsley .....	506 ; 2	
			Arundel .....	East Preston ..	82 ; 3	Barnstaple....	Barnstaple ...	285 ; 1	
			Ashbourne ..	Ashbourne .....	438 ; 1	Barnwood ....	Gloucester ....	327 ; 1	
			Ashburton ....	Newton Abbot	273 ; 4	Barrow in Furness.	Barrow in Furness.	482 ; 1	
			Ashby de la Zouch.	Ashby de la Zouch.	406 ; 3	Barrowden ..	Uppingham ..	412 ; 3	
			Ashford .....	West Ashford ..	54 ; 2	Barrow upon Soar.	Barrow upon Soar.	408 ; 1	
			Ashington ....	Morpeth .....	562 ; 3	Barton .....	Barton upon Irwell.	463 ; 2	
			Ashley .....	Bristol .....	320 ; 8	Barton .....	Glanford Brigg	425 ; 3	
			Ashover .....	Chesterfield ..	439 ; 1	Baschurch ....	Ellesmere .....	353 ; 4	
			Ashton in Makerfield.	Wigan .....	458 ; 7	Basingstoke ..	Basingstoke ..	108 ; 1	
			Ashton Town	Ashton under Lyne.	468 ; 3	Bassingham ..	Newark .....	433 ; 2	
				Ashwater ....	Holsworthy ..	288 ; 4	Batheaston ...	Bath .....	317 ; 5
				Askrigg .....	Aysgarth .....	539 ; 1	Bathwick ....	Bath .....	317 ; 2
				Aslackby ....	Bourne .....	414 ; 2	Batley .....	Dewsbury ....	502 ; 2
				Aspull .....	Wigan .....	458 ; 2	Battle .....	Battle .....	69 ; 2
				Aston .....	Rotherham ..	510 ; 1	Bawdeswell ..	Mitford .....	233 ; 3
				Aston Manor..	Aston .....	387 ; 4	Bawtry .....	Doncaster ....	511 ; 5
				Atherstone....	Atherstone....	389 ; 1	Beaminster ..	Beaminster ..	267 ; 3
				Atherton .....	Leigh .....	460 ; 4	Beaufort .....	Crickhowell ..	609 ; 2
				Attercliffe ..	Sheffield .....	509 ; 7	Beaumaris ....	Bangor .....	628 ; 1
				Attleborough	Wayland ....	232 ; 1	Bebington ....	Wirral .....	451 ; 3
				Audenshaw ..	Ashton under Lyne.	468 ; 4	Beccles .....	Wangford ....	217 ; 2
				Audley .....	Newcastle under Lyme.	361 ; 3	Beckenham ..	Bromley .....	41 ; 2
				Aughton .....	Ormskirk ....	457 ; 3	Beckley .....	Rye .....	67 ; 2
				Axbridge .....	Axbridge ....	315 ; 1	Bedale .....	Bedale .....	537 ; 1
				Axminster ....	Axminster ....	269 ; 2	Bedford and Cardington.	Bedford .....	171 ; 6
				Aycliffe .....	Darlington ....	542 ; 3	Bedford and Kempston.	Bedford .....	171 ; 5
				Aylesbury ....	Aylesbury ....	143 ; 2	Bedlington ..	Morpeth .....	562 ; 2
			Aylesford ....	Malling .....	47 ; 1	Bedminster ..	Bristol .....	320 ; 1	
B						Beeston .....	Basford .....	430 ; 3	
						Begelly .....	Narberth .....	598 ; 3	
						Belbroughton	Bromsgrove ..	384 ; 2	
						Belford .....	Belford .....	564 ; 1	
						Belgrave .....	St. George Hanover-square.	4 ; 2	
						Bellingham ..	Bellingham ..	561 ; 1	
						Belper .....	Belper .....	437 ; 3	
						Belton .....	Mutford .....	218 ; 3	
						Benington ....	Boston .....	417 ; 2	
						Bentham .....	Settle .....	484 ; 1	
						Benwell .....	Newcastle upon Tyne.	556 ; 1	
						Bere Regis....	Wareham ....	263 ; 4	
						Berkeley .....	Thornbury ....	323 ; 3	
						Berkhampstead.	Berkhampstead.	139 ; 1	
						Bermondsey ..	St. Olave (Bermondsey).	23 ; 2	
						Berwick upon Tweed.	Berwick .....	565 ; 1	
						Betchworth ..	Reigate .....	36 ; 1	
						Bethnal Green North East.	Bethnal Green	16 ; 1	
						Bethnal Green South West.	Bethnal Green	16 ; 2	
						Bettws y Coed	Llanrwst .....	621 ; 2	

More than a camera

K.: Fuji Bldg., 2-3, 3-chome, Marunouchi, Chiyoda-ku, Tokyo 100, Japan  
Offices in: New York, Zurich, Amsterdam, Düsseldorf





SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Beverley ....	Beverley .....	519 ; 2	Bramley .....	Basingstoke ..	108 ; 2	C		
Bewdley ....	Kidderminster	376 ; 5	Bramley .....	Bramley .....	500 ; 1			
Bexhill .....	Battle .....	69 ; 1	Brampton .....	Brampton .....	570 ; 2			
Bexley .....	Dartford .....	42 ; 1	Brandesburton	Skirlaugh .....	523 ; 5			
Bibury .....	Northleach....	332 ; 1	Brassington ..	Ashbourne .....	438 ; 4			
Bicester .....	Bicester .....	151 ; 2	Bratton Clo-	Okehampton..	281 ; 1			
Bickerstaffe ..	Ormskirk .....	457 ; 1	velly.					
Biddulph .....	Leek .....	364 ; 2	Braughing ....	Bishop Stort-	131 ; 3			
Bideford .....	Bideford .....	287 ; 1		ford.				
Biggleswade ..	Biggleswade ..	172 ; 1	Breage .....	Helston .....	299 ; 4			
Billesdon .....	Billesdon .....	402 ; 1	Brecknock .....	Brecknock .....	608 ; 2	Cadoxton ....	Neath .....	590 ; 4
Billinge .....	Wigan .....	458 ; 6	Bredbury .....	Stockport .....	443 ; 3	Caerleon .....	Newport(Mon-	585 ; 1
Billinghay ....	Sleaford .....	418 ; 1	Brenchley .....	Tonbridge .....	49 ; 3		mouth).	
Billington .....	Blackburn .....	474 ; 1	Brentford .....	Brentford .....	126 ; 3	Cainham .....	Ludlow .....	344 ; 3
Bilston .....	Wolverhampton	371 ; 7	Brentwood .....	Billericay .....	191 ; 1	Caistor .....	Caistor .....	4246 ; 1
Binbrook .....	Louth .....	423 ; 3	Bretton .....	Wakefield .....	503 ; 1	Calbourne .....	Isle of Wight..	91 ; 6
Bingham .....	Bingham .....	434 ; 1	Brewood .....	Cannock .....	370 ; 1	Caldbeck .....	Wigton .....	573 ; 3
Bingley .....	Keighley .....	492 ; 1	Bridgend .....	Bridgend .....	589 ; 4	Calehill .....	West Ashford ..	54 ; 1
Binsted .....	Alton .....	106 ; 2	Bridlington .....	Bridlington ..	525 ; 2	Callington .....	Liskeard .....	293 ; 1
Birkenhead ..	Birkenhead ..	452 ; 1	Bridgnorth .....	Bridgnorth....	348 ; 2	Calne .....	Calne .....	245 ; 1
Bishop Auck-	Auckland .....	545 ; 1	Bridgwater .....	Bridgwater ..	307 ; 2	Calstock .....	Tavistock .....	280 ; 1
land.			Bridport .....	Bridport .....	268 ; 2	Calton .....	Ashbourne .....	438 ; 3
Bishops Castle	Clun .....	345 ; 2	Brigg .....	Glanford Brigg	425 ; 1	Calverley ....	North Bierley ..	497 ; 8
Bishops Frome	Bromyard .....	341 ; 2	Brighouse .....	Halifax .....	496 ; 1	Camberwell ..	Camberwell ..	26 ; 3
Bishop's Lyde-	Taunton .....	306 ; 4	Brilley .....	Kington .....	343 ; 1			
ard.			Brindle .....	Chorley .....	475 ; 1	North.		
BishopsTawton	Barnstaple ....	285 ; 5	Bristol Central	Bristol .....	320 ; 3	Camberwell ..	Camberwell ..	26 ; 2
Bishopstone ..	Wilton .....	255 ; 2	Brixham .....	Totnes .....	274 ; 2	South.		
Bishops Walt-	Droxford .....	102 ; 1	Brixton .....	Lambeth .....	24 ; 5	Camborne .....	Redruth .....	300 ; 4
ham.			Broadstairs ..	Thanet .....	62 ; 3	Camelford ....	Camelford ....	290 ; 2
Bishopthorpe	York .....	516 ; 4	Broadway .....	Evesham .....	381 ; 2	Campsall ....	Doncaster ....	511 ; 4
Bisley .....	Stroud .....	329 ; 3	Brockhampton	Bromyard .....	341 ; 3	Canford .....	Poole .....	262 ; 1
Bitton .....	Keynsham ....	318 ; 1	Bromley .....	Bromley .....	41 ; 1	Canning Town	West Ham ....	186 ; 4
Blackawton ..	Kingsbridge ..	275 ; 1	Bromley .....	Poplar .....	21 ; 2	Cannock .....	Cannock .....	370 ; 2
Blackburn .....	Blackburn ....	474 ; 4	Bromsgrove .....	Bromsgrove ....	384 ; 1	Canterbury ..	Canterbury ..	57 ; 1
Northern.			Brompton ....	Kensington....	16 ; 2	Capel .....	Dorking .....	35 ; 1
Blackburn .....	Blackburn ....	474 ; 6	Bromyard ....	Bromyard .....	341 ; 1	Capel St. Mary	Samford .....	212 ; 1
Southern.			Broomhall ....	Ecclesall Bier-	508 ; 7	Carburton ....	Worksop .....	428 ; 4
Blackburn .....	Blackburn ....	474 ; 5		low.		Cardigan .....	Cardigan .....	601 ; 2
Western.			Broseley .....	Madeley .....	350 ; 3	Carlford .....	Woodbridge ..	214 ; 1
Blackley .....	Prestwich ....	467 ; 4	Broughton .....	Preston .....	476 ; 7	Carlton .....	Basford .....	430 ; 6
Blackpool .....	Fylde .....	477 ; 3	Broughton .....	Salford .....	465 ; 2	Carlton .....	Selby .....	514 ; 1
Black Tarring-	Holsworthy ..	288 ; 3	Broughton .....	Stockbridge ..	100 ; 1	Carlton .....	Worksop .....	428 ; 2
ton.			Bryngwran .....	Holyhead .....	631 ; 1	Carmarthen ..	Carmarthen ..	597 ; 3
Blackwell ....	Mansfield ....	429 ; 3	Bubwith .....	Howden .....	518 ; 2	Carnarvon .....	Carnarvon .....	627 ; 3
Blaenavon ....	Abergavenny ..	582 ; 4	Buckfastleigh	Totnes .....	274 ; 5	Carshalton ....	Epsom .....	30 ; 1
Blagdon .....	Axbridge .....	315 ; 4	Buckingham ..	Buckingham ..	146 ; 1	Cartmel .....	Ulverston ....	481 ; 1
Blandford ....	Blandford .....	260 ; 2	Bucklebury ..	Bradfield .....	118 ; 1	Castle Cary ..	Wincanton ....	311 ; 1
Blethington ..	Bicester .....	151 ; 1	Budworth .....	Runcorn .....	446 ; 1	Castle Combe	Chippenham ..	244 ; 1
Blidworth ....	Mansfield ....	429 ; 6	Bugbrooke ....	Northampton ..	160 ; 3	Castle Doning-	Shardlow ....	435 ; 1
Blockley .....	Shipston on	398 ; 1	Builth .....	Builth .....	607 ; 4	ton.		
	Stour.		Bulmer .....	Malton .....	527 ; 5	Castleford ....	Pontefract ....	504 ; 4
Blofield .....	Blofield .....	228 ; 1	Bulmer .....	Sudbury .....	203 ; 1	Castle Rising..	Freebridge ..	236 ; 3
Bloxham .....	Banbury .....	155 ; 1	Bulwell .....	Nottingham ..	431 ; 5		Lynn.	
Bloxwich ....	Walsall .....	372 ; 2	Bunbury .....	Nantwich ....	449 ; 3	Castleton No.1	Rochdale .....	470 ; 2
Blyth .....	Tynemouth ..	557 ; 5	Bungay .....	Wangford ....	217 ; 1	Castleton No.2	Rochdale .....	470 ; 3
Bobbingworth	Ongar .....	188 ; 1	Buntingford ..	Royston .....	132 ; 1	Caton .....	Lunesdale ....	480 ; 1
Bocking .....	Braintree .....	199 ; 2	Burbage .....	Hinckley .....	404 ; 1	Catterick ....	Richmond ..	541 ; 2
Bodenham .....	Leominster....	342 ; 2	Bures .....	Sudbury .....	203 ; 2		(Yorks).	
Bodmin .....	Bodmin .....	294 ; 3	Burford .....	Witney .....	153 ; 4	Caversham .....	Henley .....	147 ; 2
Bognor .....	Westhampnett	83 ; 2	Burgh .....	Carlisle .....	572 ; 5	Cawthorne ..	Wortley .....	507 ; 1
Bollington .....	Macclesfield ..	444 ; 2	Burgh .....	Spilsby .....	422 ; 4	Caxton .....	Caxton .....	177 ; 1
Bolsover .....	Chesterfield ..	439 ; 3	Burhill .....	Hereford .....	339 ; 3	Cenarth .....	Newcastle in	602 ; 3
Bootle .....	Bootle .....	576 ; 2	Burnham .....	Axbridge .....	315 ; 2		Emlyn.	
Bootle .....	West Derby ..	455 ; 5	Burnham .....	Docking .....	235 ; 1	Central .....	Manchester ..	466 ; 2
Bordesley ....	Aston .....	387 ; 2	Burnham .....	Eton .....	141 ; 3	Central Cardiff	Cardiff .....	586 ; 3
Boroughbridge	Great Ouse-	488 ; 1	Burslem .....	Wolstanton....	362 ; 3	Central Hack-	Hackney .....	10 ; 3
	burn.		Burton Brad-	Bridport .....	268 ; 1	ney.		
Boscattle .....	Camelford ....	290 ; 1	stock.			Cerne .....	Dorchester ....	285 ; 4
Boston .....	Boston .....	417 ; 3	Burton Lati-	Kettering ....	164 ; 1	Chadderton ..	Oldham .....	469 ; 4
Botesdale ....	Hartismere ....	209 ; 2	mer.			Chaddesley ..	Kidderminster	376 ; 1
Boughton .....	Faversham ....	59 ; 1	Burton upon	Burton upon	367 ; 4	Corbett.		
Bourne .....	Bourne .....	414 ; 3	Trent.	Trent.		Chagford ....	Okehampton..	281 ; 4
Bournemouth ..	Christchurch..	93 ; 2	Burwell .....	Newmarket ..	181 ; 3	Chailey .....	Lewes .....	76a ; 1
Bourton on the	Stow on the	333 ; 1	Bury St. Ed-	Bury St. Ed-	206 ; 1	Chalfont .....	Amersham ....	140 ; 4
Water.	Wold.		munds.	munds.		Chapel en le	Chapel en le	441 ; 2
Bow .....	Crediton .....	282 ; 2	Bushey .....	Watford .....	137 ; 1	Frith.	Frith.	
Bow .....	Poplar .....	21 ; 1	Buxton .....	Aylsham .....	223 ; 2	Chapelton ..	Leeds .....	501 ; 5
Bowling .....	Bradford .....	497a ; 1	Buxton .....	Chapel en le	441 ; 1	Chard .....	Chard .....	309 ; 3
Boxgrove .....	Westhampnett	83 ; 4		Frith.		Chardstock ..	Axminster ....	269 ; 3
Brabourne .....	East Ashford..	55 ; 1	Byker .....	Newcastle	556 ; 6	Charlbury ....	Chipping Nor-	154 ; 1
Brackley .....	Brackley .....	156 ; 1	upon Tyne	upon Tyne			ton.	
Bracknell ....	Easthampstead	122 ; 1	Hexham.	Hexham.	559 ; 1	Charlton Kings	Woolwich ....	29 ; 1
Bradfield .....	Wortley .....	507 ; 6				Charlton Kings	Cheltenham ..	335 ; 1
Bradford East	Bradford .....	497a ; 2				Chartham ....	Bridge .....	56 ; 1
Bradford on	Bradford on	249 ; 1				Chatteris ....	North Witch-	183 ; 1
Avon.	Avon.						ford.	
Bradford West	Bradford .....	497a ; 3				Cheadle .....	Cheadle .....	365 ; 4
Brading .....	Isle of Wight ..	91 ; 4				Cheadle .....	Stockport ....	443 ; 8
Bradley .....	Westbury .....	250 ; 1				Chedworth ..	Northleach ....	332 ; 2
Brafield .....	Hardingstone ..	159 ; 1				Cheetham ....	Prestwich ....	467 ; 2
Braintree .....	Braintree .....	199 ; 5				Chelmsford ..	Chelmsford ..	192 ; 2



SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Chelsea North	Chelsea .....	3; 1	Conway	Conway .....	629; 1	Didmarton....	Tetbury .....	330; 1
Chelsea South	Chelsea .....	3; 2	Conwil	Carmarthen ..	597; 4	Didsbury ....	Chorlton .....	464; 1
Cheltenham ..	Cheltenham ..	335; 2	Conwil Caio ..	Llandovery ..	595; 7	Dilhorne .....	Cheadle .....	365; 3
Chepstow ....	Chepstow .....	580; 1	Corby	Bourne .....	414; 1	Dilwyn .....	Weobley .....	340; 2
Cheriton Fitz- paine.	Crediton .....	282; 4	Corfe Castle ..	Wareham .....	263; 2	Dishforth ....	Ripon .....	487; 3
Chertsey ....	Chertsey .....	31; 2	Cornforth ..	Sedgefield ..	543b; 2	Diss .....	Depwade .....	230; 2
Chesham ....	Amersham .....	140; 2	Corsham.....	Chippenham ..	244; 2	Doncaster ....	Doncaster ....	511; 3
Cheshunt .....	Edmonton .....	129; 8	Corwen .....	Corwen .....	622; 1	Donhead .....	Tisbury .....	256; 1
Chesterfield ..	Chesterfield ..	439; 2	Costessey ....	Forehoe .....	226; 1	Donington ....	Spalding .....	415; 2
Chester Castle	Chester.....	450; 2	Cotswold.....	Cirencester ..	331; 1	Dorchester....	Dorchester....	265; 1
Chester Cathed- ral.	Chester.....	450; 3	Cottingham ..	Sculcoates ....	520; 2	Dore .....	Ecclesall Bier- low.	508; 3
Chester le Street.	Chester le Street.	552; 1	Coulson .....	Croydon .....	38; 1	Dorking .....	Dorking .....	35; 1
Chetton .....	Bridgnorth....	348; 1	Cowbridge .....	Brigend.....	589; 3	Downham ....	Downham ....	238; 2
Cheveley.....	Newmarket ..	181; 1	Cowes .....	Isle of Wight..	91; 1	Downton.....	Salisbury ....	254; 2
Chew Magna..	Clutton.....	316; 2	Coxwold .....	Easingwold ..	528; 3	Driffield .....	Driffield .....	524; 2
Chichester ..	Chichester ....	84; 1	Cramlington..	Tynemouth ....	557; 6	Drighlington..	North Bierley	497b; 2
Chigwell .....	Epping .....	187; 1	Cranborne ..	Wimborne ..	261; 1	Droitwich ....	Droitwich ....	383; 2
Chippenham..	Chippenham ..	244; 3	Cranbrook ....	Cranbrook ....	52; 1	Dronfield ....	Chesterfield ..	439; 5
Chipping.....	Clitheroe.....	473; 3	Cranfield.....	Ampthill .....	173; 3	Drypool .....	Sculcoates ....	520; 6
Chipping Nor- ton.	Chipping Nor- ton.	154; 2	Cranley .....	Hambleton ..	34; 2	Dudley .....	Dudley .....	374; 4
ChippingOngar	Ongar .....	188; 2	Crediton .....	Crediton .....	282; 3	Duddleston...	Aston .....	387; 3
Chipping Sod- bury.	Chipping Sod- bury.	322; 2	Crewe .....	Nantwich .....	449; 1	Duffield .....	Belper .....	437; 1
Chirbury.....	Forden .....	615; 2	Crewkerne....	Chard .....	309; 4	Dukinfield ....	Ashton under Lyne.	468; 7
Chislehurst ..	Bromley .....	41; 4	Criccieth.....	Pwllheli .....	626; 1	Dulverton ....	Dulverton ....	304; 1
Chiswick.....	Brentford .....	126; 4	Crick .....	Rugby .....	393; 2	Dulwich .....	Camberwell ..	26; 1
Chobham .....	Chertsey .....	31; 3	Crickhowell ..	Crickhowell ..	609; 4	Dummer .....	Basingstoke ..	108; 1
Chollerton ....	Hexham .....	559; 4	Cricklade ....	Cricklade ....	242; 2	Dunchurch ..	Rugby .....	393; 1
Cholsey .....	Wallingford ..	117; 1	Cromer .....	Erpingham ..	222; 2	Dunmow .....	Dunmow ....	200; 1
Chorley .....	Chorley .....	475; 4	Crompton ....	Oldham .....	469; 7	Dunnington ..	York .....	516; 1
Chorlton upon Medlock.	Chorlton .....	464; 3	Cropredy ....	Banbury .....	155; 3	Dunstable ....	Luton .....	176; 1
Christchurch	Christchurch..	93; 1	Crosby .....	West Derby ..	455; 1	Dunster .....	Williton .....	303; 1
Christchurch	St. Marylebone	6; 3	Croston .....	Chorley .....	475; 5	Dursley .....	Dursley .....	324; 1
Christchurch and St. Sa- viour South- wark.	Southwark ..	22; 1	Crowan .....	Helston .....	299; 5	Duxford .....	Linton .....	180; 1
Christian Mal- ford.	Chippenham ..	244; 4	Crowland ....	Peterborough ..	167; 3			
Chudleigh ....	Newton Abbot	273; 2	Crowle.....	Thorne .....	512; 3			
Church Hulme	Congleton ....	448; 1	Cuckfield ....	Cuckfield.....	75; 1			
Church Stret- ton.	Church Stret- ton.	346; 1	Culcheth.....	Leigh .....	460; 2			
Cilycwm.....	Llandovery ..	595; 6	Cullompton ..	Tiverton .....	283; 2			
Cirencester ..	Cirencester....	331; 2	Culmstock ....	Wellington ..	305; 4			
Clacton .....	Tendring .....	195; 1		(Somerset).				
Clapham.....	Wandsworth ..	25; 4		Crickhowell ..	609; 1			
Clarborough ..	East Retford ..	427; 2						
Clare.....	Risbridge .....	202; 3						
Clawton .....	Holsworthy ..	288; 5						
Claypole .....	Newark .....	433; 5						
Cleckheaton ..	North Bierley	497b; 1						
Cleeve .....	Winchcomb ..	334; 2						
Clebury Mor- timer.	Clebury Mor- timer.	347; 1						
Clifton .....	Bristol .....	320; 2						
Clitheroe.....	Clitheroe.....	473; 4						
Clodock .....	Hereford .....	339; 7						
Clun .....	Clun .....	345; 1						
Clydey .....	Newcastle in Emlyn.	602; 2						
Cockermouth	Cockermouth	574; 2						
Coddenham ..	Bosmere .....	211; 1						
Coggeshall ....	Braintree.....	199; 3						
Coker .....	Yeovil .....	310; 1						
Colchester	Colchester ....	196; 1						
First Ward.								
Colchester	Colchester ....	196; 2						
Second Ward.								
Colchester	Colchester ....	196; 3						
Third Ward.								
Colford .....	Mormouth .....	581; 2						
Colleshill .....	Meriden .....	388; 1						
Collingbourne	Pewsey.....	252; 2						
Colne .....	Burnley .....	472; 5						
Colneis.....	Woodbridge ..	214; 2						
Colton .....	Ulverston .....	481; 2						
Colwyn .....	Builth .....	607; 3						
Colwyn Bay ..	Conway .....	629; 3						
Colyton .....	Axminster .....	269; 4						
Combe Martin	Barnstaple....	285; 3						
Combe St.	Chard .....	309; 2						
Nicholas.								
Condover ....	Atcham .....	351; 1						
Congleton ....	Congleton ....	448; 2						
Consett .....	Lanchester....	548; 2						
Constantine ..	Falmouth .....	298; 3						



[illegible]



SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Heaton .....	Lancaster .....	479; 2	Hurs'ey .....	Winchester....	101; 4	Kensington	Kensington....	1b; 1
Heaton Norris	Stockport ....	443; 7	Hurstbourne	Andover .....	110; 4	Town.		
Heavitree ....	St. Thomas....	271; 5	Tarrant.			Kentchurch ..	Hereford .....	339; 6
Hebden Bridge	Todmorden ..	493; 1	Hurstmon-	Hailsham ....	71; 1	Kenton .....	St. Thomas ....	271; 7
Heddingham ..	Halstead .....	198; 2	ceux.			Kent-road .....	Southwark ..	22; 2
Hedon .....	Sculcoates ..	520; 5	Hurstpierpoint	Cuckfield.....	75; 2	Kenwyn .....	Truro.....	297; 5
Hellingley ....	Hailsham ....	71; 2	Hurworth ....	Darlington ....	542; 1	Kerry .....	Newtown .....	614; 3
Helmsley.....	Helmsley.....	530; 1	Hutton.....	Stokesley ....	535; 2	Kessingland ..	Mutford .....	218; 1
Helston .....	Helston .....	299; 2	Hutton Bushell	Scarborough ..	526; 3	Keswick .....	Cockermouth ..	574; 1
Hemel Hemp-	Hemel Hemp-	138; 2	Hyde .....	Stockport .....	443; 2	Kettering ....	Kettering ....	164; 2
stead.	stead.		Hythe .....	Elham .....	65; 3	Kettlewell ..	Skipton .....	485; 1
Hemsworth	Hemsworth ..	505; 1				Keynsham....	Keynsham ....	318; 3
Eastern.						Kidderminster	Kidderminster	376; 3
Hemsworth	Hemsworth ..	505; 2				Kildwick ....	Skipton .....	485; 4
Western.						Kilkhampton	Stratton .....	289; 1
Hendon .....	Hendon .....	127; 4				Kilmersdon ..	Frome .....	312; 4
Henley.....	Henley .....	147; 1				Kimbolton....	St. Neots .....	170; 2
Henstead .....	Henstead.....	227; 2				Kingsbridge ..	Kingsbridge ..	275; 4
Hereford City	Hereford .....	339; 4				Kingsclere ....	Kingsclere ....	111; 2
Herne .....	Blean .....	58; 2				Kingsland ....	Leominster....	342; 3
Hertford.....	Hertford .....	134; 2				Kings Langley	Hemel Hemp-	138; 1
Hessle .....	Sculcoates ..	520; 4					stead.	
Hetton le Hole	Houghton le	551; 2				Kings Norton	Kings Norton	385; 1
	Spring.					Kingston.....	Kingston .....	39; 2
Heworth.....	Gateshead ....	555; 1				Kingston and	Portsmouth ..	88; 2
Hexham.....	Hexham .....	559; 2				East Southsea		
Heytesbury ..	Warminster ..	251; 3				Kingswinford	Stourbridge ..	375; 3
Heywood .....	Bury .....	462; 5				Kingswood ..	Keynsham ....	318; 2
Higham Ferrers	Wellingborough	163; 2				Kington .....	Kington .....	343; 3
High Bicking-	Torrington ....	286; 1				Kintbury ....	Hungerford ..	113; 1
ton.						Kinver .....	Wolverhamp-	371; 2
Highbury ....	Islington .....	9; 7					ton.	
Highclere ....	Kingsclere ....	111; 1				Kirkburton ..	Huddersfield..	495; 5
High Hoyland	Wortley .....	507; 2				Kirkby Lons-	Kendal.....	579; 3
High Littleton	Clutton .....	316; 3				dale.		
Highworth ....	Swindon .....	241; 1				Kirkby Mal-	Settle.....	484; 4
Hillingdon ..	Uxbridge .....	125; 1				ham.		
Hillington ....	Freebridge	236; 1				Kirkby Mal-	Ripon .....	487; 1
	Lynn.					zeard.		
Hillsborough	Sheffield .....	503; 4				Kirkby Moor-	Helmsley.....	530; 3
Hinckley ....	Hinckley .....	404; 2				side.		
Hindley .....	Wigan .....	458; 4				Kirkby Ste-	East Ward ....	577; 2
Hindon .....	Tisbury .....	256; 3				phen.		
Hitchin .....	Hitchin .....	133; 2				Kirkdale.....	West Derby ..	455; 6
Hoddesdon ..	Ware .....	130; 1				Kirkham ....	Fylde .....	477; 1
Holbeach ....	Holbeach ....	416; 3				Kirkheaton ..	Huddersfield..	495; 7
Holbeck .....	Holbeck .....	499; 1				Kirkoswald ..	Penrith.....	569; 3
Holborn .....	Holborn .....	13; 1				Kirkstall.....	Leeds.....	501; 4
Holbrook ....	Samford .....	212; 2				Kirkwhelping-	Bellingham ..	561; 2
Hollingbourn	Hollingbourn	51; 1				ton.		
Holme .....	Howden .....	518; 1				Kirton .....	Boston .....	417; 1
Holmfirth ....	Huddersfield..	495; 3				Knares-	Knaresborough	489; 1
Holsworthy ..	Holsworthy ..	288; 2				borough.		
Holt .....	Erpingham ..	222; 3				Kneesall .....	Southwell ....	432; 2
Holt .....	Wrexham ....	618; 1				Knighton ....	Knighton.....	611; 2
Holyhead ....	Holyhead ....	631; 3				Knockin .....	Oswestry.....	352; 1
Holy Trinity..	Coventry.....	392; 2				Knottingley ..	Pontefract ...	504; 1
Holywell ....	Holywell.....	617a; 2				Knott Lanes..	Ashton under	468; 1
Honiton .....	Honiton .....	270; 1					Lyne.	
Honley .....	Huddersfield..	495; 2				Knowle .....	Bristol .....	320; 5
Hoo .....	Hoo .....	45; 1				Knowle .....	Solihull .....	394; 2
Horbury .....	Wakefield ....	503; 3				Knutsford ....	Bucklow.....	445; 5
Horley.....	Reigate .....	36; 3						
Horncastle....	Horncastle ....	421; 2						
Hornchurch ..	Romford .....	189; 4						
Horndean ....	Catherington	103; 1						
Hornsea .....	Skirlaugh ....	523; 4						
Hornsey .....	Edmonton ....	129; 1						
Horsforth ....	Wharfedale ..	491; 1						
Horsley .....	Belper .....	437; 2						
Horsley .....	Stroud .....	329; 7						
Horton.....	Bradford .....	497a; 4						
Horwich.....	Bolton .....	461; 4						
Hougham ....	Dover .....	64; 3						
Houghton le	Houghton le	551; 1						
Spring.	Spring.							
Hove.....	Steyning .....	78; 2						
Hovingham ..	Malton .....	527; 4						
Howden .....	Hewden .....	518; 3						
Hucknall	Basford .....	430; 4						
Torkard.								
Huddersfield..	Huddersfield..	495; 8						
Hulme.....	Chorlton .....	464; 4						
Humber .....	Hull .....	521; 1						
Humbleton ..	Skirlaugh ....	523; 1						
Humbleyard..	Henstead ....	237; 1						
Hungerford ..	Hungerford ..	113; 2						
Hunmanby ..	Bridlington ..	525; 3						
Hunslet .....	Hunslet .....	498; 1						
Huntingdon ..	Huntingdon ..	168; 4						
Huntspill ....	Bridgwater ..	307; 3						



SUB-DISTRICT.	DISTRICT.	No	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Langport .....	Langport .....	308; 2	Llanrwst .....	Llanrwst .....	621; 1	Malpas .....	Whitchurch (Salop).	355; 2
Langtoft .....	Driffield .....	524; 4	Llansadwrn ..	Llandovery ..	595; 3	Maltby .....	Rotherham ..	510; 6
Lanlivery .....	Bodmin .....	294; 1	Llansamlet ..	Swansea .....	592; 4	Malton .....	Malton .....	527; 3
Lastingham ..	Pickering .....	531; 1	Llansantffraid	Aberayron .....	604; 2	Malvern .....	Upton on Severn.	380; 1
Lathom .....	Ormskirk .....	457; 8	Llansantffraid	Llanfyllin .....	616; 2	Manningtree..	Tendring .....	195; 4
Launceston ..	Launceston ..	291; 3	Llansilin .....	Oswestry .....	352; 2	Mansfield .....	Mansfield .....	429; 5
Lavennam .....	Cosford .....	204; 1	Llantarnam ..	Newport(Monmouth).	585; 4	Marazion .....	Penzance .....	301; 3
Lavington .....	Devizes .....	247; 2	Llantrisant ..	Pontypridd ..	587; 3	March .....	North Witchford.	183; 2
Leake .....	Loughborough	407; 2	Llanvihangel	Abergavenny ..	582; 2	Maresfield .....	Uckfield .....	73; 4
Leamington ..	Warwick .....	395; 2	Llanwenog .....	Lampeter .....	603; 4	Margam .....	Neath .....	590; 1
Leatherhead ..	Epsom .....	30; 3	Llanwnnog .....	Newtown .....	614; 2	Margate .....	Thanet .....	62; 2
Ledbury .....	Ledbury .....	337; 1	Llanwonno .....	Pontypridd ..	587; 2	Market Bosworth.	Market Bosworth.	405; 1
Lee .....	Lewisham .....	28; 2	Llanwrtyd .....	Builth .....	607; 1	Market Drayton.	Market Drayton.	356; 2
Leek .....	Leek .....	364; 3	Llanvbyther ..	Lampeter .....	603; 1	Market Harborough.	Market Harborough.	401; 1
Leek Frith .....	Leek .....	364; 4	Lockington .....	Beverley .....	519; 3	Market Rasen	Caistor .....	424b; 2
Leigh .....	Leigh .....	460; 3	Lockton .....	Pickering .....	531; 4	Market Weighton.	Pocklington ..	517; 3
Leigh .....	Martley .....	378; 2	Lockwood .....	Huddersfield..	495; 9	Marlborough ..	Marlborough ..	246; 1
Leighton Buzard.	Leighton Buzard.	175; 1	Loddon .....	Loddon .....	229; 2	Marlow .....	Wycombe .....	142; 2
Leintwardine	Ludlow .....	344; 1	Loftus .....	Guisborough ..	533; 1	Marshfield .....	Chipping Sodbury.	322; 3
Lenham .....	Hollingbourn ..	51; 2	Long Ashton ..	Long Ashton ..	319; 1	Marske .....	Guisborough ..	533; 3
Leominster ..	Leominster .....	342; 1	Longbenton ..	Tynemouth ..	557; 3	Martley .....	Martley .....	378; 1
Lerrin .....	Liskeard .....	293; 4	Longbridge	Warminster ..	251; 2	Martock .....	Yeovil .....	310; 3
Leven .....	Beverley .....	519; 4	Deverill .....	Daventry .....	161; 3	Marton .....	Gainsborough	426; 4
Leverington ..	Wisbech .....	185; 1	Long Buckby ..	Leek .....	364; 5	Maryport .....	Cockermouth ..	574; 4
Lewes .....	Lewes .....	76a; 2	Longnor .....	Andover .....	110; 1	Masham .....	Bedale .....	537; 2
Lewisham .....	Lewisham .....	28; 3	Longparish .....	Settle .....	484; 3	Matlock .....	Bakewell .....	440; 2
Lewknor .....	Thame .....	148; 1	Long Preston ..	Holbeach .....	416; 2	Mattishall .....	Mitford .....	233; 2
Leyburn .....	Leyburn .....	538; 2	Long Sutton ..	Preston .....	476; 1	Mayfair and Knightsbridge.	St. George Hanover Square.	4; 1
Leyland .....	Chorley .....	475; 2	Longton .....	Stoke upon Trent.	363; 4	Mayfield .....	Ashbourne .....	438; 2
Lichfield .....	Lichfield .....	369; 1	Longtown .....	Longtown .....	571; 1	Measham .....	Ashby de la Zouch.	406; 1
Lifton .....	Tavistock .....	280; 4	Loe .....	Liskeard .....	293; 3	Melbourn .....	Royston .....	132; 3
Limehouse .....	Stepney .....	19; 2	Loose .....	Maidstone .....	50; 2	Melbourne .....	Shardlow .....	435; 2
Lincoln Home	Lincoln .....	420; 2	Loughborough	Loughborough	407; 1	Melford .....	Sudbury .....	203; 4
Lincoln North-east.	Lincoln .....	420; 3	Loughor .....	Llanelli .....	594; 1	Melksham .....	Melksham .....	248; 1
Lincoln South-west.	Lincoln .....	420; 1	Louth .....	Louth .....	423; 2	Mellor .....	Blackburn .....	474; 3
Linton .....	Linton .....	180; 2	Lower Holloway.	Islington .....	9; 4	Melton Mowbray.	Melton Mowbray.	410; 1
Liskeard .....	Liskeard .....	293; 2	Lower Merthyr Tydfil.	Merthyr Tydfil	588; 2	Mendlesham ..	Hartismere ..	209; 1
Litcham .....	Mitford .....	233; 5	Lower Mitton	Kidderminster	376; 4	Mere .....	Mere .....	257; 1
Litherland .....	West Derby ..	455; 2	Lowestoft .....	Mutford .....	218; 2	Meriden .....	Meriden .....	388; 2
Little Bolton ..	Bolton .....	461; 7	Lowther .....	West Ward .....	578; 2	Methen .....	Thetford .....	240; 1
Littleborough ..	Rochdale .....	470; 7	Lowton .....	Leigh .....	460; 1	Mevagissey ..	St. Austell .....	296; 3
Littlehampton ..	East Preston ..	82; 2	Luddenden .....	Halifax .....	496; 6	Micheldever ..	Winchester .....	101; 1
Littleport .....	Ely .....	182; 4	Ludham .....	Smallburgh ..	221; 1	Michelmersh	Romsey .....	99; 2
Liversedge .....	Dewsbury .....	502; 4	Ludlow .....	Luton .....	176; 2	Middleham ..	Leyburn .....	538; 1
Llanarmon .....	Ruthin .....	619; 1	Luton .....	Lutterworth ..	400; 1	Middlesbrough	Middlesbrough	534; 1
Llanarth .....	Abergavenny ..	582; 1	Lydbury .....	Clun .....	345; 4	Middleton .....	Oldham .....	469; 5
Llanbister .....	Knighton .....	611; 3	Lydd .....	Romney Marsh	66; 2	Middleton .....	Teesdale .....	546; 3
Llanboidy .....	Narberth .....	598; 1	Lydney .....	Chepstow .....	580; 2	Middlewich ..	Northwich .....	447; 4
Llandaff .....	Cardiff .....	586; 1	Lyme .....	Axminster .....	269; 1	Middlezoy .....	Bridgwater .....	307; 4
Llanddausant ..	Llandovery ..	595; 1	Lymington ..	Lymington .....	92; 1	Midhurst .....	Midhurst .....	85; 1
Llanddeusant ..	Holyhead .....	631; 2	Lymm .....	Bucklow .....	445; 4	Midsummer Norton.	Clutton .....	316; 4
Llandeibie .....	Llandilofawr ..	596; 5	Lyncombe .....	Bath .....	317; 3	Milborne Port	Wincanton .....	311; 2
Llandilo .....	Llandilofawr ..	596; 4	Lynhurst .....	New Forest ..	96; 1	Mildenhall .....	Mildenhall .....	207; 1
Llandilo Talybont.	Swansea .....	592; 1	Lynton .....	Barnstaple .....	285; 2	Mile End New Town.	Whitechapel ..	17; 2
Llandingat .....	Llandovery ..	595; 4	Lytchett .....	Poole .....	262; 3	Mile End Old Town North Eastern.	Mile End Old Town.	20; 2
Llandudno .....	Conway .....	629; 2	Lytham .....	Fylde .....	477; 2	Mile End Old Town South Western.	Mile End Old Town.	20; 1
Llandwrog .....	Carnarvon .....	627; 1	Lythe .....	Whitby .....	532; 3	Milford .....	Haverfordwest	600; 1
Llandyrnog .....	Ruthin .....	619; 5				Milford .....	Lymington .....	92; 2
Llandysilio .....	Aberayron .....	604; 1				Millbrook .....	South Stoneham.	98; 3
Llandyssil .....	Newcastle in Emllyn.	602; 4				Milnrow .....	Rochdale .....	470; 1
Llanelidan .....	Ruthin .....	619; 3				Milnthorpe ..	Kendal .....	579; 4
Llanelly .....	Crickhowell ..	609; 3				Milton .....	Milton .....	60; 1
Llanelly .....	Llanelly .....	594; 2				Milton Abbas	Blandford .....	260; 1
Llanfair .....	Llanfyllin .....	616; 1				Milton Abbot	Tavistock .....	280; 3
Llanfairary-bryn.	Llandovery ..	595; 5				MiltonDamerel	Holsworthy ..	288; 1
Llanfairfechan	Bangor .....	628; 3				Milverton .....	Wellington (Somerset).	305; 2
Llanfechell ..	Anglesey .....	630; 3				Minchinhampton.	Stroud .....	329; 6
Llanfynydd ..	Llandilofawr ..	596; 2				Minehead .....	Williton .....	303; 1
Llangadock ..	Llandovery ..	595; 2				Minster .....	Sheppey .....	61; 1
Llangafelach ..	Swansea .....	592; 2				Minster .....	Thanet .....	62; 1
Llangathen ..	Llandilofawr ..	596; 3				Mirfield .....	Dewsbury .....	502; 5
Llangeini .....	Anglesey .....	630; 1				Missenden .....	Amersham ..	140; 1
Llangeitho .....	Tregaron .....	606; 2						
Llangendeirne	Carmarthen ..	597; 1						
Llangibby .....	Pontypool .....	584; 3						
Llangollen .....	Corwen .....	622; 2						
Llangorse .....	Brecknock .....	608; 4						
Llanhilleth .....	Pontypool .....	584; 1						
Llanidan .....	Carnarvon .....	627; 4						
Llanidloes .....	Newtown .....	614; 1						
Llanllechid ..	Bangor .....	628; 4						
Llanlannon .....	Llanelly .....	594; 4						
Llanrhaiadr ..	Llanfyllin .....	616; 3						
Llanrhaiadr ..	Ruthin .....	619; 4						
Llanrhytyd ..	Aberystwith ..	605; 1						
Llanrug .....	Carnarvon .....	627; 2						



[illegible]



SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Portsea and Landport.	Portsmouth ..	88; 3	Romford ....	Romford ....	189; 1	St. Keverne ..	Helston .....	299; 3
Portsmouth and Mid Southsea.	Portsmouth ..	88; 4	Romsey .....	Romsey .....	99; 1	St. Mabyne ....	Bodmin .....	294; 2
Potterspurty ..	Potterspurty ..	158; 1	Roose .....	Pembroke ....	599; 3	St. Margaret ..	St. George Han-	4; 3
Prees .....	Wem .....	354; 2	Ropley .....	Alresford .....	105; 1	and St. John.	over-square.	386; 4
Prescot .....	Prescot .....	456; 4	Ross .....	Ross .....	338; 2	St. Martin .....	Birmingham ..	352; 4
Prestbury .....	Macclesfield ..	444; 1	Rothbury ....	Rothbury ....	567; 1	St. Martin's ..	Oswestry .....	351; 2
Presteigne ....	Knighton ....	611; 1	Rotherfield ..	Uckfield .....	73; 1	St. Mary .....	Atcham .....	572; 3
Preston .....	Steving .....	78; 1	Rotherhithe ..	St. Olave .....	23; 3	St. Mary .....	Carlisle .....	64; 2
Prestwich .....	Prestwich .....	467; 5	Rothley .....	(Bermondsey).	408; 3	St. Mary .....	Dover .....	6; 2
Princes Ris-	Wycombe ....	142; 3	Rothwell ....	Barrow upon	408; 3	St. Mary .....	St. Marylebone	119; 1
borough.			Rothwell ....	Soar.	498; 3	St. Mary Extra	Reading .....	98; 1
Prittwell .....	Rochford ....	193; 2	Rougham ....	Hunslet .....	164; 3	St. Mary Mag-	South Stone-	68; 3
Probus .....	Truro .....	297; 1	Rowley Regis	Kettering ....	205; 1	dalen.	Hastings .....	478; 2
Puddletown ..	Dorchester ....	265; 2	Royston .....	Thingoe .....	374; 1	St. Michael....	Garstang .....	170; 1
Pudsey .....	North Bierley	497; 9	Royton .....	Dudley .....	132; 2	St. Neots .....	St. Neots .....	586; 6
Pulborough ..	Thakeham ....	81; 1	Ruabon .....	Royston .....	469; 6	St. Nicholas ..	Cardiff .....	549; 2
Pulford .....	Bideford .....	287; 5	Rugby .....	Wrexham ....	618; 2	St. Nicholas ..	Durham .....	556; 4
Putney .....	Wandsworth ..	25; 8	Rugeley .....	Rugby .....	393; 1	St. Nicholas ..	Newcastle upon	23; 1
Pwllheli .....	Pwllheli .....	626; 2	Runcorn .....	Lichfield .....	369; 2	St. Olave .....	Tyne.	549; 1
			Runcorn .....	Runcorn .....	446; 2	St. Oswald ....	(Bermondsey).	320; 4
			Ruthin .....	Ruthin .....	619; 2	St. Philip and	Bristol .....	14; 2
			Ryde .....	Isle of Wight..	91; 3	St. Jacob.	London City ..	271; 6
			Ryhope .....	on Tyne.	67; 1	St. Sepulchre	St. Thomas....	338; 3
				Sunderland ..	553; 5	and Allhallows.	Ross .....	445; 3
						St. Thomas....	Bucklow .....	254; 3
						St. Weonards..	Salisbury .....	292; 3
						Sale .....	St. Germans ..	423; 4
						Salisbury ....	Louth .....	503; 2
						Saltash .....	Wakefield ....	448; 3
						Saltfleet .....	Congleton ....	122; 2
						Sandal .....	Easthampstead	63; 1
						Sandbach ....	Eastry .....	459; 3
						Sandhurst ....	Warrington ..	168; 2
						Sandwich ....	Huntingdon ..	526; 2
						Sankey .....	Scarborough ..	453; 1
						Sawtry .....	Liverpool ....	426; 1
						Scarborough ..	Gainsborough	70; 3
						Scotland .....	Eastbourne ..	483; 1
						Scotter .....	Sedgefield ....	543; 1
						Seaford .....	Dudley .....	374; 3
						Sedbergh ....	Selby .....	514; 2
						Sedgefield ....	Settle .....	484; 2
						Sedgely .....	Sevenoaks ....	48; 2
						Selby .....	Shadwell and	19; 1
						Settle .....	Rateliff.	258; 1
						Sevenoaks ....	Shaftesbury ..	435; 3
						Shadwell and	Shardlow ....	171; 2
						Rateliff.	Bedford .....	508; 6
						Shaftesbury ..	Eccleshall ..	286; 3
						Shardlow ....	Torrington ....	509; 3
						Sharnbrook ...	Sheffield .....	178; 3
						Sharrow .....	Chesterton ....	313; 1
							Shepton Mallet	266; 2
							Sherborne ....	526; 4
							Scarborough ..	515; 3
							Tadcaster ....	349; 2
							Shifnal .....	173; 1
							Shillington ...	233; 1
							Shipdham ....	497; 6
							Shipley .....	398; 2
							Shipston on	15; 3
							Stour.	15; 2
							Shoreditch ..	15; 1
							North East.	48; 1
							Shoreditch ..	78; 3
							Shoreditch ..	114; 1
							Shoreditch ..	283; 1
							Shoreditch ..	533; 2
							Shoreditch ..	516; 1
							Shoreditch ..	525; 1
							Shoreditch ..	485; 5
							Shoreditch ..	523; 2
							Shoreditch ..	473; 2
							Shoreditch ..	495; 1
							Shoreditch ..	418; 2
							Shoreditch ..	221; 2
							Shoreditch ..	513; 3
							Shoreditch ..	235; 2
							Shoreditch ..	181; 4



SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Solihull .....	Solihull .....	394 ; 1	Stockton .....	Stockton .....	543a ; 1	Tarleton .....	Ormskirk ....	457 ; 7
Sollershope ..	Ross .....	338 ; 1	Stockwell ..	Lambeth .....	24 ; 4	Tattenhall ...	Chester .....	450 ; 1
Somersham ..	St. Ives .....	169 ; 2	Stogumber ..	Williton .....	303 ; 5	Tattershall ...	Horncastle ....	421 ; 3
Somerton ....	Langport .....	308 ; 1	Stogursey ...	Williton .....	303 ; 4	Taunton .....	Taunton .....	306 ; 3
Soothill .....	Dewsbury ....	502 ; 7	Stoke .....	Devonport ...	279 ; 2	Tavistock ....	Tavistock ....	280 ; 2
Southam .....	Southam .....	399 ; 1	Stokenchurch	Wycombe ....	142 ; 4	Tawton .....	Okehampton ..	281 ; 5
Southampton	Southampton..	97 ; 1	Stoke Newing-	Hackney .....	10 ; 1	Teignmouth ...	Newton Abbot	273 ; 1
South Bury ..	Bury .....	462 ; 6	ton.			Templenew-	Hunslet .....	498 ; 2
South Cave ..	Beverley .....	519 ; 1	Stokenham ..	Kingsbridge ..	275 ; 2	sam.		
South Clerk-	Holborn .....	13 ; 2	Stoke Rural ..	Stoke upon	363 ; 5	Tenbury .....	Tenbury .....	377 ; 1
enwell.				Trent.		Tenby .....	Pembroke ....	599 ; 1
Southcoates ..	Sculcoates ....	520 ; 1	Stokesley ....	Stokesley ....	535 ; 1	Tenterden ....	Tenterden ....	53 ; 1
South Croydon	Croydon .....	38 ; 2	Stoke upon	Stoke upon	363 ; 2	Terrington St.	Wisbech .....	185 ; 4
South East	Hackney .....	10 ; 5	Trent.	Trent.		Clement.		
Hackney.			Stone .....	Stone .....	360 ; 1	Tetbury .....	Tetbury .....	330 ; 2
South East	West Ham ....	186 ; 5	Stonehouse ..	Stroud .....	329 ; 1	Tetney .....	Louth .....	423 ; 5
Ham.			Stortford .....	Bishop Stort-	131 ; 1	Tettenhall ...	Wolverhampton	371 ; 1
South East	Leeds .....	501 ; 1		ford.		Tewkesbury ...	Tewkesbury ..	336 ; 1
Leeds.			Stotfold .....	Biggleswade ..	172 ; 2	Teynham ....	Faversham ..	59 ; 3
South East	Rotherham ..	510 ; 2	Stottesden ....	Cleobury Mor-	347 ; 2	Thame .....	Thame .....	148 ; 2
Rotherham.				timer.		Thatcham ....	Newbury ....	112 ; 3
South Everton	West Derby ..	455 ; 8	Stourbridge ..	Stourbridge ..	375 ; 2	Thaxted .....	Dunmow .....	200 ; 2
Southfields ...	Wandsworth ..	25 ; 7	Stowmarket ..	Stow .....	208 ; 3	Thetford .....	Thetford .....	240 ; 2
South Fulham	Fulham .....	2 ; 5	Stow on the	Stow on the	333 ; 2	Thirsk .....	Thirsk .....	529 ; 2
South Ham-	Fulham .....	2 ; 2	Wold.	Wold.		Thornaby .....	Middlesbrough	534 ; 3
mersmith.			Stradbroke ..	Hartismere ....	209 ; 3	Thornbury ...	Thornbury ....	323 ; 2
South Horsham	Horsham .....	79 ; 1	Strand .....	Strand .....	12 ; 1	Thorne .....	Thorne .....	512 ; 2
South Kings	Kings Lynn ..	237 ; 2	Stratford .....	West Ham ....	186 ; 1	Thorney .....	Peterborough..	167 ; 4
Lynn.			Stratford on	Stratford on	396 ; 2	Thornhill ....	Dewsbury ....	502 ; 9
South Leicester	Leicester .....	409 ; 3	Avon.	Avon.		Thornthwaite	Pateley Bridge	486 ; 3
South Leyton	West Ham ....	186 ; 8	Stratton .....	Depwade .....	230 ; 3	Thornton ....	North Bierley	497b ; 4
South Mimms	Barnet .....	128 ; 1	Stratton .....	Stratton .....	289 ; 2	Thorpe .....	Tendring .....	195 ; 2
Southminster	Maldon .....	194 ; 1	Streatham ....	Wandsworth ..	25 ; 5	Thrapston ....	Thrapston ....	165 ; 1
South Molton	South Molton	284 ; 2	Stretford .....	Barton upon	463 ; 3	Ticehurst ....	Ticehurst ....	72 ; 1
South Pether-	Yeovil .....	310 ; 2		Irwell.		Tickhill .....	Doncaster ....	511 ; 1
ton.			Strood .....	Strood .....	44 ; 2	Tideswell ....	Bakewell ....	440 ; 3
South St. Pan-	St. Pancras ..	8 ; 2	Stroud .....	Stroud .....	329 ; 4	Tilehurst ....	Bradfield .....	118 ; 2
cras.			Sturminster ..	Sturminster ..	259 ; 1	Tingewick ....	Buckingham ..	146 ; 2
South Sheffield	Sheffield .....	509 ; 1	Sturry .....	Blean .....	58 ; 1	Tipton .....	Dudley .....	374 ; 2
South Shields	South Shields	554 ; 1	Sudbury .....	Sudbury .....	203 ; 3	Tisbury .....	Tisbury .....	256 ; 2
South Stone-	South Stone-	98 ; 2	Sudbury .....	Uttoxeter ....	366 ; 3	Titchfield ....	Fareham .....	90 ; 2
ham.	ham.		Sunbury .....	Staines .....	124 ; 1	Tiverton .....	Tiverton .....	283 ; 3
SouthWalsham	Blofield .....	228 ; 2	Sunderland	Sunderland ..	553 ; 2	Todmorden ....	Todmorden ..	493 ; 2
Southwell ....	Southwell ....	432 ; 1	East.			Tollesbury ....	Maldon .....	194 ; 3
South West	Wandsworth ..	25 ; 3	Sunderland	Sunderland ..	553 ; 3	Tollington ....	Islington .....	9 ; 3
Battersea.			North.			Tonbridge .....	Tonbridge ....	49 ; 2
South West	Bolton .....	461 ; 2	Sunderland	Sunderland ..	553 ; 1	Tonge .....	Bolton .....	461 ; 5
Bolton.			West.			Topcliffe .....	Thirsk .....	529 ; 1
South West	Hackney .....	10 ; 4	Surbiton .....	Kingston .....	39 ; 3	Topsham .....	St. Thomas ...	271 ; 4
Hackney.			Sutton .....	Ely .....	182 ; 2	Totnes .....	Newton Abbot	273 ; 6
Southwick ....	Sunderland ..	553 ; 4	Sutton .....	Macclesfield ..	444 ; 5	Totnes .....	Totnes .....	274 ; 4
Sowerby ....	Halifax .....	496 ; 5	Sutton .....	Thirsk .....	529 ; 3	Tottingham ...	Bury .....	462 ; 2
Spalding .....	Spalding .....	415 ; 4	Sutton Cold-	Aston .....	387 ; 6	Towcester ....	Towcester ....	157 ; 2
Spaldwick ....	Huntingdon ...	168 ; 3	field.			Towyn .....	Machynlleth ..	613 ; 2
Speen .....	Newbury ....	112 ; 2	Sutton Court-	Abingdon ....	115 ; 4	Toxteth Park	Toxteth Park ..	454 ; 3
Spilsby .....	Spilsby .....	422 ; 3	enay.			Central		
Spitalfields ...	Whitechapel ..	17 ; 1	Sutton in Ash-	Mansfield ....	429 ; 4	Toxteth Park	Toxteth Park	454 ; 4
Spondon .....	Shardlow ....	435 ; 5	field.			East		
Spotland and	Rochdale .....	470 ; 4	Swaffham ....	Swaffham ....	239 ; 1	Toxteth Park	Toxteth Park	454 ; 1
Norden.			Swalcliffe ....	Banbury .....	155 ; 2	North West.		
Springfield ...	Wandsworth ..	25 ; 6	Swanage .....	Wareham .....	263 ; 1	Toxteth Park	Toxteth Park	454 ; 2
Springhead ..	Saddleworth ..	494 ; 1	Swansea .....	Swansea .....	592 ; 3	South West.		
Stafford .....	Stafford .....	359 ; 1	Swavesey ....	St. Ives .....	169 ; 3			
Staindrop ....	Teesdale .....	546 ; 1	Swindon .....	Swindon .....	241 ; 2	Tranmere ....	Birkenhead ..	452 ; 2
Staines .....	Staines .....	124 ; 2	Swinefleet ...	Goole .....	513 ; 1	Tredegarr ....	Bedwellty ....	583 ; 2
Stalham .....	Smallburgh ..	221 ; 3	Sydenham ....	Lewisham ....	28 ; 4	Treflis .....	Builth .....	607 ; 2
Stalmine .....	Garstang .....	478 ; 1	Syston .....	Barrow upon	408 ; 4	Tregaron ....	Tregaron .....	606 ; 3
Stalybridge ..	Ashton under	468 ; 8		Soar.		Tregynon ....	Newtown ....	614 ; 5
	Lyne.					Trelleck .....	Monmouth ....	581 ; 4
Stamford .....	Stamford .....	413 ; 1				Tremadoc ....	Festiniog .....	625 ; 3
Stamfordham	Castle Ward ..	558 ; 4				Tring .....	Berkhamstead	139 ; 2
Standish .....	Wigan .....	458 ; 1				Trowbridge ..	Melksham ....	248 ; 2
Standon .....	Ware .....	130 ; 4				Tufnell .....	Islington .....	9 ; 1
Stanhope ....	Weardale ....	547 ; 2				Tunbridge	Tonbridge ....	49 ; 1
Stanley .....	Wakefield ....	503 ; 6				Wells.		
Stanstead ....	Ware .....	130 ; 2				Tunstall .....	Lunesdale ....	480 ; 3
Stansted .....	Bishop Stort-	131 ; 2				Tunstall .....	Wolstanton ..	362 ; 2
	ford.					Turton .....	Bolton .....	461 ; 6
Stanway .....	Lexden .....	197 ; 2				Turvey .....	Bedford .....	171 ; 4
Stanwix .....	Carlisle .....	572 ; 4				Tutbury .....	Burton upon	367 ; 1
Stapleford ....	Shardlow ....	435 ; 4					Trent.	
Stapleton ....	Bristol .....	320 ; 7						
Stevning .....	Steyning .....	78 ; 4						
Stickney .....	Spilsby .....	422 ; 1						
Stillington ....	Easingwold ...	528 ; 1						
Stilton .....	Peterborough..	167 ; 1						
Stockbridge ..	Stockbridge ..	100 ; 2						
Stockport First	Stockport ....	443 ; 4						
Stockport	Stockport ....	443 ; 5						
Second.								
Stockport	Stockport ....	443 ; 6						
Third.								

T

Tadcaster ....	Tadcaster ....	515 ; 2	Tarleton .....	Ormskirk ....	457 ; 7
Talgarth .....	Hay .....	610 ; 1	Tattenhall ...	Chester .....	450 ; 1
Talley .....	Llandilofawr ..	596 ; 1	Tattershall ...	Horncastle ....	421 ; 3
Talyllyn .....	Dolgelly .....	624 ; 1	Taunton .....	Taunton .....	306 ; 3
Tamar .....	Devonport ....	279 ; 3	Tavistock ....	Tavistock ....	280 ; 2
Tamworth ....	Tamworth ....	368 ; 1	Tawton .....	Okehampton ..	281 ; 5
Tanfield .....	Lanchester ...	548 ; 1	Teignmouth ...	Newton Abbot	273 ; 1
Tanworth ....	Solihull .....	394 ; 3	Templenew-	Hunslet .....	498 ; 2
Tardebigg ....	Bromsgrove ..	384 ; 3	sam.		



SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
U			Warrington ..	Warrington ..	459; 4	Whitley .....	Pontefract ....	504; 2
			Warsop .....	Mansfield ....	429; 1	Whitley .....	Tynemouth ..	557; 4
			Warton .....	Lancaster ....	479; 4	Whitmore ....	Newcastle ..	361; 1
			Warwick ....	Warwick ....	395; 1		under Lyme.	
			Washington ..	Thakeham ....	81; 2	Whitstable....	Blean .....	58; 3
			Waterloo.....	Lambeth ....	24; 1	Whittlesey....	Whittlesey ....	184; 1
			Watford .....	Watford .....	137; 2	Whitwick ....	Ashby de la	406; 4
			Wath .....	Rotherham ..	510; 5		Zouch.	
			Watlington ..	Henley .....	147; 3	Whitworth ..	Rochdale.....	470; 6
			Watton .....	Hertford .....	134; 1	and Wardle.		
			Watton .....	Wayland ....	232; 2	Whixley .....	Great Ouse-	488; 2
			Wavertree ....	West Derby ..	455; 11		burn.	
			Weaverham ..	Northwich....	447; 1	Wickford ....	Billericay ....	191; 2
			Wednesbury ..	West Brom-	373; 5	Wickhambrook	Risbridge ....	202; 2
				wich.		Widnes .....	Prescot .....	456; 3
			Weedon .....	Daventry ....	161; 1	Wigan .....	Wigan .....	458; 3
			Week St. Mary	Stratton .....	289; 3	Wiggenhall ..	Downham ....	238; 1
			Wellesbourne	Stratford on	396; 1	Wigston .....	Blaby .....	403; 1
				Avon.		Wigton .....	Wigton .....	573; 1
			Wellingborough	Wellingborough	163; 1	Wilford .....	Basford .....	430; 7
			Wellington....	Wellington	357; 2	Willenhall ....	Wolverhamp-	371; 6
				(Salop).			ton.	
			Wellington....	Wellington	305; 3	Willesden ....	Hendon .....	127; 3
				(Somerset).		Willingham ..	Chesterton ....	178; 1
Ugborough ..	Totnes .....	274; 6	Wells .....	Walsingham ..	234; 3	Williton .....	Williton .....	303; 3
Ulverston ....	Ulverston ....	481; 3	Wells .....	Wells .....	314; 1	Wilmslow ....	Bucklow .....	445; 1
Uny Lelant ..	Penzance ....	301; 1	Welshpool ....	Forden .....	615; 3	Wilsden .....	North Bierley	497b; 5
Upper Hollo-	Islington .....	9; 2	Welwyn .....	Hatfield .....	135; 2	Wilton .....	Wilton .....	255; 1
way.			Wem .....	Wem .....	354; 1	Wimbledon ..	Kingston .....	39; 1
Upper Mer-	Merthyr Tydfil	588; 3	Wendron .....	Helston .....	299; 1	Wimborne ....	Wimborne ....	261; 2
thyr Tydfil.			Wenaston ..	Blything .....	216; 3	Wincanton....	Wincanton....	311; 3
Uppingham ..	Uppingham ..	412; 1	Weobley .....	Weobley .....	340; 1	Winchester ..	Winchester ..	101; 2
Upton on Sev-	Upton on Sev-	380; 2	West Alvington	Kingsbridge ..	275; 3	Windsor .....	Windsor .....	123; 2
ern.			Westbourne ..	Westbourne ..	86; 1	Wing.....	Leighton Buz-	175; 2
Upway .....	Weymouth ..	264; 1	West Brighton	Brighton .....	77; 2		zard.	
Upwell .....	Wisbech .....	185; 6	West Bright-	Sheffield .....	509; 5	Wingate .....	Easington ....	550; 1
Usk .....	Pontypool ....	584; 4	side.			Wingham ....	Eastry .....	63; 2
Uttoxeter ....	Uttoxeter ....	366; 1	West Brix-	Brixworth ....	162; 1	Winkleigh ....	Torrington ....	286; 2
Uxbridge ....	Uxbridge ....	125; 2	worth.			Winlaton ....	Gateshead ....	555; 4
			West Brom-	West Brom-	373; 4	Winslow .....	Winslow .....	144; 1
			wich North-	wich.		Winterbourne	Amesbury ....	253; 3
			east.			Winterbourne	Chipping Sod-	322; 1
			West Brom-	West Brom-	373; 3		bury.	
			wich South-	wich.		Winterton ....	Glanford Brigg	425; 2
			west.			Winwick.....	Warrington ..	459; 2
			West Brough-	Ulverston ....	481; 5	Wirksworth ..	Belper .....	437; 6
			ton.			Wisbech .....	Wisbech .....	185; 2
			Westbury ....	Atcham .....	351; 4	Witham .....	Braintree ....	199; 4
			Westbury ....	Westbury ....	250; 2	Witheridge ..	South Molton	284; 1
			Westbury on	Bristol .....	320; 9	Withern .....	Louth .....	423; 1
			Trym.			Withyham ..	East Grinstead	74; 1
			West Cardiff ..	Cardiff .....	586; 4	Witley .....	Hambleton ..	34; 1
			West Croydon	Croydon .....	38; 3	Witney .....	Witney .....	153; 3
			West Dean....	Monmouth....	581; 1	Wiveliscombe	Wellington	305; 1
			West Derby	West Derby ..	455; 10		(Somerset).	
			Eastern.			Wivenhoe ....	Lexden.....	197; 1
			West Derby	West Derby ..	455; 9	Woburn .....	Amphill.....	173; 4
			Western			Woking .....	Guildford ....	32; 1
			West Flegg....	Flegg .....	220; 2	Wokingham ..	Wokingham ..	120; 1
			Westham ....	Eastbourne ..	70; 1	Wolsingham ..	Weardale ....	547; 3
			West Horsham	Horsham.....	79; 3	Wolstanton ..	Wolstanton ..	362; 1
			West Leeds ..	Leeds .....	501; 3	Wolverhampton	Wolverhampton	371; 5
			Westleton ....	Blything .....	216; 1	ton Eastern.		
			West Meon....	Droxford ....	102; 2	Wolverhampton	Wolverhampton	371; 4
			Weston super	Axbridge.....	315; 3	ton Western.		
			Mare.			Wolverley ....	Kidderminster	376; 2
			Westow .....	Malton .....	527; 2	Wombourn ..	Wolverhampton	371; 3
			West Preston	Preston .....	476; 4		ton.	
			West St. Pan-	St. Pancras....	8; 1	Wombridge ..	Wellington	357; 3
			cras.				(Salop).	
			West Scul-	Sculcoates ....	520; 8	Woodbridge ..	Woodbridge ..	214; 3
			coates.			and Wilford.		
			West Totten-	Edmonton ....	129; 3	Woodbury ....	St. Thomas....	271; 3
			ham.			Woodchurch..	Wirral .....	451; 4
			West Ward ..	Burnley .....	472; 2	Wood Green ..	Edmonton ....	129; 2
			West Wymer..	Norwich .....	225; 2	Woodstock....	Woodstock ....	152; 2
			Wetheral ....	Carlisle .....	572; 1	Wooler.....	Glendale .....	566; 2
			Wetherby ....	Wetherby ....	490; 1	Woolwich ....	Woolwich ....	29; 2
			Weymouth ..	Weymouth ..	264; 2	Wootton Bassett	Cricklade ....	242; 1
			Whalley .....	Clitheroe....	473; 5	Wootton	Stratford on	396; 3
			Wheatley ....	Headington ..	149; 1	Wawen	Avon.	
			Whickham....	Gresham .....	555; 3	Worcester ....	Worcester ....	379; 1
			Whitby .....	Whitby .....	532; 2	Worfield .....	Bridgnorth ..	348; 3
			Whitchurch ..	Whitchurch ..	109; 1	Worlington ..	Cockermouth ..	574; 3
				(Hants).		Worksop.....	Worksop .....	428; 1
			Whitchurch ..	Whitchurch	355; 1	Worsborough	Barnsley .....	506; 4
				(Salop).		Worsley .....	Barton upon	463; 1
				Bridport .....	268; 3		Irwell.	
			Whitchurch			Worth .....	East Grinstead	74; 3
			Canonicorum.			Worthing ....	East Preston ..	82; 1
			Whitefield ....	Bury .....	462; 8	Wortley .....	Bramley .....	500; 3
			Whitehaven ..	Whitehaven ..	575; 2		Wortley .....	507; 4
			Whitford ....	Holywell.....	617a; 1			



SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Wotton under Edge.	Dursley .....	324; 1	Y			Yarmouth Northern.	Yarmouth ....	219; 2
Wragby .....	Horncastle ....	421; 1				Yarmouth Southern.	Yarmouth ....	219; 1
Wray .....	Lunesdale ....	480; 2				Yatton .....	Long Ashton ..	319; 2
Wrenbury ....	Nantwich ....	449; 4				Yeadon .....	Wharfedale ..	491; 5
Wrexham ....	Wrexham ....	618; 3				Yealmpton....	Plympton St. Mary.	276; 1
Wrotham ....	Malling .....	47; 2				Yeovil .....	Yeovil .....	310; 4
Wycombe ....	Wycombe ....	142; 1				Yetminster ..	Sherborne ....	266; 1
Wye .....	East Ashford..	55; 2				York East ....	York .....	516; 2
Wymondham	Foreboe .....	226; 2				York West....	York .....	516; 3
						Yspsyty .....	Llanrwst ....	621; 3
			Yalding .....	Maidstone ....	50; 1	Ystradgynlais	Pontardawe ..	591; 2
			Yapton .....	Westhampnett	83; 1	Ystradyfodwg	Pontypridd ..	587; 4
			Yarkhill .....	Ledbury .....	337; 2			

## INDEX OF URBAN DISTRICTS.

As existing on 31st December, 1907, together with a reference to the number of the Registration District and Sub-district in which each is situated. See pages 148-207 of this Report.

Urban Districts which are County Boroughs or Municipal Boroughs are indicated by the letters C.B. or M.B. Those Urban Districts marked \* have been created, and the boundaries of those marked † have been altered since the Census of 1901. The exact constitution of each Urban District and of each Registration Sub-district at the time of the last Census is shown in Tables 9 and 12 respectively of the Census County Volumes. Of the 1,168 Urban Districts (including County, Municipal, and Metropolitan Boroughs) 146 were each co-extensive, at the end of December, 1907, with one or more Registration Areas.

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Aberavon (M.B.)	590 : 1, pt. of.	Ardsley ...	506 : 2, pt. of.	Banbury(M.B.)	155 : 4, pt. of.
Aberayron ...	604 : 2, pt. of.	Ardsley East	503 : 5, pt. of.	Bangor, City of (M.B.)	628 : 2, pt. of.
Abercarn ...	585 : 5, pt. of.	and West.		†Barking Town	186 : 5, pt. of :
Aberdare ...	588 : 4, pt. of.	Arlecdon and	575 : 1, pt. of.		189 : 3, pt. of.
Abergavenny	582 : 3, pt. of.	Frizington.		Barkisland ...	496 : 4, pt. of.
(M.B.)		Arnold ...	430 : 5, pt. of.	Barmouth ...	624 : 2, pt. of.
Abergele and	620 : 2, pt. of.	†Arundel	82 : 3, pt. of.	Barnard Castle	546 : 2, pt. of.
Pensarn.		(M.B.)		Barnes... ...	40 : 2.
Abersychan ...	584 : 2, pt. of.	Ashbourne ...	438 : 1, pt. of.	†Barnet ...	128 : 1, pt. of,
Abertillery ...	583 : 1, pt. of ;	Ashburton ...	273 : 4, pt. of.		2, pt. of.
	584 : 1.	Ashby de la	406 : 3, pt. of.	Barnoldswick	485 : 3, pt. of.
Aberystwith	605 : 2, pt. of.	Zouch.		Barnsley(M.B.)	506 : 2, pt. of.
(M.B.)		Ashby Woulds	406 : 3, pt. of.	Barnstaple	285 : 1, 4, pt.
Abingdon	115 : 2, pt. of.	Ashford ...	54 : 2, pt. of.	(M.B.)	of.
(M.B.)		Ashington ...	562 : 3, pt. of.	Barrowford ...	472 : 5, pt. of.
Abram ...	458 : 4, pt. of.	Ashton in	458 : 7.	Barrow in Fur-	482 : 1.
Accrington	471 : 4.	Makerfield.		ness (C.B.)	
(M.B.)		Ashton under	468 : 3.	Barry ... ...	586 : 6, pt. of.
Acton .. ...	126 : 5, pt. of.	Lyne (M.B.)		Barton upon	425 : 3, pt. of.
Adlington ...	475 : 3, pt. of.	Ashton upon	445 : 3, pt. of.	Humber.	
Aldeburgh	215 : 3, pt. of.	Mersey.		Basingstoke	108 : 1, pt. of.
(M.B.)		Aspatria ...	573 : 2, pt. of.	(M.B.)	
Alderley Edge	444 : 7, pt. of ;	Aspull... ...	458 : 2, pt. of.	Baslow and	440 : 1, pt. of.
	445 : 1, pt. of.	Aston Manor	387 : 4.	Bubnell.	
Aldershot ...	33 : 2.	(M.B.)		Bath, City of	317 : 2, pt. of,
Alford... ...	422 : 5, pt. of.	Atherton ...	460 : 4, pt. of.	(C.B.)	3, 4.
Alfreton ...	437 : 5.	Audenshaw ...	468 : 4, pt. of.	Batley (M.B.)	502 : 2.
Allerton ...	455 : 11, pt. of.	Audley ...	361 : 3, pt. of.	Battle ... ...	69 : 2, pt. of.
Alnwick ...	563 : 2, pt. of.	Awre ... ...	325 : 1, pt. of.	Beaconsfield ...	140 : 3, pt. of.
Alsager ...	448 : 3, pt. of.	Aylesbury ...	143 : 2, pt. of	Beaumaris	628 : 1, pt. of.
Altofts ...	503 : 7, pt. of.			(M.B.)	
Alton ... ...	106 : 1, pt. of.			Beccles (M.B.)	217 : 2, pt. of.
Altrincham ...	445 : 2, pt. of.			†Beckenham ...	41 : 1, pt. of,
†Alvaston and	435 : 3, pt. of.				2, pt. of.
Boulton.				Bedford (M.B.)	171 : 5, pt. of,
Amble... ...	563 : 1, pt. of.				6, pt. of.
Amblecote ...	375 : 2, pt. of.			Bedlington-	562 : 2, pt. of.
Ambleside ...	579 : 1, pt. of.			shire.	
*Amlwch ...	630 : 2, pt. of.	Bacup (M.B.)...	471 : 2.	Bedwellty ...	583 : 2, pt. of, 3.
*Ammanford...	596 : 5, pt. of.	Baildon ...	491 : 5, pt. of.	Beeston ...	430 : 3, pt. of.
Ampthill ...	173 : 2, pt. of.	†Bakewell ...	440 : 1, pt. of.	Belper... ...	437 : 3.
Andover (M.B.)	110 : 3, pt. of.	Bala ... ...	623 : 1, pt. of.	Benfieldside ...	548 : 2, pt. of.
Annfield Plain	548 : 1, pt. of,	Balby with	511 : 1, pt. of.	Berwick upon	565 : 1, pt. of.
	3, pt. of.	Hexthorpe.		Tweed (M.B.)	
Appleby (M.B.)	577 : 1, pt. of.	Baldock ...	133 : 1, pt. of.	Bethesda ...	628 : 4, pt. of.
		Bampton ...	283 : 4, pt. of.		



COUNTY BOROUGHs, MUNICIPAL BOROUGHs, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGHs, MUNICIPAL BOROUGHs, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGHs, MUNICIPAL BOROUGHs, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
†Bettws y coed Beverley (M.B.) Bewdley (M.B.) Bexhill (M.B.) †Bexley ... Bicester ... Biddulph ... Bideford (M.B.) Biggleswade ... Billinge ... Bilston ... Bingley ... †Birkdale ... Birkenhead (C.B.) Birkenshaw ... Birmingham, City of (C.B.) Birstal ... Bishop Auck- land. Bishops Castle (M.B.) Bishop Stortford. *Bispham with Norbreck. †Blackburn (C.B.) Blackpool (C.B.) Blackrod ... Blaenavon ... Blandford Forum (M.B.) †Blaydon ... †Blyth ... Bodmin (M.B.) Bognor ... Bollington ... Bolsover ... Bolton (C.B.)... Bolton upon Dearne. Bonsall ... †Bootle (C.B.) Boston (M.B.) Bourne ... †Bournemouth (C.B.) Bowdon ... Bracebridge ... Brackley (M.B.)	621 : 2, pt. of. 519 : 2, pt. of. 376 : 5, pt. of. 69 : 1, pt. of. 42 : 1, pt. of. 151 : 2, pt. of. 364 : 2. 287 : 1, pt. of. 172 : 1, pt. of. 458 : 6. 371 : 7. 492 : 1, pt. of ; 497B : 5. 457 : 5, pt. of. 452 : 1, 2, pt. of. 502 : 3, pt. of. 385 : 1, pt. of, 2, 3, pt. of ; 386 : 1-4 ; 387 : 1, 2, 3, 5, pt. of. 502 : 3, pt. of. 545 : 1, pt. of. 345 : 2, pt. of. 131 : 1, pt. of. 477 : 3, pt. of. 474 : 4, 5, 6. 477 : 3, pt. of. 458 : 2, pt. of. 582 : 4, pt. of. 260 : 2, pt. of. 555 : 4, pt. of. 557 : 5, pt. of. 294 : 3, pt. of. 83 : 2, pt. of. 444 : 2, pt. of. 439 : 3, pt. of. 461 : 2, 3, 5, 7, 8. 511 : 2, pt. of. 438 : 4, pt. of. 455 : 2 pt. of, 5. 417 : 3, pt. of. 414 : 3, pt. of. 93 : 1, pt. of, 2. 445 : 2, pt. of. 420 : 2, pt. of. 156 : 1, pt. of.	Bradford, City of (C.B.) Bradford on Avon. Braintree ... Brampton and Walton. Brandon and Byshottles. Brecknock ... †Bredbury and Romiley. Brentford ... Brentwood ... †Bridgend ... Bridgnorth (M.B.) Bridgwater (M.B.) Bridlington (M.B.) †Bridport (M.B.) Brierfield ... Brierley Hill... Brigg ... Brighouse (M.B.) Brightlingsea Brighton (C.B.) †Bristol, City of (C.B.) Briton Ferry ... Brixham ... Broadstairs and St. Peter's. Bromborough †Bromley (M.B.) Bromsgrove ... Bromyard ... Broughton ... Brownhills ... Brumby and Frodingham. Brynmawr ... Buckfastleigh Buckhurst Hill Buckingham (M.B.) Buckley ... Budleigh Sal- terton. Buglawton ...	497A : 1-4 ; 497B : 2, pt. of, 3, 4, pt. of, 7. 249 : 1, pt. of. 199 : 5, pt. of. 439 : 2, pt. of. 549 : 1, pt. of. 608 : 2, pt. of. 443 : 3, pt. of. 126 : 3, pt. of. 191 : 1, pt. of. 589 : 4, pt. of. 348 : 2, pt. of, 3, pt. of. 307 : 2, pt. of. 525 : 2, pt. of. 268 : 2. 472 : 4, pt. of. 375 : 3, pt. of. 425 : 1, pt. of. 496 : 1, pt. of. 195 : 5, pt. of. 77 : 1, 2 ; 78 : 1, pt. of. 320 : 1-9. 590 : 2, pt. of. 274 : 2, pt. of. 62 : 3, pt. of. 451 : 3, pt. of. 41 : 1, pt. of, 2, pt. of. 384 : 1, pt. of. 341 : 1, pt. of. 425 : 1, pt. of. 369 : 1, pt. of ; 370 : 2, pt. of ; 372 : 4, pt. of. 425 : 2, pt. of. 609 : 3, pt. of. 274 : 5, pt. of. 187 : 1, pt. of. 146 : 1, pt. of. 617B : 1, pt. of. 271 : 1, pt. of. 448 : 2, pt. of.	Builth Wells... Bulkington ... Burgess Hill ... Burley in Wharfedale. Burnham ... Burnham on Crouch. Burnley (C.B.) *Burry Port ... Burslem (M.B.) Burton upon Trent (C.B.) Bury (C.B.) ... Bury St. Edmunds (M.B.) *Bushey ... Buxton ... Caerleon ... Caerphilly ... *Callington ... Calne (M.B.) ... Calverley ... Camborne ... Cambridge (M.B.) Cannock ... Canterbury, City of (C.B.) Cardiff, City of (C.B.) Cardigan (M.B.) Carlisle, City of (M.B.) Carlton ... Carmarthen (M.B.) Carnarvon (M.B.) Carnforth ... Carshalton ... Castleford ... Caterham ... Caversham ... Chadderton ... Chard (M.B.)... Charlton Kings Chatham (M.B.) Chatteris ... †Cheadle and Gatley.	607 : 4, pt. of. 390 : 1, pt. of. 75 : 2, pt. of. 491 : 3, pt. of. 315 : 2, pt. of. 194 : 1, pt. of. 472 : 1, pt. of, 2, pt. of. 594 : 3, pt. of. 362 : 3, pt. of. 367 : 4, pt. of. 462 : 3, pt. of. 4, 6, pt. of. 206 : 1. 137 : 1, pt. of. 441 : 1, pt. of. 585 : 1, pt. of. 587 : 1, pt. of. 293 : 1, pt. of. 245 : 1, pt. of. 497B : 8, pt. of. 300 : 4. 179 : 1, 2. 370 : 2, pt. of. 56 : 1, pt. of ; 57 : 1 ; 58 : 1, pt. of. 586 : 2, 3, 4. 601 : 2, pt. of. 572 : 2, pt. of, 3. 430 : 6, pt. of. 597 : 3, pt. of. 627 : 3, pt. of. 479 : 4, pt. of. 30 : 1, pt. of. 504 : 4, pt. of. 37 : 1, pt. of. 147 : 2, pt. of. 469 : 4. 309 : 3, pt. of. 335 : 1, pt. of. 46 : 1, pt. of. 183 : 1, pt. of. 443 : 8, pt. of.

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
†Chelmsford (M.B.)	192 : 2, pt. of, 4, pt. of.	Cottingham ...	520 : 2, pt. of.	Diss ...	230 : 2, pt. of.
Cheltenham (M.B.)	335 : 2.	Coventry, City of (C.B.)	392 : 1, pt. of, 2, pt. of.	Dodworth ...	506 : 2, pt. of.
†Chepping Wycombe (M.B.)	142 : 1, pt. of.	Cowbridge (M.B.)	589 : 3, pt. of.	Dolgelly ...	624 : 2, pt. of.
Chepstow ...	580 : 1, pt. of.	Cowes ...	91 : 1, pt. of.	Doncaster (M.B.)	511 : 3, pt. of.
Cheriton ...	65 : 1, pt. of.	Cramlington ...	557 : 6, pt. of.	Dorchester (M.B.)	265 : 1, pt. of, 3, pt. of.
Chertsey ...	31 : 2, pt. of.	Crediton ...	282 : 3, pt. of.	Dorking ...	35 : 2, pt. of.
Chesham ...	140 : 2, pt. of.	Crewe (M.B.)	449 : 1, pt. of.	†Dover (M.B.)	64 : 1, pt. of, 2, 3, pt. of.
Cheshunt ...	129 : 8.	Crewkerne ...	309 : 4, pt. of.	Downham Market	238 : 2, pt. of.
Chester, City of (C.B.)	450 : 2, pt. of, 3, pt. of.	Criccieth ...	626 : 1, pt. of.	Drighlington...	497B : 2, pt. of.
Chesterfield (M.B.)	439 : 2, pt. of.	†Cromer ...	222 : 2, pt. of.	Droitwich (M.B.)	383 : 1, pt. of, 2, pt. of.
Chesterton ...	178 : 2, pt. of.	Crompton ...	469 : 7.	Dronfield ...	439 : 5, pt. of.
Chichester, City of (M.B.)	84 : 1.	Crook ...	545 : 2, pt. of.	Droylsden ...	468 : 4, pt. of.
Childwall ...	455 : 11, pt. of.	Croston ...	475 : 5, pt. of.	Dudley (C.B.)	374 : 4, pt. of.
Chingford ...	187 : 1, pt. of.	Crowle ...	512 : 3, pt. of.	Dukinfield (M.B.)	468 : 7.
Chippenham (M.B.)	244 : 3, pt. of.	Croydon (C.B.)	38 : 2-4.	†Dunstable (M.B.)	176 : 1, pt. of.
Chipping Norton (M.B.)	154 : 2, pt. of.	Cuckfield ...	75 : 1, pt. of.	†Durham, City of (M.B.)	549 : 1, pt. of, 2, pt. of.
Chislehurst ...	41 : 4, pt. of.	Cudworth ...	506 : 1, pt. of.		
Chiswick ...	126 : 4.				
Chorley (M.B.)	475 : 4, pt. of.	Dalton in Fur- ness.	481 : 4, pt. of.		
Christchurch (M.B.)	93 : 1, pt. of.	Darfield ...	506 : 3, pt. of.	Ealing (M.B.)	126 : 3, pt. of.
Church ...	474 : 7, pt. of.	Darlaston ...	372 : 1, pt. of.	Earsdon ...	557 : 4, pt. of.
Church Stretton	346 : 1, pt. of.	Darlington (M.B.)	542 : 2, pt. of.	East and West Molesey.	39 : 4, pt. of.
Cirencester ...	331 : 2, pt. of.	Dartford ...	42 : 3, pt. of.	East Barnet Valley.	128 : 2, pt. of.
Clacton ...	195 : 1, pt. of.	Dartmouth (M.B.)	274 : 3, pt. of.	Eastbourne (M.B.)	70 : 2, pt. of.
Clay Cross ...	439 : 1, pt. of.	Darton ...	506 : 1, pt. of, 2, pt. of ; 507 : 1, pt. of.	East Cowes ...	91 : 1, pt. of.
Clayton ...	497B : 4, pt. of.			East Dereham	233 : 4, pt. of.
Clayton le Moors.	474 : 2, pt. of.	Darwen (M.B.)	474 : 8, pt. of.	East Grinstead	74 : 2, pt. of.
Clayton West...	507 : 2, pt. of.	Daventry (M.B.)	161 : 2, pt. of.	†East Ham (M.B.)	186 : 5, pt. of, 6, pt. of ; 189 : 2, pt. of, 3, pt. of.
Cleator Moor...	575 : 3, pt. of.	Dawley ...	350 : 1, pt. of.		98 : 2, pt. of ; 101 : 3, pt. of.
Cleckheaton ...	497B : 1, pt. of.	Dawlish ...	273 : 1, pt. of.	Eastleigh and Bishopstoke.	427 : 2, pt. of, 3, pt. of.
†Cleethorpe with Thrunsoe.	424A : 1, pt. of.	Deal (M.B.) ...	63 : 4, pt. of.	East Retford (M.B.)	278 : 1.
Clevedon ...	319 : 2, pt. of.	Denbigh (M.B.)	619 : 4, pt. of ; 620 : 3, pt. of.	East Stonehouse	430 : 1, pt. of.
Clitheroe (M.B.)	473 : 4, pt. of.			Eastwood ...	583 : 1, pt. of, 2, pt. of ; 609 : 2, pt. of.
Coalville ...	406 : 4, pt. of.	Denby and Cumberworth.	495 : 5, pt. of ; 507 : 2, pt. of.	Eccles (M.B.)	463 : 2, pt. of.
Cockermouth...	574 : 2, pt. of.			Edmonton ...	129 : 5, pt. of.
Colchester (M.B.)	196 : 1-3.	Denholme ...	497B : 4, pt. of.	*Egham ...	123 : 1, pt. of.
Coleford ...	581 : 2, pt. of.	Denton ...	468 : 5.	Egremont ...	575 : 3, pt. of.
Colne (M.B.)...	472 : 5, pt. of.	†Derby (C.B.)	436 : 1, 2, pt. of.	Elland ...	496 : 3, pt. of.
Colwyn Bay and Colwyn.	629 : 3, pt. of.				
*Compstall ...	443 : 3, pt. of.	Desborough	164 : 3, pt. of.		
Congleton (M.B.)	448 : 2, pt. of.	Devizes (M.B.)	247 : 1, pt. of.		
Connah's Quay	617A : 3, pt. of.	Devonport (C.B.)	279 : 1-3.		
Consett ...	548 : 2, pt. of.	Dewsbury (M.B.)	502 : 6.		
Conway (M.B.)	629 : 1, pt. of.				
Coseley ...	374 : 3, pt. of.				



COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Ellesmere ...	353 : 3, pt. of.	Frimley ...	33 : 1, pt. of.	Guisborough...	533 : 4, pt. of.
*Ellesmere Port and Whitby.	451 : 2, pt. of.	*†Frinton on Sea.	195 : 2, pt. of.	Guiseley ...	491 : 5, pt. of.
Ely, City of ...	182 : 2, pt. of, 3, 4, pt. of.	Frome ...	312 : 2, pt. of.	Gunthwaite and Ingbirch- worth.	507 : 3, pt. of.
Emley ...	503 : 1, pt. of.	Fulwood ...	476 : 7, pt. of.		
Enfield ...	129 : 6.				
Epping ...	187 : 2, pt. of.				
Epsom... ..	30 : 2, pt. of.				
Erdington ...	387 : 5, pt. of.				
Erith ... ..	42 : 2.				
Esher and the Dittons.	39 : 4, pt. of.				
Eston ... ..	534 : 2, pt. of.	Gainsborough	426 : 3, pt. of.	Hadleigh ...	204 : 2, pt. of.
Eton ... ..	141 : 2, pt. of.	Gateshead	555 : 1, pt. of, 2.	Hale ... ..	445 : 2, pt. of.
Evesham	381 : 1, pt. of.	(C.B.)		Halesworth ...	216 : 2, pt. of.
(M.B.)		Gildersome ...	500 : 2.	†Halifax (C.B.)	496 : 2, 3, pt. of, 5, pt. of, 6, pt. of, 7, pt. of.
Exeter, City of (C.B.)	271 : 5, pt. of, 6, pt. of; 272 : 1.	†Gillingham (M.B.)	46 : 1, pt. of, 2.	Halstead ...	198 : 1, pt. of.
Exmouth ...	271 : 2, pt. of.	Glastonbury (M.B.)	314 : 2, pt. of.	Ham ... ..	39 : 2, pt. of.
Eye (M.B.) ...	209 : 1, pt. of.	Glemsford ...	203 : 5, pt. of.	Hampton ...	39 : 5, pt. of.
		Glossop (M.B.)	442A : 1 pt. of.	Hampton Wick	39 : 5, pt. of.
		Gloucester, City of (C.B.)	327 : 2, 3, pt. of.	*Handforth ...	443 : 8, pt. of.
		Glyncorwg ...	590 : 3.	Handsworth (Staffs.)	373 : 1, pt. of.
		Godalming (M.B.)	32 : 5, pt. of.	†Handsworth (Yorks, W.R.)	509 : 8, pt. of.
Failsworth ...	467 : 3, pt. of.	Godmanchester (M.B.)	168 : 4, pt. of.	†Hanley (C.B.)	363 : 1.
Fairfield ...	441 : 1, pt. of.	Golborne ...	460 : 1, pt. of.	Hanwell ...	126 : 5, pt. of.
Falmouth	298 : 2, pt. of.	Golcar... ..	495 : 10, pt. of.	Harpenden ...	136 : 1, pt. of.
(M.B.)		Gomersal ...	502 : 3, pt. of.	Harrington ...	575 : 1, pt. of.
Fareham ...	90 : 1, pt. of.	Goole ... ..	513 : 2, pt. of.	Harrogate	489 : 2, pt. of.
Farnborough...	107 : 2, pt. of.	†Gorton ...	464 : 2, pt. of.	(M.B.)	
†Farnham ...	33 : 3, pt. of.	Gosforth ...	558 : 2, pt. of.	†Harrow on the Hill.	127 : 1, pt. of.
Farnley Tyas...	495 : 2, pt. of.	Gosport and Alverstokey.	89 : 1.	Hartlepool (M.B.)	544 : 1, pt. of.
Farnworth ...	461 : 1, pt. of.	Grange ...	481 : 1, pt. of.	Harwich (M.B.)	195 : 3.
Farsley ...	497B : 8, pt. of.	Grantham (M.B.)	419 : 2, pt. of.	Haslingden (M.B.)	471 : 3.
Faversham (M.B.)	59 : 2, pt. of.	Grasmere ...	579 : 1, pt. of.	Hastings (C.B.)	68 : 1, pt. of, 2, 3; 69 : 1, pt. of.
†Featherstone	504 : 3, pt. of.	Gravesend (M.B.)	43 : 1.	†Havant ...	87 : 1, pt. of.
Felixstowe and Walton.	214 : 2, pt. of.	Grays Thurrock	190 : 1, pt. of.	Haverfordwest (M.B.)	600 : 2, pt. of.
Felling ... ..	555 : 1, pt. of.	Greasbrough...	510 : 4, pt. of.	Haverhill ...	202 : 1, pt. of.
*Feltham ...	124 : 1, pt. of.	Great Berk- hampstead.	139 : 1, pt. of.	Haworth ...	492 : 3, pt. of.
Fenny Strat- ford.	145 : 1, pt. of.	Great Crosby...	455 : 1, pt. of.	Hay ... ..	610 : 2, pt. of.
Fenton ... ..	363 : 3.	Great Driffield	524 : 2, pt. of.	Haydock ...	459 : 1, pt. of.
Festiniog ...	625 : 2, pt. of.	Great Harwood	474 : 2, pt. of.	*Hayes ...	125 : 3, pt. of.
Filey ... ..	526 : 1, pt. of.	Great Tarring- ton (M.B.)	286 : 4, pt. of.	Hayle ... ..	300 : 5, pt. of; 301 : 1, pt. of.
Finchley ...	128 : 3, pt. of.	Great Yar- mouth (C.B.)	219 : 1-3; 220 : 1, pt. of.	Hayward's Heath.	75 : 1, pt. of.
Finedon ...	163 : 1, pt. of.	Greenford ...	126 : 3, pt. of, 5, pt. of.	†Hazel Grove and Bramhall.	443 : 1, pt. of.
*Fishguard ...	600 : 4 pt. of.	†Greetland ...	496 : 3, pt. of.	Heage... ..	437 : 4, pt. of.
*Fleet... ..	107 : 1, pt. of.	Grimsby (C.B.)	424A : 1, pt. of.	Heanor ...	430 : 1, pt. of, 2, pt. of.
Fleetwood ...	477 : 4, pt. of.	†Guildford (M.B.)	32 : 4, pt. of.		
Flint (M.B.) ...	617A : 3, pt. of.				
Flockton ...	503 : 1, pt. of.				
Folkestone (M.B.)	65 : 1, pt. of.				
*Foots Cray ...	41 : 4, pt. of.				
*Formby ...	457 : 5, pt. of.				
Friern Barnet	128 : 3, pt. of.				

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Heath Town or Wednesfield Heath.	371 : 6, pt. of.	Houghton le Spring.	551 : 1, pt. of.	Kendal (M.B.)	579 : 2, pt. of.
†Heaton Norris	443 : 7.	Hove (M.B.) ...	78 : 2, pt. of.	Kenilworth ...	395 : 3, pt. of.
Heavitree ...	271 : 5, pt. of.	Hoylake and	451 : 4, pt. of.	Keswick ...	574 : 1, pt. of.
Hebburn ...	554 : 2, pt. of.	West Kirby.		Kettering ...	164 : 2.
Hebden Bridge	493 : 1, pt. of.	Hoyland	506 : 3, pt. of.	Kidderminster	376 : 3, pt. of.
Heckmondwike	502 : 4, pt. of.	Nether.		(M.B.)	
Hedon (M.B.)...	520 : 5, pt. of.	Hoyland	507 : 3, pt. of.	†Kids Grove ...	361 : 3, pt. of ; 362 : 2, pt. of.
Helston (M.B.)	299 : 2, pt. of.	Swaine.		Kidwelly	594 : 3, pt. of.
Hemel Hemp- stead (M.B.)	138 : 2.	Hucknall	430 : 4, pt. of.	(M.B.)	
Hendon ...	127 : 4.	Torkard.		Kingsbridge ...	275 : 3, pt. of, 4, pt. of.
Henley on	147 : 1, pt. of.	Huddersfield	495 : 6, 8, 9.	Kingsbury ...	127 : 2, pt. of.
Thames(M.B.)		(C.B.)		King's Lynn	237 : 1, 2, pt. of.
Hereford, City	339 : 4.	Hull (see		(M.B.)	
of (M.B.)		Kingston- upon-Hull).		Kings Norton	385 : 1, pt. of.
Herne Bay ...	58 : 2, pt. of.	Hunsworth ...	497B : 1, pt. of.	and North- field.	
Hertford	134 : 2, pt. of.	Huntingdon	168 : 4, pt. of.	Kingston upon	520 : 1, pt. of, 4, pt. of, 6, 7, 8 ; 521 : 1, 2.
(M.B.)		(M.B.)		Hull, City of	39 : 2, pt. of.
Hessle ...	520 : 4, pt. of.	Hurst ...	468 : 2, pt. of.	(C.B.)	
Heston and	126 : 1.	Huthwaite ...	429 : 4, pt. of.	Kingston upon	318 : 2, pt. of.
Isleworth.		Huyton with	456 : 4, pt. of.	Thames (M.B.)	343 : 3, pt. of.
Hetton ...	551 : 2, pt. of.	Roby.		Kirkburton ...	495 : 5, pt. of.
Hexham ...	559 : 2, pt. of.	Hyde (M.B.) ...	443 : 2; 468 : 6.	Kirkby in	430 : 1, pt. of.
Heysham ...	479 : 2, pt. of.	Hythe (M.B.)...	65 : 3, pt. of.	Ashfield.	
Heywood	462 : 5, pt. of.			Kirkby	579 : 3, pt. of.
(M.B.)				Lonsdale.	
Higham Ferrers	163 : 2, pt. of.			Kirkham ...	477 : 1, pt. of.
(M.B.)				Kirkheaton ...	495 : 7, pt. of.
Highbridge ...	315 : 2, pt. of.	†Ilford ...	186 : 6, pt. of ; 189 : 2, pt. of.	Kirklington	537 : 1, pt. of.
Higher	451 : 3, pt. of.			cum Upsland.	
Bebington.		Ilfracombe ...	285 : 4, pt. of.	†Knaresborough	489 : 1, pt. of.
Hinckley ...	404 : 2, pt. of.	Ilkeston (M.B.)	430 : 2, pt. of.	Knighton ...	611 : 2, pt. of.
Hindwell ...	532 : 3, pt. of.	Ilkley ...	491 : 4, pt. of.	Knottingley ...	504 : 1, pt. of.
Hindley ...	458 : 4, pt. of.	Ilminster ...	309 : 1, pt. of.	Knutsford ...	445 : 5, pt. of.
Hipperholme...	496 : 1, pt. of.	Ince in Maker- field.	458 : 4, pt. of.		
Hitchin ...	133 : 2, pt. of.	Ipswich (C.B.)	213 : 1, 2.		
Hoddesdon ...	130 : 1, pt. of.	Irlam ...	463 : 2, pt. of.		
Holbeach ...	416 : 1, pt. of, 3, pt. of.	*Irthling- borough.	163 : 2, pt. of.		
Hollingworth	468 : 9, pt. of.	Itchen... ..	98 : 1, pt. of.		
Holme... ..	495 : 3, pt. of.	Ivybridge ...	276 : 1, pt. of, 2, pt. of.		
Holme Cultram	573 : 1, pt. of, 2, pt. of.				
Holmfirth ...	495 : 3, pt. of, 4, pt. of.				
Holsworthy ...	288 : 2, pt. of.				
Holyhead ...	631 : 3, pt. of.				
Holywell ...	617A : 2, pt. of.				
Honiton (M.B.)	270 : 1, pt. of.	Jarrow (M.B.)	554 : 2, pt. of.	Lampeter	603 : 3, pt. of.
Honley ...	495 : 2, pt. of.			(M.B.)	
Hoole ...	450 : 3, pt. of.			Lancaster	479 : 3.
Horbury ...	503 : 3, pt. of.			(M.B.)	
Horncastle ...	421 : 2, pt. of.			Lathom and	457 : 8, pt. of,
Hornsea ...	523 : 4, pt. of.			Burscough.	
Hornsey (M.B.)	129 : 1.	Kearsley ...	461 : 1, pt. of.	Launceston	291 : 3.
Horsforth ...	491 : 1, pt. of.	Keighley	492 : 2, pt. of.	(otherwise Dunneheved)	
†Horsham ...	79 : 2, pt. of.	(M.B.)		(M.B.)	
Horwich ...	461 : 4, pt. of.	Kempston ...	171 : 5, pt. of.		



COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Leadgate ...	548 : 2, pt. of.	Llangollen ...	622 : 2, pt. of.	Loughton ...	187 : 1, pt. of.
Leatherhead ...	30 : 3, pt. of.	Llanidloes	614 : 1, pt. of.	Louth (M.B.)...	423 : 2, pt. of.
Ledbury ...	337 : 1, pt. of.	(M.B.)		Lower Bebing-	451 : 3, pt. of.
Leeds, City of	498 : 1 ; 499 :	Llanrwst ...	621 : 1, pt. of.	ton.	
(C.B.)	1, pt. of ;	Llantarnam ...	585 : 4, pt. of.	Lowestoft	218 : 1, pt. of,
	500 : 1, 3 ;	*Llanwrtyd ...	607 : 1, pt. of.	(M.B.)	2, pt. of.
	501 : 1-4, 5,	Loftus... ...	533 : 1, pt. of.	Luddenden	496 : 5, pt. of,
	pt. of.			Foot.	6, pt. of.
Leek ...	364 : 3, pt. of.	<b>London :—</b>		Ludgvan ...	301 : 1, pt. of.
Lees ...	468 : 1, pt. of.	City of Lon-	14 : 1, 2.	†Ludlow(M.B.)	344 : 2, pt. of.
Leicester (C.B.)	409 : 1-3.	don.		Luton (M.B.)...	176 : 2, pt. of.
Leigh (M.B.)...	460 : 2, pt. of, 3.	<b>Metropolitan</b>		Lydd (M.B.) ...	66 : 2, pt. of.
Leigh on Sea...	193 : 2, pt. of.	<b>Boroughs :—</b>		Lye and Wol-	375 : 2, pt. of.
Leighton	175 : 1, pt. of.	Battersea ...	25 : 1-3.	lescote.	
Buzzard.		Bermondsey	23 : 1-3.	Lyme Regis	269 : 1, pt. of.
Leiston cum	216 : 1, pt. of.	Bethnal	16 : 1, 2.	(M.B.)	
Sizewell.		Green.		Lymington	92 : 1, pt. of.
Leominster	342 : 1, pt. of,	Camberwell	26 : 1-6.	(M.B.)	
(M.B.)	2, pt. of.	Chelsea ...	3 : 1, 2.	Lymm... ...	445 : 4, pt. of.
Lepton ...	495 : 7, pt. of.	Deptford ...	27 : 1, pt. of,	Lynton ...	285 : 2, pt. of.
Levenshulme...	464 : 2, pt. of.		2, 3.	Lytham ...	477 : 2, pt. of.
Lewes (M.B.)...	76A : 2, pt. of ;	Finsbury ...	13 : 1, pt. of,		
	76B : 1, pt.		2, 3, 4.		
	of.	Fulham ...	2 : 3-5.		
Leyland ...	475 : 2, pt. of.	Greenwich ...	27 : 1, pt. of,		
Leyton ...	186 : 8, 9.		4, 5 ; 29 : 1.		
Lichfield, City	369 : 1, pt. of.	Hackney ...	10 : 2-5.		
of (M.B.)		Hammer-	2 : 1, 2.		
Lincoln, City of	420 : 2, pt. of.	smith.			
(C.B.)		Hampstead...	7 : 1.	Mablethorpe ...	423 : 1, pt. of.
Linslade ...	175 : 1, pt. of.	Holborn ...	11 : 1 ; 13 : 1,	Macclesfield	444 : 4, 5, pt.
Linthwaite ...	495 : 10, pt. of.		pt. of.	(M.B.)	of.
Liskeard (M.B.)	293 : 2, pt. of.	Islington ...	9 : 1-7.	Machynlleth ...	613 : 1, pt. of.
Litherland ...	455 : 2, pt. of.	Kensington	1B : 1, 2.	Madron ...	301 : 4, pt. of.
Littleborough	470 : 7.	Lambeth ...	24 : 1-6.	Maesteg ...	589 : 1, pt. of.
Little Crosby...	455 : 1, pt. of.	Lewisham ...	28 : 2-4.	Maidenhead	121 : 1, pt. of.
Littlehampton	82 : 2, pt. of.	Paddington	1A : 1-3.	(M.B.)	
Little Hulton...	461 : 1, pt. of.	Peplar ...	21 : 1-3.	Maidstone(M.B.)	50 : 3.
Little Lever ...	461 : 1, pt. of.	St. Maryle-	6 : 1-4.	Maldon (M.B.)	194 : 2, pt. of.
Little Woolton	456 : 2, pt. of.	bone.		Mallwyd ...	624 : 1, pt. of.
†Liverpool, City	453 : 1-3 ; 454 :	St. Pancras...	8 : 1-4.	Malmesbury	243 : 2, pt. of.
of (C.B.)	1-4 ; 455 : 3,	Shoreditch...	15 : 1-3.	(M.B.)	
	pt. of, 4, 6,	Southwark...	22 : 1-5.	Malton ...	527 : 3, pt. of.
	7, 8, 9, 10,	Stepney ...	17 : 1-3 ; 18 :	Malvern ...	337 : 1, pt. of ;
	11, pt. of.		1 ; 19 : 1, 2 ;		380 : 1, pt.
Liversedge ...	502 : 4, pt. of.		20 : 1, 2.		of.
Llandilo ...	596 : 4, pt. of.	Stoke	10 : 1.	†Manchester,	464 : 1, 2, pt.
Llandovery	595 : 4, pt. of.	Newington.		City of (C.B.)	of, 3, 4 ;
(M.B.)		†Wandsworth	25 : 4-8.		466 : 1-3 ;
Llandrindod	607 : 3, pt. of ;	Westminster,	4 : 1-3 ; 5 : 1 ;		467 : 1, 2, 3,
Wells.	612 : 2, pt.	City of.	12 : 1.		pt. of, 4, 5,
	of.	Woolwich ...	28 : 1 ; 29 : 2-4.		pt. of.
Llandudno ...	629 : 2, pt. of.	Long Eaton ...	435 : 4, pt. of.	Mansfield	429 : 5.
Llanelly ...	594 : 2, pt. of.	Longridge ...	476 : 6, pt. of.	(M.B.)	
Llanfairfechan	628 : 3, pt. of.	Long Sutton ...	416 : 2, pt. of.	Mansfield	429 : 1, pt. of.
Llanfrechfa	584 : 3, pt. of.	Longton (M.B.)	363 : 4.	Woodhouse.	
Upper.		Looe ...	293 : 3, pt. of.	March... ...	183 : 2, pt. of.
Llanfyllin	616 : 2, pt. of.	Lostwithiel	294 : 1, pt. of.	Margam ...	590 : 1, pt. of.
(M.B.)		(M.B.)		Margate (M.B.)	62 : 2, pt. of.
Llangefni ...	630 : 1, pt. of.	Loughborough	407 : 1, pt. of.	Market Har-	401 : 1, pt. of.
		(M.B.)		borough.	



COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Market Rasen †Marlborough (M.B.)	424B : 2, pt. of. 246 : 1, pt. of.	Nailsworth ... Nantwich ... Nantyglo and Blaina.	329 : 7, pt. of. 449 : 2, pt. of. 583 : 1, pt. of.	Northallerton Northam ...	536 : 2, pt. of. 287 : 1, pt. of. 2, pt. of.
Marlow ... Marple ... Marsden ... Maryport ... Masham ...	142 : 2, pt. of. 443 : 1, pt. of. 495 : 1, pt. of. 574 : 4, pt. of. 537 : 2, pt. of ; 538 : 1, pt. of.	*Narberth ... Neath (M.B.)... Nelson (M.B.) Neston and Parkgate.	598 : 2, pt. of. 590 : 2, pt. of. 472 : 4, pt. of. 451 : 1, pt. of.	Northampton (C.B.) North Broms- grove.	159 : 2, pt. of ; 160 : 1, pt. of, 2, pt. of. 384 : 1, pt. of.
Matlock ... Matlock Bath and Scarthin Nick.	440 : 2, pt. of. 440 : 2, pt. of.	Netherthong ... Newark (M.B.) Newbiggin by the Sea.	495 : 2, pt. of. 433 : 3, pt. of. 562 : 3, pt. of.	North Darley... Northfleet ... North Walsham Northwich ...	440 : 2, pt. of. 44 : 1, pt. of. 221 : 4, pt. of. 447 : 1, pt. of, 2, pt. of.
Melksham ... Meltham ... Melton Mow- bray.	248 : 1, pt. of. 495 : 2, pt. of. 410 : 1, pt. of.	Newbold and Dunston. Newburn ... Newbury (M.B.)	439 : 2, pt. of. 558 : 3, pt. of. 112 : 1.	Norton ... †Norwich, City of (C.B.) Nottingham, City of (C.B.) †Nuneaton (M.B.)	527 : 3, pt. of. 224 : 1 pt. of ; 225 : 1, 2. 431 : 1-5.
Menai Bridge... Merthyr Tydfil (M.B.)	628 : 1, pt. of. 588 : 2, 3, pt. of.	Newcastle Emlyn. Newcastle under Lyme (M.B.)	602 : 3, pt. of. 361 : 2, pt. of.		
*Merton ... Methley ... Mexborough ... Middlesbrough (C.B.)	38 : 6, pt. of. 504 : 4, pt. of. 511 : 2, pt. of. 534 : 1, pt. of.	†Newcastle upon Tyne, City of (C.B.)	556 : 1, 2, 3, 4, pt. of, 5, 6 ; 557 : 3, pt. of.	Oakengates ...	349 : 2, pt. of ; 357 : 3, pt. of ; 358 : 1, pt. of.
Middleton (M.B.)	469 : 5.	Newhaven ... †New Hunstan- ton.	76B : 1, pt. of. 235 : 2, pt. of.	Oakworth ...	492 : 2, pt. of, 3, pt. of.
Middlewich .. Midgley ... Midsomer Norton.	447 : 4, pt. of. 496 : 6, pt. of. 316 : 4, pt. of.	Newmarket ... New Mill ...	181 : 2. 495 : 3, pt. of, 4, pt. of.	Ogmore and Garw. Okehampton (M.B.)	589 : 2, pt. of. 281 : 3, pt. of.
Milford Haven Millom ... Milnrow ... Milton Regis Minehead ... Mirfield ... Mold ... Monk Bretton Monmouth (M.B.)	600 : 1, pt. of. 576 : 2, pt. of. 470 : 1. 60 : 1, pt. of. 303 : 1, pt. of. 502 : 5, pt. of. 617A : 4, pt. of. 506 : 2, pt. of. 581 : 3, pt. of.	New Mills ... Newnham ... †Newport (C.B.) (Mon.) Newport (M.B.) (Isle of Wight).	442B : 1, pt. of. 325 : 1, pt. of. 585 : 2, pt. of, 3, pt. of. 91 : 2, pt. of.	Oldbury ... *Old Fletton... Oldham (C.B.) Ormesby ... Ormskirk ... Orrell ... Ossett (M.B.)... Oswaldtwistle Oswestry (M.B.)	373 : 2. 167 : 2, pt. of. 469 : 1, 2, 3. 534 : 2, pt. of. 457 : 2. 458 : 5, pt. of. 502 : 8. 474 : 7, pt. of. 352 : 3, pt. of.
Montgomery (M.B.)	615 : 1, pt. of.	Newport (Salop).	358 : 1, pt. of.	†Otley... ..	491 : 2, pt. of, 3, pt. of.
Morecambe (M.B.)	479 : 2, pt. of.	Newport Pagnell.	145 : 2.	Ottery St. Mary *Oulton Broad	270 : 2, pt. of. 218 : 1, pt. of, 2, pt. of.
Morley (M.B.)	499 : 1, pt. of ; 502 : 1.	New Quay ... †Newquay ...	604 : 1, pt. of. 295 : 2, pt. of, 3, pt. of. 66 : 1, pt. of.	Oundle ... Oxenhope ... Oxford, City of (C.B.)	166 : 1, pt. of 492 : 3, pt. of. 115 : 1, pt. of ; 149 : 2, pt of ; 150 : 1.
Morpeth (M.B.) Mossley (M.B.) Mottram in Longdendale. Mountain Ash	562 : 1, pt. of. 468 : 2, pt. of. 468 : 9, pt. of. 587 : 1, pt. of, 2, pt. of.	New Romney (M.B.) New Shoreham Newton Abbot Newton in Makerfield.	78 : 3, pt. of. 273 : 5, pt. of. 459 : 1, pt. of.	Oystermouth...	593 : 1, pt. of.
Much Woolton *Mynyddislwyn Mytholmroyd...	456 : 2, pt. of. 585 : 5, pt. of. 493 : 1, pt. of.	Newtown and Llanllwch- aiarn. New Windsor (M.B.)	614 : 4. 123 : 2, pt. of.		
		Neyland ... Norden ... †Normanton ...	599 : 3, pt. of. 470 : 4, pt. of. 503 : 7, pt. of.	Padiham ... Padstow ... Paignton ...	472 : 3, pt. of. 295 : 1, pt. of. 274 : 1, pt. of.



COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Panteg ...	584 : 2, pt. of, 3, pt. of.	Radcliffe ..	462 : 6, pt. of.	Royal Leamington Spa (M.B.)	395 : 2, pt. of.
Paul ...	301 : 4, pt. of.	Radstock ...	316 : 4, pt. of.		
Pembroke (M.B.)	599 : 1, pt. of, 2, pt. of.	Rainford ...	456 : 6.	Royston (Herts)	132 : 2, pt. of, 3, pt. of.
Penarth ...	586 : 5, pt. of.	Ramsbottom ...	462 : 1, pt. of.	Royston (Yorks, W.R.)	506 : 1, pt. of.
Penge ...	38 : 5.	Ramsey ...	168 : 1, pt. of.		
Penistone ...	507 : 3, pt. of.	Ramsgate (M.B.)	62 : 4, pt. of.	Royton ...	469 : 6.
Penmaenmawr ...	629 : 1, pt. of.	Raunds ...	165 : 2, pt. of.	Rugby ...	393 : 1, pt. of.
Penrith ...	569 : 1, pt. of.	Ravensthorpe	502 : 5, pt. of.	Rugeley ...	369 : 2, pt. of.
Penryn (M.B.)	298 : 1, pt. of.	Rawdon ...	491 : 1, pt. of.	*Ruislip- Northwood.	125 : 2, pt. of.
Penzance (M.B.)	301 : 4, pt. of.	Rawmarsh ...	510 : 4, pt. of.		
Perry Barr ...	373 : 1, pt. of.	Rawtenstall (M.B.)	471 : 1.	Runcorn ...	446 : 2, pt. of.
Peterborough, City of (M.B.)	167 : 2, pt. of.	Reading (C.B.)	119 : 1, 2.	Rushden ...	163 : 2, pt. of.
Petersfield ...	104 : 1, pt. of.	Redcar ...	533 : 3, pt. of.	Ruskington ...	418 : 1, pt. of.
Phillack ...	300 : 5, pt. of.	Redditch ...	384 : 3, pt. of ; 397 : 1, pt. of.	Ruthin (M.B.)	619 : 2, pt. of.
Pickering ...	531 : 2, pt. of.	Redruth ...	300 : 2.	Ryde (M.B.) ...	91 : 3, pt. of.
Plymouth (C.B.)	277 : 1-3.	Reigate (M.B.)	36 : 2.	Rye (M.B.) ...	67 : 1, pt. of.
†Pocklington...	517 : 2, pt. of.	Rhondda ...	587 : 2, pt. of, 3, pt. of, 4.	Ryton ...	555 : 4, pt. of.
Pontefract (M.B.)	504 : 3, pt. of.	Rhyl ...	620 : 1, pt. of.		
Pontypool ...	584 : 2, pt. of.	Rhymney ...	583 : 2, pt. of ; 609 : 2, pt. of.		
Pontypridd ...	587 : 1, pt. of, 2, pt. of, 3, pt. of.	Richmond (M.B.) (Surrey).	40 : 1.	Saddleworth ...	494 : 2.
†Poole (M.B.)	262 : 1, pt. of, 2, 3, pt. of.	Richmond (M.B.) (Yorks, N.R.)	541 : 1, pt. of.	Saffron Walden (M.B.)	201 : 2, pt. of.
Porthcawl ...	589 : 4, pt. of.	Rickmansworth	137 : 3, pt. of.	St. Albans, City of (M.B.)	136 : 1, pt. of, 2, pt. of.
Portishead ...	319 : 3, pt. of.	Ripley... ..	437 : 4, pt. of.	St. Anne's on the Sea.	477 : 2, pt. of.
Portland ...	264 : 3.	Ripon, City of (M.B.)	487 : 2, pt. of.	St. Austell ...	296 : 2, pt. of.
Portslade by Sea.	78 : 3, pt. of.	Risca ...	585 : 3, pt. of.	St. Helens (C.B.) (Lancs.)	456 : 5, pt. of.
†Portsmouth (C.B.)	88 : 1-4.	Rishton ...	474 : 2, pt. of.	St. Helens (Isle of Wight).	91 : 3, pt. of.
Poulton le Fylde.	477 : 4, pt. of.	Rishworth ...	496 : 4, pt. of.	St. Ives (M.B.) (Cornwall).	301 : 2, pt. of.
Preesall with Hackinsall.	478 : 1, pt. of.	Rochdale (C.B.)	470 : 2, 3, 4, pt. of, 5, 6, pt. of.	St. Ives (M.B.) (Hunts).	169 : 4, pt. of.
Prescot ...	456 : 4, pt. of.			St. Just ...	301 : 5, pt. of.
Prestatyn ...	620 : 1, pt. of.	Rochester, City of (M.B.)	44 : 2, pt. of ; 46 : 1, pt. of.	St. Neots ...	170 : 1, pt. of.
Presteigne ...	611 : 1, pt. of.	Romford ...	189 : 1, pt. of.	Salcombe ...	275 : 3, pt. of.
Preston (C.B.)	476 : 2, 3, 4.	Romsey (M.B.)	99 : 1, pt. of.	Sale ...	445 : 3, pt. of.
†Prestwich ...	467 : 5, pt. of.	†Ross ...	338 : 2, pt. of.	Salford (C.B.)	465 : 1, pt. of, 2, 3, 4.
Pudsey (M.B.)	497B : 9.	Rothbury ...	567 : 1, pt. of.	†Salisbury, City of (M.B.)	254 : 3.
Pwllheli (M.B.)	626 : 1, pt. of, 2, pt. of.	Rotherham (C.B.)	510 : 2, pt. of, 3.	Saltash (M.B.)	292 : 3, pt. of.
		Rothwell (Northamp- ton).	164 : 3, pt. of.	Saltburn by the Sea.	533 : 3, pt. of.
Quarry Bank...	375 : 3, pt. of.	Rothwell (Yorks, W.R.)	498 : 3, pt. of ; 503 : 5, pt. of.	Sandal Magna	503 : 2, pt. of.
Queenborough (M.B.)	61 : 1, pt. of.	Rowley Regis	374 : 1.	Sandbach ...	448 : 3, pt. of.
Queensbury ...	496 : 7, pt. of.	Roxby cum Risby.	425 : 2, pt. of.	Sandgate ...	65 : 1, pt. of.
Quorndon ...	408 : 2, pt. of.			Sandown ...	91 : 4, pt. of.



COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Sandwich (M.B.)	63 : 1, pt. of.	Soothill Upper	502 : 7, pt. of.	Stourport ...	376 : 4 ; 383 : 1, pt. of.
Sawbridge- worth.	131 : 1, pt. of.	Southall	125 : 3, pt. of.	Stowmarket ...	208 : 3, pt. of.
Saxmundham	215 : 3, pt. of.	Norwood.		Stow on the	333 : 2, pt. of.
*Scalby ...	526 : 2, pt. of.	Southampton	97 : 1 ; 98 : 2, pt. of, 3, pt.	Wold.	
Scammonden...	495 : 10, pt. of.	(C.B.)	of.	Stratford on	396 : 2, pt. of.
Scarborough	526 : 2, pt. of.	South Bank in	534 : 2, pt. of.	Avon (M.B.)	
(M.B.)		Normanby.		Stratton and	289 : 2, pt. of.
Scunthorpe ...	425 : 2, pt. of.	Southborough	49 : 1, pt. of.	Bude.	
Seaford ...	70 : 3, pt. of ; 76B : 1, pt.	South Crosland	495 : 2, pt. of.	Street ...	314 : 2, pt. of.
	of.	South Darley...	440 : 2, pt. of.	Stretford ...	463 : 3, pt. of.
Seaham	550 : 2, pt. of.	Southend on	193 : 2, pt. of.	Stroud ...	329 : 4, pt. of.
Harbour.		Sea (M.B.)		Sudbury (M.B.)	203 : 3, pt. of.
Seaton... ..	269 : 4, pt. of.	Southgate ...	129 : 5, pt. of.	Sunbury on	124 : 1, pt. of.
Sedgley ...	374 : 3, pt. of.	South Molton	284 : 2, pt. of.	Thames.	
Seghill ...	557 : 4, pt. of.	(M.B.)		Sunderland	553 : 1, 2, 3.
Selby ...	514 : 2, pt. of.	Southowram ...	496 : 1, pt. of.	(C.B.)	
Sevenoaks ...	48 : 2, pt. of.	Southport	457 : 6, pt. of.	Surbiton ...	39 : 3.
Shaftesbury	258 : 1, pt. of.	(C.B.)		Sutton ...	30 : 1, pt. of.
(M.B.)		†South Shields	554 : 1, pt. of.	Sutton Bridge	416 : 2, pt. of.
Shanklin ...	91 : 4, pt. of.	(C.B.)		Sutton Cold-	387 : 6, pt. of.
*Shap ...	578 : 1, pt. of.	Southwick ...	78 : 3, pt. of.	field (M.B.)	
Sheerness ...	61 : 1, pt. of.	Southwick on	553 : 4, pt. of.	Sutton in Ash-	429 : 4, pt. of.
†Sheffield, City	508 : 1, 2, 4, pt.	Wear.		field.	
of (C.B.).	of, 5, 6, 7 ; 509 : 1-7, 8, pt. of.	Southwold	216 : 3, pt. of.	Swadlincote	367 : 3, pt. of.
		(M.B.)		District.	
Shelf ...	496 : 7, pt. of.	Sowerby ...	496 : 5, pt. of.	Swaffham ...	239 : 1, pt. of.
Shelley ...	495 : 5, pt. of.	Sowerby Bridge	496 : 5, pt. of.	Swanage ...	263 : 1, pt. of.
Shepley ...	495 : 5, pt. of.	Soyland ...	496 : 4, pt. of.	Swansea (C.B.)	592 : 2, pt. of, 3.
Shepshed ...	407 : 1, pt. of.	Spalding ...	415 : 4, pt. of.	Swindon (M.B.)	241 : 2, pt. of.
Shepton Mallet	313 : 1, pt. of.	Spennymoor ...	543B : 2, pt. of ; 545 : 1, pt.	Swinton ...	510 : 5, pt. of.
Sherborne ...	266 : 2, pt. of.		of ; 549 : 1, pt. of.	†Swinton and	463 : 1, pt. of ; 465 : 1, pt. of.
*Sheringham	222 : 2, pt. of.	Springhead ...	494 : 1.	Pendlebury.	
Shildon and	545 : 1, pt. of.	Stafford (M.B.)	359 : 1, pt. of.		
East Thickley.		Staines ...	124 : 2, pt. of.		
Shipley ...	497B : 6.	Stainland with	496 : 3, pt. of.		
Shoeburyness	193 : 3, pt. of.	Old Lindley.			
Short Heath ...	371 : 6, pt. of.	Stalybridge	468 : 8, pt. of.		
Shrewsbury	351 : 2, pt. of,	(M.B.)			
(M.B.)	3, pt. of.	Stamford	413 : 1, pt. of.		
Sidmouth ...	270 : 2, pt. of.	(M.B.)			
Silsden ...	485 : 4, pt. of.	Standish with	458 : 1, pt. of.		
Sittingbourne	60 : 1, pt. of.	Langtree.			
Skegness ...	422 : 4, pt. of.	Stanhope ...	547 : 2, pt.		
Skelmanthorpe	495 : 5, pt. of.	of.	of.		
Skelmersdale...	457 : 8, pt. of.	Stanley	548 : 1, pt. of, 3, pt. of.		
Skelton and	533 : 1, pt. of,	(Durham).			
Brotton.	2.	Stanley	503 : 6, pt. of.		
Skipton ...	485 : 5, pt. of.	(Yorks, W.R.)			
Slaithwaite ...	495 : 1, pt. of.	Stenage ...	133 : 1, pt. of.		
Sleaford ...	418 : 2, pt. of.	†Stockport	443 : 4, 5, 6.		
Slough ...	141 : 2, pt. of.	(C.B.)			
†Smallthorne	362 : 2, pt. of, 3, pt. of ; 364 : 1, pt. of.	Stocksbridge ...	507 : 6, pt. of.		
	385 : 3, pt. of.	Stockton on	543A : 1, pt. of.		
Smethwick		Tees (M.B.)			
(C.B.)		Stoke upon	363 : 2.		
Soothill Nether	502 : 7, pt. of.	Trent (M.B.)			
		Stone ...	360 : 1, pt. of.		
		Stourbridge ...	375 : 2, pt. of.		



COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Thornhill ...	502 : 9.	Wadebridge ...	294 : 4, pt. of.	Wenlock (M.B.)	350 : 2, pt. of, 3.
Thornton ...	477 : 4, pt. of.	Wakefield, City of (M.B.)	503 : 4.	West Bridgford	430 : 6, pt. of.
Thurlstone ...	507 : 3, pt. of.	Wallasey ...	452 : 3.	West Bromwich (C.B.)	373 : 3, 4.
Thurmaston ...	408 : 4, pt. of.	Wallingford (M.B.)	117 : 2, pt. of.	Westbury ...	250 : 2, pt. of.
Thurstonland...	495 : 5, pt. of.	Wallsend (M.B.)	557 : 1, pt. of.	Westbury on Severn.	325 : 1, pt. of.
Tickhill ...	511 : 1, pt. of.	†Walmer ...	63 : 4, pt. of.	West Ham (C.B.)	186 : 1-4.
Tipton... ..	374 : 2.	Walsall (C.B.)	372 : 2, pt. of, 3, 4, pt. of.	West Hartlepool (C.B.)	544 : 1, pt. of.
Tiverton (M.B.)	283 : 3.	Walsoken ...	185 : 5, pt. of.	Westhoughton	461 : 4, pt. of.
Todmorden (M.B.)	493 : 2.	Waltham Holy Cross.	129 : 7.	†Weston super Mare.	315 : 3, pt. of.
Tonbridge ...	49 : 2, pt. of.	Walthamstow...	186 : 10, pt. of.	Weybridge	31 : 1, pt. of.
*Torpoint ...	292 : 1, pt. of.	Walton le Dale	476 : 5, pt. of.	Weymouth and Melcombe Regis (M.B.)	264 : 2, pt. of.
Torquay (M.B.)	273 : 6, pt. of.	Walton on Thames.	31 : 1, pt. of.	Wheatley (Oxon.)	149 : 1, pt. of.
Totnes (M.B.)	274 : 4, pt. of.	†Walton on the Naze.	195 : 2, pt. of.	Wheatley (Yorks, W.R.)	511 : 5, pt. of.
Tottenham ...	129 : 3, 4.	Wanstead ...	186 : 7.	Whickham ...	555 : 3.
Tottington ...	462 : 2.	Wantage ...	116 : 1, pt. of.	Whitby ...	532 : 2, pt. of.
Tow Law ...	547 : 3, pt. of ; 548 : 3, pt. of.	†Warblington...	87 : 1, pt. of.	Whitechurch ...	355 : 1, pt. of.
Towyn ...	613 : 2, pt. of.	Wardle ...	470 : 6, pt. of.	Whitefield ...	462 : 8, pt. of.
Trawden ...	472 : 5, pt. of.	Ware ...	130 : 1, pt. of, 3, pt. of.	Whitehaven (M.B.)	575 : 2, pt. of.
Tredegar ...	583 : 2, pt. of ; 609 : 2, pt. of.	Wareham (M.B.)	263 : 3, pt. of.	Whitley and Monkseaton.	557 : 4, pt. of.
Tring ...	139 : 2, pt. of.	Warminster ...	251 : 1, pt. of.	Whitley Upper	495 : 7, pt. of.
Trowbridge ...	248 : 2, pt. of.	Warrington (C.B.)	459 : 4.	Whitstable ...	58 : 3, pt. of.
Truro, City of (M.B.)	297 : 4, pt. of, 5, pt. of.	Warsop ...	429 : 1, pt. of.	Whittington ...	439 : 2, pt. of.
Tunbridge Wells (M.B.)	49 : 1, pt. of ; 72 : 2, pt. of.	Warwick (M.B.)	395 : 1, pt. of.	Whittlesey ...	184 : 1, pt. of.
†Tunstall ...	362 : 2, pt. of.	*Watchet ...	303 : 3, pt. of.	Whitwood ...	504 : 4, pt. of.
Turton ...	461 : 6.	Waterloo with Seaforth.	455 : 1, pt. of.	Whitworth ...	470 : 6, pt. of.
Twickenham...	126 : 2.	†Watford ...	137 : 1, pt. of, 2, pt. of.	Widnes (M.B.)	456 : 3, pt. of.
Tyldesley with Shakerley.	460 : 4, pt. of.	Wath upon Dearne.	510 : 5, pt. of.	†Wigan (C.B.)	458 : 3, 5, pt. of.
Tynemouth (C.B.)	557 : 2.	†Wealdstone ...	127 : 1, pt. of.	Wigston Magna	403 : 1, pt. of.
Uckfield ...	73 : 3, pt. of.	Wednesbury (M.B.)	373 : 5.	Wigton ...	573 : 1, pt. of.
Ulverston ...	481 : 3, pt. of.	Wednesfield ...	371 : 6, pt. of.	Willenhall ...	371 : 6, pt. of.
Upholland ...	458 : 5, pt. of.	Weetslade ...	557 : 3, pt. of.	Willesden ...	127 : 3.
Urmston ...	463 : 3, pt. of.	Wellingborough	163 : 1, pt. of.	Willington ...	549 : 1, pt. of.
Usk ...	584 : 4, pt. of.	†Wellington (Salop).	357 : 2, pt. of.	Willington Quay.	557 : 1, pt. of.
Uttoxeter ...	366 : 1, pt. of.	Wellington (Somerset).	305 : 3, pt. of.	Wilmslow ...	445 : 1, pt. of.
Uxbridge ...	125 : 1, pt. of, 2, pt. of.	Wells (Norfolk)	234 : 3, pt. of.	Wilton (M.B.)	255 : 1, pt. of.
Ventnor ...	91 : 5, pt. of.	Wells, City of (M.B.)	314 : 1, pt. of.	Wimbledon (M.B.)	39 : 1.
		Wells (Somerset).		Wimborne Minster.	261 : 2, pt. of.
		Welshpool (M.B.)	615 : 1, pt. of, 3, pt. of ; 616 : 2, pt. of.	Winchester, City of (M.B.)	101 : 2, pt. of.
		Wern ...	354 : 1, pt. of.	†Windermere...	579 : 1, pt. of.
		Wembley ...	127 : 1, pt. of.	Winsford ...	447 : 3, pt. of.
				Winterton ...	425 : 2, pt. of.
				Wirksworth ...	437 : 6, pt. of.
				Wisbech (M.B.)	185 : 2.
				†Witham ...	199 : 4, pt. of.

COUNTY BOROUGHs, MUNICIPAL BOROUGHs, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGHs, MUNICIPAL BOROUGHs, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGHs, MUNICIPAL BOROUGHs, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Withernsea ...	522 : 1, pt. of.	Wood Green ...	129 : 2.	Wrotham ...	47 : 2, pt. of.
Withnell ...	475 : 1, pt. of.	Woodhall Spa...	421 : 3, pt. of.		
Witney ...	153 : 3, pt. of.	Woodstock	152 : 2, pt. of.		
Wiveliscombe...	305 : 1, pt. of.	(M.B.)			
Wivenhoe ...	197 : 1, pt. of.	Worcester, City	379 : 1, pt. of.	Yarmouth ( <i>see</i>	
†Woking ...	31 : 3, pt. of ;	of (C.B.)		Great Yar-	
	32 : 1, pt. of.	Workington	574 : 3, pt. of.	mouth).	
Wokingham	120 : 1, pt. of.	(M.B.)		Yeadon ...	491 : 5, pt. of.
(M.B.)		Worksop ...	428 : 1, pt. of.	Yeadon ...	444 : 3, pt. of.
*Wolstanton	362 : 1.	Worsborough...	506 : 4, pt. of.	Whaleley.	
United.		Worsley ...	463 : 1, pt. of.	†Yeovil (M.B.)	310 : 4, pt. of.
Wolverhampton	371 : 4, 5.	†Worthing	82 : 1, pt. of.	Ynyscynhaiarn	625 : 3, pt. of.
(C.B.)		(M.B.)		York, City of	516 : 2, 3.
Wombwell ...	506 : 3, pt. of.	Wrexham	618 : 3, pt. of.	(C.B.)	
Woodbridge ...	214 : 3, pt. of.	(M.B.)			
Woodford ...	186 : 10, pt. of.				



## CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN THE YEAR 1907.

*Changes in Registration boundaries are made by order of the Registrar-General, with the consent of the Local Government Board. Those changes which affect the boundaries of Registration Districts are necessitated by changes in the boundaries of Poor Law Unions.*

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Popula- tion, 1901.
	Decreased by change.		Increased by change.			
	Name.	No.	Name.	No.		
1907. 1 Oct.	PADDINGTON - St. Mary, Paddington (abolished).	1a 1	PADDINGTON - Paddington North (new sub- district).	1a 1	Paddington Metropolitan Borough and Civil parish (part of), viz.:— Maida Vale Ward - - - - Harrow Road Ward - - - -	<b>18,713</b> <b>27,704</b>
"	PADDINGTON - St. Mary, Paddington (abolished).	1a 1	PADDINGTON - Paddington Central (new sub- district).	1a 2	Paddington Metropolitan Borough and Civil parish (part of), viz.:— Church Ward (part of) - - - Westbourne Ward - - - -	<b>22,980</b> <b>23,776</b>
"	PADDINGTON - St. John, Paddington (abolished).	1a 2	PADDINGTON - Paddington Central (new sub- district).	1a 2	Paddington Metropolitan Borough and Civil parish (part of), viz.:— Church Ward (part of) - - -	<b>3297</b>
"	PADDINGTON - St. John, Paddington (abolished).	1a 2	PADDINGTON - Paddington South (new sub- district).	1a 3	Paddington Metropolitan Borough and Civil parish (part of), viz.:— Lancaster Gate West Ward - - Lancaster Gate East Ward - - Hyde Park Ward - - - -	<b>8456</b> <b>7939</b> <b>13,925</b>
"	PADDINGTON - North West Paddington (abolished).	1a 3	PADDINGTON - Paddington North (new sub- district).	1a 1	Paddington Metropolitan Borough and Civil parish (part of), viz.:— Queen's Park Ward - - - -	<b>17,181</b>
1 June	RICHMOND- - Mortlake - -	40 2	RICHMOND- - Richmond - -	40 1	North Sheen - - - - -	<b>2807</b>
1 Oct.	72.—TICEHURST: On this date Ticehurst (1) and Salehurst (2) sub-districts were united and called Ticehurst (1).					
1 Mar.	BRIGHTON - - East Brighton-	77 1	BRIGHTON - - West Brighton	77 2	Brighton Civil parish and County Borough (part of), viz.:— Lewes Road Ward (part of) -	<b>6142</b>
1 Oct.	BIGGLESWADE - Biggleswade - (re-named Stotfold).	172 2	BIGGLESWADE - Potton - - (re-named Biggleswade).	172 1	Biggleswade - - - - -	<b>5120</b>
1 July	WEST HAM - Stratford - -	186 1	WEST HAM- - Forest Gate - (re-numbered 2).	186 4	West Ham County Borough:— Park Ward (part of) - - - - Upton Ward (part of) - - - -	<b>9860</b> <b>115</b>

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN THE  
YEAR 1907—*continued*.

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Popula- tion, 1901.
	Decreased by change.		Increased by change.			
	Name.	No.	Name.	No.		
1907. 1 July	WEST HAM- Forest Gate - (re-numbered 2).	186 4	WEST HAM- Stratford -	186 1	West Ham County Borough :— New Town Ward ( <i>part of</i> )-	13,122
"	HOXNE - (abolished). Stradbroke - Dennington -	210 1 2	HARTISMERE - Stradbroke - Dennington -	209 3 4	Entire sub-district - - - - Entire sub-district - - - -	5200 5021
1 April	HENSTEAD- Henstead- (re-numbered 2).	227 1	HENSTEAD - Humbleyard - (new sub- district).	227 1	Bracon Ash- - - - - Colney- - - - - Cringleford- - - - - Dunston - - - - - East Carleton - - - - - Flordon - - - - - Great Melton - - - - - Hethel- - - - - Hethersett - - - - - Intwood - - - - - Keswick - - - - - Ketteringham - - - - - Little Melton - - - - - Markshall - - - - - Mulbarton - - - - - Newton Flotman - - - - - Swainsthorpe - - - - - Swardeston- - - - - Wreningham - - - - -	283 122 268 118 287 192 306 153 1072 43 164 185 284 48 507 242 274 378 376
"	WAYLAND - Attleborough -	232 1	WAYLAND - Watton -	232 2	Larling - - - - - Roudham - - - - - Shropham - - - - - Snetterton - - - - -	158 172 352 173
"	WAYLAND - Watton -	232 2	WAYLAND - Attleborough -	232 1	Rockland, St. Peter - - - -	273
1 Feb.	PLYMOUTH Charles - (abolished).	277 1	PLYMOUTH- Plymouth North (new sub- district).	277 1	Plymouth Civil parish and County Borough ( <i>part of</i> ), viz. :— Compton Ward - - - - Mutley Ward - - - - Greenbank Ward - - - - Charles Ward - - - -	4843 7102 8938 7218

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.



CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN THE  
YEAR 1907—*continued*.

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Popula- tion, 1901.
	Decreased by change.		Increased by change.			
	Name.	No.	Name.	No.		
1907. 1 Feb.	PLYMOUTH- Charles - (abolished).	277 1	PLYMOUTH- Plymouth South East (new sub- district).	277 2	Plymouth Civil parish and County Borough ( <i>part of</i> ), viz. :— Laira Ward - - - - Friary Ward - - - - Sutton Ward - - - -	   9480 9587 10,895
St. Andrew sub-district was renamed Plymouth South West (3).						
1 May	BRIDGWATER - Stowey - (abolished).	307 1	BRIDGWATER - North Petherton.	307 1	Aisholt - - - - Charlinch - - - - Nether Stowey - - - - Over Stowey - - - - Spaxton - - - -	     76 149 566 432 834
"	BRIDGWATER - Stowey - (abolished).	307 1	BRIDGWATER - Bridgwater -	307 2	Cannington- - - - Fiddington - - - - Otterhampton - - - - Stockland Bristol - - - -	    1021 202 411 105
"	BRIDGWATER - Middlezoy -	307 4	BRIDGWATER - North Petherton.	307 1	North Petherton ( <i>part of</i> ) - - -	   61
1 Jan.	GLOUCESTER - Barnwood - (abolished).	327 1	GLOUCESTER - Barnwood - (new sub- district).	327 1	Ashleworth - - - - Barnwood - - - - Churchdown - - - - Down Hatherley - - - - Highnam, Over and Linton - - Hucclecote - - - - Lassington - - - - Longford - - - - Maisemore - - - - Norton - - - - Sandhurst - - - - Twigworth- - - - Wotton St. Mary Without - - Wotton Vill- - - -	                     410 1184 989 184 276 671 57 673 465 377 409 180 906 778
"	GLOUCESTER - Barnwood - (abolished).	327 1	GLOUCESTER - Gloucester Southern (new sub- district).	327 3	Gloucester Civil parish and County Borough ( <i>part of</i> ), viz. :— Tuffley Ward ( <i>part of</i> ) - -	   463

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

**CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN THE  
YEAR 1907—continued.**

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Popula- tion, 1901.
	Decreased by change.		Increased by change.			
	Name.	No.	Name.	No.		
1907. 1 Jan.	GLOUCESTER - St. Nicholas - (abolished).	327 2	GLOUCESTER - Gloucester Northern (new sub- district).	327 2	Gloucester Civil parish and County Borough (part of), viz.:— East Ward (part of) - - - Kingsholm Ward (part of) - - West Ward (part of) - - -	   <b>930</b> <b>2596</b> <b>4579</b>
"	GLOUCESTER - St. John the Baptist (abolished).	327 3	GLOUCESTER - Gloucester Northern (new sub- district).	327 2	Gloucester Civil parish and County Borough (part of), viz.:— East Ward (part of) - - - Kingsholm Ward (part of) - - South Ward (part of) - - - West Ward (part of) - - -	   <b>3648</b> <b>2418</b> <b>1325</b> <b>794</b>
"	GLOUCESTER - St. John the Baptist (abolished).	327 3	GLOUCESTER - Gloucester Southern (new sub- district).	327 3	Gloucester Civil parish and County Borough (part of), viz.:— Alington Ward (part of) - - -	  <b>2614</b>
"	GLOUCESTER - South Hamlet (abolished).	327 4	GLOUCESTER - Barnwood - (new sub- district).	327 1	Brockworth - - - - -	  <b>373</b>
"	GLOUCESTER - South Hamlet (abolished).	327 4	GLOUCESTER - Gloucester Northern (new sub- district).	327 2	Gloucester Civil parish and County Borough (part of), viz.:— East Ward (part of) - - - South Ward (part of) - - -	  <b>615</b> <b>3088</b>
"	GLOUCESTER - South Hamlet (abolished).	327 4	GLOUCESTER - Gloucester Southern (new sub- district).	327 3	Gloucester Civil parish and County Borough (part of), viz.:— Alington Ward (part of) - - - Barton Ward - - - - - Lower Barton Ward - - - Southend Ward - - - - - Tredworth Ward - - - - - Tuffley Ward (part of) - - - Elmore - - - - - Hempstead - - - - - Matson - - - - - Prinknash Park - - - - - Quedgeley - - - - - Upton St. Leonard's - - - - - Whaddon - - - - -	  <b>2632</b> <b>4782</b> <b>4836</b> <b>6060</b> <b>4311</b> <b>2264</b> <b>372</b> <b>408</b> <b>50</b> <b>7</b> <b>639</b> <b>1000</b> <b>371</b>
1 Mar.	STOKE UPON TRENT. Stoke Rural -	363 5	LEEK - - - - Norton - - -	364 1	Bagnall - - - - -	  <b>533</b>
"	LEEK - - - Leek - - -	364 3	LEEK - - - Leek Frith -	364 4	Leek Frith (part of) - - - - -	  <b>8</b>

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.



CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN THE  
YEAR 1907—*continued*.

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Popula- tion, 1901.
	Decreased by change.		Increased by change.			
	Name.	No.	Name.	No.		
1907. 1 Mar.	LEEK - - - Leek Frith -	364 4	LEEK - - - Leek - - -	364 3	Leek ( <i>part of</i> ) - - - - -	88
"	UTTOXETER - Abbots Bromley.	366 2	UTTOXETER - Uttoxeter -	366 1	Kingston - - - - -	223
1 Sept.	391.—FOLESHILL : On this date Foleshill (1) and Sowe (2) sub-districts were united and called Foleshill (1).					
1 May	BASFORD - - - Hucknall Torkard.	430 4	BASFORD - - - Greasley - - -	430 1	Nuthall - - - - - Awwsworth - - - - -	592 1529
"	BASFORD - - - Hucknall Torkard.	430 4	BASFORD - - - Beeston - - -	430 3	Bilborough- - - - - Strelley - - - - -	202 205
"	BASFORD - - - Hucknall Torkard.	430 4	BASFORD - - - Arnold - - -	430 5	Bestwood Park - - - - -	650
"	BASFORD - - - Arnold - - -	430 5	BASFORD - - - Hucknall Torkard.	430 4	Linby - - - - - Newstead - - - - - Papplewick - - - - -	319 1100 346
1 Mar.	443.—STOCKPORT : On this date Marple (1) and Hazel Grove (9) sub-districts were united and called Hazel Grove (1).					
1 April	444.—MACCLESFIELD : On this date East Macclesfield (4) and West Macclesfield (5) sub-districts were united and called Macclesfield (4).					
18 Feb.	TOXTETH PARK Toxteth Park - (abolished).	454 1	TOXTETH PARK Toxteth Park North West (new sub- district).	454 1	Toxteth Park Civil parish ( <i>part of</i> ) and Liverpool County Borough ( <i>part of</i> ), viz. :— Brunswick Ward- - - - -	24,733
"	TOXTETH PARK Toxteth Park - (abolished).	454 1	TOXTETH PARK Toxteth Park South West (new sub- district).	454 2	Toxteth Park Civil Parish ( <i>part of</i> ) and Liverpool County Borough ( <i>part of</i> ), viz. :— Dingle Ward - - - - -	34,861
"	TOXTETH PARK Toxteth Park - (abolished).	454 1	TOXTETH PARK Toxteth Park Central (new sub- district).	454 3	Toxteth Park Civil parish ( <i>part of</i> ) and Liverpool County Borough ( <i>part of</i> ), viz. :— Granby Ward - - - - - Princes Park Ward - - - - -	24,163 22,286
"	TOXTETH PARK Toxteth Park - (abolished).	454 1	TOXTETH PARK Toxteth Park East (new sub- district).	454 4	Toxteth Park Civil parish ( <i>part of</i> ) and Liverpool County Borough ( <i>part of</i> ), viz. :— Sefton Park East Ward - - - Sefton Park West Ward - - -	18,894 11,293
1 July.	ORMSKIRK - - Scarisbrick - (abolished).	457 7	ORMSKIRK - - Lathom - - -	457 8	Burscough - - - - -	2752

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN THE  
YEAR 1907—*continued*.

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Popula- tion, 1901.
	Decreased by change		Increased by change.			
	Name.	No.	Name.	No.		
1907. 1 July	ORMSKIRK - - Scarisbrick - (abolished).	457 7	ORMSKIRK - - Halsall - -	457 4	Scarisbrick - - - - -	2140
1 April	BURY - - - Radcliffe - -	462 7	BURY - - - Elton - -	462 3	Ainsworth - - - - -	1718
"	BURY - - - Whitefield -	462 8	BURY - - - Radcliffe - -	462 7	Radcliffe Civil parish and Urban District ( <i>part of</i> ).	4778
1 Oct.	ASHTON UNDER LYNE Stalybridge - (abolished).	468 6	ASHTON UNDER LYNE. Dukinfield - (new sub- district).	468 7	Dukinfield Municipal Borough and Civil Parish.	18,929
"	ASHTON UNDER LYNE Stalybridge - (abolished).	468 6	ASHTON UNDER LYNE. Stalybridge - (new sub- district).	468 8	Stalybridge Municipal Borough and Civil parish.	27,673
					Matley - - - - -	196
1 Nov.	HUNSLET - - - Whitkirk - (abolished).	498 2	HUNSLET - - - Hunslet - -	498 1	Osmondthorpe ( <i>part of</i> Leeds County Borough).	379
"	HUNSLET - - - Whitkirk - (abolished).	498 2	HUNSLET - - - Templenewsam (new sub- district).	498 2	Templenewsam - - - - - Thorpe Stapleton - - - - -	2439 20
"	HUNSLET - - - Whitkirk - (abolished).	498 2	HUNSLET - - - Rothwell - -	498 3	Oulton with Woodlesford - - -	3003
1 May	WAKEFIELD - - Alverthorpe - (abolished).	503 7	WAKEFIELD - - Horbury - -	503 3	Lupset - - - - -	164
"	WAKEFIELD - - Alverthorpe - (abolished).	503 7	WAKEFIELD - - Wakefield - -	503 4	Wakefield Civil parish and Municipal Borough ( <i>part of</i> ).	11,563
"	WAKEFIELD - - Alverthorpe - (abolished).	503 7	WAKEFIELD - - Stanley - -	503 6	Alverthorpe - - - - -	1116
1 Feb.	601.—CARDIGAN: On this date Cardigan (2) and Llandygwydd (3) sub-districts were united and called Cardigan (2).					
1 June	BUILTH - - - Abergwessin -	607 2	BUILTH - - - Llanwrtyd -	607 1	Llanfihangel Abergwessin - - - Llanddewi Abergwessin - - -	247 69
1 July	607.—BUILTH: On this date Abergwessin (2) sub-district was re-named Treflis.					

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.



## ALPHABETICAL INDEX

TO THE

REGISTRAR-GENERAL'S SEVENTIETH ANNUAL  
REPORT.

ENGLAND AND WALES.

(1907.)

	PAGES		PAGES
ABORTION, MISCARRIAGE :		ANÆMIA, LEUCOCYTHÆMIA :	
Deaths at Ages ... ..	307	Deaths by Sexes at Ages ...	300, 301
in London .. ...	325	in London ... ..	318, 319
Deaths :		Deaths by Sexes ... ..	351
in Counties ... ..	372-378	in Counties ... ..	351-357
1888-1907 ... ..	32, 60	1888-1907 ... ..	26, 40, 54
per million living ...	33, 61	per million living ...	27, 41, 55
ABSCESS :		ANÆSTHETICS, Deaths under	
Deaths by Sexes at Ages ...	308, 309	by Sexes at Ages ... ..	429, 435
in London ... ..	326, 327	ANASARCA. ( <i>See Dropsy.</i> )	
Deaths by Sexes ... ..	379	ANEURYSM :	
in Counties ... ..	379-385	Deaths by Sexes at Ages ...	302, 303
1888-1907 ... ..	34, 48, 62	in London ... ..	320, 321
per million living ...	35, 49, 63	Deaths by Sexes ... ..	358
ACCIDENTAL DEATHS ... ..	cxix	in Counties ... ..	358-364
by Sexes at Ages from Various		1888-1907 ... ..	28, 42, 56
Causes ... ..	424-437	per million living ...	29, 43, 57
( <i>See also the Kinds of Acci-</i>		ANGINA PECTORIS :	
<i>dent.</i> )		Deaths by Sexes at Ages ...	302, 303
AGES :		in London ... ..	320, 321
Proportion per million living		Deaths by Sexes ... ..	358
at Twelve Groups of Ages,		in Counties ... ..	358-364
1871-1901 ... ..	xxiii	1888-1907 ... ..	28, 42, 56
AGES at DEATH. ( <i>See Deaths.</i> )		per million living ...	29, 43, 57
AGES at MARRIAGE. ( <i>See Mar-</i>		ANTHRAX (SPLENIC FEVER) :	
<i>riages.</i> )		Deaths by Sexes at Ages ...	296, 297
ALBUMINURIA. ( <i>See Bright's</i>		in London ... ..	314, 315
<i>Disease.</i> )		Deaths by Sexes ... ..	337
ALCOHOLISM ... ..	evi	in Counties ... ..	337-343
Deaths by Sexes at Ages ...	298, 299	1888-1907 ... ..	22, 36, 50
in London ... ..	316, 317	per million living ...	23, 37, 51
Deaths by Sexes ... ..	344	APOPLEXY, HEMIPLEGIA ...	cxx
in Counties ... ..	344-350	Deaths by Sexes at Ages ...	302, 303
1888-1907 ... ..	24, 38, 52	in London ... ..	320, 321
per million living ...	25, 39, 53	Deaths by Sexes ... ..	358
Deaths per million living, in		in Counties ... ..	358-364
quinquennia 1871-1905...	21	1888-1907 ... ..	28, 42, 56
		per million living ...	29, 43, 57

	PAGES		PAGES
APPENDICITIS, PERITYPHLITIS	cxxii	AUSTRALIAN COMMONWEALTH:	
Deaths by Sexes at Ages ...	304, 305	Birth and Death-rates in each	
in London ...	322, 323	State, 1881-1906... ..	108
Deaths by Sexes ...	365	(See also names of States.)	
in Counties ...	365-371	AUSTRIA, Vital Statistics of,	
1888-1907 ...	30, 44, 58	1881-1906 ... ..	131
per million living ...	31, 45, 59		
AREA of:		AUTHORISED PERSONS, Mar-	
Channel Islands ...	90	riages before:	
England and Wales ...	2, 208	in Counties ... ..	208-211
Ireland... ..	3	per 1,000 marriages, 1899-	
Isle of Man ...	90	1907 ... ..	8
Registration Counties ...	208-210	in London ... ..	9
Registration Districts and		in Counties, 1907 ... ..	12
Sub-Districts ...	148-207	No. of buildings for mar-	
Scotland ...	3	riages by ... ..	xx
United Kingdom ...	2		
ARMY, Strength and Mortality		BANNS (See Marriage, Manner	
of, 1869-1907 ...	liv, 91	of Solemnisation.)	
ARSENICAL and OTHER METAL-		BAPTISTS:	
LIC POISONING (INDUS-		No. of buildings for solemnisa-	
TRIAL):		tion of marriage ...	7
Deaths, 1901-1907 ...	26, 40	by authorised person ...	xxi
by Ages ...	300	BATHING. (See Drowning.)	
ARTHRITIS, PERIOSTITIS:		BATTLE:	
Deaths by Sexes at Ages ...	306, 307	Deaths from wounds in,	
in London ...	324, 325	1897-1907... ..	34, 48
Deaths by Sexes ...	372	at ages ... ..	308
in Counties ...	372-378	BEDSORE. (See Ulcer.)	
1888-1907 ...	32, 46, 60	BEEF, Prices of, 1858-1907 ...	93
per million living ...	33, 47, 61	BELGIUM, Vital Statistics of,	
Rheumatoid. (See Rheuma-		1881-1906 ... ..	137
toid Arthritis.)		BIRTHS ... ..	xxii
ASCITES. (See Dropsy.)		by Sexes:	
ASTHMA:		1858-1907 ... ..	4
Deaths by Sexes at Ages ...	304, 305	in Counties ... ..	146, 147
in London ...	322, 323	in Registration Districts and	
Deaths by Sexes ...	365	Sub-districts ... ..	148-207
in Counties ...	365-371	in Isle of Man and Channel	
1888-1907 ...	30, 44, 58	Islands, 1883-1907 ...	90
per million living ...	31, 45, 59	in several Countries 1881-	
ASYLUMS FOR THE INSANE:		1907 ... ..	lvii, 110-143
Deaths in ...	227-278	at sea ... ..	liv
ATELECTASIS:		total on Register ... ..	89
Deaths by Sexes at Ages ...	300, 301	excess over deaths. (See	
in London ...	318, 319	Natural Increase.)	
Deaths by Sexes ...	351	legitimate and illegitimate:	
in Counties ...	351-357	1858-1907 ... ..	4
1888-1907 ...	26, 40, 54	in Counties ... ..	146, 147
per million living ...	27, 41, 55	in Registration Districts	
ATROPHY, DEBILITY:		and Sub-districts ...	148-207
Deaths by Sexes at Ages ...	308, 309	Notification Act ... ..	lxxi
in London ...	326, 327	BIRTH-RATES:	
Deaths by Sexes ...	379	1858-1907 ... ..	5
in Counties ...	379-385	in Groups of Years, 1838-1907	6
1888-1907 ...	34, 48, 62	in quarters ... ..	6
per million living ...	35, 49, 63	in Counties, 1897-1906, 1907...	14
Mortality at ages under 5:			
by sexes ...	72-77		
1902-1906, 1907 ...	82		
in Urban and Rural Coun-			
ties ...	78-81		
(See also Wasting Diseases.)			



	PAGES		PAGES
<b>BIRTH-RATES—continued.</b>		<b>BONES, Diseases of.</b> ( <i>See Locomotor System.</i> )	
in several Countries :		<b>BONES, Infective Diseases of :</b>	
1881-1907 ... ..	108-143	Deaths by Sexes at Ages ...	310, 311
in quinquennia 1881-		in London ... ..	328, 329
1905, 1906, 1907 ...	lviii	<b>BRAIN, Infective Diseases of :</b>	
methods of measuring ...	xxiv	Deaths by Sexes at Ages ...	310, 311
in Urban and Rural Areas ...	xxix	in London ... ..	328, 329
legitimate ... ..	xxvi	<b>BRAIN, Inflammation of.</b> ( <i>See Meningitis.</i> )	
to 1,000 living :		<b>BRAIN, Softening of.</b> ( <i>See Softening.</i> )	
1858-1907... ..	5	<b>BRAIN TUMOUR (not Specific)</b> ...	cxix
in Groups of Years, 1838-		Deaths by Sexes at Ages ...	302, 303
1907 ... ..	6	in London ... ..	320, 321
to 1,000 married women		Deaths by Sexes ... ..	358
aged 15-45, 1876-		in Counties ... ..	358-364
1907 ... ..	xxv	1901-1907 ... ..	28, 42, 56
in Counties, 1870-1907 ...	xxvii	per million living ...	29, 43, 57
in several Countries,		<b>BREAST MILK, Want of.</b> ( <i>See Want of, &amp;c.</i> )	
1880-2 to 1900-2 ...	lix	<b>BRIGHT'S DISEASE</b> ... ..	cxix
illegitimate ... ..	xxxix	Deaths by Sexes at Ages ...	306, 307
to 1,000 living :		in London ... ..	324, 325
1858-1907... ..	5	Deaths by Sexes ... ..	372
in Groups of Years, 1838-		in Counties ... ..	372-378
1907 ... ..	6	1888-1907 ... ..	32, 46, 60
in 1,000 births :		per million living ...	33, 47, 61
1858-1907... ..	5	<b>BRIGHT'S DISEASE and ACUTE</b>	
in Groups of Years, 1838-		<b>NEPHRITIS</b> ... ..	cxix
1907 ... ..	6	Deaths per million living in	
in Counties, 1897-1906,		quinquennia, 1871-1905	21
1907 ... ..	14	<b>BRITISH COLONIES :</b>	
to 1,000 unmarried females		Birth and Death-rates, 1881-	
15-45, 1876-1907 ...	xxv, xxxi	1907 ... ..	108
in Counties ... ..	xxxii	( <i>See also Names of Colonies.</i> )	
Sex proportions ... ..	xxix	<b>BRONCHITIS</b> ... ..	cxix
male births to 1000 female		Deaths by Sexes at Ages ...	304, 305
births :		in London ... ..	322, 323
1858-1907... ..	5	Deaths by Sexes ... ..	365
in Counties, 1897-1906,		in Counties ... ..	365-371, 388-397
1907 ... ..	14	per million living ...	66-69
in Groups of Years, 1838-		1888-1907 ... ..	30, 44, 58
1907 ... ..	6	per million living ...	31, 45, 59
<b>BLADDER AND PROSTATE,</b>		Deaths per million living in	
Diseases of :		quinquennia, 1871-1905	21
Deaths by Sexes at Ages ...	306, 307	Deaths in Registration Dis-	
in London ... ..	324, 325	tricts ... ..	398-422
Deaths by Sexes ... ..	372	Deaths under one to 1,000	
in Counties ... ..	372-378	Births :	
1888-1907 ... ..	32, 46, 60	in Counties ... ..	72
per million living ...	33, 47, 61	Mortality at Ages under five :	
<b>BLADDER AND PROSTATE,</b>		by Sexes ... ..	72-77
Infective Diseases of :		1902-1906, 1907 ...	82
Deaths by Sexes at Ages ...	310, 311	in Urban and Rural	
in London ... ..	328, 329	Counties ... ..	78-81
<b>BLOOD VESSELS, Diseases of</b> ...	cxix	Deaths under five to 1,000	
Deaths by Sexes at Ages ...	294, 295	living :	
in London ... ..	302, 303	in Counties ... ..	87
Deaths by Sexes ... ..	302, 303, 320, 321	<b>BRONCHO-PNEUMONIA.</b> ( <i>See Pneumonia.</i> )	
in Counties ... ..	330, 358		
1888-1907 ... ..	330-336, 358-364		
per million living ...	28, 42, 56		
( <i>See also Heart and Blood</i>	29, 43, 57		
<b>BLOOD VESSELS, Infective Pro-</b>			
<b>cesses of :</b>			
Deaths by Sexes at Ages ...	310, 311		
in London ... ..	328, 329		

	PAGES
<b>BUILDING OPERATIONS :</b>	
Deaths at Ages ... ..	308
in London ... ..	326
from Various Causes ... ..	427
Deaths ... ..	379
in Counties ... ..	379-385
1901-1907 ... ..	34, 48
per million living ... ..	35, 49
<b>BUILDINGS, Registered for</b>	
Solemnisation of Marriage	xix, 7
in Counties ... ..	7
<b>BULGARIA, Vital Statistics of,</b>	
1881-1906 ... ..	134
<b>BURNS, SCALDS, EXPLOSIONS :</b>	
Deaths by Sexes at Ages ...	308, 309
in London ... ..	326, 327
Accident ... ..	424, 432
from Various Causes ... ..	428, 434
Manslaughter ... ..	442, 443
Murder ... ..	441
Suicide ... ..	438, 439
Deaths by Sexes ... ..	379
in Counties ... ..	379-385
1901-1907 ... ..	34, 48, 62
per million living ... ..	35, 49, 63
(See also Mines, &c., Railways	
and Ships and Boats.)	
<b>CALCULUS (not Biliary) :</b>	
Deaths by Sexes at Ages ...	306, 307
in London ... ..	324, 325
Deaths by Sexes ... ..	372
in Counties ... ..	372-378
1888-1907 ... ..	32, 46, 60
per million living ... ..	33, 47, 61
<b>CANADA, Province of Ontario :</b>	
Vital Statistics of 1881-1906	121
<b>CANCER ... ..</b>	cvi
Deaths by Sexes at Ages ...	300, 301
in London ... ..	318, 319
above 35 years per million	
living, 1902-1906, 1907	cxvi
in Urban and Rural	
Counties ... ..	cxvi
showing parts of body af-	
fected, 1901-1907 ... ..	cx-cxv
Deaths by Sexes ... ..	351
in Counties ... ..	351-357, 388-397
per million living ... ..	66-69
1888-1907 ... ..	26, 40, 54
per million living ... ..	27, 41, 55
above 35 years per million	
living, 1902-1906, 1907	cvi
in Urban and Rural	
Counties ... ..	cvi

	PAGES
<b>CANCER—continued.</b>	
Deaths :	
in Registration Districts ...	398-422
per million living in quin-	
quennia, 1871-1905 ... ..	21
in several Countries, 1881-	
1907 ... ..	110-143
per 1,000 living, in quin-	
quennia 1881-1905,	
1906, 1907 ... ..	lxix
<b>CARBUNCLE. (See Phlegmon.)</b>	
<b>CARCINOMA. (See Cancer.)</b>	
<b>CARIES, NECROSIS :</b>	
Deaths by Sexes at Ages ...	306, 307
in London ... ..	324, 325
Deaths by Sexes ... ..	372
in Counties ... ..	372-378
1888-1907 ... ..	32, 46, 60
per million living ... ..	33, 47, 61
<b>CAUSES of DEATH :</b>	
Letter to the Registrar-General	
by Dr. Tatham ... ..	lxxiv
Certification of ... ..	xlvi
Inquiries concerning ... ..	cxix
List of ... ..	22-34
(See also Deaths, and Names	
of Diseases, &c.).	
<b>CENTENARIANS, Deaths of ...</b>	xlvi
<b>CEREBRAL HÆMORRHAGE, CE-</b>	
<b>REBRAL EMBOLISM ... ..</b>	
Deaths by Sexes at Ages ...	302, 303
in London ... ..	320, 321
Deaths by Sexes ... ..	358
in Counties ... ..	358-364
1901-1907 ... ..	28, 42, 56
per million living ... ..	29, 43, 57
<b>CEREBRO-SPINAL FEVER ...</b>	xc
Deaths by Sexes at Ages ...	296, 297
in London ... ..	314, 315
Deaths by Sexes ... ..	337
in Counties ... ..	337-343
1888-1907 ... ..	22, 36, 50
per million living ... ..	23, 37, 51
<b>CERTIFICATES :</b>	
Fees received for, 1858-1907	89
Number issued ... ..	li
<b>CERTIFICATION of CAUSES of</b>	
<b>DEATH ... ..</b>	xlvi
<b>CERTIFIED PLACES of WORSHIP</b>	xx
<b>CEYLON, Vital Statistics of,</b>	
1881-1907 ... ..	122
<b>CHANGES in REGISTRATION</b>	
<b>DISTRICTS and SUB-DIS-</b>	
<b>TRICTS ... ..</b>	
<b>CHANNEL ISLANDS :</b>	
Area and Population ; Births	
and Deaths, 1883-1907 ...	90



	PAGES		PAGES
CHAPELS, Numbers Registered for Solemnisation of Mar- riage in Registration Counties ... ..	7	CIRRHOSIS OF LIVER ... ..	cxixiii
CHICKEN-POX ... ..	lxxx	Deaths by Sexes at Ages ...	304, 305
Deaths by Sexes at Ages ...	296, 297	in London ... ..	322, 323
in London ... ..	314, 315	Deaths by Sexes ... ..	365
Deaths by Sexes ... ..	337	in Counties ... ..	365-371
in Counties ... ..	337-343	1888-1907 ... ..	30, 44, 58
1888-1907 ... ..	22, 36, 50	per million living ... ..	31, 45, 59
per million living ... ..	23, 37, 51	Deaths per million living, in quinquennia, 1871-1905	21
Mortality at ages under five:		CIVIL MARRIAGES. (See Mar- riages.)	
by Sexes ... ..	72-77	COAL MINES, Violent Deaths in	424
1902-1903, 1907 ... ..	82	at Ages, from Various Causes	425
in Urban and Rural Coun- ties ... ..	78-81	COAL, Prices of, 1873-1907 ...	93
CHILDBIRTH and PREGNANCY,		COLONIAL VITAL STATISTICS. (See International Vital Statistics.)	
Accidents of ... ..	cxixiv	CONFLAGRATIONS. (See Burns.)	
Deaths at Ages ... ..	295, 307	CONGENITAL DEFECTS:	
in London ... ..	313, 325	Deaths by Sexes at Ages ...	300, 301
Deaths ... ..	330, 372	in London ... ..	318, 319
in Counties ... ..	330-336, 372-378	Deaths by Sexes ... ..	351
1888-1907 ... ..	32, 60	in Counties ... ..	351-357
per million living ... ..	33, 61	1888-1907 ... ..	26, 40, 54
Deaths from other Causes, associated with Child- birth ... ..	xcvii	per million living ... ..	27, 41, 55
(See also Puerperal Septic Diseases.)		Deaths per million living, in quinquennia, 1871-1905	21
CHILD MORTALITY, (Deaths under five) ... ..	cxixv	Mortality at Ages under five:	
per 1,000 living in Counties	87	by Sexes ... ..	72-77
at Ages, from various Causes:		1902-1906, 1907 ... ..	82
by Sexes ... ..	72-77	in Urban and Rural Counties ... ..	78, 81
1902-1906, 1907 ... ..	82	CONGENITAL HYDROCEPHALUS. (See Congenital Defects.)	
in Urban and Rural Coun- ties ... ..	78-81	CONGREGATIONALISTS:	
CHILI, Vital Statistics of, 1881- 1905 ... ..	143	No. of buildings for solemnisa- tion of marriage ... ..	7
CHOLERA: (see Diarrhoea, and Diarrhoeal Diseases).		by authorised person ... ..	xxi
CHOLERA, Asiatic:		CONSOLS, Prices of, 1858-1907	93
Deaths in several countries, 1881-1907... ..	110-143	CONVICTIONS for Offences against the Registration Acts... ..	li
CHOREA:		CONVULSIONS ... ..	cxviii
Deaths by Sexes at Ages ...	302, 303	Deaths by Sexes at Ages ...	302, 303
in London ... ..	320, 321	in London ... ..	320, 321
Deaths by Sexes ... ..	358	Deaths by Sexes ... ..	358
in Counties ... ..	358-364	in Counties ... ..	358-364
1888-1907 ... ..	23, 42, 56	1888-1907 ... ..	28, 42, 56
per million living ... ..	29, 43, 57	per million living ... ..	29, 43, 57
CHURCH, Established:		Mortality at Ages under five:	
Marriages according to Rites of:		by Sexes ... ..	72-77
in Counties ... ..	208, 210	1902-1906, 1907 ... ..	82
in 1,000 Marriages:		in Urban and Rural Counties ... ..	78-81
1858-1907 ... ..	8	Puerperal. (See Puerperal Convulsions.)	
in London ... ..	9	CORD. (See Spinal Cord.)	
in Counties ... ..	12		
Numbers in Counties... ..	7		

	PAGES		PAGES
CORONERS :		DEATH-RATES :	
Proportion of uncertified		before and after correction :	
deaths reported to ...		in Counties ... ..	xxxvi
(See also Inquests.)		1902-1906 in selected Urban	
COUNTRY DISTRICTS. (See		and Rural Counties ...	lxxviii
Rural.)		to 1,000 living :	
COWPOX. (See Vaccination.)		in Counties ... ..	14
CRETINISM, footnote on ...	32, 46, 60	by Sexes at 10 groups of	
CROUP :		Ages :	
Deaths by Sexes at Ages ...	304, 305	in England and Wales	
in London ... ..	322, 323	and in selected Urban	
Deaths by Sexes ... ..	365	and Rural Counties,	
in Counties ... ..	365-371	1902-1906, 1907 ...	lxxix
1887-1906 ... ..	30, 44, 58	by Sexes at 12 groups of	
per million living ...	31, 45, 59	Ages :	
Deaths per million living, in		in Counties ... ..	19, 20
quinquennia, 1871-1905 ...	21	1858-1907 ... ..	15, 16, 17
(See also Diphtheria and		in groups of years, 1838-	
Croup.)		1907 ... ..	18
		by Sexes :	
		1858-1907 ... ..	5
		in groups of years, 1838-	
		1907 ... ..	6
		in Counties ... ..	14
		in each quarter in groups	
		of years, 1838-1907 ...	6
		from Various Causes to a	
		million living :	
DEATHS ... ..	xxxiv	in quinquennia, 1871-1905...	21
from Various Causes :		by Sexes, 1888-1907 ...	23-63
by Sexes at Ages ... ..	296-311	in Counties, 1907 ...	66-69
(Summary) ... ..	294, 295	of Infants under one year.	
in London ... ..	314-329	(See Infantile Mortality.)	
(Summary) ... ..	312, 313	of Children under five years.	
by Sexes :		(See Child Mortality.)	
in Counties ... ..	337-385	in Army at Home and Abroad	liv
(Summary) ... ..	330-336	1869-1907... ..	91
1888-1907... ..	22-62	in Merchant Service ...	liv, 92
per million living ...	23-63	from Disease and from	
in Registration Districts ...	398-422	Violence, 1891-1907 ...	92
to a million from all		in Navy ... ..	liv, 91
Causes ... ..	88	from Disease and from	
by Sexes at Ages ... ..	xxxvi, 280	Violence, 1868-1907 ...	91
in Counties ... ..	282-291	in several Countries :	
by Sexes :		1881-1907 ... ..	108-143
in Counties ... ..	146, 147	in quinquennia, 1881, 1905,	
1858-1907 ... ..	4	1906, 1907 ... ..	lxi
in Registration Districts		Sex proportions ... ..	xxxiv
and Sub-Districts ...	148-207	Male to Female rate :	
in Army at Home and Abroad	liv	1858-1907... ..	5
1869-1907 ... ..	91	in groups of years, 1838-	
in Public Institutions ...	1, 227-278	1907 ... ..	6
in Merchant Service, 1891-			
1907 ... ..	92	DEBILITY. (See Atrophy, De-	
in Navy... ..	liv	bility.)	
in Channel Islands and Isle		DEFECTS, Congenital. (See Con-	
of Man, 1883-1907 ...	90	genital Defects.)	
in several Countries, 1881-		DELIRIUM TREMENS. (See Al-	
1907 ... ..	lx, 110-143	coholism.)	
at Sea ... ..	liv	DENMARK, Vital Statistics of,	
per cent. of total in Counties :		1881-1907 ... ..	124
certified by Registered		DENOMINATIONS, Various :	
Medical Practitioners	xlvi	Buildings for Solemnisation	
certified by Coroners after		of Marriage ... ..	7
Inquest... ..	xlvi		
uncertified ... ..	xlvi		
total on Register ... ..	89		
(See also Causes of Death,			
&c.)			



	PAGES
DIABETES MELLITUS ...	xcvii
Deaths by Sexes at Ages ...	300, 301
in London ...	318, 319
Deaths by Sexes ...	351
in Counties ...	351-357
1888-1907 ...	26, 40, 54
per million living ...	27, 41, 55
Deaths per million living in quinquennia, 1871-1905 ...	21
DIARRHOEA ...	xciv
Deaths by Sexes at Ages ...	296, 297
in London ...	314, 315
Deaths by Sexes ...	337
in Counties ...	337-343, 388-397
per million living ...	66-69
1888-1907 ...	22, 36, 50
per million living ...	23, 37, 51
Deaths:	
in Registration Districts ...	398-422
in several Countries ...	110-143
per million living in Coun- ties, 1897-1906, 1907 ...	71
DIARRHOEAL DISEASES...	xciv
Deaths by Sexes in Counties ...	388, 397
Deaths per million living:	
in quinquennia, 1871-1905 ...	21
in Groups of Years, 1838- 1907 ...	64
in London ...	65
Deaths under one to 1,000 births in Counties ...	86
Deaths under five to 1,000 living in Counties ...	87
Mortality at Ages under five:	
by Sexes ...	72-77
1902-1906, 1907 ...	82
in Urban and Rural Coun- ties ...	78-81
DIGESTIVE SYSTEM, Diseases of:	
Deaths by Sexes at Ages ...	294, 295, 304, 305
in London ...	312, 313, 322, 323
Deaths by Sexes ...	330, 365
in Counties ...	330-336, 365-371
1888-1907 ...	30, 44, 58
per million living ...	31, 45, 59
(See also Enteritis, Hernia, &c.)	
DILATATION of HEART:	
Deaths by Sexes at Ages ...	302, 303
in London ...	320, 321
Deaths by Sexes ...	358
in Counties ...	358-364
1901-1907 ...	28, 42, 56
per million living ...	29, 43, 57
DIPHTHERIA ...	lxxxiv
Deaths by Sexes at Ages ...	296, 297
in London ...	314, 315
Deaths by Sexes ...	337
in Counties ...	337-343, 388-397
per million living ...	66-69
1888-1907 ...	22, 36, 50
per million living ...	23, 37, 51
Deaths:	
in Registration Districts ...	398-422

	PAGES
DIPHTHERIA—continued.	
Deaths—continued.	
per million living:	
inquennia, 1871-1905 ...	21
in Groups of Years 1838- 1907 ...	64
in London ...	65
in Counties, 1897-1906, 1907 ...	70
Deaths in, and admissions to Metropolitan Asylums Board Hospitals, in quin- quennia, 1873-1907 ...	lxxxvi
DIPHTHERIA and CROUP ...	lxxxv
Areas of excessive mortality	
Deaths per million living, in England and Wales, and in selected Urban and Rural Counties, 1902-6, 1907:	
at all ages ...	lxxxv
under 10 years of age ...	lxxxvi
at 10 age groups ...	lxxxvii
under 10 years in Counties, 1902-1906, 1907 ...	lxxxix
in Urban and Rural Counties, 1901-1907... ..	lxxxviii
Deaths under five to 1,000 living in Counties ...	87
Mortality at Ages under five:	
by Sexes ...	72-77
1902-1906, 1907 ...	82
in Urban and Rural Coun- ties ...	78-81
Deaths in several Countries, 1881-1907... ..	110-143
per 1000 living in quin- quennia, 1881-1905, 1906, 1907 ...	lxvi
DISTRICTS, Registration:	
Area; Population, Marriages, Births and Deaths in... ..	148-207
Index of ...	444-447
Changes in, 1907 ...	470-475
DISTRICTS, Urban:	
Index of ...	459-469
DIVORCED PERSONS, Number	
Re-married ...	xii
Average annual number of ...	xii
DOCKS, Deaths in. (See Ships, Boats, &c.)	
DROPSY, ASCITES, ANASARCA:	
Deaths by Sexes at Ages ...	308, 309
in London ...	326, 327
Deaths by Sexes ...	379
in Counties ...	379-385
1888-1907 ...	34, 48, 62
per million living ...	35, 49, 63
DROWNING:	
Deaths by Sexes at Ages ...	308, 309
in London ...	326, 327
Accident ...	424, 432
from Various Causes ...	430, 436
Manslaughter ...	442
Murder ...	440, 441
Suicide ...	438, 439

	PAGES
DROWNING— <i>continued</i> .	
Deaths by Sexes ... ..	379
in Counties ... ..	379-385
1901-1907 ... ..	34, 48, 62
per million living ... ..	35, 49, 63
DYSENTERY. ( <i>See</i> Diarrhœa.)	
EAR, Disease of. ( <i>See</i> Otitis.)	
EAR, MIDDLE, Infective Dis-	
ease of :	
Deaths by Sexes at Ages ...	310, 311
in London ... ..	328, 329
ECZEMA :	
Deaths by Sexes at Ages ..	305, 307
in London ... ..	324, 325
Deaths by Sexes ... ..	372
in Counties ... ..	372-378
1888-1907 ... ..	32, 46, 60
per million living ... ..	33, 47, 61
EMBOLISM, THROMBOSIS :	
Deaths by Sexes at Ages ...	302, 303
in London ... ..	320, 321
Deaths by Sexes ... ..	358
in Counties ... ..	358-364
1888-1907 ... ..	28, 42, 56
per million living ... ..	29, 43, 57
EMIGRATION :	
Balance on Passenger Move-	
ment into and out of the	
United Kingdom, 1895-1907	90
EMPHYSEMA. ( <i>See</i> Asthmâ.)	
ENDOCARDITIS. ( <i>See</i> Valvular	
Disease.)	
ENDOCARDITIS, Infective :	
Deaths by Sexes at Ages ...	298, 299
in London ... ..	316, 317
Deaths by Sexes ... ..	344
in Counties ... ..	344-350
1901-1907 ... ..	24, 38, 52
per million living ... ..	25, 39, 53
ENTERIC FEVER... ..	xc
Areas of excessive mortality	xciii
Deaths by Sexes at Ages ...	296, 297
in London ... ..	314, 315
per million living 1902-	
1906, 1907, in Select-	
ed Urban and Rural	
Counties ... ..	xcv
Deaths by Sexes ... ..	337
per million living 1902-	
1906, 1907, in Select-	
ed Urban and Rural	
Counties ... ..	xcii
in Counties ... ..	337-343, 388-397
per million living ... ..	66-69
1888-1907 ... ..	22, 36, 50
per million living ... ..	23, 37, 51
Deaths—	
in Metropolitan Asylums	
Board Hospitals, and	
admissions thereto, in	
quinquennia, 1873-	
1907 ... ..	xc
in Registration Districts ...	398-422
in several Countries, 1881-	
1907 ... ..	110-143

	PAGES
ENTERIC FEVER— <i>continued</i> .	
Deaths— <i>continued</i> .	
per 1,000 living in quin-	
quennia, 1881-1905, 1906,	
1907 ... ..	lxvii
per million living :	
in Counties, 1897-1906, 1907	71
in quinquennia, 1871-1905	21
in groups of years, 1838-1907	64
in London ... ..	65
ENTERITIS (Not Epidemic) :	
Deaths by Sexes at Ages ...	304, 305
in London ... ..	322, 323
Deaths by Sexes ... ..	365
in Counties ... ..	365-371
1901-1907 ... ..	30, 44, 58
per million living ... ..	31, 45, 59
mortality of children under	
five :	
by sexes ... ..	72-77
in Urban and Rural	
Counties ... ..	78-81
ENTERITIS, Infective. ( <i>See</i>	
Diarrhœa.)	
EPIDEMIC DIARRHŒA. ( <i>See</i>	
Diarrhœa.)	
EPIDEMIC PNEUMONIA. ( <i>See</i>	
Pneumonia.)	
EPILEPSY... ..	cxviii
Deaths by Sexes at Ages ...	302, 303
in London ... ..	320, 321
Deaths by Sexes ... ..	358
in Counties ... ..	358-364
1888-1907 ... ..	28, 42, 56
per million living ... ..	29, 43, 57
Deaths per million living in	
quinquennia, 1871-1905...	21
EPISTAXIS. ( <i>See</i> Nose, Diseases	
of.)	
ERYSIPELAS :	
Deaths by Sexes at Ages ...	298, 299
in London ... ..	316, 317
Deaths by Sexes ... ..	344
in Counties ... ..	344-350
1888-1907 ... ..	24, 38, 52
per million living ... ..	25, 39, 53
Deaths per million living in	
quinquennia, 1871-1905	21
Mortality at Ages under five:	
by Sexes ... ..	72-77
1902-1906, 1907 ... ..	82
in Urban and Rural	
Counties ... ..	78-81
ESTIMATING POPULATIONS :	
Method of ... ..	cxixii
ESTABLISHED CHURCH. ( <i>See</i>	
Church.)	
EXCAVATIONS. ( <i>See</i> Mines and	
Quarries.)	
EXECUTION ... ..	cxixxi
Deaths by Sexes at Ages ...	308, 309
in London ... ..	326



	PAGES		PAGES
EXECUTION— <i>continued</i> .		GASTRIC CATARRH. ( <i>See Gastritis</i> .)	
Deaths by Sexes ... ..	379	GASTRIC ULCER ... ..	cxvii
in Counties ... ..	379-385	Deaths by Sexes at Ages ...	304, 305
1888-1907 ... ..	34, 48, 62	in London ... ..	322, 323
per million living ...	35, 49, 63	Deaths by Sexes ... ..	365
EXPLOSIONS. ( <i>See Burns</i> .)		in Counties ... ..	365-371
EYE, Diseases of :		1901-1907 ... ..	30, 44, 58
Deaths by Sexes at Ages ...	302, 303	per million living ...	31, 45, 59
in London ... ..	320, 321	GASTRITIS, GASTRIC CATARRH :	
Deaths by Sexes ... ..	358	Deaths by Sexes at Ages ...	304, 305
in Counties ... ..	358-364	in London ... ..	322, 323
1888-1907 ... ..	28, 42, 56	Deaths by Sexes ... ..	365
per million living ...	29, 43, 57	in Counties ... ..	365-371
FALLS :		1901-1907 ... ..	30, 44, 58
Deaths by Sexes at Ages ...	308, 309	per million living ...	31, 45, 59
in London ... ..	326, 327	mortality of children under	
accident ... ..	424, 432	five :	
from various Causes ...	431, 437	by sexes ... ..	72-77
suicide (jumping from		in Urban and Rural	
height) ... ..	438, 439	Counties ... ..	78-81
Deaths by Sexes ... ..	379	GASTRO-ENTERITIS :	
in Counties ... ..	379-385	Deaths by Sexes at Ages ...	304, 305
1901-1907 ... ..	34, 48, 62	in London ... ..	322, 323
per million living ...	35, 49, 63	Deaths by Sexes ... ..	365
FATTY DEGENERATION of HEART :		in Counties ... ..	365-371
Deaths by Sexes at Ages ...	302, 303	1901-1907 ... ..	30, 44, 58
in London ... ..	320, 321	per million living ...	31, 45, 59
Deaths by Sexes ... ..	358	GASTRO-INTESTINAL CATARRH :	
in Counties ... ..	358-364	Mortality of children under	
1901-1907 ... ..	28, 42, 56	five :	
per million living ...	29, 43, 57	by sexes ... ..	72-77
FEES RECEIVED for SEARCHES		in Urban and Rural	
and CERTIFICATES, 1858-1907	89	Counties ... ..	78-81
FEVERS. ( <i>See Enteric, Scarlet,</i>		GENERAL DISEASES ... ..	lxxx
&c.)		Deaths by Sexes at Ages ...	294, 295
FERTILITY RATE. ( <i>See Birth-</i>		in London ... ..	312, 313
<i>rate</i> .)		Deaths by Sexes in Counties	330-336
FIBROID DISEASE of LUNG :		GENERAL PARALYSIS of INSANE	cxviii
Deaths by Sexes at Ages ...	304, 305	Deaths by Sexes at Ages ...	302, 303
in London ... ..	322, 323	in London ... ..	320, 321
Deaths by Sexes ... ..	365	Deaths by Sexes ... ..	358
in Counties ... ..	365-371	in Counties ... ..	358-364
1901-1907 ... ..	30, 44, 58	1888-1907 ... ..	28, 42, 56
per million living ...	31, 45, 59	per million living ...	29, 43, 57
FINLAND, Vital Statistics of,		GENERATIVE and MAMMARY	
1881-1906 ... ..	128	ORGANS, Diseases of :	
FLOODING. ( <i>See Placenta</i>		Deaths by Sexes at Ages ...	294, 295,
<i>Prævia</i> .)		306, 307	
FOREIGN VITAL STATISTICS.		in London ... ..	302, 303, 324, 325
( <i>See International Vital</i>		Deaths by Sexes ... ..	330, 372
<i>Statistics</i> .)		in Counties ... ..	330-336, 372-378
FRANCE, Vital Statistics of,		1888-1907 ... ..	32, 46, 60
1881-1907 ... ..	138	per million living ...	33, 47, 61
GALL BLADDER. ( <i>See Liver</i> .)		GERMAN EMPIRE, Vital Sta-	
GANGRENE, SENILE :—		tistics of, 1881-1906 ...	129
Deaths by Sexes at Ages ...	302, 303	GERMAN MEASLES :—	
in London ... ..	320, 321	Deaths by Sexes at Ages ...	296, 297
Deaths by Sexes ... ..	358	in London ... ..	314, 315
in Counties ... ..	358-364	Deaths by Sexes ... ..	337
1888-1907 ... ..	28, 42, 56	in Counties ... ..	337-343
per million living ...	29, 43, 57	1888-1907 ... ..	22, 36, 50
		per million living ...	23, 37, 51

	PAGES		PAGES
GLANDERS :		HEMIPLEGIA. ( <i>See</i> Apoplexy.)	
Deaths by Sexes at Ages ...	296, 297	HERNIA :	
in London ...	314, 315	Deaths by Sexes at Ages ...	304, 305
Deaths by Sexes ...	337	in London ...	322, 323
in Counties ...	337-343	Deaths by Sexes ...	365
1888-1907 ...	22, 36, 50	in Counties ...	365-371
per million living ...	23, 37, 51	1888-1907 ...	30, 44, 58
GONORRHOEA :		per million living ...	31, 45, 59
Deaths by Sexes at Ages ...	296, 297	HOLLAND. ( <i>See</i> Netherlands.)	
in London ...	314, 315	HOMICIDE ...	cxix
Deaths by Sexes ...	337	Deaths by Sexes at Ages ...	308, 309
in Counties ...	337-343	in London ...	326, 327
1888-1907 ...	22, 36, 50	Deaths by Sexes ...	379
per million living ...	23, 37, 51	in Counties ...	379-385
GOUT ...	cviii	1888-1907 ...	34, 48, 62
Deaths by Sexes at Ages ...	300, 301	per million living ...	35, 49, 63
in London ...	318, 319	( <i>See also</i> Manslaughter, Mur- der.)	
Deaths by Sexes ...	351	HORSES, Deaths caused by :	
in Counties ...	351-357	by Sexes at Ages ...	426, 433
1888-1907 ...	26, 40, 54	HOSPITALS, Deaths in ...	227-278
per million living ...	27, 41, 55	HUNGARY, Vital Statistics of,	
Rheumatic. ( <i>See</i> Rheumatoid Arthritis.)		1881-1907 ...	132
GUERNSEY and ADJACENT ISLANDS :		HYDROCEPHALUS :	
Area and Population ; Births and Deaths, 1883-1907 ...	90	Acute ( <i>See</i> Meningitis, Tuber- culous.)	
		Congenital. ( <i>See</i> Congenital Defects.)	
		HYDROPHOBIA. ( <i>See</i> Rabies.)	
HÆMOPHILIA :		HYPERTROPHY of HEART :	
Deaths by Sexes at Ages ...	300, 301	Deaths by Sexes at Ages ...	302, 303
in London ...	318, 319	in London ...	320, 321
Deaths by Sexes ...	351	Deaths by Sexes ...	358
in Counties ...	351-357	in Counties ...	358-364
1901-1907 ...	26, 40, 54	1888-1907 ...	28, 42, 56
per million living ...	27, 41, 55	per million living ...	29, 43, 57
HÆMORRHAGE :		IDIOT ASYLUMS, Deaths in ...	227-278
Deaths by Sexes at Ages ...	308, 309	ILL-DEFINED CAUSES OF DEATH	cxix
in London ...	326, 327	Deaths by Sexes at Ages ...	308, 309
Deaths by Sexes ...	379	in London ...	326, 327
in Counties ...	379-385	Deaths by Sexes ...	379
1888-1907 ...	34, 48, 62	in Counties ...	379-385
per million living ...	35, 49, 63	1888-1907 ...	34, 48, 62
HÆMORRHAGIC DIATHESIS. ( <i>See</i> Hæmophilia.)		per million living ...	35, 49, 63
HEART, Diseases of ...	cxix	Inquiries concerning ...	cxix
Deaths by Sexes at Ages ...	294, 295, 302, 303	ILLEGITIMATE BIRTHS. ( <i>See</i> Births.)	
in London ...	312, 313, 320, 321	ILLEGITIMATE CHILDREN, Deaths of. ( <i>See</i> Infantile Mortality.)	
Deaths by Sexes ...	330, 358	ILLITERATE MARRIAGES. ( <i>See</i> Marriages, Signature by Mark.)	
in Counties ...	330-336, 358-364	IMBECILE ASYLUMS, Deaths in	227-278
1888-1907 ...	28, 42, 56	"IMMATURITY " :	
per million living ...	29, 43, 57	Deaths due to, in quinquennia, 1881-1905, 1906, 1907 ...	xli
HEART, Rheumatism of. ( <i>See</i> Rheumatic Fever.)			
HEART and BLOOD VESSELS, Diseases of :			
Deaths per million living in quinquennia, 1876-1905...	21		



	PAGES		PAGES
IMMIGRATION, Balance of Passenger Movement into and out of the United King- dom, 1895-1907 ... ..	90	INJURY at BIRTH— <i>continued</i> .	
INDEX of :		Deaths by Sexes ... ..	351
Registration Districts and Sub-districts ... ..	444	in Counties ... ..	351-357
Urban Districts ... ..	459	1888-1907 ... ..	26, 40, 54
INDUSTRIAL POISONING :		per million living ... ..	27, 41, 55
(See Arsenic, Lead, Phosphorus.)		Mortality at Ages under five :	
INFANTILE MORTALITY		by Sexes ... ..	72-77
1858-1907 ... ..	xxxviii, cxxv	1902-1906, 1907 ... ..	82
in Counties :	5	in Urban and Rural Coun- ties ... ..	78-81
in quinquennia, 1876-1905, 1906, 1907... ..	xlii	INQUESTS ... ..	xlvii
1897-1906, 1907 ... ..	14	in England and Wales and in Counties ... ..	386-397
in Groups of Years, 1838-1907	64	in Registration Districts ...	398-422
in London ... ..	65	Per cent. of total Deaths in Counties... ..	xlviii
in several Countries ... ..	lxiii	INQUIRIES to MEDICAL PRAC- TITIONERS ... ..	cxxix
1881-1907 ... ..	110-143	INSANITY :	
1881-1905, 1906, 1907 ...	lxiv	Deaths by Sexes at Ages ...	302, 303
from several Causes :		in London ... ..	320, 321
in Counties ... ..	86	Deaths by Sexes ... ..	358
at Ages, 1902-1906, 1907 ...	82	in Counties ... ..	358-364
by Sexes at Ages ... ..	72-77	1901-1907 ... ..	28, 42, 56
in Urban and Rural Coun- ties ... ..	78-81	per million living ... ..	29, 43, 57
effect of Temperature and Rainfall on ... ..	xxxix, lxx	INTERNATIONAL VITAL STA- TISTICS ... ..	lv
High and Low Rates in Towns ... ..	xliii	Birth- and Death-rates in several Countries, 1881- 1907 ... ..	108-143
Legitimate and Illegitimate...	cxxvi, 83-85	(See also Names of Countries).	
INFECTIVE ENDOCARDITIS. (See Endocarditis.)		INTESTINAL OBSTRUCTION :	
INFECTIVE ENTERITIS. (See Diarrhoea.)		Deaths by Sexes at Ages ...	304, 305
INFECTIVE PROCESSES :		in London ... ..	322, 323
Deaths by Sexes at Ages (showing part affected) ...	310, 311	Deaths by Sexes ... ..	365
in London ... ..	328, 329	in Counties ... ..	365-371
Deaths by Sexes ... ..	298, 299	1888-1907 ... ..	30, 44, 58
in London ... ..	316, 317	per million living ... ..	31, 45, 59
in Counties ... ..	344-350	INTESTINES, Diseases of :	
1901-1907 ... ..	24, 38, 52	Deaths by Sexes at Ages ...	304, 305
per million living ... ..	25, 39, 53	in London ... ..	322, 323
INFIRMARIES, Deaths in ...	227-278	Deaths by Sexes ... ..	365
INFLUENZA ... ..	lxxxiv	in Counties ... ..	365-371
Deaths by Sexes at Ages ...	296, 297	1888-1907 ... ..	30, 44, 58
in London ... ..	314, 315	per million living ... ..	31, 45, 59
Deaths by Sexes ... ..	337	INTESTINES, Ulceration of :	
in Counties ... ..	337-343, 388-397	Deaths by Sexes at Ages ...	304, 305
per million living ... ..	66-69	in London ... ..	322, 323
1888-1907 ... ..	22, 36, 50	Deaths by Sexes ... ..	365
per million living ... ..	23, 37, 51	in Counties ... ..	365-371
Deaths in Registration Dis- tricts ... ..	398-422	1888-1907 ... ..	30, 44, 58
INJURY at BIRTH :		per million living ... ..	31, 45, 59
Deaths by Sexes at Ages ...	300, 301	IRELAND :	
in London ... ..	318, 319	Area ; Population, 1858-1907	3
		Vital Statistics, 1881-1907 ...	113
		ISLANDS in BRITISH SEAS :	
		Area and Population ; Births and Deaths, 1883-1907 ...	90
		ISLE OF MAN :	
		Area and Population ; Births and Deaths, 1883-1907 ...	90
		ITALY, Vital Statistics of, 1881- 1907 ... ..	141

	PAGES		PAGES
JAMAICA, Vital Statistics of, 1881-1907 ... ..	123	LARYNX and TRACHEA, Dis- eases of :	
JAPAN, Vital Statistics of, 1881- 1905 ... ..	142	Deaths by Sexes at Ages ...	304, 305
JERSEY :		in London ... ..	322, 323
Area and Population ; Births and Deaths, 1883-1907 ...	90	Deaths by Sexes ... ..	365
JEWISH MARRIAGES ... ..	xxi	in Counties ... ..	365-371
in London Districts ... ..	xix	1888-1907 ... ..	30, 44, 58
(See also Marriages—Manner of Solemnisation.)		per million living ...	31, 45, 59
JOINTS, Infective Diseases of :		LEAD POISONING (Industrial):	
Deaths by Sexes at Ages ...	310, 311	Deaths by Sexes at Ages ...	300, 301
in London ... ..	328, 329	in London ... ..	318, 319
KIDNEY, Diseases of :		Deaths by Sexes ... ..	351
(See Nephritis, &c.)		in Counties ... ..	351-357
KIDNEY, Infective Diseases of :		1888-1907 ... ..	26, 40, 54
Deaths by Sexes at Ages ...	310, 311	per million living ...	27, 41 55
in London ... ..	328, 329	LEGITIMATE BIRTHS. (See Births.)	
LARYNGISMUS STRIDULUS :		LEGITIMATE CHILDREN, deaths among. (See Infantile Mortality.)	
Deaths by Sexes and Ages ...	302, 303	LEUCOCYTHÆMIA (See Anæmia.)	
in London ... ..	320, 321	LICENCE, Marriages by :	
Deaths by Sexes ... ..	358	(See Marriages, Manner of Solemnisation.)	
in Counties ... ..	358-364	LIVER, Diseases of ... ..	cxixiii
1888-1907 ... ..	28, 42, 56	Deaths by Sexes at Ages ...	304, 305
per million living ...	29, 43, 57	in London ... ..	322, 323
LARYNGITIS ... ..	cxix	Deaths by Sexes ... ..	365
Deaths by Sexes at Ages ...	304, 305	in Counties ... ..	365-371
in London ... ..	322, 323	1888-1907 ... ..	30, 44, 58
Deaths by Sexes ... ..	365	per million living ...	31, 45, 59
in Counties ... ..	365-371	Infective Diseases of :	
1888-1907 ... ..	30, 44, 58	Deaths by Sexes at Ages ...	310, 311
per million living ...	31, 45, 59	in London ... ..	328, 329
Mortality at Ages under five :		LOBAR PNEUMONIA. (See Pneumonia.)	
by Sexes ... ..	72-77	LOCOMOTOR ATAXY : ... ..	cxix
1902-1906, 1907 ... ..	82	Deaths by Sexes at Ages ...	302, 303
in Urban and Rural Counties ... ..	78-81	in London ... ..	320, 321
LARYNGITIS, Membranous :		Deaths by Sexes ... ..	358
Deaths by Sexes at Ages ...	304, 305	in Counties ... ..	358-364
in London ... ..	322, 323	1901-1907 ... ..	28, 42, 56
Deaths by Sexes ... ..	365	per million living ...	29, 43, 57
in Counties ... ..	365-371	LOCOMOTOR SYSTEM, Diseases of :	
1901-1907 ... ..	30, 44, 58	Deaths by Sexes at Ages ...	294, 295, 306, 307
per million living ...	31, 45, 59	in London ... ..	312, 313, 324, 325
(See also Arthritis, Caries, &c.)		Deaths by Sexes ... ..	330, 372
LUNATIC ASYLUMS, Deaths in	227-278	in Counties ... ..	330-336, 372-378
LUNG, Diseases of :		1888-1907 ... ..	32, 46, 60
(See Respiratory System.)		per million living ...	33, 47, 61
LUNG, Infective Diseases of :		(See also Arthritis, Caries, &c.)	
Deaths by Sexes at Ages ...	310, 311	LUNATIC ASYLUMS, Deaths in	227-278
in London ... ..	328, 329	LUNG, Diseases of :	
		(See Respiratory System.)	
		LUNG, Infective Diseases of :	
		Deaths by Sexes at Ages ...	310, 311
		in London ... ..	328, 329



	PAGES
LUPUS :	
Deaths by Sexes at Ages ...	298, 299
in London ...	316, 317
Deaths by Sexes ...	344
in Counties ...	344-350
1888-1907 ...	24, 38, 52
per million living ...	25, 39, 53
LYMPHATIC SYSTEM, Diseases of :	
Deaths by Sexes at Ages ...	294, 295, 306, 307
in London ...	312, 313, 324, 325
Deaths by Sexes ...	330, 372
in Counties ...	330-336, 372-378
1888-1907 ...	32, 46, 60
per million living ...	33, 47, 61
MACHINERY, Deaths caused by :	
by Sexes at Ages ...	308, 309, 424, 432
in London ...	326, 327
from Various Causes ...	427, 434
by Sexes ...	379
in Counties ...	379-385
1901-1907 ...	34, 48, 62
per million living ...	35, 49, 63
(See also Mines, &c., Ships and Boats.)	
MALARIA :	
Deaths by Sexes at Ages ...	296, 297
in London ...	314, 315
Deaths by Sexes ...	337
in Counties ...	337-343
1888-1907 ...	22, 36, 50
per million living ...	23, 37, 51
Deaths per million living in quinquennia, 1871-1905...	21
MALIGNANT DISEASE. (See Cancer.)	
MAMMARY ORGANS, Diseases of. (See Generative.)	
MANIA, Puerperal. (See Puerperal Mania.)	
MANSLAUGHTER :	
Deaths by Sexes at Ages by Various Methods ...	442, 443
MARASMUS. (See Atrophy, Debility.)	
MARINE REGISTER BOOK :	
Births and Deaths at Sea ...	liv
MARRIAGE ACT, 1858 :	
Number and Denomination of Buildings registered under ...	xx
Marriages before persons authorised under ...	xxi, 8
in London ...	9

	PAGES
MARRIAGES ...	vi
1858-1907 ...	4
in Counties ...	146, 147
in Quarters ...	209, 211
in Registration Districts ...	148-207
in several Countries, 1881-1907 ...	lv, 110-143
First Marriages and re-marriages ...	xi
in Counties ...	209, 211
Divorced Persons re-married ...	xii
Ages at Marriage ...	xii, 212-218
in London ...	220-226
Unstated Ages ...	xiii
Mean Age at Marriage ...	xvii
Age-constitution of Persons at Marriage, 1896-1907 ...	xv, xvi
Minors ...	xiii
in Counties ...	209, 211
Manner of Solemnisation ...	xxi
in Counties ...	208, 210
Buildings registered for Solemnisation of ...	xix, 7
Signature by Mark in Register ...	xviii
in Counties ...	209, 211
Total on Register ...	89
MARRIAGE-RATES :	
to 1,000 living :	
1858-1907 ...	5
in Counties, 1897-1906, 1907 ...	13
in groups of years, 1838-1907 ...	6
in Quarters ...	6
in several Countries :	
1881-1907... ...	110-143
1881-1905, 1906, 1907 ...	lvi
to 1,000 Marriageable Persons ...	viii
1876-1907 ...	viii
in Counties, 1870-1907 ...	ix
in several Countries, 1880-2 to 1900-2 ...	lvii
in 1,000 Marriages :	
First Marriages and Re-marriages ...	xi
1858-1907... ...	10
in London ...	11
Minors by Sexes ...	xiii
1858-1907... ...	10
in London ...	11
in Counties, 1897-1906, 1907 ...	13
Manner of Solemnisation :	
1858-1907... ...	8
in London ...	9
in Counties ...	12
Signature by Mark, by Sexes ...	xviii
1858-1907... ...	10
in London ...	11
in Counties, 1897-1906, 1907 ...	13
Methods of Measuring ...	vi
Corrected for Age-constitution, 1880-1907 ...	xi
MARRIAGEABLE POPULATION :	
Proportion of, at each age-group, 1871-1901 ...	vii

	PAGES
MARRIED WOMEN, Age Proportion of :	
in England and Wales ...	xxiv
in Counties ...	xxviii
MASTOID DISEASE. ( <i>See</i> Otitis.)	
MEASLES ...	lxxxix
Deaths by Sexes at Ages ...	296, 297
in London ...	314, 315
Deaths by Sexes ...	337
in Counties ...	337-343, 388-397
per million living ...	66-69
1888-1907 ...	22, 36, 50
per million living ...	23, 37, 51
Deaths :	
in Registration Districts ...	398-422
in several Countries, 1881-1907 ...	110-143
per 1,000 living, in quinquennia, 1881-1905, 1906, 1907 ...	lxv
per million living :	
in quinquennia 1871-1905 ...	21
in groups of years, 1838-1907 ...	64
in London ...	65
in Counties, 1897-1906, 1907 ...	70
Deaths under one to 1,000 Births in Counties ...	86
Deaths under five to 1,000 living in Counties ...	87
Mortality at Ages under five :	
by Sexes ...	72-77
1902-1906, 1907 ...	82
in Urban and Rural Counties ...	78-81
German. ( <i>See</i> German Measles.)	
MEAT : Prices of Beef and Mutton, 1858-1907 ...	93
MEMBRANOUS CROUP. ( <i>See</i> Diphtheria.)	
MEMBRANOUS LARYNGITIS. ( <i>See</i> Laryngitis.)	
MENINGITIS ...	cxviii
Deaths by Sexes at Ages ...	302, 303
in London ...	320, 321
Deaths by Sexes ...	358
in Counties ...	358-364
1888-1907 ...	28, 42, 56
per million living ...	29, 43, 57
Mortality at Ages under five :	
by Sexes ...	72-77
1902-1906, 1907 ...	82
in Urban and Rural Counties ...	78-81
MENINGITIS, Tuberculous ...	civ
Deaths by Sexes at Ages ...	298, 299
in London ...	316, 317
Deaths by Sexes ...	344
in Counties ...	344-350, 388-397
per million living ...	66-69
1888-1907 ...	24, 38, 52
per million living ...	25, 39, 53

	PAGES
MENINGITIS, Tuberculous— <i>continued</i> .	
Deaths :	
in Registration Districts ...	398-422
Mortality at Ages under five :	
by Sexes ...	72-77
1902-1906, 1907 ...	82
in Urban and Rural Counties ...	78-81
MENINGITIS and CONVULSIONS :	
Deaths under one to 1,000 births in Counties ...	86
Deaths under five to 1,000 living in Counties ...	87
MENSTRUATION, Disorders of :	
Deaths at Ages ...	307
in London ...	325
Deaths ...	372
in Counties ...	372-378
1888-1907 ...	32, 60
per million living ...	33, 61
MERCANTILE MARINE :	
Mortality and Numbers Employed, 1891-1907 ...	liv, 92
METEOROLOGICAL TABLES :	
Greenwich Observatory :	
1858-1907 ...	94, 95
in Quarters, 1907 ...	96, 97
in Months, 1907 ...	98, 99
at Various Places ...	100-107
METEOROLOGY :	
Remarks by Dr. Shaw ...	cxxxv
METHODISTS :	
No. of buildings for solemnisation of marriage ...	7
by authorised person ...	xxi
METROPOLITAN ASYLUMS BOARD :	
Deaths in Hospitals and Asylums of ...	230-243
Admissions to, and deaths in Hospitals 1873-1907, of persons suffering from :	
diphtheria ...	lxxxvi
enteric fever ...	xc
scarlet fever ...	lxxxii
MIGRATION, Balance of Passenger Movement, United Kingdom, 1895-1907 ...	90
MILK, Want of Breast. ( <i>See</i> Want of, &c.)	
MINES and QUARRIES, Violent Deaths in :	
at Ages ...	308, 309
in London ...	326, 327
by Sexes, 1901-1907 ...	34, 48, 62
per million living ...	35, 49, 63
in Counties ...	379-385
Accidental, at Ages ...	424
from Various Causes ...	425
MINORS, Marriages of. ( <i>See</i> Marriages and Marriage-rates.)	



	PAGES
MISCARRIAGE. ( <i>See</i> Abortion.)	
MORBILLI. ( <i>See</i> Measles.)	
MORPHIA HABIT. ( <i>See</i> Opium.)	
MORTALITY. ( <i>See</i> Death-rates.)	
MOUTH, Diseases of :	
Deaths by Sexes at Ages ...	304, 305
in London ...	322, 323
Deaths by Sexes ...	365
in Counties ...	365-371
1888-1907 ...	30, 44, 58
per million living ...	31, 45, 59
MOUTH, Infective Diseases of :	
Deaths by Sexes at Ages ...	310, 311
in London ...	328, 329
MUMPS :	
Deaths by Sexes at Ages ...	296, 297
in London ...	314, 315
Deaths by Sexes ...	337
in Counties ...	337-343
1888-1907 ...	22, 36, 50
per million living ...	23, 37, 51
MURDER :	
Deaths by Sexes at Ages by Various Methods ...	440, 441
MUTTON, Prices of, 1858-1907	93
MYXEDEMA, footnote to	32, 46, 60

NAMES, NUMBERS on REGISTERS, 1858-1907 ...	89
NATURAL INCREASE :	
Rate of, 1876-1907 ...	xxxiii
Rate of, in several Countries, 1881-1905, 1906, 1907 ...	lxii
NAVY :	
Mortality from Disease and from Violence, 1868-1907	liv, 91
NECROSIS. ( <i>See</i> Caries.)	
NEGLIGENCE, Deaths from. ( <i>See</i> Accidental Deaths.)	
NEPHRITIS, URÆMIA ...	cxxiv
Deaths by Sexes at Ages ...	306, 307
in London ...	324, 325
Deaths by Sexes ...	372
in Counties ...	372-378
1888-1907 ...	32, 46, 60
per million living ...	33, 47, 61
NERVOUS SYSTEM, Diseases of :	
Deaths by Sexes at Ages ...	294, 295, 302, 303
in London ...	312, 313, 320, 321
Deaths by Sexes ...	330, 358
in Counties ...	330-336, 358-364
1888-1907 ...	28, 42, 56
per million living ...	29, 43, 57
( <i>See also</i> Meningitis, Epilepsy, &c.)	

	PAGES
NETHERLANDS, Vital Statistics of, 1881-1907 ...	136
NEURITIS... ..	cix
Deaths by Sexes at Ages ...	302, 303
in London ...	320, 321
Deaths by Sexes ...	358
in Counties ...	358-364
1901-1907 ...	28, 42, 56
per million living ...	29, 43, 57
NEW SOUTH WALES, Vital Statistics of, 1881-1907 ...	114
NEW ZEALAND, Vital Statistics of, 1881-1907 ...	120
NONCONFORMIST MARRIAGES. ( <i>See</i> Marriages, Manner of Solemnisation.)	
NORWAY, Vital Statistics of, 1881-1907 ...	125
NOSE, Diseases of :	
Deaths by Sexes at Ages ...	302, 303
in London ...	320, 321
Deaths by Sexes ...	358
in Counties ...	358-364
1888-1907 ...	28, 42, 56
per million living ...	29, 43, 57
OBSTRUCTION, Intestinal. ( <i>See</i> Intestinal Obstruction.)	
ESOPHAGUS, Diseases of. ( <i>See</i> Mouth.)	
OLD AGE :	
Deaths by Sexes at Ages ...	308, 309
in London ...	326, 327
Deaths by Sexes ...	379
in Counties ...	379-385
1888-1907 ...	34, 48, 62
per million living ...	35, 49, 63
Deaths per million living, in quinquennia, 1871-1905...	21
ONTARIO, Province of : Vital Statistics of 1881-1906	121
OPHTHALMIA. ( <i>See</i> Eye, Diseases of.)	
OPIUM-, MORPHIA-HABIT :	
Deaths by Sexes at Ages ...	300, 301
in London ...	318, 319
Deaths by Sexes ...	351
in Counties ...	351-357
1901-1907 ...	26, 40, 54
per million living ...	27, 41, 55
OTITIS, Mastoid Disease :	
Deaths by Sexes at Ages ...	302, 303
in London ...	320, 321
Deaths by Sexes ...	358
in Counties ...	358-364
1888-1907 ...	28, 42, 56
per million living ...	29, 43, 57

	PAGES		PAGES
OVARIAN TUMOUR. ( <i>See</i> Ovary Diseases of.)		PERITONITIS, TUBERCULOUS ...	cv
OVARY, Diseases of ...	cxxiv	Deaths by Sexes at Ages ...	298, 299
Deaths at Ages ...	307	in London ...	316, 317
in London ...	325	Deaths by Sexes ...	344
Deaths ...	372	in Counties ...	344-350, 388-397
in Counties ...	372-378	per million living ...	66-69
1888-1907 ...	32, 60	1901-1907 ...	24, 38, 52
per million living ...	33, 61	per million living ...	25, 39, 53
		Deaths :	
		in Registration Districts ...	398-422
PARAPLEGIA. ( <i>See</i> Spinal Cord.)		PERITONITIS, TUBERCULOUS, and TABES MESENTERICA :	
PARASITIC DISEASES :		Mortality at Ages under five :	
Deaths by Sexes at Ages ...	298, 299	by Sexes ...	72-77
in London ...	316, 317	1902-1906, 1907 ...	82
Deaths by Sexes ...	344	in Urban and Rural Counties ...	78-81
in Counties ...	344-350		
1888-1907 ...	24, 38, 52	PERITYPHLITIS. ( <i>See</i> Appendicitis.)	
per million living ...	25, 39, 53	PHAGEDÆNA :	
PAUPERS :		Deaths by Sexes at Ages ...	298, 299
In-door and Out-door, per 1,000 population, 1858-1907 ...	93	in London ...	316, 317
		Deaths by Sexes ...	344
PELVIC CELLULITIS :		in Counties ...	344-350
Deaths of Females at Ages ...	311	1888-1907 ...	24, 38, 52
in London ...	329	per million living ...	25, 39, 53
PEMPHIGUS :		PHARYNX, Diseases of. ( <i>See</i> Mouth.)	
Deaths by Sexes at Ages ...	306, 307	PHARYNX, Infective Diseases of :	
in London ...	324, 325	Deaths by Sexes at Ages ...	310, 311
Deaths by Sexes ...	372	in London ...	328, 329
in Counties ...	372-378	PHLEBITIS :	
1888-1907 ...	32, 46, 60	Deaths by Sexes at Ages ...	302, 303
per million living ...	33, 47, 61	in London ...	320, 321
PERICARDITIS :		Deaths by Sexes ...	358
Deaths by Sexes at Ages ...	302, 303	in Counties ...	358-364
in London ..	320, 321	1888-1907 ...	28, 42, 56
Deaths by Sexes ...	358	per million living ...	29, 43, 57
in Counties ...	358-364	PHLEGMASIA ALBA DOLENS. ( <i>See</i> Puerperal Septic Diseases.)	
1888-1907 ...	28, 42, 56	PHLEGMON, CARBUNCLE :	
per million living ...	29, 43, 57	Deaths by Sexes at Ages ...	298, 299
PERIOSTITIS. ( <i>See</i> Arthritis.)		in London ...	316, 317
PERIPHERAL NEURITIS. ( <i>See</i> Neuritis.)		Deaths by Sexes ...	344
PERITONEUM, Infective Diseases of :		in Counties ...	344-350
Deaths by Sexes at Ages ...	310, 311	1888-1907 ...	24, 38, 52
in London ...	328, 329	per million living ...	25, 39, 53
PERITONITIS (not PUERPERAL or TUBERCULOUS) ...	cxxiii	PHOSPHORUS, Poisoning by (Industrial) :	
Deaths by Sexes at Ages ...	304, 305	Deaths by Sexes at Ages ...	300, 301
in London ...	322, 323	in London ...	318, 319
Deaths by Sexes ...	365	Deaths by Sexes ...	351
in Counties ...	365-371	in Counties ...	351-357
1888-1907 ...	30, 44, 58	1901-1907 ...	26, 40, 54
per million living ...	31, 45, 59	per million living ...	27, 41, 55



	PAGES
PHTHISIS... ..	ci
Deaths by Sexes at Ages ... 298, 299	
per million living, 1902-1906, 1907 ... ..	cii
in Urban and Rural Counties ... ..	cii
in London ... ..	316, 317
Deaths by Sexes ... ..	344
per million living, 1902-1906, 1907 ... ..	ci
in Urban and Rural Counties ... ..	ci
in Counties ... ..	344-350, 388-397
per million living ... ..	66-69
1888-1907 ... ..	24, 38, 52
per million living ... ..	25, 39, 53
Deaths :	
in Registration Districts ... 398-422	
per million living :	
in Counties, 1897-1906, 1907 ... ..	71
in quinquennia, 1871-1905 ... ..	21
in several Countries :	
1881-1907... ..	110-143
per 1,000 living, 1881-1905, 1906, 1907 ... ..	lxviii
PLACENTA PRÆVIA, FLOODING :	
Deaths at Ages ... ..	307
in London ... ..	325
Deaths ... ..	372
in Counties ... ..	372-378
1888-1907 ... ..	32, 60
per million living ... ..	33, 61
PLAGUE :	
Deaths by Sexes ... ..	337
1888-1907 ... ..	22, 36, 50
per million living ... ..	23, 37, 51
PLEURA, Infective Diseases of :	
Deaths by Sexes at Ages ... 310, 311	
in London ... ..	328, 329
PLEURISY ... ..	cxxi
Deaths by Sexes at Ages ... 304, 305	
in London ... ..	322, 323
Deaths by Sexes ... ..	365
in Counties ... ..	365-371
1888-1907 ... ..	30, 44, 58
per million living ... ..	31, 45, 59
PNEUMONIA ... ..	xvii
Deaths by Sexes at Ages ... 298, 299	
per million living, from Lobar- and from Broncho-	xcix
in London ... ..	316, 317

	PAGES
PNEUMONIA— <i>continued.</i>	
Deaths by Sexes ... ..	344
in Counties ... ..	344-350, 388-397
per million living ... ..	66-69
1888-1907 ... ..	24, 38, 52
per million living ... ..	25, 39, 53
per million living 1902-1906, 1907 ... ..	xcix
in Urban and Rural Counties ... ..	xcix
Deaths :	
in Registration Districts ... 398-422	
per million living in quinquennia, 1871-1905 ... ..	21
Deaths under one to 1,000 births in Counties ... ..	86
Deaths under five to 1,000 living in Counties ... ..	87
Mortality at ages under five :	
by Sexes ... ..	72-77
1902-1906, 1907 ... ..	82
in Urban and Rural Counties ... ..	78-81
POISON, Deaths from :	
by Sexes at Ages ... ..	308, 309
in London ... ..	326, 327
accident ... ..	424, 432
by Sexes ... ..	379
in Counties ... ..	379-385
1901-1907 ... ..	34, 48, 62
per million living ... ..	35, 49, 63
by Sexes at Ages and kinds of Poison :	
accident ... ..	429, 430, 435, 436
manslaughter ... ..	443
murder ... ..	440, 441
suicide ... ..	438, 439
POLY-NEURITIS. ( <i>See</i> Neuritis.)	
POPULATION :	
age constitution of, 1871-1901 enumerated ... ..	xxiii
in Channel Islands and in Isle of Man, 1881-1901 ... ..	v
in Counties ... ..	208-210
in Registration Districts and Sub-districts ... ..	148-207
estimated ... ..	v
in British Colonies, 1881-1907 ... ..	114-123
in Counties (England and Wales) 1907 ... ..	66-69
in England and Wales, 1858-1907 ... ..	2
in Foreign Countries, 1881-1907 ... ..	124-143
in Ireland, 1858-1907 ... ..	3
in Scotland, 1858-1907 ... ..	3
in United Kingdom, 1858-1907 ... ..	2
Increase of. ( <i>See</i> Natural Increase.)	
Method of Estimating ... ..	cxxxii
PREGNANCY, Accidents of. ( <i>See</i> Childbirth.)	

	PAGES
<b>PREMATURE BIRTH :</b>	
Deaths by Sexes at Ages ...	300, 301
in London ...	318, 319
Deaths by Sexes ...	351
in Counties ...	351-357
1888-1907 ...	26, 40, 54
per million living ...	27, 41, 55
Deaths per million living in quinquennia, 1871-1905...	21
Mortality at ages under five :	
by Sexes ...	72-77
1902-1906, 1907 ...	82
in Urban and Rural Counties	78-81
<b>PRESBYTERIANS :</b>	
Number of buildings for Solemnisation of Marriage	7
<b>PRICES ; of Consols, Wheat, Meat and Coal, 1858-1907 ...</b>	93
<b>PROSTATE, Diseases of. (See Bladder.)</b>	
<b>PRUSSIA, Vital Statistics of, 1881-1907 ...</b>	130
<b>PUBLIC INSTITUTIONS :</b>	
Deaths in Workhouses, Hospi- tals, and Asylums	1, 227-278
<b>PUERPERAL CONVULSIONS :</b>	
Deaths at Ages ...	307
in London ...	325
Deaths ...	372
in Counties ...	372-378
1888-1907 ...	32, 60
per million living ...	33, 61
<b>PUERPERAL FEVER. (See Puer- peral Septic Diseases.)</b>	
<b>PUERPERAL MANIA :</b>	
Deaths at Ages ...	307
in London ...	325
Deaths ...	372
in Counties ...	372-378
1888-1907 ...	32, 60
per million living ...	33, 61
<b>PUERPERAL PYÆMIA. (See Puerperal Septic Diseases.)</b>	
<b>PUERPERAL SEPTIC DISEASES</b>	xcvii
Deaths at Ages ...	299
in London ...	317
Deaths ...	344
in Counties ...	344-350
1888-1907 ...	24, 52
per million living ...	25, 53
<b>PUERPERAL SEPTIC DISEASES and CHILDBIRTH :</b>	
Deaths :	
in Counties ...	388-397
per million living ...	67, 69
to 1,000 births, 1897-1906, 1907 ...	71
in Registration Districts ...	398-422
in quinquennia, 1871-1905, per million living ...	21

	PAGES
<b>PULMONARY TUBERCULOSIS (See Phthisis.)</b>	
<b>PURPURA :</b>	
Deaths by Sexes at Ages ...	300, 301
in London ...	318, 319
Deaths by Sexes ...	351
in Counties ...	351-357
1901 to 1907...	26, 40, 54
per million living ...	27, 41, 55
<b>PYÆMIA (not Puerperal)</b>	xcvi
Deaths by Sexes at Ages ...	298, 299
in London ...	316, 317
Deaths by Sexes ...	344
in Counties ...	344-350
1888-1907 ...	24, 38, 52
per million living ...	25, 39, 53
<b>PYREXIA (Origin uncertain) :</b>	
Deaths by Sexes at Ages ...	296, 297
in London ...	314, 315
Deaths by Sexes ...	337
in Counties ...	337-343, 388-397
per million living ...	66-69
1888-1907 ...	22, 36, 50
per million living ...	23, 37, 51
Deaths :	
in Registration Districts ...	398-422
per million living :	
in quinquennia, 1871-1905	21
in groups of years, 1838- 1907 ...	64
in London ...	65
in Counties, 1897-1906, 1907 ...	71
<b>QUAKERS, Marriages of. (See Marriages — Manner of Solemnisation.)</b>	
<b>QUARRIES, Violent Deaths in. (See Mines.)</b>	
<b>QUEENSLAND, Vital Statistics of, 1881-1907 ...</b>	116
<b>QUINSY. (See Tonsillitis.)</b>	
<b>RABIES ...</b>	xcvi
Deaths by Sexes, 1888-1907...	22, 36, 50
per million living ...	23, 37, 51
Deaths per million living in quinquennia, 1871-1905	21
<b>RAILWAYS :</b>	
Accidental Deaths :	
by Sexes at Ages ...	424, 432
from various causes ...	426, 433
Suicide on, by Sexes at Ages	438, 439
Manslaughter on ...	442



	PAGES		PAGES
RAINFALL ... ..	cxxxvi	RHEUMATOID ARTHRITIS,	
at Greenwich, 1858-1907 ...	94	RHEUMATIC GOUT:	
in months, 1907 ...	99	Deaths by Sexes at Ages ...	300, 301
in quarters, 1907 ...	97	in London ...	318, 319
at various places ...	101-107	Deaths by Sexes ...	351
REGISTERS:		in Counties ...	351-357
Total Names on, 1858-1907 ...	89	1901-1907 ...	26, 40, 54
Number of Searches and		per million living ...	27, 41, 55
Amount of Fees received,			
1858-1907 ...	89	RICKETS:	
REGISTRATION ACTS:		Deaths by Sexes at Ages ...	300, 301
Convictions for Offences		in London ...	318, 319
against ...	li	Deaths by Sexes ...	351
Registers made pursuant to	li	in Counties ...	351-357
REGISTRATION COUNTIES:		1888-1907 ...	26, 40, 54
List of selected Urban and		per million living ...	27, 41, 55
Rural ...	lxxvii	Mortality at Ages under five:	
REGISTRATION DISTRICTS and		by Sexes ...	72-77
SUB-DISTRICTS:		1902-1906, 1907 ...	82
Changes in ...	470-475	in Urban and Rural Coun-	
Index of ...	444-458	ties ...	78-81
RELAPSING FEVER:		ROMAN CATHOLIC MARRIAGES	xxi
Deaths by Sexes at Ages ...	296, 297	in Counties ...	208, 211
in London ...	314, 315	Number of Buildings for	
Deaths by Sexes ...	337	Solemnisation of ...	7
in Counties ...	337-343	Proportion in 1,000 Marriages:	
1888-1907 ...	22, 36, 50	1858-1907 ...	8
per million living ...	23, 37, 51	in London ...	9
RESPIRATORY SYSTEM:		in Counties ...	12
Deaths by Sexes at Ages 294, 295, 304,		ROUMANIA, Vital Statistics of,	
305		1881-1907 ...	133
in London ...	312, 313, 322, 323	RUBEOLA:	
Deaths by Sexes ...	330, 365	Discontinuance of term ...	lxxxi
in Counties ...	330-336, 365-371	RURAL COUNTIES, List of	
1888-1907 ...	30, 44, 58	selected... ...	lxxvii
per million living ...	31, 45, 59	RURAL DISTRICTS:	
(See also Asthma, Bronchitis,		Birth-rates in ...	xxix
&c.)		RURAL MORTALITY ...	lxxviii
RHEUMATIC FEVER ...	cvii	Deaths by Sexes to 1,000	
RHEUMATIC FEVER and		living, 1902-1906, 1907...	lxxviii
RHEUMATISM of HEART:		at Ages ...	lxxix
Deaths by Sexes at Ages ...	300, 301	from Enteric Fever ...	xcii
in London ...	318, 319	at Ages ...	xcv
Deaths by Sexes ...	351	from Pneumonia ...	xcix
in Counties ...	351-357, 388-397	from Phthisis ...	ci
per million living ...	66-69	at Ages ...	cii
1888-1907 ...	26, 40, 54	from Cancer ...	cviii
per million living ...	27, 41, 55	at Ages above 35 Years...	cxvi
Deaths in Registration Dis-		Mortality at Ages under five,	
tricts ...	398-422	from several Causes ...	80
Deaths per million living in		RUSSIA, Vital Statistics of, 1881-	
quinquennia, 1876-1905	21	1902 ...	127
RHEUMATISM:		SARCOMA. (See Cancer.)	
Deaths by Sexes at Ages ...	300, 301	SCALDS. (See Burns.)	
in London ...	318, 319		
Deaths by Sexes ...	351		
in Counties ...	351-357		
1888-1907 ...	26, 40, 54		
per million living ...	27, 41, 55		
in quinquennia 1876-			
1905 ...	21		

	PAGES
SCARLET FEVER...	lxxxii
Deaths by Sexes at Ages	296, 297
in London	314, 315
Deaths by Sexes	337
in Counties	337-343, 388-397
per million living	66-69
1888-1907	22, 36, 50
per million living	23, 37, 51
Deaths:	
in Metropolitan Asylums	
Board Hospitals and	
admissions thereto, in	
quinquennia, 1873-1907	lxxxii
in Registration Districts	398-422
in several Countries, 1881-	
1907	110-143
per 1,000 living, in quin-	
quennia, 1881-1905,	
1906, 1907	lxv
per million living:	
in Counties, 1897-1906,	
1907	70
in Quinquennia, 1871-1905	21
in Groups of Years, 1838-	
1907	64
in London	65
Deaths under five to 1,000 living:	
in Counties	87
Mortality at Ages under five:	
by Sexes	72-77
1902-1906, 1907	82
in Urban and Rural Coun-	
ties	78-81
SCOTLAND:	
Area, Population, 1858-1907..	3
Vital Statistics of, 1881-1907	112
SCROFULA:	
Deaths by Sexes at Ages	298, 299
in London	316, 317
Deaths by Sexes	344
in Counties	344-350
1888-1907	24, 38, 52
per million living	25, 39, 53
SCURVY:	
Deaths by Sexes at Ages	298, 299
in London	316, 317
Deaths by Sexes	344
in Counties	344-350
1888-1907	24, 38, 52
per million living	25, 39, 53
SEA, Births and Deaths at	liv
SEAMEN, Merchant Service:	
Mortality and Numbers Em-	
ployed, 1891-1907	liv, 92
SEARCHES and CERTIFICATES:	
Fees received for, 1858-1907..	89
Total Searches and Certificates	
issued, 1866-1907	li
SENILE DECAY, SENILITY.	
(See Old Age.):	
SENILE GANGRENE. (See Gan-	
grene.)	

	PAGES
SEPTIC DISEASES:	
Deaths by Sexes	388
in Counties	388-397
per million living	66-69
Deaths in Registration Dis-	
tricts	398-422
SEPTICÆMIA (not PUERPERAL)	xcvi
Deaths by Sexes at Ages	298, 299
in London	316, 317
Deaths by Sexes	344
in Counties	344-350
1888-1907	24, 38, 52
per million living	25, 39, 53
SERVIA, Vital Statistics of,	
1881-1906	135
SEX PROPORTIONS, 1858-1907:	
Male to Female Births	5
Male to Female Rate of Mor-	
talidity	5
SHIPS, BOATS, DOCKS:	
Accidental Deaths(not Drown-	
ing):	
by Sexes at Ages	303, 309, 424, 432
in London	326, 327
from various Causes	427, 434
by Sexes	379
in Counties	379-385
1901-1907	34, 48, 62
per million living	35, 49, 63
SIMPLE CONTINUED FEVER.	
(See Pyrexia.)	
SKIN, Diseases of:	
Deaths by Sexes at Ages	294, 295,
	306, 307
in London	312, 313, 324, 325
Deaths by Sexes	330, 372
in Counties	330-336, 372-378
1888-1907	32, 46, 60
per million living	33, 47, 61
(See also Eczema, Pemphigus,	
&c.)	
SMALL-POX	lxxx
Deaths by Sexes at Ages	296, 297
in London	314, 315
Deaths by Sexes	337
in Counties	337-343, 388-397
per million living	66-69
1888-1907	22, 36, 50
per million living	23, 37, 51
Deaths:	
in Registration Districts	398-422
in several Countries, 1881-	
1907	110-143
per million living:	
in Counties, 1897-1906,	
1907	70
inquinquennia, 1871-1905	21
in groups of years, 1838-	
1907	64
in London	65
Mortality at Ages under five	
by Sexes	72-77
1902-1906, 1907	82
in Urban and Rural	
Counties	78-81



	PAGES
SOFTENING of BRAIN ... ..	cxviii
Deaths by Sexes at Ages ...	302, 303
in London ... ..	320, 321
Deaths by Sexes ... ..	358
in Counties ... ..	358-364
1888-1907 ... ..	28, 42, 56
per million living ... ..	29, 43, 57
SOUTH AUSTRALIA, Vital Statistics of, 1881-1907...	117
SPAIN, Vital Statistics of, 1881-1907 ... ..	140
SPINAL CORD, Diseases of :	
Deaths by Sexes at Ages ...	302, 303
in London ... ..	320, 321
Deaths by Sexes ... ..	358
in Counties ... ..	358-364
1888-1907 ... ..	28, 42, 56
per million living ... ..	29, 43, 57
SPLEEN, Diseases of :	
Deaths by Sexes at Ages ...	306, 307
in London ... ..	324, 325
Deaths by Sexes ... ..	372
in Counties ... ..	372-378
1888-1907 ... ..	32, 46, 60
per million living ... ..	33, 47, 61
SPLENIC FEVER. ( <i>See</i> Anthrax.)	
STARVATION :	
Deaths by Sexes at Ages ...	298, 299
in London ... ..	316, 317
Deaths by Sexes ... ..	344
in Counties ... ..	344-350
1888-1907 ... ..	24, 38, 52
per million living ... ..	25, 39, 53
Mortality under five. ( <i>See</i> Want of Breast Milk.)	
STOMACH, Diseases of :	
Deaths by Sexes at Ages ...	304, 305
in London ... ..	322, 323
Deaths by Sexes ... ..	365
in Counties ... ..	365-371
1888-1907 ... ..	30, 44, 58
per million living ... ..	31, 45, 59
SUB-DISTRICTS, Registration :	
Area, Population, Births and and Deaths ... ..	148-207
Index of ... ..	448-458
Changes in ... ..	470-475
SUDDEN Deaths (cause unascertained) :	
by Sexes at Ages ... ..	308, 309
in London ... ..	326, 327
by Sexes ... ..	379
in Counties ... ..	379-385
1888-1907 ... ..	34, 48, 62
per million living ... ..	35, 49, 63

	PAGES
SUFFOCATION :	
Deaths by Sexes at Ages ...	308, 309
in London ... ..	326, 327
Deaths by Sexes ... ..	379
in Counties ... ..	379-385
1901-1907 ... ..	34, 48, 62
per million living ... ..	35, 49, 63
Mortality at Ages under five :	
by Sexes ... ..	72-77
1902-1906, 1907 ... ..	82
in Urban and Rural Counties ... ..	78-81
Accidental Deaths :	
by Sexes at Ages ... ..	424, 432
from Various Causes ... ..	431, 436
Manslaughter ... ..	442, 443
Murder ... ..	440, 441
Suicide (hanging) ... ..	438, 439
SUICIDE... ..	cxxx
Deaths by Sexes at Ages ...	308, 309
in London ... ..	326, 327
by various methods ... ..	438, 439
Deaths by Sexes ... ..	379
in Counties ... ..	379-385
1888-1907 ... ..	34, 48, 62
per million living ... ..	35, 49, 63
SUNSHINE ... ..	cxxxviii
at Greenwich in months, 1907 ...	98
at Various Places ... ..	100-107
SUPRA-RENAL CAPSULES, Diseases of :	
Deaths by Sexes at Ages ...	306, 307
in London ... ..	324, 325
Deaths by Sexes ... ..	372
in Counties ... ..	372-378
1888-1907 ... ..	32, 46, 60
per million living ... ..	33, 47, 61
SWEDEN, Vital Statistics of, 1881-1907 ... ..	126
SWITZERLAND, Vital Statistics of, 1881-1906 ... ..	139
SYNCOPE. ( <i>See</i> Heart, Diseases of.)	
SYPHILIS :	
Deaths by Sexes at Ages ...	296, 297
in London ... ..	314, 315
Deaths by Sexes ... ..	337
in Counties ... ..	337-343
1888-1907 ... ..	22, 36, 50
per million living ... ..	23, 37, 51
Mortality at Ages under five :	
by Sexes ... ..	72-77
1902-1906, 1907 ... ..	82
in Urban and Rural Counties ... ..	78-81

	PAGES
<b>TABES MESENTERICA :</b>	
Deaths by Sexes at Ages ...	298, 299
in London ... ..	316, 317
Deaths by Sexes ... ..	344
in Counties ... ..	344-350, 388-397
per million living ... ..	66-69
1888-1907 ... ..	24, 38, 52
per million living ... ..	25, 39, 53
Deaths in Registration Dis-	
tricts ... ..	398-422
Mortality at Ages under five.	
(See Peritonitis, Tuber-	
culous.)	
<b>TASMANIA, Vital Statistics of,</b>	
1881-1907 ... ..	119
<b>TEETHING :</b>	
Deaths by Sexes at Ages ...	300, 301
in London ... ..	318, 319
Deaths by Sexes ... ..	351
in Counties ... ..	351-357
1888-1907 ... ..	26, 40, 54
per million living ... ..	27, 41, 55
<b>TEMPERATURE ... ..</b>	<b>cxxxvii</b>
at Greenwich :	
1858-1907 ... ..	94, 95
in Months ... ..	98
in Quarters ... ..	96, 97
at Various Places ... ..	100-107
<b>TESTES, PENIS, Diseases of. (See</b>	
<b>Generative System.)</b>	
<b>TETANUS :</b>	
Deaths by Sexes at Ages ...	296, 297
in London ... ..	314, 315
Deaths by Sexes ... ..	337
in Counties ... ..	337-343
1888-1907 ... ..	22, 36, 50
per million living ... ..	23, 37, 51
<b>THROMBOSIS. (See Embolism.)</b>	
<b>THYROID BODY, Diseases of :</b>	
Deaths by Sexes at Ages ...	306, 307
in London ... ..	324, 325
Deaths by Sexes ... ..	372
in Counties ... ..	372-378
1888-1907 ... ..	32, 46, 60
per million living ... ..	33, 47, 61
<b>TONSIL, Infective Diseases of :</b>	
Deaths by Sexes at Ages ...	310, 311
in London ... ..	328, 329
<b>TONSILLITIS, Quinsy :</b>	
Deaths by Sexes at Ages ...	304, 305
in London ... ..	322, 323
Deaths by Sexes ... ..	365
in Counties ... ..	365-371
1901-1907 ... ..	30, 44, 58
per million living ... ..	31, 45, 59
<b>TOWN DISTRICTS. (See Urban</b>	
<b>Counties.)</b>	
<b>TRACHEA. (See Larynx.)</b>	
32741	

	PAGES
<b>TUBERCULOSIS ... ..</b>	<b>c</b>
<b>TUBERCULOSIS, General ... ..</b>	<b>cv</b>
Deaths by Sexes at Ages ...	298, 299
in London ... ..	316, 317
Deaths by Sexes ... ..	344
in Counties ... ..	344-350
1888-1907 ... ..	24, 38, 52
per million living ... ..	25, 39, 53
<b>TUBERCULOSIS, Pulmonary.</b>	
(See Phthisis.)	
<b>TUBERCULOUS DISEASES :</b>	
Deaths by Sexes :	
in Counties ... ..	388-397
per million living ... ..	66-69
Deaths in Registration Dis-	
tricts ... ..	398-422
Deaths under one to 1,000	
births in Counties ... ..	86
Deaths under five to 1,000	
living in Counties ... ..	87
Mortality at Ages under five :	
by Sexes ... ..	72-77
1902-1906, 1907 ... ..	82
in Urban and Rural Coun-	
ties... ..	78-81
(See also Lupus, Phthisis, &c.)	
<b>TUBERCULOUS MENINGITIS.</b>	
(See Meningitis Tuberc.)	
<b>TUBERCULOUS PERITONITIS.</b>	
(See Peritonitis, Tuberc.)	
<b>TUBERCULOUS PHTHISIS. (See</b>	
<b>Phthisis.)</b>	
<b>TUMOUR (Organ not stated) :</b>	
Deaths by Sexes at Ages ...	308, 309
in London ... ..	326, 327
Deaths by Sexes ... ..	379
in Counties ... ..	379-385
1888-1907 ... ..	34, 48, 62
per million living ... ..	35, 49, 63
(See also the Organs affected.)	
<b>TYPHOID FEVER. (See Enteric</b>	
<b>Fever.)</b>	
<b>TYPHUS :</b>	
Deaths by Sexes at Ages ...	296, 297
in London ... ..	314, 315
Deaths by Sexes ... ..	337
in Counties ... ..	337-343, 388-397
per million living ... ..	66-69
1888-1907 ... ..	22, 36, 50
per million living ... ..	23, 37, 51
Deaths :	
in Registration Districts ...	398-422
per million living :	
in Counties 1897-1906,	
1907 ... ..	71
inquinquennia, 1871-1905	
in groups of years, 1838-	
1907... ..	64
in London ... ..	65



	PAGES		PAGES
ULCER, Bed sore :		UTERUS and VAGINA, Diseases	
Deaths by Sexes at Ages ...	306, 307	of ... ..	cxxiv
in London ... ..	324, 325	Deaths at Ages ... ..	307
Deaths by Sexes ... ..	372	in London ... ..	325
in Counties ... ..	372-378	Deaths ... ..	372
1888-1907 ... ..	32, 46, 60	in Counties ... ..	372-378
per million living ...	33, 47, 61	1888-1907 ... ..	32, 60
ULCER (Infective) :		per million living ...	33, 61
Deaths by Sexes at Ages ...	310, 311		
in London ... ..	328, 329		
ULCERATION of INTESTINES.			
(See Intestines.)			
UNCERTIFIED DEATHS... ..	xlvi	VACCINATION, Cowpox. ...	lxxx
by Sex, Age and Cause ...	xliv	Deaths connected with :	
per cent. of total deaths in		by Sexes at Ages ... ..	296, 297
Counties ... ..	xlvi	in London ... ..	314, 315
reported and not reported		by Sexes ... ..	337
to Coroners ... ..	xlvi	in Counties ... ..	337-343
UNITARIANS :		1888-1907... ..	22, 36, 50
Number of buildings registered		per million living ...	23, 37, 51
for marriage ... ..	7	Deaths from, to children	
UNITED KINGDOM ... ..	li	vaccinated ... ..	lxxx
Area ; Population, 1858-1907	2	Numbers vaccinated per 100	
Passenger Movement, to and		births ... ..	lxxx
from, 1895-1907 ... ..	90		
Vital Statistics of, 1881-1907	110		
URÆMIA. (See Nephritis.)		VAGINA, Diseases of. (See	
URBAN COUNTIES :		Uterus.)	
list of selected ... ..	lxxvii	VALVULAR DISEASE, Endocar-	
URBAN DISTRICTS :		ditis :	
Index of ... ..	459-469	Deaths by Sexes and Ages ...	302, 303
Birth-rates in ... ..	xxix, xlv	in London ... ..	320, 321
URBAN MORTALITY ... ..	lxxviii	Deaths by Sexes ... ..	358
Deaths by Sexes to 1,000		in Counties ... ..	358-364
living 1902-1906, 1907 ...	lxxviii	1888-1907 ... ..	28, 42, 56
at Ages ... ..	lxxix	per million living ...	29, 43, 57
from enteric fever ... ..	xcii		
at Ages ... ..	xcv	VARICOSE VEINS :	
from pneumonia ... ..	xcix	Deaths by Sexes at Ages ...	302, 303
from phthisis ... ..	ci	in London ... ..	320, 321
at Ages ... ..	cii	Deaths by Sexes ... ..	358
from cancer ... ..	cviii	in Counties ... ..	358-364
at Ages above 35 years ...	cxvi	1888-1907 ... ..	28, 42, 56
Mortality at Ages under five		per million living ...	29, 43, 57
from several causes ...	78		
URINARY SYSTEM, Diseases of :		VEHICLES and HORSES :	
Deaths by Sexes at Ages ...	294, 295,	Deaths by Sexes at Ages ...	308, 309
306, 307		in London ... ..	326, 327
in London ... ..	312, 313, 324, 325	Deaths by Sexes ... ..	379
Deaths by Sexes ... ..	330, 372	in Counties ... ..	379-385
in Counties ... ..	330-336, 372-378	1901-1907 ... ..	34, 48, 62
1888-1907 ... ..	32, 46, 60	per million living ...	35, 49, 63
per million living ...	33, 47, 61		
(See also Bright's Disease,		VEHICLES (other than Rail-	
Nephritis, &c.)		way.)	
UTERUS and OVARY, Infective		accidental deaths :	
Diseases of :		by Sexes at Ages ... ..	424, 432
Deaths at Ages ... ..	311	from various causes ...	426, 433
in London ... ..	329	manslaughter ... ..	442, 443
		suicide ... ..	438, 439
		VENEREAL DISEASES :	
		Deaths per million living in	
		quinquennia, 1871-1905...	21
		(See also Gonorrhœa, Syphilis.)	

	PAGES
VICTORIA, Vital Statistics of, 1881-1907 ... ..	115
VIOLENT DEATHS ... .. cxxx	
by Sexes at Ages ... ..	294, 295, 308, 309
in London ... ..	312, 313, 326, 327
by Sexes ... ..	330, 379
in Counties ... ..	330-336, 379-385, 388-397
per million living ... ..	66-69
1888-1907 ... ..	34, 48, 62
per million living ... ..	35, 49, 63
in Registration Districts ... ..	398-422
(See also Burns, Drowning, &c.)	
WANT OF BREAST MILK :	
Deaths by Sexes at Ages ... ..	300, 301
in London ... ..	318, 319
Deaths by Sexes ... ..	351
in Counties ... ..	351-357
1888-1907 ... ..	26, 40, 54
per million living ... ..	27, 41, 55
Mortality at Ages under five :	
by Sexes ... ..	72-77
1902-1906, 1907 ... ..	82
in Urban and Rural Counties ... ..	78-81
WASTING DISEASES :	
Mortality at Ages under five :	
by Sexes ... ..	72-77
1902-1906, 1907 ... ..	82
in Urban and Rural Counties ... ..	78-81
Deaths under one to 1,000 births in Counties ... ..	86
WEAPONS and IMPLEMENTS,	
Deaths caused by :	
by Sexes at Ages ... ..	308, 309
in London ... ..	326, 327
by Sexes ... ..	379
in Counties ... ..	379-385
1901-1907... ..	34, 48, 62
per million living ... ..	35, 49, 63
Deaths by Sexes at Ages, dis- tinguishing those from gun-shot wounds :	
accident ... ..	428, 434
manslaughter ... ..	442
murder ... ..	440, 441
suicide ... ..	438, 449

	PAGES
WEATHER AGENCIES, Deaths caused by :	
by Sexes at Ages ... ..	308, 309, 424, 432
in London ... ..	326, 327
from several causes ... ..	431, 437
by Sexes ... ..	379
in Counties ... ..	379-385
1901-1907 ... ..	34, 48, 62
per million living ... ..	35, 49, 63
WESTERN AUSTRALIA, Vital Statistics of, 1881-1907 ... ..	118
WHEAT, Prices of :	
1858-1907 ... ..	93
WHOOPING COUGH ... .. lxxxiv	
Deaths by Sexes at Ages ... ..	296, 297
in London ... ..	314, 315
Deaths by Sexes ... ..	337
in Counties ... ..	337-343, 388-397
per million living ... ..	66-69
1888 to 1907... ..	22, 36, 50
per million living ... ..	23, 37, 51
Deaths :	
in Registration Districts ... ..	398-422
in several Countries, 1881- 1907 ... ..	110-143
per 1,000 living in quin- quennia, 1881-1905, 1906, 1907 ... ..	lxvi
per million living :	
in Counties, 1897-1906, 1907 ... ..	70
in quinquennia, 1871-1905 ... ..	21
in groups of years, 1838- 1907 ... ..	64
in London ... ..	65
Deaths under one to 1,000 births in Counties ... ..	86
Deaths under five to 1,000 living in Counties ... ..	87
Mortality at Ages under five by Sexes ... ..	72-77
1902-1906, 1907 ... ..	82
in Urban and Rural Counties ... ..	78-81
WIDOWS, WIDOWERS, Numbers re-married. (See Marriages and Marriage-rates, First Marriages and re-marriages.)	
WORKHOUSES, WORKHOUSE IN- FIRMARIES AND SCHOOLS :	
Deaths in ... ..	227-278
WORSHIP, CERTIFIED PLACES OF ... ..	xx















